

Sonia Roman

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/986641/sonia-roman-publications-by-year.pdf>
Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

63 papers	1,009 citations	19 h-index	27 g-index
71 ext. papers	1,221 ext. citations	4.3 avg, IF	4.56 L-index

#	Paper	IF	Citations
63	Viral Kinetics of an Acute Hepatitis B Virus Subgenotype F1b Infection in a Mexican Subject.. <i>Clinical Liver Disease</i> , 2022 , 19, 41-48	2.2	
62	Influence of genetic and environmental risk factors in the development of hepatocellular carcinoma in Mexico.. <i>Annals of Hepatology</i> , 2021 , 27, 100649	3.1	1
61	A hospital-based study of the prevalence of HBV, HCV, HIV, and liver disease among a low-income population in West Mexico. <i>Annals of Hepatology</i> , 2021 , 27, 100579	3.1	0
60	Analysis of the complete genome of HBV genotypes F and H found in Brazil and Mexico using the next generation sequencing method. <i>Annals of Hepatology</i> , 2021 , 100569	3.1	
59	A comprehensive update of the status of hepatitis C virus (HCV) infection in Mexico-A systematic review and meta-analysis (2008-2019). <i>Annals of Hepatology</i> , 2021 , 20, 100292	3.1	4
58	Mediterranean diet or genome-based nutrition diets in Latin America\$ clinical practice guidelines for managing chronic liver diseases?. <i>Annals of Hepatology</i> , 2021 , 20, 100291	3.1	2
57	Hepatitis B Virus (HBV) Genotype Mixtures, Viral Load, and Liver Damage in HBV Patients Co-infected With Human Immunodeficiency Virus. <i>Frontiers in Microbiology</i> , 2021 , 12, 640889	5.7	4
56	Adherence to a Fish-Rich Dietary Pattern Is Associated with Chronic Hepatitis C Patients Showing Low Viral Load: Implications for Nutritional Management. <i>Nutrients</i> , 2021 , 13,	6.7	1
55	Association of Apolipoprotein e2 Allele with Insulin Resistance and Risk of Type 2 Diabetes Mellitus Among an Admixed Population of Mexico. <i>Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy</i> , 2020 , 13, 3527-3534	3.4	4
54	A Regionalized Genome-Based Mexican Diet Improves Anthropometric and Metabolic Parameters in Subjects at Risk for Obesity-Related Chronic Diseases. <i>Nutrients</i> , 2020 , 12,	6.7	5
53	Consensus and clinical practice guidelines in Latin America: Who, where, when and how. <i>Annals of Hepatology</i> , 2019 , 18, 281-284	3.1	1
52	First detection of hepatitis E virus genotype 3 as a common infectious agent in patients with chronic liver damage in Mexico. <i>Annals of Hepatology</i> , 2019 , 18, 571-577	3.1	7
51	Hepatitis C virus clearance and less liver damage in patients with high cholesterol, low-density lipoprotein cholesterol and ß allele. <i>World Journal of Gastroenterology</i> , 2019 , 25, 5826-5837	5.6	3
50	Risk factors associated with horizontal transmission of hepatitis B viral infection from parents to children in Mexico. <i>Journal of Infection in Developing Countries</i> , 2019 , 13, 44-49	2.3	3
49	Genome-Based Nutrition in Chronic Liver Disease 2019 , 3-14		1
48	High prevalence of nonalcoholic steatohepatitis and abnormal liver stiffness in a young and obese Mexican population. <i>PLoS ONE</i> , 2019 , 14, e0208926	3.7	16
47	DRD2/ANKK1 TaqI A1 polymorphism associates with overconsumption of unhealthy foods and biochemical abnormalities in a Mexican population. <i>Eating and Weight Disorders</i> , 2019 , 24, 835-844	3.6	12

46	Dopamine D2 receptor polymorphism (C957T) is associated with sugar consumption and triglyceride levels in West Mexicans. <i>Physiology and Behavior</i> , 2018 , 194, 532-537	3.5	7
45	Challenges in research and management of hepatitis E virus infection in Cuba, Mexico, and Uruguay. <i>Revista Panamericana De Salud Publica/Pan American Journal of Public Health</i> , 2018 , 42, e41	4.1	
44	Occult Hepatitis B and Other Unexplored Risk Factors for Hepatocellular Carcinoma in Latin America. <i>Annals of Hepatology</i> , 2018 , 17, 541-543	3.1	8
43	Immunometabolic Effect of Cholesterol in Hepatitis C Infection: Implications in Clinical Management and Antiviral Therapy. <i>Annals of Hepatology</i> , 2018 , 17, 908-919	3.1	13
42	High frequency of the DRD2/ANKK1 A1 allele in Mexican Native Amerindians and Mestizos and its association with alcohol consumption. <i>Drug and Alcohol Dependence</i> , 2017 , 172, 66-72	4.9	24
41	Genes, emotions and gut microbiota: The next frontier for the gastroenterologist. <i>World Journal of Gastroenterology</i> , 2017 , 23, 3030-3042	5.6	25
40	Clinical Impact of Portal Vein Thrombosis Prior to Liver Transplantation: A Retrospective Cohort Study. <i>Annals of Hepatology</i> , 2017 , 16, 236-436	3.1	14
39	High prevalence of HBV infection, detection of subgenotypes F1b, A2, and D4, and differential risk factors among Mexican risk populations with low socioeconomic status. <i>Journal of Medical Virology</i> , 2017 , 89, 2149-2157	19.7	15
38	Early Detection of Liver Damage in Mexican Patients with Chronic Liver Disease. <i>Journal of Translational Internal Medicine</i> , 2017 , 5, 49-57	3	11
37	High Prevalence of ITPA Alleles Associated with Ribavirin-Induced Hemolytic Anemia Among Mexican Population. <i>Annals of Hepatology</i> , 2017 , 16, 221-229	3.1	8
36	Tailoring Nutritional Advice for Mexicans Based on Prevalence Profiles of Diet-Related Adaptive Gene Polymorphisms. <i>Journal of Personalized Medicine</i> , 2017 , 7,	3.6	19
35	Association with Spontaneous Hepatitis C Viral Clearance and Genetic Differentiation of IL28B/IFNL4 Haplotypes in Populations from Mexico. <i>PLoS ONE</i> , 2016 , 11, e0146258	3.7	23
34	Hepatitis E virus: An ancient hidden enemy in Latin America. <i>World Journal of Gastroenterology</i> , 2016 , 22, 2271-83	5.6	34
33	CD36 genetic variation, fat intake and liver fibrosis in chronic hepatitis C virus infection. <i>World Journal of Hepatology</i> , 2016 , 8, 1067-74	3.4	16
32	Sweet Taste Receptor TAS1R2 Polymorphism (Val191Val) Is Associated with a Higher Carbohydrate Intake and Hypertriglyceridemia among the Population of West Mexico. <i>Nutrients</i> , 2016 , 8, 101	6.7	49
31	Conjugated Bilirubin Differentially Regulates CD4+ T Effector Cells and T Regulatory Cell Function through Outside-In and Inside-Out Mechanisms: The Effects of HAV Cell Surface Receptor and Intracellular Signaling. <i>Mediators of Inflammation</i> , 2016 , 2016, 1759027	4.3	7
30	Association of Lactase Persistence Genotypes with High Intake of Dairy Saturated Fat and High Prevalence of Lactase Non-Persistence among the Mexican Population. <i>Journal of Nutrigenetics and Nutrigenomics</i> , 2016 , 9, 83-94		11
29	T-helper 17-related cytokines and IgE antibodies during hepatitis A virus infection in children. <i>Memorias Do Instituto Oswaldo Cruz</i> , 2015 , 110, 263-6	2.6	8

28	Genetic, metabolic and environmental factors involved in the development of liver cirrhosis in Mexico. <i>World Journal of Gastroenterology</i> , 2015 , 21, 11552-66	5.6	35
27	Association of a novel TAS2R38 haplotype with alcohol intake among Mexican-Mestizo population. <i>Annals of Hepatology</i> , 2015 , 14, 729-734	3.1	24
26	Increase of drug use and genotype 3 in HCV-infected patients from Central West and Northeast Mexico. <i>Annals of Hepatology</i> , 2015 , 14, 642-651	3.1	13
25	Influence of ApoE and FABP2 polymorphisms and environmental factors in the susceptibility to gallstone disease. <i>Annals of Hepatology</i> , 2015 , 14, 515-523	3.1	18
24	Rethinking the immune properties of bilirubin in viral hepatitis: from bench to bedside. <i>Clinical and Translational Immunology</i> , 2015 , 4, e54	6.8	6
23	Influence of ApoE and FABP2 polymorphisms and environmental factors in the susceptibility to gallstone disease. <i>Annals of Hepatology</i> , 2015 , 14, 515-23	3.1	10
22	Increase of drug use and genotype 3 in HCV-infected patients from Central West and Northeast Mexico. <i>Annals of Hepatology</i> , 2015 , 14, 642-51	3.1	5
21	Association of a novel TAS2R38 haplotype with alcohol intake among Mexican-Mestizo population. <i>Annals of Hepatology</i> , 2015 , 14, 729-34	3.1	13
20	Hepatitis B virus infection in Latin America: a genomic medicine approach. <i>World Journal of Gastroenterology</i> , 2014 , 20, 7181-96	5.6	47
19	Conjugated bilirubin affects cytokine profiles in hepatitis A virus infection by modulating function of signal transducer and activator of transcription factors. <i>Immunology</i> , 2014 , 143, 578-87	7.8	11
18	High prevalence of occult hepatitis B virus genotype H infection among children with clinical hepatitis in west Mexico. <i>Memorias Do Instituto Oswaldo Cruz</i> , 2014 , 109, 728-37	2.6	17
17	The Quélet index revisited in children and adults. <i>Endocrinología Y Nutricion: Organo De La Sociedad Espanola De Endocrinología Y Nutricion</i> , 2014 , 61, 87-92		4
16	Immunologic, metabolic and genetic factors in hepatitis C virus infection. <i>World Journal of Gastroenterology</i> , 2014 , 20, 3443-56	5.6	26
15	Effect of Ala54Thr polymorphism of FABP2 on anthropometric and biochemical variables in response to a moderate-fat diet. <i>Nutrition</i> , 2013 , 29, 46-51	4.8	20
14	Alcoholism and liver disease in Mexico: genetic and environmental factors. <i>World Journal of Gastroenterology</i> , 2013 , 19, 7972-82	5.6	27
13	Distribution of HBV genotypes F and H in Mexico and Central America. <i>Antiviral Therapy</i> , 2013 , 18, 475-84.6		37
12	HBV endemicity in Mexico is associated with HBV genotypes H and G. <i>World Journal of Gastroenterology</i> , 2013 , 19, 5446-53	5.6	35
11	Hepatitis B Virus Genotype H and Environmental Factors Associated to the Low Prevalence of Hepatocellular Carcinoma in Mexico. <i>Journal of Cancer Therapy</i> , 2013 , 04, 367-376	0.2	16

10	Non-injection drug use and hepatitis C among drug treatment clients in west central Mexico. <i>Drug and Alcohol Dependence</i> , 2012 , 123, 269-72	4.9	14
9	Cytokine expression profiles associated with distinct clinical courses in hepatitis A virus-infected children. <i>Pediatric Infectious Disease Journal</i> , 2012 , 31, 870-1	3.4	11
8	Hepatitis C virus infection and type 2 diabetes mellitus in Mexican patients. <i>Revista Medica Del Instituto Mexicano Del Seguro Social</i> , 2012 , 50, 481-6	0.1	4
7	Multiple cytokine expression profiles reveal immune-based differences in occult hepatitis B genotype H-infected Mexican Nahua patients. <i>Memorias Do Instituto Oswaldo Cruz</i> , 2011 , 106, 1007-13	2.6	23
6	Molecular epidemiology of hepatitis C virus genotypes in west Mexico. <i>Virus Research</i> , 2010 , 151, 19-25	6.4	17
5	Occult hepatitis B in the genotype H-infected Nahuas and Huichol native Mexican population. <i>Journal of Medical Virology</i> , 2010 , 82, 1527-36	19.7	49
4	A low steady HBsAg seroprevalence is associated with a low incidence of HBV-related liver cirrhosis and hepatocellular carcinoma in Mexico: a systematic review. <i>Hepatology International</i> , 2009 , 3, 343-55	8.8	36
3	Association of the epsilon 2 allele of APOE gene to hypertriglyceridemia and to early-onset alcoholic cirrhosis. <i>Alcoholism: Clinical and Experimental Research</i> , 2008 , 32, 559-66	3.7	26
2	Heterogeneity of apolipoprotein E polymorphism in different Mexican populations. <i>Human Biology</i> , 2006 , 78, 65-75	1.2	30
1	The role of FABP2 gene polymorphism in alcoholic cirrhosis. <i>Hepatology Research</i> , 2005 , 33, 306-12	5.1	14