
Liang Kang

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/987195/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Modified FOLFOX6 With or Without Radiation Versus Fluorouracil and Leucovorin With Radiation in Neoadjuvant Treatment of Locally Advanced Rectal Cancer: Initial Results of the Chinese FOWARC Multicenter, Open-Label, Randomized Three-Arm Phase III Trial. Journal of Clinical Oncology, 2016, 34, 3300-3307.	1.6	307
2	Neoadjuvant Modified FOLFOX6 With or Without Radiation Versus Fluorouracil Plus Radiation for Locally Advanced Rectal Cancer: Final Results of the Chinese FOWARC Trial. Journal of Clinical Oncology, 2019, 37, 3223-3233.	1.6	219
3	Neoadjuvant PD-1 blockade with toripalimab, with or without celecoxib, in mismatch repair-deficient or microsatellite instability-high, locally advanced, colorectal cancer (PICC): a single-centre, parallel-group, non-comparative, randomised, phase 2 trial. The Lancet Gastroenterology and Hepatology, 2022, 7, 38-48.	8.1	111
4	Short-term outcomes of complete mesocolic excision versus D2 dissection in patients undergoing laparoscopic colectomy for right colon cancer (RELARC): a randomised, controlled, phase 3, superiority trial. Lancet Oncology, The, 2021, 22, 391-401.	10.7	84
5	Impact of Long-Course Neoadjuvant Radiation on Postoperative Low Anterior Resection Syndrome and Quality of Life in Rectal Cancer: Post Hoc Analysis of a Randomized Controlled Trial. Annals of Surgical Oncology, 2019, 26, 746-755.	1.5	80
6	Positive regulatory effects of perioperative probiotic treatment on postoperative liver complications after colorectal liver metastases surgery: a double-center and double-blind randomized clinical trial. BMC Gastroenterology, 2015, 15, 34.	2.0	79
7	Aberrant expression of long noncoding RNA SNHG15 correlates with liver metastasis and poor survival in colorectal cancer. Journal of Cellular Physiology, 2019, 234, 7032-7039.	4.1	47
8	Transanal total mesorectal excision for rectal cancer: a preliminary report. Surgical Endoscopy and Other Interventional Techniques, 2016, 30, 2552-2562.	2.4	30
9	Transanal total mesorectal excision for rectal cancer: a multicentric cohort study. Gastroenterology Report, 2020, 8, 36-41.	1.3	30
10	International consensus on natural orifice specimen extraction surgery (NOSES) for gastric cancer (2019). Gastroenterology Report, 2020, 8, 5-10.	1.3	30
11	Neoadjuvant Chemotherapy With mFOLFOXIRI Without Routine Use of Radiotherapy for Locally Advanced Rectal Cancer. Clinical Colorectal Cancer, 2019, 18, 238-244.	2.3	29
12	Avoiding perioperative dexamethasone may improve the outcome of patients with rectal cancer. European Journal of Surgical Oncology, 2015, 41, 667-673.	1.0	28
13	Comparison of pathological outcomes after transanal versus laparoscopic total mesorectal excision: a prospective study using data from randomized control trial. Surgical Endoscopy and Other Interventional Techniques, 2020, 34, 3956-3962.	2.4	25
14	Modified FOLFOXIRI With or Without Cetuximab as Conversion Therapy in Patients with <i>RAS</i> / <i>BRAF</i> Wild-Type Unresectable Liver Metastases Colorectal Cancer: The FOCULM Multicenter Phase II Trial. Oncologist, 2021, 26, e90-e98.	3.7	24
15	Erectile and urinary function in men with rectal cancer treated by neoadjuvant chemoradiotherapy and neoadjuvant chemotherapy alone: a randomized trial report. International Journal of Colorectal Disease, 2016, 31, 1349-1357.	2.2	22
16	Meta-analysis of the therapeutic effects of antibiotic versus appendicectomy for the treatment of acute appendicitis. Experimental and Therapeutic Medicine, 2014, 7, 1181-1186.	1.8	20
17	Diagnostic efficacy of whole-body diffusion-weighted imaging in the detection of tumour recurrence and metastasis by comparison with 18F-2-fluoro-2-deoxy-D-glucose positron emission tomography or computed tomography in patients with gastrointestinal cancer. Gastroenterology Report, 2015, 3, 128-135.	1.3	17
18	Associations between the cyclooxygenaseâ€2 expression in circulating tumor cells and the clinicopathological features of patients with colorectal cancer. Journal of Cellular Biochemistry, 2019, 120, 4935-4941.	2.6	14

LIANG KANG

#	Article	IF	CITATIONS
19	Anatomical characteristics and classifications of gastrocolic trunk of Henle in laparoscopic right colectomy: preliminary results of multicenter observational study. Surgical Endoscopy and Other Interventional Techniques, 2020, 34, 4655-4661.	2.4	12
20	taTME: boom or bust?. Gastroenterology Report, 2020, 8, 1-4.	1.3	12
21	Systemic inflammatory indices predict tumor response to neoadjuvant chemoradiotherapy for locally advanced rectal cancer. Oncology Letters, 2020, 20, 2763-2770.	1.8	11
22	Application and comparison of different implanted ports in malignant tumor patients. World Journal of Surgical Oncology, 2016, 14, 251.	1.9	9
23	Three-year outcomes of transanal total mesorectal excision versus standard laparoscopic total mesorectal excision for mid and low rectal cancer. Surgical Endoscopy and Other Interventional Techniques, 2021, , 1.	2.4	9
24	Prostate cancer incorrectly diagnosed as a rectal tumor: A case report. Oncology Letters, 2015, 9, 2647-2650.	1.8	8
25	Transanal Total Mesorectal Excision in Mid-Low Rectal Cancer: Evaluation of the Learning Curve and Comparison of Short-term Results With Standard Laparoscopic Total Mesorectal Excision. Diseases of the Colon and Rectum, 2021, 64, 380-388.	1.3	8
26	Transanal total mesorectal excision combined with intersphincteric resection has similar long-term oncological outcomes to laparoscopic abdominoperineal resection in low rectal cancer: a propensity score-matched cohort study. Gastroenterology Report, 2022, 10, .	1.3	8
27	Association of perioperative blood pressure with long-term survival in rectal cancer patients. Chinese Journal of Cancer, 2016, 35, 38.	4.9	7
28	Transanal total mesorectal excision as a surgical procedure for diffuse cavernous hemangioma of the rectum: A case report. International Journal of Surgery Case Reports, 2017, 39, 164-167.	0.6	7
29	Safety and Feasibility of Transanal Endoscopic Surgery for Diffuse Cavernous Hemangioma of the Rectum. Gastroenterology Research and Practice, 2019, 2019, 1-8.	1.5	7
30	Photothermal therapy technology of metastatic colorectal cancer. American Journal of Translational Research (discontinued), 2020, 12, 3089-3115.	0.0	7
31	Prognosis and postoperative genital function of function-preservative surgery of pelvic autonomic nerve preservation for male rectal cancer patients. BMC Surgery, 2016, 16, 12.	1.3	5
32	Transanal vs laparoscopic total mesorectal excision for rectal cancer: a multicenter randomized phase III clinical trial (TaLaR trial) protocol. Gastroenterology Report, 2021, 9, 71-76.	1.3	5
33	Transanal versus Laparoscopic Total Mesorectal Excision in Male Patients with Low Tumor Location after Neoadjuvant Therapy: A Propensity Score-Matched Cohort Study. Gastroenterology Research and Practice, 2022, 2022, 1-10.	1.5	5
34	Multicenter investigation of bowel evacuation function after transanal total mesorectal excision for mid-low rectal cancer. International Journal of Colorectal Disease, 2021, 36, 725-734.	2.2	4
35	Distinct Genomic Landscape of Colorectal Mucinous Carcinoma Determined via Comprehensive Genomic Profiling: Steps to a New Treatment Strategy. Frontiers in Oncology, 2021, 11, 603564.	2.8	4
36	Sclerosing Mesenteritis: Multidisciplinary Collaboration Is Essential for Diagnosis and Treatment. Gastroenterology Research, 2017, 10, 50-55.	1.3	4

LIANG KANG

#	Article	IF	CITATIONS
37	Survival after curative resection for stage I colorectal mucinous adenocarcinoma. BMC Gastroenterology, 2022, 22, 192.	2.0	4
38	Improvement of low anterior resection syndrome beyond 2 years after total mesorectal excision. Journal of Surgical Oncology, 2022, 125, 448-456.	1.7	3
39	mFOLFOXIRI with or without cetuximab as conversion therapy in patients with RAS/BRAF wild-type unresectable liver metastases colorectal cancer: The FOCULM study Journal of Clinical Oncology, 2020, 38, 99-99.	1.6	3
40	Targeting and imaging colorectal cancer by activatable cell-penetrating peptides. American Journal of Translational Research (discontinued), 2020, 12, 1754-1766.	0.0	3
41	The predicting value of postoperative body temperature on long-term survival in patients with rectal cancer. Tumor Biology, 2015, 36, 8055-8063.	1.8	2
42	Liver acquisition with acceleration volume acquisition gadolinium-enhanced magnetic resonance combined with T2 sequences in the diagnosis of local recurrence of rectal cancer. Journal of X-Ray Science and Technology, 2016, 24, 855-863.	1.0	2
43	Transanal versus laparoscopic total mesorectal excision for low rectal cancer: A multicenter randomized phase III clinical trial (TaLaR trial) protocol Journal of Clinical Oncology, 2017, 35, TPS3631-TPS3631.	1.6	2
44	No difference of complete or incomplete left-sided malignant colonic obstruction on both short- and long-term outcomes. Genetics and Molecular Research, 2014, 13, 7965-7978.	0.2	1
45	Transanal total mesorectal excision for rectal cancer: a multicentric cohort study. Gastroenterology Report, 2020, 8, 82-82.	1.3	1
46	Pure transanal endoscopic colectomy for ascending colon cancer. Techniques in Coloproctology, 2020, 24, 1207-1211.	1.8	1
47	Transanal and transabdominal combined endoscopic resection of rectal stenosis and anal reconstruction based on transanal endoscopic technique. Surgical Endoscopy and Other Interventional Techniques, 2021, 35, 6827-6835.	2.4	1
48	First preclinical experience with the newly developed EDGE SP1000 single-port robotic surgical system-assisted transanal total mesorectal excision. Gastroenterology Report, 2021, 9, 603-605.	1.3	1
49	Neoadjuvant chemotherapy with mFOLFOXIRI alone for cT4 and fixed cT3 rectal cancer: Results from a single arm phase II study (FORTUNE) Journal of Clinical Oncology, 2017, 35, 3607-3607.	1.6	1
50	Comparison of postoperative complication rates between a novel endoluminal balloon-assisted drainage and diverting stoma after low rectal cancer. Clinical and Translational Oncology, 2022, 24, 1347-1353.	2.4	1
51	The Trends of Psychological Status of People Entering from High-Risk Areas of COVID-19 Coronavirus During the Quarantine in Dedicated Hotels: A Longitudinal Survey Study from Guangzhou, China. Risk Management and Healthcare Policy, 2021, Volume 14, 5005-5014.	2.5	1
52	Decrease of Sphincter Preserving Length Lowers the Postoperative Genital Function for Patients With Rectal Cancer. Surgical Laparoscopy, Endoscopy and Percutaneous Techniques, 2018, 28, 42-46.	0.8	0
53	Nomogram including pretherapeutic parameters for prediction of early response after neoadjuvant treatment in rectal cancer: Results from a prospective randomized study Journal of Clinical Oncology, 2016, 34, 716-716.	1.6	0
54	Neoadjuvant chemotherapy alone with mFOLFOXIRI in locally advanced rectal cancer: A single-arm phase II study Journal of Clinical Oncology, 2016, 34, TPS783-TPS783.	1.6	0

LIANG KANG

#	Article	IF	CITATIONS
55	CEA clearance pattern as a predictor for pathologic complete response after neoadjuvant chemoradiation for rectal cancer: Results of the FOWARC trial Journal of Clinical Oncology, 2016, 34, e15112-e15112.	1.6	0
56	Totally neoadjuvant chemoradiation therapy with mFOLFOX6 in locally advanced rectal cancer: A single arm phase II study (FOTAC) Journal of Clinical Oncology, 2017, 35, TPS816-TPS816.	1.6	0
57	Correlation between DIDO1 variation and MSI-status in colorectal cancer Journal of Clinical Oncology, 2020, 38, e16054-e16054.	1.6	Ο
58	Rectal intramucosal carcinoma with lymph node metastasis and tumor deposit. Asian Journal of Surgery, 2022, , .	0.4	0
59	Short-term outcomes of laparoscopy-assisted versus open surgery for low rectal cancer (LASRE): A multicenter, randomized, controlled trial Journal of Clinical Oncology, 2022, 40, 3516-3516.	1.6	Ο