

Maria Mayoral

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9879047/publications.pdf>

Version: 2024-02-01

11
papers

160
citations

1684188

5
h-index

1474206

9
g-index

12
all docs

12
docs citations

12
times ranked

228
citing authors

#	ARTICLE	IF	CITATIONS
1	Clinical Role of Subtraction Ictal SPECT Coregistered to MR Imaging and ¹⁸ F-FDG PET in Pediatric Epilepsy. Journal of Nuclear Medicine, 2014, 55, 1099-1105.	5.0	66
2	Seizure onset zone localization by statistical parametric mapping in visually normal ¹⁸ F-FDG PET studies. Epilepsia, 2016, 57, 1236-1244.	5.1	40
3	PISCOM: a new procedure for epilepsy combining ictal SPECT and interictal PET. European Journal of Nuclear Medicine and Molecular Imaging, 2018, 45, 2358-2367.	6.4	14
4	Epileptogenic Zone Localization With ¹⁸ F-FDG PET Using a New Dynamic Parametric Analysis. Frontiers in Neurology, 2019, 10, 380.	2.4	12
5	CT Radiomic Features for Predicting Resectability and TNM Staging in Thymic Epithelial Tumors. Annals of Thoracic Surgery, 2022, 113, 957-965.	1.3	12
6	Are there imaging characteristics that can distinguish separate primary lung carcinomas from intrapulmonary metastases using next-generation sequencing as a gold standard?. Lung Cancer, 2021, 153, 158-164.	2.0	4
7	Value of diffusion-weighted magnetic resonance imaging in the diagnosis of pyomyoma. Radiology Case Reports, 2022, 17, 137-141.	0.6	4
8	How to inject ictal SPECT? From manual to automated injection. Epilepsy Research, 2021, 175, 106691.	1.6	3
9	Radiogenomics in personalized management of lung cancer patients: Where are we?. Clinical Imaging, 2022, 84, 54-60.	1.5	3
10	Pathological response to neoadjuvant therapy with chemotherapy vs chemoradiotherapy in stage III NSCLC. Contribution of IASLC recommendations. World Journal of Clinical Oncology, 2021, 12, 1047-1063.	2.3	2
11	Pronostic value of maximum standardized uptake value in recurrent epithelial ovarian cancer.. Journal of Clinical Oncology, 2014, 32, e16518-e16518.	1.6	0