

# Maria del Mar Guerrero

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/98795/publications.pdf>

Version: 2024-02-01

17  
papers

146  
citations

1163117

8  
h-index

1199594

12  
g-index

18  
all docs

18  
docs citations

18  
times ranked

128  
citing authors

#	ARTICLE	IF	CITATIONS
1	Gases Released During Soil Biodisinfestation of Pepper Greenhouses Reduce Survival of <i>Phytophthora capsici</i> Oospores in Northern Spain. <i>Frontiers in Sustainable Food Systems</i> , 2021, 5, .	3.9	1
2	Low Temperature Biodisinfection Effectiveness for <i>Phytophthora capsici</i> Control of Protected Sweet Pepper Crops in the Southeast of Spain. <i>Frontiers in Sustainable Food Systems</i> , 2021, 5, .	3.9	4
3	First Report of <i>Fusarium Wilt</i> of Lettuce Caused by <i>Fusarium oxysporum</i> f. sp. <i>lactucae</i> Race 1 in Spain. <i>Plant Disease</i> , 2020, 104, 1858-1858.	1.4	6
4	Soil biosolarization for <i>Verticillium dahliae</i> and <i>Rhizoctonia solani</i> control in artichoke crops in southeastern Spain. <i>Spanish Journal of Agricultural Research</i> , 2019, 17, e1002.	0.6	15
5	Combination of biosolarization and grafting to control <i>Meloidogyne incognita</i> in greenhouse pepper crops. <i>Crop Protection</i> , 2018, 113, 33-39.	2.1	6
6	Effectiveness of quantitative resistance conferred by the genetic background of pepper in the control of root-knot nematodes and influence onto durability of <i>Me1</i> and <i>Me3</i> -resistant genes in greenhouse conditions. <i>Plant Breeding</i> , 2017, 136, 759-766.	1.9	2
7	New pepper accessions proved to be suitable as a genetic resource for use in breeding nematode-resistant rootstocks. <i>Plant Genetic Resources: Characterisation and Utilisation</i> , 2016, 14, 28-34.	0.8	9
8	Survival reduction of <i>Phytophthora capsici</i> oospores and <i>P. nicotianae</i> chlamydospores with Brassica green manures combined with solarization. <i>Scientia Horticulturae</i> , 2015, 197, 607-618.	3.6	20
9	Biodisinfestation with Organic Amendments for Soil Fatigue and Soil-Borne Pathogens Control in Protected Pepper Crops. <i>Soil Biology</i> , 2015, , 437-456.	0.8	4
10	Soil fatigue and its specificity towards pepper plants in greenhouses. <i>Spanish Journal of Agricultural Research</i> , 2014, 12, 644.	0.6	14
11	Application of sugar beet vinasse followed by solarization reduces the incidence of <i>Meloidogyne incognita</i> in pepper crops while improving soil quality. <i>Phytoparasitica</i> , 2013, 41, 181-191.	1.2	18
12	EFFECT OF BIOSOLARIZATION USING PELLETS OF BRASSICA CARINATA ON SOIL-BORNE PATHOGENS IN PROTECTED PEPPER CROPS. <i>Acta Horticulturae</i> , 2010, , 337-344.	0.2	18
13	EFFICACY OF BIOSOLARIZATION WITH SUGAR BEET VINASSES FOR SOIL DISINFESTATION IN PEPPER GREENHOUSES. <i>Acta Horticulturae</i> , 2010, , 345-352.	0.2	7
14	EFFECT OF SOIL FUMIGANTS ON FUNGAL COMMUNITIES IN PROTECTED PEPPER CROPS IN SOUTHEAST SPAIN. <i>Acta Horticulturae</i> , 2010, , 187-193.	0.2	0
15	BIOFUMIGATION PLUS SOLARIZATION EFFICACY FOR SOIL DISINFESTATION IN SWEET PEPPER GREENHOUSES IN THE SOUTHEAST OF SPAIN. <i>Acta Horticulturae</i> , 2005, , 293-298.	0.2	13
16	RESISTANT SWEET PEPPER ROOTSTOCKS INTEGRATED INTO THE MANAGEMENT OF SOILBORNE PATHOGENS IN GREENHOUSE. <i>Acta Horticulturae</i> , 2005, , 305-310.	0.2	8
17	First Report of Blue Mold or Downy Mildew of Pepper from Nurseries in Southeastern Spain. <i>Plant Disease</i> , 2003, 87, 100-100.	1.4	1