

Erika Heninger

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9879936/publications.pdf>

Version: 2024-02-01

28
papers

957
citations

516710

16
h-index

501196

28
g-index

29
all docs

29
docs citations

29
times ranked

1801
citing authors

#	ARTICLE	IF	CITATIONS
1	Augmenting Antitumor Immune Responses with Epigenetic Modifying Agents. <i>Frontiers in Immunology</i> , 2015, 6, 29.	4.8	139
2	Tc17 Cells Mediate Vaccine Immunity against Lethal Fungal Pneumonia in Immune Deficient Hosts Lacking CD4+ T Cells. <i>PLoS Pathogens</i> , 2012, 8, e1002771.	4.7	89
3	TPL2 kinase regulates the inflammatory milieu of the myeloma niche. <i>Blood</i> , 2014, 123, 3305-3315.	1.4	89
4	Characterization of the <i>Histoplasma capsulatum</i> -Induced Granuloma. <i>Journal of Immunology</i> , 2006, 177, 3303-3313.	0.8	81
5	Lower prevalence of IL-4 receptor α -chain gene 1902G variant in very-low-birth-weight infants with necrotizing enterocolitis. <i>Journal of Pediatric Surgery</i> , 2003, 38, 1374-1378.	1.6	59
6	Genetic Variants of TNF- α , IL-1 β , IL-4 Receptor α -Chain, IL-6 and IL-10 Genes Are Not Risk Factors for Sepsis in Low-Birth-Weight Infants. <i>Neonatology</i> , 2003, 83, 241-245.	2.0	57
7	Protective antifungal memory CD8+ T cells are maintained in the absence of CD4+ T cell help and cognate antigen in mice. <i>Journal of Clinical Investigation</i> , 2012, 122, 987-999.	8.2	57
8	High Specificity in Circulating Tumor Cell Identification Is Required for Accurate Evaluation of Programmed Death-Ligand 1. <i>PLoS ONE</i> , 2016, 11, e0159397.	2.5	54
9	Integrated Analysis of Multiple Biomarkers from Circulating Tumor Cells Enabled by Exclusion-Based Analyte Isolation. <i>Clinical Cancer Research</i> , 2017, 23, 746-756.	7.0	52
10	Genetic variants of the interleukin-18 promoter region (-607) influence the course of necrotising enterocolitis in very low birth weight neonates. <i>European Journal of Pediatrics</i> , 2002, 161, 410-411.	2.7	41
11	Pin1 Modulates the Type 1 Immune Response. <i>PLoS ONE</i> , 2007, 2, e226.	2.5	37
12	Innate-Adaptive Crosstalk: How Dendritic Cells Shape Immune Responses in the CNS. <i>Advances in Experimental Medicine and Biology</i> , 2012, 946, 309-333.	1.6	27
13	Tumoricidal Effects of Macrophage-Activating Immunotherapy in a Murine Model of Relapsed/Refractory Multiple Myeloma. <i>Cancer Immunology Research</i> , 2015, 3, 881-890.	3.4	24
14	Virally Activated CD8 T Cells Home to Mycobacterium bovis BCG-Induced Granulomas but Enhance Antimycobacterial Protection Only in Immunodeficient Mice. <i>Infection and Immunity</i> , 2007, 75, 1154-1166.	2.2	20
15	Interactions between T Cells Responding to Concurrent Mycobacterial and Influenza Infections. <i>Journal of Immunology</i> , 2006, 177, 8456-8465.	0.8	18
16	Improved strategy for molecular genetic diagnostics in juvenile nephronophthisis. <i>American Journal of Kidney Diseases</i> , 2001, 37, 1131-1139.	1.9	17
17	Inducible expression of cancer-testis antigens in human prostate cancer. <i>Oncotarget</i> , 2016, 7, 84359-84374.	1.8	17
18	Advancing Treatment of Bone Metastases through Novel Translational Approaches Targeting the Bone Microenvironment. <i>Cancers</i> , 2022, 14, 757.	3.7	15

#	ARTICLE	IF	CITATIONS
19	Development and initial clinical testing of a multiplexed circulating tumor cell assay in patients with clear cell renal cell carcinoma. <i>Molecular Oncology</i> , 2021, 15, 2330-2344.	4.6	14
20	Live cell molecular analysis of primary prostate cancer organoids identifies persistent androgen receptor signaling. <i>Medical Oncology</i> , 2021, 38, 135.	2.5	11
21	Requirements for CD4+ T cell levels in acute <i>Mycobacterium bovis</i> strain bacille Calmette Guerin (BCG)-induced granulomas differ for optimal mycobacterial control versus granuloma formation. <i>International Immunology</i> , 2007, 19, 627-633.	4.0	9
22	Mycobacteria-Induced Suppression of Autoimmunity in the Central Nervous System. <i>Journal of NeuroImmune Pharmacology</i> , 2010, 5, 210-219.	4.1	9
23	Seasonal changes of proapoptotic soluble Fas ligand level in allergic rhinitis combined with asthma. <i>Pediatric Allergy and Immunology</i> , 2006, 17, 444-449.	2.6	6
24	Expression and Activity of the Ca ²⁺ -ATPase Enzyme in Human Neonatal Erythrocytes. <i>Neonatology</i> , 2001, 80, 215-218.	2.0	5
25	Abundance and activity of Ca ²⁺ -ATPase in hypercalciuric children. <i>Pediatric Nephrology</i> , 2001, 16, 739-741.	1.7	4
26	SEEMLIS: a flexible semi-automated method for enrichment of methylated DNA from low-input samples. <i>Clinical Epigenetics</i> , 2022, 14, 37.	4.1	3
27	Fresh tissue procurement and preparation for multicompartement and multimodal analysis of the prostate tumor microenvironment. <i>Prostate</i> , 2022, 82, 836-849.	2.3	2
28	Immune profiling of the bone marrow microenvironment in patients with high-risk localized prostate cancer. <i>Oncotarget</i> , 2020, 11, 4253-4265.	1.8	1