

Robert P Light

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/989405/robert-p-light-publications-by-year.pdf>

Version: 2024-04-29

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

42
papers

2,324
citations

28
h-index

43
g-index

43
ext. papers

2,607
ext. citations

5.8
avg, IF

4.97
L-index

#	Paper	IF	Citations
42	Multi-level computational methods for interdisciplinary research in the HathiTrust Digital Library. <i>PLoS ONE</i> , 2017 , 12, e0184188	3.7	1
41	Open data and open code for big science of science studies. <i>Scientometrics</i> , 2014 , 101, 1535-1551	3	32
40	Neurological Disorders and Publication Abstracts Follow Elements of Social Network Patterns when Indexed Using Ontology Tree-Based Key Term Search. <i>Lecture Notes in Computer Science</i> , 2014 , 278-288	0.9	
39	Mapping the intersection of science and philosophy 2013 ,		1
38	Global multi-level analysis of the scientific food web <i>Scientific Reports</i> , 2013 , 3, 1167	4.9	43
37	Long-term retinal, renal and cardiovascular outcomes in diabetic chronic kidney disease without proteinuria. <i>Nephrology Dialysis Transplantation</i> , 2012 , 27, 310-7	4.3	5
36	Design and update of a classification system: the UCSD map of science. <i>PLoS ONE</i> , 2012 , 7, e39464	3.7	130
35	Short-term vitamin D receptor activation increases serum creatinine due to increased production with no effect on the glomerular filtration rate. <i>Kidney International</i> , 2011 , 80, 1073-9	9.9	57
34	Role of home blood pressure monitoring in overcoming therapeutic inertia and improving hypertension control: a systematic review and meta-analysis. <i>Hypertension</i> , 2011 , 57, 29-38	8.5	274
33	Relationship between glycosylated hemoglobin and blood glucose during progression of chronic kidney disease. <i>American Journal of Nephrology</i> , 2011 , 34, 32-41	4.6	14
32	Patterns and prognostic value of total and differential leukocyte count in chronic kidney disease. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2011 , 6, 1393-9	6.9	24
31	Sleep and activity in chronic kidney disease: a longitudinal study. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2011 , 6, 1258-65	6.9	50
30	Probing dry-weight improves left ventricular mass index. <i>American Journal of Nephrology</i> , 2011 , 33, 373-80	6.9	30
29	Chronic kidney disease as a coronary disease equivalent--a comparison with diabetes over a decade. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2011 , 6, 1385-92	6.9	34
28	Determinants and prognostic significance of electrocardiographic left ventricular hypertrophy criteria in chronic kidney disease. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2011 , 6, 528-36	6.9	17
27	Toward a definition of masked hypertension and white-coat hypertension among hemodialysis patients. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2011 , 6, 2003-8	6.9	33
26	Inferior vena cava diameter and left atrial diameter measure volume but not dry weight. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2011 , 6, 1066-72	6.9	56

25	Relative plasma volume monitoring during hemodialysis AIDS the assessment of dry weight. <i>Hypertension</i> , 2010 , 55, 305-11	8.5	72
24	The effect of measuring ambulatory blood pressure on nighttime sleep and daytime activity--implications for dipping. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2010 , 5, 281-5	6.9	47
23	Median intradialytic blood pressure can track changes evoked by probing dry-weight. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2010 , 5, 897-904	6.9	15
22	Diagnosing obesity by body mass index in chronic kidney disease: an explanation for the "obesity paradox?". <i>Hypertension</i> , 2010 , 56, 893-900	8.5	78
21	Physical activity is a determinant of circadian blood pressure variation in chronic kidney disease. <i>American Journal of Nephrology</i> , 2010 , 31, 15-23	4.6	6
20	A longitudinal study of kidney structure and function in adults. <i>Nephrology Dialysis Transplantation</i> , 2010 , 25, 1120-6	4.3	22
19	Intradialytic hypertension is a marker of volume excess. <i>Nephrology Dialysis Transplantation</i> , 2010 , 25, 3355-61	4.3	63
18	Home blood pressure measurements for managing hypertension in hemodialysis patients. <i>American Journal of Nephrology</i> , 2009 , 30, 126-34	4.6	49
17	Prognostic value of circadian blood pressure variation in chronic kidney disease. <i>American Journal of Nephrology</i> , 2009 , 30, 547-53	4.6	18
16	Circadian blood pressure classification scheme and the health of patients with chronic kidney disease. <i>American Journal of Nephrology</i> , 2009 , 30, 536-46	4.6	13
15	Dry-weight reduction in hypertensive hemodialysis patients (DRIP): a randomized, controlled trial. <i>Hypertension</i> , 2009 , 53, 500-7	8.5	249
14	Nocturia, nocturnal activity, and nondipping. <i>Hypertension</i> , 2009 , 54, 646-51	8.5	59
13	Assessment of iothalamate plasma clearance: duration of study affects quality of GFR. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2009 , 4, 77-85	6.9	43
12	GFR, proteinuria and circadian blood pressure. <i>Nephrology Dialysis Transplantation</i> , 2009 , 24, 2400-6	4.3	56
11	Chronobiology of arterial hypertension in hemodialysis patients: implications for home blood pressure monitoring. <i>American Journal of Kidney Diseases</i> , 2009 , 54, 693-701	7.4	33
10	Diagnostic utility of blood volume monitoring in hemodialysis patients. <i>American Journal of Kidney Diseases</i> , 2008 , 51, 242-54	7.4	33
9	Location not quantity of blood pressure measurements predicts mortality in hemodialysis patients. <i>American Journal of Nephrology</i> , 2008 , 28, 210-7	4.6	57
8	Competing risk factor analysis of end-stage renal disease and mortality in chronic kidney disease. <i>American Journal of Nephrology</i> , 2008 , 28, 569-75	4.6	44

7	Paricalcitol reduces albuminuria and inflammation in chronic kidney disease: a randomized double-blind pilot trial. <i>Hypertension</i> , 2008 , 52, 249-55	8.5	269
6	Arterial stiffness and interdialytic weight gain influence ambulatory blood pressure patterns in hemodialysis patients. <i>American Journal of Physiology - Renal Physiology</i> , 2008 , 294, F303-8	4.3	61
5	Diagnosing hypertension by intradialytic blood pressure recordings. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2008 , 3, 1364-72	6.9	62
4	Physical activity and hemodynamic reactivity in chronic kidney disease. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2008 , 3, 1660-8	6.9	18
3	Relationships of N-terminal pro-B-natriuretic peptide and cardiac troponin T to left ventricular mass and function and mortality in asymptomatic hemodialysis patients. <i>American Journal of Kidney Diseases</i> , 2007 , 50, 1009-19	7.4	103
2	Proteinuria is a determinant of quality of life in diabetic nephropathy: modeling lagged effects with path analysis. <i>American Journal of Nephrology</i> , 2007 , 27, 488-94	4.6	11
1	Trended cosinor change model for analyzing hemodynamic rhythm patterns in hemodialysis patients. <i>Hypertension</i> , 2007 , 50, 143-50	8.5	41