

Mark Stoutenberg

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/98964/publications.pdf>

Version: 2024-02-01

53
papers

1,169
citations

394421

19
h-index

395702

33
g-index

53
all docs

53
docs citations

53
times ranked

1940
citing authors

#	ARTICLE	IF	CITATIONS
1	The Exercise is Medicine Global Health Initiative: a 2014 update. <i>British Journal of Sports Medicine</i> , 2014, 48, 1627-1633.	6.7	228
2	Physical Activity Levels in U.S. Latino/Hispanic Adults. <i>American Journal of Preventive Medicine</i> , 2016, 50, 500-508.	3.0	118
3	Randomized Controlled Trial Comparing Exercise to Health Education for Stimulant Use Disorder. <i>Journal of Clinical Psychiatry</i> , 2017, 78, 1075-1082.	2.2	53
4	Applying Recovery Biomarkers to Calibrate Self-Report Measures of Energy and Protein in the Hispanic Community Health Study/Study of Latinos. <i>American Journal of Epidemiology</i> , 2015, 181, 996-1007.	3.4	46
5	Scapular Stabilizer Activity during Bodyblade® , Cuff Weights, and Thera-Band® Use. <i>Journal of Sport Rehabilitation</i> , 2007, 16, 50-67.	1.0	45
6	Physical activity training in US medical schools: Preparing future physicians to engage in primary prevention. <i>Physician and Sportsmedicine</i> , 2015, 43, 388-394.	2.1	42
7	An evaluation of physical activity training in Australian medical school curricula. <i>Journal of Science and Medicine in Sport</i> , 2017, 20, 534-538.	1.3	42
8	Stimulant Reduction Intervention using Dosed Exercise (STRIDE) - CTN 0037: Study protocol for a randomized controlled trial. <i>Trials</i> , 2011, 12, 206.	1.6	41
9	Correlation Analyses and Regression Modeling Between Isokinetic Testing and On-Court Performance in Competitive Adolescent Tennis Players. <i>Journal of Strength and Conditioning Research</i> , 2005, 19, 519.	2.1	36
10	Accelerometer-measured sedentary time among Hispanic adults: Results from the Hispanic Community Health Study/Study of Latinos (HCHS/SOL). <i>Preventive Medicine Reports</i> , 2015, 2, 845-853.	1.8	35
11	Alcohol use, acculturation and socioeconomic status among Hispanic/Latino men and women: The Hispanic Community Health Study/Study of Latinos. <i>PLoS ONE</i> , 2019, 14, e0214906.	2.5	34
12	Prospective study of alcohol consumption and the incidence of the metabolic syndrome in US men. <i>British Journal of Nutrition</i> , 2013, 110, 901-910.	2.3	32
13	Attitudes and Preferences Towards Exercise Training in Individuals with Alcohol Use Disorders in a Residential Treatment Setting. <i>Journal of Substance Abuse Treatment</i> , 2015, 49, 43-49.	2.8	31
14	Increasing US health plan coverage for exercise programming in community mental health settings for people with serious mental illness: a position statement from the Society of Behavior Medicine and the American College of Sports Medicine. <i>Translational Behavioral Medicine</i> , 2016, 6, 478-481.	2.4	30
15	Exercise training "A beneficial intervention in the treatment of alcohol use disorders?". <i>Drug and Alcohol Dependence</i> , 2016, 160, 2-11.	3.2	29
16	Sildenafil does not improve steady state cardiovascular hemodynamics, peak power, or 15-km time trial cycling performance at simulated moderate or high altitudes in men and women. <i>European Journal of Applied Physiology</i> , 2011, 111, 3031-3040.	2.5	23
17	Isotemporal Analysis of the Association of Objectively Measured Physical Activity With Depressive Symptoms: Results From Hispanic Community Health Study/Study of Latinos (HCHS/SOL). <i>Journal of Physical Activity and Health</i> , 2017, 14, 733-739.	2.0	23
18	A Pragmatic Application of the RE-AIM Framework for Evaluating the Implementation of Physical Activity as a Standard of Care in Health Systems. <i>Preventing Chronic Disease</i> , 2018, 15, E54.	3.4	23

#	ARTICLE	IF	CITATIONS
19	Sildenafil Has Little Influence on Cardiovascular Hemodynamics or 6-km Time Trial Performance in Trained Men and Women at Simulated High Altitude. <i>High Altitude Medicine and Biology</i> , 2011, 12, 215-222.	0.9	22
20	Correlation between static balance and functional autonomy in elderly women. <i>Archives of Gerontology and Geriatrics</i> , 2011, 52, 111-114.	3.0	21
21	Practical Strategies for Assessing Patient Physical Activity Levels in Primary Care. <i>Mayo Clinic Proceedings Innovations, Quality & Outcomes</i> , 2017, 1, 8-15.	2.4	19
22	Translation of Lifestyle Modification Programs Focused on Physical Activity and Dietary Habits Delivered in Community Settings. <i>International Journal of Behavioral Medicine</i> , 2015, 22, 312-327.	1.7	16
23	Alcohol Consumption and Metabolic Syndrome Among Hispanics/Latinos: The Hispanic Community Health Study/Study of Latinos. <i>Metabolic Syndrome and Related Disorders</i> , 2016, 14, 354-362.	1.3	15
24	Objectively Measured Sedentary Time and Cardiovascular Risk Factor Control in US Hispanics/Latinos With Diabetes Mellitus: Results From the Hispanic Community Health Study/Study of Latinos (HCHS/SOL). <i>Journal of the American Heart Association</i> , 2017, 6, .	3.7	14
25	STimulant Reduction Intervention using Dosed Exercise (STRIDE) – Description of the exercise intervention and behavioral program to ensure adherence. <i>Mental Health and Physical Activity</i> , 2012, 5, 175-182.	1.8	13
26	Occupational Physical Activity and Body Mass Index: Results from the Hispanic Community Health Study / Study of Latinos. <i>PLoS ONE</i> , 2016, 11, e0152339.	2.5	12
27	The association of periodontal disease and cardiovascular disease risk: Results from the Hispanic Community Health Study/Study of Latinos. <i>Journal of Periodontology</i> , 2018, 89, 840-857.	3.4	12
28	A Wellness Program for Cancer Survivors and Caregivers: Developing an Integrative Pilot Program with Exercise, Nutrition, and Complementary Medicine. <i>Journal of Cancer Education</i> , 2016, 31, 47-54.	1.3	10
29	The association of organized and unorganized physical activity and sedentary behavior with internalizing and externalizing symptoms in Hispanic adolescents. <i>Child and Adolescent Mental Health</i> , 2016, 21, 109-114.	3.5	9
30	The Implementation of a National Physical Activity Intervention in Colombia. <i>Journal of Physical Activity and Health</i> , 2019, 16, 430-436.	2.0	8
31	Rationale for Using Exercise in the Treatment of Stimulant Use Disorders. <i>Journal of Global Drug Policy and Practice</i> , 2012, 6, .	0.0	8
32	A Community Needs Assessment of the Physical Activity and Food Environment in a Predominantly Hispanic U.S. City. <i>Hispanic Health Care International</i> , 2016, 14, 124-131.	0.9	7
33	Physical activity assessment, prescription and referral in US healthcare: How do we make this a standard of clinical practice?. <i>Progress in Cardiovascular Diseases</i> , 2021, 64, 88-95.	3.1	7
34	Implementation of Lifestyle Modification Program Focusing on Physical Activity and Dietary Habits in a Large Group, Community-Based Setting. <i>Health Education and Behavior</i> , 2017, 44, 421-430.	2.5	6
35	The Impact of Foot Position on Electromyographical Activity of the Superficial Quadriceps Muscles During Leg Extension. <i>Journal of Strength and Conditioning Research</i> , 2005, 19, 931.	2.1	6
36	Sildenafil Does Not Improve Performance At Simulated High Or Moderate Altitudes In Men Or Women. <i>Medicine and Science in Sports and Exercise</i> , 2010, 42, 470.	0.4	5

#	ARTICLE	IF	CITATIONS
37	Cardiorespiratory fitness and body composition of stimulant users: A baseline analysis of the STRIDE cohort. <i>Journal of Substance Abuse Treatment</i> , 2017, 78, 74-79.	2.8	5
38	Informing the Adaptation and Implementation of a Lifestyle Modification Program in Hispanics: A Qualitative Study Among Low-Income Hispanic Adults. <i>Hispanic Health Care International</i> , 2018, 16, 204-212.	0.9	5
39	Dentists' willingness to screen for cardiovascular disease in the dental care setting: Findings from a nationally representative survey. <i>Community Dentistry and Oral Epidemiology</i> , 2019, 47, 299-308.	1.9	5
40	Identifying Key Physical Activity Categories and Topics to Include in Health Professional Training Programs. <i>Teaching and Learning in Medicine</i> , 2020, 32, 362-370.	2.1	5
41	A qualitative study of cognitive, behavioral, and environmental influences on Hispanic mothers' early childhood feeding practices. <i>Appetite</i> , 2021, 164, 105268.	3.7	5
42	Calibration of activity-related energy expenditure in the Hispanic Community Health Study/Study of Latinos (HCHS/SOL). <i>Journal of Science and Medicine in Sport</i> , 2019, 22, 300-306.	1.3	4
43	Communication Between Low Income Hispanic Patients and Their Healthcare Providers Regarding Physical Activity and Healthy Eating. <i>Journal of Community Health</i> , 2017, 42, 1220-1224.	3.8	3
44	Acute and long-term cannabis use among stimulant users: Results from CTN-0037 Stimulant Reduction Intervention using Dosed Exercise (STRIDE) Randomized Control Trial. <i>Drug and Alcohol Dependence</i> , 2019, 200, 139-144.	3.2	3
45	Key Steps to Implementing Physical Activity into Health Professional Training Programs. <i>Current Sports Medicine Reports</i> , 2020, 19, 396-398.	1.2	3
46	From Surviving to Thriving: A Health and Wellness Colloquium for Breast Cancer Survivors. <i>Journal of Cancer Education</i> , 2011, 26, 694-700.	1.3	2
47	Exercise is Medicine: Physical Activity Prescriptions and Behavior During Pregnancy. <i>Medicine and Science in Sports and Exercise</i> , 2019, 51, 123-123.	0.4	2
48	Provision of physical activity advice for patients with chronic diseases in Shenzhen, China. <i>BMC Public Health</i> , 2021, 21, 2143.	2.9	2
49	Inclusion of physical activity in nurse practitioner programs: A national perspective. <i>Journal of the American Association of Nurse Practitioners</i> , 2022, 34, 711-719.	0.9	2
50	Exploring Strategies to Engage Hispanic Patients in Screening for a Diabetes Prevention Program at a Local Community Health Center. <i>Journal of Health Care for the Poor and Underserved</i> , 2021, 32, 487-505.	0.8	1
51	The Impact of Seatback Angle on Electromyographical Activity of the Lower Back and Quadriceps Muscles During Bilateral Knee Extension. <i>Journal of Strength and Conditioning Research</i> , 2005, 19, 908.	2.1	1
52	Moderators of treatment response to exercise in participants with stimulant use disorder: Exploratory results from the Stimulant Reduction using Dosed Exercise (STRIDE)CTN-0037 study. <i>Mental Health and Physical Activity</i> , 2021, 21, 100421.	1.8	0
53	Oral Administration of THAM had no Effect on Ventilatory Measures during VO ₂ peak Test.. <i>Medicine and Science in Sports and Exercise</i> , 2007, 39, S366.	0.4	0