

Yoshinori Osaki

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9898783/publications.pdf>

Version: 2024-02-01

10
papers

244
citations

1162889

8
h-index

1372474

10
g-index

10
all docs

10
docs citations

10
times ranked

440
citing authors

#	ARTICLE	IF	CITATIONS
1	Morphological and functional adaptation of pancreatic islet blood vessels to insulin resistance is impaired in diabetic db/db mice. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2022, 1868, 166339.	1.8	4
2	Enterohepatic Transcription Factor CREB3L3 Protects Atherosclerosis via SREBP Competitive Inhibition. <i>Cellular and Molecular Gastroenterology and Hepatology</i> , 2021, 11, 949-971.	2.3	11
3	CtBP2 confers protection against oxidative stress through interactions with NRF1 and NRF2. <i>Biochemical and Biophysical Research Communications</i> , 2021, 562, 146-153.	1.0	5
4	Hepatocyte ELOVL Fatty Acid Elongase 6 Determines Ceramide Acyl-Chain Length and Hepatic Insulin Sensitivity in Mice. <i>Hepatology</i> , 2020, 71, 1609-1625.	3.6	44
5	Transcriptional co-repressor CtBP2 orchestrates epithelial-mesenchymal transition through a novel transcriptional holocomplex with OCT1. <i>Biochemical and Biophysical Research Communications</i> , 2020, 523, 354-360.	1.0	12
6	CREBH Improves Diet-Induced Obesity, Insulin Resistance, and Metabolic Disturbances by FGF21-Dependent and FGF21-Independent Mechanisms. <i>IScience</i> , 2020, 23, 100930.	1.9	12
7	Selective peroxisome proliferator-activated receptor- α modulator K α 877 efficiently activates the peroxisome proliferator-activated receptor- α pathway and improves lipid metabolism in mice. <i>Journal of Diabetes Investigation</i> , 2017, 8, 446-452.	1.1	34
8	Intestinal CREBH overexpression prevents high-cholesterol diet-induced hypercholesterolemia by reducing Npc1l1 expression. <i>Molecular Metabolism</i> , 2016, 5, 1092-1102.	3.0	32
9	Hyperlipidemia and hepatitis in liver-specific CREB3L3 knockout mice generated using a one-step CRISPR/Cas9 system. <i>Scientific Reports</i> , 2016, 6, 27857.	1.6	31
10	Skeletal muscle-specific HMG-CoA reductase knockout mice exhibit rhabdomyolysis: A model for statin-induced myopathy. <i>Biochemical and Biophysical Research Communications</i> , 2015, 466, 536-540.	1.0	59