## Eugene Kinyanda

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/990051/publications.pdf

Version: 2024-02-01

69 papers 1,776 citations

257450 24 h-index 289244 40 g-index

73 all docs

73 docs citations

times ranked

73

2131 citing authors

#	Article	IF	Citations
1	Prevalence and risk factors of major depressive disorder in HIV/AIDS as seen in semi-urban Entebbe district, Uganda. BMC Psychiatry, 2011, 11, 205.	2.6	131
2	Mental disorder and the outcome of HIV/AIDS in low-income and middle-income countries. Aids, 2012, 26, S117-S135.	2.2	130
3	Validation of brief screening tools for depressive and alcohol use disorders among TB and HIV patients in primary care in Zambia. BMC Psychiatry, 2011, 11, 75.	2.6	124
4	Prevalence, comorbidity and predictors of anxiety disorders in children and adolescents in rural north-eastern Uganda. Child and Adolescent Psychiatry and Mental Health, 2013, 7, 21.	2.5	75
5	Poverty, life events and the risk for depression in Uganda. Social Psychiatry and Psychiatric Epidemiology, 2011, 46, 35-44.	3.1	74
6	The prevalence and characteristics of suicidality in HIV/AIDS as seen in an African population in Entebbe district, Uganda. BMC Psychiatry, 2012, 12, 63.	2.6	70
7	Self-Reported Suicidal Behavior and Attitudes Toward Suicide and Suicide Prevention Among Psychology Students in Ghana, Uganda, and Norway. Crisis, 2008, 29, 20-31.	1.2	67
8	Health and functional status among older people with HIV/AIDS in Uganda. BMC Public Health, 2011, 11, 886.	2.9	65
9	War related sexual violence and it's medical and psychological consequences as seen in Kitgum, Northern Uganda: A cross-sectional study. BMC International Health and Human Rights, 2010, 10, 28.	2.5	58
10	HIV-1 seroprevalence and risk factors for HIV infection among first-time psychiatric admissions in Uganda. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2011, 23, 171-178.	1.2	53
11	Deliberate self-harm as seen in Kampala, Uganda. Social Psychiatry and Psychiatric Epidemiology, 2004, 39, 318-325.	3.1	49
12	Prevalence and risk factors of depression in childhood and adolescence as seen in 4 districts of north-eastern Uganda. BMC International Health and Human Rights, 2013, 13, 19.	2.5	49
13	Prevalence and factors associated with Posttraumatic Stress Disorder seven years after the conflict in three districts in northern Uganda (The Wayo-Nero Study). BMC Psychiatry, 2015, 15, 170.	2.6	47
14	Association between major depressive disorder and pro-inflammatory cytokines and acute phase proteins among HIV-1 positive patients in Uganda. BMC Immunology, 2018, 19, 1.	2.2	43
15	Prevalence and factors associated with probable HIV dementia in an African population: A cross-sectional study of an HIV/AIDS clinic population. BMC Psychiatry, 2013, 13, 126.	2.6	41
16	Major depressive disorder seven years after the conflict in northern Uganda: burden, risk factors and impact on outcomes (The Wayo-Nero Study). BMC Psychiatry, 2015, 15, 48.	2.6	39
17	Men in despair: A qualitative psychological autopsy study of suicide in Northern Uganda. Transcultural Psychiatry, 2012, 49, 696-717.	1.6	38
18	Intimate partner violence as seen in post-conflict eastern Uganda: prevalence, risk factors and mental health consequences. BMC International Health and Human Rights, 2016, 16, 5.	2.5	37

#	Article	IF	CITATIONS
19	Burden of Suicidal Ideation and Attempt among Persons Living with HIV and AIDS in Semiurban Uganda. AIDS Research and Treatment, 2016, 2016, 1-9.	0.7	35
20	The experiences of caregivers of children living with HIV and AIDS in Uganda: a qualitative study. Globalization and Health, 2017, 13, 72.	4.9	35
21	Long-Term Impact of War, Civil War, and Persecution in Civilian Populations—Conflict and Post-Traumatic Stress in African Communities. Frontiers in Psychiatry, 2020, 11, 20.	2.6	33
22	Large Scale Genetic Research on Neuropsychiatric Disorders in African Populations is Needed. EBioMedicine, 2015, 2, 1259-1261.	6.1	32
23	Rates, types and co-occurrence of emotional and behavioural disorders among perinatally HIV-infected youth in Uganda: the CHAKA study. Social Psychiatry and Psychiatric Epidemiology, 2019, 54, 415-425.	3.1	32
24	Major depressive disorder and suicidality in early HIV infection and its association with risk factors and negative outcomes as seen in semi-urban and rural Uganda. Journal of Affective Disorders, 2017, 212, 117-127.	4.1	30
25	Prevalence of severe mental distress and its correlates in a population-based study in rural south-west Uganda. BMC Psychiatry, 2011, 11, 97.	2.6	27
26	Adolescent Suicidality as Seen in Rural Northeastern Uganda. Crisis, 2011, 32, 43-51.	1.2	27
27	Risk of major depressive disorder among older persons living in HIV-endemic central and southwestern Uganda. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2016, 28, 1516-1521.	1.2	23
28	Prevalence and correlates for ADHD and relation with social and academic functioning among children and adolescents with HIV/AIDS in Uganda. BMC Psychiatry, 2017, 17, 336.	2.6	22
29	Cross-cultural adaptation of the Child and Adolescent Symptom Inventory-5 (CASI-5) for use in central and south-western Uganda: the CHAKA project. Tropical Doctor, 2017, 47, 347-354.	0.5	21
30	Incidence and Persistence of Major Depressive Disorder Among People Living with HIV in Uganda. AIDS and Behavior, 2017, 21, 1641-1654.	2.7	20
31	Major Depressive Disorder: Longitudinal Analysis of Impact on Clinical and Behavioral Outcomes in Uganda. Journal of Acquired Immune Deficiency Syndromes (1999), 2018, 78, 136-143.	2.1	20
32	An escape from agony: A qualitative psychological autopsy study of women's suicide in a post-conflict Northern Uganda. International Journal of Qualitative Studies on Health and Well-being, 2012, 7, 18463.	1.6	18
33	Prevalence of suicidal ideation and attempt: associations with psychiatric disorders and HIV/AIDS in post-conflict Northern Uganda. African Health Sciences, 2017, 16, 1027.	0.7	18
34	Repetition of Deliberate Self-Harm as Seen in Uganda. Archives of Suicide Research, 2005, 9, 333-344.	2.3	13
35	Psychological Factors in Deliberate Self-Harm As Seen in an Urban African Population in Uganda: A Case-Control Study. Suicide and Life-Threatening Behavior, 2005, 35, 468-477.	1.9	13
36	Health care professionals' perspectives on physical activity within the Ugandan mental health care system. Mental Health and Physical Activity, 2019, 16, 1-7.	1.8	12

#	Article	IF	CITATIONS
37	The experience of mental health service users in health system strengthening: lessons from Uganda. International Journal of Mental Health Systems, 2019, 13, 60.	2.7	11
38	Between Hippocrates and God: Ugandan mental health professional's views on suicide. Mental Health, Religion and Culture, 2013, 16, 767-780.	0.9	10
39	Association between serotonin transporter gene polymorphisms and increased suicidal risk among HIV positive patients in Uganda. BMC Genetics, 2017, 18, 71.	2.7	10
40	The efficacy of a lay health workers – led physical activity counselling program in patients with HIV and mental health problems: a real-world intervention from Uganda. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2021, 33, 1189-1195.	1.2	10
41	A quantitative assessment of the views of mental health professionals on exercise for people with mental illness: perspectives from a low-resource setting. African Health Sciences, 2019, 19, 2172.	0.7	9
42	Prevalence and factors associated with major depressive disorder among adolescents attending a primary care facility in Kampala, Uganda. Tropical Doctor, 2020, 50, 30-36.	0.5	8
43	Prevalence and Risk Factors of Attempted Suicide in Adult War-Affected Population of Eastern Uganda. Crisis, 2013, 34, 314-323.	1.2	8
44	Agreement and Discrepancy on Emotional and Behavioral Problems Between Caregivers and HIV-Infected Children and Adolescents From Uganda. Frontiers in Psychiatry, 2019, 10, 460.	2.6	7
45	Mental health workers' views on the criminalization of suicidal behaviour in Uganda. Medicine, Science and the Law, 2012, 52, 148-151.	1.0	6
46	Internalizing Mental Disorders and Accelerated Cellular Aging Among Perinatally HIV-Infected Youth in Uganda. Frontiers in Genetics, 2019, 10, 705.	2.3	6
47	Associations between physical inactivity, major depressive disorder, and alcohol use disorder in people living with HIV in a Ugandan fishing community. International Journal of STD and AIDS, 2019, 30, 1177-1184.	1.1	6
48	The efficacy of physical activity counseling in Ugandan patients with HIV and a co-morbid mental disorder: a pilot study. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2020, 32, 758-761.	1.2	6
49	Major Depressive Disorder Among HIV Infected Youth in Uganda: Incidence, Persistence and Their Predictors. AIDS and Behavior, 2020, 24, 2588-2596.	2.7	6
50	Moderate to severe generalized anxiety disorder symptoms are associated with physical inactivity in people with HIV/AIDS: a study from Uganda. International Journal of STD and AIDS, 2021, 32, 170-175.	1.1	6
51	The burden and risk factors for postnatal depression and depressive symptomatology among women in Kampala. Tropical Doctor, 2019, 49, 170-177.	0.5	5
52	TERT rs2736100 and TERC rs16847897 genotypes moderate the association between internalizing mental disorders and accelerated telomere length attrition among HIV+ children and adolescents in Uganda. BMC Medical Genomics, 2021, 14, 15.	1.5	5
53	Correlates of physical activity stages of change in people living with HIV in a Ugandan community. Disability and Rehabilitation, 2020, , $1$ -6.	1.8	4
54	Cultural and linguistic adaptation of the multi-dimensional OXCAP-MH for outcome measurement of mental health among people living with HIV/AIDS in Uganda: the Luganda version. Journal of Patient-Reported Outcomes, 2021, 5, 32.	1.9	4

#	Article	IF	CITATIONS
55	Effectiveness and cost-effectiveness of integrating the management of depression into routine HIV Care in Uganda (the HIV + D trial): A protocol for a cluster-randomised trial. International Journal of Mental Health Systems, 2021, 15, 45.	2.7	4
56	Internalised HIV-related stigma associated with physical inactivity in people with HIV and AIDS: A cross-sectional study from Uganda. African Journal of AIDS Research, 2021, 20, 238-243.	0.9	4
57	Clinical correlates and adverse outcomes of ADHD, disruptive behavior disorder and their co-occurrence among children and adolescents with HIV in Uganda. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2020, 32, 1429-1437.	1.2	3
58	Prevalence, Risk Factors, and Negative Outcomes of Anxiety and Depressive Disorders among HIV-Infected Children and Adolescents in Uganda: CHAKA Study 2014-2017. Psychiatry Journal, 2022, 2022, 1-17.	1.5	3
59	The 5-HTTLPR-rs25531 S-A-S-A Haplotype and Chronic Stress Moderate the Association Between Acute Stress and Internalizing Mental Disorders Among HIV+ Children and Adolescents in Uganda. Frontiers in Genetics, 2021, 12, 649055.	2.3	2
60	Stakeholders' perspectives on integrating the management of depression into routine HIV care in Uganda: qualitative findings from a feasibility study. International Journal of Mental Health Systems, 2021, 15, 63.	2.7	2
61	Psychiatric rehabilitation today:an African perspective. World Psychiatry, 2006, 5, 166.	10.4	2
62	Using Theory of Change to inform the design of the HIV+D intervention for integrating the management of depression in routine HIV care in Uganda. PLoS ONE, 2021, 16, e0259425.	2.5	2
63	Predicting the impacts of land management for sustainable development on depression risk in a Ugandan case study. Scientific Reports, 2022, 12, .	3.3	2
64	Anxiety disorders and asthma among adolescents in Uganda: role of early-life exposures. ERJ Open Research, 2021, 7, 00749-2020.	2.6	1
65	Transitioning from paediatric to HIV adult care services for adolescents and young people living with HIV in the African region: a scoping review protocol. BMJ Open, 2022, 12, e059241.	1.9	1
66	Prevalence and Factors Associated with Risky Sexual Behaviors among Patients with Severe Mental Illness in Uganda: A Descriptive Cross Sectional Study. Open Journal of Psychiatry, 2022, 12, 203-221.	0.6	1
67	Adaptation and validation of a brief DSM-5 based psychiatric rating scale for childhood and adolescent mental health in Uganda: the Child and Adolescent Symptom Inventory-Progress Monitor (CASI-PM). Vulnerable Children and Youth Studies, 2020, 15, 144-154.	1.1	0
68	Prevalence and correlates of neurocognitive impairment and psychiatric disorders among schoolchildren in Wakiso District, Uganda: a cross-sectional study. Wellcome Open Research, 0, 6, 217.	1.8	0
69	Association of Stress, Glucocorticoid Receptor, and FK506 Binding Protein Gene Polymorphisms With Internalizing Disorders Among HIV-Infected Children and Adolescents From Kampala and Masaka Districts—Uganda. Frontiers in Pediatrics, 2021, 9, 666426.	1.9	0