

Yanpeng Wang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9901055/publications.pdf>

Version: 2024-02-01

27
papers

10,635
citations

304743

22
h-index

501196

28
g-index

29
all docs

29
docs citations

29
times ranked

7299
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 1 | Targeted genome modification of crop plants using a CRISPR-Cas system. <i>Nature Biotechnology</i> , 2013, 31, 686-688. | 17.5 | 1,657 |
| 2 | Simultaneous editing of three homoeoalleles in hexaploid bread wheat confers heritable resistance to powdery mildew. <i>Nature Biotechnology</i> , 2014, 32, 947-951. | 17.5 | 1,635 |
| 3 | CRISPR/Cas Genome Editing and Precision Plant Breeding in Agriculture. <i>Annual Review of Plant Biology</i> , 2019, 70, 667-697. | 18.7 | 959 |
| 4 | Efficient DNA-free genome editing of bread wheat using CRISPR/Cas9 ribonucleoprotein complexes. <i>Nature Communications</i> , 2017, 8, 14261. | 12.8 | 751 |
| 5 | Efficient and transgene-free genome editing in wheat through transient expression of CRISPR/Cas9 DNA or RNA. <i>Nature Communications</i> , 2016, 7, 12617. | 12.8 | 710 |
| 6 | Precise base editing in rice, wheat and maize with a Cas9-cytidine deaminase fusion. <i>Nature Biotechnology</i> , 2017, 35, 438-440. | 17.5 | 690 |
| 7 | Genome editing in rice and wheat using the CRISPR/Cas system. <i>Nature Protocols</i> , 2014, 9, 2395-2410. | 12.0 | 627 |
| 8 | Prime genome editing in rice and wheat. <i>Nature Biotechnology</i> , 2020, 38, 582-585. | 17.5 | 544 |
| 9 | Cytosine, but not adenine, base editors induce genome-wide off-target mutations in rice. <i>Science</i> , 2019, 364, 292-295. | 12.6 | 491 |
| 10 | Expanded base editing in rice and wheat using a Cas9-adenosine deaminase fusion. <i>Genome Biology</i> , 2018, 19, 59. | 8.8 | 392 |
| 11 | Establishing a CRISPR-Cas-like immune system conferring DNA virus resistance in plants. <i>Nature Plants</i> , 2015, 1, 15144. | 9.3 | 337 |
| 12 | Efficient C-to-T base editing in plants using a fusion of nCas9 and human APOBEC3A. <i>Nature Biotechnology</i> , 2018, 36, 950-953. | 17.5 | 310 |
| 13 | High-efficiency gene targeting in hexaploid wheat using <sc>DNA</sc> replicons and <sc>CRISPR</sc>/Cas9. <i>Plant Journal</i> , 2017, 89, 1251-1262. | 5.7 | 305 |
| 14 | Rapid and Efficient Gene Modification in Rice and Brachypodium Using TALENs. <i>Molecular Plant</i> , 2013, 6, 1365-1368. | 8.3 | 245 |
| 15 | High-efficiency prime editing with optimized, paired pegRNAs in plants. <i>Nature Biotechnology</i> , 2021, 39, 923-927. | 17.5 | 189 |
| 16 | Genome-edited powdery mildew resistance in wheat without growth penalties. <i>Nature</i> , 2022, 602, 455-460. | 27.8 | 181 |
| 17 | WheatOmics: A platform combining multiple omics data to accelerate functional genomics studies in wheat. <i>Molecular Plant</i> , 2021, 14, 1965-1968. | 8.3 | 166 |
| 18 | Rationally Designed APOBEC3B Cytosine Base Editors with Improved Specificity. <i>Molecular Cell</i> , 2020, 79, 728-740.e6. | 9.7 | 104 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 19 | An engineered prime editor with enhanced editing efficiency in plants. <i>Nature Biotechnology</i> , 2022, 40, 1394-1402. | 17.5 | 89 |
| 20 | Highly efficient heritable genome editing in wheat using an RNA virus and bypassing tissue culture. <i>Molecular Plant</i> , 2021, 14, 1787-1798. | 8.3 | 85 |
| 21 | Manipulating gene translation in plants by CRISPR-Cas9-mediated genome editing of upstream open reading frames. <i>Nature Protocols</i> , 2020, 15, 338-363. | 12.0 | 48 |
| 22 | SWISS: multiplexed orthogonal genome editing in plants with a Cas9 nickase and engineered CRISPR RNA scaffolds. <i>Genome Biology</i> , 2020, 21, 141. | 8.8 | 38 |
| 23 | Genome editing in plants with MAD7 nuclease. <i>Journal of Genetics and Genomics</i> , 2021, 48, 444-451. | 3.9 | 25 |
| 24 | Identification and characterization of <i>Sr22b</i> , a new allele of the wheat stem rust resistance gene <i>Sr22</i> effective against the Ug99 race group. <i>Plant Biotechnology Journal</i> , 2022, 20, 554-563. | 8.3 | 17 |
| 25 | The MYB family transcription factor TuODORANT1 from <i>Triticum urartu</i> and the homolog TaODORANT1 from <i>Triticum aestivum</i> inhibit seed storage protein synthesis in wheat. <i>Plant Biotechnology Journal</i> , 2021, 19, 1863-1877. | 8.3 | 15 |
| 26 | Genome-wide identification of seed storage protein gene regulators in wheat through coexpression analysis. <i>Plant Journal</i> , 2021, 108, 1704-1720. | 5.7 | 9 |
| 27 | Targeted Mutagenesis in Hexaploid Bread Wheat Using the TALEN and CRISPR/Cas Systems. <i>Methods in Molecular Biology</i> , 2017, 1679, 169-185. | 0.9 | 7 |