
John Olver

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/990144/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Longitudinal Follow-Up of Patients with Traumatic Brain Injury: Outcome at Two, Five, and Ten Years Post-Injury. Journal of Neurotrauma, 2014, 31, 64-77.	1.7	436
2	Long-term adjustment of families following traumatic brain injury where comprehensive rehabilitation has been provided. Brain Injury, 2003, 17, 453-468.	0.6	201
3	Navigating the Poststroke Continuum of Care. Journal of Stroke and Cerebrovascular Diseases, 2013, 22, 1-8.	0.7	95
4	Poststroke Chronic Disease Management: Towards Improved Identification and Interventions for Poststroke Spasticity-Related Complications. International Journal of Stroke, 2011, 6, 42-46.	2.9	94
5	The Association between Apolipoprotein E and Traumatic Brain Injury Severity and Functional Outcome in a Rehabilitation Sample. Journal of Neurotrauma, 2011, 28, 1683-1692.	1.7	86
6	A longitudinal study of family functioning after TBI and relatives' emotional status. Neuropsychological Rehabilitation, 2010, 20, 813-829.	1.0	84
7	Do patient-reported outcome measures in hip and knee arthroplasty rehabilitation have robust measurement attributes? A systematic review. Journal of Rehabilitation Medicine, 2011, 43, 572-583.	0.8	75
8	Do patient-reported outcome measures used in assessing outcomes in rehabilitation after hip and knee arthroplasty capture issues relevant to patients? Results of a systematic review and ICF linking process. Journal of Rehabilitation Medicine, 2011, 43, 374-381.	0.8	67
9	Prediction of functional and employment outcome 1 year after traumatic brain injury: a structural equation modelling approach. Journal of Neurology, Neurosurgery and Psychiatry, 2011, 82, 936-941.	0.9	58
10	Analysis of the Syndrome of Unilateral Neglect. Cortex, 1993, 29, 135-140.	1.1	55
11	Spatiotemporal Deficits and Kinematic Classification of Gait Following a Traumatic Brain Injury. Journal of Head Trauma Rehabilitation, 2010, 25, 366-374.	1.0	54
12	Considering the student perspective in returning to school after TBI: A literature review. Brain Injury, 2012, 26, 1165-1176.	0.6	49
13	Evaluation of a community-based model of rehabilitation following traumatic brain injury. Neuropsychological Rehabilitation, 2006, 16, 315-328.	1.0	48
14	Outcome Measurement in an Inpatient and Outpatient Traumatic Brain Injury Rehabilitation Programme. Neuropsychological Rehabilitation, 1999, 9, 517-534.	1.0	36
15	Can the physical environment itself influence neurological patient activity?. Disability and Rehabilitation, 2019, 41, 1177-1189.	0.9	30
16	Continuing issues in the assessment of neglect. Neuropsychological Rehabilitation, 1995, 5, 239-258.	1.0	28
17	Mild Traumatic Brain Injury in Older Adults: Early Cognitive Outcome. Journal of the International Neuropsychological Society, 2014, 20, 663-671.	1.2	28
18	Do clinical tests of spasticity accurately reflect muscle function during walking: A systematic review. Brain Injury, 2017, 31, 440-455.	0.6	28

John Olver

#	Article	IF	CITATIONS
19	Defining Barriers to Discharge From Inpatient Rehabilitation, Classifying Their Causes, and Proposed Performance Indicators for Rehabilitation Patient Flow. Archives of Physical Medicine and Rehabilitation, 2013, 94, 201-208.	0.5	24
20	Management of Spasticity in Moderate and Severe Traumatic Brain Injury: Evaluation of Clinical Practice Guidelines. Journal of Head Trauma Rehabilitation, 2017, 32, E1-E12.	1.0	23
21	â€~lf I haven't got any smell … l'm out of work': Consequences of olfactory impairment fo traumatic brain injury. Brain Injury, 2013, 27, 332-345.	ollowing	21
22	A prospective multicentre study of barriers to discharge from inpatient rehabilitation. Medical Journal of Australia, 2013, 198, 104-108.	0.8	21
23	Safety of methylphenidate following traumatic brain injury: Impact on vital signs and side-effects during inpatient rehabilitation. Journal of Rehabilitation Medicine, 2009, 41, 585-587.	0.8	20
24	Distribution of Lower Limb Spasticity Does Not Influence Mobility Outcome Following Traumatic Brain Injury. Journal of Head Trauma Rehabilitation, 2015, 30, E49-E57.	1.0	20
25	Inpatient subacute care in Australia: perceptions of admission and discharge barriers. Medical Journal of Australia, 2011, 195, 538-541.	0.8	19
26	Multidisciplinary rehabilitation after primary brain tumour treatment. , 2013, , CD009509.		19
27	Toward Accurate Clinical Spasticity Assessment: Validation of Movement Speed and Joint Angle Assessments Using Smartphones and Camera Tracking. Archives of Physical Medicine and Rehabilitation, 2019, 100, 1482-1491.	0.5	17
28	Two-Year Outcome Following Traumatic Brain Injury and Rehabilitation: A Comparison of Patients From Metropolitan Melbourne and Those Residing in Regional Victoria. Brain Impairment, 2010, 11, 253-261.	0.5	15
29	Improving Walking Ability in People With NeurologicÂConditions: A Theoretical Framework for Biomechanics-Driven Exercise Prescription. Archives of Physical Medicine and Rehabilitation, 2019, 100, 1184-1190.	0.5	15
30	The Use of Common Humanity Scenarios to Promote Compassion in Healthcare Workers. Australian Social Work, 2021, 74, 110-121.	0.7	14
31	Evaluation of Internal Construct Validity and Unidimensionality of the Brachial Assessment Tool, A Patient-Reported Outcome Measure for Brachial Plexus Injury. Archives of Physical Medicine and Rehabilitation, 2016, 97, 2146-2156.	0.5	13
32	Do existing patient-report activity outcome measures accurately reflect day-to-day arm use following adult traumatic brachial plexus injury?. Journal of Rehabilitation Medicine, 2015, 47, 438-444.	0.8	12
33	Severity and distribution of spasticity does not limit mobility or influence compensatory strategies following traumatic brain injury. Brain Injury, 2015, 29, 1232-1238.	0.6	12
34	Inter- and intra-rater variability of testing velocity when assessing lower limb spasticity. Journal of Rehabilitation Medicine, 2019, 51, 54-60.	0.8	12
35	Effect of Additional Rehabilitation After Botulinum Toxin-A on Upper Limb Activity in Chronic Stroke. Stroke, 2020, 51, 556-562.	1.0	12
36	The use of botulinum toxin type A in the management of adultâ€onset focal spasticity: A survey of Australian allied health professionals. Australian Occupational Therapy Journal, 2012, 59, 257-264.	0.6	11

JOHN OLVER

#	Article	IF	CITATIONS
37	The efficacy and safety of extended-release methylphenidate following traumatic brain injury: a randomised controlled pilot study. Clinical Rehabilitation, 2017, 31, 733-741.	1.0	11
38	Psychometric Evaluation of the Brachial Assessment Tool Part 1: Reproducibility. Archives of Physical Medicine and Rehabilitation, 2018, 99, 629-634.	0.5	11
39	The nature and extent of upper limb associated reactions during walking in people with acquired brain injury. Journal of NeuroEngineering and Rehabilitation, 2019, 16, 160.	2.4	11
40	Anosmia After Traumatic Brain Injury: A Clinical Update. Brain Impairment, 2007, 8, 31-40.	0.5	10
41	Investigating How Viewing Common Humanity Scenarios Impacts Compassion: A Novel Approach. British Journal of Social Work, 2020, 50, 1724-1742.	0.9	10
42	The International Society of Physical and Rehabilitation Medicine: The way forward ââ,¬â€œ II. Journal of Rehabilitation Medicine, 2014, 46, 97-107.	0.8	9
43	A Screening Tool to Identify Spasticity in Need of Treatment. American Journal of Physical Medicine and Rehabilitation, 2017, 96, 315-320.	0.7	9
44	Subacute sleep disturbance in moderate to severe traumatic brain injury: a systematic review. Brain Injury, 2020, 34, 316-327.	0.6	9
45	Post Stroke Outcome: Global Insight into Persisting Sequelae Using the Post Stroke Checklist. Journal of Stroke and Cerebrovascular Diseases, 2021, 30, 105612.	0.7	9
46	Brain injury. Current Opinion in Neurology, 1995, 8, 443-446.	1.8	8
47	Can the ICF osteoarthritis core set represent a future clinical tool in measuring functioning in persons with osteoarthritis undergoing hip and knee joint replacement?. Journal of Rehabilitation Medicine, 2012, 44, 955-961.	0.8	8
48	Dissemination, Analysis, and Implementation of the World Report on Disability. American Journal of Physical Medicine and Rehabilitation, 2014, 93, S68-S72.	0.7	8
49	Ankle Plantarflexor Spasticity Does Not Restrict the Recovery of Ankle Plantarflexor Strength or Ankle Power Generation for Push-Off During Walking Following Traumatic Brain Injury. Journal of Head Trauma Rehabilitation, 2016, 31, E52-E58.	1.0	8
50	Beyond academic performance: Practice implications for working with students following traumatic brain injury. International Journal of Speech-Language Pathology, 2017, 19, 441-453.	0.6	8
51	Preliminary Psychometric Evaluation of the Brachial Assessment Tool Part 2: Construct Validity and Responsiveness. Archives of Physical Medicine and Rehabilitation, 2018, 99, 736-742.	0.5	7
52	A Prospective Analysis of Olfactory Impairment Recovery After Severe Traumatic Brain Injury. Journal of Head Trauma Rehabilitation, 2018, 33, 53-61.	1.0	7
53	The reproducibility and responsiveness of subjective assessment of upper limb associated reactions in people with acquired brain injury during walking. Clinical Rehabilitation, 2020, 34, 252-262.	1.0	7
54	Quantification of abnormal upper limb movement during walking in people with acquired brain injury. Gait and Posture, 2020, 81, 273-280.	0.6	7

John Olver

#	Article	IF	CITATIONS
55	The Invisible Problem: The Incidence of Olfactory Impairment following Traumatic Brain Injury. Brain Impairment, 2015, 16, 196-204.	0.5	6
56	Acute Predictors of Social Integration Following Mild Stroke. Journal of Stroke and Cerebrovascular Diseases, 2018, 27, 1025-1032.	0.7	6
57	Assessing Sleep Architecture With Polysomnography During Posttraumatic Amnesia After Traumatic Brain Injury: A Pilot Study. Neurorehabilitation and Neural Repair, 2021, 35, 622-633.	1.4	6
58	A 66-year-old man with multiple cerebral and cerebellar infarcts due to idiopathic hypereosinophilic syndrome. Journal of Clinical Neuroscience, 2013, 20, 1442-1443.	0.8	5
59	Computer simulation of improvements in hospital length of stay for rehabilitation patients. Journal of Rehabilitation Medicine, 2015, 47, 403-411.	0.8	5
60	The effectiveness of therapy on outcome following (BoNT-A) injection for focal spasticity in adults with neurological conditions: A systematic review. Brain Injury, 2015, 29, 676-687.	0.6	5
61	Ankle plantarflexor spasticity is not differentially disabling for those who are weak following traumatic brain injury. Brain Injury, 2017, 31, 193-198.	0.6	5
62	"l really hope it comes back―– Olfactory impairment following traumatic brain injury: A longitudinal study. NeuroRehabilitation, 2017, 41, 241-248.	0.5	5
63	2012 - An ISPRM Landmark Year. Journal of Rehabilitation Medicine, 2013, 45, 417-422.	0.8	4
64	Letter Regarding Outcome Reporting for Brachial Plexus Reconstruction. Journal of Hand Surgery, 2015, 40, 1504.	0.7	4
65	ls it me or the injury: Students' perspectives on adjusting to life after traumatic brain injury through participation in study. Neuropsychological Rehabilitation, 2020, 30, 1255-1276.	1.0	4
66	Use of olanzapine to treat agitation in traumatic brain injury: study protocol for a randomised controlled trial. Trials, 2020, 21, 662.	0.7	4
67	Clinical spasticity assessment using the Modified Tardieu Scale does not reflect joint angular velocity or range of motion during walking: Assessment tool implications. Journal of Rehabilitation Medicine, 2021, 53, jrm00137.	0.8	4
68	A 19-year-old male with cerebellar ataxia and cognitive impairment following glandular fever. Journal of Clinical Neuroscience, 2013, 20, 749-750.	0.8	3
69	Ballistic strength training compared with usual care for improving mobility following traumatic brain injury: protocol for a randomised, controlled trial. Journal of Physiotherapy, 2016, 62, 164.	0.7	3
70	The timeframe for safe resumption of high-level mobility following traumatic brain injury is currently unknown: a systematic review. Disability and Rehabilitation, 2022, 44, 5363-5373.	0.9	3
71	Upper Limb Associated Reactions. American Journal of Physical Medicine and Rehabilitation, 2021, 100, 235-242.	0.7	3
72	Therapy influences goal attainment following botulinum neurotoxin injection for focal spasticity in adults with neurological conditions. Brain Injury, 2018, 32, 948-956.	0.6	2

JOHN OLVER

#	Article	IF	CITATIONS
73	The student journey: Living and learning following traumatic brain injury. Brain Injury, 2021, 35, 315-334.	0.6	2
74	Maintenance of Cardiorespiratory Fitness in People With Stroke: A Systematic Review and Meta-analysis. Archives of Physical Medicine and Rehabilitation, 2022, 103, 1410-1421.e6.	0.5	2
75	Long-term effect of additional rehabilitation following botulinum toxin-A on upper limb activity in chronic stroke: the InTENSE randomised trial. BMC Neurology, 2022, 22, 154.	0.8	2
76	Predictors of inpatient rehabilitation after total knee replacement: an analysis of private hospital claims data. Medical Journal of Australia, 2019, 210, 100-100.	0.8	1
77	Coâ€Located or Freestanding Multiâ€Trauma Orthopedic Rehabilitation. PM and R, 2021, 13, 153-158.	0.9	1
78	The safety and feasibility of early cardiorespiratory fitness testing after stroke. PM and R, 2023, 15, 291-301.	0.9	1
79	Burnout in rehabilitation medicine trainees: a call for more research. Internal Medicine Journal, 2022, 52, 495-499.	0.5	1
80	Perspectives of major traumatic injury survivors on accessibility and quality of rehabilitation services in rural Australia. Disability and Rehabilitation, 2023, 45, 1379-1388.	0.9	1
81	Comments on "Compensation by the Uninjured Arm After Brachial Plexus Injury― Hand, 2018, 13, 122-123.	0.7	0
82	Potential contributing factors to upper limb associated reactions in people with acquired brain injury: an exploratory study. Disability and Rehabilitation, 2022, 44, 3816-3824.	0.9	0
83	7.2 The Organization of Physical and Rehabilitation Medicine in the World. The Journal of the International Society of Physical and Rehabilitation Medicine, 2019, 2, S134-S138.	0.1	0