

Kaiqiang Liu

List of Publications by Citations

Source: <https://exaly.com/author-pdf/990381/kaiqiang-liu-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

87
papers

3,049
citations

29
h-index

53
g-index

92
ext. papers

3,453
ext. citations

8.8
avg, IF

5.26
L-index

#	Paper	IF	Citations
87	An Organometallic Super-Gelator with Multiple-Stimulus Responsive Properties. <i>Advanced Materials</i> , 2008 , 20, 2508-2511	24	215
86	Porous Nickel-Iron Oxide as a Highly Efficient Electrocatalyst for Oxygen Evolution Reaction. <i>Advanced Science</i> , 2015 , 2, 1500199	13.6	197
85	Hierarchical Co(OH)F Superstructure Built by Low-Dimensional Substructures for Electrocatalytic Water Oxidation. <i>Advanced Materials</i> , 2017 , 29, 1700286	24	167
84	Tellurium-Assisted Epitaxial Growth of Large-Area, Highly Crystalline ReS ₂ Atomic Layers on Mica Substrate. <i>Advanced Materials</i> , 2016 , 28, 5019-24	24	138
83	Efficient and Stable Photoelectrochemical Seawater Splitting with TiO ₂ @g-C ₃ N ₄ Nanorod Arrays Decorated by Co-Pi. <i>Journal of Physical Chemistry C</i> , 2015 , 119, 20283-20292	3.8	132
82	Thin-Sheet Carbon Nanomesh with an Excellent Electrocapacitive Performance. <i>Advanced Functional Materials</i> , 2015 , 25, 5420-5427	15.6	125
81	A Nickel-Based Integrated Electrode from an Autologous Growth Strategy for Highly Efficient Water Oxidation. <i>Advanced Energy Materials</i> , 2016 , 6, 1502489	21.8	123
80	Construction of inorganic-organic 2D/2D WO ₃ -CN nanosheet arrays toward efficient photoelectrochemical splitting of natural seawater. <i>Physical Chemistry Chemical Physics</i> , 2016 , 18, 10255-10261	3.6	99
79	Simple design but marvelous performances: molecular gels of superior strength and self-healing properties. <i>Soft Matter</i> , 2013 , 9, 1091-1099	3.6	85
78	N-acetylglucosamine-based efficient, phase-selective organogelators for oil spill remediation. <i>Chemical Communications</i> , 2014 , 50, 13940-3	5.8	79
77	New dicholesteryl-based gelators: chirality and spacer length effect. <i>Langmuir</i> , 2008 , 24, 2992-3000	4	78
76	Amino acid derivatives of cholesterol as "latent" organogelators with hydrogen chloride as a protonation reagent. <i>Langmuir</i> , 2006 , 22, 7016-20	4	70
75	Non-contact identification and differentiation of illicit drugs using fluorescent films. <i>Nature Communications</i> , 2018 , 9, 1695	17.4	68
74	Cholesteryl derivatives as phase-selective gelators at room temperature. <i>Tetrahedron</i> , 2009 , 65, 3369-3377	3.7	68
73	A novel low-molecular-mass gelator with a redox active ferrocenyl group: tuning gel formation by oxidation. <i>Journal of Colloid and Interface Science</i> , 2008 , 318, 397-404	9.3	61
72	A protein@metal-organic framework nanocomposite for pH-triggered anticancer drug delivery. <i>Dalton Transactions</i> , 2018 , 47, 10223-10228	4.3	61
71	Novel dimeric cholesteryl derivatives and their smart thixotropic gels. <i>Langmuir</i> , 2011 , 27, 12156-63	4	54

70	Preparation of novel W/O gel-emulsions and their application in the preparation of low-density materials. <i>Langmuir</i> , 2012 , 28, 9275-81	4	50
69	Calix[4]arene-based supramolecular gels with unprecedented rheological properties. <i>Soft Matter</i> , 2012 , 8, 3756	3.6	48
68	Epitaxial growth of large-area and highly crystalline anisotropic ReSe ₂ atomic layer. <i>Nano Research</i> , 2017 , 10, 2732-2742	10	47
67	Braiding, branching and chiral amplification of nanofibres in supramolecular gels. <i>Nature Chemistry</i> , 2019 , 11, 375-381	17.6	45
66	New dicholesteryl-based gelators: gelling ability and selective gelation of organic solvents from their mixtures with water at room temperature. <i>New Journal of Chemistry</i> , 2008 , 32, 2218	3.6	43
65	Water-in-oil gel emulsions from a cholesterol derivative: structure and unusual properties. <i>Journal of Colloid and Interface Science</i> , 2009 , 336, 780-5	9.3	42
64	Facile preparation of porous polymeric composite monoliths with superior performances in oil/water separation by low-molecular mass gelators-based gel emulsion approach. <i>Journal of Materials Chemistry A</i> , 2014 , 2, 10081-10089	13	41
63	Tuning Crystallization Pathways through the Mesoscale Assembly of Biomacromolecular Nanocrystals. <i>Angewandte Chemie - International Edition</i> , 2017 , 56, 13440-13444	16.4	38
62	Progress in the studies of low-molecular mass gelators with unusual properties. <i>Science China Chemistry</i> , 2011 , 54, 575-586	7.9	35
61	Triggered formation of thixotropic hydrogels by balancing competitive supramolecular synthons. <i>Soft Matter</i> , 2013 , 9, 11699	3.6	34
60	Self-Assembled Perylene Bisimide-Cored Trigonal Prism as an Electron-Deficient Host for C and C Driven by "Like Dissolves Like". <i>Journal of the American Chemical Society</i> , 2020 , 142, 15950-15960	16.4	31
59	Preparation of novel organometallic derivatives of cholesterol and their gel-formation properties. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2010 , 362, 127-134	5.1	30
58	A high performance fluorescent arylamine sensor toward lung cancer sniffing. <i>Sensors and Actuators B: Chemical</i> , 2017 , 241, 1316-1323	8.5	29
57	Novel dimeric cholesteryl-based A(LS) ₂ low-molecular-mass gelators with a benzene ring in the linker. <i>Journal of Colloid and Interface Science</i> , 2008 , 327, 94-101	9.3	29
56	Spatially Confined Growth of Fullerene to Super-Long Crystalline Fibers in Supramolecular Gels for High-Performance Photodetector. <i>Advanced Materials</i> , 2019 , 31, e1808254	24	28
55	Terthiophene derivatives of cholesterol-based molecular gels and their sensing applications. <i>Langmuir</i> , 2014 , 30, 1257-65	4	28
54	New dimeric cholesteryl-based A(LS) ₂ gelators with remarkable gelling abilities: organogel formation at room temperature. <i>Journal of Colloid and Interface Science</i> , 2011 , 361, 556-64	9.3	28
53	Salt Tunable Rheology of Thixotropic Supramolecular Organogels and Their Applications for Crystallization of Organic Semiconductors. <i>Langmuir</i> , 2016 , 32, 12805-12813	4	27

52	Towards a new FRET system via combination of pyrene and perylene bisimide: synthesis, self-assembly and fluorescence behavior. <i>Physical Chemistry Chemical Physics</i> , 2015 , 17, 5441-9	3.6	27
51	Ag(I)-Coordinated Supramolecular Metallogels Based on Schiff Base Ligands: Structural Characterization and Reversible Thixotropic Property. <i>Crystal Growth and Design</i> , 2015 , 15, 5360-5367	3.5	26
50	Polymerizable organo-gelator-stabilized gel-emulsions toward the preparation of compressible porous polymeric monoliths. <i>Journal of Materials Chemistry A</i> , 2016 , 4, 15215-15223	13	26
49	Supramolecular gels based on organic diacid monoamides of cholesteryl glycinate. <i>Journal of Colloid and Interface Science</i> , 2008 , 327, 233-42	9.3	22
48	Gel-emulsion templated polymeric monoliths for efficient removal of particulate matters. <i>Chemical Engineering Journal</i> , 2018 , 339, 14-21	14.7	21
47	Polymerizable Nonconventional Gel Emulsions and Their Utilization in the Template Preparation of Low-Density, High-Strength Polymeric Monoliths and 3D Printing. <i>Macromolecules</i> , 2019 , 52, 2456-2463	5.5	20
46	Compressible porous hybrid monoliths: preparation via a low molecular mass gelators-based gel-emulsion approach and exceptional performances. <i>Journal of Materials Chemistry A</i> , 2015 , 3, 24322-24332	13	20
45	A novel calix[4]arene-based dimeric-cholesteryl derivative: synthesis, gelation and unusual properties. <i>New Journal of Chemistry</i> , 2015 , 39, 639-649	3.6	20
44	Functionality-oriented molecular gels: synthesis and properties of nitrobenzoxadiazole (NBD)-containing low-molecular mass gelators. <i>Soft Matter</i> , 2014 , 10, 9159-66	3.6	20
43	Solvatochromic Probes Displaying Unprecedented Organic Liquids Discriminating Characteristics. <i>Analytical Chemistry</i> , 2016 , 88, 10167-10175	7.8	20
42	Ultrafine CoP/CoP Nanorods Encapsulated in Janus/Twins-type Honeycomb 3D Nitrogen-Doped Carbon Nanosheets for Efficient Hydrogen Evolution. <i>iScience</i> , 2020 , 23, 101264	6.1	19
41	Mesoporous sulfur-doped CoFe ₂ O ₄ as a new Fenton catalyst for the highly efficient pollutants removal. <i>Applied Catalysis B: Environmental</i> , 2021 , 295, 120273	21.8	19
40	Preparation and electro-response of chitosan-g-poly (acrylic acid) hydrogel elastomers with interpenetrating network. <i>Materials Chemistry and Physics</i> , 2016 , 169, 105-112	4.4	18
39	Elastic, Persistently Moisture-Retentive, and Wearable Biomimetic Film Inspired by Fetal Scarless Repair for Promoting Skin Wound Healing. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 5542-5556	9.5	17
38	Calix[4]arene-Based Dynamic Covalent Gels: Marriage of Robustness, Responsiveness, and Self-Healing. <i>Macromolecular Rapid Communications</i> , 2018 , 39, 1700679	4.8	17
37	Experimental Studies on A New Fluorescent Ensemble of Calix[4]pyrrole and Its Sensing Performance in the Film State. <i>ACS Applied Materials & Interfaces</i> , 2016 , 8, 29128-29135	9.5	17
36	Formation of An Ionic PTCA-ECDNH ₂ Complex and Its Application for Phenol Sensing in Aqueous Phase. <i>ACS Applied Materials & Interfaces</i> , 2015 , 7, 21364-72	9.5	15
35	Dynamic Chemistry-Based Sensing: A Molecular System for Detection of Saccharide, Formaldehyde, and the Silver Ion. <i>Analytical Chemistry</i> , 2017 , 89, 9360-9367	7.8	15

34	Transition metal pincer complex based self-healable, stretchable and transparent triboelectric nanogenerator. <i>Nano Energy</i> , 2020 , 78, 105348	17.1	15
33	Hierarchical Zn-Doped CoO Nanoflowers for Electrocatalytic Oxygen Evolution Reaction. <i>ChemCatChem</i> , 2019 , 11, 1480-1486	5.2	15
32	Specially Treated Aramid Fiber Stabilized Gel-Emulsions: Preparation of Porous Polymeric Monoliths and Highly Efficient Removing of Airborne HCHO. <i>Macromolecular Rapid Communications</i> , 2017 , 38, 1700270	4.8	14
31	Gel-Emulsion-Templated Polymeric Aerogels for Water Treatment by Organic Liquid Removal and Solar Vapor Generation. <i>ChemSusChem</i> , 2020 , 13, 749-755	8.3	14
30	Dynamic covalent bond-based hydrogels with superior compressive strength, exceptional slice-resistance and self-healing properties. <i>Soft Matter</i> , 2018 , 14, 7950-7953	3.6	14
29	Preparation and gas sensing properties of novel CdS-supramolecular organogel hybrid films. <i>Journal Physics D: Applied Physics</i> , 2008 , 41, 105405	3	13
28	Thermodynamics and Kinetics Synergetic Phase-Engineering of Chemical Vapor Deposition Grown Single Crystal MoTe ₂ Nanosheets. <i>Crystal Growth and Design</i> , 2018 , 18, 2844-2850	3.5	11
27	Calix[4]arene-based low molecular mass gelators to form gels in organoalkoxysilanes. <i>RSC Advances</i> , 2016 , 6, 109969-109977	3.7	10
26	Boronic ester-based dynamic covalent ionic liquid gels for self-healable, recyclable and malleable optical devices. <i>Journal of Materials Chemistry C</i> , 2018 , 6, 12493-12497	7.1	10
25	Naphthyl End-Capped Terthiophene-Based Chemiresistive Sensors for Biogenic Amine Detection and Meat Spoilage Monitoring. <i>Chemistry - an Asian Journal</i> , 2019 , 14, 2751-2758	4.5	8
24	A New Type of 1, 4-Bis(phenylethynyl)benzene Derivatives: Optical Behavior and Sensing Applications. <i>Wuli Huaxue Xuebao/Acta Physico-Chimica Sinica</i> , 2016 , 32, 373-379	3.8	8
23	"Yin and Yang" tuned fluorescence sensing behavior of branched 1,4-bis(phenylethynyl)benzene. <i>ACS Applied Materials & Interfaces</i> , 2014 , 6, 20016-24	9.5	7
22	Constitutional Dynamic Chemistry-based New Concept of Molecular Beacons for High Efficient Development of Fluorescent Probes. <i>Journal of Physical Chemistry B</i> , 2015 , 119, 6721-9	3.4	6
21	Solvent dispersion triggered the formation of NiFe-gel as an efficient electrocatalyst for enhancing the oxygen evolution reaction. <i>Chemical Communications</i> , 2020 , 56, 7781-7784	5.8	6
20	Water Splitting: Porous Nickel/Iron Oxide as a Highly Efficient Electrocatalyst for Oxygen Evolution Reaction (Adv. Sci. 10/2015). <i>Advanced Science</i> , 2015 , 2,	13.6	6
19	High-Performance Sensing of Formic Acid Vapor Enabled by a Newly Developed Nanofilm-Based Fluorescent Sensor. <i>Analytical Chemistry</i> , 2021 , 93, 7094-7101	7.8	6
18	Gel-emulsion templated polymeric aerogels for solar-driven interfacial evaporation and electricity generation. <i>Materials Chemistry Frontiers</i> , 2021 , 5, 1953-1961	7.8	6
17	A BPSON Algorithm Applied to DNA Codes Design. <i>IEEE Access</i> , 2019 , 7, 88811-88821	3.5	5

16	Carbon Nanomeshes: Thin-Sheet Carbon Nanomesh with an Excellent Electrocapacitive Performance (Adv. Funct. Mater. 34/2015). <i>Advanced Functional Materials</i> , 2015 , 25, 5406-5406	15.6	5
15	Robust and Large-Area Calix[4]pyrrole-Based Nanofilms Enabled by Air/DMSO Interfacial Self-Assembly-Confined Synthesis. <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 3336-3348	9.5	5
14	A facile synthesis of cationic and super-hydrophobic polyHIPEs as precursors to carbon foam and adsorbents for removal of non-aqueous-phase dye. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2020 , 605, 125334	5.1	5
13	Atomic Layers: Tellurium-Assisted Epitaxial Growth of Large-Area, Highly Crystalline ReS ₂ Atomic Layers on Mica Substrate (Adv. Mater. 25/2016). <i>Advanced Materials</i> , 2016 , 28, 5018	24	4
12	Preparation of a scorpion-shaped di-NBD derivative of cholesterol and its thixotropic property. <i>Science China Chemistry</i> , 2014 , 57, 1544-1551	7.9	4
11	Spatial confinement and electron transfer moderating MoN bond strength for superior ammonia decomposition catalysis. <i>Applied Catalysis B: Environmental</i> , 2021 , 294, 120254	21.8	4
10	Tuning Crystallization Pathways through the Mesoscale Assembly of Biomacromolecular Nanocrystals. <i>Angewandte Chemie</i> , 2017 , 129, 13625-13629	3.6	3
9	Synthesis and gelation behaviors of five new dimeric cholesteryl derivatives. <i>Science China Chemistry</i> , 2011 , 54, 475-482	7.9	3
8	Lilypad aggregation: localised self-assembly and metal sequestration at a liquid-vapour interface. <i>Chemical Science</i> , 2020 , 11, 7501-7510	9.4	3
7	Dynamic covalent bonding-triggered supramolecular gelation derived from tetrahydroxy-bisurea derivatives. <i>Soft Matter</i> , 2017 , 13, 8609-8617	3.6	2
6	An -Carborane Derivative of Perylene Bisimide-Based Thin Film Displaying both Electrochromic and Electrofluorochromic Properties. <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 49500-49508	9.5	1
5	Enhancement of Fe(III) to electro-response of starch hydrogel. <i>Colloid and Polymer Science</i> , 2020 , 298, 1533-1541	2.4	1
4	Film Nanoarchitectonics of Pillar[5]arene for High-Performance Fluorescent Sensing: a Proof-of-Concept Study. <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 54561-54569	9.5	0
3	Harnessing Se ²⁺ N to develop novel fluorescent probes for visualizing the variation of endogenous hypobromous acid (HOBr) during the administration of an immunotherapeutic agent. <i>Chemical Communications</i> , 2021 , 57, 12679-12682	5.8	0
2	Macromol. Rapid Commun. 4/2018. <i>Macromolecular Rapid Communications</i> , 2018 , 39, 1870011	4.8	
1	Supramolecular gel strategy-based nanomaterials with room temperature spin transition. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2021 , 612, 126016	5.1	