
Vincent R Hill

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/990479/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Identifying septic pollution exposure routes during a waterborne norovirus outbreak - A new application for human-associated microbial source tracking qPCR. Journal of Microbiological Methods, 2021, 180, 106091.	1.6	15
2	Estimate of Burden and Direct Healthcare Cost of Infectious Waterborne Disease in the United States. Emerging Infectious Diseases, 2021, 27, 140-149.	4.3	161
3	Detection of Cyclospora cayetanensis in produce irrigation and wash water using large-volume sampling techniques. Food and Waterborne Parasitology, 2021, 22, e00110.	2.7	11
4	Outbreaks Associated with Treated Recreational Water — United States, 2015–2019. Morbidity and Mortality Weekly Report, 2021, 70, 733-738.	15.1	13
5	Outbreaks associated with treated recreational water — United States, 2015–2019. American Journal of Transplantation, 2021, 21, 2605-2609.	4.7	4
6	Detection and identification of Giardia species using real-time PCR and sequencing. Journal of Microbiological Methods, 2021, 189, 106279.	1.6	5
7	Calculation and uncertainty of zeta potentials of microorganisms in a 1:1 electrolyte with a conductivity similar to surface water. Colloids and Surfaces A: Physicochemical and Engineering Aspects, 2020, 586, 124097.	4.7	21
8	A case of primary amebic meningoencephalitis caused by Naegleria fowleri in Bangladesh. Parasitology Research, 2020, 119, 339-344.	1.6	11
9	Detection of Cryptosporidium Recovered from Large-Volume Water Samples Using Dead-End Ultrafiltration. Methods in Molecular Biology, 2020, 2052, 23-41.	0.9	3
10	Wilderness Medical Society Clinical Practice Guidelines for Water Disinfection for Wilderness, International Travel, and Austere Situations. Wilderness and Environmental Medicine, 2019, 30, S100-S120.	0.9	6
11	Response and remediation actions following the detection of Naegleria fowleri in two treated drinking water distribution systems, Louisiana, 2013–2014. Journal of Water and Health, 2019, 17, 777-787.	2.6	6
12	A new solid matrix for preservation of viral nucleic acid from clinical specimens at ambient temperature. Journal of Virological Methods, 2019, 274, 113732.	2.1	6
13	Primary Amebic Meningoencephalitis Associated With Rafting on an Artificial Whitewater River: Case Report and Environmental Investigation. Clinical Infectious Diseases, 2018, 66, 548-553.	5.8	18
14	Pool water quality and prevalence of microbes in filter backwash from metro-Atlanta swimming pools. Journal of Water and Health, 2018, 16, 87-92.	2.6	6
15	Waterborne disease outbreaks associated with environmental and undetermined exposures to water $\hat{a} \in$ "United States, 2013-2014. American Journal of Transplantation, 2018, 18, 262-267.	4.7	10
16	Water quality, availability, and acute gastroenteritis on the Navajo Nation – a pilot case-control study. Journal of Water and Health, 2018, 16, 1018-1028.	2.6	4
17	Outbreaks Associated with Treated Recreational Water — United States, 2000–2014. Morbidity and Mortality Weekly Report, 2018, 67, 547-551.	15.1	51
18	Outbreaks associated with treated recreational water - United States, 2000-2014. American Journal of Transplantation, 2018, 18, 1815-1819.	4.7	8

#	Article	IF	CITATIONS
19	Methodological approaches for monitoring opportunistic pathogens in premise plumbing: A review. Water Research, 2017, 117, 68-86.	11.3	97
20	Removals of cryptosporidium parvum oocysts and cryptosporidium-sized polystyrene microspheres from swimming pool water by diatomaceous earth filtration and perlite-sand filtration. Journal of Water and Health, 2017, 15, 374-384.	2.6	6
21	Waterborne Disease Outbreaks Associated With Environmental and Undetermined Exposures to Water — United States, 2013–2014. Morbidity and Mortality Weekly Report, 2017, 66, 1222-1225.	15.1	42
22	Surveillance for Waterborne Disease Outbreaks Associated with Drinking Water — United States, 2013–2014. Morbidity and Mortality Weekly Report, 2017, 66, 1216-1221.	15.1	195
23	Inter-Laboratory Evaluation and Successful Implementation of MS2 Coliphage as a Surrogate to Establish Proficiency Using a BSL-3 Procedure. Water (Switzerland), 2016, 8, 248.	2.7	2
24	Aggregation of Adenovirus 2 in Source Water and Impacts on Disinfection by Chlorine. Food and Environmental Virology, 2016, 8, 148-155.	3.4	28
25	<i>Notes from the Field</i> : Primary Amebic Meningoencephalitis Associated with Exposure to Swimming Pool Water Supplied by an Overland Pipe — Inyo County, California, 2015. Morbidity and Mortality Weekly Report, 2016, 65, 424.	15.1	16
26	Water Sampling and Processing Techniques for Public Health-Related Microbes. , 2015, , 2.6.1-1-2.6.1-16.		0
27	Evaluation of alternative DNA extraction processes and real-time PCR for detecting Cryptosporidium parvum in drinking water. Water Science and Technology: Water Supply, 2015, 15, 1295-1303.	2.1	3
28	Evaluation of an Ultrafiltration-Based Procedure for Simultaneous Recovery of Diverse Microbes in Source Waters. Water (Switzerland), 2015, 7, 1202-1216.	2.7	27
29	Development of a Nucleic Acid Extraction Procedure for Simultaneous Recovery of DNA and RNA from Diverse Microbes in Water. Pathogens, 2015, 4, 335-354.	2.8	36
30	Conference Report: The 6th International Symposium on Waterborne Pathogens. Journal - American Water Works Association, 2015, 107, 24-32.	0.3	1
31	Real-Time PCR and Sequencing Assays for Rapid Detection and Identification of Avian Schistosomes in Environmental Samples. Applied and Environmental Microbiology, 2015, 81, 4207-4215.	3.1	22
32	Norovirus Outbreak Associated With a Natural Lake Used for Recreation—Oregon, 2014. American Journal of Transplantation, 2015, 15, 2001-2005.	4.7	9
33	The First Association of a Primary Amebic Meningoencephalitis Death With Culturable Naegleria fowleri in Tap Water From a US Treated Public Drinking Water System. Clinical Infectious Diseases, 2015, 60, e36-e42.	5.8	84
34	Comparison of real-time PCR methods for the detection of Naegleria fowleri in surface water and sediment. Parasitology Research, 2015, 114, 1739-1746.	1.6	14
35	Effect of Cyanuric Acid on the Inactivation of <i>Cryptosporidium parvum</i> under Hyperchlorination Conditions. Environmental Science & Technology, 2015, 49, 7348-7355.	10.0	35
36	Use of Enterococcus faecalis and Bacillus atrophaeus as surrogates to establish and maintain laboratory proficiency for concentration of water samples using ultrafiltration. Journal of Microbiological Methods, 2015, 118, 133-142.	1.6	0

#	Article	IF	CITATIONS
37	Environmental Surveillance for Toxigenic Vibrio cholerae in Surface Waters of Haiti. American Journal of Tropical Medicine and Hygiene, 2015, 92, 118-125.	1.4	20
38	Ascaris and Escherichia coli Inactivation in an Ecological Sanitation System in Port-au-Prince, Haiti. PLoS ONE, 2015, 10, e0125336.	2.5	30
39	Surveillance for Waterborne Disease Outbreaks Associated with Drinking Water — United States, 2011–2012. Morbidity and Mortality Weekly Report, 2015, 64, 842-848.	15.1	172
40	Outbreaks Associated With Environmental and Undetermined Water Exposures — United States, 2011–2012. Morbidity and Mortality Weekly Report, 2015, 64, 849-851.	15.1	31
41	Norovirus outbreak associated with a natural lake used for recreation - Oregon, 2014. Morbidity and Mortality Weekly Report, 2015, 64, 485-90.	15.1	8
42	Fate and transport of enteric microbes from septic systems in a coastal watershed. Journal of Environmental Health, 2015, 77, 22-30.	0.5	26
43	Outbreak of Francisella novicida Bacteremia Among Inmates at a Louisiana Correctional Facility. Clinical Infectious Diseases, 2014, 59, 826-833.	5.8	30
44	Draft Genome Sequence of Buttiauxella agrestis, Isolated from Surface Water. Genome Announcements, 2014, 2, .	0.8	5
45	Draft Genome Sequence of Raoultella planticola, Isolated from River Water. Genome Announcements, 2014, 2, .	0.8	8
46	Relative Insignificance of Virus Inactivation during Aluminum Electrocoagulation of Saline Waters. Environmental Science & Technology, 2014, 48, 14590-14598.	10.0	31
47	Microbial and chemical contamination during and after flooding in the Ohio River—Kentucky, 2011. Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering, 2014, 49, 1236-1243.	1.7	24
48	Efficacy of Chlorine Dioxide Tablets on Inactivation of <i>Cryptosporidium</i> Oocysts. Environmental Science & Technology, 2014, 48, 5849-5856.	10.0	17
49	Visual endpoint detection of Escherichia coli O157:H7 using isothermal Genome Exponential Amplification Reaction (GEAR) assay and malachite green. Journal of Microbiological Methods, 2014, 98, 122-127.	1.6	25
50	Draft Genome Sequence of Environmental Vibrio cholerae 2012EL-1759 with Similarities to the V. cholerae O1 Classical Biotype. Genome Announcements, 2014, 2, .	0.8	5
51	A novel photoinduced electron transfer (PET) primer technique for rapid real-time PCR detection of Cryptosporidium spp Biochemical and Biophysical Research Communications, 2013, 436, 134-139.	2.1	2
52	Molecular Diagnosis of Malaria by Photo-Induced Electron Transfer Fluorogenic Primers: PET-PCR. PLoS ONE, 2013, 8, e56677.	2.5	102
53	US Outbreak of Human <i>Salmonella</i> Infections Associated With Aquatic Frogs, 2008–2011. Pediatrics, 2013, 131, 724-731.	2.1	31
54	Improved Method for the Detection and Quantification of <i>Naegleria fowleri</i> in Water and Sediment Using Immunomagnetic Separation and Real-Time PCR. Journal of Parasitology Research, 2013, 2013, 1-8.	1.2	36

#	Article	IF	CITATIONS
55	Fatal Naegleria fowleri Infection Acquired in Minnesota: Possible Expanded Range of a Deadly Thermophilic Organism. Clinical Infectious Diseases, 2012, 54, 805-809.	5.8	74
56	Comparison of Hollow-Fiber Ultrafilters with Pleated Capsule Filters for Surface and Tap Water Samples Using U.S. EPA Method 1623. Journal of Environmental Engineering, ASCE, 2012, 138, 899-901.	1.4	6
57	Hollow-fiber ultrafiltration for simultaneous recovery of viruses, bacteria and parasites from reclaimed water. Journal of Microbiological Methods, 2012, 88, 155-161.	1.6	86
58	Ultrafiltration improves ELISA and Endopep MS analysis of botulinum neurotoxin type A in drinking water. Journal of Microbiological Methods, 2012, 90, 267-272.	1.6	12
59	Rapid detection of microbial DNA by a novel isothermal genome exponential amplification reaction (GEAR) assay. Biochemical and Biophysical Research Communications, 2012, 420, 738-742.	2.1	7
60	Recovery of diverse microbes in high turbidity surface water samples using dead-end ultrafiltration. Journal of Microbiological Methods, 2012, 91, 429-433.	1.6	87
61	Primary Amebic Meningoencephalitis Deaths Associated With Sinus Irrigation Using Contaminated Tap Water. Clinical Infectious Diseases, 2012, 55, e79-e85.	5.8	144
62	Preventing Maritime Transfer of Toxigenic <i>Vibrio cholerae</i> . Emerging Infectious Diseases, 2012, 18, 1680-1682.	4.3	21
63	Source water quality effects on monochloramine inactivation of adenovirus, coxsackievirus, ecosackievirus, echovirus, and murine norovirus. Water Research, 2011, 45, 1745-1751.	11.3	30
64	Toxigenic Vibrio cholerae O1 in Water and Seafood, Haiti. Emerging Infectious Diseases, 2011, 17, 2147-50.	4.3	47
65	Giardiasis outbreak at a camp after installation of a slow-sand filtration water-treatment system. Epidemiology and Infection, 2011, 139, 713-717.	2.1	16
66	Surveillance for waterborne disease outbreaks associated with drinking waterUnited States, 20072008. MMWR Surveillance Summaries, 2011, 60, 38-68.	34.6	101
67	Evaluation of a molecular beacon real-time PCR assay for detection of Baylisascaris procyonis in different soil types and water samples. Parasitology Research, 2010, 106, 499-504.	1.6	19
68	Detection of GI and GII Noroviruses in Ground Water Using Ultrafiltration and TaqMan Real-time RT-PCR. Food and Environmental Virology, 2010, 2, 218-224.	3.4	40
69	Novel Risk Factors Associated with Hepatitis E Virus Infection in a Large Outbreak in Northern Uganda: Results from a Case-Control Study and Environmental Analysis. American Journal of Tropical Medicine and Hygiene, 2010, 83, 1170-1173.	1.4	61
70	Evidence of Personâ€ŧoâ€₽erson Transmission of Hepatitis E Virus during a Large Outbreak in Northern Uganda. Clinical Infectious Diseases, 2010, 50, 1006-1010.	5.8	142
71	Outbreak of giardiasis associated with a community drinking-water source. Epidemiology and Infection, 2010, 138, 491-500.	2.1	60
72	Inactivation of Adenoviruses, Enteroviruses, and Murine Norovirus in Water by Free Chlorine and Monochloramine. Applied and Environmental Microbiology, 2010, 76, 1028-1033.	3.1	133

#	Article	IF	CITATIONS
73	Effects of Source Water Quality on Chlorine Inactivation of Adenovirus, Coxsackievirus, Echovirus, and Murine Norovirus. Applied and Environmental Microbiology, 2010, 76, 5159-5164.	3.1	47
74	Recreational exposure to microcystins during algal blooms in two California lakes. Toxicon, 2010, 55, 909-921.	1.6	182
75	Design of FRET-TaqMan probes for multiplex real-time PCR using an internal positive control. BioTechniques, 2009, 46, 519-524.	1.8	31
76	Dead-End Hollow-Fiber Ultrafiltration for Recovery of Diverse Microbes from Water. Applied and Environmental Microbiology, 2009, 75, 5284-5289.	3.1	144
77	The effect of cyanuric acid on the disinfection rate of Cryptosporidium parvum in 20-ppm free chlorine. Journal of Water and Health, 2009, 7, 109-114.	2.6	9
78	Recovery and Detection of <i>Escherichia coli</i> O157:H7 in Surface Water, Using Ultrafiltration and Real-Time PCR. Applied and Environmental Microbiology, 2009, 75, 3593-3597.	3.1	55
79	Broadly reactive TaqMan® assay for real-time RT-PCR detection of rotavirus in clinical and environmental samples. Journal of Virological Methods, 2009, 155, 126-131.	2.1	112
80	Comparison of Hollowâ€Fiber Ultrafiltration to the USEPA VIRADEL Technique and USEPA Method 1623. Journal of Environmental Quality, 2009, 38, 822-825.	2.0	59
81	Development of plaque assays for adenoviruses 40 and 41. Journal of Virological Methods, 2008, 151, 140-145.	2.1	64
82	Ultrafiltration-based techniques for rapid and simultaneous concentration of multiple microbe classes from 100-L tap water samples. Journal of Microbiological Methods, 2008, 73, 92-99.	1.6	118
83	Detection and differentiation of Cryptosporidium hominis and Cryptosporidium parvum by dual TaqMan assays. Journal of Medical Microbiology, 2008, 57, 1099-1105.	1.8	107
84	Inactivation of Cryptosporidium parvum under chlorinated recreational water conditions. Journal of Water and Health, 2008, 6, 513-520.	2.6	64
85	Recreational Exposure to Low Concentrations of Microcystins During an Algal Bloom in a Small Lake. Marine Drugs, 2008, 6, 389-406.	4.6	96
86	Recreational Exposure to Low Concentrations of Microcystins During an Algal Bloom in a Small Lake. Marine Drugs, 2008, 6, 389-406.	4.6	83
87	Surveillance for waterborne disease and outbreaks associated with recreational water use and other aquatic facility-associated health eventsUnited States, 2005-2006. MMWR Surveillance Summaries, 2008, 57, 1-29.	34.6	50
88	Surveillance for waterborne disease and outbreaks associated with drinking water and water not intended for drinkingUnited States, 2005-2006. MMWR Surveillance Summaries, 2008, 57, 39-62.	34.6	73
89	Multistate Evaluation of an Ultrafiltration-Based Procedure for Simultaneous Recovery of Enteric Microbes in 100-Liter Tap Water Samples. Applied and Environmental Microbiology, 2007, 73, 6327-6327.	3.1	6
90	A Waterborne Outbreak of Gastroenteritis with Multiple Etiologies among Resort Island Visitors and Residents: Ohio, 2004. Clinical Infectious Diseases, 2007, 44, 506-512.	5.8	114

#	Article	IF	CITATIONS
91	Evaluation of 1MDS electropositive microfilters for simultaneous recovery of multiple microbe classes from tap water. Journal of Microbiological Methods, 2007, 68, 260-266.	1.6	50
92	Multistate Evaluation of an Ultrafiltration-Based Procedure for Simultaneous Recovery of Enteric Microbes in 100-Liter Tap Water Samples. Applied and Environmental Microbiology, 2007, 73, 4218-4225.	3.1	210
93	A broadly reactive one-step real-time RT-PCR assay for rapid and sensitive detection of hepatitis E virus. Journal of Virological Methods, 2006, 131, 65-71.	2.1	679
94	Surveillance for waterborne disease and outbreaks associated with recreational water–United States, 2003-2004. MMWR Surveillance Summaries, 2006, 55, 1-30.	34.6	1,074
95	Rapid detection of infectious adenoviruses by mRNA real-time RT-PCR. Journal of Virological Methods, 2005, 127, 148-153.	2.1	81
96	Quantitative Real-Time PCR Assays for Detection of Human Adenoviruses and Identification of Serotypes 40 and 41. Applied and Environmental Microbiology, 2005, 71, 3131-3136.	3.1	225
97	Rapid and Sensitive Detection of Noroviruses by Using TaqMan-Based One-Step Reverse Transcription-PCR Assays and Application to Naturally Contaminated Shellfish Samples. Applied and Environmental Microbiology, 2005, 71, 1870-1875.	3.1	323
98	Development of a Rapid Method for Simultaneous Recovery of Diverse Microbes in Drinking Water by Ultrafiltration with Sodium Polyphosphate and Surfactants. Applied and Environmental Microbiology, 2005, 71, 6878-6884.	3.1	214
99	Laboratory Evaluation of Thermophilic-Anaerobic Digestion to Produce Class A Biosolids. 2. Inactivation of Pathogens and Indicator Organisms in a Continuous-Flow Reactor Followed by Batch Treatment. Water Environment Research, 2005, 77, 3028-3036.	2.7	30
100	Prospects for Pathogen Reductions in Livestock Wastewaters: A Review. Critical Reviews in Environmental Science and Technology, 2003, 33, 187-235.	12.8	26
101	Reduction of Enteric Microbes in Flushed Swine Wastewater Treated by a Biological Aerated Filter and UV Irradiation. Water Environment Research, 2002, 74, 91-99.	2.7	17
102	Microbial indicator reductions in alternative treatment systems for swine wastewater. Water Science and Technology, 1998, 38, 119.	2.5	30