

Navaneethan M

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/990504/navaneethan-m-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

164
papers

3,035
citations

30
h-index

46
g-index

169
ext. papers

3,842
ext. citations

4.8
avg, IF

5.52
L-index

#	Paper	IF	Citations
164	Study on electrochemical performance of temperature-dependent Cu ₃ B ₃ system. <i>Journal of Materials Science: Materials in Electronics</i> , 2022 , 33, 9650	2.1	0
163	CuO decorated MoS ₂ nanostructures grown on carbon fabric with enhanced power factor for wearable thermoelectric application. <i>Journal of Alloys and Compounds</i> , 2022 , 904, 163769	5.7	0
162	Hierarchically ordered macroporous TiO architecture via self-assembled strategy for environmental remediation. <i>Chemosphere</i> , 2022 , 288, 132236	8.4	4
161	Fabrication of novel hybrid Z-Scheme WO ₃ @g-CN@MWCNT nanostructure for photocatalytic degradation of tetracycline and the evaluation of antimicrobial activity. <i>Chemosphere</i> , 2022 , 287, 132050	8.4	7
160	Recoverable and reusable visible-light photocatalytic performance of CVD grown atomically thin MoS films. <i>Chemosphere</i> , 2022 , 287, 132347	8.4	1
159	A facile synthesis of Zn-doped TiO ₂ nanostructures for enhanced photocatalytic performance. <i>Journal of Materials Science: Materials in Electronics</i> , 2022 , 33, 9798	2.1	0
158	Conductometric NO ₂ gas sensor based on Co-incorporated MoS ₂ nanosheets for room temperature applications. <i>Sensors and Actuators B: Chemical</i> , 2022 , 360, 131600	8.5	3
157	Enhancing the thermoelectric performance by defect structures induced in p-type polypyrrole-polyaniline nanocomposite for room-temperature thermoelectric applications. <i>Journal of Materials Science: Materials in Electronics</i> , 2022 , 33, 11650	2.1	0
156	Defect manipulation of WO ₃ nanostructures by yttrium for ultra-sensitive and highly selective NO ₂ detection. <i>Sensors and Actuators B: Chemical</i> , 2021 , 131057	8.5	1
155	Enhanced photocatalytic activity of ZnO hexagonal tube/r-GO composite on degradation of organic aqueous pollutant and study of charge transport properties. <i>Chemosphere</i> , 2021 , 291, 132782	8.4	0
154	Synergistic effect of grain boundaries and phonon engineering in Sb substituted BiSe nanostructures for thermoelectric applications.. <i>Journal of Colloid and Interface Science</i> , 2021 , 612, 97-110	10.3	3
153	Investigation on synergistic effect of rGO and carbon quantum dots-embedded ZnO hollow spheres for improved photocatalytic aqueous pollutant removal process. <i>Journal of Materials Science: Materials in Electronics</i> , 2021 , 32, 28633	2.1	3
152	Interfacial engineering effect and bipolar conduction of Ni- doped MoS ₂ nanostructures for thermoelectric application. <i>Journal of Alloys and Compounds</i> , 2021 , 895, 162493	5.7	2
151	Interface effect and band engineering in Bi ₂ Te ₃ :C and Bi ₂ Te ₃ :Ni-Cu with enhanced thermopower for self-powered wearable thermoelectric generator. <i>Journal of Alloys and Compounds</i> , 2021 , 868, 158905	5.7	3
150	Interface driven energy-filtering and phonon scattering of polyaniline incorporated ultrathin layered molybdenum disulphide nanosheets for promising thermoelectric performance. <i>Journal of Colloid and Interface Science</i> , 2021 , 584, 295-309	9.3	8
149	High-performance electrocatalytic and cationic substitution in Cu ₂ ZnSnS ₄ as a low-cost counter electrode for Pt-free dye-sensitized solar cells. <i>Journal of Materials Science</i> , 2021 , 56, 4135-4150	4.3	6
148	Cation disorder and bond anharmonicity synergistically boosts the thermoelectric performance of p-type AgSbSe ₂ . <i>CrystEngComm</i> , 2021 , 23, 5522-5530	3.3	3

147	The construction of a dual direct Z-scheme NiAl LDH/g-C ₃ N ₄ /Ag ₃ PO ₄ nanocomposite for enhanced photocatalytic oxygen and hydrogen evolution. <i>Nanoscale Advances</i> , 2021 , 3, 2075-2088	5.1	9
146	Surface Modification of ZnO Nanowires with CuO: A Tool to Realize Highly-Sensitive H ₂ S Sensor. <i>Physics of the Solid State</i> , 2021 , 63, 460-467	0.8	1
145	Enhanced thermoelectric figure-of-merit of MoS ₂ /rMoO ₃ nanosheets via tuning of sulphur vacancies. <i>Chemical Engineering Journal</i> , 2021 , 416, 128484	14.7	8
144	Ultrathin layered MoS ₂ and N-doped graphene quantum dots (N-GQDs) anchored reduced graphene oxide (rGO) nanocomposite-based counter electrode for dye-sensitized solar cells. <i>Carbon</i> , 2021 , 181, 107-117	10.4	13
143	Enhanced catalytic performance of Cu ₂ ZnSnS ₄ /MoS ₂ nanocomposites based counter electrode for Pt-free dye-sensitized solar cells. <i>Journal of Alloys and Compounds</i> , 2021 , 894, 162166	5.7	2
142	Investigation on mesoporous bimetallic tungstate nanostructure for high-performance solid-state supercapattery. <i>Journal of Alloys and Compounds</i> , 2021 , 875, 160066	5.7	5
141	Yttrium incorporated TiO ₂ /rGO nanocomposites as an efficient charge transfer layer with enhanced mobility and electrical conductivity. <i>Journal of Alloys and Compounds</i> , 2021 , 885, 160936	5.7	8
140	Oxide-based catalysis: tailoring surface structures organic ligands and related interfacial charge carrier for environmental remediation.. <i>RSC Advances</i> , 2021 , 11, 19059-19069	3.7	
139	Interface enriched highly interlaced layered MoS/NiS nanocomposites for the photocatalytic degradation of rhodamine B dye.. <i>RSC Advances</i> , 2021 , 11, 19283-19293	3.7	4
138	Hydrothermally Derived Layered 2D SnS Nanosheets for Near Infra-Red (NIR) Photodetectors. <i>IEEE Photonics Technology Letters</i> , 2021 , 33, 1499-1502	2.2	0
137	Effect of densification technique and carrier concentration on the thermoelectric properties of n-type Cu _{1.45} Ni _{1.45} Te ₂ ternary compound. <i>CrystEngComm</i> , 2020 , 22, 8100-8109	3.3	1
136	Remarkable Improvement of Thermoelectric Figure-of-Merit in SnTe through In Situ-Created Te Nano-inclusions. <i>ACS Applied Energy Materials</i> , 2020 , 3, 7113-7120	6.1	7
135	One-step fabrication of ultrathin layered 1T@2H phase MoS ₂ with high catalytic activity based counter electrode for photovoltaic devices. <i>Journal of Materials Science and Technology</i> , 2020 , 51, 94-101	9.1	6
134	Bio-modified TiO nanoparticles with <i>Withania somnifera</i> , <i>Eclipta prostrata</i> and <i>Glycyrrhiza glabra</i> for anticancer and antibacterial applications. <i>Materials Science and Engineering C</i> , 2020 , 108, 110457	8.3	18
133	Enhancement of photocatalytic H ₂ evolution from water splitting by construction of two dimensional gC ₃ N ₄ /NiAl layered double hydroxides. <i>Applied Surface Science</i> , 2020 , 509, 144656	6.7	30
132	Improvement of Photocatalytic Activity by Zn Doping in Cu ₂ O. <i>Physics of the Solid State</i> , 2020 , 62, 1796-1802		3
131	Three dimensional flower-like CuO/Co ₃ O ₄ /r-GO heterostructure for high-performance asymmetric supercapacitors. <i>Journal of Alloys and Compounds</i> , 2020 , 846, 156439	5.7	20
130	Band Convergence and Phonon Scattering Mediated Improved Thermoelectric Performance of SnTe/BiTe Nanocomposites. <i>ACS Applied Energy Materials</i> , 2020 , 3, 8882-8891	6.1	3

129	Growth and influence of Gd doping on ZnO nanostructures for enhanced optical, structural properties and gas sensing applications. <i>Applied Surface Science</i> , 2020 , 499, 143857	6.7	33
128	Effect of ethylenediamine on morphology of 2D Co-Mo-S@NG hybrids and their enhanced electrocatalytic activity for DSSCs application. <i>Materials Science in Semiconductor Processing</i> , 2020 , 105, 104725	4.3	4
127	Hierarchical NiO@NiS@graphene nanocomposite as a sustainable counter electrode for Pt free dye-sensitized solar cell. <i>Applied Surface Science</i> , 2020 , 501, 144010	6.7	28
126	Synthesis and functional properties of nanostructured Gd-doped WO ₃ /TiO ₂ composites for sensing applications. <i>Materials Science in Semiconductor Processing</i> , 2020 , 105, 104732	4.3	16
125	Synthesis and characterization of TiO ₂ nanorods by hydrothermal method with different pH conditions and their photocatalytic activity. <i>Applied Surface Science</i> , 2020 , 500, 144058	6.7	34
124	Thermoelectric performance of Cu-doped MoS ₂ layered nanosheets for low grade waste heat recovery. <i>Applied Surface Science</i> , 2020 , 505, 144066	6.7	11
123	Facile construction of djembe-like ZnO and its composite with g-C ₃ N ₄ as a visible-light-driven heterojunction photocatalyst for the degradation of organic dyes. <i>Materials Science in Semiconductor Processing</i> , 2020 , 106, 104754	4.3	30
122	Synergistic effect and enhanced electrical properties of TiO ₂ /SnO ₂ /ZnO nanostructures as electron extraction layer for solar cell application. <i>Applied Surface Science</i> , 2019 , 498, 143702	6.7	13
121	Growth of Fe doped ZnO nanoellipsoids for selective NO ₂ gas sensing application. <i>Chemical Physics Letters</i> , 2019 , 734, 136725	2.5	11
120	Hierarchically porous structured carbon derived from peanut shell as an enhanced high rate anode for lithium ion batteries. <i>Applied Surface Science</i> , 2019 , 492, 464-472	6.7	17
119	Investigation of Gd-doped mesoporous TiO ₂ spheres for environmental remediation and energy applications. <i>Applied Surface Science</i> , 2019 , 489, 883-892	6.7	15
118	Zn and Sr co-doped TiO ₂ mesoporous nanospheres as photoanodes in dye sensitized solar cell. <i>Materials Chemistry and Physics</i> , 2019 , 234, 259-267	4.4	6
117	Enhanced photocatalytic activities of ZnO dumbbell/reduced graphene oxide nanocomposites for degradation of organic pollutants via efficient charge separation pathway. <i>Applied Surface Science</i> , 2019 , 487, 1279-1288	6.7	44
116	Synthesis and characterization of branchlet-like SrCO ₃ nanorods using triethylamine as a capping agent by wet chemical method. <i>Applied Surface Science</i> , 2019 , 487, 1271-1278	6.7	9
115	Ultra-low thermal conductivity via interfacial phonon scattering in PbTe hoppercubes/PbTeO ₃ microrods for thermoelectric applications. <i>Journal of Alloys and Compounds</i> , 2019 , 799, 26-35	5.7	3
114	Highly efficient 3-D hierarchical Bi ₂ WO ₆ catalyst for environmental remediation. <i>Applied Surface Science</i> , 2019 , 488, 696-706	6.7	18
113	Enhanced charge transfer and separation of hierarchical CuO/ZnO composites: The synergistic effect of photocatalysis for the mineralization of organic pollutant in water. <i>Applied Surface Science</i> , 2019 , 484, 884-891	6.7	54
112	Metal sulfide nanosheet/nitrogen-doped graphene hybrids as low-cost counter electrodes for dye-sensitized solar cells. <i>Applied Surface Science</i> , 2019 , 480, 177-185	6.7	14

111	Enhanced photocatalytic dye degradation activity of carbonate intercalated layered Zn, ZnNi and ZnCu hydroxides. <i>Applied Surface Science</i> , 2019 , 481, 385-393	6.7	16
110	Preparation of Cr ³⁺ -Substituted NiFe ₂ O ₄ Nanoparticles and Its Microwave Absorption Properties. <i>Journal of Superconductivity and Novel Magnetism</i> , 2019 , 32, 1423-1429	1.5	3
109	Effect of organic ligand on ZnO nanostructures and to investigate the photocatalytic activity under visible light illumination. <i>Materials Science in Semiconductor Processing</i> , 2019 , 103, 104608	4.3	4
108	Fabrication of ultrathin poly-crystalline SiGe-on-insulator layer for thermoelectric applications. <i>Journal of Physics Communications</i> , 2019 , 3, 075007	1.2	2
107	Surfactant free controllable synthesis of 2D/1D ZnO hierarchical nanostructure and its gas sensing properties. <i>Applied Surface Science</i> , 2018 , 449, 838-845	6.7	14
106	Synthesis, structural and optical properties of ZnO spindle/reduced graphene oxide composites with enhanced photocatalytic activity under visible light irradiation. <i>Optical Materials</i> , 2018 , 79, 186-195	3.3	46
105	Enhanced photon collection of high surface area carbonate-doped mesoporous TiO ₂ nanospheres in dye sensitized solar cells. <i>Materials Research Bulletin</i> , 2018 , 101, 353-362	5.1	24
104	ZnO hierarchical 3D-flower like architectures and their gas sensing properties at room temperature. <i>Applied Surface Science</i> , 2018 , 449, 314-321	6.7	27
103	Effect of Al doping on the electrical and optical properties of TiO ₂ embedded Graphene Oxide nanosheets for opto-electronic applications. <i>Applied Surface Science</i> , 2018 , 449, 332-339	6.7	7
102	Ultra-fast photocatalytic and dye-sensitized solar cell performances of mesoporous TiO ₂ nanospheres. <i>Applied Surface Science</i> , 2018 , 449, 729-735	6.7	13
101	Erbium doped TiO ₂ interconnected mesoporous spheres as an efficient visible light catalyst for photocatalytic applications. <i>Applied Surface Science</i> , 2018 , 449, 755-763	6.7	27
100	Chemical synthesis of highly size-confined triethylamine-capped (hbox {TiO}_{2}) nanoparticles and its dye-sensitized solar cell performance. <i>Bulletin of Materials Science</i> , 2018 , 41, 1	1.7	0
99	Ultrathin layered MoS nanosheets with rich active sites for enhanced visible light photocatalytic activity.. <i>RSC Advances</i> , 2018 , 8, 26664-26675	3.7	24
98	Tuning the selectivity of NH ₃ gas sensing response using Cu-doped ZnO nanostructures. <i>Sensors and Actuators A: Physical</i> , 2018 , 269, 331-341	3.9	64
97	Sensitivity enhancement of ammonia gas sensor based on Ag/ZnO flower and nanoellipsoids at low temperature. <i>Sensors and Actuators B: Chemical</i> , 2018 , 255, 672-683	8.5	148
96	Enhanced thermoelectric figure-of-merit of p-type SiGe through TiO ₂ nanoinclusions and modulation doping of boron. <i>Materialia</i> , 2018 , 4, 147-156	3.2	8
95	Synthesis and Surface Passivation of CuInS ₂ /MnS/ZnS Core/Multishell Nanocrystals, Their Optical, Structural, and Morphological Characterization, and Their Bioimaging Applications. <i>Industrial & Engineering Chemistry Research</i> , 2018 , 57, 15703-15721	3.9	5
94	Enhanced performance on capacity retention of hierarchical NiS hexagonal nanoplate for highly stable asymmetric supercapacitor. <i>Electrochimica Acta</i> , 2018 , 283, 1053-1062	6.7	31

93	Synthesis of ZnO/SrO nanocomposites for enhanced photocatalytic activity under visible light irradiation. <i>Applied Surface Science</i> , 2017 , 418, 147-155	6.7	26
92	Surfactant free synthesis of CdS nanospheres, microstructural analysis, chemical bonding, optical properties and photocatalytic activities. <i>Superlattices and Microstructures</i> , 2017 , 104, 247-257	2.8	27
91	Ruthenium based metallopolymer grafted reduced graphene oxide as a new hybrid solar light harvester in polymer solar cells. <i>Scientific Reports</i> , 2017 , 7, 43133	4.9	48
90	Unusual enhancement in the electroreduction of oxygen by NiCoPt by surface tunability through potential cycling. <i>RSC Advances</i> , 2017 , 7, 11777-11785	3.7	7
89	Functional properties and enhanced visible light photocatalytic performance of V3O4 nanostructures decorated ZnO nanorods. <i>Applied Surface Science</i> , 2017 , 418, 171-178	6.7	15
88	Highly efficient visible-light photocatalytic activity of MoS ₂ /TiO ₂ mixtures hybrid photocatalyst and functional properties. <i>RSC Advances</i> , 2017 , 7, 24754-24763	3.7	70
87	ZnS quantum dots impregnated-mesoporous TiO ₂ nanospheres for enhanced visible light induced photocatalytic application. <i>RSC Advances</i> , 2017 , 7, 26446-26457	3.7	18
86	Visible light induced photocatalytic degradation of methylene blue and rhodamine B from the catalyst of CdS nanowire. <i>Chemical Physics Letters</i> , 2017 , 684, 126-134	2.5	36
85	Synthesis of cluster like TiO ₂ mesoporous spheres and nanorods and their applications in dye-sensitized solar cells. <i>Journal of Materials Science: Materials in Electronics</i> , 2017 , 28, 14935-14943	2.1	
84	Growth, microstructure, structural and optical properties of PVP-capped CdS nanoflowers for efficient photocatalytic activity of Rhodamine B. <i>Materials Research Bulletin</i> , 2017 , 94, 190-198	5.1	30
83	Low temperature ammonia gas sensor based on Mn-doped ZnO nanoparticle decorated microspheres. <i>Journal of Alloys and Compounds</i> , 2017 , 721, 182-190	5.7	85
82	Fabrication of Cu ₂ MoS ₄ hollow nanotubes with rGO sheets for enhanced visible light photocatalytic performance. <i>CrystEngComm</i> , 2017 , 19, 2475-2486	3.3	33
81	Enhancement of power factor by energy filtering effect in hierarchical BiSbTe ₃ nanostructures for thermoelectric applications. <i>Applied Surface Science</i> , 2017 , 418, 246-251	6.7	11
80	Hydrothermal growth of highly monodispersed TiO ₂ nanoparticles: Functional properties and dye-sensitized solar cell performance. <i>Applied Surface Science</i> , 2017 , 418, 186-193	6.7	5
79	0.8 V nanogenerator for mechanical energy harvesting using bismuth titanate/PDMS nanocomposite. <i>Applied Surface Science</i> , 2017 , 418, 362-368	6.7	19
78	Fabrication of hierarchical ZnO nanostructures on cotton fabric for wearable device applications. <i>Applied Surface Science</i> , 2017 , 418, 352-361	6.7	42
77	Influence of organic ligands on the formation and functional properties of CdS nanostructures. <i>Applied Surface Science</i> , 2017 , 418, 346-351	6.7	8
76	Controlled structural and compositional characteristic of visible light active ZnO/CuO photocatalyst for the degradation of organic pollutant. <i>Applied Surface Science</i> , 2017 , 418, 103-112	6.7	90

75	Influence of Al doping on the structural, morphological, optical, and gas sensing properties of ZnO nanorods. <i>Journal of Alloys and Compounds</i> , 2017 , 698, 555-564	5.7	122
74	Controlled synthesis of Ni-doped ZnO hexagonal microdiscs and their gas sensing properties at low temperature. <i>Chemical Physics Letters</i> , 2017 , 689, 92-99	2.5	42
73	Synergetic effect of CuS@ZnS nanostructures on photocatalytic degradation of organic pollutant under visible light irradiation. <i>RSC Advances</i> , 2017 , 7, 34366-34375	3.7	29
72	Hydrothermal growth of reduced graphene oxide on cotton fabric for enhanced ultraviolet protection applications. <i>Materials Letters</i> , 2017 , 188, 123-126	3.3	51
71	A visible-light active catechol-metal oxide carbonaceous polymeric material for enhanced photocatalytic activity. <i>Journal of Materials Chemistry A</i> , 2017 , 5, 384-396	13	54
70	Enhanced visible light induced photocatalytic activity on the degradation of organic pollutants by SnO nanoparticle decorated hierarchical ZnO nanostructures. <i>RSC Advances</i> , 2016 , 6, 89721-89731	3.7	32
69	Controlled exfoliation of monodispersed MoS ₂ layered nanostructures by a ligand-assisted hydrothermal approach for the realization of ultrafast degradation of an organic pollutant. <i>RSC Advances</i> , 2016 , 6, 109495-109505	3.7	18
68	Electrochemical Sensor Based on Fe Doped Hydroxyapatite-Carbon Nanotubes Composite for L-Dopa Detection in the Presence of Uric Acid. <i>Journal of Nanoscience and Nanotechnology</i> , 2016 , 16, 6185-92	1.3	6
67	Morphological transformation of ZnO nanoparticle to nanorods via solid-solid interaction at high temperature annealing and functional properties. <i>Scripta Materialia</i> , 2016 , 113, 163-166	5.6	18
66	Far-field and hole injection enhancement by noble metal nanoparticles in organic light emitting devices. <i>Synthetic Metals</i> , 2016 , 211, 155-160	3.6	21
65	Highly efficient dye-sensitized solar cell performance from template derived high surface area mesoporous TiO ₂ nanospheres. <i>RSC Advances</i> , 2016 , 6, 68092-68099	3.7	15
64	Solvothermal growth of diethylamine capped TiO ₂ nanoparticles and functional properties. <i>Journal of Materials Science: Materials in Electronics</i> , 2015 , 26, 2380-2383	2.1	1
63	Chemical synthesis and functional properties of multi-ligands passivated lead sulfide nanoparticles. <i>Materials Letters</i> , 2015 , 158, 75-79	3.3	2
62	Fast Response and High Sensitivity of ZnO Nanowires-Cobalt Phthalocyanine Heterojunction Based H ₂ S Sensor. <i>ACS Applied Materials & Interfaces</i> , 2015 , 7, 17713-24	9.5	49
61	Controlled synthesis of organic ligand passivated ZnO nanostructures and their photocatalytic activity under visible light irradiation. <i>Dalton Transactions</i> , 2015 , 44, 10490-8	4.3	58
60	Fabrication of bistable switching device using CdS nanorods embedded in PMMA (polymethylmethacrylate) nanocomposite. <i>Journal of Materials Science: Materials in Electronics</i> , 2015 , 26, 9010-9015	2.1	6
59	Determination of gas sensing properties of thermally evaporated WO ₃ nanostructures. <i>Journal of Materials Science: Materials in Electronics</i> , 2015 , 26, 1389-1394	2.1	5
58	Chemical synthesis and properties of spindle-like CuO nanostructures with porous nature. <i>Materials Letters</i> , 2015 , 139, 59-62	3.3	14

57	Effect of Erbium on the Photocatalytic Activity of TiO ₂ /Ag Nanocomposites under Visible Light Irradiation. <i>ChemPhysChem</i> , 2015 , 16, 3084-92	3.2	12
56	Effect of organic-ligands on the toxicity profiles of CdS nanoparticles and functional properties. <i>Colloids and Surfaces B: Biointerfaces</i> , 2015 , 126, 407-13	6	12
55	Investigation of photocatalytic behavior of l-aspartic acid stabilized Zn(1-x)MnxS solid solutions on methylene blue. <i>Applied Catalysis A: General</i> , 2014 , 476, 1-8	5.1	9
54	Controlled synthesis and morphological investigation of self-assembled CuO nanostructures. <i>Materials Letters</i> , 2014 , 121, 129-132	3.3	19
53	High thermoelectric performance of (AgCrSe ₂) _{0.5} (CuCrSe ₂) _{0.5} nano-composites having all-scale natural hierarchical architectures. <i>Journal of Materials Chemistry A</i> , 2014 , 2, 17122-17129	13	65
52	Enhanced thermoelectric properties of selenium-deficient layered TiSe(2-x): a charge-density-wave material. <i>ACS Applied Materials & Interfaces</i> , 2014 , 6, 18619-25	9.5	14
51	Size and Surface Effects of Ce-Doped NiO and Co ₃ O ₄ Nanostructures on Ferromagnetism Behavior Prepared by the Microwave Route. <i>Journal of Physical Chemistry C</i> , 2014 , 118, 23335-23348	3.8	54
50	Shape controlled synthesis of hierarchical nickel sulfide by the hydrothermal method. <i>Dalton Transactions</i> , 2014 , 43, 17445-52	4.3	34
49	Thermoelectric performance of layered Sr _x TiSe ₂ above 300 K. <i>Journal of Physics Condensed Matter</i> , 2014 , 26, 445002	1.8	3
48	Improved thermoelectric performance of hot pressed nanostructured n-type SiGe bulk alloys. <i>Journal of Materials Chemistry A</i> , 2014 , 2, 6922	13	110
47	Chemical synthesis and functional properties of hexamethylenetetramine capped ZnSe nanorods. <i>Materials Letters</i> , 2014 , 125, 32-35	3.3	4
46	An investigation of flower shaped NiO nanostructures by microwave and hydrothermal route. <i>Journal of Materials Science: Materials in Electronics</i> , 2014 , 25, 5231-5240	2.1	25
45	Chemical synthesis and functional properties of magnesium doped ZnSe nanoparticles. <i>Materials Letters</i> , 2013 , 100, 54-57	3.3	11
44	Hydrothermal growth of ligand-passivated high-surface-area TiO ₂ nanoparticles and dye-sensitized solar cell characteristics. <i>Scripta Materialia</i> , 2013 , 68, 396-399	5.6	10
43	Morphological evolution of monodispersed ZnO nanorods to 3 dimensional hierarchical flowers by hydrothermal growth. <i>CrystEngComm</i> , 2013 , 15, 8246	3.3	23
42	CuCrSe ₂ : a high performance phonon glass and electron crystal thermoelectric material. <i>Journal of Materials Chemistry A</i> , 2013 , 1, 11289	13	65
41	Chemical synthesis and functional properties of monodispersed lanthanum phosphate nanorods. <i>Materials Letters</i> , 2013 , 112, 16-19	3.3	2
40	Hydrothermal growth of monodispersed rutile TiO ₂ nanorods and functional properties. <i>Materials Letters</i> , 2013 , 98, 38-41	3.3	17

39	Fabrication of Cr doped SnO ₂ nanoparticles based biosensor for the selective determination of riboflavin in pharmaceuticals. <i>Analyst, The</i> , 2013 , 138, 2061-7	5	81
38	Low temperature thermoelectric properties of Cu intercalated TiSe ₂ : a charge density wave material. <i>Applied Physics A: Materials Science and Processing</i> , 2013 , 111, 465-470	2.6	19
37	Preparation of N-methylaniline capped mesoporous TiO ₂ spheres by simple wet chemical method. <i>Materials Research Bulletin</i> , 2013 , 48, 1541-1544	5.1	2
36	Formation and morphological investigation of petal-like cadmium sulphide nanostructures. <i>Optical Materials</i> , 2013 , 35, 1652-1658	3.3	5
35	Solvothermal growth of high surface area mesoporous anatase TiO ₂ nanospheres and investigation of dye-sensitized solar cell properties. <i>Journal of Power Sources</i> , 2013 , 242, 803-810	8.9	31
34	Thermoelectric performance of Cu intercalated layered TiSe ₂ above 300 K. <i>Journal of Applied Physics</i> , 2013 , 114, 114509	2.5	13
33	Effects of multiple organic ligands on size uniformity and optical properties of ZnSe quantum dots. <i>Materials Research Bulletin</i> , 2012 , 47, 1892-1897	5.1	13
32	Synthesis of wurtzite ZnS nanorods by microwave assisted chemical route. <i>Materials Letters</i> , 2012 , 66, 276-279	3.3	21
31	Synthesis of highly size confined ZnS quantum dots and its functional characteristics. <i>Materials Letters</i> , 2012 , 68, 78-81	3.3	18
30	Organic ligand assisted low temperature synthesis of lead sulfide nanocubes and its optical properties. <i>Materials Letters</i> , 2012 , 71, 44-47	3.3	6
29	Chemical synthesis of monodispersed ZnSe nanowires and its functional properties. <i>Materials Letters</i> , 2012 , 81, 59-61	3.3	13
28	Monodispersed synthesis of hierarchical wurtzite ZnS nanostructures and its functional properties. <i>Materials Letters</i> , 2012 , 81, 209-211	3.3	8
27	Synthesis of TiO ₂ nanoparticles with mesoporous spherical morphology by a wet chemical method. <i>Materials Letters</i> , 2012 , 82, 208-210	3.3	13
26	Functional properties of amine-passivated ZnO nanostructures and dye-sensitized solar cell characteristics. <i>Chemical Engineering Journal</i> , 2012 , 213, 70-77	14.7	43
25	Structural and morphological evolution of CdS nanosheets-based superstructures by surfactant assisted solvothermal method. <i>Materials Chemistry and Physics</i> , 2012 , 136, 1038-1043	4.4	18
24	Chemical synthesis of ZnO hexagonal thin nanodisks and dye-sensitized solar cell performance. <i>Physica Status Solidi - Rapid Research Letters</i> , 2012 , 6, 120-122	2.5	19
23	Influence of lanthanide ion on the morphology and luminescence properties of cadmium sulphide nanocrystals. <i>Journal of Alloys and Compounds</i> , 2011 , 509, 5816-5821	5.7	6
22	Organic molecules passivated Mn doped Zinc Selenide quantum dots and its properties. <i>Applied Surface Science</i> , 2011 , 257, 7699-7703	6.7	7

21	Temperature dependence of morphology, structural and optical properties of ZnS nanostructures synthesized by wet chemical route. <i>Journal of Alloys and Compounds</i> , 2010 , 506, 249-252	5-7	19
20	Synthesis of organic ligand passivated zinc selenide nanorods via wet chemical route. <i>Materials Letters</i> , 2010 , 64, 2094-2097	3-3	12
19	Optical and surface morphological properties of triethylamine passivated lead sulphide nanoparticles. <i>Materials Chemistry and Physics</i> , 2009 , 117, 443-447	4-4	27
18	Optical, structural and surface morphological studies of bean-like triethylamine capped zinc selenide nanostructures. <i>Materials Letters</i> , 2009 , 63, 1931-1934	3-3	18
17	Inorganic surface passivation of CdS nanocrystals resulting in strong luminescence. <i>Journal of Alloys and Compounds</i> , 2009 , 486, 844-847	5-7	5
16	Synthesis of r-GO-incorporated CoWO ₄ nanostructure for high-performance supercapattery applications. <i>Journal of Materials Science: Materials in Electronics</i> ,1	2.1	0
15	Liquid phase exfoliated WS ₂ nanosheet-based gas sensor for room temperature NO ₂ detection. <i>Journal of Materials Science: Materials in Electronics</i> ,1	2.1	2
14	Co substituted SnS ₂ nanoflakes performed as cost-effective counter electrode for DSSCs applications. <i>Journal of Materials Science: Materials in Electronics</i> ,1	2.1	0
13	Synergic effect of Sn-doped TiO ₂ nanostructures for enhanced visible light photocatalysis. <i>Journal of Materials Science: Materials in Electronics</i> ,1	2.1	2
12	Synthesis and characterization of CeO ₂ supported ZSM-5 zeolite for organic dye degradation. <i>Journal of Materials Science: Materials in Electronics</i> ,1	2.1	
11	Interface effect of graphene oxide in MoS ₂ layered nanosheets for thermoelectric application. <i>Journal of Materials Science: Materials in Electronics</i> ,1	2.1	1
10	Design and preparation of NiCoS nanostructures on Ni foam for high-performance asymmetric supercapacitor application. <i>Journal of Materials Science: Materials in Electronics</i> ,	2.1	2
9	Annealing effect on photocatalytic activity of ZnO nanostructures for organic dye degradation. <i>Journal of Materials Science: Materials in Electronics</i> ,1	2.1	0
8	Bismuth induced Cu ₇ Te ₄ /Sb ₂ Te ₃ nanocomposites for higher thermoelectric power factor and carrier properties. <i>Journal of Materials Science: Materials in Electronics</i> ,1	2.1	0
7	Three and one-dimensional hierarchical Fe ₂ O ₃ nanostructures for photoelectrochemical water oxidation. <i>Journal of Materials Science: Materials in Electronics</i> ,1	2.1	
6	Structural, chemical and low-temperature magnetic properties of lead-free 0.6NiFe ₂ O ₄ -0.4Na _{0.5} Bi _{0.5} TiO ₃ magnetoelectric composite. <i>Journal of Materials Science: Materials in Electronics</i> ,1	2.1	2
5	Exchange bias, magnetic, and dielectric properties of La ₂ FeMnO ₆ nanoparticles. <i>Journal of Materials Science: Materials in Electronics</i> ,1	2.1	0
4	Interfacial charge transport of Ag ²⁺ -decorated CuI thin film for solar cell application. <i>Journal of Materials Science: Materials in Electronics</i> ,1	2.1	0

3	Plasmon enfolded TiO ₂ hierarchical photoanode: fabrication and the performance evaluation as liquid-based dye-sensitized solar cell. <i>Journal of Materials Science: Materials in Electronics</i> ,1	2.1	1
2	Effect of Sr doping in ZnO microspheres for solar light-driven photodegradation of organic pollutants. <i>Journal of Materials Science: Materials in Electronics</i> ,1	2.1	0
1	Hydrothermally synthesized strontium-modified ZnO hierarchical nanostructured photocatalyst for second-generation fluoroquinolone degradation. <i>Applied Nanoscience (Switzerland)</i> ,1	3.3	0