## Estela Pineda-Losada

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9909303/publications.pdf

Version: 2024-02-01

36 papers 1,582 citations

759055 12 h-index 27 g-index

36 all docs 36 docs citations

36 times ranked 3215 citing authors

#	Article	IF	Citations
1	Safety and Efficacy of Crizotinib in Combination with Temozolomide and Radiotherapy in Patients with Newly Diagnosed Glioblastoma: Phase Ib GEINO 1402 Trial. Cancers, 2022, 14, 2393.	1.7	8
2	Is IDO1 an adequate target for treatment in glioblastoma?. Journal of Clinical Oncology, 2022, 40, e14039-e14039.	0.8	0
3	Safety and efficacy of glasdegib in combination with temozolomide and radiotherapy in patients with newly diagnosed glioblastoma: Phase lb/II GEINO 1602 trial Journal of Clinical Oncology, 2022, 40, 2060-2060.	0.8	0
4	RNA sequencing and Immunohistochemistry Reveal ZFN7 as a Stronger Marker of Survival than Molecular Subtypes in G-CIMP–negative Glioblastoma. Clinical Cancer Research, 2021, 27, 645-655.	3.2	5
5	Immune cell profiling of the cerebrospinal fluid enables the characterization of the brain metastasis microenvironment. Nature Communications, 2021, 12, 1503.	5.8	45
6	SEOM clinical guideline for management of adult medulloblastoma (2020). Clinical and Translational Oncology, 2021, 23, 940-947.	1.2	6
7	Limited Liver or Lung Colorectal Cancer Metastases. Systemic Treatment, Surgery, Ablation or SBRT. Journal of Clinical Medicine, 2021, 10, 2131.	1.0	13
8	Development of Randomized Trials in Adults with Medulloblastoma—The Example of EORTC 1634-BTG/NOA-23. Cancers, 2021, 13, 3451.	1.7	8
9	MET inhibitors in cancer: pitfalls and challenges. Expert Opinion on Investigational Drugs, 2020, 29, 73-85.	1.9	16
10	Glioblastoma TCGA Mesenchymal and IGS 23 Tumors are Identifiable by IHC and have an Immune-phenotype Indicating a Potential Benefit from Immunotherapy. Clinical Cancer Research, 2020, 26, 6600-6609.	3.2	10
11	A phase II randomized, multicenter, open-label trial of continuing adjuvant temozolomide beyond 6 cycles in patients with glioblastoma (GEINO 14-01). Neuro-Oncology, 2020, 22, 1851-1861.	0.6	64
12	LIF regulates CXCL9 in tumor-associated macrophages and prevents CD8+ T cell tumor-infiltration impairing anti-PD1 therapy. Nature Communications, 2019, 10, 2416.	5.8	150
13	Molecular Diagnosis of Diffuse Gliomas through Sequencing of Cell-Free Circulating Tumor DNA from Cerebrospinal Fluid. Clinical Cancer Research, 2018, 24, 2812-2819.	3.2	128
14	Bevacizumab rechallenge in glioblastoma patients with initial response to bevacizumab who later progress off therapy. Journal of Neuro-Oncology, 2018, 139, 779-780.	1.4	1
15	A multicenter phase 2 study of nivolumab combined with ipilimumab in patients with pediatric solid tumors in adulthood (GETHI021) Journal of Clinical Oncology, 2018, 36, TPS3123-TPS3123.	0.8	O
16	Association between PD1 mRNA and response to anti-PD1 monotherapy across multiple cancers Journal of Clinical Oncology, 2018, 36, 3076-3076.	0.8	0
17	Prolonged survival after bevacizumab rechallenge in glioblastoma patients with previous response to bevacizumabâ€. Neuro-Oncology Practice, 2017, 4, 15-23.	1.0	6
18	Dynamic soluble changes in sVEGFR1, HGF, and VEGF promote chemotherapy and bevacizumab resistance: A prospective translational study in the BECOX (GEMCAD 09-01) trial. Tumor Biology, 2017, 39, 101042831770550.	0.8	10

#	Article	IF	CITATIONS
19	Randomized, Double-Blind, Placebo-Controlled, Multicenter Phase II Study of Onartuzumab Plus Bevacizumab Versus Placebo Plus Bevacizumab in Patients With Recurrent Glioblastoma: Efficacy, Safety, and Hepatocyte Growth Factor and O <sup>6</sup> -Methylguanine–DNA Methyltransferase Biomarker Analyses. Journal of Clinical Oncology, 2017, 35, 343-351.	0.8	110
20	GPR56/ADGRG1 Inhibits Mesenchymal Differentiation and Radioresistance in Glioblastoma. Cell Reports, 2017, 21, 2183-2197.	2.9	56
21	Pseudoprogression as an adverse event of glioblastoma therapy. Cancer Medicine, 2017, 6, 2858-2866.	1.3	44
22	A Comparison of RNA-Seq Results from Paired Formalin-Fixed Paraffin-Embedded and Fresh-Frozen Glioblastoma Tissue Samples. PLoS ONE, 2017, 12, e0170632.	1.1	100
23	Blood eosinophil counts as predictive marker in advanced melanoma patients treated with anti-PD1 therapies Journal of Clinical Oncology, 2017, 35, 66-66.	0.8	0
24	Galectin-1 (Gal-1) expression as a prognostic factor in patients with newly diagnosed glioblastoma (GB) treated with Stupp regimen (GLIOCAT study) Journal of Clinical Oncology, 2017, 35, e13526-e13526.	0.8	0
25	Life-threatening colitis and complete response with ipilimumab in a patient with metastatic BRAF-mutant melanoma and rheumatoid arthritis. ESMO Open, 2016, 1, e000032.	2.0	7
26	LoVo colon cancer cells resistant to oxaliplatin overexpress c-MET and VEGFR-1 and respond to VEGF with dephosphorylation of c-MET. Molecular Carcinogenesis, 2016, 55, 411-419.	1.3	11
27	Romiplostim for the treatment of glioblastoma-related paraneoplastic autoimmune thrombocytopenia refractory to conventional therapy. Annals of Hematology, 2016, 95, 665-666.	0.8	2
28	Gene expression profiling of glioblastoma (GBM) in an homogeneous treated population: Correlation with immunohistochemistry, radiology, clinical outcome, and response to therapyâ€"A multicenter study from the GLIOCAT group, Marato TV3 2012, project 665/c/2013 Journal of Clinical Oncology, 2016, 34, e13515-e13515.	0.8	1
29	High-risk ipilimumab-related diarrhea/colitis: Experience and use of ancillary tests in changing toxicity management Journal of Clinical Oncology, 2016, 34, e14552-e14552.	0.8	0
30	Immune gene expression, survival outcome and response to PD-1/PD-L1 blockade: A TCGA pan-cancer analysis Journal of Clinical Oncology, 2016, 34, 3033-3033.	0.8	0
31	Clinical implications of the intrinsic molecular subtypes of breast cancer. Breast, 2015, 24, S26-S35.	0.9	735
32	Onartuzumab plus bevacizumab versus placebo plus bevacizumab in recurrent glioblastoma (GBM): HGF and MGMT biomarker data Journal of Clinical Oncology, 2015, 33, 2015-2015.	0.8	25
33	Phase II randomized trial of autologous tumor lysate dendritic cell vaccine (ADC) plus best supportive care (BSC) compared with BSC, in pre-treated advanced colorectal cancer patients Journal of Clinical Oncology, 2015, 33, 3048-3048.	0.8	5
34	Changes in blood eosinophilia during anti-PD1 therapy as a predictor of long term disease control in metastatic melanoma Journal of Clinical Oncology, 2015, 33, 9069-9069.	0.8	15
35	Clinical outcomes in BRAFV600-mutant metastatic melanoma with sequential treatment with immunotherapy and BRAF inhibitors or vice versa Journal of Clinical Oncology, 2015, 33, e20030-e20030.	0.8	0
36	Do we need adjuvant therapy in rectal cancer with complete pathologic response (ypT0N0) after induction chemoradiation and laparoscopic mesorectal excision?. Journal of Clinical Oncology, 2012, 30, 3536-3536.	0.8	1