

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/9910131/zjuwwgfz-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

54
papers

3,940
citations

31
h-index

55
g-index

55
ext. papers

4,570
ext. citations

9.8
avg. IF

5.5
L-index

#	Paper	IF	Citations
54	A change-prone zwitterionic hyperbranched terpolymer-based diabetic wound dressing. <i>Applied Materials Today</i> , 2022 , 27, 101477	6.6	1
53	An Extensively Adhesive Patch with Multiple Physical Interactions and Chemical Crosslinking as a Wound Dressing and Strain Sensor. <i>ACS Applied Polymer Materials</i> , 2022 , 4, 3926-3941	4.3	1
52	Restoring Cardiac Functions after Myocardial Infarction-Ischemia/Reperfusion via an Exosome Anchoring Conductive Hydrogel. <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 56892-56908	9.5	5
51	An injectable hydrogel to reverse the adverse microenvironment of diabetic infarcted heart. <i>Materialia</i> , 2021 , 15, 100957	3.2	4
50	An injectable hydrogel based on phenylboronic acid hyperbranched macromer encapsulating gold nanorods and Astragaloside IV nanodrug for myocardial infarction. <i>Chemical Engineering Journal</i> , 2021 , 413, 127423	14.7	12
49	Wound dressing change facilitated by spraying zinc ions. <i>Materials Horizons</i> , 2020 , 7, 605-614	14.4	54
48	Injectable Hypoxia-Induced Conductive Hydrogel to Promote Diabetic Wound Healing. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 56681-56691	9.5	17
47	Berrero-like nanoparticles knotted injectable hydrogels to initially scavenge ROS and lastingly promote vascularization in infarcted hearts. <i>Science China Technological Sciences</i> , 2020 , 63, 2435-2448	3.5	4
46	A conductive and biodegradable hydrogel for minimally delivering adipose-derived stem cells. <i>Science China Technological Sciences</i> , 2019 , 62, 1747-1754	3.5	17
45	Bacteria-Resistant Single Chain Cyclized/Knotted Polymer Coatings. <i>Angewandte Chemie - International Edition</i> , 2019 , 58, 10616-10620	16.4	8
44	Conductive Hydrogen Sulfide-Releasing Hydrogel Encapsulating ADSCs for Myocardial Infarction Treatment. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 14619-14629	9.5	54
43	Rebuilding Postinfarcted Cardiac Functions by Injecting TIIA@PDA Nanoparticle-Cross-linked ROS-Sensitive Hydrogels. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 2880-2890	9.5	59
42	Paintable and Rapidly Bondable Conductive Hydrogels as Therapeutic Cardiac Patches. <i>Advanced Materials</i> , 2018 , 30, e1704235	24	198
41	An injectable conductive hydrogel encapsulating plasmid DNA-eNOs and ADSCs for treating myocardial infarction. <i>Biomaterials</i> , 2018 , 160, 69-81	15.6	99
40	Injectable hyperbranched poly(β-amino ester) hydrogels with on-demand degradation profiles to match wound healing processes. <i>Chemical Science</i> , 2018 , 9, 2179-2187	9.4	87
39	Catechol functionalized hyperbranched polymers as biomedical materials. <i>Progress in Polymer Science</i> , 2018 , 78, 47-55	29.6	67
38	NIR-Activated Polydopamine-Coated Carrier-Free "Nanobomb" for In Situ On-Demand Drug Release. <i>Advanced Science</i> , 2018 , 5, 1800155	13.6	85

37	A hybrid injectable hydrogel from hyperbranched PEG macromer as a stem cell delivery and retention platform for diabetic wound healing. <i>Acta Biomaterialia</i> , 2018 , 75, 63-74	10.8	137
36	A robust, highly stretchable supramolecular polymer conductive hydrogel with self-healability and thermo-processability. <i>Scientific Reports</i> , 2017 , 7, 41566	4.9	101
35	A β -conjugation-containing soft and conductive injectable polymer hydrogel highly efficiently rebuilds cardiac function after myocardial infarction. <i>Biomaterials</i> , 2017 , 122, 63-71	15.6	103
34	Bioinspired fabrication of high strength hydrogels from non-covalent interactions. <i>Progress in Polymer Science</i> , 2017 , 71, 1-25	29.6	269
33	A Mineralized High Strength and Tough Hydrogel for Skull Bone Regeneration. <i>Advanced Functional Materials</i> , 2017 , 27, 1604327	15.6	85
32	Hyperbranched PEG-based multi-NHS polymer and bioconjugation with BSA. <i>Polymer Chemistry</i> , 2017 , 8, 1283-1287	4.9	12
31	The transition from linear to highly branched poly(β amino ester)s: Branching matters for gene delivery. <i>Science Advances</i> , 2016 , 2, e1600102	14.3	117
30	Minimal invasive annulotomy for induction of disc degeneration and implantation of poly (lactic-co-glycolic acid) (PLGA) plugs for annular repair in a rabbit model. <i>European Journal of Medical Research</i> , 2016 , 21, 7	4.8	10
29	Synthesis of ROS scavenging microspheres from a dopamine containing poly(β amino ester) for applications for neurodegenerative disorders. <i>Biomaterials Science</i> , 2016 , 4, 400-4	7.4	23
28	Enhanced Therapeutic siRNA to Tumor Cells by a pH-Sensitive Arginine-Chitosan Bioconjugate. <i>ACS Applied Materials & Interfaces</i> , 2015 , 7, 8114-24	9.5	47
27	Tailoring highly branched poly(β amino ester)s: a synthetic platform for epidermal gene therapy. <i>Chemical Communications</i> , 2015 , 51, 8473-6	5.8	52
26	Nano-silver in situ hybridized collagen scaffolds for regeneration of infected full-thickness burn skin. <i>Journal of Materials Chemistry B</i> , 2015 , 3, 4231-4241	7.3	48
25	A Mechanically Strong, Highly Stable, Thermoplastic, and Self-Healable Supramolecular Polymer Hydrogel. <i>Advanced Materials</i> , 2015 , 27, 3566-71	24	542
24	Intramolecular Cyclization Dominating Homopolymerization of Multivinyl Monomers toward Single-Chain Cyclized/Knotted Polymeric Nanoparticles. <i>Macromolecules</i> , 2015 , 48, 6882-6889	5.5	33
23	Highly Branched Poly(β Amino Esters): Synthesis and Application in Gene Delivery. <i>Biomacromolecules</i> , 2015 , 16, 2609-17	6.9	64
22	Biological applications of carbon dots. <i>Science China Chemistry</i> , 2014 , 57, 522-539	7.9	64
21	UV light-triggered unpacking of DNA to enhance gene transfection of azobenzene-containing polycations. <i>Journal of Materials Chemistry B</i> , 2014 , 2, 3868-3878	7.3	14
20	An anti-inflammatory cell-free collagen/resveratrol scaffold for repairing osteochondral defects in rabbits. <i>Acta Biomaterialia</i> , 2014 , 10, 4983-4995	10.8	77

19	Surface passivated carbon nanodots prepared by microwave assisted pyrolysis: effect of carboxyl group in precursors on fluorescence properties. <i>RSC Advances</i> , 2014 , 4, 18818-18826	3.7	32
18	Introducing primary and tertiary amino groups into a neutral polymer: A simple way to fabricating highly efficient nonviral vectors for gene delivery. <i>Journal of Applied Polymer Science</i> , 2014 , 131, n/a-n/a	2.9	2
17	Fenton reaction-initiated formation of biocompatible injectable hydrogels for cell encapsulation. <i>Journal of Materials Chemistry B</i> , 2013 , 1, 3932-3939	7.3	16
16	Fabrication of a shape memory hydrogel based on imidazole-zinc ion coordination for potential cell-encapsulating tubular scaffold application. <i>Soft Matter</i> , 2013 , 9, 132-137	3.6	96
15	A systemic gene vector constructed by zwitterionic polymer modified low molecular weight PEI. <i>Reactive and Functional Polymers</i> , 2013 , 73, 993-1000	4.6	17
14	Stable gene transfection mediated by polysulfobetaine/PDMAEMA diblock copolymer in salted medium. <i>Journal of Biomaterials Science, Polymer Edition</i> , 2013 , 24, 330-43	3.5	6
13	The biocompatibility of fatty acid modified dextran-arginine bioconjugate gene delivery vector. <i>Biomaterials</i> , 2012 , 33, 604-13	15.6	67
12	Nano-carrier for gene delivery and bioimaging based on carbon dots with PEI-passivation enhanced fluorescence. <i>Biomaterials</i> , 2012 , 33, 3604-13	15.6	573
11	High-strength hydrogel as a reusable adsorbent of copper ions. <i>Journal of Hazardous Materials</i> , 2012 , 213-214, 258-64	12.8	28
10	Restoration of rat calvarial defects by poly(lactide-co-glycolide)/hydroxyapatite scaffolds loaded with bone mesenchymal stem cells and DNA complexes. <i>Science Bulletin</i> , 2012 , 57, 435-444		7
9	ZnO quantum dots-embedded collagen/polyanion composite hydrogels with integrated functions of degradation tracking/inhibition and gene delivery. <i>Journal of Materials Chemistry</i> , 2012 , 22, 512-519		20
8	PDMAEMA-b-polysulfobetaine brushes-modified polylysine as a serum-resistant vector for highly efficient gene delivery. <i>Journal of Materials Chemistry</i> , 2012 , 22, 23576		19
7	Zinc ion-triggered two-way macro-/microscopic shape changing and memory effects in high strength hydrogels with pre-programmed unilateral patterned surfaces. <i>Soft Matter</i> , 2012 , 8, 6846	3.6	44
6	A hybrid scaffold of poly(lactide-co-glycolide) sponge filled with fibrin gel for cartilage tissue engineering. <i>Chinese Journal of Polymer Science (English Edition)</i> , 2011 , 29, 233-240	3.5	17
5	Cationic polymer brush grafted-nanodiamond via atom transfer radical polymerization for enhanced gene delivery and bioimaging. <i>Journal of Materials Chemistry</i> , 2011 , 21, 7755		71
4	Proliferation and osteogenesis of immortalized bone marrow-derived mesenchymal stem cells in porous polylactic glycolic acid scaffolds under perfusion culture. <i>Journal of Biomedical Materials Research - Part A</i> , 2010 , 92, 817-29	5.4	23
3	The restoration of full-thickness cartilage defects with BMSCs and TGF-beta 1 loaded PLGA/fibrin gel constructs. <i>Biomaterials</i> , 2010 , 31, 8964-73	15.6	127
2	In vivo restoration of full-thickness cartilage defects by poly(lactide-co-glycolide) sponges filled with fibrin gel, bone marrow mesenchymal stem cells and DNA complexes. <i>Biomaterials</i> , 2010 , 31, 5953-65	15.6	121

- 1 Reconstruction of rat calvarial defects with human mesenchymal stem cells and osteoblast-like cells in poly-lactic-co-glycolic acid scaffolds. *European Cells and Materials*, **2010**, 20, 109-20 43 82