Aya Ishizaka

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9919380/publications.pdf

Version: 2024-02-01

759233 839539 19 376 12 18 h-index citations g-index papers 19 19 19 495 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Requiem Protein Links RelB/p52 and the Brm-type SWI/SNF Complex in a Noncanonical NF-κB Pathway. Journal of Biological Chemistry, 2010, 285, 21951-21960.	3.4	50
2	Unique Gut Microbiome in HIV Patients on Antiretroviral Therapy (ART) Suggests Association with Chronic Inflammation. Microbiology Spectrum, 2021, 9, e0070821.	3.0	38
3	Correlation Analysis between Gut Microbiota Alterations and the Cytokine Response in Patients with Coronavirus Disease during Hospitalization. Microbiology Spectrum, 2022, 10, e0168921.	3.0	37
4	Cdx2 and the Brm-type SWI/SNF complex cooperatively regulate villin expression in gastrointestinal cells. Experimental Cell Research, 2009, 315, 1779-1789.	2.6	32
5	Double Plant Homeodomain (PHD) Finger Proteins DPF3a and -3b Are Required as Transcriptional Co-activators in SWI/SNF Complex-dependent Activation of NF-ÎB RelA/p50 Heterodimer. Journal of Biological Chemistry, 2012, 287, 11924-11933.	3.4	32
6	Gut microbiota signature of pathogen-dependent dysbiosis in viral gastroenteritis. Scientific Reports, 2021, 11, 13945.	3.3	25
7	Dysbiotic Fecal Microbiome in HIV-1 Infected Individuals in Ghana. Frontiers in Cellular and Infection Microbiology, 2021, 11, 646467.	3.9	24
8	Short Intracellular HIV-1 Transcripts as Biomarkers of Residual Immune Activation in Patients on Antiretroviral Therapy. Journal of Virology, 2016, 90, 5665-5676.	3.4	23
9	Transferrin Receptor 1 Facilitates Poliovirus Permeation of Mouse Brain Capillary Endothelial Cells. Journal of Biological Chemistry, 2016, 291, 2829-2836.	3.4	22
10	Loss of the Brm-Type SWI/SNF Chromatin Remodeling Complex Is a Strong Barrier to the Tat-Independent Transcriptional Elongation of Human Immunodeficiency Virus Type 1 Transcripts. Journal of Virology, 2009, 83, 11569-11580.	3.4	21
11	Role of Microbiota in Viral Infections and Pathological Progression. Viruses, 2022, 14, 950.	3.3	14
12	The miR-199a/Brm/EGR1 axis is a determinant of anchorage-independent growth in epithelial tumor cell lines. Scientific Reports, 2015, 5, 8428.	3.3	12
13	The Werner Protein Acts as a Coactivator of Nuclear Factor κB (NF-κB) on HIV-1 and Interleukin-8 (IL-8) Promoters. Journal of Biological Chemistry, 2015, 290, 18391-18399.	3.4	12
14	7SK small nuclear ribonucleoprotein complex is recruited to the HIVâ€1 promoter via short viral transcripts. FEBS Letters, 2014, 588, 1630-1636.	2.8	9
15	Fecal Microbiome Composition in Healthy Adults in Ghana. Japanese Journal of Infectious Diseases, 2021, 74, 42-47.	1.2	9
16	Prolonged Gut Dysbiosis and Fecal Excretion of Hepatitis A Virus in Patients Infected with Human Immunodeficiency Virus. Viruses, 2021, 13, 2101.	3.3	8
17	Predictors associated with a better response to the Japanese aluminumâ€free hepatitis A vaccine, Aimmugen [®] , for people living with HIV. Hepatology Research, 2022, 52, 227-234.	3.4	4
18	Human Leukocyte Antigen-Associated HIV-1 CRF02_AG <i>gag</i> and <i>vif</i> Polymorphisms in Ghana. Japanese Journal of Infectious Diseases, 2019, 72, 374-380.	1.2	2

#	Article	IF	CITATIONS
19	Super high-resolution single-molecule sequence-based typing of HLA class I alleles in HIV-1 infected individuals in Ghana. PLoS ONE, 2022, 17, e0269390.	2.5	2