Yifen Shi

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9921038/publications.pdf

Version: 2024-02-01

		752698	
19	611	11	20 g-index
papers	citations	h-index	g-index
22	22	22	933
all docs	docs citations	times ranked	citing authors

#	Article	IF	CITATIONS
1	Exosome secreted from adipose-derived stem cells attenuates diabetic nephropathy by promoting autophagy flux and inhibiting apoptosis in podocyte. Stem Cell Research and Therapy, 2019, 10, 95.	5.5	211
2	Fabricating antimicrobial peptide-immobilized starch sponges for hemorrhage control and antibacterial treatment. Carbohydrate Polymers, 2019, 222, 115012.	10.2	69
3	Peptide-immobilized starch/PEG sponge with rapid shape recovery and dual-function for both uncontrolled and noncompressible hemorrhage. Acta Biomaterialia, 2019, 99, 220-235.	8.3	64
4	IncRNA KRAL reverses 5-fluorouracil resistance in hepatocellular carcinoma cells by acting as a ceRNA against miR-141. Cell Communication and Signaling, 2018, 16, 47.	6.5	62
5	Benzene metabolite hydroquinone induces apoptosis of bone marrow mononuclear cells through inhibition of \hat{l}^2 -catenin signaling. Toxicology in Vitro, 2018, 46, 361-369.	2.4	29
6	Prognostic Significance of Pretreatment Neutrophil/Lymphocyte Ratio and Platelet/Lymphocyte Ratio in Patients with Diffuse Large B-Cell Lymphoma. BioMed Research International, 2018, 2018, 1-8.	1.9	28
7	Unrelated Donor Peripheral Blood Stem Cell Transplantation for Patients with \hat{I}^2 -Thalassemia Major Based on a Novel Conditioning Regimen. Biology of Blood and Marrow Transplantation, 2019, 25, 1592-1596.	2.0	22
8	Benzene induces haematotoxicity by promoting deacetylation and autophagy. Journal of Cellular and Molecular Medicine, 2019, 23, 1022-1033.	3.6	22
9	Prognostic significance of the red blood cell distribution width in diffuse large B-cell lymphoma patients. Oncotarget, 2017, 8, 40724-40731.	1.8	20
10	Maintenance therapy with all-trans retinoic acid and arsenic trioxide improves relapse-free survival in adults with low- to intermediate-risk acute promyelocytic leukemia who have achieved complete remission after consolidation therapy. OncoTargets and Therapy, 2017, Volume 10, 2305-2313.	2.0	13
11	Mean platelet volume predicts prognosis in patients with diffuse large Bâ€cell lymphoma. Hematological Oncology, 2018, 36, 104-109.	1.7	13
12	Iron overload adversely effects bone marrow haematogenesis via SIRT-SOD2-mROS in a process ameliorated by curcumin. Cellular and Molecular Biology Letters, 2021, 26, 2.	7.0	12
13	Peripheral blood lymphocyte to monocyte ratio recovery from low levels at diagnosis after completion of first line therapy predicts good clinical outcomes in patients with diffuse large B-cell lymphoma. Oncotarget, 2017, 8, 19556-19565.	1.8	12
14	Long non-coding RNA-based signature for predicting prognosis of hepatocellular carcinoma. Bioengineered, 2021, 12, 673-681.	3.2	10
15	Histone Deacetylase Inhibitors Trichostatin A and MCP30 Relieve Benzene-Induced Hematotoxicity via Restoring Topoisomerase IIα. PLoS ONE, 2016, 11, e0153330.	2.5	9
16	Activation-induced cytidine deaminase overexpression in double-hit lymphoma: potential target for novel anticancer therapy. Scientific Reports, 2020, 10, 14164.	3.3	6
17	Effect of initial body mass index on survival outcome of patients with myelodysplastic syndrome: a single-center retrospective study. Leukemia and Lymphoma, 2018, 59, 129-137.	1.3	5
18	Multiâ€omics data identified <scp>TP53</scp> and <scp>LRP1B</scp> as key regulatory gene related to immune phenotypes via <scp>EPCAM</scp> in <scp>HCC</scp> . Cancer Medicine, 2022, 11, 2145-2158.	2.8	2

#	Article	IF	CITATIONS
19	CD9 knockdown suppresses cell proliferation, adhesion, migration and invasion, while promoting apoptosis and the efficacy of chemotherapeutic drugs and imatinib in Ph+ ALL SUPâ€'B15 cells. Molecular Medicine Reports, 2020, 22, 2791-2800.	2.4	1