

List of Publications by Citations

Source: <https://exaly.com/author-pdf/992515/wanxiu-cao-publications-by-citations.pdf>
Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

56 papers	889 citations	18 h-index	28 g-index
61 ext. papers	1,193 ext. citations	5.1 avg, IF	4.31 L-index

#	Paper	IF	Citations
56	Dietary fucoidan of <i>Acaudina molpadioides</i> alters gut microbiota and mitigates intestinal mucosal injury induced by cyclophosphamide. <i>Food and Function</i> , 2017 , 8, 3383-3393	6.1	74
55	Effects of curcumin-based photodynamic treatment on the storage quality of fresh-cut apples. <i>Food Chemistry</i> , 2019 , 274, 415-421	8.5	59
54	Mechanism of inactivation of murine norovirus-1 by high pressure processing. <i>International Journal of Food Microbiology</i> , 2010 , 137, 186-9	5.8	53
53	Dietary fucoidan of <i>Acaudina molpadioides</i> and its enzymatically degraded fragments could prevent intestinal mucositis induced by chemotherapy in mice. <i>Food and Function</i> , 2015 , 6, 415-22	6.1	51
52	Photodynamic effect of curcumin on <i>Vibrio parahaemolyticus</i> . <i>Photodiagnosis and Photodynamic Therapy</i> , 2016 , 15, 34-9	3.5	49
51	Neoagarotetraose protects mice against intense exercise-induced fatigue damage by modulating gut microbial composition and function. <i>Molecular Nutrition and Food Research</i> , 2017 , 61, 1600585	5.9	46
50	Virucidal efficacy of treatment with photodynamically activated curcumin on murine norovirus bio-accumulated in oysters. <i>Photodiagnosis and Photodynamic Therapy</i> , 2015 , 12, 385-92	3.5	45
49	Chondroitin sulfate disaccharides modified the structure and function of the murine gut microbiome under healthy and stressed conditions. <i>Scientific Reports</i> , 2017 , 7, 6783	4.9	40
48	Dietary squid ink polysaccharide could enhance SIgA secretion in chemotherapeutic mice. <i>Food and Function</i> , 2014 , 5, 3189-96	6.1	33
47	DHA-phospholipids (DHA-PL) and EPA-phospholipids (EPA-PL) prevent intestinal dysfunction induced by chronic stress. <i>Food and Function</i> , 2019 , 10, 277-288	6.1	33
46	Polymannuronic acid ameliorated obesity and inflammation associated with a high-fat and high-sucrose diet by modulating the gut microbiome in a murine model. <i>British Journal of Nutrition</i> , 2017 , 117, 1332-1342	3.6	32
45	Palmitine hydrochloride mediated photodynamic inactivation of breast cancer MCF-7 cells: Effectiveness and mechanism of action. <i>Photodiagnosis and Photodynamic Therapy</i> , 2016 , 15, 133-8	3.5	30
44	Dietary squid ink polysaccharides ameliorated the intestinal microflora dysfunction in mice undergoing chemotherapy. <i>Food and Function</i> , 2014 , 5, 2529-35	6.1	28
43	Mechanistic insights into the attenuation of intestinal inflammation and modulation of the gut microbiome by krill oil using in vitro and in vivo models. <i>Microbiome</i> , 2020 , 8, 83	16.6	26
42	The role of gut microbiota in the resistance to obesity in mice fed a high fat diet. <i>International Journal of Food Sciences and Nutrition</i> , 2020 , 71, 453-463	3.7	23
41	Transcriptome analysis revealed anti-obesity effects of the Sodium Alginate in high-fat diet -induced obese mice. <i>International Journal of Biological Macromolecules</i> , 2018 , 115, 861-870	7.9	22
40	Antioxidation activities of low-molecular-weight gelatin hydrolysate isolated from the sea cucumber <i>Stichopus japonicus</i> . <i>Journal of Ocean University of China</i> , 2010 , 9, 94-98	1	22

39	Photodynamic action of palmatine hydrochloride on colon adenocarcinoma HT-29 cells. <i>Photodiagnosis and Photodynamic Therapy</i> , 2016 , 15, 53-8	3.5	18
38	Neogargarotetraose-modulated gut microbiota and alleviated gut inflammation in antibiotic treatment mice. <i>Food and Agricultural Immunology</i> , 2017 , 28, 1408-1423	2.9	16
37	The Protective and Immunomodulatory Effects of Fucoidan Against 7,12-Dimethyl benz[a]anthracene-Induced Experimental Mammary Carcinogenesis Through the PD1/PDL1 Signaling Pathway in Rats. <i>Nutrition and Cancer</i> , 2017 , 69, 1234-1244	2.8	15
36	Astaxanthin -Octanoic Acid Diester Ameliorates Insulin Resistance and Modulates Gut Microbiota in High-Fat and High-Sucrose Diet-Fed Mice. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	15
35	Comparative Analysis of EPA/DHA-PL Forage and Liposomes in Orotic Acid-Induced Nonalcoholic Fatty Liver Rats and Their Related Mechanisms. <i>Journal of Agricultural and Food Chemistry</i> , 2018 , 66, 1408-1418	5.7	15
34	Malvidin 3-Glucoside Modulated Gut Microbial Dysbiosis and Global Metabolome Disrupted in a Murine Colitis Model Induced by Dextran Sulfate Sodium. <i>Molecular Nutrition and Food Research</i> , 2019 , 63, e1900455	5.9	13
33	Curcumin-mediated photodynamic inactivation (PDI) against DH5 α contaminated in oysters and cellular toxicological evaluation of PDI-treated oysters. <i>Photodiagnosis and Photodynamic Therapy</i> , 2019 , 26, 244-251	3.5	13
32	Effects of dietary glucocerebrosides from sea cucumber on the brain sphingolipid profiles of mouse models of Alzheimer's disease. <i>Food and Function</i> , 2017 , 8, 1271-1281	6.1	12
31	Detection of noroviruses in shellfish and semiprocessed fishery products from a Belgian seafood company. <i>Journal of Food Protection</i> , 2014 , 77, 1342-7	2.5	11
30	Food-grade carrageenans and their implications in health and disease. <i>Comprehensive Reviews in Food Science and Food Safety</i> , 2021 , 20, 3918-3936	16.4	11
29	Astaxanthin (ATX) enhances the intestinal mucosal functions in immunodeficient mice. <i>Food and Function</i> , 2020 , 11, 3371-3381	6.1	10
28	Polymannuronic acid prevents dopaminergic neuronal loss via brain-gut-microbiota axis in Parkinson's disease model. <i>International Journal of Biological Macromolecules</i> , 2020 , 164, 994-1005	7.9	10
27	Microbial Co-Occurrence Patterns and Keystone Species in the Gut Microbial Community of Mice in Response to Stress and Chondroitin Sulfate Disaccharide. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	7
26	Effect of photodynamic inactivation of Escherichia coli by hypericin. <i>World Journal of Microbiology and Biotechnology</i> , 2018 , 34, 100	4.4	7
25	Transcriptomic analysis reveals effects of fucoxanthin on intestinal glucose transport. <i>Journal of Functional Foods</i> , 2018 , 49, 205-213	5.1	6
24	Evaluation indicators of nutritional quality. <i>Journal of Food Science and Technology</i> , 2021 , 58, 2943-2951	3.3	5
23	Inactivation of microbes on fruit surfaces using photodynamic therapy and its influence on the postharvest shelf-life of fruits. <i>Food Science and Technology International</i> , 2020 , 26, 696-705	2.6	5
22	Effect of Light-Activated Hypocrellin B on the Growth and Membrane Permeability of Gram-Negative Escherichia coli Cells. <i>International Journal of Photoenergy</i> , 2014 , 2014, 1-6	2.1	5

21	Mechanism of neoagarotetraose protects against intense exercise-induced liver injury based on molecular ecological network analysis. <i>Bioscience, Biotechnology and Biochemistry</i> , 2019 , 83, 1227-1238	2.1	4
20	Fucoxanthin-loaded nanoparticles composed of gliadin and chondroitin sulfate: Synthesis, characterization and stability.. <i>Food Chemistry</i> , 2022 , 379, 132163	8.5	4
19	Absorbability of Astaxanthin Was Much Lower in Obese Mice Than in Normal Mice. <i>Journal of Agricultural and Food Chemistry</i> , 2020 , 68, 11161-11169	5.7	3
18	Drug-guided screening for pancreatic lipase inhibitors in functional foods. <i>Food and Function</i> , 2021 , 12, 4644-4653	6.1	3
17	Molecular and Microbial Signatures Predictive of Prebiotic Action of Neoagarotetraose in a Dextran Sulfate Sodium-Induced Murine Colitis Model. <i>Microorganisms</i> , 2020 , 8,	4.9	2
16	Antimicrobial peptides/ciprofloxacin-loaded O-carboxymethyl chitosan/self-assembling peptides hydrogel dressing with sustained-release effect for enhanced anti-bacterial infection and wound healing.. <i>Carbohydrate Polymers</i> , 2022 , 280, 119033	10.3	2
15	ED-1,6-glucan from <i>Castanea mollissima</i> Blume alleviates dextran sulfate sodium-induced colitis in vivo.. <i>Carbohydrate Polymers</i> , 2022 , 289, 119410	10.3	2
14	Sequence analysis and quantitative detection of Norwalk-like viruses in cultured oysters of China. <i>Journal of Ocean University of China</i> , 2008 , 7, 223-227	1	1
13	Identification of curcumin as a potential α -glucosidase and dipeptidyl-peptidase 4 inhibitor: Molecular docking study, in vitro and in vivo biological evaluation. <i>Journal of Food Biochemistry</i> , 2021 , e13686	3.3	1
12	Sargassum fusiforme together with turmeric extract and pomegranate peel extract alleviates obesity in high fat-fed C57BL/6J mice. <i>Food and Function</i> , 2021 , 12, 4654-4669	6.1	1
11	Transcriptome analysis reveals the protective role of fructo-oligosaccharide in colonic mucosal barriers in exercise-induced stressed mice. <i>Food and Function</i> , 2021 , 12, 4484-4495	6.1	1
10	Seasonal Variations in Total Lipid and Fatty Acid Composition of <i>Haliotis discus Hannai</i> from Three Different Production Zones. <i>Journal of Aquatic Food Product Technology</i> , 2021 , 30, 416-425	1.6	1
9	Triacylglycerol rich in docosahexaenoic acid regulated appetite via the mediation of leptin and intestinal epithelial functions in high-fat, high-sugar diet-fed mice. <i>Journal of Nutritional Biochemistry</i> , 2022 , 99, 108856	6.3	1
8	Microbial Composition and Co-occurrence Patterns in the Gut Microbial Community of Normal and Obese Mice in Response to Astaxanthin. <i>Frontiers in Microbiology</i> , 2021 , 12, 671271	5.7	1
7	Colon and gut microbiota greatly affect the absorption and utilization of astaxanthin derived from <i>Haematococcus pluvialis</i> . <i>Food Research International</i> , 2022 , 111324	7	1
6	Identification of five sea cucumber species through PCR-RFLP analysis. <i>Journal of Ocean University of China</i> , 2014 , 13, 825-829	1	0
5	Fabrication and characterization of core-shell gliadin/tremella polysaccharide nanoparticles for curcumin delivery: Encapsulation efficiency, physicochemical stability and bioaccessibility. <i>Current Research in Food Science</i> , 2022 , 5, 288-297	5.6	0
4	Alginate and its two Components Acted Differently Against Dopaminergic Neuronal Loss in Parkinson's Disease Mice Model. <i>Molecular Nutrition and Food Research</i> , 2021 , e2100739	5.9	0

- | | | | |
|---|--|-----|---|
| 3 | Effects of curcumin-based photodynamic method on protein degradation of oysters. <i>International Journal of Food Science and Technology</i> , 2021 , 56, 4050-4061 | 3.8 | o |
| 2 | Sun-Dried and Air-Dried Attenuates 5-Fluorouracil-Induced Intestinal Mucositis in Mice. <i>Nutrition and Cancer</i> , 2021 , 1-9 | 2.8 | o |
| 1 | Enzymatic hydrolysate of porphyra enhances the intestinal mucosal functions in obese mice.. <i>Journal of Food Biochemistry</i> , 2022 , e14175 | 3.3 | |