

Kaushik Sengupta

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/992547/kaushik-sengupta-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

78
papers

1,337
citations

19
h-index

34
g-index

108
ext. papers

1,921
ext. citations

6
avg, IF

5.56
L-index

#	Paper	IF	Citations
78	A Compact SiGe Stacked Common-Base Dual-Band PA With 20/18.8 dBm P_{sat} at 36/64 GHz Supporting Concurrent Modulation. <i>IEEE Microwave and Wireless Components Letters</i> , 2022 , 1-4	2.6	1
77	Deep Learning-Enabled Inverse Design of 30-94 GHz P_{sat} SiGe PA Supporting Concurrent Multiband Operation at Multi-Gb/s. <i>IEEE Microwave and Wireless Components Letters</i> , 2022 , 1-4	2.6	0
76	A 44-64-GHz mmWave Broadband Linear Doherty PA in Silicon With Quadrature Hybrid Combiner and Non-Foster Impedance Tuner. <i>IEEE Journal of Solid-State Circuits</i> , 2022 , 1-1	5.5	1
75	Secure space-time-modulated millimetre-wave wireless links that are resilient to distributed eavesdropper attacks. <i>Nature Electronics</i> , 2021 , 4, 827-836	28.4	6
74	THz Prism: One-Shot Simultaneous Localization of Multiple Wireless Nodes With Leaky-Wave THz Antennas and Transceivers in CMOS. <i>IEEE Journal of Solid-State Circuits</i> , 2021 , 1-1	5.5	5
73	Visible and Near-IR Nano-optical Components and Systems in CMOS. <i>IEEE Open Journal of the Solid-State Circuits Society</i> , 2021 , 1-1		1
72	A 44 To 64 GHz Broadband 90° Hybrid Doherty PA With Quasi Non-Foster Tuner in 0.13 μm SiGe. <i>IEEE Microwave and Wireless Components Letters</i> , 2021 , 31, 760-763	2.6	3
71	80-10-GHz Broadband Linear PA With 33% Peak PAE and Comparison of Stacked Common Base and Common Emitter PA in InP. <i>IEEE Microwave and Wireless Components Letters</i> , 2021 , 31, 756-759	2.6	4
70	18.2 CMOS-Driven Pneumatic-Free Scalable Microfluidics and Fluid Processing with Label-Free Cellular and Bio-Molecular Sensing Capability for an End-to-End Point-of-Care System 2021 ,		1
69	22.1 THz Prism: One-Shot Simultaneous Multi-Node Angular Localization Using Spectrum-to-Space Mapping with 360-to-400GHz Broadband Transceiver and Dual-Port Integrated Leaky-Wave Antennas 2021 ,		4
68	Spatio-temporal modulated mm-Wave arrays for physical layer security and resiliency against distributed eavesdropper attacks 2021 ,		1
67	. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2021 , 69, 756-773	4.1	7
66	A high-speed programmable and scalable terahertz holographic metasurface based on tiled CMOS chips. <i>Nature Electronics</i> , 2020 , 3, 785-793	28.4	57
65	Transformer-based Broadband mm-Wave InP PA across 42-62 GHz with Enhanced Linearity and Second Harmonic Engineering 2020 ,		2
64	4.6 Space-Time Modulated 71-to-76GHz mm-Wave Transmitter Array for Physically Secure Directional Wireless Links 2020 ,		2
63	Multi-port Active Load Pulling for mm-Wave 5G Power Amplifiers: Bandwidth, Back-Off Efficiency, and VSWR Tolerance. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2020 , 68, 2998-3016	4.1	22
62	Antenna Preprocessing and Element-Pattern Shaping for Multi-Band mmWave Arrays: Multi-Port Transmitters and Antennas. <i>IEEE Journal of Solid-State Circuits</i> , 2020 , 1-1	5.5	7

61	Antenna Preprocessing and Element-Pattern Shaping for Multi-Band mmWave Arrays: Multi-Port Receivers and Antennas. <i>IEEE Journal of Solid-State Circuits</i> , 2020 , 1-1	5.5	5
60	Physically Secure Sub-THz Wireless Links 2020 ,		4
59	A Packaged Ingestible Bio-Pill with 15-Pixel Multiplexed Fluorescence Nucleic-Acid Sensor and Bi-Directional Wireless Interface for In-Vivo Bio-Molecular Sensing 2020 ,		5
58	Load Modulated Balanced mm-Wave CMOS PA with Integrated Linearity Enhancement for 5G applications 2020 ,		11
57	Broadband PA Architectures with Asymmetrical Combining and Stacked PA cells across 50-70 GHz and 64-110 GHz in 250 nm InP 2020 ,		6
56	29.9 A 4 \times Distributed Multi-Layer Oscillator Network for Harmonic Injection and THz Beamforming with 14dBm EIRP at 416GHz in a Lensless 65nm CMOS IC 2020 ,		12
55	A 26-42 GHz Broadband, Back-off Efficient and Vswr Tolerant CMOS Power Amplifier Architecture for 5G Applications 2019 ,		16
54	A Multi-Port Dual Polarized Antenna Coupled mm-Wave CMOS Receiver with Element-level Pattern and Notch Programmability and Passive Interferer Rejection Capability 2019 ,		4
53	Integrated Circuits for Terahertz Communication Beyond 100 GHz: Are We There Yet? 2019 ,		10
52	Programmable terahertz chip-scale sensing interface with direct digital reconfiguration at sub-wavelength scales. <i>Nature Communications</i> , 2019 , 10, 2722	17.4	31
51	2D Magnetic Sensor Array for Real-time Cell Tracking and Multi-site Detection with Increased Robustness and Flow-rate 2019 ,		2
50	Ingestible Bioelectronics: A Packaged, Bio-Molecular, Fluorescence-Based Sensor Array with Ultra-Low-Power Wireless Interface 2019 ,		3
49	Fluorescence-based Multiplexed Biomolecular Systems in mm-scale Optics-free CMOS Chip: Nanoplasmonics in Embedded Electronics 2019 ,		1
48	Universal Terahertz Integrated Systems: Bridging the THz and Application Gap in the Next Decade 2019 ,		3
47	A Hybrid THz Imaging System With a 100-Pixel CMOS Imager and a 3.25 \times 50 THz Quantum Cascade Laser Frequency Comb 2019 ,		2
46	A Hybrid THz Imaging System With a 100-Pixel CMOS Imager and a 3.25 \times 50 THz Quantum Cascade Laser Frequency Comb. <i>IEEE Solid-State Circuits Letters</i> , 2019 , 2, 151-154	2	5
45	. <i>IEEE Transactions on Circuits and Systems I: Regular Papers</i> , 2018 , 65, 257-269	3.9	23
44	Simultaneously Broadband and Back-Off Efficient mm-Wave PAs: A Multi-Port Network Synthesis Approach. <i>IEEE Journal of Solid-State Circuits</i> , 2018 , 53, 2543-2559	5.5	42

43	Single-chip source-free terahertz spectroscopy across 0.04-0.99 THz: combining sub-wavelength near-field sensing and regression analysis. <i>Optics Express</i> , 2018 , 26, 7163-7175	3.3	10
42	Multi-functional, Active and Information Processing Antenna Surfaces in Chip-scale THz Systems 2018 ,		1
41	Terahertz integrated electronic and hybrid electronic-photonic systems. <i>Nature Electronics</i> , 2018 , 1, 622-635	28.4	224
40	Nano-plasmonics and electronics co-integration in CMOS enabling a pill-sized multiplexed fluorescence microarray system. <i>Biomedical Optics Express</i> , 2018 , 9, 5735-5758	3.5	8
39	Integrated Angle-Insensitive Nanoplasmonic Filters for Ultraminiaturized Fluorescence Microarray in a 65 nm Digital CMOS Process. <i>ACS Photonics</i> , 2018 , 5, 4312-4322	6.3	6
38	Wide-band THz Spectroscopy in Silicon THz Combining Sub-wavelength Near-field Sensing and Robust Regression Analysis 2018 ,		1
37	A Programmable Active THz Electromagnetic Surface on-Chip for Multi-functional Imaging 2018 ,		3
36	CMOS Optical PUFs Using Noise-Immune Process-Sensitive Photonic Crystals Incorporating Passive Variations for Robustness. <i>IEEE Journal of Solid-State Circuits</i> , 2018 , 53, 2709-2721	5.5	14
35	15.9 An integrated optical physically unclonable function using process-sensitive sub-wavelength photonic crystals in 65nm CMOS 2017 ,		3
34	27.8 Fully integrated optical spectrometer with 500-to-830nm range in 65nm CMOS 2017 ,		7
33	Dynamic Waveform Shaping With Picosecond Time Widths. <i>IEEE Journal of Solid-State Circuits</i> , 2017 , 52, 389-405	5.5	20
32	Frequency Reconfigurable mm-Wave Power Amplifier With Active Impedance Synthesis in an Asymmetrical Non-Isolated Combiner: Analysis and Design. <i>IEEE Journal of Solid-State Circuits</i> , 2017 , 52, 1990-2008	5.5	35
31	Fully Integrated Fluorescence Biosensors On-Chip Employing Multi-Functional Nanoplasmonic Optical Structures in CMOS. <i>IEEE Journal of Solid-State Circuits</i> , 2017 , 52, 2388-2406	5.5	41
30	A W-band SiGe power amplifier with Psat of 23 dBm and PAE of 16.8% at 95GHz 2017 ,		4
29	A digital mm-Wave PA architecture with Simultaneous Frequency and back-off Reconfigurability 2017 ,		16
28	Fully Integrated Optical Spectrometer in Visible and Near-IR in CMOS. <i>IEEE Transactions on Biomedical Circuits and Systems</i> , 2017 , 11, 1176-1191	5.1	15
27	Nano-optical systems in CMOS 2017 ,		3
26	THz silicon systems on chip: EM-Circuits-Systems codesign approach 2017 ,		1

25	CMOS-based Florescence Biosensor with Integrated Nanoplasmonic Filters 2017 ,		2
24	On-Chip THz Spectroscope Exploiting Electromagnetic Scattering With Multi-Port Antenna. <i>IEEE Journal of Solid-State Circuits</i> , 2016 , 51, 3049-3062	5.5	37
23	20.2 A frequency-reconfigurable mm-Wave power amplifier with active-impedance synthesis in an asymmetrical non-isolated combiner 2016 ,		25
22	Designing Optimal Surface Currents for Efficient On-Chip mm-Wave Radiators With Active Circuitry. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2016 , 64, 1976-1988	4.1	24
21	25.3 A 40-to-330GHz synthesizer-free THz spectroscope-on-chip exploiting electromagnetic scattering 2016 ,		1
20	THz signal generation, radiation, and beam-forming in silicon: A circuit and electromagnetics co-design approach 2016 , 485-518		
19	A mm-Wave Segmented Power Mixer. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2015 , 63, 1118-1129	4.1	12
18	Mutual Synchronization for Power Generation and Beam-Steering in CMOS With On-Chip Sense Antennas Near 200 GHz. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2015 , 63, 2867-2876	4.1	27
17	Silicon Integrated 280 GHz Imaging Chipset With 4 \times 4 SiGe Receiver Array and CMOS Source. <i>IEEE Transactions on Terahertz Science and Technology</i> , 2015 , 5, 427-437	3.4	55
16	Dynamic waveform shaping for reconfigurable radiated periodic signal generation with picosecond time-widths 2015 ,		7
15	A fully integrated CMOS fluorescence biosensor with on-chip nanophotonic filter 2015 ,		16
14	Methods for finding globally maximum-efficiency impedance matching networks with lossy passives 2015 ,		8
13	A 19.1dBm segmented power-mixer based multi-Gbps mm-Wave transmitter in 32nm SOI CMOS 2014 ,		5
12	Integrated Self-Healing for mm-Wave Power Amplifiers. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2013 , 61, 1301-1315	4.1	75
11	A 0.28THz 4 \times 4 power-generation and beam-steering array 2012 ,		13
10	A fully-integrated self-healing power amplifier 2012 ,		24
9	A 0.28 THz Power-Generation and Beam-Steering Array in CMOS Based on Distributed Active Radiators. <i>IEEE Journal of Solid-State Circuits</i> , 2012 , 47, 3013-3031	5.5	175
8	On-chip sensing and actuation methods for integrated self-healing mm-wave CMOS power amplifier 2012 ,		17

7	A terahertz imaging receiver in 0.13 μ m SiGe BiCMOS technology 2011 ,		2
6	Sub-THz beam-forming using near-field coupling of Distributed Active Radiator arrays 2011 ,		23
5	Distributed active radiation for THz signal generation 2011 ,		37
4	A Nonlinear Transient Analysis of Regenerative Frequency Dividers. <i>IEEE Transactions on Circuits and Systems I: Regular Papers</i> , 2007 , 54, 2646-2660	3.9	8
3	Maximum frequency of operation of CMOS Static Frequency dividers: Theory and Design techniques 2006 ,		7
2	A NEW MEASURE OF LACUNARITY FOR GENERALIZED FRACTALS AND ITS IMPACT IN THE ELECTROMAGNETIC BEHAVIOR OF KOCH DIPOLE ANTENNAS. <i>Fractals</i> , 2006 , 14, 271-282	3.2	13
1	Self-healing for silicon-based mm-wave power amplifiers		419-456