## Ivo van Vulpen

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/992811/publications.pdf

Version: 2024-02-01

169 papers 10,534 citations

<sup>38742</sup> 50 h-index

98 g-index

178 all docs

178 docs citations

178 times ranked

7782 citing authors

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | Performance of the ATLAS Level-1 topological trigger in RunÂ2. European Physical Journal C, 2022, 82, 1.  | 3.9 | 6         |
| 2  | Measurement of the c-jet mistagging efficiency in $\frac{t}{s}$ events using pp collision data at $\frac{s}{s}=13$ fext {TeV}\$ collected with the ATLAS detector. European Physical Journal C, 2022, 82, .   | 3.9 | 14        |
| 3  | Search for exotic decays of the Higgs boson into b\$\$ overline{b} \$\$ and missing transverse momentum in pp collisions at $$$ sqrt{s} \$\$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2022, 2022, 1.   | 4.7 | 2         |
| 4  | Observation of electroweak production of two jets in association with an isolated photon and missing transverse momentum, and search for a Higgs boson decaying into invisible particles at 13Â\$\$ext {TeV}\$\$ with the ATLAS detector. European Physical Journal C, 2022, 82, 1. | 3.9 | 8         |
| 5  | Search for Higgs bosons decaying into new spin-0 or spin-1 particles in four-lepton final states with the ATLAS detector with 139 fba $^{\circ}$ 1 of pp collision data at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.                               | 4.7 | 10        |
| 6  | AtlFast3: The Next Generation of Fast Simulation in ATLAS. Computing and Software for Big Science, 2022, 6, 1.  | 2.9 | 23        |
| 7  | Measurement of the energy response of the ATLASÂcalorimeter to chargedÂpions from $\W^{pm}$ ightarrow au ${pm }(ghtarrow pi {pm }u _{au })u _{au }$$ events in RunÂ2 data. European Physical Journal C, 2022, 82, 1.  | 3.9 | 4         |
| 8  | The ATLAS inner detector trigger performance in pp collisions at 13ÂTeV during LHC Run 2. European Physical Journal C, 2022, 82, 1.   | 3.9 | 5         |
| 9  | Search for flavour-changing neutral-current interactions of a top quark and a gluon in pp collisions at $s=13$ , and the ATLAS detector. European Physical Journal C, 2022, 82, .   | 3.9 | 7         |
| 10 | Measurement of the energy asymmetry in $t{ar{t}}j$ production at $13,$ TeV with the ATLAS experiment and interpretation in the SMEFT framework. European Physical Journal C, 2022, 82, .  | 3.9 | 2         |
| 11 | Determination of the parton distribution functions of the proton using diverse ATLAS data from pp collisions at $\$$ sqrt $\{s\}$ = 7 $\$$ \$, 8 and 13ÂTeV. European Physical Journal C, 2022, 82, 1.  | 3.9 | 12        |
| 12 | Measurement of hadronic event shapes in high-pT multijet final states at $\$\$ $ sqrt $\{s\}$ $\$\$ = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.   | 4.7 | 4         |
| 13 | Search for squarks and gluinos in final states with jets and missing transverse momentum using 139 fbâ^'1 of $\$$ sqrt{s} $\$$ = 13 TeV pp collision data with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.   | 4.7 | 37        |
| 14 | Differential cross-section measurements for the electroweak production of dijets in association with a Z boson in proton–proton collisions at ATLAS. European Physical Journal C, 2021, 81, 1.  | 3.9 | 12        |
| 15 | Measurements of WH and ZH production in the \$\$H ightarrow bar{b}\$\$ decay channel in pp collisions at \$\$13,ext {Te}ext $\{V\}$ \$\$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.   | 3.9 | 38        |
| 16 | Search for dark matter in association with an energetic photon in pp collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.  | 4.7 | 18        |
| 17 | Search for type-III seesaw heavy leptons in dilepton final states in pp collisions at $\$\$$ sqrt $\$$ = 13, $\$$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.  | 3.9 | 17        |
| 18 | Measurement of light-by-light scattering and search for axion-like particles with 2.2 nbâ^1 of Pb+Pb data with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.   | 4.7 | 19        |

| #  | Article   | lF  | Citations |
|----|---|-----|-----------|
| 19 | Search for Higgs boson production in association with a high-energy photon via vector-boson fusion with decay into bottom quark pairs at $$$ sqrt ${s}$ $$$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.  | 4.7 | 6         |
| 20 | Search for new phenomena with top quark pairs in final states with one lepton, jets, and missing transverse momentum in pp collisions at $$$ sqrt $s$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.  | 4.7 | 14        |
| 21 | Search for new phenomena in events with two opposite-charge leptons, jets and missing transverse momentum in pp collisions at $\$$ sqrt{mathrm{s}} $\$$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.  | 4.7 | 22        |
| 22 | Search for pair production of scalar leptoquarks decaying into first- or second-generation leptons and top quarks in proton–proton collisions at \$\$sqrt{s}\$\$ = 13ÂTeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.  | 3.9 | 18        |
| 23 | Optimisation of large-radius jet reconstruction for the ATLAS detector in 13ÂTeV proton–proton collisions. European Physical Journal C, 2021, 81, 1.  | 3.9 | 15        |
| 24 | Search for heavy resonances decaying into a pair of Z bosons in the $\$$ ell ^+ell ^-ell '^+ell '^- $\$$ and $\$$ ell ^+ell ^-u {{ar{u }}}\$\$ final states using 139 $\$$ mathrm {fb}^{-1} $\$$ of protonâ $\$$ "proton collisions at $\$$ sqrt{s} = 13, $\$$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1. | 3.9 | 40        |
| 25 | Search for new phenomena in final states with b-jets and missing transverse momentum in $\$\$$ sqrt{mathrm{s}} $\$\$ = 13$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.  | 4.7 | 18        |
| 26 | Search for a heavy Higgs boson decaying into a Z boson and another heavy Higgs boson in the \$\$ell ell bb\$\$ and \$\$ell ell WW\$\$ final states in pp collisions at $$\sqrt{s}=13$$ A\$\$ext {TeV}\$\$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.  | 3.9 | 26        |
| 27 | Search for doubly and singly charged Higgs bosons decaying into vector bosons in multi-lepton final states with the ATLAS detector using proton-proton collisions at $\$ sqrt{mathrm{s}} \$\$ = 13 TeV. Journal of High Energy Physics, 2021, 2021, 1.  | 4.7 | 23        |
| 28 | Measurements of W+W $\hat{a}$ '+ $\hat{a}$ %¥ 1 jet production cross-sections in pp collisions at \$\$ sqrt{s} \$\$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.  | 4.7 | 8         |
| 29 | Search for charged Higgs bosons decaying into a top quark and a bottom quark at $\$$ sqrt{mathrm{s}} $\$$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.  | 4.7 | 46        |
| 30 | Measurements of Higgs bosons decaying to bottom quarks from vector boson fusion production with the ATLAS experiment at $\$$ qrt $\{s\}=13$ ,ext $\{TeV\}$ \$\$. European Physical Journal C, 2021, 81, 1.  | 3.9 | 14        |
| 31 | Search for pair production of third-generation scalar leptoquarks decaying into a top quark and a $\ddot{\parallel}$ ,-lepton in pp collisions at \$\$ sqrt{s} \$\$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.  | 4.7 | 27        |
| 32 | Search for supersymmetry in events with four or more charged leptons in 139 fbâ^1 of $\$$ sqrt{s} $\$$ = 13 TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.   | 4.7 | 12        |
| 33 | Determination of the parton distribution functions of the proton from ATLAS measurements of differential W± and Z boson production in association with jets. Journal of High Energy Physics, 2021, 2021, 1.   | 4.7 | 10        |
| 34 | Measurements of differential cross-sections in four-lepton events in 13 TeV proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.  | 4.7 | 8         |
| 35 | A search for the decays of stopped long-lived particles at $\$$ sqrt{mathrm{s}} $\$$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.   | 4.7 | 5         |
| 36 | Muon reconstruction and identification efficiency in ATLAS using the full Run 2 pp collision data set at $s=13$ TeV. European Physical Journal C, 2021, 81, 1.  | 3.9 | 82        |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | Search for squarks and gluinos in final states with one isolated lepton, jets, and missing transverse momentum at \$\$sqrt{s}=13\$\$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.   | 3.9 | 13        |
| 38 | Measurement of single top-quark production in association with a W boson in the single-lepton channel at $s=0.21, 81, 1.$   | 3.9 | 3         |
| 39 | Jet energy scale and resolution measured in proton–proton collisions at \$\$sqrt{s}=13\$\$ÂTeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.   | 3.9 | 64        |
| 40 | Measurements of the inclusive and differential production cross sections of a top-quark–antiquark pair in association with a ZÂboson at \$\$sqrt{s} = 13\$\$ÂTeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.                         | 3.9 | 12        |
| 41 | Search for dark matter produced in association with a single top quark in \$\$sqrt{s}=13\$\$ÂTeV \$\$pp\$\$ collisions with the ATLAS detector. European Physical Journal C, 2021, 81, 1.   | 3.9 | 9         |
| 42 | Measurements of top-quark pair single- and double-differential cross-sections in the all-hadronic channel in pp collisions at $\$$ sqrt{mathrm{s}} $\$$ = 13 TeV using the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.                   | 4.7 | 14        |
| 43 | Search for phenomena beyond the Standard Model in events with large b-jet multiplicity using the ATLAS detector at the LHC. European Physical Journal C, 2021, 81, 1.   | 3.9 | 5         |
| 44 | Search for dark matter in events with missing transverse momentum and a Higgs boson decaying into two photons in pp collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.                   | 4.7 | 12        |
| 45 | Search for R-parity-violating supersymmetry in a final state containing leptons and many jets with the ATLAS experiment using \$\$sqrt{s} = 13hbox { TeV}\$\$ proton–proton collision data. European Physical Journal C, 2021, 81, 1.                       | 3.9 | 7         |
| 46 | Measurement of the $t$ \$ overline{t} \$\$\$\$ overline{t} \$\$ production cross section in pp collisions at \$\$ $sqrt{s}$ \$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.   | 4.7 | 10        |
| 47 | Search for dark matter produced in association with a Standard Model Higgs boson decaying into b-quarks using the full Run 2 dataset from the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.  | 4.7 | 10        |
| 48 | Measurement of the production cross section of pairs of isolated photons in pp collisions at 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.   | 4.7 | 4         |
| 49 | Search for exotic decays of the Higgs boson into long-lived particles in pp collisions at \$\$ sqrt{s} \$\$ = 13 TeV using displaced vertices in the ATLAS inner detector. Journal of High Energy Physics, 2021, 2021, 1.                                   | 4.7 | 4         |
| 50 | Search for chargino $\hat{a} \in \text{``neutralino pair production in final states with three leptons and missing transverse momentum in $$sqrt{s} = 13$$ÂTeV pp collisions with the ATLAS detector. European Physical Journal C, 2021, 81, 1.$            | 3.9 | 28        |
| 51 | Configuration and performance of the ATLAS b-jet triggers in Run 2. European Physical Journal C, 2021, 81, 1.   | 3.9 | 7         |
| 52 | Measurement of b-quark fragmentation properties in jets using the decay $B\hat{A}\pm\hat{a}\uparrow'J/\hat{\Gamma}\hat{K}\hat{A}\pm$ in pp collisions at \$\$ sqrt{s} \$\$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1. | 4.7 | 3         |
| 53 | Performance of the missing transverse momentum triggers for the ATLAS detector during Run-2 data taking. Journal of High Energy Physics, 2020, 2020, 1.   | 4.7 | 17        |
| 54 | Search for new non-resonant phenomena in high-mass dilepton final states with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.  | 4.7 | 24        |

| #  | Article  | IF  | Citations |
|----|--|-----|-----------|
| 55 | Measurements of the Higgs boson inclusive and differential fiducial cross sections in the $4$ \$ell \$\$ decay channel at \$\$sqrt{s}\$\$ = 13 TeV. European Physical Journal C, 2020, 80, 1.  | 3.9 | 32        |
| 56 | Search for direct production of electroweakinos in final states with one lepton, missing transverse momentum and a Higgs boson decaying into two b-jets in $pspssspsspsspsspsspsspsspsspsspsspsspss$   | 3.9 | 34        |
| 57 | Measurements of the production cross-section for a Z boson in association with b-jets in proton-proton collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.                       | 4.7 | 11        |
| 58 | Search for the HH $\hat{a}^{*}$ \$\$ boverline{b}boverline{b} \$\$ process via vector-boson fusion production using proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1. | 4.7 | 17        |
| 59 | Observation of the associated production of a top quark and a Z boson in pp collisions at \$\$ sqrt{s} \$\$= 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.  | 4.7 | 12        |
| 60 | Measurements of top-quark pair spin correlations in the $\$\$$ channel at $\$\$$ qrt $\{s\} = 13\$\$$ TeV using pp collisions in the ATLAS detector. European Physical Journal C, 2020, 80, 1.   | 3.9 | 22        |
| 61 | Higgs boson production cross-section measurements and their EFT interpretation in the \$\$4ell \$\$ decay channel at \$\$sqrt{s}=\$\$13ÂTeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.                                     | 3.9 | 41        |
| 62 | Search for pairs of scalar leptoquarks decaying into quarks and electrons or muons in $\$\$ $ sqrt $\{\$\}$ $\$\$ = 13$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.                                  | 4.7 | 36        |
| 63 | Search for squarks and gluinos in final states with same-sign leptons and jets using 139 fbâ^1 of data collected with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.   | 4.7 | 19        |
| 64 | Search for $\$\$$ toverline{t} $\$\$$ resonances in fully hadronic final states in pp collisions at $\$\$$ sqrt{s} $\$\$$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.   | 4.7 | 14        |
| 65 | Reconstruction and identification of boosted di-ï,, systems in a search for Higgs boson pairs using 13 TeV proton-proton collision data in ATLAS. Journal of High Energy Physics, 2020, 2020, 1.   | 4.7 | 8         |
| 66 | Performance of electron and photon triggers in ATLAS during LHC Run 2. European Physical Journal C, 2020, 80, 1.   | 3.9 | 93        |
| 67 | Search for top squarks in events with a Higgs or Z boson using 139Âfb\$\$^{-1}\$\$ of pp collision data at \$\$\$qrt{s}=13\$\$ÂTeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.  | 3.9 | 4         |
| 68 | Evidence for \$\$tar{t}tar{t}\$\$ production in the multilepton final state in proton–proton collisions at \$\$sqrt{s}=13\$\$Â\$\$ext {TeV}\$\$ with the ATLAS detector. European Physical Journal C, 2020, 80, 1.                                 | 3.9 | 30        |
| 69 | Search for heavy diboson resonances in semileptonic final states in pp collisions at \$\$sqrt{s}=13\$\$ÂTeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.   | 3.9 | 29        |
| 70 | Search for a scalar partner of the top quark in the all-hadronic $far{t}}$ plus missing transverse momentum final state at $far{t}$ with the ATLAS detector. European Physical Journal C, 2020, 80, 1.   | 3.9 | 36        |
| 71 | Alignment of the ATLAS Inner Detector in Run 2. European Physical Journal C, 2020, 80, 1.  | 3.9 | 12        |
| 72 | Determination of jet calibration and energy resolution in proton–proton collisions at \$\$sqrt{s} = 8~hbox {TeV}\$\$ using the ATLAS detector. European Physical Journal C, 2020, 80, 1.   | 3.9 | 15        |

| #  | Article  | IF  | Citations |
|----|--|-----|-----------|
| 73 | Constraints on mediator-based dark matter and scalar dark energy models using $\$\$$ sqrt $\$\$$ = 13 TeV pp collision data collected by the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.  | 4.7 | 49        |
| 74 | Measurement of the cross-section and charge asymmetry of W bosons produced in protonae for collisions at $\frac{e^{u}}{s}=8$ (TeV) with the ATLAS detector. European Physical Journal C, 2019, 79, 1.  | 3.9 | 24        |
| 75 | Electron reconstruction and identification in the ATLAS experiment using the 2015 and 2016 LHC proton–proton collision data at \$\$sqrt{s} = 13\$\$Â\$\$ext {TeV}\$\$. European Physical Journal C, 2019, 79, 1.                                     | 3.9 | 77        |
| 76 | Measurement of VH, $\$\$$ mathrm{H}o mathrm{b}overline{mathrm{b}} $\$\$$ production as a function of the vector-boson transverse momentum in 13 TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.            | 4.7 | 14        |
| 77 | Measurements of W and Z boson production in pp collisions at $\$$ sqrt $\{s\}$ =5.02 $\$$ s = 5.02 ÂTeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.   | 3.9 | 17        |
| 78 | Performance of top-quark and $\$ varvec $\{W\}$ \$\$ W -boson tagging with ATLAS in Run 2 of the LHC. European Physical Journal C, 2019, 79, 1.  | 3.9 | 42        |
| 79 | Electron and photon energy calibration with the ATLAS detector using 2015–2016 LHC proton-proton collision data. Journal of Instrumentation, 2019, 14, P03017-P03017.  | 1.2 | 37        |
| 80 | Search for doubly charged scalar bosons decaying into same-sign W boson pairs with the ATLAS detector. European Physical Journal C, 2019, 79, 58.  | 3.9 | 61        |
| 81 | In situ calibration of large-radius jet energy and mass in 13ÂTeVÂproton–proton collisions with the ATLAS detector. European Physical Journal C, 2019, 79, 1.  | 3.9 | 28        |
| 82 | Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run 2 data collected in 2015 and 2016. European Physical Journal C, 2019, 79, 1.   | 3.9 | 46        |
| 83 | Measurement of the ratio of cross sections for inclusive isolated-photon production in pp collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 and 8 TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.                                | 4.7 | 6         |
| 84 | Search for pair production of Higgs bosons in the $\$$ boverline $\{b\}$ boverline $\{b\}$ \$\$ final state using proton-proton collisions at $\$$ sqrt $\{s\}$ =13 $\$$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1. | 4.7 | 55        |
| 85 | A strategy for a general search for new phenomena using data-derived signal regions and its application within the ATLAS experiment. European Physical Journal C, 2019, 79, 1.   | 3.9 | 25        |
| 86 | Measurement of fiducial and differential $\W^+W^-$ production cross-sections at $\space{1.5}$ sqrt $\space{1.5}$ and $\space{1.5}$ detector. European Physical Journal C, 2019, 79, 1.   | 3.9 | 24        |
| 87 | Measurement of the inclusive cross-section for the production of jets in association with a Z boson in proton–proton collisions at 8ÂTeV using the ATLAS detector. European Physical Journal C, 2019, 79, 1.   | 3.9 | 9         |
| 88 | ATLAS b-jet identification performance and efficiency measurement with $f(x) = 13$ events in pp collisions at $f(x) = 13$ for European Physical Journal C, 2019, 79, 1.  | 3.9 | 130       |
| 89 | Measurements of top-quark pair differential and double-differential cross-sections in the $\$$ ell $\$$ +jets channel with pp collisions at $\$$ sqrt $\{s\}$ =13 $\$$ TeV using the ATLAS detector. European Physical Journal C, 2019, 79, 1.       | 3.9 | 34        |
| 90 | Measurement of the W-boson mass in pp collisions at $\$$ qrt $\{s\}$ =7, hbox $\{TeV\}$ \$\$ s = 7 TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 110.  | 3.9 | 218       |

| #   | Article  | IF           | Citations |
|-----|--|--------------|-----------|
| 91  | Search for new phenomena in high-mass final states with a photon and a jet from \$\$pp\$\$ pp collisions at \$\$sqrt{s}\$\$ s. European Physical Journal C, 2018, 78, 102.   | 3.9          | 13        |
| 92  | Search for the direct production of charginos and neutralinos in final states with tau leptons in $\$sqrt\{s\} = 13,mathrm\{TeV\}$ s = 13 TeV pp collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 154.   | 3.9          | 52        |
| 93  | Measurement of longitudinal flow decorrelations in Pb+Pb collisions at $\$$ sqrt $\{s_{ext}\}$ s NN = 2.76 and 5.0. European Physical Journal C, 2018, 78, 142.  | 3.9          | 59        |
| 94  | Measurement of quarkonium production in proton–lead and proton–proton collisions at \$\$5.02~mathrm {TeV}\$\$ 5.02 TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 171.  | 3.9          | 75        |
| 95  | Measurement of differential cross-sections of a single top quark produced in association with a W boson at $\$$ sqrt ${s}={13}{ext {TeV}}$ \$\$ s = 13 TeV with ATLAS. European Physical Journal C, 2018, 78, 186.   | 3.9          | 20        |
| 96  | Search for heavy ZZ resonances in the \$\$ell ^+ell ^-ell ^+ell ^-\$\$ â," + â," - â," + â," - and \$\$ell ^+ell ^-u ar{u }\$\$ â," + â," - î½ î½ Â⁻ final states using protonâ€"proton collisions at \$\$sqrt{s}= 13\$\$ s = 13  \$\$ext {TeV}\$\$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 293.   | 3.9          | 101       |
| 97  | Search for heavy resonances decaying into WW in the \$\$eu mu u \$\$ e $1\frac{1}{4}$ $1\frac{1}{4}$ final state in pp collisions at \$\$sqrt{s}=13\$\$ s = 13 \$\$,ext {TeV}\$\$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 24.  | 3.9          | 108       |
| 98  | Direct top-quark decay width measurement in the $\$ with the ATLAS experiment. European Physical Journal C, 2018, 78, 129.   | 3.9          | 17        |
| 99  | Measurement of the Higgs boson coupling properties in the H → ZZâ^— → 4â,," decay channel at \$\$ sqrt{s}=13 TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.   | \$\$.<br>4.7 | 46        |
| 100 | Prompt and non-prompt $\$J/psi \$J/\ddot{\Gamma}$ elliptic flow in Pb+Pb collisions at $\$sqrt\{s_{ext} \{NN\}\}\} = 5.02\$\$$ s NN = 5.02 Tev with the ATLAS detectorÂ. European Physical Journal C, 2018, 78, 784.   | 3.9          | 19        |
| 101 | Measurement of colour flow using jet-pull observables in $\frac{1}{5}$ t t $\hat{A}$ events with the ATLAS experiment at $\frac{1}{5}$ events with the ATLAS experiment at $\frac{1}{5}$ events with the ATLAS   | 3.9          | 16        |
| 102 | Search for a new heavy gauge-boson resonance decaying into a lepton and missing transverse momentum in 36 fb \$\$^{-1}\$\$ - 1 of pp collisions at. European Physical Journal C, 2018, 78, 401.  | 3.9          | 50        |
| 103 | Search for new phenomena in events with same-charge leptons and b-jets in pp collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.   | 4.7          | 30        |
| 104 | Measurement of the azimuthal anisotropy of charged particles produced in $\$$ sqrt $s_{ext}$ NN}}\\$\$ s NN = 5.02ÂTeV Pb+Pb collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 997.   | 3.9          | 51        |
| 105 | Performance of missing transverse momentum reconstruction with the ATLAS detector using protonâ $\in$ proton collisions at \$\$sqrt{s}=13~hbox {TeV}\$\$ s = 13 TeV. European Physical Journal C, 2018, 78, 903.   | 3.9          | 181       |
| 106 | Search for electroweak production of supersymmetric particles in final states with two or three leptons at $\frac{5}{100}$ leptons at $\frac{5}{100}$ leptons at $\frac{7}{100}$ leptons at $\frac{7}{$ | 3.9          | 125       |
| 107 | Operation and performance of the ATLAS Tile Calorimeter in RunÂ1. European Physical Journal C, 2018, 78, 987.  | 3.9          | 25        |
| 108 | Search for top-squark pair production in final states with one lepton, jets, and missing transverse momentum using 36 fba $^{\circ}$ 1 of \$\$ sqrt{s}=13 \$\$ TeV pp collision data with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.   | 4.7          | 48        |

| #   | Article  | IF  | Citations |
|-----|--|-----|-----------|
| 109 | Prompt and non-prompt \$\$J/psi \$\$ J / $\tilde{\Gamma}$ and \$\$psi (2mathrm {S})\$\$ $\tilde{\Gamma}$ ( 2 S ) suppression at high transverse momentum in \$\$5.02~mathrm {TeV}\$\$ 5.02 TeV Pb+Pb collisions with the ATLAS experiment. European Physical Journal C, 2018, 78, 762.                     | 3.9 | 61        |
| 110 | Measurements of b-jet tagging efficiency with the ATLAS detector using $\$\$$ toverline{t} $\$\$$ events at $\$\$$ sqrt{s}=13 $\$\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.   | 4.7 | 40        |
| 111 | Measurement of the inclusive and fiducial $\frac{1}{s}$ t t $\hat{A}^-$ production cross-sections in the. European Physical Journal C, 2018, 78, 487.  | 3.9 | 10        |
| 112 | Search for heavy particles decaying into top-quark pairs using lepton-plus-jets events in proton $\hat{s}$ for proton collisions at \$\$sqrt{s} = 13\$\$ s = 13 $\hat{A}$ \$\$ext {TeV}\$\$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 565.                                       | 3.9 | 79        |
| 113 | Search for new phenomena using the invariant mass distribution of same-flavour opposite-sign dilepton pairs in events with missing transverse momentum in $\$$ sqrt $\{s\}=13$ \$\$ s = 13 Â \$\$ext {Te}ext {V}\$\$ Te pp collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 625. | 3.9 | 27        |
| 114 | Measurement of inclusive jet and dijet cross-sections in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.   | 4.7 | 17        |
| 115 | Search for dark matter produced in association with bottom or top quarks in $\$\$qrt\{s\}=13\$\$s=13\ATeV$ pp collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 18.   | 3.9 | 60        |
| 116 | Measurement of differential cross sections and W+/W $\hat{a}$ cross-section ratios for W boson production in association with jets at \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.  | 4.7 | 16        |
| 117 | Measurement of the W-boson mass in pp collisions at (sqrt{s}=7, hbox {TeV}) with the ATLAS detector. , 2018, 78, 1.  |     | 1         |
| 118 | A measurement of the calorimeter response to single hadrons and determination of the jet energy scale uncertainty using LHC Run-1 pp-collision data with the ATLAS detector. European Physical Journal C, 2017, 77, 26.  | 3.9 | 29        |
| 119 | Topological cell clustering in the ATLAS calorimeters and its performance in LHC Run 1. European Physical Journal C, 2017, 77, 490.  | 3.9 | 325       |
| 120 | Measurements of electroweak \$\$Wjj \$\$ W j j production and constraints on anomalous gauge couplings with the ATLAS detector. European Physical Journal C, 2017, 77, 474.  | 3.9 | 26        |
| 121 | Jet reconstruction and performance using particle flow with the ATLAS Detector. European Physical Journal C, 2017, 77, 466.  | 3.9 | 145       |
| 122 | Measurement of inclusive and differential cross sections in the H $\hat{a}$ †' ZZ * $\hat{a}$ †' 4 $\hat{a}$ ," decay channel in pp collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.  | 4.7 | 31        |
| 123 | Measurement of lepton differential distributions and the top quark mass in $\frac{\hat{A}^{-}}{1}$ European Physical Journal C, 2017, 77, 804.   | 3.9 | 28        |
| 124 | Performance of the ATLAS track reconstruction algorithms in dense environments in LHC Run 2. European Physical Journal C, 2017, 77, 673.   | 3.9 | 75        |
| 125 | Performance of the ATLAS trigger system in 2015. European Physical Journal C, 2017, 77, 317.   | 3.9 | 489       |
| 126 | Reconstruction of primary vertices at the ATLAS experiment in Run 1 proton–proton collisions at the LHC. European Physical Journal C, 2017, 77, 332.   | 3.9 | 71        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 127 | Precision measurement and interpretation of inclusive $\$W^+\$ W + , \$W^-\$ W -$ . European Physical Journal C, 2017, 77, 367.   | 3.9 | 145       |
| 128 | Measurement of jet fragmentation in Pb+Pb and pp collisions at $\$$ sqrt{ $\{$ s_mathrm{ $NN$ } $\}$ } = 2.76 $\$$ s $NN$ = 2.76. European Physical Journal C, 2017, 77, 379.   | 3.9 | 51        |
| 129 | Search for dark matter at $\frac{s}{s}=13~mathrm{TeV}$ s = 13 TeV in final states containing an energetic photon and large missing transverse momentum with the ATLAS detector. European Physical Journal C, 2017, 77, 393.   | 3.9 | 80        |
| 130 | Search for direct top squark pair production in final states with two leptons in $\$\$qrt\{s\} = 13\$\$ s = 13 \text{ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 898.}$  | 3.9 | 50        |
| 131 | Search for direct top squark pair production in events with a Higgs or Z boson, and missing transverse momentum in $s=13 $ \$ sqrt $s=13 $ \$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.   | 4.7 | 8         |
| 132 | Measurement of detector-corrected observables sensitive to the anomalous production of events with jets and large missing transverse momentum in $\scriptstyle \$ pp collisions at $\scriptstyle \$ mathbf $\scriptstyle \$ sqrt{s}=13}\$\$ s = 13 ÂTeV using the ATLAS detector. European Physical Journal C, 2017, 77, 765. | 3.9 | 19        |
| 133 | Measurement of the inclusive jet cross-sections in proton-proton collisions at $s = 8 $ \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.   | 4.7 | 23        |
| 134 | Measurement of the Drell-Yan triple-differential cross section in pp collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.  | 4.7 | 28        |
| 135 | Evidence for the H $\hat{a}$ †' b b $\hat{A}^-$ \$\$ Ho boverline{b} \$\$ decay with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.   | 4.7 | 64        |
| 136 | Determination of the strong coupling constant \$\$alpha _mathrm {s}\$\$ α s from transverse energy–energy correlations in multijet events at \$\$sqrt{s} = 8~hbox {TeV}\$\$. European Physical Journal C, 2017, 77, 872.  | 3.9 | 32        |
| 137 | The performance of the jet trigger for the ATLAS detector during 2011 data taking. European Physical Journal C, 2016, 76, 526.  | 3.9 | 21        |
| 138 | Muon reconstruction performance of the ATLAS detector in proton–proton collision data at \$\$\$qrt{s}\$\$ s =13ÂTeV. European Physical Journal C, 2016, 76, 292.  | 3.9 | 453       |
| 139 | Test of CP invariance in vector-boson fusion production of the Higgs boson using the Optimal Observable method in the ditau decay channel with the ATLAS detector. European Physical Journal C, 2016, 76, 658.  | 3.9 | 48        |
| 140 | Reconstruction of hadronic decay products of tau leptons with the ATLAS experiment. European Physical Journal C, 2016, 76, 295.   | 3.9 | 50        |
| 141 | Performance of pile-up mitigation techniques for jets in \$\$pp\$\$ p p collisions at \$\$sqrt{s}=8\$\$. European Physical Journal C, 2016, 76, 581.  | 3.9 | 298       |
| 142 | Measurements of top-quark pair differential cross-sections in the lepton+jets channel in pp collisions at $$$ sqrt ${s}=8,-{mathrm {TeV}}$ \$\$ s = 8 TeV using the ATLAS detector. European Physical Journal C, 2016, 76, 538.   | 3.9 | 115       |
| 143 | Luminosity determination in pp collisions at $$$ sqrt ${s}$ \$ s = 8 TeV using the ATLAS detector at the LHC. European Physical Journal C, 2016, 76, 653.   | 3.9 | 279       |
| 144 | Search for the Standard Model Higgs boson decaying into b b $\hat{A}^-$ \$\$ boverline{b} \$\$ produced in association with top quarks decaying hadronically in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.  | 4.7 | 21        |

| #   | Article   | IF  | Citations |
|-----|---|-----|-----------|
| 145 | Measurements of the Higgs boson production and decay rates and coupling strengths using pp collision data at $\$$ qrt $\{s\}=7$ \$\$ s = 7 and 8ÂTeV in the ATLAS experiment. European Physical Journal C, 2016, 76, 6.   | 3.9 | 274       |
| 146 | Jet energy measurement and its systematic uncertainty in protonâ $\in$ proton collisions at \$\$sqrt{s}=7\$\$ s = 7 ÂTeV with the ATLAS detector. European Physical Journal C, 2015, 75, 17.  | 3.9 | 268       |
| 147 | Search for dark matter in events with heavy quarks and missing transverse momentum in \$\$pp\$\$ p p collisions with the ATLAS detector. European Physical Journal C, 2015, 75, 92.   | 3.9 | 77        |
| 148 | Search for the b b $\hat{A}^-$ \$\$ boverline{b} \$\$ decay of the Standard Model Higgs boson in associated (W/Z)H production with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.   | 4.7 | 89        |
| 149 | Measurement of the inclusive jet cross-section in proton-proton collisions at $s=7 $ \$\$ sqrt{s}=7 \$\$ TeV using 4.5 fba^1 of data with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.  | 4.7 | 35        |
| 150 | Identification and energy calibration of hadronically decaying tau leptons with the ATLAS experiment in pp collisions at $\$$ sqrt $\{s\}=8$ \$\$ s = 8 \$\$,hbox {TeV}\$\$ TeV. European Physical Journal C, 2015, 75, 303.                                      | 3.9 | 70        |
| 151 | Study of the spin and parity of the Higgs boson in diboson decays with the ATLAS detector. European Physical Journal C, 2015, 75, 476.  | 3.9 | 174       |
| 152 | Measurement of the inclusive jet cross-section in proton-proton collisions at ( sqrt{s}=7 ) TeV using 4.5 fbâ '1 of data with the ATLAS detector. , 2015, 2015, 1.  |     | 3         |
| 153 | Measurement of the muon reconstruction performance of the ATLAS detector using 2011 and 2012 LHC proton–proton collision data. European Physical Journal C, 2014, 74, 3130.   | 3.9 | 213       |
| 154 | Measurement of the $Z \hat{l}^3$ * boson transverse momentum distribution in pp collisions at s = 7 \$\$ sqrt{s}=7 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.   | 4.7 | 131       |
| 155 | Measurement of the electroweak production of dijets in association with a Z-boson and distributions sensitive to vector boson fusion in proton-proton collisions at $ \sqrt{s} = 8 $ TeV using the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1. | 4.7 | 22        |
| 156 | Search for supersymmetry at $sqrt{s}$ = 8 TeV in final states with jets and two same-sign leptons or three leptons with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.  | 4.7 | 45        |
| 157 | Search for direct top squark pair production in events with a $SZS Z$ boson, $SDS b$ b -jets and missing transverse momentum in $SSQT S$ b = 8 TeV $SDQ D$ p collisions with the ATLAS detector. European Physical Journal C, 2014, 74, 2883.                     | 3.9 | 55        |
| 158 | Measurement of k T splitting scales in Wâ†'â,," $\hat{1}$ /2 events at \$sqrt{s} = 7 mathrm{TeV}\$ with the ATLAS detector. European Physical Journal C, 2013, 73, 2432.  | 3.9 | 19        |
| 159 | Performance of jet substructure techniques for large-R jets in proton-proton collisions at \$ sqrt{s}=7 \$ TeV using the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.   | 4.7 | 52        |
|     |   |     |           |

| #   | Article  | IF              | Citations |
|-----|--|-----------------|-----------|
| 163 | Performance of the ATLAS Trigger System in 2010. European Physical Journal C, 2012, 72, 1.   | 3.9             | 259       |
| 164 | Measurement of the top quark-pair production cross section withÂATLAS in pp collisions at \$sqrt{s}=7\$ ÂTeV. European Physical Journal C, 2011, 71, 1.  | 3.9             | 146       |
| 165 | Measurement of the inclusive and dijet cross-sections of b-jets in pp collisions at \$sqrt{s}=7mbox{-TeV}\$ with the ATLAS detector. European Physical Journal C, 2011, 71, 1.                                   | 3.9             | 73        |
| 166 | The ATLAS Simulation Infrastructure. European Physical Journal C, 2010, 70, 823-874.   | 3.9             | 1,187     |
| 167 | Performance of the ATLAS detector using first collision data. Journal of High Energy Physics, 2010, 2010, 1.   | 4.7             | 18        |
| 168 | Measurement of the W â†' â,,"ν and $Z$  γ * â†' â,,"â,," production cross sections in proton-proton collisions at \$ s = 7;{ext{TeV}} \$ with the ATLAS detector. Journal of High Energy Physics, 2010, 2010, 1. | sqrt {s}<br>4.7 | 64        |
| 169 | The barrel modules of the ATLAS semiconductor tracker. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2006, 568, 642-671.      | 1.6             | 79        |