

# Marco Armando

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/992892/marco-armando-publications-by-year.pdf>

**Version:** 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

70  
papers

2,139  
citations

24  
h-index

45  
g-index

77  
ext. papers

2,740  
ext. citations

6.1  
avg. IF

4.44  
L-index

| #  | Paper  | IF   | Citations |
|----|--|------|-----------|
| 70 | Genetic contributors to risk of schizophrenia in the presence of a 22q11.2 deletion. <i>Molecular Psychiatry</i> , <b>2021</b> , 26, 4496-4510   | 15.1 | 39        |
| 69 | A normative chart for cognitive development in a genetically selected population. <i>Neuropsychopharmacology</i> , <b>2021</b> ,   | 8.7  | 4         |
| 68 | Associations between schizotypal personality features, mentalizing difficulties and thought problems in a sample of community adolescents. <i>Microbial Biotechnology</i> , <b>2021</b> , 15, 705-715  | 3.3  | 5         |
| 67 | Characterization and prediction of clinical pathways of vulnerability to psychosis through graph signal processing. <i>ELife</i> , <b>2021</b> , 10,   | 8.9  | 1         |
| 66 | Using common genetic variation to examine phenotypic expression and risk prediction in 22q11.2 deletion syndrome. <i>Nature Medicine</i> , <b>2020</b> , 26, 1912-1918   | 50.5 | 35        |
| 65 | 22q11.2 deletion syndrome <b>2020</b> , 143-164  |      |           |
| 64 | Favorable effects of omega-3 polyunsaturated fatty acids in attentional control and conversion rate to psychosis in 22q11.2 deletion syndrome. <i>Neuropharmacology</i> , <b>2020</b> , 168, 107995  | 5.5  | 6         |
| 63 | Complete Sequence of the 22q11.2 Allele in 1,053 Subjects with 22q11.2 Deletion Syndrome Reveals Modifiers of Conotruncal Heart Defects. <i>American Journal of Human Genetics</i> , <b>2020</b> , 106, 26-40  | 11   | 24        |
| 62 | Pituitary dysmaturation affects psychopathology and neurodevelopment in 22q11.2 Deletion Syndrome. <i>Psychoneuroendocrinology</i> , <b>2020</b> , 113, 104540   | 5    | 8         |
| 61 | Association Between Parental Anxiety and Depression Level and Psychopathological Symptoms in Offspring With 22q11.2 Deletion Syndrome. <i>Frontiers in Psychiatry</i> , <b>2020</b> , 11, 646  | 5    | 3         |
| 60 | Clinical high risk for psychosis paradigm for CAP: do not throw the baby out with the bathwater. <i>European Child and Adolescent Psychiatry</i> , <b>2020</b> , 1   | 5.5  | 0         |
| 59 | Prevalence of Non-Affective Psychoses in Individuals with Autism Spectrum Disorders: A Systematic Review. <i>Journal of Clinical Medicine</i> , <b>2019</b> , 8,   | 5.1  | 20        |
| 58 | Individualized Prediction of Transition to Psychosis in 1,676 Individuals at Clinical High Risk: Development and Validation of a Multivariable Prediction Model Based on Individual Patient Data Meta-Analysis. <i>Frontiers in Psychiatry</i> , <b>2019</b> , 10, 345 | 5    | 18        |
| 57 | A Mentalization-Informed Staging Approach to Clinical High Risk for Psychosis. <i>Frontiers in Psychiatry</i> , <b>2019</b> , 10, 385  | 5    | 4         |
| 56 | Autistic Symptoms in Schizophrenia Spectrum Disorders: A Systematic Review and Meta-Analysis. <i>Frontiers in Psychiatry</i> , <b>2019</b> , 10, 78  | 5    | 52        |
| 55 | Attention deficit hyperactivity disorder symptoms as antecedents of later psychotic outcomes in 22q11.2 deletion syndrome. <i>Schizophrenia Research</i> , <b>2019</b> , 204, 320-325  | 3.6  | 11        |
| 54 | Antipsychotics Do Not Influence Neurological Soft Signs in Children and Adolescents at Ultra-High Risk for Psychosis: A Pilot Study. <i>Journal of Psychiatric Practice</i> , <b>2019</b> , 25, 186-191  | 1.3  | 3         |

|    |  |      |    |
|----|--|------|----|
| 53 | Prevalence, course and psychosis-predictive value of negative symptoms in 22q11.2 deletion syndrome. <i>Schizophrenia Research</i> , <b>2019</b> , 206, 386-393  | 3.6  | 10 |
| 52 | 22q11 microdeletion syndrome and ultra-high risk for psychosis: The role of neurological soft signs as an independent marker of vulnerability for psychosis. <i>Microbial Biotechnology</i> , <b>2019</b> , 13, 1191-1198                                      | 3.3  |    |
| 51 | Cortical morphology development in patients with 22q11.2 deletion syndrome at ultra-high risk of psychosis. <i>Psychological Medicine</i> , <b>2018</b> , 48, 2375-2383  | 6.9  | 10 |
| 50 | Coping Strategies Mediate the Effect of Stressful Life Events on Schizotypal Traits and Psychotic Symptoms in 22q11.2 Deletion Syndrome. <i>Schizophrenia Bulletin</i> , <b>2018</b> , 44, S525-S535   | 1.3  | 16 |
| 49 | All that glitters is not gold: prevalence and relevance of psychotic-like experiences in clinical sample of children and adolescents aged 8-17 years old. <i>Microbial Biotechnology</i> , <b>2018</b> , 12, 702-707   | 3.3  | 10 |
| 48 | Variations in Dysbindin-1 are associated with cognitive response to antipsychotic drug treatment. <i>Nature Communications</i> , <b>2018</b> , 9, 2265   | 17.4 | 28 |
| 47 | The influence of Generalized Anxiety Disorder on Executive Functions in children with ADHD. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , <b>2018</b> , 268, 349-357  | 5.1  | 8  |
| 46 | Prevalence and Clinical Significance of Symptoms at Ultra High Risk for Psychosis in Children and Adolescents with Obsessive/Compulsive Disorder: Is There an Association with Global, Role, and Social Functioning?. <i>Brain Sciences</i> , <b>2018</b> , 8, | 3.4  | 2  |
| 45 | Variance of IQ is partially dependent on deletion type among 1,427 22q11.2 deletion syndrome subjects. <i>American Journal of Medical Genetics, Part A</i> , <b>2018</b> , 176, 2172-2181  | 2.5  | 18 |
| 44 | Understanding the pediatric psychiatric phenotype of 22q11.2 deletion syndrome. <i>American Journal of Medical Genetics, Part A</i> , <b>2018</b> , 176, 2182-2191   | 2.5  | 36 |
| 43 | PEMapper and PECaller provide a simplified approach to whole-genome sequencing. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2017</b> , 114, E1923-E1932  | 11.5 | 23 |
| 42 | No evidence for the presence of genetic variants predisposing to psychotic disorders on the non-deleted 22q11.2 allele of VCFS patients. <i>Translational Psychiatry</i> , <b>2017</b> , 7, e1039  | 8.6  | 9  |
| 41 | Clinical presentation of Attenuated Psychosis Syndrome in children and adolescents: Is there an age effect?. <i>Psychiatry Research</i> , <b>2017</b> , 252, 169-174   | 9.9  | 14 |
| 40 | Prevalence and treatment of psychiatric disorders other than psychosis in children and adolescents with 22q11DS: Examining associations with social and role functioning. <i>Psychiatry Research</i> , <b>2017</b> , 254, 238-243                              | 9.9  | 6  |
| 39 | Subthreshold Psychosis in 22q11.2 Deletion Syndrome: Multisite Naturalistic Study. <i>Schizophrenia Bulletin</i> , <b>2017</b> , 43, 1079-1089   | 1.3  | 32 |
| 38 | Adolescence is the starting point of sex-dichotomous COMT genetic effects. <i>Translational Psychiatry</i> , <b>2017</b> , 7, e1141  | 8.6  | 24 |
| 37 | Visual perception skills: a comparison between patients with Noonan syndrome and 22q11.2 deletion syndrome. <i>Genes, Brain and Behavior</i> , <b>2017</b> , 16, 627-634   | 3.6  | 1  |
| 36 | Nested Inversion Polymorphisms Predispose Chromosome 22q11.2 to Meiotic Rearrangements. <i>American Journal of Human Genetics</i> , <b>2017</b> , 101, 616-622   | 11   | 6  |

|    |  |      |     |
|----|--|------|-----|
| 35 | No age effect in the prevalence and clinical significance of ultra-high risk symptoms and criteria for psychosis in 22q11 deletion syndrome: Confirmation of the genetically driven risk for psychosis?. <i>PLoS ONE</i> , <b>2017</b> , 12, e0174797                          | 3.7  | 10  |
| 34 | An Overview of Recent Findings on Social Anxiety Disorder in Adolescents and Young Adults at Clinical High Risk for Psychosis. <i>Brain Sciences</i> , <b>2017</b> , 7,  | 3.4  | 8   |
| 33 | The use of actigraphy in the monitoring of sleep and activity in ADHD: A meta-analysis. <i>Sleep Medicine Reviews</i> , <b>2016</b> , 26, 9-20   | 10.2 | 60  |
| 32 | Indicated prevention with long-chain polyunsaturated omega-3 fatty acids in patients with 22q11DS genetically at high risk for psychosis. Protocol of a randomized, double-blind, placebo-controlled treatment trial. <i>Microbial Biotechnology</i> , <b>2016</b> , 10, 390-6 | 3.3  | 6   |
| 31 | Mentalization-Based Treatment in Clinical High-Risk for Psychosis: A Rationale and Clinical Illustration. <i>Journal of Contemporary Psychotherapy</i> , <b>2016</b> , 46, 217-225   | 2.3  | 45  |
| 30 | Is it still correct to differentiate between early and very early onset psychosis?. <i>Schizophrenia Research</i> , <b>2016</b> , 170, 211-6   | 3.6  | 15  |
| 29 | Attenuated psychotic and basic symptom characteristics in adolescents with ultra-high risk criteria for psychosis, other non-psychotic psychiatric disorders and early-onset psychosis. <i>European Child and Adolescent Psychiatry</i> , <b>2016</b> , 25, 1091-102           | 5.5  | 24  |
| 28 | Schizophrenia Spectrum Disorders and Autism Spectrum Disorder <b>2016</b> , 51-66  |      | 7   |
| 27 | Schizophrenia ad esordio in et evolutiva: aspetti clinici e interventi possibili. <i>Quaderni Di Psicoterapia Cognitiva</i> , <b>2016</b> , 25-41  | 0.5  |     |
| 26 | Attachment, Neurobiology, and Mentalizing along the Psychosis Continuum. <i>Frontiers in Human Neuroscience</i> , <b>2016</b> , 10, 406  | 3.3  | 76  |
| 25 | Dopamine dysfunction in 22q11 deletion syndrome: possible cause of motor symptoms. <i>Psychiatric Genetics</i> , <b>2016</b> , 26, 187-92  | 2.9  | 1   |
| 24 | Ultra high risk status and transition to psychosis in 22q11.2 deletion syndrome. <i>World Psychiatry</i> , <b>2016</b> , 15, 259-265   | 14.4 | 41  |
| 23 | Cognitive decline preceding the onset of psychosis in patients with 22q11.2 deletion syndrome. <i>JAMA Psychiatry</i> , <b>2015</b> , 72, 377-85   | 14.5 | 139 |
| 22 | Longitudinal comparison between male and female preschool children with autism spectrum disorder. <i>Journal of Autism and Developmental Disorders</i> , <b>2015</b> , 45, 2046-55   | 4.6  | 34  |
| 21 | Borderline cognitive level in a family with Bazex-Dupr Christol syndrome. <i>American Journal of Medical Genetics, Part A</i> , <b>2015</b> , 167, 1637-43   | 2.5  | 2   |
| 20 | Psychosocial interventions for very early and early-onset schizophrenia: a review of treatment efficacy. <i>Current Opinion in Psychiatry</i> , <b>2015</b> , 28, 312-23   | 4.9  | 19  |
| 19 | Clinical differences in children with autism spectrum disorder with and without food selectivity. <i>Appetite</i> , <b>2015</b> , 92, 126-32   | 4.5  | 59  |
| 18 | Twelve-month psychosis-predictive value of the ultra-high risk criteria in children and adolescents. <i>Schizophrenia Research</i> , <b>2015</b> , 169, 186-192  | 3.6  | 35  |

|    |   |      |     |
|----|---|------|-----|
| 17 | The use of actigraphy in the monitoring of methylphenidate versus placebo in ADHD: a meta-analysis. <i>ADHD Attention Deficit and Hyperactivity Disorders</i> , <b>2014</b> , 6, 49-58  | 3.1  | 31  |
| 16 | Selective serotonin reuptake inhibitors (SSRIs) for post-partum depression (PPD): a systematic review of randomized clinical trials. <i>Journal of Affective Disorders</i> , <b>2014</b> , 152-154, 39-44                                       | 6.6  | 61  |
| 15 | Early Intervention Services Versus Generic Community Mental Health Services: A Paradigm Shift <b>2014</b> , 169-184   |      | 0   |
| 14 | Psychiatric disorders from childhood to adulthood in 22q11.2 deletion syndrome: results from the International Consortium on Brain and Behavior in 22q11.2 Deletion Syndrome. <i>American Journal of Psychiatry</i> , <b>2014</b> , 171, 627-39 | 11.9 | 472 |
| 13 | Enhanced maternal origin of the 22q11.2 deletion in velocardiofacial and DiGeorge syndromes. <i>American Journal of Human Genetics</i> , <b>2013</b> , 92, 439-47   | 11   | 39  |
| 12 | Enhanced Maternal Origin of the 22q11.2 Deletion in Velocardiofacial and DiGeorge Syndromes. <i>American Journal of Human Genetics</i> , <b>2013</b> , 92, 637  | 11   | 78  |
| 11 | Proactive and reactive control of movement are differently affected in Attention Deficit Hyperactivity Disorder children. <i>Research in Developmental Disabilities</i> , <b>2013</b> , 34, 3104-11   | 2.7  | 22  |
| 10 | Paediatric non-alcoholic Fatty liver disease: impact on patients and mothers' quality of life. <i>Hepatitis Monthly</i> , <b>2013</b> , 13, e7871   | 1.8  | 12  |
| 9  | Neurodevelopmental and psychiatric issues in Down's syndrome: assessment and intervention. <i>Psychiatric Genetics</i> , <b>2013</b> , 23, 95-107   | 2.9  | 37  |
| 8  | Prevalence of psychotic-like experiences in young adults with social anxiety disorder and correlation with affective dysregulation. <i>Journal of Nervous and Mental Disease</i> , <b>2013</b> , 201, 1053-9                                    | 1.8  | 17  |
| 7  | Self-esteem evaluation in children and adolescents suffering from ADHD. <i>Clinical Practice and Epidemiology in Mental Health</i> , <b>2013</b> , 9, 96-102  | 3.2  | 24  |
| 6  | Psychotic experience subtypes, poor mental health status and help-seeking behaviour in a community sample of young adults. <i>Microbial Biotechnology</i> , <b>2012</b> , 6, 300-8  | 3.3  | 22  |
| 5  | Adolescents at ultra-high risk for psychosis with and without 22q11 deletion syndrome: a comparison of prodromal psychotic symptoms and general functioning. <i>Schizophrenia Research</i> , <b>2012</b> , 139, 151-6                           | 3.6  | 42  |
| 4  | Clinical picture and treatment implication in a child with Capgras syndrome: a case report. <i>Journal of Medical Case Reports</i> , <b>2012</b> , 6, 406   | 1.2  | 8   |
| 3  | COMT implication in cognitive and psychiatric symptoms in chromosome 22q11 microdeletion syndrome: a selective review. <i>CNS and Neurological Disorders - Drug Targets</i> , <b>2012</b> , 11, 273-81  | 2.6  | 8   |
| 2  | Psychotic-like experiences and correlation with distress and depressive symptoms in a community sample of adolescents and young adults. <i>Schizophrenia Research</i> , <b>2010</b> , 119, 258-65   | 3.6  | 174 |
| 1  | Mental uneasiness, perceived stress and help-seeking in a non-resident university student sample (in Italian). <i>Epidemiologia E Psichiatria Sociale</i> , <b>2009</b> , 18, 154-160   |      | 6   |