## Yuan-pang Wang

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/993948/publications.pdf

Version: 2024-02-01

161 papers 66,626 citations

48 h-index

44069

147

174 all docs

174 docs citations

times ranked

174

80403 citing authors

g-index

#	Article	IF	CITATIONS
1	Global, regional, and national incidence, prevalence, and years lived with disability for 354 diseases and injuries for 195 countries and territories, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1789-1858.	13.7	8,569
2	Global burden of 369 diseases and injuries in 204 countries and territories, 1990–2019: a systematic analysis for the Global Burden of Disease Study 2019. Lancet, The, 2020, 396, 1204-1222.	13.7	7,664
3	Global, regional, and national incidence, prevalence, and years lived with disability for 328 diseases and injuries for 195 countries, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet, The, 2017, 390, 1211-1259.	13.7	5,578
4	Global, regional, and national age-sex-specific mortality for 282 causes of death in 195 countries and territories, 1980–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1736-1788.	13.7	4,989
5	Global, regional, and national comparative risk assessment of 79 behavioural, environmental and occupational, and metabolic risks or clusters of risks, 1990–2015: a systematic analysis for the Global Burden of Disease Study 2015. Lancet, The, 2016, 388, 1659-1724.	13.7	4,203
6	Global burden of 87 risk factors in 204 countries and territories, 1990–2019: a systematic analysis for the Global Burden of Disease Study 2019. Lancet, The, 2020, 396, 1223-1249.	13.7	3,928
7	Global, regional, and national age-sex specific mortality for 264 causes of death, 1980–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet, The, 2017, 390, 1151-1210.	13.7	3,565
8	Global, regional, and national comparative risk assessment of 84 behavioural, environmental and occupational, and metabolic risks or clusters of risks for 195 countries and territories, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1923-1994.	13.7	3,269
9	Global, regional, and national burden of neurological disorders, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet Neurology, The, 2019, 18, 459-480.	10.2	2,625
10	Global, regional, and national disability-adjusted life-years (DALYs) for 359 diseases and injuries and healthy life expectancy (HALE) for 195 countries and territories, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1859-1922.	13.7	2,123
11	Alcohol use and burden for 195 countries and territories, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet, The, 2018, 392, 1015-1035.	13.7	2,005
12	Global, regional, and national comparative risk assessment of 84 behavioural, environmental and occupational, and metabolic risks or clusters of risks, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet, The, 2017, 390, 1345-1422.	13.7	1,879
13	Global, regional, and national disability-adjusted life-years (DALYs) for 333 diseases and injuries and healthy life expectancy (HALE) for 195 countries and territories, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet, The, 2017, 390, 1260-1344.	13.7	1,589
14	Global, regional, and national burden of Alzheimer's disease and other dementias, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet Neurology, The, 2019, 18, 88-106.	10.2	1,512
15	Estimation of the global prevalence of dementia in 2019 and forecasted prevalence in 2050: an analysis for the Global Burden of Disease Study 2019. Lancet Public Health, The, 2022, 7, e105-e125.	10.0	1,199
16	Global, regional, and national burden of traumatic brain injury and spinal cord injury, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet Neurology, The, 2019, 18, 56-87.	10.2	1,064
17	Psychometric properties of the Beck Depression Inventory-II: a comprehensive review. Revista Brasileira De Psiquiatria, 2013, 35, 416-431.	1.7	938
18	Global age-sex-specific fertility, mortality, healthy life expectancy (HALE), and population estimates in 204 countries and territories, 1950–2019: a comprehensive demographic analysis for the Global Burden of Disease Study 2019. Lancet, The, 2020, 396, 1160-1203.	13.7	890

#	Article	IF	CITATIONS
19	Global, regional, and national age-sex-specific mortality and life expectancy, 1950–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1684-1735.	13.7	716
20	Measuring performance on the Healthcare Access and Quality Index for 195 countries and territories and selected subnational locations: a systematic analysis from the Global Burden of Disease Study 2016. Lancet, The, 2018, 391, 2236-2271.	13.7	638
21	Global, regional, and national under-5 mortality, adult mortality, age-specific mortality, and life expectancy, 1970–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet, The, 2017, 390, 1084-1150.	13.7	573
22	Global, regional, and national burden of suicide mortality 1990 to 2016: systematic analysis for the Global Burden of Disease Study 2016. BMJ: British Medical Journal, 2019, 364, 194.	2.3	558
23	Healthcare Access and Quality Index based on mortality from causes amenable to personal health care in 195 countries and territories, 1990–2015: a novel analysis from the Global Burden of Disease Study 2015. Lancet, The, 2017, 390, 231-266.	13.7	480
24	Measuring progress from 1990 to 2017 and projecting attainment to 2030 of the health-related Sustainable Development Goals for 195 countries and territories: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 2091-2138.	13.7	335
25	Five insights from the Global Burden of Disease Study 2019. Lancet, The, 2020, 396, 1135-1159.	13.7	335
26	Measuring universal health coverage based on an index of effective coverage of health services in 204 countries and territories, 1990–2019: a systematic analysis for the Global Burden of Disease Study 2019. Lancet, The, 2020, 396, 1250-1284.	13.7	330
27	Validation of the Brazilian Portuguese Version of the Beck Depression Inventory-II in a community sample. Revista Brasileira De Psiquiatria, 2012, 34, 389-394.	1.7	325
28	Population and fertility by age and sex for 195 countries and territories, 1950–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1995-2051.	13.7	294
29	Measuring progress and projecting attainment on the basis of past trends of the health-related Sustainable Development Goals in 188 countries: an analysis from the Global Burden of Disease Study 2016. Lancet, The, 2017, 390, 1423-1459.	13.7	284
30	Burden of disease in Brazil, 1990–2016: a systematic subnational analysis for the Global Burden of Disease Study 2016. Lancet, The, 2018, 392, 760-775.	13.7	267
31	Mental Disorders in Megacities: Findings from the São Paulo Megacity Mental Health Survey, Brazil. PLoS ONE, 2012, 7, e31879.	2.5	264
32	Global, regional, and national progress towards Sustainable Development Goal 3.2 for neonatal and child health: all-cause and cause-specific mortality findings from the Global Burden of Disease Study 2019. Lancet, The, 2021, 398, 870-905.	13.7	229
33	Assessment of depression in medical patients: A systematic review of the utility of the Beck Depression Inventory-II. Clinics, 2013, 68, 1274-1287.	1.5	194
34	Mapping 123 million neonatal, infant and child deaths between 2000 and 2017. Nature, 2019, 574, 353-358.	27.8	161
35	Mapping child growth failure across low- and middle-income countries. Nature, 2020, 577, 231-234.	27.8	128
36	The global distribution of lymphatic filariasis, 2000–18: a geospatial analysis. The Lancet Global Health, 2020, 8, e1186-e1194.	6.3	98

#	Article	IF	CITATIONS
37	Epidemiology of suicide in Brazil (1980 - 2000): characterization of age and gender rates of suicide. Revista Brasileira De Psiquiatria, 2005, 27, 131-134.	1.7	93
38	Global, regional, and national mortality among young people aged 10–24 years, 1950–2019: a systematic analysis for the Global Burden of Disease Study 2019. Lancet, The, 2021, 398, 1593-1618.	13.7	92
39	Mapping geographical inequalities in access to drinking water and sanitation facilities in low-income and middle-income countries, 2000–17. The Lancet Global Health, 2020, 8, e1162-e1185.	6.3	91
40	Epidemiology of functional gastrointestinal disorders in children and adolescents: A systematic review. World Journal of Gastroenterology, 2017, 23, 3915.	3.3	84
41	Epidemiology of alcohol and drug use in the elderly. Current Opinion in Psychiatry, 2013, 26, 343-348.	6.3	83
42	Mapping subnational HIV mortality in six Latin American countries with incomplete vital registration systems. BMC Medicine, 2021, 19, 4.	<b>5.</b> 5	78
43	Global, regional, and national burden of diseases and injuries for adults 70 years and older: systematic analysis for the Global Burden of Disease 2019 Study. BMJ, The, 2022, 376, e068208.	6.0	73
44	Mapping geographical inequalities in childhood diarrhoeal morbidity and mortality in low-income and middle-income countries, 2000–17: analysis for the Global Burden of Disease Study 2017. Lancet, The, 2020, 395, 1779-1801.	13.7	72
45	Mapping routine measles vaccination in low- and middle-income countries. Nature, 2021, 589, 415-419.	27.8	71
46	Global and regional burden of cancer in 2016 arising from occupational exposure to selected carcinogens: a systematic analysis for the Global Burden of Disease Study 2016. Occupational and Environmental Medicine, 2020, 77, 151-159.	2.8	64
47	Anemia prevalence in women of reproductive age in low- and middle-income countries between 2000 and 2018. Nature Medicine, 2021, 27, 1761-1782.	30.7	60
48	Mapping disparities in education across low- and middle-income countries. Nature, 2020, 577, 235-238.	27.8	58
49	Does income inequality get under the skin? A multilevel analysis of depression, anxiety and mental disorders in São Paulo, Brazil. Journal of Epidemiology and Community Health, 2013, 67, 966-972.	3.7	56
50	Global and regional burden of chronic respiratory disease in 2016 arising from non-infectious airborne occupational exposures: a systematic analysis for the Global Burden of Disease Study 2016. Occupational and Environmental Medicine, 2020, 77, 142-150.	2.8	56
51	Global and regional burden of disease and injury in 2016 arising from occupational exposures: a systematic analysis for the Global Burden of Disease Study 2016. Occupational and Environmental Medicine, 2020, 77, 133-141.	2.8	56
52	Psychiatric Disorders Among Obese Patients Seeking Bariatric Surgery: Results of Structured Clinical Interviews. Obesity Surgery, 2015, 25, 830-837.	2.1	55
53	Global mortality from dementia: Application of a new method and results from the Global Burden of Disease Study 2019. Alzheimer's and Dementia: Translational Research and Clinical Interventions, 2021, 7, e12200.	3.7	53
54	Gender differences in symptomatic profiles of depression: Results from the São Paulo Megacity Mental Health Survey. Journal of Affective Disorders, 2013, 147, 355-364.	4.1	52

#	Article	IF	Citations
55	Mapping local patterns of childhood overweight and wasting in low- and middle-income countries between 2000 and 2017. Nature Medicine, 2020, 26, 750-759.	30.7	47
56	Estimating global injuries morbidity and mortality: methods and data used in the Global Burden of Disease 2017 study. Injury Prevention, 2020, 26, i125-i153.	2.4	44
57	Burden of injury along the development spectrum: associations between the Socio-demographic Index and disability-adjusted life year estimates from the Global Burden of Disease Study 2017. Injury Prevention, 2020, 26, i12-i26.	2.4	44
58	The burden of mental disorders in the Eastern Mediterranean region, 1990–2015: findings from the global burden of disease 2015 study. International Journal of Public Health, 2018, 63, 25-37.	2.3	43
59	The more information, the more negative stigma towards schizophrenia: Brazilian general population and psychiatrists compared. Psychiatry Research, 2013, 205, 185-191.	3.3	41
60	Epidemiology of functional gastrointestinal disorders in infants and toddlers: A systematic review. World Journal of Gastroenterology, 2016, 22, 6547.	3.3	41
61	Validation of the Beck Depression Inventory for a Portuguese-speaking Chinese community in Brazil. Brazilian Journal of Medical and Biological Research, 2005, 38, 399-408.	1.5	40
62	Clustering of psychiatric and somatic illnesses in the general population: multimorbidity and socioeconomic correlates. Brazilian Journal of Medical and Biological Research, 2010, 43, 483-491.	1.5	34
63	Psychiatry: life events and social support in late life depression. Clinics, 2011, 66, 233-238.	1.5	34
64	Sleep Complaints as Risk Factor for Suicidal Behavior in Severely Depressed Children and Adolescents. CNS Neuroscience and Therapeutics, 2016, 22, 915-920.	3.9	34
65	Stigma toward schizophrenia: do all psychiatrists behave the same? Latent profile analysis of a national sample of psychiatrists in Brazil. BMC Psychiatry, 2013, 13, 92.	2.6	33
66	Drinking Patterns and Alcohol Use Disorders in São Paulo, Brazil: The Role of Neighborhood Social Deprivation and Socioeconomic Status. PLoS ONE, 2014, 9, e108355.	2.5	31
67	Determinants of the use of health care services: multilevel analysis in the Metropolitan Region of Sao Paulo. Revista De Saude Publica, 2015, 49, 15.	1.7	31
68	Response pattern of depressive symptoms among college students: What lies behind items of the Beck Depression Inventory-II?. Journal of Affective Disorders, 2018, 234, 124-130.	4.1	30
69	Correlates and impact of DSM-5 binge eating disorder, bulimia nervosa and recurrent binge eating: a representative population survey in a middle-income country. Social Psychiatry and Psychiatric Epidemiology, 2022, 57, 1491-1503.	3.1	30
70	Post-stroke depression and cognitive impairment: Study design and preliminary findings in a Brazilian prospective stroke cohort (EMMA study). Journal of Affective Disorders, 2019, 245, 72-81.	4.1	29
71	Heavy Episodic Drinking in the São Paulo Epidemiologic Catchment Area Study in Brazil: Gender and Sociodemographic Correlates. Journal of Studies on Alcohol and Drugs, 2007, 68, 18-27.	1.0	29
72	The psychosis continuum in the general population: findings from the São Paulo Epidemiologic Catchment Area Study. European Archives of Psychiatry and Clinical Neuroscience, 2011, 261, 519-527.	3.2	28

#	Article	IF	CITATIONS
73	Application of the Spielberger's State-Trait Anger Expression Inventory in clinical patients. Arquivos De Neuro-Psiquiatria, 2010, 68, 231-234.	0.8	26
74	Public stigmatization of different mental disorders: a comprehensive attitude survey. Epidemiology and Psychiatric Sciences, 2013, 22, 269-274.	3.9	24
75	Mapping inequalities in exclusive breastfeeding in low- and middle-income countries, 2000–2018. Nature Human Behaviour, 2021, 5, 1027-1045.	12.0	24
76	The Burden of Dementia due to Down Syndrome, Parkinson's Disease, Stroke, and Traumatic Brain Injury: A Systematic Analysis for the Global Burden of Disease Study 2019. Neuroepidemiology, 2021, 55, 286-296.	2.3	24
77	Influence of psychiatric morbidity and sociodemographic determinants on use of service in a catchment area in the city of $S\tilde{A}$ Paulo, Brazil*. Social Psychiatry and Psychiatric Epidemiology, 2008, 43, 45-53.	3.1	23
78	Mapping geographical inequalities in oral rehydration therapy coverage in low-income and middle-income countries, 2000–17. The Lancet Global Health, 2020, 8, e1038-e1060.	6.3	23
79	Premenstrual dysphoric symptoms amongst Brazilian college students: factor structure and methodological appraisal. European Archives of Psychiatry and Clinical Neuroscience, 2005, 255, 51-56.	3.2	22
80	Treatment of periodic catatonia with atypical antipsychotic, olanzapine. Psychiatry and Clinical Neurosciences, 2008, 62, 482-482.	1.8	22
81	Gender differences in drinking patterns and alcohol-related problems in a community sample in São Paulo, Brazil. Clinics, 2012, 67, 205-212.	1.5	22
82	Patterns and predictors of health service use among people with mental disorders in São Paulo metropolitan area, Brazil. Epidemiology and Psychiatric Sciences, 2017, 26, 89-101.	3.9	21
83	Morbidity persistence and comorbidity of mood, anxiety, and eating disorders among preoperative bariatric patients. Psychiatry Research, 2017, 257, 1-6.	3.3	21
84	Can Gender and Age Impact on Response Pattern of Depressive Symptoms Among College Students? A Differential Item Functioning Analysis. Frontiers in Psychiatry, 2019, 10, 50.	2.6	21
85	O estigma atribuÃdo pelos psiquiatras aos indivÃduos com esquizofrenia. Revista De Psiquiatria Clinica, 2011, 38, 173-177.	0.6	21
86	Days out-of-role due to common physical and mental health problems: Results from the São Paulo Megacity Mental Health Survey, Brazil. Clinics, 2013, 68, 1392-1399.	1.5	20
87	The Influence of Parental Psychopathology on Offspring Suicidal Behavior across the Lifespan. PLoS ONE, 2015, 10, e0134970.	2.5	20
88	Structural validity of the Maslach Burnout Inventory and influence of depressive symptoms in banking workplace: Unfastening the occupational conundrum. Psychiatry Research, 2018, 267, 168-174.	3.3	20
89	Multilevel Analysis of the Patterns of Physical-Mental Multimorbidity in General Population of São Paulo Metropolitan Area, Brazil. Scientific Reports, 2019, 9, 2390.	3.3	20
90	Do Childhood Adversities Predict Suicidality? Findings from the General Population of the Metropolitan Area of São Paulo, Brazil. PLoS ONE, 2016, 11, e0155639.	2.5	20

#	Article	IF	Citations
91	A double-blind comparison of the effect of the antipsychotics haloperidol and olanzapine on sleep in mania. Brazilian Journal of Medical and Biological Research, 2007, 40, 357-366.	1.5	20
92	The epidemiology of personality disorders in the Sao Paulo Megacity general population. PLoS ONE, 2018, 13, e0195581.	2.5	19
93	Patterns of stigma toward schizophrenia among the general population: A latent profile analysis. International Journal of Social Psychiatry, 2014, 60, 595-605.	3.1	17
94	BARIATRIC SURGERY AND BINGE EATING DISORDER: SHOULD SURGEONS CARE ABOUT IT? A LITERATURE REVIEW OF PREVALENCE AND ASSESSMENT TOOLS. Arquivos De Gastroenterologia, 2019, 56, 55-60.	0.8	17
95	Systemic Solutions for Addressing Non-Communicable Diseases in Low- and Middle-Income Countries /p>. Journal of Multidisciplinary Healthcare, 2020, Volume 13, 693-707.	2.7	17
96	Investigating dimensionality and measurement bias of DSM-5 alcohol use disorder in a representative sample of the largest metropolitan area in South America. Drug and Alcohol Dependence, 2015, 152, 123-130.	3.2	16
97	Does stroke laterality predict major depression and cognitive impairment after stroke? Two-year prospective evaluation in the EMMA study. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2019, 94, 109639.	4.8	16
98	Dimensionality of the premenstrual syndrome: confirmatory factor analysis of premenstrual dysphoric symptoms among college students. Brazilian Journal of Medical and Biological Research, 2007, 40, 639-647.	1.5	15
99	Comparison of demographic and clinical characteristics between children and adolescents with major depressive disorder. Revista Brasileira De Psiquiatria, 2008, 30, 124-131.	1.7	15
100	The Influence of Depression on the Psychometric Properties of the Maslach Burnout Inventory–Human Services Survey: A Cross-Sectional Study With Nursing Assistants. Frontiers in Psychiatry, 2018, 9, 695.	2.6	15
101	Sundown Syndrome in Older Persons: A Scoping Review. Journal of the American Medical Directors Association, 2019, 20, 664-671.e5.	2.5	15
102	Treatment of anxiety disorders in clinical practice: a critical overview of recent systematic evidence. Clinics, 2019, 74, e1316.	1.5	15
103	Symptomatic expression of depression among Jewish adolescents: effects of gender and age. Social Psychiatry and Psychiatric Epidemiology, 2008, 43, 79-86.	3.1	14
104	Attitude and Impact of Perceived Depression in the Workplace. International Journal of Environmental Research and Public Health, 2014, 11, 6021-6036.	2.6	14
105	Use of psychotropic medications in São Paulo Metropolitan Area, Brazil: pattern of healthcare provision to general population. Pharmacoepidemiology and Drug Safety, 2015, 24, 1207-1214.	1.9	14
106	Validation of the <scp>B</scp> razilianâ€ <scp>P</scp> ortuguese version of the <scp>M</scp> odified <scp>T</scp> elephone <scp>I</scp> nterview for cognitive status among stroke patients. Geriatrics and Gerontology International, 2015, 15, 1118-1126.	1.5	14
107	DSM-5 latent classes of alcohol users in a population-based sample: Results from the São Paulo Megacity Mental Health Survey, Brazil. Drug and Alcohol Dependence, 2014, 136, 92-99.	3.2	13
108	Dual burden of chronic physical diseases and anxiety/mood disorders among São Paulo Megacity Mental Health Survey Sample, Brazil. Journal of Affective Disorders, 2017, 220, 1-7.	4.1	13

#	Article	IF	CITATIONS
109	Gender differences and disabilities of perceived depression in the workplace. Journal of Affective Disorders, 2015, 176, 48-55.	4.1	12
110	Treatment of periodic catatonia with olanzapine: a case report. Revista Brasileira De Psiquiatria, 2007, 29, 380-380.	1.7	12
111	Use of Risperidone Long-Acting Injection to Support Treatment Adherence and Mood Stabilization in Pediatric Bipolar Patients. Journal of Clinical Psychiatry, 2009, 70, 604-606.	2.2	12
112	Visual and automatic classification of the cyclic alternating pattern in electroencephalography during sleep. Brazilian Journal of Medical and Biological Research, 2019, 52, e8059.	1.5	11
113	The influence of the comorbidity between depression and alcohol use disorder on suicidal behaviors in the São Paulo Epidemiologic Catchment Area Study, Brazil. Revista Brasileira De Psiquiatria, 2010, 32, 396-408.	1.7	11
114	Patterns of psychopathological manifestations among ethnic Chinese living in Brazil. European Archives of Psychiatry and Clinical Neuroscience, 2004, 254, 36-42.	3.2	10
115	Atitudes de profissionais de saúde mental em relação a indivÃduos com esquizofrenia: uma comparação transcultural entre SuÃça e Brasil. Revista De Psiquiatria Clinica, 2012, 39, 115-121.	0.6	10
116	Clinical utility of the Montgomery-Ãsberg Depression Rating Scale for the detection of depression among bariatric surgery candidates. BMC Psychiatry, 2016, 16, 119.	2.6	10
117	Gender-related dimensions of childhood adversities in the general population. Revista Brasileira De Psiquiatria, 2018, 40, 394-402.	1.7	10
118	Absenteeism and Presenteeism Associated With Common Health Conditions in Brazilian Workers. Journal of Occupational and Environmental Medicine, 2019, 61, 303-313.	1.7	10
119	Trends in complementary and alternative medicine for the treatment of common mental disorders: A bibliometric analysis of two decades. Complementary Therapies in Clinical Practice, 2022, 46, 101531.	1.7	10
120	Maternal mortality and morbidity burden in the Eastern Mediterranean Region: findings from the Global Burden of Disease 2015 study. International Journal of Public Health, 2018, 63, 47-61.	2.3	9
121	Epidemiologia dos transtornos de ansiedade em regiões do Brasil. , 2019, 98, 415-422.	0.1	9
122	Anxiety, Depression, and Anger in Bruxism: A Cross-sectional Study among Adult Attendees of a Preventive Center. Psychiatry Research, 2021, 299, 113844.	3.3	9
123	Incremental health expenditure and lost days of normal activity for individuals with mental disorders: results from the São Paulo Megacity Study. BMC Public Health, 2015, 15, 745.	2.9	7
124	"l don't need any treatment―– barriers to mental health treatment in the general population of a megacity. Revista Brasileira De Psiquiatria, 2021, , .	1.7	7
125	Six-Month Open-Label Follow-Up of Risperidone Long-Acting Injection Use in Pediatric Bipolar Disorder. primary care companion for CNS disorders, The, 2013, 15, .	0.6	7
126	Psychotic and affective symptoms of early-onset bipolar disorder: an observational study of patients in first manic episode. Revista Brasileira De Psiquiatria, 2020, 42, 168-174.	1.7	6

#	Article	IF	CITATIONS
127	Prevalence of psychotic symptoms in the general population varies across 52 countries. Evidence-Based Mental Health, 2012, 15, 105-105.	4.5	5
128	Revisiting evidence of primary prevention of suicide among adult populations: A systematic overview. Journal of Affective Disorders, 2022, 297, 641-656.	4.1	5
129	Benzodiazepine use in Sao Paulo, Brazil. Clinics, 2020, 75, e1610.	1.5	5
130	Longitudinal patterns of comorbidity between anxiety, depression and binge eating symptoms among patients with obesity: A path analysis. Journal of Affective Disorders, 2022, 303, 255-263.	4.1	5
131	Alcohol use patterns and disorders among individuals with personality disorders in the Sao Paulo Metropolitan Area. PLoS ONE, 2021, 16, e0248403.	2.5	4
132	Individual and population level estimates of work loss and related economic costs due to mental and substance use disorders in Metropolitan São Paulo, Brazil. Journal of Affective Disorders, 2021, 296, 198-207.	4.1	4
133	Sleep terror disorder: a case report. Revista Brasileira De Psiquiatria, 2008, 30, 169-169.	1.7	4
134	Review: emotion identification deficits are associated with functional impairments in people with schizophrenia. Evidence-Based Mental Health, 2012, 15, 106-106.	4.5	3
135	Psychometric Properties of the Montgomery-Ãsberg Depression Rating Scale in Severely Obese Patients. Spanish Journal of Psychology, 2015, 18, E69.	2.1	3
136	The role of gender in the structure of networks of childhood adversity. Psychiatry Research, 2018, 270, 348-356.	3.3	3
137	Gender-related patterns of psychiatric disorder clustering among bariatric surgery candidates: A latent class analysis. Journal of Affective Disorders, 2018, 240, 72-78.	4.1	3
138	Dimensions of Anger Reactions (DAR-5): a useful screening tool for anger in the general population. International Journal of Psychiatry in Clinical Practice, 2021, 25, 421-429.	2.4	3
139	The Beck depression inventory: Uses and applications. , 2021, , 165-174.		3
140	Suicide by hanging in Brazil: challenges to mitigating its escalation. Revista Brasileira De Psiquiatria, 2019, 41, 188-189.	1.7	3
141	A double-blind comparison of the effect of the antipsychotics haloperidol and olanzapine on sleep in mania. Brazilian Journal of Medical and Biological Research, 2007, 40, 357-366.	1.5	3
142	Evaluation of Bipolar Disorder in Children and Adolescents Referred to a Mood Service: Diagnostic Pathways and Manic Dimensions. Journal of Psychiatric Practice, 2016, 22, 429-441.	0.7	2
143	Use of multidimensional item response theory methods for dementia prevalence prediction: an example using the Health and Retirement Survey and the Aging, Demographics, and Memory Study. BMC Medical Informatics and Decision Making, 2021, 21, 241.	3.0	2
144	Treatment Gap of Mental Disorders in SÃ $\pm$ o Paulo Metropolitan Area, Brazil: Failure and Delay in Initiating Treatment Contact After First Onset of Mental and Substance Use Disorders. International Journal of Mental Health and Addiction, 0, , 1.	7.4	2

#	Article	IF	CITATIONS
145	Patterns of multimorbidity in the general population of São Paulo, Brazil: a retrospective observational study. Lancet, The, 2014, 384, S22.	13.7	1
146	Association between childhood adversities and psychopathology onset throughout the lifespan: Findings from a large metropolitan population. Journal of Psychiatric Research, 2021, 135, 8-14.	3.1	1
147	The neuroscience of depression: Mechanisms and treatments. , 2021, , 57-67.		1
148	Assessment scoring tools of depression. , 2021, , 155-164.		1
149	O desafio da equidade: fatores associados aos gastos com a produção ambulatorial na atenção secundária. Jornal Brasileiro De Economia Da Saúde, 2018, 10, 246-254.	0.1	1
150	5.41 COMPARISON OF CLINICAL FEATURES BETWEEN GENDERS IN CHILDREN AND ADOLESCENTS WITH BIPOLAR DISORDER. Journal of the American Academy of Child and Adolescent Psychiatry, 2016, 55, S196-S197.	0.5	0
151	5.42 SLEEP AND DAYTIME COMPLAINTS DURING MANIA AND DEPRESSIVE EPISODES IN CHILDREN AND ADOLESCENTS WITH BIPOLAR DISORDER. Journal of the American Academy of Child and Adolescent Psychiatry, 2016, 55, S197.	0.5	0
152	5.39 Reliability and Dimensional Validity of the Beck Depression Inventory-II (BDI-II) Among Brazilian Adolescents. Journal of the American Academy of Child and Adolescent Psychiatry, 2018, 57, S239.	0.5	0
153	Análise da relação geoespacial entre a cobertura da estratégia saúde da famÃlia e a provisão de ventiladores com a taxa de transmissão e mortalidade por COVID-19 em Santa Catarina. Revista De Gestão Em Sistemas De Saúde, 2021, 10, 106-123.	0.2	0
154	Cardiovascular risk factors and major depressive disorder: a cross-sectional study in São Paulo, Brazil. Sao Paulo Medical Journal, 2021, 139, 364-371.	0.9	0
155	Suicide trends and characteristics in Brazil. International Psychiatry: Bulletin of the Board of International Affairs of the Royal College of Psychiatrists, 2006, 3, 5-7.	0.1	O
156	ON THE ADVERTISEMENT OF ALCOHOLIC BEVERAGES AND THE OMISSION OF BRAZILIAN DOCTORS. Clinics, 2007, 62, 671-672.	1.5	0
157	Looking beyond the prevalence of depression in Brazil: are we prepared to go further?. Revista Brasileira De Psiquiatria, 2014, 36, 189-190.	1.7	O
158	Development of an Instrument to Assess Spirituality: Reliability and Validation of the Attitudes Related to Spirituality Scale (ARES). Frontiers in Psychology, 2021, 12, 764132.	2.1	0
159	Suicide trends and characteristics in Brazil. International Psychiatry: Bulletin of the Board of International Affairs of the Royal College of Psychiatrists, 2006, 3, 5-7.	0.1	0
160	Estratégia Saúde da FamÃlia como indicador para o enfrentamento da COVID-19 em Santa Catarina. Archivos De Medicina, 2020, 21, .	0.0	0
161	Suicide among college students: much ado about nothing?. Revista Brasileira De Psiquiatria, 2022, , .	1.7	O