

Susan B Coote

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/994040/publications.pdf>

Version: 2024-02-01

99
papers

2,377
citations

218381

26
h-index

253896

43
g-index

99
all docs

99
docs citations

99
times ranked

2118
citing authors

#	ARTICLE	IF	CITATIONS
1	Experiences of people with multiple sclerosis participating in a social cognitive behavior change physical activity intervention. <i>Physiotherapy Theory and Practice</i> , 2023, 39, 954-962.	0.6	4
2	Fall definitions, faller classifications and outcomes used in falls research among people with multiple sclerosis: a systematic review. <i>Disability and Rehabilitation</i> , 2022, 44, 855-863.	0.9	15
3	Management strategies for neurogenic lower urinary tract dysfunction: a qualitative study of the experiences of people with multiple sclerosis and healthcare professionals. <i>Disability and Rehabilitation</i> , 2022, 44, 3805-3815.	0.9	4
4	The impact of the COVID-19 pandemic on physical therapy practice for people with multiple sclerosis: A multicenter survey study of the RIMS network. <i>Multiple Sclerosis and Related Disorders</i> , 2022, 62, 103799.	0.9	3
5	Possible determinants of long-term adherence to physical activity in multiple sclerosis: theory-based development of a comprehensive questionnaire and results from a German survey study. <i>Disability and Rehabilitation</i> , 2021, 43, 3175-3188.	0.9	16
6	Risk factors for falling for people with Multiple Sclerosis identified in a prospective cohort study. <i>Clinical Rehabilitation</i> , 2021, 35, 765-774.	1.0	6
7	Occupational therapy practice with children with developmental coordination disorder: An online qualitative vignette survey. <i>British Journal of Occupational Therapy</i> , 2021, 84, 307-316.	0.5	6
8	Children and young people's experiences of living with developmental coordination disorder/dyspraxia: A systematic review and meta-ethnography of qualitative research. <i>PLoS ONE</i> , 2021, 16, e0245738.	1.1	10
9	Home-based Pilates for symptoms of anxiety, depression and fatigue among persons with multiple sclerosis: An 8-week randomized controlled trial. <i>Multiple Sclerosis Journal</i> , 2021, 27, 2267-2279.	1.4	15
10	Participant experiences of eight weeks of supervised or home-based Pilates among people with multiple sclerosis: a qualitative analysis. <i>Disability and Rehabilitation</i> , 2021, , 1-8.	0.9	1
11	Effectiveness of interventions to prevent falls for people with multiple sclerosis, Parkinson's disease and stroke: an umbrella review. <i>BMC Neurology</i> , 2021, 21, 378.	0.8	16
12	Factors influencing balance improvement in multiple sclerosis rehabilitation: A pragmatic multicentric trial. <i>Annals of Physical and Rehabilitation Medicine</i> , 2020, 63, 93-98.	1.1	12
13	Long-term physical activity in people with multiple sclerosis: exploring expert views on facilitators and barriers. <i>Disability and Rehabilitation</i> , 2020, 42, 3059-3071.	0.9	15
14	Effectiveness of interventions to improve participation outcomes for children with developmental coordination disorder: A systematic review. <i>British Journal of Occupational Therapy</i> , 2020, 83, 256-273.	0.5	13
15	An eight-week randomised controlled trial of home-based pilates for symptoms of anxiety, depression, and fatigue among people with MS with minimal-to-mild mobility disability: Study protocol. <i>Mental Health and Physical Activity</i> , 2020, 19, 100341.	0.9	3
16	Moving exercise research in multiple sclerosis forward (the MoXFo initiative): Developing consensus statements for research. <i>Multiple Sclerosis Journal</i> , 2020, 26, 1303-1308.	1.4	46
17	Exercise and lifestyle physical activity recommendations for people with multiple sclerosis throughout the disease course. <i>Multiple Sclerosis Journal</i> , 2020, 26, 1459-1469.	1.4	153
18	Effectiveness of non-pharmacological falls prevention interventions for people with Multiple Sclerosis, Parkinson's Disease and stroke: protocol for an umbrella review. <i>HRB Open Research</i> , 2020, 3, 17.	0.3	3

#	ARTICLE	IF	CITATIONS
19	Prevalence of Lower Urinary Tract Symptoms in People with Multiple Sclerosis. <i>International Journal of MS Care</i> , 2020, 22, 91-99.	0.4	35
20	Falls in People with Multiple Sclerosis. <i>International Journal of MS Care</i> , 2020, 22, 247-255.	0.4	42
21	“Better Balance”: The Articulation of the Development of a Complex Falls Prevention Intervention for People with Multiple Sclerosis. <i>International Journal of MS Care</i> , 2020, 23, 119-127.	0.4	1
22	Effectiveness of non-pharmacological falls prevention interventions for people with Multiple Sclerosis, Parkinson’s Disease and stroke: protocol for an umbrella review. <i>HRB Open Research</i> , 2020, 3, 17.	0.3	6
23	Transcutaneous tibial nerve stimulation for the treatment of bladder storage symptoms in people with multiple sclerosis: Protocol of a single-arm feasibility study. <i>HRB Open Research</i> , 2020, 3, 66.	0.3	5
24	Discriminative ability and clinical utility of the Timed Up and Go (TUG) in identifying falls risk in people with multiple sclerosis: a prospective cohort study. <i>Clinical Rehabilitation</i> , 2019, 33, 317-326.	1.0	17
25	The feasibility of Pilates to improve symptoms of anxiety, depression, and fatigue among people with Multiple Sclerosis: An eight-week randomized controlled pilot trial. <i>Psychology of Sport and Exercise</i> , 2019, 45, 101573.	1.1	13
26	Interventions for preventing falls in people with multiple sclerosis. <i>The Cochrane Library</i> , 2019, 2019, CD012475.	1.5	28
27	An Exploration of Falls and Dual Tasking. <i>Topics in Geriatric Rehabilitation</i> , 2019, 35, 190-198.	0.2	4
28	Activity matters: a web-based resource to enable people with multiple sclerosis to become more active. <i>Translational Behavioral Medicine</i> , 2019, 9, 120-128.	1.2	10
29	Children and young people’s experiences of living with developmental coordination disorder/dyspraxia: study protocol for a qualitative evidence synthesis. <i>HRB Open Research</i> , 2019, 2, 28.	0.3	3
30	Management strategies for lower urinary tract symptoms (LUTS) among people with multiple sclerosis (MS): a qualitative study of the perspectives of people with MS and healthcare professionals. <i>HRB Open Research</i> , 2019, 2, 31.	0.3	5
31	Strength Training to Improve Gait in People with Multiple Sclerosis. <i>International Journal of MS Care</i> , 2019, 21, 47-56.	0.4	25
32	Rehabilitation of cognitive deficits poststroke: protocol for a systematic review and meta-analysis of randomised controlled trials of non-pharmacological interventions. <i>BMJ Open</i> , 2019, 9, e031052.	0.8	2
33	Rehabilitation of cognitive deficits poststroke: protocol for a systematic review and meta-analysis of randomised controlled trials of non-pharmacological interventions. <i>BMJ Open</i> , 2019, 9, e031052.	0.8	6
34	Changing Physical Activity Behavior in People With Multiple Sclerosis: A Systematic Review and Meta-Analysis. <i>Archives of Physical Medicine and Rehabilitation</i> , 2018, 99, 2059-2075.	0.5	40
35	Postural control deficits in people with Multiple Sclerosis: A systematic review and meta-analysis. <i>Gait and Posture</i> , 2018, 61, 445-452.	0.6	77
36	The ability of clinical balance measures to identify falls risk in multiple sclerosis: a systematic review and meta-analysis. <i>Clinical Rehabilitation</i> , 2018, 32, 571-582.	1.0	34

#	ARTICLE	IF	CITATIONS
37	Objective physical activity measurement in people with multiple sclerosis: a review of the literature. <i>Disability and Rehabilitation: Assistive Technology</i> , 2018, 13, 124-131.	1.3	19
38	Sources of Variability in Physical Activity Among Inactive People with Multiple Sclerosis. <i>International Journal of Behavioral Medicine</i> , 2018, 25, 259-264.	0.8	2
39	Medication usage and falls in people with multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2018, 24, 995-998.	1.4	10
40	Objective physical activity levels in people with multiple sclerosis: Meta-analysis. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2018, 28, 1960-1969.	1.3	57
41	Do multiple sclerosis symptoms moderate the relationship between self-efficacy and physical activity in people with multiple sclerosis?. <i>Rehabilitation Psychology</i> , 2018, 63, 104-110.	0.7	24
42	Social Cognitive Theory Correlates of Physical Activity in Inactive Adults with Multiple Sclerosis. <i>International Journal of MS Care</i> , 2018, 20, 129-135.	0.4	20
43	Modifiable Psychosocial Constructs Associated With Physical Activity Participation in People With Multiple Sclerosis: A Systematic Review and Meta-Analysis. <i>Archives of Physical Medicine and Rehabilitation</i> , 2017, 98, 1453-1475.	0.5	45
44	Minimum number of days required for a reliable estimate of daily step count and energy expenditure, in people with MS who walk unaided. <i>Gait and Posture</i> , 2017, 53, 201-206.	0.6	17
45	Moderators of Exercise Effects on Depressive Symptoms in Multiple Sclerosis: A Meta-regression. <i>American Journal of Preventive Medicine</i> , 2017, 53, 508-518.	1.6	24
46	Randomised controlled pilot trial of an exercise plus behaviour change intervention in people with multiple sclerosis: the Step it Up study. <i>BMJ Open</i> , 2017, 7, e016336.	0.8	28
47	An exploration of fall-related, psychosocial variables in people with multiple sclerosis who have fallen. <i>British Journal of Occupational Therapy</i> , 2017, 80, 587-595.	0.5	24
48	Augmenting home exercise programmes in multiple sclerosis with "exercise buddies": A pilot study. <i>International Journal of Therapy and Rehabilitation</i> , 2017, 24, 54-61.	0.1	2
49	Effect of exercising at minimum recommendations of the multiple sclerosis exercise guideline combined with structured education or attention control education "secondary results of the step it up randomised controlled trial. <i>BMC Neurology</i> , 2017, 17, 119.	0.8	36
50	The development of an observational screening tool to assess safe, effective and appropriate walking aid use in people with multiple sclerosis. <i>Disability and Rehabilitation: Assistive Technology</i> , 2017, 12, 641-646.	1.3	1
51	Gait deficits in people with multiple sclerosis: A systematic review and meta-analysis. <i>Gait and Posture</i> , 2017, 51, 25-35.	0.6	198
52	Moderators Of Exercise Training Effects On Depressive Symptoms In Multiple Sclerosis. <i>Medicine and Science in Sports and Exercise</i> , 2017, 49, 432.	0.2	1
53	Interrater Reliability of Four Sensory Measures in People with Multiple Sclerosis. <i>International Journal of MS Care</i> , 2016, 18, 86-95.	0.4	7
54	What do people with MS want from a web-based resource to encourage increased physical activity behaviour?. <i>Disability and Rehabilitation</i> , 2016, 38, 1557-1566.	0.9	8

#	ARTICLE	IF	CITATIONS
55	Inter-rater reliability of mini balance evaluation system test in ambulatory people with multiple sclerosis. <i>International Journal of Therapy and Rehabilitation</i> , 2016, 23, 583-589.	0.1	2
56	Cohort Study Comparing the Berg Balance Scale and the Mini-BESTest in People Who Have Multiple Sclerosis and Are Ambulatory. <i>Physical Therapy</i> , 2016, 96, 1448-1455.	1.1	35
57	The body composition phenotype of Irish adults aged 18-81 years. <i>Irish Journal of Medical Science</i> , 2016, 185, 537-544.	0.8	8
58	Comparing the effects of whole-body vibration to standard exercise in ambulatory people with Multiple Sclerosis: a randomised controlled feasibility study. <i>Clinical Rehabilitation</i> , 2016, 30, 657-668.	1.0	13
59	Using Functional Electrical Stimulation Mediated by Iterative Learning Control and Robotics to Improve Arm Movement for People With Multiple Sclerosis. <i>IEEE Transactions on Neural Systems and Rehabilitation Engineering</i> , 2016, 24, 235-248.	2.7	79
60	Perceptions of Participants in a Group, Community, Exercise Programme for People with Multiple Sclerosis. <i>Rehabilitation Research and Practice</i> , 2015, 2015, 1-7.	0.5	16
61	Top 10 Research Questions Related to Physical Activity and Multiple Sclerosis. <i>Research Quarterly for Exercise and Sport</i> , 2015, 86, 117-129.	0.8	43
62	Test-retest reliability of four sensory measures in people with multiple sclerosis. <i>International Journal of Rehabilitation Research</i> , 2015, 38, 74-80.	0.7	4
63	Predictors of the physical impact of Multiple Sclerosis following community-based, exercise trial. <i>Multiple Sclerosis Journal</i> , 2015, 21, 590-598.	1.4	9
64	Relationship between foot vibration threshold and walking and balance functions in people with Multiple Sclerosis (PwMS). <i>Gait and Posture</i> , 2015, 41, 228-232.	0.6	15
65	Pilot Randomized Trial of Progressive Resistance Exercise Augmented by Neuromuscular Electrical Stimulation for People With Multiple Sclerosis Who Use Walking Aids. <i>Archives of Physical Medicine and Rehabilitation</i> , 2015, 96, 197-204.	0.5	33
66	The feasibility of comparing whole body vibration intervention to the same duration and dose of exercise for people with Multiple Sclerosis. <i>Physiotherapy Practice and Research</i> , 2014, 35, 75-86.	0.1	4
67	Fall Incidence as the Primary Outcome in Multiple Sclerosis Falls-Prevention Trials. <i>International Journal of MS Care</i> , 2014, 16, 178-184.	0.4	56
68	A randomised controlled trial of an exercise plus behaviour change intervention in people with multiple sclerosis: the step it up study protocol. <i>BMC Neurology</i> , 2014, 14, 241.	0.8	23
69	Energy Expenditure Estimation Using Accelerometry and Heart Rate for Multiple Sclerosis and Healthy Older Adults. , 2014, , .		4
70	Energy expenditure during everyday activities - a study comparing people with varying mobility limitations due to multiple sclerosis and healthy controls. <i>Disability and Rehabilitation</i> , 2014, 36, 2059-2064.	0.9	14
71	Progressive resistance therapy is not the best way to rehabilitate deficits due to multiple sclerosis: Yes. <i>Multiple Sclerosis Journal</i> , 2014, 20, 143-144.	1.4	7
72	The Effect of Community Exercise Interventions for People with MS Who Use Bilateral Support for Gait. <i>Multiple Sclerosis International</i> , 2014, 2014, 1-8.	0.4	24

#	ARTICLE	IF	CITATIONS
73	Core outcome measures for exercise studies in people with multiple sclerosis: recommendations from a multidisciplinary consensus meeting. <i>Multiple Sclerosis Journal</i> , 2014, 20, 1641-1650.	1.4	44
74	Level of Mobility Limitations and Falls Status in Persons With Multiple Sclerosis. <i>Archives of Physical Medicine and Rehabilitation</i> , 2014, 95, 862-866.	0.5	35
75	Whom to Target for Falls-Prevention Trials. <i>International Journal of MS Care</i> , 2014, 16, 203-207.	0.4	10
76	Applying the RE-AIM Framework to Inform the Development of a Multiple Sclerosis Falls-Prevention Intervention. <i>International Journal of MS Care</i> , 2014, 16, 192-197.	0.4	16
77	Targeting Dynamic Balance in Falls-Prevention Interventions in Multiple Sclerosis. <i>International Journal of MS Care</i> , 2014, 16, 198-202.	0.4	31
78	Falls in People With Multiple Sclerosis Who Use a Walking Aid: Prevalence, Factors, and Effect of Strength and Balance Interventions. <i>Archives of Physical Medicine and Rehabilitation</i> , 2013, 94, 616-621.	0.5	94
79	Exercise in the community for people with multiple sclerosis â€” a follow-up of people with minimal gait impairment. <i>Multiple Sclerosis Journal</i> , 2013, 19, 790-798.	1.4	36
80	Exercise in the community for people with minimal gait impairment due to MS: an assessor-blind randomized controlled trial. <i>Multiple Sclerosis Journal</i> , 2013, 19, 782-789.	1.4	71
81	Exploring the use of â€”Exercise Buddiesâ€™ to augment physiotherapy in the community for people with Multiple Sclerosis. <i>Physiotherapy Practice and Research</i> , 2013, 34, 67-74.	0.1	1
82	Between-Rater Reliability of the 6-Minute Walk Test, Berg Balance Scale, and Handheld Dynamometry in People with Multiple Sclerosis. <i>International Journal of MS Care</i> , 2013, 15, 1-6.	0.4	26
83	Physical rehabilitation interventions in nonambulatory people with multiple sclerosis. <i>International Journal of Rehabilitation Research</i> , 2012, 35, 281-291.	0.7	20
84	Comparative Validity of Accelerometer-Based Measures of Physical Activity for People With Multiple Sclerosis. <i>Archives of Physical Medicine and Rehabilitation</i> , 2012, 93, 2022-2028.	0.5	24
85	A guide for clinicians â€” physical activity and energy expenditure explained. <i>Physical Therapy Reviews</i> , 2010, 15, 382-390.	0.3	0
86	A Profiling Study of People with Multiple Sclerosis Who Access Physiotherapy Services in Ireland. <i>International Journal of MS Care</i> , 2010, 12, 115-121.	0.4	9
87	Therapeutic interventions in the treatment of people with multiple sclerosis with mobility problems: a literature review. <i>Physical Therapy Reviews</i> , 2009, 14, 160-168.	0.3	16
88	Surface-applied functional electrical stimulation for orthotic and therapeutic treatment of drop-foot after stroke â€” a systematic review. <i>Physical Therapy Reviews</i> , 2009, 14, 63-80.	0.3	24
89	Multiple sclerosis and exercise in people with minimal gait impairment â€” a review. <i>Physical Therapy Reviews</i> , 2009, 14, 169-180.	0.3	47
90	Getting the Balance Right: A randomised controlled trial of physiotherapy and Exercise Interventions for ambulatory people with multiple sclerosis. <i>BMC Neurology</i> , 2009, 9, 34.	0.8	47

#	ARTICLE	IF	CITATIONS
91	Focus group study of student physiotherapists' perceptions of reflection. Medical Education, 2008, 42, 1064-1070.	1.1	21
92	The effect of the GENTLE/s robot-mediated therapy system on arm function after stroke. Clinical Rehabilitation, 2008, 22, 395-405.	1.0	102
93	An electrode configuration technique using an electrode matrix arrangement for FES-based upper arm rehabilitation systems. Medical Engineering and Physics, 2006, 28, 166-176.	0.8	47
94	Effect of robot-mediated therapy on upper extremity dysfunction post-stroke—a single case study. Physiotherapy, 2005, 91, 250-256.	0.2	14
95	Physiotherapy for Upper Extremity Dysfunction Following Stroke. Physical Therapy Reviews, 2001, 6, 63-69.	0.3	17
96	Interventions for preventing falls in people with multiple sclerosis. The Cochrane Library, 0, , .	1.5	13
97	Children and young people's experiences of living with developmental coordination disorder/dyspraxia: study protocol for a qualitative evidence synthesis. HRB Open Research, 0, 2, 28.	0.3	0
98	Protocol for the development of a core outcome set for evaluating mixed-diagnosis falls prevention interventions for people with Multiple Sclerosis, Parkinson's Disease and stroke. HRB Open Research, 0, 4, 123.	0.3	2
99	Protocol for the development of a core outcome set for evaluating mixed-diagnosis falls prevention interventions for people with Multiple Sclerosis, Parkinson's Disease and stroke. HRB Open Research, 0, 4, 123.	0.3	4