

Hiroyuki Arai

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9946159/publications.pdf>

Version: 2024-02-01

67
papers

6,301
citations

94381

37
h-index

114418

63
g-index

67
all docs

67
docs citations

67
times ranked

6557
citing authors

#	ARTICLE	IF	CITATIONS
1	PI4P/PS countertransport by ORP10 at ERâ€“endosome membrane contact sites regulates endosome fission. <i>Journal of Cell Biology</i> , 2022, 221, .	2.3	33
2	Supercritical fluid chromatography-mass spectrometry enables simultaneous measurement of all phosphoinositide regioisomers. <i>Communications Chemistry</i> , 2022, 5, .	2.0	3
3	Omega-3 fatty acid epoxides produced by PAF-AH2 in mast cells regulate pulmonary vascular remodeling. <i>Nature Communications</i> , 2022, 13, .	5.8	13
4	LPIAT1/MBOAT7 depletion increases triglyceride synthesis fueled by high phosphatidylinositol turnover. <i>Gut</i> , 2021, 70, 180-193.	6.1	86
5	Homeostatic regulation of STING by retrograde membrane traffic to the ER. <i>Nature Communications</i> , 2021, 12, 61.	5.8	80
6	A cell-free assay implicates a role of sphingomyelin and cholesterol in STING phosphorylation. <i>Scientific Reports</i> , 2021, 11, 11996.	1.6	14
7	Î±-Tocopherol transfer protein (Î±-TTP). <i>Free Radical Biology and Medicine</i> , 2021, 176, 162-175.	1.3	21
8	Role of Phosphatidylethanolamine Biosynthesis in Herpes Simplex Virus 1-Infected Cells in Progeny Virus Morphogenesis in the Cytoplasm and in Viral Pathogenicity <i>In Vivo</i>. <i>Journal of Virology</i> , 2020, 94, .	1.5	13
9	Elucidation of Gut Microbiota-Associated Lipids Using LC-MS/MS and 16S rRNA Sequence Analyses. <i>IScience</i> , 2020, 23, 101841.	1.9	33
10	Platelet-activating factor acetylhydrolases: An overview and update. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2019, 1864, 922-931.	1.2	38
11	Osh Proteins Control Nanoscale Lipid Organization Necessary for PI(4,5)P2 Synthesis. <i>Molecular Cell</i> , 2019, 75, 1043-1057.e8.	4.5	47
12	Predominant localization of phosphatidylserine at the cytoplasmic leaflet of the ER, and its TMEM16K-dependent redistribution. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 13368-13373.	3.3	63
13	Reelin deficiency leads to aberrant lipid composition in mouse brain. <i>Biochemical and Biophysical Research Communications</i> , 2018, 505, 81-86.	1.0	5
14	Nitro-fatty acids are formed in response to virus infection and are potent inhibitors of STING palmitoylation and signaling. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, E7768-E7775.	3.3	150
15	The binding of TBK1 to STING requires exocytic membrane traffic from the ER. <i>Biochemical and Biophysical Research Communications</i> , 2018, 503, 138-145.	1.0	66
16	Autophagosome formation is initiated at phosphatidylinositol synthaseâ€“enriched <sc>ER</sc> subdomains. <i>EMBO Journal</i> , 2017, 36, 1719-1735.	3.5	158
17	The acyltransferase LYCAT controls specific phosphoinositides and related membrane traffic. <i>Molecular Biology of the Cell</i> , 2017, 28, 161-172.	0.9	52
18	Endosomal phosphatidylserine is critical for the YAP signalling pathway in proliferating cells. <i>Nature Communications</i> , 2017, 8, 1246.	5.8	36

#	ARTICLE	IF	CITATIONS
19	Omega-3 fatty acid epoxides are autocrine mediators that control the magnitude of IgE-mediated mast cell activation. <i>Nature Medicine</i> , 2017, 23, 1287-1297.	15.2	48
20	Magnetic Separation of Autophagosomes from Mammalian Cells Using Magneticâ€“Plasmonic Hybrid Nanobeads. <i>ACS Omega</i> , 2017, 2, 4929-4937.	1.6	6
21	Therapeutic effects of flurbiprofen axetil on mesenteric traction syndrome: randomized clinical trial. <i>BMC Surgery</i> , 2017, 17, 90.	0.6	10
22	Mg ²⁺ Extrusion from Intestinal Epithelia by CNNM Proteins Is Essential for Gonadogenesis via AMPK-TORC1 Signaling in <i>Caenorhabditis elegans</i> . <i>PLoS Genetics</i> , 2016, 12, e1006276.	1.5	16
23	Maternal dietary imbalance between omega-6 and omega-3 polyunsaturated fatty acids impairs neocortical development via epoxy metabolites. <i>Stem Cells</i> , 2016, 34, 470-482.	1.4	54
24	Activation of STING requires palmitoylation at the Golgi. <i>Nature Communications</i> , 2016, 7, 11932.	5.8	436
25	Lysophosphatidylcholine acyltransferase 1 protects against cytotoxicity induced by polyunsaturated fatty acids. <i>FASEB Journal</i> , 2016, 30, 2027-2039.	0.2	24
26	Dietary ω3 fatty acid exerts anti-allergic effect through the conversion to 17,18-epoxyeicosatetraenoic acid in the gut. <i>Scientific Reports</i> , 2015, 5, 9750.	1.6	112
27	Intracellular Platelet-Activating Factor Acetylhydrolase, Type II. <i>The Enzymes</i> , 2015, 38, 43-54.	0.7	9
28	Intracellular PAF-Acetylhydrolase Type I. <i>The Enzymes</i> , 2015, 38, 23-36.	0.7	12
29	Transport of cholera toxin B-subunit from recycling endosomes to the Golgi requires clathrin and AP-1. <i>Journal of Cell Science</i> , 2015, 128, 3131-42.	1.2	38
30	Transport through recycling endosomes requires EHD1 recruitment by a phosphatidylserine translocase. <i>EMBO Journal</i> , 2015, 34, 669-688.	3.5	113
31	Intracellular Transport of Fat-Soluble Vitamins A and E. <i>Traffic</i> , 2015, 16, 19-34.	1.3	70
32	Visualization of the heterogeneous membrane distribution of sphingomyelin associated with cytokinesis, cell polarity, and sphingolipidosis. <i>FASEB Journal</i> , 2015, 29, 477-493.	0.2	76
33	Small GTPases and phosphoinositides in the regulatory mechanisms of macropinosome formation and maturation. <i>Frontiers in Physiology</i> , 2014, 5, 374.	1.3	116
34	Eosinophils control the resolution of inflammation and draining lymph node hypertrophy through the proresolving mediators and CXCL13 pathway in mice. <i>FASEB Journal</i> , 2014, 28, 4036-4043.	0.2	36
35	Identification of 14,20-dihydroxy-docosahexaenoic acid as a novel anti-inflammatory metabolite. <i>Journal of Biochemistry</i> , 2014, 156, 315-321.	0.9	18
36	18-HEPE, an n-3 fatty acid metabolite released by macrophages, prevents pressure overload-induced maladaptive cardiac remodeling. <i>Journal of Experimental Medicine</i> , 2014, 211, 1673-1687.	4.2	135

#	ARTICLE	IF	CITATIONS
37	Matrix Metalloproteinase (MMP)-9 in Cancer-Associated Fibroblasts (CAFs) Is Suppressed by Omega-3 Polyunsaturated Fatty Acids In Vitro and In Vivo. <i>PLoS ONE</i> , 2014, 9, e89605.	1.1	58
38	Impaired α -TTP-PIPs Interaction Underlies Familial Vitamin E Deficiency. <i>Science</i> , 2013, 340, 1106-1110.	6.0	117
39	LPIAT1 regulates arachidonic acid content in phosphatidylinositol and is required for cortical lamination in mice. <i>Molecular Biology of the Cell</i> , 2012, 23, 4689-4700.	0.9	119
40	A Novel Role for α -Tocopherol Transfer Protein (α -TTP) in Protecting against Chloroquine Toxicity. <i>Journal of Biological Chemistry</i> , 2012, 287, 2926-2934.	1.6	17
41	Identification and Structure Determination of Novel Anti-inflammatory Mediator Resolvin E3, 17,18-Dihydroxyeicosapentaenoic Acid. <i>Journal of Biological Chemistry</i> , 2012, 287, 10525-10534.	1.6	196
42	ATP-Binding cassette transporter A1 is involved in hepatic α -tocopherol secretion. <i>Journal of Nutritional Biochemistry</i> , 2010, 21, 451-456.	1.9	47
43	<i>Caenorhabditis elegans mboa-7</i> , a Member of the MBOAT Family, Is Required for Selective Incorporation of Polyunsaturated Fatty Acids into Phosphatidylinositol. <i>Molecular Biology of the Cell</i> , 2008, 19, 1174-1184.	0.9	119
44	ABCA3 as a Lipid Transporter in Pulmonary Surfactant Biogenesis. <i>Journal of Biological Chemistry</i> , 2007, 282, 9628-9634.	1.6	193
45	Regulation of hepatic cholesterol synthesis by a novel protein (SPF) that accelerates cholesterol biosynthesis. <i>FASEB Journal</i> , 2006, 20, 2642-2644.	0.2	22
46	Vitamin E Is Essential for Mouse Placentation but Not for Embryonic Development Itself. <i>Biology of Reproduction</i> , 2005, 73, 983-987.	1.2	36
47	pH-dependent translocation of α -tocopherol transfer protein (α -TTP) between hepatic cytosol and late endosomes. <i>Genes To Cells</i> , 2003, 8, 789-800.	0.5	62
48	Mammalian homologue of <i>E. coli</i> ras-like GTPase (ERA) is a possible apoptosis regulator with RNA binding activity. <i>Genes To Cells</i> , 2001, 6, 987-1001.	0.5	19
49	α -Tocopherol Transfer Protein Is Important for the Normal Development of Placental Labyrinthine Trophoblasts in Mice. <i>Journal of Biological Chemistry</i> , 2001, 276, 1669-1672.	1.6	162
50	Phenotypic Modulation of Vascular Smooth Muscle Cells Induced by Unsaturated Lysophosphatidic Acids. <i>Circulation Research</i> , 2001, 89, 251-258.	2.0	172
51	CD36, a Member of Class B Scavenger Receptor Family, Is a Receptor for Advanced Glycation End Products. <i>Annals of the New York Academy of Sciences</i> , 2001, 947, 350-355.	1.8	57
52	Homologs of the α - and β -subunits of mammalian brain platelet-activating factor acetylhydrolase Ib in the <i>Drosophila melanogaster</i> genome. , 2000, 39, 1-8.		25
53	MOLECULAR MECHANISMS OF VITAMIN E TRANSPORT. <i>Annual Review of Nutrition</i> , 1999, 19, 343-355.	4.3	239
54	Developmental changes in the expression of α -tocopherol transfer protein during the neonatal period of rat. <i>BioFactors</i> , 1998, 7, 87-91.	2.6	7

#	ARTICLE	IF	CITATIONS
55	Localization of β -tocopherol transfer protein in rat brain. <i>Neuroscience Letters</i> , 1998, 256, 159-162.	1.0	101
56	Binding of β -tocopherylquinone, an oxidized form of β -tocopherol, to glutathione-S-transferase in the liver cytosol. <i>FEBS Letters</i> , 1998, 436, 424-426.	1.3	41
57	Affinity for β -tocopherol transfer protein as a determinant of the biological activities of vitamin E analogs. <i>FEBS Letters</i> , 1997, 409, 105-108.	1.3	556
58	Friedreich-like ataxia with retinitis pigmentosa caused by the His101Gln mutation of the β -Tocopherol transfer protein gene. <i>Annals of Neurology</i> , 1997, 41, 826-832.	2.8	137
59	Recent Progress in Intracellular Lipid Transport. <i>The Journal of Japan Atherosclerosis Society</i> , 1997, 24, 771-779.	0.0	0
60	Age-related Changes of β -Tocopherol Transfer Protein Expression in Rat Liver. <i>Journal of Nutritional Science and Vitaminology</i> , 1996, 42, 11-18.	0.2	33
61	Retinitis Pigmentosa and Ataxia Caused by a Mutation in the Gene for the β -Tocopherol Transfer Protein. <i>New England Journal of Medicine</i> , 1996, 335, 1770-1771.	13.9	67
62	β -Tocopherol Transfer Protein and Familial Vitamin E Deficiency. <i>Journal of Japan Oil Chemists' Society</i> , 1996, 45, 425-434.	0.3	0
63	Ataxia with isolated vitamin E deficiency is caused by mutations in the β -tocopherol transfer protein. <i>Nature Genetics</i> , 1995, 9, 141-145.	9.4	590
64	Adult-Onset Spinocerebellar Dysfunction Caused by a Mutation in the Gene for the β -Tocopherol Transfer Protein. <i>New England Journal of Medicine</i> , 1995, 333, 1313-1319.	13.9	199
65	Miller-Dieker lissencephaly gene encodes a subunit of brain platelet-activating factor. <i>Nature</i> , 1994, 370, 216-218.	13.7	481
66	Purification and characterization of the β -tocopherol transfer protein from rat liver. <i>FEBS Letters</i> , 1991, 288, 41-45.	1.3	189
67	Structure and Function of Plasma Lipoprotein. <i>Journal of Japan Oil Chemists Society</i> , 1991, 40, 858-868.	0.1	0