
## Jeffrey H Meyer

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9947848/publications.pdf Version: 2024-02-01



IFFEDEV H MEVED

#	Article	IF	CITATIONS
1	Role of Translocator Protein Density, a Marker of Neuroinflammation, in the Brain During Major Depressive Episodes. JAMA Psychiatry, 2015, 72, 268.	11.0	700
2	Elevated Monoamine Oxidase A Levels in the Brain. Archives of General Psychiatry, 2006, 63, 1209.	12.3	507
3	Serotonin Transporter Occupancy of Five Selective Serotonin Reuptake Inhibitors at Different Doses: An [ <sup>11</sup> C]DASB Positron Emission Tomography Study. American Journal of Psychiatry, 2004, 161, 826-835.	7.2	464
4	Dysfunctional Attitudes and 5-HT2Receptors During Depression and Self-Harm. American Journal of Psychiatry, 2003, 160, 90-99.	7.2	254
5	Autoimmune psychosis: an international consensus on an approach to the diagnosis and management of psychosis of suspected autoimmune origin. Lancet Psychiatry,the, 2020, 7, 93-108.	7.4	252
6	Association of translocator protein total distribution volume with duration of untreated major depressive disorder: a cross-sectional study. Lancet Psychiatry,the, 2018, 5, 339-347.	7.4	192
7	Elevated Brain Monoamine Oxidase A Binding in the Early Postpartum Period. Archives of General Psychiatry, 2010, 67, 468.	12.3	177
8	Brain Monoamine Oxidase A Binding in Major Depressive Disorder. Archives of General Psychiatry, 2009, 66, 1304.	12.3	166
9	Imaging Neuroinflammation in Gray and White Matter in Schizophrenia: An In-Vivo PET Study With [18F]-FEPPA. Schizophrenia Bulletin, 2015, 41, 85-93.	4.3	158
10	Neuroinflammation in psychiatric disorders: PET imaging and promising new targets. Lancet Psychiatry,the, 2020, 7, 1064-1074.	7.4	149
11	Elevated Putamen D <sub>2</sub> Receptor Binding Potential in Major Depression With Motor Retardation: An [ <sup>11</sup> C]Raclopride Positron Emission Tomography Study. American Journal of Psychiatry, 2006, 163, 1594-1602.	7.2	139
12	Bupropion occupancy of the dopamine transporter is low during clinical treatment. Psychopharmacology, 2002, 163, 102-105.	3.1	134
13	Inflammation in the Neurocircuitry of Obsessive-Compulsive Disorder. JAMA Psychiatry, 2017, 74, 833.	11.0	132
14	lmaging Microglial Activation in Untreated First-Episode Psychosis: A PET Study With [ <sup>18</sup> F]FEPPA. American Journal of Psychiatry, 2017, 174, 118-124.	7.2	103
15	Quantitation of Translocator Protein Binding in Human Brain with the Novel Radioligand [ <sup>18</sup> F]-FEPPA and Positron Emission Tomography. Journal of Cerebral Blood Flow and Metabolism, 2011, 31, 1807-1816.	4.3	98
16	Kinetic Modeling of the Monoamine Oxidase B Radioligand [ <sup>11</sup> C]SL25.1188 in Human Brain with High-Resolution Positron Emission Tomography. Journal of Cerebral Blood Flow and Metabolism, 2014, 34, 883-889.	4.3	83
17	Recent developments on PET radiotracers for TSPO and their applications in neuroimaging. Acta Pharmaceutica Sinica B, 2021, 11, 373-393.	12.0	82
18	β-blocker Binding to Human 5-HT1A Receptors in vivo and in vitro Implications for Antidepressant Therapy. Neuropsychopharmacology, 2000, 23, 285-293.	5.4	70

JEFFREY H MEYER

#	Article	IF	CITATIONS
19	Radiosynthesis of [ <sup>11</sup> C]SL25.1188 via [ <sup>11</sup> C]CO <sub>2</sub> fixation for imaging monoamine oxidase B. Journal of Labelled Compounds and Radiopharmaceuticals, 2011, 54, 678-680.	1.0	67
20	Relationship of Monoamine Oxidase-A Distribution Volume to Postpartum Depression and Postpartum Crying. Neuropsychopharmacology, 2015, 40, 429-435.	5.4	67
21	Greater Monoamine Oxidase A Binding in Perimenopausal Age as Measured With Carbon 11–Labeled Harmine Positron Emission Tomography. JAMA Psychiatry, 2014, 71, 873.	11.0	58
22	Elevated Monoamine Oxidase A Binding During Major Depressive Episodes Is Associated with Greater Severity and Reversed Neurovegetative Symptoms. Neuropsychopharmacology, 2014, 39, 973-980.	5.4	53
23	Applying Neuroimaging Ligands to Study Major Depressive Disorder. Seminars in Nuclear Medicine, 2008, 38, 287-304.	4.6	52
24	Classics in Neuroimaging: Development of PET Tracers for Imaging Monoamine Oxidases. ACS Chemical Neuroscience, 2019, 10, 1867-1871.	3.5	42
25	Increased Seasonal Variation in Serotonin Transporter Binding in Seasonal Affective Disorder. Neuropsychopharmacology, 2016, 41, 2447-2454.	5.4	40
26	Serotonin2A receptor binding potential in people with aggressive and violent behaviour. Journal of Psychiatry and Neuroscience, 2008, 33, 499-508.	2.4	39
27	Evidence Revealing Deregulation of The KLF11-Mao A Pathway in Association with Chronic Stress and Depressive Disorders. Neuropsychopharmacology, 2015, 40, 1373-1382.	5.4	35
28	Elevated Monoamine Oxidase-A Distribution Volume in Borderline Personality Disorder Is Associated With Severity Across Mood Symptoms, Suicidality, and Cognition. Biological Psychiatry, 2016, 79, 117-126.	1.3	35
29	Occupancy of Norepinephrine Transporter by Duloxetine in Human Brains Measured by Positron Emission Tomography with (S,S)-[18F]FMeNER-D2. International Journal of Neuropsychopharmacology, 2017, 20, 957-962.	2.1	35
30	In Vivo Imaging of Translocator Protein in Long-term Cannabis Users. JAMA Psychiatry, 2019, 76, 1305.	11.0	34
31	Translocator Protein Distribution Volume Predicts Reduction of Symptoms During Open-Label Trial of Celecoxib in Major Depressive Disorder. Biological Psychiatry, 2020, 88, 649-656.	1.3	32
32	Modeling of Receptor Ligand Data in PET and SPECT Imaging: A Review of Major Approaches. Journal of Neuroimaging, 2001, 11, 30-39.	2.0	29
33	Monoamine Oxidase-A Occupancy by Moclobemide and Phenelzine: Implications for the Development of Monoamine Oxidase Inhibitors. International Journal of Neuropsychopharmacology, 2016, 19, pyv078.	2.1	27
34	Association of ventral striatum monoamine oxidase-A binding and functional connectivity in antisocial personality disorder with high impulsivity: A positron emission tomography and functional magnetic resonance imaging study. European Neuropsychopharmacology, 2016, 26, 777-786.	0.7	26
35	Selective dietary supplementation in early postpartum is associated with high resilience against depressed mood. Proceedings of the National Academy of Sciences of the United States of America, 2017, 114, 3509-3514.	7.1	25
36	Neuroprogression and Immune Activation in Major Depressive Disorder. Modern Problems of Pharmacopsychiatry, 2017, 31, 27-36.	2.5	25

JEFFREY H MEYER

#	Article	IF	CITATIONS
37	Potential therapeutic benefits of cannabinoid products in adult psychiatric disorders: A systematic review and meta-analysis of randomised controlled trials. Journal of Psychiatric Research, 2021, 140, 267-281.	3.1	22
38	Greater Monoamine Oxidase A Binding in Alcohol Dependence. Biological Psychiatry, 2014, 75, 756-764.	1.3	21
39	Replicating predictive serum correlates of greater translocator protein distribution volume in brain. Neuropsychopharmacology, 2020, 45, 925-931.	5.4	20
40	Differential levels of prefrontal cortex glutamate+glutamine in adults with antisocial personality disorder and bipolar disorder: A proton magnetic resonance spectroscopy study. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2019, 93, 250-255.	4.8	19
41	Corticostriatal Connectivity in Antisocial Personality Disorder by MAO-A Genotype and Its Relationship to Aggressive Behavior. International Journal of Neuropsychopharmacology, 2018, 21, 725-733.	2.1	17
42	lmaging of astrocytes in posttraumatic stress disorder: A PET study with the monoamine oxidase B radioligand [11C]SL25.1188. European Neuropsychopharmacology, 2022, 54, 54-61.	0.7	16
43	No effect of oral l-tryptophan or alpha-lactalbumin on total tryptophan levels in breast milk. European Neuropsychopharmacology, 2015, 25, 779-787.	0.7	14
44	Neurochemical Imaging and Depressive Behaviours. Current Topics in Behavioral Neurosciences, 2012, 14, 101-134.	1.7	10
45	Microglia imaging in methamphetamine use disorder: a positron emission tomography study with the 18 kDa translocator protein radioligand [Fâ€18]FEPPA. Addiction Biology, 2021, 26, e12876.	2.6	10
46	In vivo imaging translocator protein (TSPO) in autism spectrum disorder. Neuropsychopharmacology, 2022, 47, 1421-1427.	5.4	10
47	Inflammation, Obsessive-Compulsive Disorder, and Related Disorders. Current Topics in Behavioral Neurosciences, 2021, 49, 31-53.	1.7	9
48	A double-blind placebo-controlled trial of minocycline on translocator protein distribution volume in treatment-resistant major depressive disorder. Translational Psychiatry, 2021, 11, 334.	4.8	9
49	No effect of oral tyrosine on total tyrosine levels in breast milk: implications for dietary supplementation in early postpartum. Archives of Women's Mental Health, 2014, 17, 541-548.	2.6	8
50	Effect of dysfunctional attitudes and postpartum state on vulnerability to depressed mood. Journal of Affective Disorders, 2014, 161, 16-20.	4.1	8
51	Subchronic glucocorticoids, glutathione depletion and a postpartum model elevate monoamine oxidase a activity in the prefrontal cortex of rats. Brain Research, 2017, 1666, 1-10.	2.2	7
52	Elevated monoamine oxidase A activity and protein levels in rodent brain during acute withdrawal after chronic intermittent ethanol vapor exposure. Drug and Alcohol Dependence, 2018, 185, 398-405.	3.2	7
53	Promising leads and pitfalls: a review of dietary supplements and hormone treatments to prevent postpartum blues and postpartum depression. Archives of Women's Mental Health, 2021, 24, 381-389.	2.6	7
54	Are There Therapeutic Benefits of Cannabinoid Products in Adult Mental Illness?. Canadian Journal of Psychiatry, 2021, 66, 185-194.	1.9	7

#	Article	IF	CITATIONS
55	Novel Phenotypes Detectable with PET in Mood Disorders. PET Clinics, 2017, 12, 361-371.	3.0	2
56	Serotonin transporter occupancy of SKL10406 in humans: comparison of pharmacokinetic-pharmacodynamic modeling methods for estimation of occupancy parameters. Translational and Clinical Pharmacology, 2014, 22, 83.	0.9	1