

Melana Yuzefpolskaya

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9948501/publications.pdf>

Version: 2024-02-01

39
papers

1,397
citations

623734

14
h-index

477307

29
g-index

39
all docs

39
docs citations

39
times ranked

1762
citing authors

#	ARTICLE	IF	CITATIONS
1	Angiotensin receptor neprilysin inhibitor use in patients with left ventricular assist devices: A single-center experience. <i>International Journal of Artificial Organs</i> , 2022, 45, 118-120.	1.4	2
2	Early microbial markers of periodontal and cardiometabolic diseases in ORIGINS. <i>Npj Biofilms and Microbiomes</i> , 2022, 8, 30.	6.4	7
3	The Impact of Intrapericardial versus Intrapleural HeartMate 3 Pump Placement on Clinical Outcomes. <i>Journal of Chest Surgery</i> , 2022, , .	0.5	0
4	Serial assessment of HeartMate 3 pump position and inflow angle and effects on adverse events. <i>European Journal of Cardio-thoracic Surgery</i> , 2021, 59, 1166-1173.	1.4	5
5	Safety of reduced anti-thrombotic strategy in patients with HeartMate 3 left ventricular assist device. <i>Journal of Heart and Lung Transplantation</i> , 2021, 40, 237-240.	0.6	11
6	Levels of Trimethylamine N-Oxide Remain Elevated Long Term After Left Ventricular Assist Device and Heart Transplantation and Are Independent From Measures of Inflammation and Gut Dysbiosis. <i>Circulation: Heart Failure</i> , 2021, 14, e007909.	3.9	14
7	Presence of Intracardiac Thrombus at the Time of Left Ventricular Assist Device Implantation Is Associated With an Increased Risk of Stroke and Death. <i>Journal of Cardiac Failure</i> , 2021, 27, 1367-1373.	1.7	4
8	Circulating Microbial Signatures and Cardiovascular Death in Patients WithÂESRD. <i>Kidney International Reports</i> , 2021, 6, 2617-2628.	0.8	7
9	Outcomes Associated with Obesity in Patients Undergoing Left Ventricular Assist Device Implantation: A Systematic Review and Meta-Analysis. <i>ASAIO Journal</i> , 2020, 66, 401-408.	1.6	21
10	Outcomes after heart transplantation for al compared to ATTR cardiac amyloidosis. <i>Clinical Transplantation</i> , 2020, 34, e14028.	1.6	15
11	Gut microbial diversity, inflammation, and oxidative stress are associated with tacrolimus dosing requirements early after heart transplantation. <i>PLoS ONE</i> , 2020, 15, e0233646.	2.5	15
12	Gut microbiota, endotoxemia, inflammation, and oxidative stress in patients with heart failure, left ventricular assist device, and transplant. <i>Journal of Heart and Lung Transplantation</i> , 2020, 39, 880-890.	0.6	65
13	Cystatin C- Versus Creatinine-Based Assessment of Renal Function and Prediction of Early Outcomes Among Patients With a Left Ventricular Assist Device. <i>Circulation: Heart Failure</i> , 2020, 13, e006326.	3.9	22
14	Plasma Trimethylamine-N-oxide and impaired glucose regulation: Results from The Oral Infections, Glucose Intolerance and Insulin Resistance Study (ORIGINS). <i>PLoS ONE</i> , 2020, 15, e0227482.	2.5	22
15	Title is missing!. , 2020, 15, e0227482.		0
16	Title is missing!. , 2020, 15, e0227482.		0
17	Title is missing!. , 2020, 15, e0227482.		0
18	Title is missing!. , 2020, 15, e0227482.		0

#	ARTICLE	IF	CITATIONS
19	Title is missing!. , 2020, 15, e0227482.		0
20	Title is missing!. , 2020, 15, e0227482.		0
21	Meta-Analysis Comparing Risk for Adverse Outcomes After Left Ventricular Assist Device Implantation in Patients With Versus Without Diabetes Mellitus. American Journal of Cardiology, 2019, 124, 1918-1923.	1.6	6
22	A Fully Magnetically Levitated Left Ventricular Assist Device â€” Final Report. New England Journal of Medicine, 2019, 380, 1618-1627.	27.0	837
23	Prognostic implications of serial outpatient blood pressure measurements in patients with an axial continuous-flow left ventricular assist device. Journal of Heart and Lung Transplantation, 2019, 38, 396-405.	0.6	20
24	Usefulness of Tricuspid Annular Diameter to Predict Late Right Sided Heart Failure in Patients With Left Ventricular Assist Device. American Journal of Cardiology, 2018, 122, 115-120.	1.6	26
25	Limited usefulness of endoscopic evaluation in patients with continuous-flow left ventricular assist devices and gastrointestinal bleeding. Journal of Heart and Lung Transplantation, 2018, 37, 723-732.	0.6	23
26	Prevalence, Predictors, and Prognostic Value of Residual Tricuspid Regurgitation in Patients With Left Ventricular Assist Device. Journal of the American Heart Association, 2018, 7, .	3.7	28
27	Changes in End-Organ Function in Patients With Prolonged Continuous-Flow Left Ventricular Assist Device Support. Annals of Thoracic Surgery, 2017, 103, 717-724.	1.3	38
28	Non-invasive measurement of peripheral, central and 24-hour blood pressure in patients with continuous-flow left ventricular assist device. Journal of Heart and Lung Transplantation, 2017, 36, 694-697.	0.6	10
29	Discriminatory performance of positive urine hemoglobin for detection of significant hemolysis in patients with continuous-flow left ventricular assist devices. Journal of Heart and Lung Transplantation, 2017, 36, 59-63.	0.6	11
30	Abstract 21416: Variation Across Centers and Predictors of Initial Immunosuppression Strategy After Heart Transplant. Circulation, 2017, 136, .	1.6	0
31	Abstract 20932: Dynamic Regulation of Myocardial Long Noncoding RNAs in Human Heart Failure and Reverse Remodeling With Left Ventricular Assist Device Support. Circulation, 2017, 136, .	1.6	0
32	Abstract 21350: Outcomes With Steroid-Free Maintenance Immunosuppression After Heart Transplant: Results From the United Network for Organ Sharing Registry. Circulation, 2017, 136, .	1.6	0
33	Hypertension and Stroke in Patients with Left Ventricular Assist Devices (LVADs). Current Hypertension Reports, 2016, 18, 12.	3.5	38
34	Advanced cardiovascular life support algorithm for the management of the hospitalized unresponsive patient on continuous flow left ventricular assist device support outside the intensive care unit. European Heart Journal: Acute Cardiovascular Care, 2016, 5, 522-526.	1.0	14
35	Giant Cell Arteritis as a Cause of Myocarditis and Atrial Fibrillation. Circulation: Heart Failure, 2016, 9, e002778.	3.9	14
36	Usefulness of a standard automated blood pressure monitor in patients with continuous-flow left ventricular assist devices. Journal of Heart and Lung Transplantation, 2015, 34, 1633-1635.	0.6	15

#	ARTICLE	IF	CITATIONS
37	Left Ventricular Decompression During Speed Optimization Ramps in Patients Supported by Continuous-Flow Left Ventricular Assist Devices: Device-Specific Performance Characteristics and Impact on Diagnostic Algorithms. <i>Journal of Cardiac Failure</i> , 2015, 21, 785-791.	1.7	69
38	Effect of pulmonary vascular resistance before left ventricular assist device implantation on short- and long-term post-transplant survival. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2015, 150, 1352-1361.e2.	0.8	35
39	Advances in systolic heart failure. <i>F1000 Medicine Reports</i> , 2010, 2, .	2.9	3