
Davide Spadaro

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/99521/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	First Report of Nut Rot Caused by <i>Neofusicoccum parvum</i> on Hazelnut (<i>Corylus) Tj ETQq1 1 0.784314</i>	rgBT /Ov	verlgck 10 Tf
2	Diagnosis and Assessment of Some Fungal Pathogens of Rice: Novel Methods Bring New Opportunities. Plant Pathology in the 21st Century, 2021, , 195-214.	0.6	0
3	Metagenomics Approaches for the Detection and Surveillance of Emerging and Recurrent Plant Pathogens. Microorganisms, 2021, 9, 188.	1.6	55
4	First Multi-Target Application of Exclusion Net in Nectarine Orchards: Effectiveness against Pests and Impact on Beneficial Arthropods, Postharvest Rots and Fruit Quality. Insects, 2021, 12, 210.	1.0	8
5	Pathogenicity of <i>Phytopythium chamaehyphon</i> : A New Player in Kiwifruit Vine Decline Syndrome of <i>Actinidia chinensis</i> var. <i>deliciosa</i> †Hayward' in Italy. Plant Disease, 2021, 105, 2781-2784.	0.7	8
6	Global analysis of the apple fruit microbiome: are all apples the same?. Environmental Microbiology, 2021, 23, 6038-6055.	1.8	64
7	First Report of <i>Stemphylium eturmiunum</i> Causing Postharvest Rot on Tomato (<i>Solanum) Tj ETQq1 1 0.</i>	.784314 0.7	rgBT /Overloo
8	Imaging the invasion of rice roots by the bakanae agent Fusarium fujikuroi using a GFP-tagged isolate. European Journal of Plant Pathology, 2021, 161, 25-36.	0.8	1
9	Presence of Powdery Mildew Caused by <i>Erysiphe corylacearum</i> on Hazelnut (<i>Corylus) Tj ETQq1 1 0.784</i>	1314 rgB 0.7	T /Qyerlock 1
10	CRISPR-Cas9-Based Discovery of the Verrucosidin Biosynthesis Gene Cluster in Penicillium polonicum. Frontiers in Microbiology, 2021, 12, 660871.	1.5	10
11	First Report of Brown Rot Caused by <i>Monilinia polystroma</i> on Apple in Italy. Plant Disease, 2021, 105, 3761.	0.7	2
12	Optimization of a Loop-Mediated Isothermal Amplification Assay for On-Site Detection of Fusarium fujikuroi in Rice Seed. Agronomy, 2021, 11, 1580.	1.3	2
13	First Report of <i>Erysiphe corylacearum</i> , Agent of Powdery Mildew, on Hazelnut (<i>Corylus) Tj ETQq1 1 0.7</i>	84314 rg 0.7	gBT ₄ Overlock
14	Sequencing of non-virulent strains of Fusarium fujikuroi reveals genes putatively involved in bakanae disease of rice. Fungal Genetics and Biology, 2021, 156, 103622.	0.9	4
15	Essential oils to control postharvest diseases of apples and peaches: elucidation of the mechanism of action. Acta Horticulturae, 2021, , 35-42.	0.1	3
16	Innovative Strategies for the ManagementÂof Aspergillus spp. and Penicillium spp. on Nuts. Plant Pathology in the 21st Century, 2021, , 111-127.	0.6	1
17	Photoselective exclusion netting in apple orchards: effectiveness against pests and impact on beneficial arthropods, fungal diseases and fruit quality. Pest Management Science, 2020, 76, 179-187.	1.7	24
18	Aspergillus fumigatus population dynamics and sensitivity to demethylation inhibitor fungicides in wholeâ€crop corn, high moisture corn and wet grain corn silages. Pest Management Science, 2020, 76, 685-694.	1.7	4

1

#	Article	IF	CITATIONS
19	Different Phenotypes, Similar Genomes: Three Newly Sequenced Fusarium fujikuroi Strains Induce Different Symptoms in Rice Depending on Temperature. Phytopathology, 2020, 110, 656-665.	1.1	11
20	Fungal Planet description sheets: 1042–1111. Persoonia: Molecular Phylogeny and Evolution of Fungi, 2020, 44, 301-459.	1.6	91
21	Monitoring and Surveillance of Aerial Mycobiota of Rice Paddy through DNA Metabarcoding and qPCR. Journal of Fungi (Basel, Switzerland), 2020, 6, 372.	1.5	12
22	Development of PCR, LAMP and qPCR Assays for the Detection of Aflatoxigenic Strains of Aspergillus flavus and A. parasiticus in Hazelnut. Toxins, 2020, 12, 757.	1.5	8
23	Characterizing the Fungal Microbiome in Date (Phoenix dactylifera) Fruit Pulp and Peel from Early Development to Harvest. Microorganisms, 2020, 8, 641.	1.6	19
24	HPLC-MS/MS Method for the Detection of Selected Toxic Metabolites Produced by Penicillium spp. in Nuts. Toxins, 2020, 12, 307.	1.5	7
25	Elaborated regulation of griseofulvin biosynthesis in Penicillium griseofulvum and its role on conidiation and virulence. International Journal of Food Microbiology, 2020, 328, 108687.	2.1	13
26	First Report of Phytopythium vexans Causing Decline Syndrome of Actinidia deliciosa â€~Hayward' in Italy. Plant Disease, 2020, 104, 2032.	0.7	21
27	New Molecular Tool for a Quick and Easy Detection of Apple Scab in the Field. Agronomy, 2020, 10, 581.	1.3	10
28	Diagnostics and Identification of Diseases, Insects and Mites. , 2020, , 231-258.		5
29	Development of a Sensitive TaqMan qPCR Assay for Detection and Quantification of <i>Venturia inaequalis</i> in Apple Leaves and Fruit and in Air Samples. Plant Disease, 2020, 104, 2851-2859.	0.7	8
30	Effect of Drying Temperatures and Exposure Times on Aspergillus flavus Growth and Aflatoxin Production on Artificially Inoculated Hazelnuts. Journal of Food Protection, 2020, 83, 1241-1247.	0.8	21
31	Advances in the use of biological control agents in the disinfection of horticultural produce. Burleigh Dodds Series in Agricultural Science, 2020, , 325-352.	0.1	0
32	Rapid Detection of <i>Monilinia fructicola</i> and <i>Monilinia laxa</i> on Peach and Nectarine using Loop-Mediated Isothermal Amplification. Plant Disease, 2019, 103, 2305-2314.	0.7	19
33	Increase in aflatoxins due to Aspergillus section Flavi multiplication during the aerobic deterioration of corn silage treated with different bacteria inocula. Journal of Dairy Science, 2019, 102, 1176-1193.	1.4	29
34	Biocontrol of Postharvest Diseases with Antagonistic Microorganisms. , 2019, , 463-498.		3
35	Stone Fruits. , 2019, , 111-140.		6

36 Sustainable Management of Plant Diseases. , 2019, , 337-359.

#	Article	IF	CITATIONS
37	Postharvest quality and health of kiwifruit â€~Hayward' affected by <i>Pseudomonas syringae</i> pv. <i>actinidiae</i> . Acta Horticulturae, 2019, , 91-96.	0.1	0
38	Pome Fruits. , 2019, , 55-110.		3
39	Development of Loop-Mediated Isothermal Amplification Assays for the Detection of Seedborne Fungal Pathogens <i>Fusarium fujikuroi</i> and <i>Magnaporthe oryzae</i> in Rice Seed. Plant Disease, 2018, 102, 1549-1558.	0.7	26
40	Native soils with their microbiotas elicit a state of alert in tomato plants. New Phytologist, 2018, 220, 1296-1308.	3.5	93
41	Not only priming: Soil microbiota may protect tomato from root pathogens. Plant Signaling and Behavior, 2018, 13, 1-9.	1.2	8
42	Rapid detection of <i>Fusarium oxysporum</i> f. sp. <i>lactucae</i> on soil, lettuce seeds and plants using loopâ€mediated isothermal amplification. Plant Pathology, 2018, 67, 1462-1473.	1.2	23
43	Pseudomonas syringae pv. actinidiae isolated from Actinidia chinensis Var. deliciosa in Northern Italy: genetic diversity and virulence. European Journal of Plant Pathology, 2018, 150, 191-204.	0.8	14
44	Unraveling the mode of antifungal action of Bacillus subtilis and Bacillus amyloliquefaciens as potential biocontrol agents against aflatoxigenic Aspergillus parasiticus. Food Control, 2018, 89, 300-307.	2.8	65
45	Characterization of Aspergillus section Flavi isolated from fresh chestnuts and along the chestnut flour process. Food Microbiology, 2018, 69, 159-169.	2.1	31
46	Chestnut Drying Is Critical in Determining Aspergillus flavus Growth and Aflatoxin Contamination. Toxins, 2018, 10, 530.	1.5	11
47	Genome Sequence, Assembly and Characterization of Two Metschnikowia fructicola Strains Used as Biocontrol Agents of Postharvest Diseases. Frontiers in Microbiology, 2018, 9, 593.	1.5	58
48	Thyme and Savory Essential Oil Vapor Treatments Control Brown Rot and Improve the Storage Quality of Peaches and Nectarines, but Could Favor Gray Mold. Foods, 2018, 7, 7.	1.9	52
49	Thyme and Savory Essential Oil Efficacy and Induction of Resistance against Botrytis cinerea through Priming of Defense Responses in Apple. Foods, 2018, 7, 11.	1.9	55
50	Several species of Penicillium isolated from chestnut flour processing are pathogenic on fresh chestnuts and produce mycotoxins. Food Microbiology, 2018, 76, 396-404.	2.1	30
51	First Report of Fruit Rot in European Pear Caused by Diaporthe eres in Italy. Plant Disease, 2018, 102, 2651-2651.	0.7	9
52	First Report of <i>Diaporthe eres</i> Causing Stem Canker on Peach (<i>Prunus persica</i>) in Italy. Plant Disease, 2017, 101, 1052-1052.	0.7	11
53	Development and Validation of a TaqMan Real-Time PCR Assay for the Specific Detection and Quantification of <i>Fusarium fujikuroi</i> in Rice Plants and Seeds. Phytopathology, 2017, 107, 885-892.	1.1	33
54	Abundance, genetic diversity and sensitivity to demethylation inhibitor fungicides of <i>Aspergillus fumigatus</i> isolates from organic substrates with special emphasis on compost. Pest Management Science, 2017, 73, 2481-2494.	1.7	11

#	Article	IF	CITATIONS
55	Efficacy of Bacillus subtilis and Bacillus amyloliquefaciens in the control of Aspergillus parasiticus growth and aflatoxins production on pistachio. International Journal of Food Microbiology, 2017, 254, 47-53.	2.1	51
56	Identification of bakanae disease resistance loci in japonica rice through genome wide association study. Rice, 2017, 10, 29.	1.7	43
57	Containment of Mycotoxins in the Food Chain by Using Decontamination and Detoxification Techniques. , 2017, , 163-177.		3
58	Organic seed treatments of vegetables to prevent seedborne diseases. Acta Horticulturae, 2017, , 23-32.	0.1	8
59	Smart micro-sensing: Antibodies and aptamer-based micro-ELISA as performing offline/on line tool for allergens and mycotoxins detection in foods. , 2017, , .		2
60	Static Hot Air and Infrared Rays Roasting are Efficient Methods for Aflatoxin Decontamination on Hazelnuts. Toxins, 2017, 9, 72.	1.5	20
61	Molecular differentiation of plant beneficial <i>Bacillus</i> strains useful as soil agro-inoculants. Acta Horticulturae, 2017, , 257-264.	0.1	0
62	The puzzle of bakanae disease through interactions between Fusarium fujikuroi and rice. Frontiers in Bioscience - Elite, 2017, 9, 333-344.	0.9	38
63	Use of Cold Atmospheric Plasma to Detoxify Hazelnuts from Aflatoxins. Toxins, 2016, 8, 125.	1.5	103
64	Characterization of Citrus-Associated Alternaria Species in Mediterranean Areas. PLoS ONE, 2016, 11, e0163255.	1.1	39
65	De novo sequencing and detection of secondary metabolite gene clusters of <i>Penicillium griseofulvum</i> . Acta Horticulturae, 2016, , 157-162.	0.1	0
66	Comparative transcriptome profiling of resistant and susceptible rice genotypes in response to the seedborne pathogen Fusarium fujikuroi. BMC Genomics, 2016, 17, 608.	1.2	99
67	Influence of plant genotype on the cultivable fungiÂassociated to tomato rhizosphere and roots in different soils. Fungal Biology, 2016, 120, 862-872.	1.1	39
68	The science, development, and commercialization of postharvest biocontrol products. Postharvest Biology and Technology, 2016, 122, 22-29.	2.9	271
69	Unraveling the mechanisms used by antagonistic yeast to control postharvest pathogens on fruit. Acta Horticulturae, 2016, , 63-70.	0.1	7
70	Genome sequencing and secondary metabolism of the postharvest pathogen Penicillium griseofulvum. BMC Genomics, 2016, 17, 19.	1.2	70
71	Effect of bacterial canker caused by Pseudomonas syringae pv. actinidiae on postharvest quality and rots of kiwifruit â€~Hayward'. Postharvest Biology and Technology, 2016, 113, 119-124.	2.9	6
72	Development of biocontrol products for postharvest diseases of fruit: The importance of elucidating the mechanisms of action of yeast antagonists. Trends in Food Science and Technology, 2016, 47, 39-49.	7.8	490

#	Article	IF	CITATIONS
73	First Report of <i>Tilletiopsis pallescens</i> Causing White Haze on Apple in Croatia. Plant Disease, 2016, 100, 225-225.	0.7	10
74	Evolution of fungal populations in corn silage conserved under polyethylene or biodegradable films. Journal of Applied Microbiology, 2015, 119, 510-520.	1.4	23
75	Efficacy of different chemical and biological products in the control of Pseudomonas syringae pv. actinidiae on kiwifruit. Australasian Plant Pathology, 2015, 44, 13-23.	0.5	33
76	Postharvest application of a novel chitinase cloned from Metschnikowia fructicola and overexpressed in Pichia pastoris to control brown rot of peaches. International Journal of Food Microbiology, 2015, 199, 54-61.	2.1	72
77	Genetic diversity and virulence of Italian strains of Fusarium oxysporum isolated from Eustoma grandiflorum. European Journal of Plant Pathology, 2015, 141, 83-97.	0.8	28
78	Jasmonic Acid, Abscisic Acid, and Salicylic Acid Are Involved in the Phytoalexin Responses of Rice to <i>Fusarium fujikuroi</i> , a High Gibberellin Producer Pathogen. Journal of Agricultural and Food Chemistry, 2015, 63, 8134-8142.	2.4	68
79	First Report of <i>Sclerotinia sclerotiorum</i> Causing Postharvest Sclerotinia Rot on Highbush Blueberry in Europe. Plant Disease, 2015, 99, 1648-1648.	0.7	1
80	Co-occurrence of aflatoxins and ochratoxin A in spices commercialized in Italy. Food Control, 2014, 39, 192-197.	2.8	66
81	Candida pruni sp. nov. is a new yeast species with antagonistic potential against brown rot of peaches. Archives of Microbiology, 2014, 196, 525-530.	1.0	15
82	Antagonistic yeasts and thermotherapy as seed treatments to control Fusarium fujikuroi on rice. Biological Control, 2014, 73, 59-67.	1.4	37
83	Biocontrol activity of an alkaline serine protease from Aureobasidium pullulans expressed in Pichia pastoris against four postharvest pathogens on apple. International Journal of Food Microbiology, 2014, 182-183, 1-8.	2.1	48
84	DISCOVERY, DEVELOPMENT AND TECHNOLOGY TRANSFER OF BIOCONTROL AGENTS FOR POSTHARVEST DISEASE CONTROL. Acta Horticulturae, 2014, , 23-36.	0.1	3
85	Use of Essential Oils to Control Postharvest Rots on Pome and Stone Fruit. , 2014, , 101-110.		6
86	Light affects fumonisin production in strains of Fusarium fujikuroi, Fusarium proliferatum, and Fusarium verticillioides isolated from rice. International Journal of Food Microbiology, 2013, 166, 515-523.	2.1	30
87	Development of a microcantilever-based immunosensing method for mycotoxin detection. Biosensors and Bioelectronics, 2013, 40, 233-239.	5.3	57
88	A new method for detection of five alternaria toxins in food matrices based on LC–APCI-MS. Food Chemistry, 2013, 140, 161-167.	4.2	80
89	A new strain of Metschnikowia fructicola for postharvest control of Penicillium expansum and patulin accumulation on four cultivars of apple. Postharvest Biology and Technology, 2013, 75, 1-8.	2.9	79
90	Efficacy of Plant Essential Oils on Postharvest Control of Rots Caused by Fungi on Different Stone Fruits In Vivo. Journal of Food Protection, 2013, 76, 631-639.	0.8	91

#	Article	IF	CITATIONS
91	Comparison of Clean-Up Methods for Ochratoxin A on Wine, Beer, Roasted Coffee and Chili Commercialized in Italy. Toxins, 2013, 5, 1827-1844.	1.5	32
92	Alcohol misuse among recent Latino immigrants: The protective role of preimmigration familismo Psychology of Addictive Behaviors, 2013, 27, 956-965.	1.4	27
93	Ochratoxigenic Black Species of Aspergilli in Grape Fruits of Northern Italy Identified by an Improved PCR-RFLP Procedure. Toxins, 2012, 4, 42-54.	1.5	23

Molecular characterization of Fusarium oxysporum f.sp. cichorii pathogenic on chicory (Cichorium) Tj ETQq0 0 0 rgBT/Overlock 10 Tf 50

95	Aflatoxin monitoring in Italian hazelnut products by LC-MS. Food Additives and Contaminants: Part B Surveillance, 2012, 5, 279-285.	1.3	23
96	Conventional and real-time PCR for the identification of Fusarium fujikuroi and Fusarium proliferatum from diseased rice tissues and seeds. European Journal of Plant Pathology, 2012, 134, 401-408.	0.8	46
97	Cloning, characterization, expression and antifungal activity of an alkaline serine protease of Aureobasidium pullulans PL5 involved in the biological control of postharvest pathogens. International Journal of Food Microbiology, 2012, 153, 453-464.	2.1	70
98	Use of 1-methylcylopropene in cyclodextrin-based nanosponges to control grey mould caused by Botrytis cinerea on Dianthus caryophyllus cut flowers. Postharvest Biology and Technology, 2012, 64, 55-57.	2.9	27
99	Genetic diversity and pathogenicity of Fusarium oxysporum isolated from wilted rocket plants in Italy. Phytoparasitica, 2012, 40, 157-170.	0.6	17
100	Potential of yeast antagonists on invitro biodegradation of ochratoxin A. Food Control, 2011, 22, 290-296.	2.8	67
101	Potential of Two Metschnikowia pulcherrima (Yeast) Strains for In Vitro Biodegradation of Patulin. Journal of Food Protection, 2011, 74, 154-156.	0.8	28
102	THE ROLE OF COMPETITION FOR IRON AND CELL WALL DEGRADING ENZYMES IN MECHANISM OF ACTION OF POSTHARVEST BIOCONTROL AGENTS. Acta Horticulturae, 2011, , 87-102.	0.1	4
103	Potential biocontrol activity of a strain of Pichia guilliermondii against grey mold of apples and its possible modes of action. Biological Control, 2011, 57, 193-201.	1.4	101
104	Cloning, characterization and expression of an exo-1,3-β-glucanase gene from the antagonistic yeast, Pichia guilliermondii strain M8 against grey mold on apples. Biological Control, 2011, 59, 284-293.	1.4	32
105	Specific PCR primers for the detection of isolates of Aspergillus carbonarius producing ochratoxin A on grapevine. Annals of Microbiology, 2011, 61, 267-272.	1.1	13
106	Phylogenecity and sequence alignment ofFusariummycotoxin gene (Fum 5) with other mycotoxin producing fungi. Archives of Phytopathology and Plant Protection, 2011, 44, 426-431.	0.6	0
107	Potential of ochratoxin A production by <i>Aspergillus carbonarius</i> strains isolated from grapes at different ecological factors. Archives of Phytopathology and Plant Protection, 2011, 44, 1802-1814.	0.6	1
108	First Report of <i>Penicillium griseofulvum</i> Causing Blue Mold on Stored Apples in Italy (Piedmont). Plant Disease, 2011, 95, 76-76.	0.7	6

#	Article	IF	CITATIONS
109	Phomopsins: an overview of phytopathological and chemical aspects, toxicity, analysis and occurrence. World Mycotoxin Journal, 2011, 4, 345-359.	0.8	31
110	Efficacy of yeast antagonists used individually or in combination with hot water dipping for control of postharvest brown rot of peaches. Journal of Plant Diseases and Protection, 2010, 117, 226-232.	1.6	14
111	EFFICACY OF BIOCONTROL YEASTS AGAINST PENICILLIUM EXPANSUM AND PATULIN ON DIFFERENT CULTIVARS OF APPLE IN POSTHARVEST. Acta Horticulturae, 2010, , 191-196.	0.1	1
112	Effect of culture media and pH on the biomass production and biocontrol efficacy of a <i>Metschnikowia pulcherrima</i> strain to be used as a biofungicide for postharvest disease control. Canadian Journal of Microbiology, 2010, 56, 128-137.	0.8	72
113	Potential of patulin production by Penicillium expansum strains on various fruits. Mycotoxin Research, 2010, 26, 257-265.	1.3	38
114	Selection and evaluation of new antagonists for their efficacy against postharvest brown rot of peaches. Postharvest Biology and Technology, 2010, 55, 174-181.	2.9	95
115	Efficacy of the antagonist Aureobasidium pullulans PL5 against postharvest pathogens of peach, apple and plum and its modes of action. Biological Control, 2010, 54, 172-180.	1.4	103
116	Efficacy of plant essential oils on postharvest control of rot caused by fungi on four cultivars of apples <i>in vivo</i> . Flavour and Fragrance Journal, 2010, 25, 171-177.	1.2	89
117	Molecular identification of <i>Fusarium</i> spp. associated with bakanae disease of rice in Italy and assessment of their pathogenicity. Plant Pathology, 2010, 59, 839-844.	1.2	98
118	The redox switch: dynamic regulation of protein function by cysteine modifications. Physiologia Plantarum, 2010, 138, 360-371.	2.6	178
119	Effect of culture age, protectants, and initial cell concentration on viability of freeze-dried cells of <i>Metschnikowia pulcherrima</i> . Canadian Journal of Microbiology, 2010, 56, 809-815.	0.8	19
120	Occurrence of ochratoxin A before bottling in DOC and DOCG wines produced in Piedmont (Northern) Tj ETQq0	0 0 rgBT /	Overlock 10
121	First Report of <i>Penicillium glabrum</i> Causing a Postharvest Fruit Rot of Pomegranate (<i>Punica) Tj ETQq1</i>	1 0.78431 0.7	l4 rgBT /Ove 12
122	Effectiveness of control strategies against <i>Botrytis cinerea</i> in vineyard and evaluation of the residual fungicide concentrations. Journal of Environmental Science and Health - Part B Pesticides, Food Contaminants, and Agricultural Wastes, 2009, 44, 389-396.	0.7	21
123	Detection of enzymatic activity and partial sequence of a chitinase gene in Metschnikowia pulcherrima strain MACH1 used as post-harvest biocontrol agent. European Journal of Plant Pathology, 2009, 123, 183-193.	0.8	56
124	Scientific information on mycotoxins and natural plant toxicants. EFSA Supporting Publications, 2009, 6, 24E.	0.3	32
125	First Report of Brown Rot of Stone Fruit Caused by <i>Monilinia fructicola</i> in Italy. Plant Disease, 2009, 93, 668-668.	0.7	55
126	Metschnikowia pulcherrima strain MACH1 outcompetes Botrytis cinerea, Alternaria alternata and Penicillium expansum in apples through iron depletion. Postharvest Biology and Technology, 2008, 49, 121-128.	2.9	189

#	Article	IF	CITATIONS
127	Use of AFLP for differentiation of Metschnikowia pulcherrima strains for postharvest disease biological control. Microbiological Research, 2008, 163, 523-530.	2.5	40
128	Occurrence of patulin and its dietary intake through pear, peach, and apricot juices in Italy. Food Additives and Contaminants: Part B Surveillance, 2008, 1, 134-139.	1.3	35
129	Incidence and level of patulin contamination in pure and mixed apple juices marketed in Italy. Food Control, 2007, 18, 1098-1102.	2.8	92
130	Low levels of ochratocin A in wines from Piedmont. Communications in Agricultural and Applied Biological Sciences, 2007, 72, 327-32.	0.0	2
131	Control of soilborne pathogens of tomato using a commercial formulation of Streptomyces griseoviridis and solarization. Crop Protection, 2006, 25, 468-475.	1.0	172
132	Improving the efficacy of biocontrol agents against soilborne pathogens. Crop Protection, 2005, 24, 601-613.	1.0	225
133	INTEGRATED APPROACHES FOR SOIL DISINFESTATION. Acta Horticulturae, 2005, , 91-98.	0.1	0
134	Control of Penicillium expansum and Botrytis cinerea on apple combining a biocontrol agent with hot water dipping and acibenzolar-S-methyl, baking soda, or ethanol application. Postharvest Biology and Technology, 2004, 33, 141-151.	2.9	95
135	State of the art and future prospects of the biological control of postharvest fruit diseases. International Journal of Food Microbiology, 2004, 91, 185-194.	2.1	303
136	Mechanisms of action and efficacy of four isolates of the yeast Metschnikowia pulcherrima active against postharvest pathogens on apples. Postharvest Biology and Technology, 2002, 24, 123-134.	2.9	148
137	Opportunities and constraints in the development of antagonistic yeasts for the control of postharvest diseases of fruit. Stewart Postharvest Review, 0.6 , 1-8	0.7	4