Dilson E Rassier

List of Publications by Citations

Source: https://exaly.com/author-pdf/995940/dilson-e-rassier-publications-by-citations.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

82
papers
1,693
citations
4.7
ext. papers
2,005
ext. citations
25
h-index
4.7
avg, IF
L-index

#	Paper	IF	Citations
82	Stretch-induced, steady-state force enhancement in single skeletal muscle fibers exceeds the isometric force at optimum fiber length. <i>Journal of Biomechanics</i> , 2003 , 36, 1309-16	2.9	80
81	Dynamics of individual sarcomeres during and after stretch in activated single myofibrils. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2003 , 270, 1735-40	4.4	74
80	Reactive oxygen/nitrogen species and contractile function in skeletal muscle during fatigue and recovery. <i>Journal of Physiology</i> , 2016 , 594, 5149-60	3.9	71
79	Force enhancement in single skeletal muscle fibres on the ascending limb of the force-length relationship. <i>Journal of Experimental Biology</i> , 2004 , 207, 2787-91	3	67
78	Considerations on the history dependence of muscle contraction. <i>Journal of Applied Physiology</i> , 2004 , 96, 419-27	3.7	65
77	Active force inhibition and stretch-induced force enhancement in frog muscle treated with BDM. Journal of Applied Physiology, 2004 , 97, 1395-400	3.7	53
76	Pre-power stroke cross bridges contribute to force during stretch of skeletal muscle myofibrils. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2008 , 275, 2577-86	4.4	47
75	The increase in non-cross-bridge forces after stretch of activated striated muscle is related to titin isoforms. <i>American Journal of Physiology - Cell Physiology</i> , 2016 , 310, C19-26	5.4	44
74	The mechanisms of the residual force enhancement after stretch of skeletal muscle: non-uniformity in half-sarcomeres and stiffness of titin. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2012 , 279, 2705-13	4.4	40
73	Force produced by isolated sarcomeres and half-sarcomeres after an imposed stretch. <i>American Journal of Physiology - Cell Physiology</i> , 2012 , 302, C240-8	5.4	39
72	Arginylation regulates myofibrils to maintain heart function and prevent dilated cardiomyopathy. Journal of Molecular and Cellular Cardiology, 2012 , 53, 333-41	5.8	38
71	The effects of length on fatigue and twitch potentiation in human skeletal muscle. <i>Clinical Physiology</i> , 2000 , 20, 474-82		37
70	Sarcomere mechanics in striated muscles: from molecules to sarcomeres to cells. <i>American Journal of Physiology - Cell Physiology</i> , 2017 , 313, C134-C145	5.4	36
69	History-dependent properties of skeletal muscle myofibrils contracting along the ascending limb of the force-length relationship. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2010 , 277, 475-84	4.4	36
68	Prolonged controlled mechanical ventilation in humans triggers myofibrillar contractile dysfunction and myofilament protein loss in the diaphragm. <i>Thorax</i> , 2016 , 71, 436-45	7.3	36
67	Poorly understood aspects of striated muscle contraction. <i>BioMed Research International</i> , 2015 , 2015, 245154	3	34
66	Nitrosative modifications of the Ca2+ release complex and actin underlie arthritis-induced muscle weakness. <i>Annals of the Rheumatic Diseases</i> , 2015 , 74, 1907-14	2.4	34

(2002-2003)

65	Stretch-induced force enhancement and stability of skeletal muscle myofibrils. <i>Advances in Experimental Medicine and Biology</i> , 2003 , 538, 501-15; discussion 515	3.6	34
64	Effects of shortening on stretch-induced force enhancement in single skeletal muscle fibers. Journal of Biomechanics, 2004 , 37, 1305-12	2.9	33
63	Reduction in single muscle fiber rate of force development with aging is not attenuated in world class older masters athletes. <i>American Journal of Physiology - Cell Physiology</i> , 2016 , 310, C318-27	5.4	32
62	A non-cross-bridge, static tension is present in permeabilized skeletal muscle fibers after active force inhibition or actin extraction. <i>American Journal of Physiology - Cell Physiology</i> , 2012 , 302, C566-74	5.4	32
61	The mechanical behavior of individual sarcomeres of myofibrils isolated from rabbit psoas muscle. American Journal of Physiology - Cell Physiology, 2009 , 297, C1211-9	5.4	32
60	Relationship between force and stiffness in muscle fibers after stretch. <i>Journal of Applied Physiology</i> , 2005 , 99, 1769-75	3.7	29
59	Modulation of passive force in single skeletal muscle fibres. <i>Biology Letters</i> , 2005 , 1, 342-5	3.6	28
58	Non-crossbridge forces in activated striated muscles: a titin dependent mechanism of regulation?. <i>Journal of Muscle Research and Cell Motility</i> , 2015 , 36, 37-45	3.5	26
57	Arginylation of myosin heavy chain regulates skeletal muscle strength. Cell Reports, 2014, 8, 470-6	10.6	25
56	Force produced after stretch in sarcomeres and half-sarcomeres isolated from skeletal muscles. <i>Scientific Reports</i> , 2013 , 3, 2320	4.9	25
55	Residual force enhancement is regulated by titin in skeletal and cardiac myofibrils. <i>Journal of Physiology</i> , 2017 , 595, 2085-2098	3.9	24
54	Residual force enhancement in skeletal muscles: one sarcomere after the other. <i>Journal of Muscle Research and Cell Motility</i> , 2012 , 33, 155-65	3.5	24
53	Length-dependent twitch contractile characteristics of skeletal muscle. <i>Canadian Journal of Physiology and Pharmacology</i> , 2002 , 80, 993-1000	2.4	24
52	Sarcomere dynamics in skeletal muscle myofibrils during isometric contractions. <i>Journal of Biomechanics</i> , 2009 , 42, 2808-12	2.9	23
51	Attenuation of myosin light chain phosphorylation and posttetanic potentiation in atrophied skeletal muscle. <i>Pflugers Archiv European Journal of Physiology</i> , 1997 , 434, 848-51	4.6	23
50	Blebbistatin Effects Expose Hidden Secrets in the Force-Generating Cycle of Actin and Myosin. <i>Biophysical Journal</i> , 2018 , 115, 386-397	2.9	21
49	Effects of blebbistatin and Ca2+ concentration on force produced during stretch of skeletal muscle fibers. <i>American Journal of Physiology - Cell Physiology</i> , 2010 , 299, C1127-35	5.4	21
48	Force enhancement following an active stretch in skeletal muscle. <i>Journal of Electromyography and Kinesiology</i> , 2002 , 12, 471-7	2.5	20

47	Prolonged force depression after mechanically demanding contractions is largely independent of Ca and reactive oxygen species. <i>FASEB Journal</i> , 2017 , 31, 4809-4820	0.9	19
46	Sarcomere length-dependence of activity-dependent twitch potentiation in mouse skeletal muscle. <i>BMC Physiology</i> , 2002 , 2, 19	О	19
45	Do Actomyosin Single-Molecule Mechanics Data Predict Mechanics of Contracting Muscle?. <i>International Journal of Molecular Sciences</i> , 2018 , 19,	6.3	19
44	Masticatory muscles of mouse do not undergo atrophy in space. FASEB Journal, 2015, 29, 2769-79	0.9	16
43	Contractility of myofibrils from the heart and diaphragm muscles measured with atomic force cantilevers: effects of heart-specific deletion of arginyl-tRNA-protein transferase. <i>International Journal of Cardiology</i> , 2013 , 168, 3564-71	3.2	16
42	Force enhancement and relaxation rates after stretch of activated muscle fibres. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2005 , 272, 475-80	4.4	16
41	Hypertrophic cardiomyopathy R403Q mutation in rabbit Emyosin reduces contractile function at the molecular and myofibrillar levels. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018 , 115, 11238-11243	11.5	16
40	Skeletal MyBP-C isoforms tune the molecular contractility of divergent skeletal muscle systems. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019 , 116, 21882-21892	11.5	15
39	Reduced passive force in skeletal muscles lacking protein arginylation. <i>American Journal of Physiology - Cell Physiology</i> , 2016 , 310, C127-35	5.4	15
38	KBTBD13 is an actin-binding protein that modulates muscle kinetics. <i>Journal of Clinical Investigation</i> , 2020 , 130, 754-767	15.9	15
37	The effects of Ca2+ and MgADP on force development during and after muscle length changes. <i>PLoS ONE</i> , 2013 , 8, e68866	3.7	14
36	Effects of pH on the length-dependent twitch potentiation in skeletal muscle. <i>Journal of Applied Physiology</i> , 2002 , 92, 1293-9	3.7	14
35	Thixotropy and rheopexy of muscle fibers probed using sinusoidal oscillations. <i>PLoS ONE</i> , 2015 , 10, e012	<u>23</u> .726	13
34	High-speed AFM reveals subsecond dynamics of cardiac thin filaments upon Ca activation and heavy meromyosin binding. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019 , 116, 16384-16393	11.5	13
33	Pre-power-stroke cross-bridges contribute to force transients during imposed shortening in isolated muscle fibers. <i>PLoS ONE</i> , 2012 , 7, e29356	3.7	12
32	Contractile characteristics of sarcomeres arranged in series or mechanically isolated from myofibrils. <i>Advances in Experimental Medicine and Biology</i> , 2010 , 682, 123-40	3.6	12
31	Staircase but not posttetanic potentiation in rat muscle after spinal cord hemisection. <i>Muscle and Nerve</i> , 2008 , 38, 1455-1465	3.4	11
30	Dysfunctional sarcomere contractility contributes to muscle weakness in ACTA1-related nemaline myopathy (NEM3). <i>Annals of Neurology</i> , 2018 , 83, 269-282	9.4	10

(2020-2017)

29	Microfluidic perfusion shows intersarcomere dynamics within single skeletal muscle myofibrils. Proceedings of the National Academy of Sciences of the United States of America, 2017, 114, 8794-8799	11.5	10
28	Oxidative hotspots on actin promote skeletal muscle weakness in rheumatoid arthritis. <i>JCI Insight</i> , 2019 , 5,	9.9	10
27	Forces measured with micro-fabricated cantilevers during actomyosin interactions produced by filaments containing different myosin isoforms and loop 1 structures. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2013 , 1830, 2710-2719	4	9
26	MgADP activation contributes to force enhancement during fast stretch of isolated skeletal myofibrils. <i>Biochemical and Biophysical Research Communications</i> , 2015 , 463, 1129-34	3.4	8
25	Sarcomere Length Nonuniformity and Force Regulation in Myofibrils and Sarcomeres. <i>Biophysical Journal</i> , 2020 , 119, 2372-2377	2.9	8
24	Mechanical ventilation causes diaphragm dysfunction in newborn lambs. <i>Critical Care</i> , 2019 , 23, 123	10.8	6
23	Force generated by myosin cross-bridges is reduced in myofibrils exposed to ROS/RNS. <i>American Journal of Physiology - Cell Physiology</i> , 2019 , 317, C1304-C1312	5.4	5
22	Nonlinear Actomyosin Elasticity in Muscle?. <i>Biophysical Journal</i> , 2019 , 116, 330-346	2.9	5
21	Protein arginylation of cytoskeletal proteins in the muscle: modifications modifying function. <i>American Journal of Physiology - Cell Physiology</i> , 2019 , 316, C668-C677	5.4	5
20	Sarcomere Stiffness during Stretching and Shortening of Rigor Skeletal Myofibrils. <i>Biophysical Journal</i> , 2017 , 113, 2768-2776	2.9	5
19	A technique for simultaneous measurement of force and overlap between single muscle filaments of myosin and actin. <i>Biochemical and Biophysical Research Communications</i> , 2010 , 403, 351-6	3.4	5
18	Posttranslational Arginylation Regulates Striated Muscle Function. <i>Exercise and Sport Sciences Reviews</i> , 2016 , 44, 98-103	6.7	5
17	The load dependence and the force-velocity relation in intact myosin filaments from skeletal and smooth muscles. <i>American Journal of Physiology - Cell Physiology</i> , 2020 , 318, C103-C110	5.4	5
16	Stretch and shortening of skeletal muscles activated along the ascending limb of the force-length relation. <i>Advances in Experimental Medicine and Biology</i> , 2010 , 682, 175-89	3.6	5
15	Residual force depression in single sarcomeres is abolished by MgADP-induced activation. <i>Scientific Reports</i> , 2015 , 5, 10555	4.9	4
14	Extraction of Thick Filaments in Individual Sarcomeres Affects Force Production by Single Myofibrils. <i>Biophysical Journal</i> , 2020 , 118, 1921-1929	2.9	4
13	The effects of fatigue and oxidation on contractile function of intact muscle fibers and myofibrils isolated from the mouse diaphragm. <i>Scientific Reports</i> , 2019 , 9, 4422	4.9	3
12	Sarcomere length non-uniformities dictate force production along the descending limb of the force-length relation. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2020 , 287, 20202133	4.4	3

11	Cleavage of loops 1 and 2 in skeletal muscle heavy meromyosin (HMM) leads to a decreased function. <i>Archives of Biochemistry and Biophysics</i> , 2019 , 661, 168-177	4.1	3
10	Length-dependent Ca2+ activation in skeletal muscle fibers from mammalians. <i>American Journal of Physiology - Cell Physiology</i> , 2016 , 311, C201-11	5.4	2
9	Reply to "Letter to the editor: Comments on Cornachione et al. (2016): "The increase in non-cross-bridge forces after stretch of activated striated muscle is related to titin isoforms". <i>American Journal of Physiology - Cell Physiology</i> , 2016 , 311, C160-1	5.4	2
8	Reply to "Letter to the editor: Titin-actin interaction: the report of its death was an exaggeration". <i>American Journal of Physiology - Cell Physiology</i> , 2016 , 310, C623	5.4	2
7	Millisecond Conformational Dynamics of Skeletal Myosin II Power Stroke Studied by High-Speed Atomic Force Microscopy. <i>ACS Nano</i> , 2021 , 15, 2229-2239	16.7	2
6	Force enhancement after stretch of isolated myofibrils is increased by sarcomere length non-uniformities. <i>Scientific Reports</i> , 2020 , 10, 21590	4.9	1
5	Twenty-one days of low-intensity eccentric training improve morphological characteristics and function of soleus muscles of mdx mice. <i>Scientific Reports</i> , 2021 , 11, 3579	4.9	1
4	Striated muscles: from molecules to cells. <i>Advances in Experimental Medicine and Biology</i> , 2010 , 682, 1-6	3.6	1
3	Molecular basis of force development by skeletal muscles during and after stretch. <i>MCB Molecular and Cellular Biomechanics</i> , 2009 , 6, 229-41	1.2	1
2	Chapter 7 The Static Tension in Skeletal Muscles and Its Regulation by Titin 2016 , 193-208		
1	Two Kinases to Soften the Heart. <i>Biophysical Journal</i> , 2016 , 110, 289-291	2.9	