

# Vanessa Fierro

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/996141/publications.pdf>

Version: 2024-02-01

348  
papers

12,680  
citations

20759

60  
h-index

42291

92  
g-index

356  
all docs

356  
docs citations

356  
times ranked

11383  
citing authors

#	ARTICLE	IF	CITATIONS
1	Adsorption of phenol onto activated carbons having different textural and surface properties. <i>Microporous and Mesoporous Materials</i> , 2008, 111, 276-284.	2.2	452
2	Hollow carbon spheres, synthesis and applications – a review. <i>Journal of Materials Chemistry A</i> , 2016, 4, 12686-12713.	5.2	266
3	2-Steps KOH activation of rice straw: An efficient method for preparing high-performance activated carbons. <i>Bioresource Technology</i> , 2009, 100, 3941-3947.	4.8	253
4	Tetracycline adsorption onto activated carbons produced by KOH activation of tyre pyrolysis char. <i>Chemosphere</i> , 2016, 149, 168-176.	4.2	234
5	Review of the current technologies and performances of hydrogen compression for stationary and automotive applications. <i>Renewable and Sustainable Energy Reviews</i> , 2019, 102, 150-170.	8.2	227
6	Ethanol reforming for hydrogen production in a hybrid electric vehicle: process optimisation. <i>Journal of Power Sources</i> , 2002, 105, 26-34.	4.0	194
7	Tannin-based carbon foams. <i>Carbon</i> , 2009, 47, 1480-1492.	5.4	188
8	Activated carbons prepared from wood particleboard wastes: Characterisation and phenol adsorption capacities. <i>Journal of Hazardous Materials</i> , 2009, 166, 491-501.	6.5	186
9	Tannin-based rigid foams: A survey of chemical and physical properties. <i>Bioresource Technology</i> , 2009, 100, 5162-5169.	4.8	181
10	Oxidative reforming of biomass derived ethanol for hydrogen production in fuel cell applications. <i>Catalysis Today</i> , 2002, 75, 141-144.	2.2	148
11	Influence of Porous Texture and Surface Chemistry on the CO <sub>2</sub> Adsorption Capacity of Porous Carbons: Acidic and Basic Site Interactions. <i>ACS Applied Materials &amp; Interfaces</i> , 2014, 6, 21237-21247.	4.0	147
12	Ethanol oxidative steam reforming over Ni-based catalysts. <i>Journal of Power Sources</i> , 2005, 145, 659-666.	4.0	140
13	Arsenic removal by iron-doped activated carbons prepared by ferric chloride forced hydrolysis. <i>Journal of Hazardous Materials</i> , 2009, 168, 430-437.	6.5	137
14	Kraft lignin as a precursor for microporous activated carbons prepared by impregnation with ortho-phosphoric acid: Synthesis and textural characterisation. <i>Microporous and Mesoporous Materials</i> , 2006, 92, 243-250.	2.2	134
15	On-board hydrogen production in a hybrid electric vehicle by bio-ethanol oxidative steam reforming over Ni and noble metal based catalysts. <i>Green Chemistry</i> , 2003, 5, 20-24.	4.6	133
16	Nitrogen-doped carbon materials produced from hydrothermally treated tannin. <i>Carbon</i> , 2012, 50, 5411-5420.	5.4	127
17	New tannin–lignin aerogels. <i>Industrial Crops and Products</i> , 2013, 41, 347-355.	2.5	127
18	Rice straw as precursor of activated carbons: Activation with ortho-phosphoric acid. <i>Journal of Hazardous Materials</i> , 2010, 181, 27-34.	6.5	123

#	ARTICLE	IF	CITATIONS
19	Activated carbons from lignin: kinetic modeling of the pyrolysis of Kraft lignin activated with phosphoric acid. <i>Chemical Engineering Journal</i> , 2005, 106, 1-12.	6.6	118
20	Methodical study of the chemical activation of Kraft lignin with KOH and NaOH. <i>Microporous and Mesoporous Materials</i> , 2007, 101, 419-431.	2.2	117
21	Preparing a Suitable Material Designed for Methane Storage: A Comprehensive Report. <i>Energy &amp; Fuels</i> , 2005, 19, 573-583.	2.5	114
22	PLA with Intumescent System Containing Lignin and Ammonium Polyphosphate for Flame Retardant Textile. <i>Polymers</i> , 2016, 8, 331.	2.0	112
23	Synthesis, characterization and performance in arsenic removal of iron-doped activated carbons prepared by impregnation with Fe(III) and Fe(II). <i>Journal of Hazardous Materials</i> , 2009, 165, 893-902.	6.5	109
24	Comparison of the thermal, dynamic mechanical and morphological properties of PLA-Lignin & PLA-Tannin particulate green composites. <i>Composites Part B: Engineering</i> , 2015, 82, 92-99.	5.9	107
25	Lignin-phenol-formaldehyde aerogels and cryogels. <i>Microporous and Mesoporous Materials</i> , 2013, 168, 19-29.	2.2	105
26	The use of tannin to prepare carbon gels. Part I: Carbon aerogels. <i>Carbon</i> , 2011, 49, 2773-2784.	5.4	101
27	Pine tannin-based rigid foams: Mechanical and thermal properties. <i>Industrial Crops and Products</i> , 2013, 43, 245-250.	2.5	101
28	Effect of composition and processing parameters on the characteristics of tannin-based rigid foams. Part I: Cell structure. <i>Materials Chemistry and Physics</i> , 2010, 122, 175-182.	2.0	100
29	Biopolymers-based nanocomposites: Membranes from propionated lignin and cellulose for water purification. <i>Carbohydrate Polymers</i> , 2011, 86, 732-741.	5.1	96
30	Mechanical properties of tannin-based rigid foams undergoing compression. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2010, 527, 4438-4446.	2.6	93
31	Enhanced resolution of ultra micropore size determination of biochars and activated carbons by dual gas analysis using N <sub>2</sub> and CO <sub>2</sub> with 2D-NLDFT adsorption models. <i>Carbon</i> , 2019, 144, 206-215.	5.4	86
32	Catalytic decomposition of methane over a wood char concurrently activated by a pyrolysis gas. <i>Applied Catalysis A: General</i> , 2008, 346, 164-173.	2.2	85
33	The use of tannin to prepare carbon gels. Part II. Carbon cryogels. <i>Carbon</i> , 2011, 49, 2785-2794.	5.4	85
34	Flammability assessment of tannin-based cellular materials. <i>Polymer Degradation and Stability</i> , 2011, 96, 477-482.	2.7	80
35	Model predictions and experimental results on self-heating prevention of stockpiled coals. <i>Fuel</i> , 2001, 80, 125-134.	3.4	79
36	Experimental evidence of an upper limit for hydrogen storage at 77 K on activated carbons. <i>Carbon</i> , 2010, 48, 1902-1911.	5.4	79

#	ARTICLE	IF	CITATIONS
37	Removal of Lignin and Associated Impurities from Xylo-oligosaccharides by Activated Carbon Adsorption. <i>Industrial &amp; Engineering Chemistry Research</i> , 2006, 45, 2294-2302.	1.8	78
38	Tetracycline removal with activated carbons produced by hydrothermal carbonisation of Agave americana fibres and mimosa tannin. <i>Industrial Crops and Products</i> , 2018, 115, 146-157.	2.5	78
39	Electromagnetic properties of model vitreous carbon foams. <i>Carbon</i> , 2017, 122, 217-227.	5.4	77
40	A review of natural materials for solar evaporation. <i>Solar Energy Materials and Solar Cells</i> , 2021, 219, 110814.	3.0	77
41	A new method for preparing tannin-based foams. <i>Industrial Crops and Products</i> , 2014, 54, 40-53.	2.5	76
42	Influence of the demineralisation on the chemical activation of Kraft lignin with orthophosphoric acid. <i>Journal of Hazardous Materials</i> , 2007, 149, 126-133.	6.5	75
43	Effect of composition and processing parameters on the characteristics of tannin-based rigid foams. Part II: Physical properties. <i>Materials Chemistry and Physics</i> , 2010, 123, 210-217.	2.0	75
44	Prevention of spontaneous combustion in coal stockpiles. <i>Fuel Processing Technology</i> , 1999, 59, 23-34.	3.7	74
45	Study of the decomposition of kraft lignin impregnated with orthophosphoric acid. <i>Thermochimica Acta</i> , 2005, 433, 142-148.	1.2	74
46	Activated carbons doped with Pd nanoparticles for hydrogen storage. <i>International Journal of Hydrogen Energy</i> , 2012, 37, 5072-5080.	3.8	73
47	Optimization of activated carbons for hydrogen storage. <i>International Journal of Hydrogen Energy</i> , 2011, 36, 11746-11751.	3.8	72
48	Energy Storage in Supercapacitors: Focus on Tannin-Derived Carbon Electrodes. <i>Frontiers in Materials</i> , 2020, 7, .	1.2	72
49	Biopolymer-based nanocomposites: effect of lignin acetylation in cellulose triacetate films. <i>Science and Technology of Advanced Materials</i> , 2011, 12, 045006.	2.8	71
50	Epoxy composites filled with high surface area-carbon fillers: Optimization of electromagnetic shielding, electrical, mechanical, and thermal properties. <i>Journal of Applied Physics</i> , 2013, 114, 164304.	1.1	71
51	Adsorption and compression contributions to hydrogen storage in activated anthracites. <i>International Journal of Hydrogen Energy</i> , 2010, 35, 9038-9045.	3.8	67
52	Cytotoxicity and Genotoxicity of Nanosized and Microsized Titanium Dioxide and Iron Oxide Particles in Syrian Hamster Embryo Cells. <i>Annals of Occupational Hygiene</i> , 2012, 56, 631-44.	1.9	67
53	Tailoring the structure of cellular vitreous carbon foams. <i>Carbon</i> , 2012, 50, 2026-2036.	5.4	67
54	Hydrothermally treated aminated tannin as precursor of N-doped carbon gels for supercapacitors. <i>Carbon</i> , 2015, 90, 63-74.	5.4	67

#	ARTICLE	IF	CITATIONS
55	Electrochemical Reduction of Oxygen on Hydrophobic Ultramicroporous PolyHIPE Carbon. <i>ACS Catalysis</i> , 2016, 6, 5618-5628.	5.5	67
56	Effect of deashing rice straws on their derived activated carbons produced by phosphoric acid activation. <i>Biomass and Bioenergy</i> , 2011, 35, 1954-1959.	2.9	66
57	Modelling the reactions of cellulose, hemicellulose and lignin submitted to hydrothermal treatment. <i>Industrial Crops and Products</i> , 2018, 124, 919-930.	2.5	66
58	Reaction of condensed tannins with ammonia. <i>Industrial Crops and Products</i> , 2013, 44, 330-335.	2.5	63
59	Emulsion-templated porous carbon monoliths derived from tannins. <i>Carbon</i> , 2014, 74, 352-362.	5.4	63
60	Outstanding electrochemical performance of highly N- and O-doped carbons derived from pine tannin. <i>Green Chemistry</i> , 2017, 19, 2653-2665.	4.6	63
61	Adsorption of Bisphenol A on KOH-activated tyre pyrolysis char. <i>Journal of Environmental Chemical Engineering</i> , 2018, 6, 823-833.	3.3	63
62	Detection and quantification of lung cancer biomarkers by a micro-analytical device using a single metal oxide-based gas sensor. <i>Sensors and Actuators B: Chemical</i> , 2018, 255, 391-400.	4.0	63
63	Synthesis of perfectly ordered mesoporous carbons by water-assisted mechanochemical self-assembly of tannin. <i>Green Chemistry</i> , 2018, 20, 5123-5132.	4.6	62
64	Best practices for ORR performance evaluation of metal-free porous carbon electrocatalysts. <i>Carbon</i> , 2022, 189, 349-361.	5.4	61
65	Electromagnetic shielding efficiency in Ka-band: carbon foam versus epoxy/carbon nanotube composites. <i>Journal of Nanophotonics</i> , 2012, 6, 061715.	0.4	60
66	Carbon periodic cellular architectures. <i>Carbon</i> , 2015, 88, 70-85.	5.4	60
67	Tannin/furanic foams without blowing agents and formaldehyde. <i>Industrial Crops and Products</i> , 2013, 49, 17-22.	2.5	59
68	Oxidative Steam Reforming of Ethanol over Ni-Cu/SiO <sub>2</sub> , Rh/Al <sub>2</sub> O <sub>3</sub> and Ir/CeO <sub>2</sub> : Effect of Metal and Support on Reaction Mechanism. <i>Topics in Catalysis</i> , 2008, 51, 22-38.	1.3	58
69	Physicochemical characterisation of sugar cane bagasse lignin oxidized by hydrogen peroxide. <i>Polymer Degradation and Stability</i> , 2010, 95, 470-476.	2.7	58
70	Pore structure and electrochemical performances of tannin-based carbon cryogels. <i>Biomass and Bioenergy</i> , 2012, 39, 274-282.	2.9	58
71	Thermal conductivity improvement of composite carbon foams based on tannin-based disordered carbon matrix and graphite fillers. <i>Materials and Design</i> , 2015, 83, 635-643.	3.3	58
72	Easy and eco-friendly synthesis of ordered mesoporous carbons by self-assembly of tannin with a block copolymer. <i>Green Chemistry</i> , 2016, 18, 3265-3271.	4.6	58

#	ARTICLE	IF	CITATIONS
73	Green, formaldehyde-free, foams for thermal insulation. <i>Advanced Materials Letters</i> , 2011, 2, 378-382.	0.3	58
74	Tannin-based xerogels with distinctive porous structures. <i>Biomass and Bioenergy</i> , 2013, 56, 437-445.	2.9	57
75	Mayonnaise, whipped cream and meringue, a new carbon cuisine. <i>Carbon</i> , 2013, 58, 245-248.	5.4	57
76	Excellent electrochemical performances of nanocast ordered mesoporous carbons based on tannin-related polyphenols as supercapacitor electrodes. <i>Journal of Power Sources</i> , 2017, 344, 15-24.	4.0	57
77	Flexible natural tannin-based and protein-based biosourced foams. <i>Industrial Crops and Products</i> , 2012, 37, 389-393.	2.5	55
78	Aromatic polyamides as new precursors of nitrogen and oxygen-doped ordered mesoporous carbons. <i>Carbon</i> , 2014, 70, 119-129.	5.4	55
79	Kinetics of the hydrothermal treatment of tannin for producing carbonaceous microspheres. <i>Bioresource Technology</i> , 2014, 151, 271-277.	4.8	55
80	Structure and electrochemical capacitance of carbon cryogels derived from phenol-formaldehyde resins. <i>Carbon</i> , 2010, 48, 3874-3883.	5.4	54
81	Activated carbons with appropriate micropore size distribution for hydrogen adsorption. <i>International Journal of Hydrogen Energy</i> , 2011, 36, 5431-5434.	3.8	54
82	Highly mesoporous organic aerogels derived from soy and tannin. <i>Green Chemistry</i> , 2012, 14, 3099.	4.6	54
83	Hydrogen storage in activated carbons produced from coals of different ranks: Effect of oxygen content. <i>International Journal of Hydrogen Energy</i> , 2014, 39, 4996-5002.	3.8	54
84	Ordered mesoporous carbons obtained by soft-templating of tannin in mild conditions. <i>Microporous and Mesoporous Materials</i> , 2018, 270, 127-139.	2.2	54
85	Assessment of hydrogen storage in activated carbons produced from hydrothermally treated organic materials. <i>International Journal of Hydrogen Energy</i> , 2016, 41, 12146-12156.	3.8	53
86	3D printing of carbon-based materials: A review. <i>Carbon</i> , 2021, 183, 449-485.	5.4	53
87	Acoustic properties of cellular vitreous carbon foams. <i>Carbon</i> , 2013, 58, 76-86.	5.4	51
88	Towards Non-Mechanical Hybrid Hydrogen Compression for Decentralized Hydrogen Facilities. <i>Energies</i> , 2020, 13, 3145.	1.6	51
89	Study of modified calcium hydroxides for enhancing SO <sub>2</sub> removal during sorbent injection in pulverized coal boilers. <i>Fuel</i> , 1997, 76, 257-265.	3.4	50
90	Flocculation of cellulose fibres: new comparison of crowding factor with percolation and effective-medium theories. <i>Cellulose</i> , 2009, 16, 983-987.	2.4	49

#	ARTICLE	IF	CITATIONS
91	Effect of micropores diffusion on kinetics of CH <sub>4</sub> decomposition over a wood-derived carbon catalyst. <i>Applied Catalysis A: General</i> , 2009, 360, 120-125.	2.2	49
92	X-Ray Microtomography Studies of Tannin-Derived Organic and Carbon Foams. <i>Microscopy and Microanalysis</i> , 2009, 15, 384-394.	0.2	48
93	Hydrogen uptake of high surface area-activated carbons doped with nitrogen. <i>International Journal of Hydrogen Energy</i> , 2013, 38, 10453-10460.	3.8	48
94	Systematic studies of tannin-derived formaldehyde aerogels: preparation and properties. <i>Science and Technology of Advanced Materials</i> , 2013, 14, 015001.	2.8	47
95	Effect of the pyrolysis process on the physicochemical and mechanical properties of smokeless fuel briquettes. <i>Fuel Processing Technology</i> , 2001, 74, 1-17.	3.7	46
96	Impact of synthesis conditions of KOH activated carbons on their hydrogen storage capacities. <i>International Journal of Hydrogen Energy</i> , 2012, 37, 14278-14284.	3.8	46
97	High-Rate Capability of Supercapacitors Based on Tannin-Derived Ordered Mesoporous Carbons. <i>ACS Sustainable Chemistry and Engineering</i> , 2019, 7, 17627-17635.	3.2	46
98	High surface area Highly N-doped carbons from hydrothermally treated tannin. <i>Industrial Crops and Products</i> , 2015, 66, 282-290.	2.5	44
99	Exploiting the adsorption of simple gases O <sub>2</sub> and H <sub>2</sub> with minimal quadrupole moments for the dual gas characterization of nanoporous carbons using 2D-NLDFT models. <i>Carbon</i> , 2020, 160, 164-175.	5.4	44
100	Hollow carbon spheres in microwaves: Bio inspired absorbing coating. <i>Applied Physics Letters</i> , 2016, 108, .	1.5	43
101	Mechanical properties of model vitreous carbon foams. <i>Carbon</i> , 2017, 116, 562-571.	5.4	43
102	Combined Effect of Porosity and Surface Chemistry on the Electrochemical Reduction of Oxygen on Cellular Vitreous Carbon Foam Catalyst. <i>ACS Catalysis</i> , 2017, 7, 7466-7478.	5.5	42
103	Physisorption, chemisorption and spill-over contributions to hydrogen storage. <i>International Journal of Hydrogen Energy</i> , 2016, 41, 17442-17452.	3.8	41
104	Fabrication and characterisation of microporous activated carbon-based pre-concentrators for benzene vapours. <i>Sensors and Actuators B: Chemical</i> , 2008, 132, 90-98.	4.0	39
105	Ultralow cost reticulated carbon foams from household cleaning pad wastes. <i>Carbon</i> , 2013, 62, 517-520.	5.4	39
106	Auto-crosslinked Rigid Foams Derived from Biorefinery Byproducts. <i>ChemSusChem</i> , 2018, 11, 2797-2809.	3.6	39
107	A Step Forward in Understanding the Hydrogen Adsorption and Compression on Activated Carbons. <i>ACS Applied Materials &amp; Interfaces</i> , 2021, 13, 12562-12574.	4.0	39
108	Factors influencing activated carbon-polymeric composite membrane structure and performance. <i>Journal of Physics and Chemistry of Solids</i> , 2004, 65, 633-637.	1.9	38

#	ARTICLE	IF	CITATIONS
109	Carbon meringues derived from flavonoid tannins. <i>Carbon</i> , 2013, 65, 214-227.	5.4	38
110	Electrochemical performances of hydrothermal tannin-based carbons doped with nitrogen. <i>Industrial Crops and Products</i> , 2015, 70, 332-340.	2.5	38
111	Gas sensing based on organic composite materials: Review of sensor types, progresses and challenges. <i>Materials Science in Semiconductor Processing</i> , 2021, 128, 105744.	1.9	38
112	Review on the preparation of carbon membranes derived from phenolic resins for gas separation: From petrochemical precursors to bioresources. <i>Carbon</i> , 2021, 183, 12-33.	5.4	38
113	Sucrose-based carbon foams with enhanced thermal conductivity. <i>Industrial Crops and Products</i> , 2016, 89, 498-506.	2.5	37
114	Numerical studies of the effects of process conditions on the development of the porous structure of adsorbents prepared by chemical activation of lignin with alkali hydroxides. <i>Journal of Colloid and Interface Science</i> , 2017, 486, 277-286.	5.0	37
115	Statistical Optimization of the Synthesis of Highly Microporous Carbons by Chemical Activation of Kraft Lignin with NaOH. <i>Journal of Chemical &amp; Engineering Data</i> , 2009, 54, 2216-2221.	1.0	35
116	Structure and properties of poly(furfuryl alcohol)-tannin polyHIPes. <i>European Polymer Journal</i> , 2016, 78, 195-212.	2.6	35
117	Radiative properties of tannin-based, glasslike, carbon foams. <i>Carbon</i> , 2012, 50, 4102-4113.	5.4	34
118	Characterization of materials toward toluene traces detection for air quality monitoring and lung cancer diagnosis. <i>Materials Chemistry and Physics</i> , 2017, 192, 374-382.	2.0	33
119	Hydrothermal pre-treatment, an efficient tool to improve activated carbon performances. <i>Industrial Crops and Products</i> , 2019, 140, 111717.	2.5	33
120	Modelling for the high-temperature sulphation of calcium-based sorbents with cylindrical and plate-like pore geometries. <i>Chemical Engineering Science</i> , 2000, 55, 3665-3683.	1.9	32
121	Dielectric properties of graphite-based epoxy composites. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2014, 211, 1623-1633.	0.8	32
122	Structure and properties of rigid foams derived from quebracho tannin. <i>Materials &amp; Design</i> , 2014, 63, 208-212.	5.1	32
123	Hydrothermal carbons produced from tannin by modification of the reaction medium: Addition of H <sup>+</sup> and Ag <sup>+</sup> . <i>Industrial Crops and Products</i> , 2015, 77, 364-374.	2.5	32
124	Functionalized, hierarchical and ordered mesoporous carbons for high-performance supercapacitors. <i>Journal of Materials Chemistry A</i> , 2016, 4, 6140-6148.	5.2	32
125	Preparation and structural characterisation of model cellular vitreous carbon foams. <i>Carbon</i> , 2017, 112, 208-218.	5.4	32
126	Latest progresses in the preparation of tannin-based cellular solids. <i>Journal of Cellular Plastics</i> , 2015, 51, 89-102.	1.2	31



#	ARTICLE	IF	CITATIONS
127	Effect of pore geometry on the sintering of Ca-based sorbents during calcination at high temperatures. <i>Fuel</i> , 2004, 83, 1733-1742.	3.4	30
128	Impact of depressurizing rate on the porosity of aerogels. <i>Microporous and Mesoporous Materials</i> , 2012, 152, 240-245.	2.2	30
129	Biomass-derived, thermally conducting, carbon foams for seasonal thermal storage. <i>Biomass and Bioenergy</i> , 2014, 67, 312-318.	2.9	30
130	High surface area microporous carbons as photoreactors for the catalytic photodegradation of methylene blue under UV-vis irradiation. <i>Applied Catalysis A: General</i> , 2016, 517, 1-11.	2.2	30
131	Rice straw-based activated carbons doped with SiC for enhanced hydrogen adsorption. <i>International Journal of Hydrogen Energy</i> , 2017, 42, 11534-11540.	3.8	30
132	Physical meaning of the parameters used in fractal kinetic and generalised adsorption models of Brouers's Sotolongo. <i>Adsorption</i> , 2018, 24, 11-27.	1.4	30
133	Characterization of Carbon Materials for Hydrogen Storage and Compression. <i>Journal of Carbon Research</i> , 2020, 6, 46.	1.4	30
134	Modification of tannin based rigid foams using oligomers of a hyperbranched poly(amine-ester). <i>Journal of Polymer Research</i> , 2012, 19, 1.	1.2	29
135	Design of carbon foams for seasonal solar thermal energy storage. <i>Carbon</i> , 2016, 109, 771-787.	5.4	29
136	Confrontation of various adsorption models for assessing the porous structure of activated carbons. <i>Adsorption</i> , 2019, 25, 1673-1682.	1.4	29
137	Improved tribological properties, thermal and colloidal stability of poly- $\alpha$ -olefins based lubricants with hydrophobic MoS <sub>2</sub> submicron additives. <i>Journal of Colloid and Interface Science</i> , 2020, 562, 91-101.	5.0	29
138	Electrical transport in carbon black-epoxy resin composites at different temperatures. <i>Journal of Applied Physics</i> , 2013, 114, .	1.1	28
139	Tannin-Based Carbon Foams for Electromagnetic Applications. <i>IEEE Transactions on Electromagnetic Compatibility</i> , 2015, 57, 989-995.	1.4	28
140	Highly microporous carbons prepared by activation of kraft lignin with KOH. <i>Studies in Surface Science and Catalysis</i> , 2007, 160, 607-614.	1.5	27
141	Acoustic properties of model cellular vitreous carbon foams. <i>Carbon</i> , 2017, 119, 241-250.	5.4	27
142	Ordered mesoporous carbons obtained from low-value coal tar products for electrochemical energy storage and water remediation. <i>Fuel Processing Technology</i> , 2019, 196, 106152.	3.7	27
143	Porosity of resorcinol-formaldehyde organic and carbon aerogels exchanged and dried with supercritical organic solvents. <i>Materials Chemistry and Physics</i> , 2011, 129, 1221-1232.	2.0	26
144	The importance of electrode characterization to assess the supercapacitor performance of ordered mesoporous carbons. <i>Microporous and Mesoporous Materials</i> , 2016, 235, 1-8.	2.2	26

#	ARTICLE	IF	CITATIONS
145	Advances in tailoring the porosity of tannin-based carbon xerogels. <i>Industrial Crops and Products</i> , 2016, 82, 100-106.	2.5	26
146	Fully carbon metasurface: Absorbing coating in microwaves. <i>Journal of Applied Physics</i> , 2017, 121, .	1.1	26
147	High added-value products from the hydrothermal carbonisation of olive stones. <i>Environmental Science and Pollution Research</i> , 2017, 24, 9859-9869.	2.7	26
148	Application of the modified Dubinin-Astakhov equation for a better understanding of high-pressure hydrogen adsorption on activated carbons. <i>International Journal of Hydrogen Energy</i> , 2020, 45, 25912-25926.	3.8	26
149	Lignin-Based Carbon Nanofibers as Electrodes for Vanadium Redox Couple Electrochemistry. <i>Nanomaterials</i> , 2019, 9, 106.	1.9	25
150	Oxygen-promoted hydrogen adsorption on activated and hybrid carbon materials. <i>International Journal of Hydrogen Energy</i> , 2020, 45, 30767-30782.	3.8	25
151	Lignin-graphene oxide inks for 3D printing of graphitic materials with tunable density. <i>Nano Today</i> , 2020, 33, 100881.	6.2	25
152	Advanced Preparative Strategies for Activated Carbons Designed for the Adsorptive Storage of Hydrogen. <i>Adsorption Science and Technology</i> , 2007, 25, 129-142.	1.5	24
153	Electromagnetic properties of polyurethane template-based carbon foams in Ka-band. <i>Physica Scripta</i> , 2015, 90, 094019.	1.2	24
154	Catalytic conversion of methane over a biomass char for hydrogen production: deactivation and regeneration by steam gasification. <i>Applied Catalysis A: General</i> , 2015, 490, 170-180.	2.2	24
155	The cluster architecture of carbon in polymer nanocomposites observed by impulse acoustic microscopy. <i>Physica Status Solidi (B): Basic Research</i> , 2016, 253, 1952-1959.	0.7	24
156	“Green”, innovative, versatile and efficient carbon materials from polyphenolic plant extracts. <i>Carbon</i> , 2020, 167, 792-815.	5.4	24
157	A 70 MPa hydrogen thermally driven compressor based on cyclic adsorption-desorption on activated carbon. <i>Carbon</i> , 2020, 161, 466-478.	5.4	24
158	Mechanically blown wall-projected tannin-based foams. <i>Industrial Crops and Products</i> , 2018, 113, 316-323.	2.5	23
159	Optimisation of “green” tannin-furanic foams for thermal insulation by experimental design. <i>Materials and Design</i> , 2018, 139, 7-15.	3.3	23
160	Feasibility of Hydrogen Compression in an Electrochemical System: Focus on Water Transport Mechanisms. <i>Fuel Cells</i> , 2020, 20, 370-380.	1.5	23
161	Electrocatalytic hydrogen evolution on the noble metal-free MoS <sub>2</sub> /carbon nanotube heterostructure: a theoretical study. <i>Scientific Reports</i> , 2021, 11, 3958.	1.6	23
162	Insulation rigid and elastic foams based on albumin. <i>Industrial Crops and Products</i> , 2012, 37, 149-154.	2.5	22

#	ARTICLE	IF	CITATIONS
163	“Blue glue”: A new precursor of carbon aerogels. <i>Microporous and Mesoporous Materials</i> , 2012, 158, 272-280.	2.2	22
164	Chemical activation of tannin-based hydrogels by soaking in KOH and NaOH solutions. <i>Microporous and Mesoporous Materials</i> , 2014, 196, 8-17.	2.2	22
165	Biosourced mesoporous carbon with embedded palladium nanoparticles by a one pot soft-template synthesis: application to Suzuki reactions. <i>Journal of Materials Chemistry A</i> , 2015, 3, 12297-12306.	5.2	22
166	Conversion of Natural Tannin to Hydrothermal and Graphene-Like Carbons Studied by Wide-Angle X-ray Scattering. <i>Journal of Physical Chemistry A</i> , 2015, 119, 8692-8701.	1.1	22
167	Biosourced, highly porous, carbon xerogel microspheres. <i>RSC Advances</i> , 2016, 6, 65698-65708.	1.7	22
168	Floating hollow carbon spheres for improved solar evaporation. <i>Carbon</i> , 2019, 146, 232-247.	5.4	22
169	Influence of activation conditions on textural properties and performance of activated biochars for pyrolysis vapors upgrading. <i>Fuel</i> , 2021, 289, 119759.	3.4	22
170	Utilization of Calcium Acetate and Calcium Magnesium Acetate for H <sub>2</sub> S Removal in Coal Gas Cleaning at High Temperatures. <i>Energy &amp; Fuels</i> , 1999, 13, 440-448.	2.5	21
171	Preparation and catalytic activity of active carbon-supported Mo <sub>2</sub> C nanoparticles. <i>Green Chemistry</i> , 2005, 7, 784.	4.6	21
172	Upgrading of pine tannin biochars as electrochemical capacitor electrodes. <i>Journal of Colloid and Interface Science</i> , 2021, 601, 863-876.	5.0	21
173	Activation of biomass-derived charcoal with supercritical water. <i>Microporous and Mesoporous Materials</i> , 2009, 119, 53-59.	2.2	20
174	Tannin-based monoliths from emulsion-templating. <i>Materials &amp; Design</i> , 2015, 79, 115-126.	5.1	20
175	Stability analysis of tannin-based foams using multiple light-scattering measurements. <i>European Polymer Journal</i> , 2017, 87, 318-330.	2.6	20
176	Boron Nitride Nanotube as an Antimicrobial Peptide Carrier: A Theoretical Insight. <i>International Journal of Nanomedicine</i> , 2021, Volume 16, 1837-1847.	3.3	20
177	Towards a GC-based microsystem for benzene and 1,3 butadiene detection: Pre-concentrator characterization. <i>Sensors and Actuators B: Chemical</i> , 2011, 156, 680-688.	4.0	19
178	Characterization of multi-walled carbon nanotube dispersion in resorcinol-formaldehyde aerogels. <i>Microporous and Mesoporous Materials</i> , 2014, 184, 97-104.	2.2	19
179	Novel Porous Carbons Derived from Coal Tar Rejects: Assessment of the Role of Pore Texture in CO <sub>2</sub> Capture under Realistic Postcombustion Operating Temperatures. <i>ACS Applied Materials &amp; Interfaces</i> , 2019, 11, 36789-36799.	4.0	19
180	Hydration mechanisms of scheelite from adsorption isotherms and ab initio molecular dynamics simulations. <i>Applied Surface Science</i> , 2021, 562, 150137.	3.1	19

#	ARTICLE	IF	CITATIONS
181	H <sub>2</sub> S Removal in Entrained Flow Reactors by Injection of Ca-Based Sorbents at High Temperatures. <i>Energy &amp; Fuels</i> , 1998, 12, 726-733.	2.5	18
182	Microstructure, elastic and electromagnetic properties of epoxy-graphite composites. <i>AIP Advances</i> , 2015, 5, .	0.6	18
183	Sugarcane molasses as a pseudocapacitive material for supercapacitors. <i>RSC Advances</i> , 2016, 6, 88826-88836.	1.7	18
184	Hydrothermal Treatment of Tannin: A Route to Porous Metal Oxides and Metal/Carbon Hybrid Materials. <i>Inorganics</i> , 2017, 5, 7.	1.2	18
185	Impact of the formulation of biosourced phenolic foams on their fire properties. <i>Polymer Degradation and Stability</i> , 2018, 153, 1-14.	2.7	18
186	High hydrogen release by cryo-adsorption and compression on porous materials. <i>International Journal of Hydrogen Energy</i> , 2022, 47, 8892-8915.	3.8	18
187	Bimodal cellular activated carbons derived from tannins. <i>Journal of Materials Science</i> , 2010, 45, 5778-5785.	1.7	17
188	Structure and oxidation resistance of micro-cellular SiC foams derived from natural resins. <i>Ceramics International</i> , 2013, 39, 1841-1851.	2.3	17
189	Lipid-coated mesoporous silica microparticles for the controlled delivery of $\beta$ -galactosidase into intestines. <i>Journal of Materials Chemistry B</i> , 2018, 6, 5633-5639.	2.9	17
190	Projectable tannin foams by mechanical and chemical expansion. <i>Industrial Crops and Products</i> , 2018, 120, 90-96.	2.5	17
191	Modelling the hygrothermal behaviour of cement-bonded wood composite panels as permanent formwork. <i>Industrial Crops and Products</i> , 2019, 142, 111784.	2.5	17
192	Understanding the Influence of Surface Oxygen Groups on the Electrochemical Behavior of Porous Carbons as Anodes for Lithium-Ion Batteries. <i>ACS Applied Materials &amp; Interfaces</i> , 2020, 12, 36054-36065.	4.0	17
193	Paracetamol removal by Kon-Tiki kiln-derived biochar and activated carbons. <i>Industrial Crops and Products</i> , 2020, 155, 112740.	2.5	17
194	Imprinting isolated single iron atoms onto mesoporous silica by templating with metallosurfactants. <i>Journal of Colloid and Interface Science</i> , 2020, 573, 193-203.	5.0	17
195	3D-printed, carbon-based, lossy photonic crystals: Is high electrical conductivity the must?. <i>Carbon</i> , 2021, 171, 484-492.	5.4	17
196	Bimodal activated carbons derived from resorcinol-formaldehyde cryogels. <i>Science and Technology of Advanced Materials</i> , 2011, 12, 035001.	2.8	16
197	Tortuosity studies of cellular vitreous carbon foams. <i>Carbon</i> , 2014, 80, 193-202.	5.4	16
198	Unique bimodal carbon xerogels from soft templating of tannin. <i>Materials Chemistry and Physics</i> , 2015, 149-150, 193-201.	2.0	16

#	ARTICLE	IF	CITATIONS
199	Synthesis and properties of carbon microspheres based on tannin-sucrose mixtures treated in hydrothermal conditions. <i>Industrial Crops and Products</i> , 2020, 154, 112564.	2.5	16
200	Hydrophobised carbon foams for improved long-term seasonal solar thermal energy storage. <i>Solar Energy Materials and Solar Cells</i> , 2021, 220, 110849.	3.0	16
201	A theoretical scenario for the mechanical failure of boron carbide nanotubes. <i>Computational Materials Science</i> , 2021, 186, 110022.	1.4	16
202	Enhanced tribological properties of wind turbine engine oil formulated with flower-shaped MoS <sub>2</sub> nano-additives. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2021, 620, 126509.	2.3	16
203	Towards a feasible and scalable production of bio-xerogels. <i>Journal of Colloid and Interface Science</i> , 2015, 456, 138-144.	5.0	15
204	Closed-cell carbon foams from diphenolic acid-based polybenzoxazine. <i>Carbon</i> , 2015, 95, 919-929.	5.4	15
205	Modelling of a hydrogen thermally driven compressor based on cyclic adsorption-desorption on activated carbon. <i>International Journal of Hydrogen Energy</i> , 2019, 44, 16811-16823.	3.8	15
206	Organic and Carbon Gels. <i>Advances in Sol-gel Derived Materials and Technologies</i> , 2019, , .	0.3	15
207	Mechanical Properties of C <sub>3</sub> N Nanotubes from Molecular Dynamics Simulation Studies. <i>Nanomaterials</i> , 2020, 10, 894.	1.9	15
208	Study of the cracking reaction of linear and branched hexanes under protolytic conditions by non-stationary kinetics. <i>Chemical Engineering Journal</i> , 2002, 90, 139-147.	6.6	14
209	Mechanical properties of heat-treated organic foams. <i>Physical Review E</i> , 2013, 87, .	0.8	14
210	Broadband Dielectric Spectroscopy of Composites Filled With Various Carbon Materials. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2015, 63, 2024-2031.	2.9	14
211	Improving Water Repellence and Friability of Tannin-Furanic Foams by Oil-Grafted Flavonoid Tannins. <i>BioResources</i> , 2016, 11, .	0.5	14
212	Hydrophobisation of tannin-based foams by covalent grafting of silanes. <i>Industrial Crops and Products</i> , 2016, 92, 116-126.	2.5	14
213	Short-length carbon nanotubes as building blocks for high dielectric constant materials in the terahertz range. <i>Journal Physics D: Applied Physics</i> , 2017, 50, 08LT01.	1.3	14
214	Fire-resistant tannin-ethylene glycol gels working as rubber springs with tuneable elastic properties. <i>Journal of Materials Chemistry A</i> , 2017, 5, 14720-14732.	5.2	14
215	Structure and Electromagnetic Properties of Cellular Glassy Carbon Monoliths with Controlled Cell Size. <i>Materials</i> , 2018, 11, 709.	1.3	14
216	Structure and electrochemical properties of carbon nanostructures derived from nickel(II) and iron(II) phthalocyanines. <i>Journal of Advanced Research</i> , 2020, 22, 85-97.	4.4	14

#	ARTICLE	IF	CITATIONS
217	Densities of hemp shiv for building: From multiscale characterisation to application. <i>Industrial Crops and Products</i> , 2021, 164, 113390.	2.5	14
218	Model carbon materials derived from tannin to assess the importance of pore connectivity in supercapacitors. <i>Renewable and Sustainable Energy Reviews</i> , 2021, 151, 111600.	8.2	14
219	Microwave Dielectric Properties of Tannin-Based Carbon Foams. <i>Ferroelectrics</i> , 2015, 479, 119-126.	0.3	13
220	The severity factor as a useful tool for producing hydrochars and derived carbon materials. <i>Environmental Science and Pollution Research</i> , 2018, 25, 1497-1507.	2.7	13
221	Ultra-low percolation threshold in epoxy resin‐onion-like carbon composites. <i>Applied Physics Letters</i> , 2018, 113, .	1.5	13
222	Effect of morphology and hydrophobization of MoS <sub>2</sub> microparticles on the stability of poly- $\alpha$ -olefins lubricants. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2019, 572, 174-181.	2.3	13
223	Molecular sieving of linear and branched C <sub>6</sub> alkanes by tannin-derived carbons. <i>Carbon</i> , 2021, 174, 413-422.	5.4	13
224	Modelling heat and mass transfer in solar evaporation systems. <i>International Journal of Heat and Mass Transfer</i> , 2021, 181, 121852.	2.5	13
225	Physical gelation of water‐borne thermosetting resins by percolation theory‐Urea‐formaldehyde, melamine‐urea‐formaldehyde, and melamine‐formaldehyde resins. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2008, 46, 971-978.	2.4	12
226	Epoxy Resin/Carbon Black Composites Below the Percolation Threshold. <i>Journal of Nanoscience and Nanotechnology</i> , 2013, 13, 5434-5439.	0.9	12
227	Toward an operational methodology to identify industrial-scaled nanomaterial powders with the volume specific surface area criterion. <i>Nanoscale Advances</i> , 2019, 1, 3232-3242.	2.2	12
228	Nanomaterial identification of powders: comparing volume specific surface area, X-ray diffraction and scanning electron microscopy methods. <i>Environmental Science: Nano</i> , 2019, 6, 152-162.	2.2	12
229	Hierarchical tannin-derived carbons as efficient tetracycline adsorbents. <i>Applied Surface Science</i> , 2020, 533, 147428.	3.1	12
230	Dielectric properties of polydimethylsiloxane composites filled with $\langle \text{SrTiO}_3 \rangle$ nanoparticles. <i>Polymer Composites</i> , 2021, 42, 2982-2988.	2.3	12
231	Roles of Surface Chemistry and Texture of Nanoporous Activated Carbons in CO <sub>2</sub> Capture. <i>ACS Applied Nano Materials</i> , 2022, 5, 3843-3854.	2.4	12
232	CO <sub>2</sub> outperforms KOH as an activator for high-rate supercapacitors in aqueous electrolyte. <i>Renewable and Sustainable Energy Reviews</i> , 2022, 167, 112716.	8.2	12
233	The effect of the porous structure on sorbent sulfation under coal-fired boiler conditions. <i>Thermochimica Acta</i> , 1996, 277, 151-164.	1.2	11
234	Chemistry, Morphology, Microtomography and Activation of Natural and Carbonized Tannin Foams for Different Applications. <i>Macromolecular Symposia</i> , 2012, 313-314, 100-111.	0.4	11

#	ARTICLE	IF	CITATIONS
235	Selection and characterization of adsorbents for the analysis of an explosive-related molecule traces in the air. <i>Sensors and Actuators B: Chemical</i> , 2013, 176, 124-131.	4.0	11
236	An Enhanced Carbon Capture and Storage Process (e-CCS) Applied to Shallow Reservoirs Using Nanofluids Based on Nitrogen-Rich Carbon Nanospheres. <i>Materials</i> , 2019, 12, 2088.	1.3	11
237	Effect of the adsorption pH and temperature on the parameters of the Brouers's Sotolongo models. <i>Environmental Science and Pollution Research</i> , 2020, 27, 23437-23446.	2.7	11
238	New Insights into H <sub>2</sub> S Adsorption on Graphene and Graphene-Like Structures: A Comparative DFT Study. <i>Journal of Carbon Research</i> , 2020, 6, 74.	1.4	11
239	Enhancing the gas adsorption capacities of UiO-66 by nanographite addition. <i>Microporous and Mesoporous Materials</i> , 2020, 309, 110571.	2.2	11
240	Irreversible deformation of hyper-crosslinked polymers after hydrogen adsorption. <i>Journal of Colloid and Interface Science</i> , 2022, 605, 513-527.	5.0	11
241	Modeling High-Pressure Hydrogen Uptake by Nanoporous Metal-Organic Frameworks: Implications for Hydrogen Storage and Delivery. <i>ACS Applied Nano Materials</i> , 2022, 5, 759-773.	2.4	11
242	Tannin-Based Resins for 3D printing of Porous Carbon Architectures. <i>ACS Sustainable Chemistry and Engineering</i> , 2022, 10, 7702-7711.	3.2	11
243	Permeability of fibrous carbon materials. <i>Journal of Materials Science</i> , 2019, 54, 13537-13556.	1.7	10
244	Experimental investigation of the physical foaming of tannin-based thermoset foams. <i>Industrial Crops and Products</i> , 2019, 138, 111424.	2.5	10
245	Investigating the properties of humins foams, the porous carbonaceous materials derived from biorefinery by-products. <i>Applied Materials Today</i> , 2020, 20, 100622.	2.3	10
246	Modelling the production of solid and liquid products from the hydrothermal carbonisation of two biomasses. <i>Industrial Crops and Products</i> , 2020, 151, 112452.	2.5	10
247	Novel Porous Carbon Material for the Detection of Traces of Volatile Organic Compounds in Indoor Air. <i>ACS Applied Materials &amp; Interfaces</i> , 2021, 13, 40088-40097.	4.0	10
248	Numerical simulation of a thermally driven hydrogen compressor as a performance optimization tool. <i>Applied Energy</i> , 2022, 323, 119628.	5.1	10
249	Chemical Modification of Tannin/Furanic Rigid Foams by Isocyanates and Polyurethanes. <i>Maderas: Ciencia Y Tecnologia</i> , 2012, , 0-0.	0.7	9
250	Adsorption by Carbon Gels. , 2012, , 207-244.		9
251	Physical Properties of Tannin/Furanic Resin Foamed With Different Blowing Agents. <i>BioResources</i> , 2012, 8, .	0.5	9
252	Iron influence on uranium removal from water using cellulose acetate membranes doped with activated carbon. <i>Desalination and Water Treatment</i> , 2015, 56, 3476-3485.	1.0	9

#	ARTICLE	IF	CITATIONS
253	In-situ synthesis and attachment of colloidal ZnO nanoparticles inside porous carbon structures. <i>Materials Chemistry and Physics</i> , 2015, 161, 219-227.	2.0	9
254	Electrical Properties of Carbon Foam in the Microwave Range. <i>Russian Physics Journal</i> , 2017, 59, 1703-1709.	0.2	9
255	Magnetic Carbon Composite Particles for Dye Adsorption from Water and their Electrochemical Regeneration. <i>Particle and Particle Systems Characterization</i> , 2019, 36, 1800537.	1.2	9
256	Carbon aerogels prepared by autocondensation of flavonoid tannin. <i>Carbon Resources Conversion</i> , 2019, 2, 72-84.	3.2	9
257	Nanostructured tin oxide materials for the sub-ppm detection of indoor formaldehyde pollution. <i>Talanta</i> , 2020, 208, 120396.	2.9	9
258	First approach for modelling the physical foaming of tannin-based thermoset foams. <i>International Journal of Thermal Sciences</i> , 2020, 149, 106212.	2.6	9
259	An Evaluation of the Impact of the Amount of Potassium Hydroxide on the Porous Structure Development of Activated Carbons. <i>Materials</i> , 2021, 14, 2045.	1.3	9
260	A critical review on surface modifications mitigating dairy fouling. <i>Comprehensive Reviews in Food Science and Food Safety</i> , 2021, 20, 4324-4366.	5.9	9
261	Identification of nanomaterials by the volume specific surface area (VSSA) criterion: application to powder mixes. <i>Nanoscale Advances</i> , 2020, 2, 4908-4917.	2.2	9
262	Tannin-based hard carbons as high-performance anode materials for sodium-ion batteries. <i>Materials Today Chemistry</i> , 2022, 23, 100614.	1.7	9
263	Flocculation of cellulose fibre suspensions: the contribution of percolation and effective-medium theories. <i>Cellulose</i> , 2008, 15, 803-814.	2.4	8
264	Multifunctional porous solids derived from tannins. <i>Journal of Physics: Conference Series</i> , 2013, 416, 012023.	0.3	8
265	Modelling the physical properties of glasslike carbon foams. <i>Journal of Physics: Conference Series</i> , 2017, 879, 012014.	0.3	8
266	A Sustainable Carbon Material from Kraft Black Liquor as Nickel-Based Electrocatalyst Support for Ethanol Electro-Oxidation. <i>Waste and Biomass Valorization</i> , 2021, 12, 2507-2519.	1.8	8
267	Effect of the porosity and microstructure on the mechanical properties of organic xerogels. <i>Journal of Materials Science</i> , 2021, 56, 10312-10325.	1.7	8
268	Experimental Design Optimization of Acrylate-Tannin Photocurable Resins for 3D Printing of Bio-Based Porous Carbon Architectures. <i>Molecules</i> , 2022, 27, 2091.	1.7	8
269	Pore size distribution in microporous carbons obtained from molecular modeling and density functional theory. <i>Studies in Surface Science and Catalysis</i> , 2007, , 519-526.	1.5	7
270	Preparation and characterisation of a planar pre-concentrator for benzene based on different activated carbon materials deposited by air-brushing. <i>Sensors and Actuators B: Chemical</i> , 2011, 154, 213-219.	4.0	7



#	ARTICLE	IF	CITATIONS
271	Highly porous conducting carbon foams for electromagnetic applications. , 2012, , .		7
272	Electrical percolation and electromagnetic properties of polydimethylsiloxane composites filled with Ag nanoparticles of different sizes. <i>Polymer Composites</i> , 2020, 41, 4750-4756.	2.3	7
273	Activated carbon xerogels derived from phenolic oil: Basic catalysis synthesis and electrochemical performances. <i>Fuel Processing Technology</i> , 2020, 205, 106427.	3.7	7
274	Carbon Monoliths with Hierarchical Porous Structure for All-Vanadium Redox Flow Batteries. <i>Batteries</i> , 2021, 7, 55.	2.1	7
275	Comprehensive Analysis of Hierarchical Porous Carbons Using a Dual-Shape 2D-NLDFT Model with an Adjustable Slit-Cylinder Pore Shape Boundary. <i>ACS Applied Materials &amp; Interfaces</i> , 2021, 13, 49472-49481.	4.0	7
276	Easy enrichment of graphitic nitrogen to prepare highly catalytic carbons for oxygen reduction reaction. <i>Carbon</i> , 2022, , .	5.4	7
277	A non-stationary kinetics approach for the determination of the kinetic parameters of the protolytic cracking of methylcyclohexane.. <i>Studies in Surface Science and Catalysis</i> , 2001, , 341-348.	1.5	6
278	Biosorption of model pollutants in liquid phase on raw and modified rice husks. <i>Journal of Physics: Conference Series</i> , 2013, 416, 012026.	0.3	6
279	New families of carbon gels based on natural resources. <i>Journal of Physics: Conference Series</i> , 2013, 416, 012022.	0.3	6
280	Formaldehyde-Free Prorobitenidin/Profi setinidin Tannin/Furanic Foams Based on Alternative Aldehydes: Glyoxal and Glutaraldehyde. <i>Journal of Renewable Materials</i> , 2015, 3, 142-150.	1.1	6
281	Measuring and understanding radon adsorption in microporous materials. <i>AIP Conference Proceedings</i> , 2015, , .	0.3	6
282	Hollow Superparamagnetic Microballoons from Lifelike, Self-Directed Pickering Emulsions Based on Patchy Nanoparticles. <i>ACS Nano</i> , 2016, 10, 10347-10356.	7.3	6
283	Size-Dependent Electrical and Thermal Properties of Onion-Like Carbons/Polyurethane Composites. <i>Polymer Composites</i> , 2018, 39, E1834.	2.3	6
284	A new method for measuring the thermal conductivity of small insulating samples. <i>Review of Scientific Instruments</i> , 2019, 90, 054901.	0.6	6
285	Electromagnetic Properties of Carbon Gels. <i>Materials</i> , 2019, 12, 4143.	1.3	6
286	Progress in the Use of Biosourced Phenolic Molecules for Electrode Manufacturing. <i>Frontiers in Materials</i> , 2022, 9, .	1.2	6
287	Biomass-derived carbons physically activated in one or two steps for CH <sub>4</sub> /CO <sub>2</sub> separation. <i>Renewable Energy</i> , 2022, 191, 122-133.	4.3	6
288	Polymeric composite membranes based on carbon/PSf. <i>Journal of Membrane Science</i> , 2006, 273, 38-46.	4.1	5

#	ARTICLE	IF	CITATIONS
289	Simultaneous Determination of Intrinsic Adsorption and Diffusion of n-Butane in Activated Carbons by using the TAP Reactor. <i>Studies in Surface Science and Catalysis</i> , 2007, , 241-247.	1.5	5
290	Graphene-like structure of activated anthracites. <i>Journal of Physics Condensed Matter</i> , 2012, 24, 495303.	0.7	5
291	Finite element simulation of nanoindentation tests using a macroscopic computational model. <i>Journal of Mechanical Science and Technology</i> , 2014, 28, 3209-3217.	0.7	5
292	Dielectric properties and electrical conductivity of flat micronic graphite/polyurethane composites. <i>Journal of Nanophotonics</i> , 2015, 10, 012511.	0.4	5
293	Carbon Microspheres with Tailored Texture and Surface Chemistry As Electrode Materials for Supercapacitors. <i>ACS Sustainable Chemistry and Engineering</i> , 2021, 9, 541-551.	3.2	5
294	Mechanochemical Functionalization of Mesoporous Carbons for the Catalytic Transformation of <i>cis</i> -Ferulic Acid into Vanillin. <i>ACS Sustainable Chemistry and Engineering</i> , 2021, 9, 4704-4710.	3.2	5
295	Développement et caractérisation de mousses à base de tanins de Quebracho. <i>Materiaux Et Techniques</i> , 2014, 102, 104.	0.3	5
296	Zinc Doping Enhances the Electrocatalytic Properties of Cobalt Borides for the Hydrogen Evolution Reaction. <i>Frontiers in Energy Research</i> , 2022, 10, .	1.2	5
297	Application of Density Functional Theory for Determining Pore-Size Distributions of Microporous Activated Carbons. <i>Adsorption Science and Technology</i> , 2014, 32, 23-35.	1.5	4
298	Bulk microstructure and local elastic properties of carbon nanocomposites studied by impulse acoustic microscopy technique. <i>AIP Conference Proceedings</i> , 2016, , .	0.3	4
299	Synergetic effect of triglycine sulfate and graphite nanoplatelets on dielectric and piezoelectric properties of epoxy resin composites. <i>Polymer Composites</i> , 2019, 40, E1181.	2.3	4
300	Structural Characterisation and Chemical Stability of Commercial Fibrous Carbons in Molten Lithium Salts. <i>Materials</i> , 2019, 12, 4232.	1.3	4
301	Magneto-hydrodynamic self-propulsion of active matter agents. <i>Applied Physics Letters</i> , 2020, 117, .	1.5	4
302	Carbon gels derived from phenolic-oil for pollutants removal in water phase. <i>Fuel Processing Technology</i> , 2021, 211, 106588.	3.7	4
303	Control of Light Transmission in a Plasmonic Liquid Metacrystal. <i>Nanomaterials</i> , 2021, 11, 346.	1.9	4
304	Mechanical and Thermal Behavior of Fibrous Carbon Materials. <i>Materials</i> , 2021, 14, 1796.	1.3	4
305	Innovative fouling-resistant materials for industrial heat exchangers: a review. <i>Reviews in Chemical Engineering</i> , 2023, 39, 71-104.	2.3	4
306	Salting Effect in the Hydrothermal Carbonisation of Bioresources. <i>ChemistrySelect</i> , 2016, 1, 4161-4166.	0.7	3

#	ARTICLE	IF	CITATIONS
307	Resistivity and low-frequency noise characteristics of epoxy-carbon composites. <i>Journal of Applied Physics</i> , 2017, 121, .	1.1	3
308	Easy Preparation of Tannin-Based Ag Catalysts for Ethylene Epoxidation. <i>ChemistrySelect</i> , 2017, 2, 8509-8516.	0.7	3
309	Adsorption of Model Dyes Onto Porous Materials: Effect of pH and Temperature on the Parameters of Brouers-Sotolongo Kinetic Fractal and Generalized Isotherm. <i>Advances in Science, Technology and Innovation</i> , 2018, , 1039-1041.	0.2	3
310	Properties of Carbon Aerogels and Their Organic Precursors. <i>Advances in Sol-gel Derived Materials and Technologies</i> , 2019, , 87-121.	0.3	3
311	Better understanding of solar water evaporation systems using a biosourced foam and its modelling. <i>Applied Thermal Engineering</i> , 2022, 214, 118802.	3.0	3
312	A novel approach for characterising carbon catalysts by TAP experiments. <i>Studies in Surface Science and Catalysis</i> , 2002, 144, 255-260.	1.5	2
313	Investigation of pitch-sulphur mixtures used as binder in the preparation of black ceramics. <i>Materials Chemistry and Physics</i> , 2009, 116, 619-630.	2.0	2
314	High-performances carbonaceous adsorbents for hydrogen storage. <i>Journal of Physics: Conference Series</i> , 2013, 416, 012024.	0.3	2
315	Electromagnetic properties of periodic carbon architectures at high frequencies. , 2015, , .		2
316	Detection of Lung Cancer Bio-markers in Human Breath Using a Micro-fabricated Air Analyzer. <i>Materials Today: Proceedings</i> , 2015, 2, 4664-4670.	0.9	2
317	Rubber-like materials derived from biosourced phenolic resins. <i>Journal of Physics: Conference Series</i> , 2017, 879, 012013.	0.3	2
318	Destructive vs. non-destructive methods for the mechanical characterisation of tannin-based thermoset foams. <i>Polymer Testing</i> , 2018, 69, 332-339.	2.3	2
319	Organic and Carbon Gels Derived from Biosourced Polyphenols. <i>Advances in Sol-gel Derived Materials and Technologies</i> , 2019, , 27-85.	0.3	2
320	Noise and Electrical Characteristics of Composites Filled with Onion-Like Carbon Nanoparticles. <i>Polymers</i> , 2021, 13, 997.	2.0	2
321	Microscopic Characterization of Agave Tequilana Weber var. Azul Fibers from Agroindustrial Waste in Activated Carbon Production. <i>Microscopy and Microanalysis</i> , 2008, 14, 1204-1205.	0.2	1
322	A planar micro-concentrator/injector for low power consumption microchromatographic analysis of benzene and 1,3 butadiene. <i>Microsystem Technologies</i> , 2012, 18, 489-495.	1.2	1
323	Microwave response properties of epoxy resin composites filled with graphitic fillers. , 2014, , .		1
324	Development and Characterization of PLA-Based Bio Composites. , 2014, , .		1

#	ARTICLE	IF	CITATIONS
325	MICROWAVE-ABSORBING PROPERTIES OF PHOSPHATE CERAMICS FILLED WITH CARBON NANOTUBES, BaTiO <sub>3</sub> AND Fe <sub>3</sub> O <sub>4</sub> . , 2017, , 202-205.		1
326	Electromagnetic properties of carbon foams. , 2017, , .		1
327	Electromagnetics of carbon: Nano versus micro. , 2019, , 191-204.		1
328	Organic and Carbon Gels: From Laboratory to Industry?. Advances in Sol-gel Derived Materials and Technologies, 2019, , 1-26.	0.3	1
329	Carbon Gels for Electrochemical Applications. Advances in Sol-gel Derived Materials and Technologies, 2019, , 149-189.	0.3	1
330	Forcespun metal oxide ultrafine tubes for hazardous gas monitoring. Materials Today: Proceedings, 2020, 27, 3124-3131.	0.9	1
331	Estimation of the reaction kinetic parameters of a mimosa tannin-based thermoset resin with a simulation approach. Industrial Crops and Products, 2021, 161, 113228.	2.5	1
332	Development of a Carbon Felt/Salt-Based Hybrid Material for Thermal Energy Storage Applications. Journal of Energy and Power Engineering, 2018, 12, .	0.2	1
333	Shielding effects in thin films of carbon nanotubes within microwave range. Lithuanian Journal of Physics, 2016, 56, .	0.1	1
334	Biomass-Derived Carbons Physically Activated in One or Two Steps for CH <sub>4</sub> Separation. SSRN Electronic Journal, 0, , .	0.4	1
335	All-dielectric bulk isotropic double-negative metamaterials. Journal of the Optical Society of America B: Optical Physics, 2021, 38, 159.	0.9	1
336	Improved productivity of NAD <sup>+</sup> reduction under forced convection in aerated solutions. ChemElectroChem, 0, , .	1.7	1
337	Resonant absorption of electromagnetic waves by an induced inhomogeneity in a liquid metamaterial. Journal of the Optical Society of America B: Optical Physics, 2022, 39, 1307.	0.9	1
338	Resonant absorption in an inhomogeneous disordered metamaterial: First-principles simulation. Physical Review A, 2022, 106, .	1.0	1
339	Sorbent characterization for boiler injection process. Coal Science and Technology, 1995, , 1819-1822.	0.0	0
340	Fabrication and mass spectrometry characterization of a planar pre-concentrator for benzene based on different airbrushed activated carbon materials. Procedia Chemistry, 2009, 1, 987-990.	0.7	0
341	DIELECTRIC PROPERTIES OF EPOXY RESIN COMPOSITES FILLED WITH NANOCARBON INCLUSIONS. , 2013, , .		0
342	NANOMECHANICAL PROPERTIES OF EPOXY COMPOSITES WITH CARBON FILLERS. , 2013, , .		0

#	ARTICLE	IF	CITATIONS
343	Tannin-based carbon foams in microwave frequency range: Toward fully carbon photonic crystal. , 2015, , .		0
344	FE simulation of repaired timber beams under tensile load using CFRP patches. Journal of Adhesion Science and Technology, 2015, 29, 158-170.	1.4	0
345	Carbon, a Unique Model Material for Condensed Matter Physics and Engineering Science. NATO Science for Peace and Security Series B: Physics and Biophysics, 2016, , 1-26.	0.2	0
346	Fitting Carbon Gels and Composites for Environmental Processes. Advances in Sol-gel Derived Materials and Technologies, 2019, , 123-147.	0.3	0
347	Upgrading of flax powder and short fibers into high value-added products. Journal of Environmental Chemical Engineering, 2022, 10, 107195.	3.3	0
348	Characterization of Individual Hollow Spheres Metaatoms in Microwaves. , 2021, , .		0