

Hajime Yoshifuji

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/996720/publications.pdf>

Version: 2024-02-01

58
papers

1,766
citations

394421

19
h-index

302126

39
g-index

63
all docs

63
docs citations

63
times ranked

2155
citing authors

#	ARTICLE	IF	CITATIONS
1	The RIG-I-like receptor IFIH1/MDA5 is a dermatomyositis-specific autoantigen identified by the anti-CADM-140 antibody. <i>Rheumatology</i> , 2010, 49, 433-440.	1.9	284
2	Anti-aminoacyl-tRNA synthetase antibodies in clinical course prediction of interstitial lung disease complicated with idiopathic inflammatory myopathies. <i>Autoimmunity</i> , 2006, 39, 233-241.	2.6	174
3	Dynamic landscape of immune cell-specific gene regulation in immune-mediated diseases. <i>Cell</i> , 2021, 184, 3006-3021.e17.	28.9	147
4	Two Susceptibility Loci to Takayasu Arteritis Reveal a Synergistic Role of the IL12B and HLA-B Regions in a Japanese Population. <i>American Journal of Human Genetics</i> , 2013, 93, 289-297.	6.2	136
5	A Clinical, Pathological, and Genetic Characterization of Methotrexate-associated Lymphoproliferative Disorders. <i>Journal of Rheumatology</i> , 2014, 41, 293-299.	2.0	107
6	Brief Report: Takayasu Arteritis and Ulcerative Colitis: High Rate of Co-Occurrence and Genetic Overlap. <i>Arthritis and Rheumatology</i> , 2015, 67, 2226-2232.	5.6	102
7	Gastrointestinal manifestation of immunoglobulin G4-related disease: clarification through a multicenter survey. <i>Journal of Gastroenterology</i> , 2018, 53, 845-853.	5.1	60
8	JCS 2017 Guideline on Management of Vasculitis Syndrome—Digest Version. <i>Circulation Journal</i> , 2020, 84, 299-359.	1.6	59
9	Serum BAFF and APRIL levels in patients with IgG4-related disease and their clinical significance. <i>Arthritis Research and Therapy</i> , 2012, 14, R86.	3.5	58
10	Factors in glucocorticoid regimens associated with treatment response and relapses of IgG4-related disease: a multicentre study. <i>Scientific Reports</i> , 2018, 8, 10262.	3.3	54
11	Genetic determinants and an epistasis of <i>LILRA3</i> and HLA-B*52 in Takayasu arteritis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, 13045-13050.	7.1	51
12	Pathophysiology of large vessel vasculitis and utility of interleukin-6 inhibition therapy. <i>Modern Rheumatology</i> , 2019, 29, 287-293.	1.8	41
13	Screening for IgG4-type anti-nuclear antibodies in IgG4-related disease. <i>BMC Musculoskeletal Disorders</i> , 2015, 16, 129.	1.9	39
14	Associated factors of poor treatment outcomes in patients with giant cell arteritis: clinical implication of large vessel lesions. <i>Arthritis Research and Therapy</i> , 2020, 22, 72.	3.5	36
15	Increase of MZB1 in B cells in systemic lupus erythematosus: proteomic analysis of biopsied lymph nodes. <i>Arthritis Research and Therapy</i> , 2018, 20, 13.	3.5	34
16	A novel susceptibility locus in the IL12B region is associated with the pathophysiology of Takayasu arteritis through IL-12p40 and IL-12p70 production. <i>Arthritis Research and Therapy</i> , 2017, 19, 197.	3.5	29
17	Cleaved Form of Osteopontin in Urine as a Clinical Marker of Lupus Nephritis. <i>PLoS ONE</i> , 2016, 11, e0167141.	2.5	24
18	Serum soluble interleukin-2 receptor as a biomarker in immunoglobulin G4-related disease. <i>Modern Rheumatology</i> , 2018, 28, 838-844.	1.8	24

#	ARTICLE	IF	CITATIONS
19	Long-term outcomes of refractory Takayasu arteritis patients treated with biologics including ustekinumab. <i>Modern Rheumatology</i> , 2021, 31, 678-683.	1.8	23
20	Visceral disseminated varicella zoster virus infection after rituximab treatment for granulomatosis with polyangiitis. <i>Modern Rheumatology</i> , 2017, 27, 155-161.	1.8	21
21	Splicing factor proline/glutamine-rich is a novel autoantigen of dermatomyositis and associated with anti-melanoma differentiation-associated gene 5 antibody. <i>Journal of Autoimmunity</i> , 2017, 77, 116-122.	6.5	18
22	High Expression of Galectin-3 in Patients with IgG4-Related Disease: A Proteomic Approach. <i>Pathology Research International</i> , 2017, 2017, 1-10.	1.4	17
23	Severe subcutaneous generalized edema in a patient with dermatomyositis. <i>Modern Rheumatology</i> , 2007, 17, 171-173.	1.8	16
24	Anti-carbamylated Protein Antibodies Are Detectable in Various Connective Tissue Diseases. <i>Journal of Rheumatology</i> , 2017, 44, 1384-1388.	2.0	16
25	Strain-Specific Manifestation of Lupus-like Systemic Autoimmunity Caused by <i>Zap70</i> Mutation. <i>Journal of Immunology</i> , 2019, 202, 3161-3172.	0.8	15
26	Activated neutrophil carbamylates albumin <i>via</i> the release of myeloperoxidase and reactive oxygen species regardless of NETosis. <i>Modern Rheumatology</i> , 2020, 30, 345-349.	1.8	15
27	Phenotyping of IgG4-related diseases based on affected organ pattern: A multicenter cohort study using cluster analysis. <i>Modern Rheumatology</i> , 2021, 31, 235-240.	1.8	14
28	Successful treatment of a patient with refractory adult Still's disease by tacrolimus. <i>Modern Rheumatology</i> , 2007, 17, 167-170.	1.8	11
29	Transgelin-2 is upregulated on activated B-cells and expressed in hyperplastic follicles in lupus erythematosus patients. <i>PLoS ONE</i> , 2017, 12, e0184738.	2.5	11
30	Roles of cytotoxic lymphocytes and MIC/LILR families in pathophysiology of Takayasu arteritis. <i>Inflammation and Regeneration</i> , 2020, 40, 9.	3.7	11
31	A susceptibility locus in the IL12B but not LILRA3 region is associated with vascular damage in Takayasu arteritis. <i>Scientific Reports</i> , 2021, 11, 13667.	3.3	11
32	The clinical features of pulmonary artery involvement in Takayasu arteritis and its relationship with ischemic heart diseases and infection. <i>Arthritis Research and Therapy</i> , 2021, 23, 293.	3.5	11
33	Biomarkers and Autoantibodies of Interstitial Lung Disease with Idiopathic Inflammatory Myopathies. <i>Clinical Medicine Insights: Circulatory, Respiratory and Pulmonary Medicine</i> , 2015, 9s1, CCRPM.S36748.	0.9	9
34	Anti-EJ, anti-MDA5 double-positive chronic clinically amyopathic dermatomyositis: a case report. <i>Rheumatology Advances in Practice</i> , 2018, 2, rky022.	0.7	7
35	Intake frequency of vegetables or seafoods negatively correlates with disease activity of rheumatoid arthritis. <i>PLoS ONE</i> , 2020, 15, e0228852.	2.5	7
36	Clinical profile and outcome of large-vessel giant cell arteritis in Japanese patients: A single-centre retrospective cohort study. <i>Modern Rheumatology</i> , 2023, 33, 175-181.	1.8	7

#	ARTICLE	IF	CITATIONS
37	Correlation between irreversible organ damage and the quality of life of patients with systemic lupus erythematosus: The Kyoto Lupus Cohort survey. <i>Lupus</i> , 2021, 30, 1577-1585.	1.6	6
38	Suppressor of TCR signaling-2 (STS-2) suppresses arthritis development in mice. <i>Modern Rheumatology</i> , 2018, 28, 626-636.	1.8	5
39	Physician Global Assessment as a Disease Activity Measure for Relapsing Polychondritis. <i>Arthritis Care and Research</i> , 2022, 74, 1269-1276.	3.4	5
40	Validation and verification of the Japanese version of the systemic lupus erythematosus symptom checklist for patient quality of life. <i>Lupus</i> , 2021, 30, 1108-1115.	1.6	5
41	Primary hepatic lymphoma as other iatrogenic immunodeficiency-related lymphoproliferative disorders: a case report and review of the literature. <i>Modern Rheumatology Case Reports</i> , 2021, 5, 172-177.	0.7	5
42	Establishing clinical remission criteria and the framework of a treat-to-target algorithm for Takayasu arteritis: Results of a Delphi exercise carried out by an expert panel of the Japan Research Committee of the Ministry of Health, Labour and Welfare for intractable vasculitis. <i>Modern Rheumatology</i> , 2021, 31, 111-117.	1.8	5
43	Neutrophil count reduction 1 month after initiating tocilizumab can predict clinical remission within 1 year in rheumatoid arthritis patients. <i>Rheumatology International</i> , 2022, 42, 1983-1991.	3.0	4
44	ECG Changes Through Immunosuppressive Therapy Indicate Cardiac Abnormality in Anti-MDA5 Antibody-Positive Clinically Amyopathic Dermatomyositis. <i>Frontiers in Immunology</i> , 2021, 12, 765140.	4.8	4
45	Only rheumatoid factor-positive subset of anti-citrullinated peptide/protein antibody-negative rheumatoid arthritis may seroconvert to anti-citrullinated peptide/protein antibody-positive. <i>International Journal of Rheumatic Diseases</i> , 2017, 20, 731-736.	1.9	3
46	Predicting factors for disappearance of anti-mutated citrullinated vimentin antibodies in sera of patients with rheumatoid arthritis. <i>Modern Rheumatology</i> , 2020, 30, 450-457.	1.8	3
47	NEFA/nucleobindin-2 is a target autoantigen of the anti-Wa antibody and is associated with transfer RNA. <i>Modern Rheumatology</i> , 2012, 22, 685-694.	1.8	2
48	Human T cells expressing BEND3 on their surface represent a novel subpopulation that preferentially produces IL-6 and IL-8. <i>Immunity, Inflammation and Disease</i> , 2014, 2, 35-43.	2.7	2
49	A concomitant case of pathologically proven IgG4-related disease and ANCA-associated vasculitis: case report. <i>Modern Rheumatology Case Reports</i> , 2018, 2, 84-91.	0.7	2
50	TAFRO syndrome complicated with occlusion of multiple cerebral arteries. <i>Modern Rheumatology Case Reports</i> , 2018, 2, 214-220.	0.7	2
51	Long-term follow-up of patients with anti-cyclic citrullinated peptide antibody-positive connective tissue disease: a retrospective observational study including information on the HLA-DRB1 allele and citrullination dependency. <i>Arthritis Research and Therapy</i> , 2020, 22, 248.	3.5	2
52	Association of anti-NR2 and U1RNP antibodies with neurotoxic inflammatory mediators in cerebrospinal fluid from patients with neuropsychiatric systemic lupus erythematosus. <i>Lupus</i> , 2020, 29, 1673-1682.	1.6	2
53	The differential diagnosis of IgG4-related disease based on machine learning. <i>Arthritis Research and Therapy</i> , 2022, 24, 71.	3.5	2
54	Risk factors for the recurrence of relapsing polychondritis. <i>Arthritis Research and Therapy</i> , 2022, 24, .	3.5	2

#	ARTICLE	IF	CITATIONS
55	A case of pulmonary arterial hypertension complicated by anti-neutrophil cytoplasmic antibody-associated vasculitis and systemic sclerosis. <i>Immunological Medicine</i> , 2021, 44, 263-269.	2.6	1
56	Comment on: Different treatment options for Takayasu arteritis patients with moderate-to-severe aortic regurgitation: long-term outcomes. <i>Rheumatology</i> , 2021, 60, e290-e291.	1.9	1
57	A concomitant case of pathologically proven IgG4-related disease and ANCA-associated vasculitis: case report. , 0, .		1
58	FDG-PET/CT for Large-Vessel Vasculitis. , 2020, , 115-146.		0