

Ian J Reynolds

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9980784/publications.pdf>

Version: 2024-02-01

137
papers

13,083
citations

22548

61
h-index

25983

112
g-index

140
all docs

140
docs citations

140
times ranked

12925
citing authors

#	ARTICLE	IF	CITATIONS
1	The Multifaceted Roles of Zinc in Neuronal Mitochondrial Dysfunction. <i>Biomedicines</i> , 2021, 9, 489.	1.4	19
2	The Redox Biology of Excitotoxic Processes: The NMDA Receptor, TOPA Quinone, and the Oxidative Liberation of Intracellular Zinc. <i>Frontiers in Neuroscience</i> , 2020, 14, 778.	1.4	10
3	Pridopidine, a clinically ready compound, reduces 3,4-dihydroxyphenylalanine-induced dyskinesia in Parkinsonian macaques. <i>Movement Disorders</i> , 2019, 34, 708-716.	2.2	32
4	Drug repurposing from the perspective of pharmaceutical companies. <i>British Journal of Pharmacology</i> , 2018, 175, 168-180.	2.7	281
5	Inhibition of the mitochondrial pyruvate carrier protects from excitotoxic neuronal death. <i>Journal of Cell Biology</i> , 2017, 216, 1091-1105.	2.3	140
6	The targeted eosinophil-lowering effects of dexpropipexole in clinical studies. <i>Blood Cells, Molecules, and Diseases</i> , 2017, 63, 62-65.	0.6	32
7	Characterization of the Novel Positive Allosteric Modulator of the Metabotropic Glutamate Receptor 4 ADX88178 in Rodent Models of Neuropsychiatric Disorders. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2014, 350, 495-505.	1.3	64
8	Effects of the selective adenosine A2A receptor antagonist, SCH 412348, on the parkinsonian phenotype of MitoPark mice. <i>European Journal of Pharmacology</i> , 2014, 728, 31-38.	1.7	11
9	A Potent and Selective Metabotropic Glutamate Receptor 4 Positive Allosteric Modulator Improves Movement in Rodent Models of Parkinson's Disease. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2012, 343, 167-177.	1.3	91
10	Transcriptional responses to loss or gain of function of the leucine-rich repeat kinase 2 (LRRK2) gene uncover biological processes modulated by LRRK2 activity. <i>Human Molecular Genetics</i> , 2012, 21, 163-174.	1.4	34
11	Attenuation of scratch-induced reactive astrogliosis by novel EphA4 kinase inhibitors. <i>Journal of Neurochemistry</i> , 2011, 118, 1016-1031.	2.1	25
12	High Throughput Monitoring of Amyloid- β 242 Assembly into Soluble Oligomers Achieved by Sensitive Conformation State-Dependent Immunoassays. <i>Journal of Alzheimer's Disease</i> , 2011, 25, 655-669.	1.2	2
13	Apolipoprotein E4 Domain Interaction Mediates Detrimental Effects on Mitochondria and Is a Potential Therapeutic Target for Alzheimer Disease. <i>Journal of Biological Chemistry</i> , 2011, 286, 5215-5221.	1.6	155
14	PISA, A novel pharmacodynamic assay for assessing poly(ADP-ribose) polymerase (PARP) activity in situ. <i>Journal of Pharmacological and Toxicological Methods</i> , 2010, 61, 319-328.	0.3	2
15	Mitochondrial trafficking and morphology in neuronal injury. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2010, 1802, 143-150.	1.8	62
16	Lack of Protection with a Novel, Selective Melanocortin Receptor Subtype-4 Agonist RY767 in a Rat Transient Middle Cerebral Artery Occlusion Stroke Model. <i>Pharmacology</i> , 2009, 83, 38-44.	0.9	10
17	Ca^{2+} -Dependent and -independent production of reactive oxygen species by rat brain mitochondria. <i>Journal of Neurochemistry</i> , 2008, 79, 266-277.	2.1	535
18	Discovery of 1,4-Substituted Piperidines as Potent and Selective Inhibitors of T-Type Calcium Channels. <i>Journal of Medicinal Chemistry</i> , 2008, 51, 6471-6477.	2.9	86

#	ARTICLE	IF	CITATIONS
19	Glutamate mobilizes $[Zn^{2+}]_i$ through Ca^{2+} -dependent reactive oxygen species accumulation. <i>Journal of Neurochemistry</i> , 2008, 106, 2184-2193.	2.1	40
20	Thermal nociception and TRPV1 function are attenuated in mice lacking the nucleotide receptor P2Y2. <i>Pain</i> , 2008, 138, 484-496.	2.0	79
21	Nuclear and Mitochondrial Interaction Involving mt-Nd2 Leads to Increased Mitochondrial Reactive Oxygen Species Production*. <i>Journal of Biological Chemistry</i> , 2007, 282, 5171-5179.	1.6	57
22	Common threads in neurodegenerative disorders of aging. , 2006, 2, 322-326.		6
23	Mitochondrial trafficking and morphology in healthy and injured neurons. <i>Progress in Neurobiology</i> , 2006, 80, 241-268.	2.8	213
24	Differences in mitochondrial movement and morphology in young and mature primary cortical neurons in culture. <i>Neuroscience</i> , 2006, 141, 727-736.	1.1	119
25	Nitric oxide inhibits mitochondrial movement in forebrain neurons associated with disruption of mitochondrial membrane potential. <i>Journal of Neurochemistry</i> , 2006, 97, 800-806.	2.1	51
26	Mutant huntingtin aggregates impair mitochondrial movement and trafficking in cortical neurons. <i>Neurobiology of Disease</i> , 2006, 22, 388-400.	2.1	240
27	Mitochondrial Trafficking to Synapses in Cultured Primary Cortical Neurons. <i>Journal of Neuroscience</i> , 2006, 26, 7035-7045.	1.7	347
28	Ca^{2+} -induced permeabilization promotes free radical release from rat brain mitochondria with partially inhibited complex I. <i>Journal of Neurochemistry</i> , 2005, 93, 526-537.	2.1	93
29	Direct visualization of mitochondrial zinc accumulation reveals uniporter-dependent and -independent transport mechanisms. <i>Journal of Neurochemistry</i> , 2005, 93, 1242-1250.	2.1	86
30	Simultaneous detection of intracellular free calcium and zinc using fura-2FF and FluoZin-3. <i>Cell Calcium</i> , 2005, 37, 225-232.	1.1	75
31	Synaptosomal dopamine uptake in rat striatum following controlled cortical impact. <i>Journal of Neuroscience Research</i> , 2005, 80, 85-91.	1.3	18
32	Zn^{2+} Inhibits Mitochondrial Movement in Neurons by Phosphatidylinositol 3-Kinase Activation. <i>Journal of Neuroscience</i> , 2005, 25, 9507-9514.	1.7	67
33	Zinc causes loss of membrane potential and elevates reactive oxygen species in rat brain mitochondria. <i>Mitochondrion</i> , 2005, 5, 55-65.	1.6	165
34	Dopaminergic neurotoxins require excitotoxic stimulation in organotypic cultures. <i>Neurobiology of Disease</i> , 2005, 20, 639-645.	2.1	39
35	Distinct characteristics of Ca^{2+} -induced depolarization of isolated brain and liver mitochondria. <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 2005, 1709, 127-137.	0.5	40
36	Ectopic Expression of the Catalytic Subunit of Telomerase Protects against Brain Injury Resulting from Ischemia and NMDA-Induced Neurotoxicity. <i>Journal of Neuroscience</i> , 2004, 24, 1280-1287.	1.7	123

#	ARTICLE	IF	CITATIONS
37	Mitochondrial Stop and Go: Signals That Regulate Organelle Movement. <i>Science Signaling</i> , 2004, 2004, pe46-pe46.	1.6	16
38	Mitochondrial Trafficking in Neurons: A Key Variable in Neurodegeneration?. <i>Journal of Bioenergetics and Biomembranes</i> , 2004, 36, 283-286.	1.0	39
39	Fluorescence Detection of Redox-Sensitive Metals in Neuronal Culture: Focus on Iron and Zinc. <i>Annals of the New York Academy of Sciences</i> , 2004, 1012, 27-36.	1.8	16
40	Divergent consequences arise from metallothionein overexpression in astrocytes: Zinc buffering and oxidant-induced zinc release. <i>Glia</i> , 2004, 45, 346-353.	2.5	53
41	Fluctuations in Mitochondrial Membrane Potential in Single Isolated Brain Mitochondria: Modulation by Adenine Nucleotides and Ca ²⁺ . <i>Biophysical Journal</i> , 2004, 87, 3585-3593.	0.2	42
42	Epidermal Growth Factor Activates m-Calpain (Calpain II), at Least in Part, by Extracellular Signal-Regulated Kinase-Mediated Phosphorylation. <i>Molecular and Cellular Biology</i> , 2004, 24, 2499-2512.	1.1	250
43	Detection of hydrogen peroxide with Amplex Red: interference by NADH and reduced glutathione auto-oxidation. <i>Archives of Biochemistry and Biophysics</i> , 2004, 431, 138-144.	1.4	179
44	PET imaging of brain macrophages using the peripheral benzodiazepine receptor in a macaque model of neuroAIDS. <i>Journal of Clinical Investigation</i> , 2004, 113, 981-989.	3.9	39
45	New perspectives on mitochondrial morphology in cell function. <i>Biology of the Cell</i> , 2003, 95, 239-242.	0.7	33
46	Zinc inhibition of cellular energy production: implications for mitochondria and neurodegeneration. <i>Journal of Neurochemistry</i> , 2003, 85, 563-570.	2.1	303
47	Glucose deprivation produces a prolonged increase in sensitivity to glutamate in cultured rat cortical neurons. <i>Experimental Neurology</i> , 2003, 183, 682-694.	2.0	36
48	Spontaneous Changes in Mitochondrial Membrane Potential in Single Isolated Brain Mitochondria. <i>Biophysical Journal</i> , 2003, 85, 3358-3366.	0.2	94
49	Glutamate Decreases Mitochondrial Size and Movement in Primary Forebrain Neurons. <i>Journal of Neuroscience</i> , 2003, 23, 7881-7888.	1.7	296
50	A Characterization of Dopaminergic Neurodegeneration in Organotypic Cultures. <i>Annals of the New York Academy of Sciences</i> , 2003, 991, 304-306.	1.8	2
51	A Reevaluation of Neuronal Zinc Measurements: Artifacts Associated with High Intracellular Dye Concentration. <i>Molecular Pharmacology</i> , 2002, 62, 618-627.	1.0	97
52	The Relationship between Intracellular Free Iron and Cell Injury in Cultured Neurons, Astrocytes, and Oligodendrocytes. <i>Journal of Neuroscience</i> , 2002, 22, 5848-5855.	1.7	130
53	Elevated intracellular zinc and altered proton homeostasis in forebrain neurons. <i>Neuroscience</i> , 2002, 114, 439-449.	1.1	22
54	Induction of Neuronal Apoptosis by Thiol Oxidation. <i>Journal of Neurochemistry</i> , 2002, 75, 1878-1888.	2.1	347

#	ARTICLE	IF	CITATIONS
55	Alkalinization Prolongs Recovery from Glutamate-Induced Increases in Intracellular Ca ²⁺ Concentration by Enhancing Ca ²⁺ Efflux Through the Mitochondrial Na ⁺ /Ca ²⁺ Exchanger in Cultured Rat Forebrain Neurons. <i>Journal of Neurochemistry</i> , 2002, 71, 1051-1058.	2.1	54
56	Title is missing!. <i>Molecular and Cellular Biochemistry</i> , 2002, 234/235, 211-217.	1.4	42
57	Spontaneous Changes in Mitochondrial Membrane Potential in Cultured Neurons. <i>Journal of Neuroscience</i> , 2001, 21, 5054-5065.	1.7	142
58	MitoTracker labeling in primary neuronal and astrocytic cultures: influence of mitochondrial membrane potential and oxidants. <i>Journal of Neuroscience Methods</i> , 2001, 104, 165-176.	1.3	194
59	Quantitative evaluation of mitochondrial calcium content in rat cortical neurones following a glutamate stimulus. <i>Journal of Physiology</i> , 2001, 531, 793-805.	1.3	69
60	Vanilloid receptor expression suggests a sensory role for urinary bladder epithelial cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2001, 98, 13396-13401.	3.3	484
61	Mitochondria in Acute Brain Injury. , 2001, , 145-161.		3
62	Apoptosis and the laws of thermodynamics. <i>Nature Cell Biology</i> , 2000, 2, E172-E172.	4.6	9
63	Pharmacological investigation of mitochondrial Ca ²⁺ transport in central neurons: studies with CGP-37157, an inhibitor of the mitochondrial Na ⁺ Ca ²⁺ exchanger. <i>Cell Calcium</i> , 2000, 28, 317-327.	1.1	25
64	Persistent Activation of ERK Contributes to Glutamate-induced Oxidative Toxicity in a Neuronal Cell Line and Primary Cortical Neuron Cultures. <i>Journal of Biological Chemistry</i> , 2000, 275, 12200-12206.	1.6	488
65	Astrocytes Are More Resistant Than Neurons to the Cytotoxic Effects of Increased [Zn ²⁺] _i . <i>Neurobiology of Disease</i> , 2000, 7, 310-320.	2.1	67
66	[³ H](+)MK801 Radioligand Binding Assay at the N-Methyl-D-Aspartate Receptor. <i>Current Protocols in Pharmacology</i> , 2000, 11, Unit 1.20.	4.0	7
67	Novel bisbenzamidines and bisbenzimidazolines as noncompetitive NMDA receptor antagonists. <i>Bioorganic and Medicinal Chemistry Letters</i> , 1999, 9, 1299-1304.	1.0	12
68	Mitochondrial Membrane Potential and the Permeability Transition in Excitotoxicity. <i>Annals of the New York Academy of Sciences</i> , 1999, 893, 33-41.	1.8	79
69	Emergence of excitotoxicity in cultured forebrain neurons coincides with larger glutamate-stimulated [Ca ²⁺] _i increases and NMDA receptor mRNA levels. <i>Brain Research</i> , 1999, 849, 97-108.	1.1	68
70	The Use of Ligand Binding in Assays of NMDA Receptor Function. , 1999, 128, 93-102.		8
71	High-affinity calcium indicators underestimate increases in intracellular calcium concentrations associated with excitotoxic glutamate stimulations. <i>Neuroscience</i> , 1999, 89, 91-100.	1.1	89
72	Glutamate-induced neuron death requires mitochondrial calcium uptake. <i>Nature Neuroscience</i> , 1998, 1, 366-373.	7.1	576

#	ARTICLE	IF	CITATIONS
73	The role of intracellular Na ⁺ and mitochondria in buffering of kainate-induced intracellular free Ca ²⁺ changes in rat forebrain neurones. <i>Journal of Physiology</i> , 1998, 509, 103-116.	1.3	42
74	Synthesis of a potent wide-spectrum serotonin-, norepinephrine-, dopamine-reuptake inhibitor (SNDRI) and a species-selective dopamine-reuptake inhibitor based on the gamma-amino alcohol functional group. <i>Bioorganic and Medicinal Chemistry Letters</i> , 1998, 8, 487-492.	1.0	61
75	Aromatic analogs of arcaïne inhibit MK-801 binding to the NMDA receptor. <i>Bioorganic and Medicinal Chemistry Letters</i> , 1998, 8, 3459-3464.	1.0	9
76	Complex polyamine effects on [3H]MDL 105,519 binding to the NMDA receptor glycine site. <i>Neurochemistry International</i> , 1998, 33, 155-159.	1.9	1
77	Chapter 15 Intracellular calcium and magnesium: Critical determinants of excitotoxicity?. <i>Progress in Brain Research</i> , 1998, 116, 225-243.	0.9	16
78	Measurement of Cation Movement in Primary Cultures Using Fluorescent Dyes. <i>Current Protocols in Neuroscience</i> , 1998, 4, Unit7.11.	2.6	1
79	Reverse Na ⁺ /Ca ²⁺ Exchange Contributes to Glutamate-Induced Intracellular Ca ²⁺ Concentration Increases in Cultured Rat Forebrain Neurons. <i>Molecular Pharmacology</i> , 1998, 53, 742-749.	1.0	126
80	Effects of Oxidants and Glutamate Receptor Activation on Mitochondrial Membrane Potential in Rat Forebrain Neurons. <i>Journal of Neurochemistry</i> , 1998, 71, 2392-2400.	2.1	72
81	Calcium-Sensitive Fluorescent Dyes Can Report Increases in Intracellular Free Zinc Concentration in Cultured Forebrain Neurons. <i>Journal of Neurochemistry</i> , 1998, 71, 2401-2410.	2.1	72
82	Effects of pyrroloquinoline quinone on glutamate-induced production of reactive oxygen species in neurons. <i>European Journal of Pharmacology</i> , 1997, 326, 67-74.	1.7	41
83	Mechanisms of Dopamine-Induced Cell Death in Cultured Rat Forebrain Neurons: Interactions with and Differences from Glutamate-Induced Cell Death. <i>Experimental Neurology</i> , 1997, 143, 269-281.	2.0	102
84	Trifluoperazine and dibucaine-induced inhibition of glutamate-induced mitochondrial depolarization in rat cultured forebrain neurones. <i>British Journal of Pharmacology</i> , 1997, 122, 803-808.	2.7	43
85	Characterization of hydrogen peroxide toxicity in cultured rat forebrain neurons. <i>Neurochemical Research</i> , 1997, 22, 333-340.	1.6	103
86	NMDA Receptor-Mediated Neurotoxicity: A Paradoxical Requirement for Extracellular Mg ²⁺ in Na ⁺ /Ca ²⁺ -Free Solutions in Rat Cortical Neurons In Vitro. <i>Journal of Neurochemistry</i> , 1997, 68, 1836-1845.	2.1	62
87	Mitochondrial Depolarization in Glutamate-Stimulated Neurons: An Early Signal Specific to Excitotoxin Exposure. <i>Journal of Neuroscience</i> , 1996, 16, 5688-5697.	1.7	586
88	Localization of D1 dopamine receptors on live cultured striatal neurons by quantitative fluorescence microscopy. <i>Brain Research</i> , 1996, 731, 21-30.	1.1	7
89	Intracellular Signalling in Glutamate Excitotoxicity. , 1996, , 1-7.		0
90	Glutamate induces the production of reactive oxygen species in cultured forebrain neurons following NMDA receptor activation. <i>Journal of Neuroscience</i> , 1995, 15, 3318-3327.	1.7	725

#	ARTICLE	IF	CITATIONS
91	Calcium influx but not pH or ATP level mediates glutamate-induced changes in intracellular magnesium in cortical neurons. <i>Journal of Neurophysiology</i> , 1995, 74, 942-949.	0.9	12
92	Mitochondria and Na ⁺ /Ca ²⁺ exchange buffer glutamate-induced calcium loads in cultured cortical neurons. <i>Journal of Neuroscience</i> , 1995, 15, 1318-1328.	1.7	281
93	Effect of neuroactive steroids on [3H]flumazenil binding to the GABAA receptor complex in vitro. <i>Neuropharmacology</i> , 1995, 34, 1169-1175.	2.0	21
94	Characterization of the effects of polyamines on the modulation of the N-methyl-d-aspartate receptor by glycine. <i>Neuropharmacology</i> , 1995, 34, 1147-1157.	2.0	11
95	Cyclothiazide Modulates AMPA Receptor-Mediated Increases in Intracellular Free Ca ²⁺ and Mg ²⁺ in Cultured Neurons from Rat Brain. <i>Journal of Neurochemistry</i> , 1995, 64, 2049-2056.	2.1	30
96	Orally Administered Progesterone Enhances Sensitivity to Triazolam in Postmenopausal Women. <i>Journal of Clinical Psychopharmacology</i> , 1995, 15, 3-11.	0.7	43
97	Glutamate-induced intracellular calcium changes and neurotoxicity in cortical neurons in vitro: Effect of chemical ischemia. <i>Neuroscience</i> , 1994, 62, 667-679.	1.1	68
98	Desensitization of 5HT ₂ Receptors by Protein Kinase C Activation in Distal Pulmonary Vascular Smooth Muscle Cells in Culture. <i>Microcirculation</i> , 1994, 1, 129-135.	1.0	2
99	[³ H] CGP 39653 Binding to the Agonist Site of the N-Methyl-D-Aspartate Receptor Is Modulated by Mg ²⁺ and Polyamines Independently of the Arcaine-Sensitive Polyamine Site. <i>Journal of Neurochemistry</i> , 1994, 62, 54-62.	2.1	31
100	Interaction of rigid polyamine analogues with the NMDA receptor complex from rat brain. <i>Bioorganic and Medicinal Chemistry Letters</i> , 1993, 3, 85-90.	1.0	2
101	Studies on the effects of several pentamidine analogues on the NMDA receptor. <i>European Journal of Pharmacology</i> , 1993, 244, 175-179.	2.7	9
102	Modulation of [3H]flunitrazepam binding by natural and synthetic progestational agents. <i>Pharmacology Biochemistry and Behavior</i> , 1993, 45, 77-83.	1.3	25
103	Effects of pH on the actions of dizocilpine at the N-methyl-D-aspartate receptor complex. <i>British Journal of Pharmacology</i> , 1993, 109, 107-112.	2.7	11
104	Calcium green-5N, a novel fluorescent probe for monitoring high intracellular free Ca ²⁺ concentrations associated with glutamate excitotoxicity in cultured rat brain neurons. <i>Neuroscience Letters</i> , 1993, 162, 149-152.	1.0	100
105	Glutamate-induced increases in intracellular free Mg ²⁺ in cultured cortical neurons. <i>Neuron</i> , 1993, 11, 751-757.	3.8	137
106	Pentamidine is an N-methyl-D-aspartate receptor antagonist and is neuroprotective in vitro. <i>Journal of Neuroscience</i> , 1992, 12, 970-975.	1.7	43
107	Modulation of NMDA Excitotoxicity by Redox Reagents. <i>Annals of the New York Academy of Sciences</i> , 1992, 648, 125-131.	1.8	4
108	Synthesis and biological activity of 8a-phenyldecahydroquinolines as probes of PCP's binding conformation. A new PCP-like compound with increased in vivo potency. <i>Journal of Medicinal Chemistry</i> , 1992, 35, 1634-1638.	2.9	7

#	ARTICLE	IF	CITATIONS
109	Nitric oxide modulates NMDA-induced increases in intracellular Ca ²⁺ in cultured rat forebrain neurons. <i>Brain Research</i> , 1992, 592, 310-316.	1.1	154
110	Effects of Monovalent and Divalent Cations on 3-(+)[125I]Iododizocilpine Binding to the N-Methyl-d-Aspartate Receptor of Rat Brain Membranes. <i>Journal of Neurochemistry</i> , 1992, 58, 1469-1476.	2.1	12
111	[125I]Thienylphencyclidine, a novel ligand for the NMDA receptor. <i>European Journal of Pharmacology</i> , 1992, 226, 53-58.	2.7	6
112	The spider toxin, argiotoxin ₆₃₆ , binds to a Mg ²⁺ site on the N-methyl-d-aspartate receptor complex. <i>British Journal of Pharmacology</i> , 1991, 103, 1373-1376.	2.7	20
113	Oxidized glutathione modulates and depolarization-induced increases in intracellular Ca ²⁺ in cultured rat forebrain neurons. <i>Neuroscience Letters</i> , 1991, 133, 11-14.	1.0	54
114	Effects of nicotinic agonists on the NMDA receptor. <i>Brain Research</i> , 1991, 551, 355-357.	1.1	49
115	Regional Variations in [3H]MK801 Binding to Rat Brain N-Methyl-D-Aspartate Receptors. <i>Journal of Neurochemistry</i> , 1991, 56, 1731-1740.	2.1	80
116	Effects of age and visual experience on [3H] MK801 binding to NMDA receptors in the kitten visual cortex. <i>Experimental Brain Research</i> , 1991, 85, 611-5.	0.7	30
117	Allosteric Modulation of N-Methyl-D-Aspartate Receptors. <i>Advances in Pharmacology</i> , 1990, 21, 101-126.	1.2	37
118	Synthesis and bioactivity of a new class of rigid glutamate analogs. Modulators of the N-methyl-D-aspartate receptor. <i>Journal of Medicinal Chemistry</i> , 1990, 33, 1561-1571.	2.9	41
119	Excitatory amino acid receptors: NMDA modulatory sites, kainate cloned and a new role in AIDS. <i>Trends in Pharmacological Sciences</i> , 1990, 11, 1-3.	4.0	14
120	Arcaine is a competitive antagonist of the polyamine site on the NMDA receptor. <i>European Journal of Pharmacology</i> , 1990, 177, 215-216.	1.7	79
121	Reduction of NMDA receptors with dithiothreitol increases [³ H]MK801 binding and NMDA-induced Ca ²⁺ fluxes. <i>British Journal of Pharmacology</i> , 1990, 101, 178-182.	2.7	76
122	Modulation of NMDA receptor responsiveness by neurotransmitters, drugs and chemical modification. <i>Life Sciences</i> , 1990, 47, 1785-1792.	2.0	49
123	Alterations in calcium antagonist receptors and sodium-calcium exchange in cardiomyopathic hamster tissues.. <i>Circulation Research</i> , 1989, 65, 205-214.	2.0	74
124	NMDA receptor antagonists that bind to the strychnine-insensitive glycine site and inhibit NMDA-induced Ca ²⁺ fluxes and [3H]GABA release. <i>European Journal of Pharmacology</i> , 1989, 172, 9-17.	2.7	39
125	Muscarinic Agonists Cause Calcium Influx and Calcium Mobilization in Forebrain Neurons In Vitro. <i>Journal of Neurochemistry</i> , 1989, 53, 226-233.	2.1	31
126	[3H]MK801 binding to the NMDA receptor/ionophore complex is regulated by divalent cations: evidence for multiple regulatory sites. <i>European Journal of Pharmacology</i> , 1988, 151, 103-112.	1.7	103

#	ARTICLE	IF	CITATIONS
127	Tricyclic antidepressants block Na ⁺ -methyl-DL-aspartate receptors: similarities to the action of zinc. <i>British Journal of Pharmacology</i> , 1988, 95, 95-102.	2.7	178
128	Calcium Antagonist Receptors.. <i>Annals of the New York Academy of Sciences</i> , 1988, 522, 116-133.	1.8	31
129	Calcium Antagonist Receptors. , 1988, 1, 213-249.		10
130	Physiological and Pharmacological Correlates of Calcium Antagonist Receptors. <i>Journal of Cardiovascular Pharmacology</i> , 1987, 10, S1-9.	0.8	5
131	³ H-labeled MK-801 binding to the excitatory amino acid receptor complex from rat brain is enhanced by glycine.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1987, 84, 7744-7748.	3.3	272
132	Brain voltage-sensitive calcium channel subtypes differentiated by omega-conotoxin fraction GVIA.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1986, 83, 8804-8807.	3.3	264
133	Calcium antagonist receptors in cardiomyopathic hamster: selective increases in heart, muscle, brain. <i>Science</i> , 1986, 232, 515-518.	6.0	140
134	Calcium-Antagonist Drugs. <i>New England Journal of Medicine</i> , 1985, 313, 995-1002.	13.9	180
135	Calcium channel blockade: possible explanation for thioridazine's peripheral side effects. <i>American Journal of Psychiatry</i> , 1984, 141, 352-357.	4.0	47
136	[³ H]verapamil binding sites in brain and skeletal muscle: Regulation by calcium. <i>European Journal of Pharmacology</i> , 1983, 95, 319-321.	1.7	43
137	Antischizophrenic drugs of the diphenylbutylpiperidine type act as calcium channel antagonists.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1983, 80, 5122-5125.	3.3	200