

Alice Mija

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/99836/publications.pdf>

Version: 2024-02-01

68
papers

2,257
citations

201674

27
h-index

233421

45
g-index

69
all docs

69
docs citations

69
times ranked

2047
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Integral, differential and advanced isoconversional methods. Chemometrics and Intelligent Laboratory Systems, 2009, 96, 219-226. | 3.5 | 190 |
| 2 | Eco-friendly composite resins based on renewable biomass resources: Polyfurfuryl alcohol/lignin thermosets. European Polymer Journal, 2010, 46, 1016-1023. | 5.4 | 138 |
| 3 | Chemorheological analysis and model-free kinetics of acid catalysed furfuryl alcohol polymerization. Physical Chemistry Chemical Physics, 2007, 9, 5359. | 2.8 | 115 |
| 4 | Sustainable Series of New Epoxidized Vegetable Oil-Based Thermosets with Chemical Recycling Properties. Biomacromolecules, 2020, 21, 3923-3935. | 5.4 | 95 |
| 5 | Valorization of Biorefinery Side-Stream Products: Combination of Humins with Polyfurfuryl Alcohol for Composite Elaboration. ACS Sustainable Chemistry and Engineering, 2014, 2, 2182-2190. | 6.7 | 85 |
| 6 | Cure kinetics of a liquid-crystalline epoxy resin studied by non-isothermal data. Polymer Testing, 2004, 23, 209-215. | 4.8 | 84 |
| 7 | From Epoxidized Linseed Oil to Bioresin: An Overall Approach of Epoxy/Anhydride Cross-Linking. ChemSusChem, 2015, 8, 1232-1243. | 6.8 | 79 |
| 8 | Hybrid Nanocomposites: Advanced Nonlinear Method for Calculating Key Kinetic Parameters of Complex Cure Kinetics. Journal of Physical Chemistry B, 2010, 114, 12480-12487. | 2.6 | 77 |
| 9 | New insights on the thermal degradation pathways of neat poly(furfuryl alcohol) and poly(furfuryl) Tj ETQq1 1 0.784314 rgBT/Overlo | 5.8 | 70 |
| 10 | Keratin Associations with Synthetic, Biosynthetic and Natural Polymers: An Extensive Review. Polymers, 2020, 12, 32. | 4.5 | 66 |
| 11 | Green material composites from renewable resources: Polymorphic transitions and phase diagram of beeswax/rosin resin. Thermochimica Acta, 2011, 521, 90-97. | 2.7 | 63 |
| 12 | Humins as promising material for producing sustainable carbohydrate-derived building materials. Construction and Building Materials, 2017, 139, 594-601. | 7.2 | 60 |
| 13 | Recyclable, Repairable, and Reshapable (3R) Thermoset Materials with Shape Memory Properties from Bio-Based Epoxidized Vegetable Oils. ACS Applied Bio Materials, 2020, 3, 8094-8104. | 4.6 | 56 |
| 14 | Enhancing the Recyclability of a Vegetable Oil-Based Epoxy Thermoset through Initiator Influence. ACS Sustainable Chemistry and Engineering, 2020, 8, 7690-7700. | 6.7 | 52 |
| 15 | Chemical Reactivity and the Influence of Initiators on the Epoxidized Vegetable Oil/Dicarboxylic Acid System. Macromolecules, 2020, 53, 2526-2538. | 4.8 | 51 |
| 16 | Innovative green nanocomposites based on silicate clays/lignin/natural fibres. Composites Science and Technology, 2009, 69, 1979-1984. | 7.8 | 50 |
| 17 | Epoxy-Amine Based Nanocomposites Reinforced by Silica Nanoparticles. Relationships between Morphologic Aspects, Cure Kinetics, and Thermal Properties. Journal of Physical Chemistry C, 2011, 115, 22789-22795. | 3.1 | 49 |
| 18 | Effects of Incorporation of Organically Modified Montmorillonite on the Reaction Mechanism of Epoxy/Amine Cure. Journal of Physical Chemistry B, 2012, 116, 5786-5794. | 2.6 | 48 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 19 | Copolymerization as a Strategy to Combine Epoxidized Linseed Oil and Furfuryl Alcohol: The Design of a Fully Bio-Based Thermoset. <i>ChemSusChem</i> , 2015, 8, 4149-4161. | 6.8 | 40 |
| 20 | Auto-Crosslinked Rigid Foams Derived from Biorefinery Byproducts. <i>ChemSusChem</i> , 2018, 11, 2797-2809. | 6.8 | 39 |
| 21 | Chemical and mechanical reprocessed resins and bio-composites based on five epoxidized vegetable oils thermosets reinforced with flax fibers or PLA woven. <i>Composites Science and Technology</i> , 2021, 205, 108678. | 7.8 | 36 |
| 22 | Sustainable access to fully biobased epoxidized vegetable oil thermoset materials prepared by thermal or UV-cationic processes. <i>RSC Advances</i> , 2020, 10, 41954-41966. | 3.6 | 35 |
| 23 | Green process to regenerate keratin from feathers with an aqueous deep eutectic solvent. <i>RSC Advances</i> , 2019, 9, 19720-19728. | 3.6 | 33 |
| 24 | Biobased furan-based epoxy/TiO ₂ nanocomposites for the preparation of coatings with improved chemical resistance. <i>Chemical Engineering Journal</i> , 2021, 406, 127107. | 12.7 | 32 |
| 25 | Complex Kinetic Pathway of Furfuryl Alcohol Polymerization Catalyzed by Green Montmorillonite Clays. <i>Journal of Physical Chemistry B</i> , 2012, 116, 8259-8268. | 2.6 | 29 |
| 26 | Building thermally and chemically reversible covalent bonds in vegetable oil based epoxy thermosets. Influence of epoxy-hardener ratio in promoting recyclability. <i>Materials Advances</i> , 2020, 1, 1788-1798. | 5.4 | 29 |
| 27 | Molecular mobility and relaxation process of isolated lignin studied by multifrequency calorimetric experiments. <i>Physical Chemistry Chemical Physics</i> , 2009, 11, 1227. | 2.8 | 27 |
| 28 | Green approaches in the synthesis of furan-based diepoxy monomers. <i>RSC Advances</i> , 2018, 8, 16330-16335. | 3.6 | 26 |
| 29 | Fully bio-based reprocessable thermosetting resins based on epoxidized vegetable oils cured with itaconic acid. <i>Industrial Crops and Products</i> , 2022, 185, 115116. | 5.2 | 26 |
| 30 | Curing Behavior and Properties of Sustainable Furan-Based Epoxy/Anhydride Resins. <i>Biomacromolecules</i> , 2019, 20, 3831-3841. | 5.4 | 25 |
| 31 | Shear induced structuration of liquid crystalline epoxy thermosets. <i>European Polymer Journal</i> , 2010, 46, 1380-1387. | 5.4 | 24 |
| 32 | Cross-linked polyfuran networks with elastomeric behaviour based on humins biorefinery by-products. <i>Green Chemistry</i> , 2019, 21, 6277-6289. | 9.0 | 23 |
| 33 | Insights on Thermal and Fire Hazards of Humins in Support of Their Sustainable Use in Advanced Biorefineries. <i>ACS Sustainable Chemistry and Engineering</i> , 2018, 6, 16692-16701. | 6.7 | 20 |
| 34 | Dual Cross-linking of Epoxidized Linseed Oil with Combined Aliphatic/Aromatic Diacids Containing Dynamic S-S Bonds Generating Recyclable Thermosets. <i>ACS Applied Bio Materials</i> , 2020, 3, 7550-7561. | 4.6 | 20 |
| 35 | Monitoring the structure-reactivity relationship in epoxidized perilla and safflower oil thermosetting resins. <i>Polymer Chemistry</i> , 2020, 11, 5088-5097. | 3.9 | 20 |
| 36 | Limonene dioxide as a building block for 100% bio-based thermosets. <i>Green Chemistry</i> , 2021, 23, 9855-9859. | 9.0 | 20 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Liquid crystalline and isotropic epoxy thermosets: Mechanism and kinetics of non-isothermal degradation. <i>Polymer Degradation and Stability</i> , 2007, 92, 2051-2057. | 5.8 | 19 |
| 38 | Biorefinery Byproducts and Epoxy Biorenewable Monomers: A Structural Elucidation of Humins and Triglycidyl Ether of Phloroglucinol Cross-Linking. <i>Biomacromolecules</i> , 2020, 21, 517-533. | 5.4 | 19 |
| 39 | Anisotropic reinforcement of epoxy-based nanocomposites with aligned magnetite-sepiolite hybrid nanofiller. <i>Composites Science and Technology</i> , 2015, 112, 34-41. | 7.8 | 18 |
| 40 | Biomass derived epoxy systems: From reactivity to final properties. <i>Materials Today Communications</i> , 2019, 21, 100683. | 1.9 | 17 |
| 41 | High Glass Transition Materials from Sustainable Epoxy Resins with Potential Applications in the Aerospace and Space Sectors. <i>ACS Applied Polymer Materials</i> , 2022, 4, 3636-3646. | 4.4 | 16 |
| 42 | Preparation of polypropylene nanocomposites by melt mixing: Comparison between three organoclays. <i>Journal of Applied Polymer Science</i> , 2017, 134, 45053. | 2.6 | 15 |
| 43 | One-Pot Terpolymerization Synthesis of High Carbon Biocontent Recyclable Epoxy Thermosets and Their Composites with Flax Woven Fibers. <i>ACS Sustainable Chemistry and Engineering</i> , 2021, 9, 8526-8538. | 6.7 | 14 |
| 44 | Influence of Keratin on Epoxidized Linseed Oil Curing and Thermoset Performances. <i>ACS Sustainable Chemistry and Engineering</i> , 2021, 9, 15641-15652. | 6.7 | 14 |
| 45 | Synthesis of Resins Using Epoxies and Humins as Building Blocks: A Mechanistic Study Based on In-Situ FT-IR and NMR Spectroscopies. <i>Molecules</i> , 2019, 24, 4110. | 3.8 | 13 |
| 46 | Kinetical Study, Thermo-Mechanical Characteristics and Recyclability of Epoxidized Camelina Oil Cured with Antagonist Structure (Aliphatic/Aromatic) or Functionality (Acid/Amine) Hardeners. <i>Polymers</i> , 2021, 13, 2503. | 4.5 | 13 |
| 47 | Synthesis and characterization of some epoxy resins bearing azomethine groups. <i>European Polymer Journal</i> , 1996, 32, 779-783. | 5.4 | 12 |
| 48 | Star-epoxy mesogen with 1,3,5-triazine core: a model of $A_{40}B_{30}$ fractal polymerization in a liquid crystalline thermoset media. <i>Polymer Chemistry</i> , 2016, 7, 1221-1225. | 3.9 | 12 |
| 49 | Influence of the Presence of Disulphide Bonds in Aromatic or Aliphatic Dicarboxylic Acid Hardeners Used to Produce Reprocessable Epoxidized Thermosets. <i>Polymers</i> , 2021, 13, 534. | 4.5 | 12 |
| 50 | Hydrothermal Carbon as Reactive Fillers to Produce Sustainable Biocomposites with Aromatic Bio-Based Epoxy Resins. <i>Polymers</i> , 2021, 13, 240. | 4.5 | 12 |
| 51 | Structural Insights of Humins/Epoxidized Linseed Oil/ Hardener Terpolymerization. <i>Polymers</i> , 2020, 12, 1583. | 4.5 | 11 |
| 52 | Design of Sustainable Materials by Cross-linking a Biobased Epoxide with Keratin and Lignin. <i>ACS Sustainable Chemistry and Engineering</i> , 2020, 8, 6844-6852. | 6.7 | 11 |
| 53 | Structural, thermal, rheological and mechanical properties of polypropylene/graphene nanoplatelets composites: Effect of particle size and melt mixing conditions. <i>Polymer Engineering and Science</i> , 2018, 58, 1937-1944. | 3.1 | 10 |
| 54 | Self-organization of sepiolite fibbers in a biobased thermoset. <i>Composites Science and Technology</i> , 2019, 171, 226-233. | 7.8 | 10 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 55 | Investigating the properties of humins foams, the porous carbonaceous materials derived from biorefinery by-products. Applied Materials Today, 2020, 20, 100622. | 4.3 | 10 |
| 56 | Reprocessable humins thermosets and composites. Composites Science and Technology, 2021, 207, 108655. | 7.8 | 10 |
| 57 | Vegetable Oil-Based Resins Reinforced with Spruce Bark Powder and with Its Hydrochar Lignocellulosic Biomass. Applied Sciences (Switzerland), 2021, 11, 10649. | 2.5 | 10 |
| 58 | Stereodynamic control of star-epoxy/anhydride crosslinking actuated by liquid-crystalline phase transitions. Soft Matter, 2017, 13, 1956-1965. | 2.7 | 9 |
| 59 | "BIO-BASED EPOXY RESINS AND COMPOSITES FROM EPOXIDIZED LINSEED OIL CROSSLINKED WITH DIFFERENT CYCLIC ANHYDRIDES AND THEIR COMBINATION WITH LIGNIN". Cellulose Chemistry and Technology, 2020, 54, 925-938. | 1.2 | 9 |
| 60 | Influence of the radial stem composition on the thermal behaviour of miscanthus and sorghum genotypes. Carbohydrate Polymers, 2017, 167, 12-19. | 10.2 | 8 |
| 61 | Thermal and dynamic mechanical characterization of miscanthus stem fragments: Effects of genotypes, positions along the stem and their relation with biochemical and structural characteristics. Industrial Crops and Products, 2020, 156, 112863. | 5.2 | 5 |
| 62 | Polyhydroxybutyrate Bioresins with High Thermal Stability by Cross-linking with Resorcinol Diglycidyl Ether. Biomacromolecules, 2020, 21, 3447-3458. | 5.4 | 4 |
| 63 | A Sustainable Approach on Spruce Bark Waste Valorization through Hydrothermal Conversion. Processes, 2022, 10, 111. | 2.8 | 3 |
| 64 | On the Influence of the cis/trans Stereochemistry of Limonene Oxides toward the Synthesis of Biobased Thermosets by Crosslinking with Anhydrides. ACS Sustainable Chemistry and Engineering, 2022, 10, 7169-7179. | 6.7 | 3 |
| 65 | Eco-friendly Optical Adhesives Based onVegetable Oil Thermosets. Journal of the Adhesion Society of Japan, 2015, 51, 279-285. | 0.0 | 1 |
| 66 | Physicoâ€Chemical Properties and Principal Component Analysis of Biobased Thermosets Developed with Different Batches of Industrial Humins. ChemPlusChem, 2022, 87, e202200067. | 2.8 | 1 |
| 67 | Humins as bio-based template for the synthesis of alumina foams. Molecular Catalysis, 2022, 526, 112363. | 2.0 | 0 |
| 68 | Cover Feature: Physicoâ€Chemical Properties and Principal Component Analysis of Biobased Thermosets Developed with Different Batches of Industrial Humins (ChemPlusChem 7/2022). ChemPlusChem, 2022, 87, . | 2.8 | 0 |