

Alessandro Imparato

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/998697/publications.pdf>

Version: 2024-02-01

26
papers

1,863
citations

623574

14
h-index

552653

26
g-index

26
all docs

26
docs citations

26
times ranked

1343
citing authors

#	ARTICLE	IF	CITATIONS
1	Prevalence of exertional oscillatory ventilation in continuous-flow left ventricular assist device recipients. <i>European Journal of Preventive Cardiology</i> , 2018, 25, 1838-1842.	0.8	8
2	Exercise gas exchange in continuous-flow left ventricular assist device recipients. <i>PLoS ONE</i> , 2018, 13, e0187112.	1.1	13
3	Systemic perfusion at peak incremental exercise in left ventricular assist device recipients: Partitioning pump and native left ventricle relative contribution. <i>International Journal of Cardiology Heart & Vessels</i> , 2014, 4, 40-45.	0.5	17
4	How to face emergencies in heart failure patients with ventricular assist device. <i>International Journal of Cardiology</i> , 2013, 168, 5143-5148.	0.8	8
5	Cardiovascular prevention and rehabilitation for patients with ventricular assist device From exercise therapy to long-term therapy Part II: Long-term therapy. <i>Monaldi Archives for Chest Disease</i> , 2011, 76, 136-45.	0.3	11
6	Doppler Echocardiography in Advanced Systolic Heart Failure. <i>Circulation: Heart Failure</i> , 2010, 3, 387-394.	1.6	88
7	Early right coronary vasospasm presenting with malignant arrhythmias in a heart transplantation recipient without allograft vasculopathy. <i>International Journal of Cardiology</i> , 2009, 131, e120-e123.	0.8	8
8	Perioperative and postoperative predictors of outcome in patients with low ejection fraction early after coronary artery bypass grafting: the additional value of left ventricular remodeling. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2008, 15, 441-447.	3.1	7
9	Low plasma levels of brain natriuretic peptide in severe acute heart failure: Merely a case?. <i>International Journal of Cardiology</i> , 2007, 122, e18-e20.	0.8	1
10	Ventilatory response to exercise improves risk stratification in patients with chronic heart failure and intermediate functional capacity. <i>American Heart Journal</i> , 2002, 143, 418-426.	1.2	168
11	Accurate noninvasive estimation of pulmonary vascular resistance by Doppler echocardiography in patients with chronic heart failure. <i>Journal of the American College of Cardiology</i> , 2001, 37, 1813-1819.	1.2	100
12	Estimation of pulmonary wedge pressure by transmitral Doppler in patients with chronic heart failure and atrial fibrillation. <i>American Journal of Cardiology</i> , 1999, 83, 724-727.	0.7	90
13	Doppler-Derived Acceleration Rate of Right Ventricular Early Filling as a Measurement of Right Atrial Pressure in Chronic Heart Failure Secondary to Ischemic or Idiopathic Dilated Cardiomyopathy. <i>American Journal of Cardiology</i> , 1998, 81, 513-515.	0.7	13
14	Reversible Restrictive Left Ventricular Diastolic Filling With Optimized Oral Therapy Predicts a More Favorable Prognosis in Patients With Chronic Heart Failure. <i>Journal of the American College of Cardiology</i> , 1998, 31, 1591-1597.	1.2	123
15	Amlodipine Improves the Anti-Ischaemic Effect of Atenolol in Postinfarction Patients with Effort-Induced Ischaemia. <i>Clinical Drug Investigation</i> , 1997, 13, 22-28.	1.1	1
16	Independent and incremental prognostic value of doppler-derived mitral deceleration time of early filling in both symptomatic and asymptomatic patients with left ventricular dysfunction. <i>Journal of the American College of Cardiology</i> , 1996, 28, 383-390.	1.2	242
17	Independent and Incremental Prognostic Value of Doppler-Derived Mitral Deceleration Time of Early Filling in Both Symptomatic and Asymptomatic Patients With Left Ventricular Dysfunction. <i>Journal of the American College of Cardiology</i> , 1996, 28, 383-390.	1.2	209
18	Residual exertional ischemia and unfavorable left ventricular remodeling in patients with systolic dysfunction after anterior myocardial infarction. <i>Journal of the American College of Cardiology</i> , 1995, 25, 1539-1546.	1.2	21

#	ARTICLE	IF	CITATIONS
19	Effects of nitroglycerin by technetium-99m sestamibi tomoscintigraphy on resting regional myocardial hypoperfusion in stable patients with healed myocardial infarction. American Journal of Cardiology, 1994, 74, 843-848.	0.7	52
20	Doppler-derived mitral deceleration time of early filling as a strong predictor of pulmonary capillary wedge pressure in postinfarction patients with left ventricular systolic dysfunction. Journal of the American College of Cardiology, 1994, 23, 1630-1637.	1.2	348
21	Spontaneous delayed recovery of perfusion and contraction after the first 5 weeks after anterior infarction. Evidence for the presence of hibernating myocardium in the infarcted area.. Circulation, 1994, 90, 1386-1397.	1.6	119
22	Long-term physical training and left ventricular remodelling after anterior myocardial infarction: Results of the exercise in anterior myocardial infarction (EAMI) trial. Journal of the American College of Cardiology, 1993, 22, 1821-1829.	1.2	159
23	Inaccuracy of various proposed electrocardiographic criteria in the diagnosis of apical myocardial infarction " a critical review. European Heart Journal, 1989, 10, 880-886.	1.0	9
24	Reliability of standard electrocardiogram in detecting left ventricular asynergy in 315 patients with recent myocardial infarction. Clinical Cardiology, 1987, 10, 105-114.	0.7	8
25	Influence of left ventricular cavity dimension on electrocardiographic estimation of the extent of wall motion abnormalities. Clinical Cardiology, 1987, 10, 521-527.	0.7	8
26	Is Post-Infarction Angina Related to Poor Residual Left Ventricular Function?. European Heart Journal, 1986, 7, 25-32.	1.0	32