

Kim Ahrens

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/9992351/kim-ahrens-publications-by-year.pdf>

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

11
papers

73
citations

6
h-index

8
g-index

13
ext. papers

97
ext. citations

2.6
avg. IF

2.21
L-index

#	Paper	IF	Citations
11	Reduced IL-31 receptor alpha splice variant mRNA following allergen challenge in a canine model of atopic dermatitis. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2021 , 76, 3206-3209	9.3	
10	Comparison of various treatment options for canine atopic dermatitis: a blinded, randomized, controlled study in a colony of research atopic beagle dogs. <i>Veterinary Dermatology</i> , 2020 , 31, 284-e69	1.8	6
9	Single blinded, randomized, placebo-controlled study on the effects of ciclosporin on cutaneous barrier function and immunological response in atopic beagles. <i>Veterinary Immunology and Immunopathology</i> , 2018 , 197, 93-101	2	4
8	Investigation of the correlation of serum IL-31 with severity of dermatitis in an experimental model of canine atopic dermatitis using beagle dogs. <i>Veterinary Dermatology</i> , 2018 , 29, 69-e28	1.8	9
7	A pilot study on the effect of oclacitinib on epicutaneous sensitization and transepidermal water loss in a colony of atopic beagle dogs. <i>Veterinary Dermatology</i> , 2018 , 29, 439-e146	1.8	4
6	Randomized, double-blinded, placebo-controlled pilot study on the effects of topical blackcurrant emulsion enriched in essential fatty acids, ceramides and 18-beta glycyrrhetic acid on clinical signs and skin barrier function in dogs with atopic dermatitis. <i>Veterinary Dermatology</i> , 2017 , 28, 577-e140	1.8	8
5	Effects of PAR2 antagonist on inflammatory signals and tight junction expression in protease-activated canine primary epithelial keratinocytes. <i>Experimental Dermatology</i> , 2017 , 26, 86-88	4	2
4	A comparative study of epidermal tight junction proteins in a dog model of atopic dermatitis. <i>Veterinary Dermatology</i> , 2016 , 27, 40-e11	1.8	13
3	Decreased expression of caspase-14 in an experimental model of canine atopic dermatitis. <i>Veterinary Journal</i> , 2016 , 209, 201-3	2.5	5
2	Use of a Canine Model of Atopic Dermatitis to Investigate the Efficacy of a CCR4 Antagonist in Allergen-Induced Skin Inflammation in a Randomized Study. <i>Journal of Investigative Dermatology</i> , 2016 , 136, 665-671	4.3	15
1	First report in a dog model of atopic dermatitis: expression patterns of protease-activated receptor-2 and thymic stromal lymphopoietin. <i>Veterinary Dermatology</i> , 2015 , 26, 180-5, e36-7	1.8	7