
## **Zheng Chunman**

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9997080/publications.pdf Version: 2024-02-01



ZHENC CHUNMAN

| #  | Article   | IF   | CITATIONS |
|----|---|------|-----------|
| 1  | Tailoring polysulfide trapping and kinetics by engineering hollow carbon bubble nanoreactors for<br>high-energy Li-S pouch cells. Nano Research, 2021, 14, 1355-1363.   | 10.4 | 38        |
| 2  | Control of electronic conductivity and ionic conductivity of mixed electron–ion conductor and their effects on lithium plating. Ionics, 2021, 27, 5167-5177.  | 2.4  | 0         |
| 3  | MOF-derived porous carbon inlaid with MnO <sub>2</sub> nanoparticles as stable aqueous Zn-ion battery cathodes. Dalton Transactions, 2021, 50, 17723-17733.   | 3.3  | 14        |
| 4  | In-situ generate spinel phase on a glucose-derived carbon-coated lithium-rich layered oxide cathode materials and its improved electrochemical performance. Ionics, 2020, 26, 2177-2186.  | 2.4  | 3         |
| 5  | In situ generated Li2S-LPS composite for all-solid-state lithium-sulfur battery. Ionics, 2020, 26, 2335-2342.   | 2.4  | 14        |
| 6  | Ethylene Carbonate Grafted Polysilane with Different Substitutions: A New Series of Electrolyte<br>Additives to Improve High-Temperature Performance of Lithium-Ion Batteries. ACS Applied Energy<br>Materials, 2020, 3, 733-742.   | 5.1  | 7         |
| 7  | High Rate Performance of Nano-Structured LiFePO4/C Cathode Material Prepared by a Polymer-Assisted<br>Method from Inexpensive Iron(III) Raw Material. Russian Journal of Electrochemistry, 2020, 56, 690-697.   | 0.9  | 0         |
| 8  | Facile synthesis of a mixed-conductive Li2S composites for all-solid-state lithium-sulfur batteries.<br>Ionics, 2020, 26, 4257-4265.  | 2.4  | 10        |
| 9  | Study on lithium storage in silicon species of Si-O-C materials. Ionics, 2020, 26, 3853-3862.   | 2.4  | 0         |
| 10 | Effect of conductor materials in lithium composite anode on plating and stripping of lithium. Ionics, 2020, 26, 3307-3314.  | 2.4  | 3         |
| 11 | Li <sub>2</sub> S–Li <sub>3</sub> PS <sub>4</sub> (LPS) Composite Synthesized by Liquidâ€Phase Shaking<br>for Allâ€Solidâ€State Lithium–Sulfur Batteries with High Performance. Energy Technology, 2020, 8,<br>2000023.   | 3.8  | 16        |
| 12 | Catalytic Co9S8 decorated carbon nanoboxes as efficient cathode host for long-life lithium-sulfur batteries. Nano Research, 2020, 13, 2143-2148.  | 10.4 | 54        |
| 13 | Rational Construction of Fe <sub>2</sub> N@C Yolk–Shell Nanoboxes as Multifunctional Hosts for<br>Ultralong Lithium–Sulfur Batteries. ACS Nano, 2019, 13, 12137-12147.  | 14.6 | 150       |
| 14 | Flame Retardant and Stable<br>Li <sub>1.5</sub> Al <sub>0.5</sub> Ge <sub>1.5</sub> (PO <sub>4</sub> ) <sub>3</sub> -Supported Ionic<br>Liquid Gel Polymer Electrolytes for High Safety Rechargeable Solid-State Lithium Metal Batteries.<br>Journal of Physical Chemistry C, 2018, 122, 10334-10342. | 3.1  | 69        |
| 15 | Impacts of the Properties of Anode Solid Electrolyte Interface on the Storage Life of Li-Ion Batteries.<br>Journal of Physical Chemistry C, 2018, 122, 9411-9416.   | 3.1  | 10        |
| 16 | Impacts of lithium tetrafluoroborate and lithium difluoro(oxalate)borate as additives on the storage<br>life of Li-ion battery at elevated temperature. Ionics, 2018, 24, 1617-1628.  | 2.4  | 8         |
| 17 | Design of ionic liquid-based hybrid electrolytes with additive for lithium insertion in graphite effectively and their effects on interfacial properties. Ionics, 2018, 24, 2601-2609.  | 2.4  | 4         |
| 18 | LiPON as a protective layer on graphite anode to extend the storage life of Li-ion battery at elevated temperature. Ionics, 2018, 24, 723-734.  | 2.4  | 13        |

ZHENG CHUNMAN

| #  | Article  | IF   | CITATIONS |
|----|--|------|-----------|
| 19 | Hierarchical waxberry-like LiNi <sub>0.5</sub> Mn <sub>1.5</sub> O <sub>4</sub> as an advanced cathode material for lithium-ion batteries with a superior rate capability and long-term cyclability. Journal of Materials Chemistry A, 2018, 6, 14155-14161. | 10.3 | 35        |
| 20 | Carbonateâ€Grafted Polysilane as a New Additive for Elevatedâ€Temperature Lithiumâ€Ion Batteries.<br>ChemElectroChem, 2017, 4, 2012-2018.  | 3.4  | 8         |
| 21 | Encapsulating sulfur into highly graphitized hollow carbon spheres as high performance cathode for<br>lithium–sulfur batteries. RSC Advances, 2016, 6, 98035-98041.  | 3.6  | 9         |
| 22 | Safer lithium metal battery based on advanced ionic liquid gel polymer nonflammable electrolytes.<br>RSC Advances, 2016, 6, 101638-101644.   | 3.6  | 25        |
| 23 | Identification of solid electrolyte interphase formed on graphite electrode cycled in trifluoroethyl<br>aliphatic carboxylate-based electrolytes for low-temperature lithium-ion batteries. Ionics, 2016, 22,<br>2095-2102.                                  | 2.4  | 20        |
| 24 | A 3D nanostructure of graphene interconnected with hollow carbon spheres for high performance<br>lithium–sulfur batteries. Journal of Materials Chemistry A, 2015, 3, 11395-11402.   | 10.3 | 84        |
| 25 | Graphene oxide wrapped hierarchical porous carbon–sulfur composite cathode with enhanced cycling and rate performance for lithium sulfur batteries. RSC Advances, 2015, 5, 5516-5522.  | 3.6  | 29        |
| 26 | A facile one-step hydrothermal synthesis of α-Fe <sub>2</sub> O <sub>3</sub> nanoplates imbedded in<br>graphene networks with high-rate lithium storage and long cycle life. Journal of Materials Chemistry<br>A, 2014, 2, 13942-13948.                      | 10.3 | 39        |