
Matt Longshaw

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9997614/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Effects of replacing fishmeal with methanotroph (Methylococcus capsulatus, Bath) bacteria meal (FeedKind®) on growth and intestinal health status of juvenile largemouth bass (Micropterus) Tj ETQq1 1	. 0.7843 } 46rgBT	/Ozerlock i
2	Vibrio species are predominantly intracellular within cultures of Neoparamoeba perurans, causative agent of Amoebic Gill Disease (AGD). Aquaculture, 2021, 532, 736083.	3.5	7
3	Review of methods for the management of non-indigenous crayfish, with particular reference to Great Britain. Ethology Ecology and Evolution, 2014, 26, 204-231.	1.4	35
4	Mikrocytids Are a Broadly Distributed and Divergent Radiation of Parasites in Aquatic Invertebrates. Current Biology, 2014, 24, 807-812.	3.9	58
5	Epidemiology of Bonamia in the UK, 1982 to 2012. Diseases of Aquatic Organisms, 2014, 110, 101-111.	1.0	19
6	Interlaboratory variability in screening for Bonamia ostreae, a protistan parasite of the European flat oyster Ostrea edulis. Diseases of Aquatic Organisms, 2014, 110, 93-99.	1.0	12
7	A review of the infectious agents, parasites, pathogens and commensals of European cockles (<i>Cerastoderma edule</i> and <i>C. glaucum</i>) – ERRATUM. Journal of the Marine Biological Association of the United Kingdom, 2013, 93, 1141-1141.	0.8	4
8	Strengths and Weaknesses of the Management and Monitoring of Deep-Water Stocks, Fisheries, and Ecosystems in Various Areas of the World—A Roadmap Toward Sustainable Deep-Water Fisheries in the Northeast Atlantic?. Reviews in Fisheries Science, 2013, 21, 157-180.	2.1	19
9	A review of the infectious agents, parasites, pathogens and commensals of European cockles (<i>Cerastoderma edule</i> and <i>C. glaucum</i>). Journal of the Marine Biological Association of the United Kingdom, 2013, 93, 227-247.	0.8	39
10	Detection of Bonamia exitiosa (Haplosporidia) in European flat oysters Ostrea edulis cultivated in mainland Britain. Diseases of Aquatic Organisms, 2013, 106, 173-179.	1.0	13
11	A review of the biology of European cockles (<i>Cerastoderma</i> spp.). Journal of the Marine Biological Association of the United Kingdom, 2012, 92, 1563-1577.	0.8	81
12	Virus-like particles associated with mortalities of the Manila clam Ruditapes philippinarum in England. Diseases of Aquatic Organisms, 2012, 99, 163-167.	1.0	7
13	The Magnitude of Global Marine Species Diversity. Current Biology, 2012, 22, 2189-2202.	3.9	797
14	Parasites and pathogens of the endosymbiotic pea crab (Pinnotheres pisum) from blue mussels (Mytilus edulis) in England. Journal of Invertebrate Pathology, 2012, 109, 235-242.	3.2	10
15	Histopathological survey of pathogens and commensals of white-clawed crayfish (Austropotamobius) Tj E	[Qq1 1 0,78431 3.2	4 rgBT /Over
16	Disease risks associated with the importation and release of non-native crayfish species into mainland Britain. Aquatic Biology, 2012, 16, 1-15.	1.4	24
17	Pathogens and parasites of the black-striped pipefish (Syngnathus abaster) from the Tunis North Lake, Tunisia. Journal of Environmental and Occupational Science, 2012, 1, 99.	0.2	0
18	Diseases of crayfish: A review. Journal of Invertebrate Pathology, 2011, 106, 54-70.	3.2	120

Matt Longshaw

#	Article	IF	CITATIONS
19	The Accidental Transfer of Gyrodactylus (Monogenea) during Short Duration Fish Transportation. Fish Pathology, 2011, 46, 71-79.	0.7	8
20	The influence of parasitism on fish population success. Fisheries Management and Ecology, 2010, 17, 426-434.	2.0	23
21	The British river of the future: How climate change and human activity might affect two contrasting river ecosystems in England. Science of the Total Environment, 2009, 407, 4787-4798.	8.0	134
22	Paramarteilia canceri sp. n. (Cercozoa) in the European edible crab (Cancer pagurus) with a proposal for the revision of the order Paramyxida Chatton, 1911. Folia Parasitologica, 2009, 56, 73-85.	1.3	33
23	Histopathology of fish parasite infections – importance for populations. Journal of Fish Biology, 2008, 73, 2143-2160.	1.6	70
24	An assessment of the variation in the prevalence of renal myxosporidiosis and hepatitis in wild brown trout, <i>Salmo trutta</i> L., within and between rivers in Southâ€West England. Journal of Fish Diseases, 2008, 31, 719-728.	1.9	27
25	Anisakis simplex sensu lato associated with red vent syndrome in wild adult Atlantic salmon Salmo salar in England and Wales. Diseases of Aquatic Organisms, 2008, 82, 61-65.	1.0	27
26	Laser-assisted microdissection: a new tool for aquatic molecular parasitology. Diseases of Aquatic Organisms, 2008, 82, 151-156.	1.0	8
27	Enterospora canceri n. gen., n. sp., intranuclear within the hepatopancreatocytes of the European edible crab Cancer pagurus. Diseases of Aquatic Organisms, 2007, 75, 61-72.	1.0	56
28	Effect of microbial pathogens on the diversity of aquatic populations, notably in Europe. Microbes and Infection, 2006, 8, 1358-1364.	1.9	77
29	Descriptions, development and pathogenicity of myxozoan (Myxozoa: Myxosporea) parasites of juvenile cyprinids (Pisces: Cyprinidae). Journal of Fish Diseases, 2005, 28, 489-508.	1.9	28
30	A potential role for invasive sunbleak in the further dissemination of a non-native parasite. Journal of Fish Biology, 2005, 67, 1730-1733.	1.6	16
31	Histopathology of parasitic infections in greater pipefish, Syngnathus acus L., from an estuary in the UK. Journal of Fish Diseases, 2004, 27, 245-248.	1.9	14
32	Observations of Dermocystidium sp. infections in bullheads, Cottus gobio L., from a river in southern England. Journal of Fish Diseases, 2004, 27, 225-231.	1.9	15
33	Gyrodactylus quadratidigitus n. sp. (Monogenea: Gyrodactylidae), a parasite of the leopard-spotted goby Thorogobius ephippiatus (Lowe) from the south-western coast of the UK. Systematic Parasitology, 2003, 55, 151-157.	1.1	8
34	Histopathological biomarkers in estuarine fish species for the assessment of biological effects of contaminants. Marine Environmental Research, 2003, 55, 137-159.	2.5	276
35	Myxobolus buckei sp. n. (Myxozoa), a new pathogenic parasite from the spinal column of three cyprinid fishes from the United Kingdom. Folia Parasitologica, 2003, 50, 251-262.	1.3	33
36	Development of proliferative kidney disease in rainbow trout, Oncorhynchus mykiss (Walbaum), following short-term exposure to Tetracapsula bryosalmonae infected bryozoans. Journal of Fish Diseases, 2002, 25, 443-449.	1.9	71

MATT LONGSHAW

#	Article	IF	CITATIONS
37	Proliferative kidney disease and renal myxosporidiosis in juvenile salmonids from rivers in England and Wales. Journal of Fish Diseases, 2002, 25, 451-458.	1.9	47
38	Ultrastructural characterisation of Marteilia species (Paramyxea) from Ostrea edulis, Mytilus edulis and Mytilus galloprovincialis in Europe. Diseases of Aquatic Organisms, 2001, 44, 137-142.	1.0	31
39	Induction of proliferative kidney disease (PKD) in rainbow trout Oncorhynchus mykiss via the bryozoan Fredericella sultana infected with Tetracapsula bryosalmonae. Diseases of Aquatic Organisms, 2001, 45, 61-68.	1.0	93
40	A New Class and Order of Myxozoans to Accommodate Parasites of Bryozoans with Ultrastructural Observations on Tetracapsula bryosalmonae (PKX Organism). Journal of Eukaryotic Microbiology, 2000, 47, 456-468.	1.7	104
41	Pseudanthocotyloides heterocotyle (van Beneden, 1871) Euzet & Prost, 1969 (Monogenea:) Tj ETQq1 1 0.78431 sprattus L. (Teleostei: Clupeidae). Systematic Parasitology, 1999, 42, 193-201.	4 rgBT /Ov 1.1	erlock 10 Tf 6
42	Susceptibility of a number of bivalve species to the protozoan parasite Bonamia ostreae and their ability to act as vectors for this parasite. Diseases of Aquatic Organisms, 1999, 37, 73-80.	1.0	59
43	Sea lice (Copepoda: Caligidae) on wild sea trout (Salmo truttaL.) in Scotland. ICES Journal of Marine Science, 1998, 55, 151-162.	2.5	57
44	Caligus nolani n. sp. (Copepoda: Caligidae), a parasite of Patagonotothen sima (Richardson) (Teleostei:) Tj ETQq0	0 0 rgBT / 1.1	Overlock 10 2
45	Two species of myxozoan parasites (Myxosporea: Bivalvulida), including a new genus, fromPatagonotothen sima (Richardson, 1845) (Pisces: Teleostei) in the southwest Atlantic. Systematic Parasitology, 1996, 34, 67-70.	1.1	6
46	Two species of protozoan parasites (Myxosporea: Bivalvulida), one new, fromMerluccius australisandM. hubbsi(Pisces: Teleostei) in the southwest Atlantic and southeast pacific. Journal of	0.5	7

australisandM. hubbsi(Pisces: Teleostei) in the southwest Atlantic and southeast pacific. Journal of Natural History, 1995, 29, 865-870. 46