

CITATION REPORT

List of articles citing

Tectonic stress and the spectra of seismic shear waves from earthquakes

DOI: 10.1029/jb075i026p04997

Journal of Geophysical Research, 1970, 75, 4997-5009.

Source: <https://exaly.com/paper-pdf/10114568/citation-report.pdf>

Version: 2024-04-26

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
2231	References. 1955 , 231-266		
2230	Seismic sources, fault plane studies and tectonics. 1971 , 52, IUGG 178		31
2229	Comparison of P-wave spectra of underground explosions and earthquakes. <i>Journal of Geophysical Research</i> , 1971 , 76, 2716-2729		28
2228	A source function for a dynamic bilateral brittle shear fracture. <i>Journal of Geophysical Research</i> , 1971 , 76, 3375-3383		17
2227	Lateral variations of seismic-wave attenuation in the upper mantle above the inclined earthquake zone of the Tonga Island Arc: Deep anomaly in the upper mantle. <i>Journal of Geophysical Research</i> , 1971 , 76, 8493-8516		168
2226	Moments, source dimensions and stress drops of shallow-focus earthquakes in the Tonga-Kermadec arc. 1972 , 6, 263-278		53
2225	Source parameters of intermediate and deep focus earthquakes in the Tonga arc. 1972 , 6, 279-292		65
2224	Determination of effective tectonic stress associated with earthquake faulting. The Tottori earthquake of 1943. 1972 , 5, 426-434		74
2223	Spectral characteristics and stress drop for microearthquakes near Fairview Peak, Nevada. <i>Journal of Geophysical Research</i> , 1972 , 77, 351-359		26
2222	Efficiency, stress drop, apparent stress, effective stress, and frictional stress of Denver, Colorado, earthquakes. <i>Journal of Geophysical Research</i> , 1972 , 77, 1433-1438		46
2221	Dimensions, energy, and stress release for South American deep earthquakes. <i>Journal of Geophysical Research</i> , 1972 , 77, 1439-1451		9
2220	Regional variations of seismic source parameters in the northern Baja California area. <i>Journal of Geophysical Research</i> , 1972 , 77, 1549-1565		55
2219	Seismic source time function of propagating longitudinal-shear cracks. <i>Journal of Geophysical Research</i> , 1972 , 77, 2034-2044		30
2218	Analysis of amplitude spectra of P waves from earthquakes and underground explosions. <i>Journal of Geophysical Research</i> , 1972 , 77, 3081-3096		10
2217	Relation of corner frequency to fault dimensions. <i>Journal of Geophysical Research</i> , 1972 , 77, 3788-3795		148
2216	A graphical representation of seismic source parameters. <i>Journal of Geophysical Research</i> , 1972 , 77, 4393-4405	91	
2215	Earthquake fault parameters and tectonics in Africa. <i>Journal of Geophysical Research</i> , 1972 , 77, 5731-5743		62

2214	Detailed studies of frictional sliding of granite and implications for the earthquake mechanism. <i>Journal of Geophysical Research</i> , 1972 , 77, 6392-6406	232
2213	Earthquake mechanism. 1972 , 13, 423-446	136
2212	Recent results on the mechanism of earthquakes with implications for the prediction and control program. 1972 , 14, 227-243	5
2211	Earthquake Mechanism. 1972 , 423-446	7
2210	Scaling Law of Earthquake Source Time-Function. 1972 , 31, 3-25	124
2209	Source Time Functions and Spectra for Underground Nuclear Explosions. 1972 , 31, 83-97	76
2208	On Q and Seismic Discrimination. 1972 , 31, 163-177	21
2207	Melting on Fault Planes During Large Earthquakes. 1972 , 29, 65-78	308
2206	The dynamic field of a growing plane elliptical shear crack. 1973 , 9, 843-861	35
2205	Analysis of strong earthquake ground motion for prediction of response spectra. 1973 , 2, 59-69	21
2204	Radiation and attenuation of rayleigh waves from the Southeastern Missouri Earthquake of October 21, 1965. <i>Journal of Geophysical Research</i> , 1973 , 78, 886-899	52
2203	Spectral peaks and earthquake source dimension. <i>Journal of Geophysical Research</i> , 1973 , 78, 2609-2611	10
2202	A simple mechanical model for oceanic spreading centers. <i>Journal of Geophysical Research</i> , 1973 , 78, 3395-3417	171
2201	Shear wave attenuation and melting beneath the Mid-Atlantic Ridge. <i>Journal of Geophysical Research</i> , 1973 , 78, 6044-6059	84
2200	Source parameters of southern California earthquakes. <i>Journal of Geophysical Research</i> , 1973 , 78, 8547-8576	288
2199	Fault plane solutions of shallow earthquakes and contemporary tectonics in Asia. 1973 , 19, 101-112	179
2198	Source parameters for stick-slip and for earthquakes. 1973 , 179, 278-80	66
2197	Interactions between Temperature and Pore-Fluid Pressure during Earthquake Faulting and a Mechanism for Partial or Total Stress Relief. 1973 , 243, 66-68	175

2196	References. 1974 , 489-552	
2195	Case histories of some artificial crustal disturbances. 1974 , 8, 59-77	20
2194	Earthquake magnitude scales. 1974 , 1, 429-458	10
2193	Modele circulaire de source sismique. 1974 , 112, 380-394	
2192	Discrimination among Small Magnitude Events on Nevada Test Site. 1974 , 37, 227-243	15
2191	Depths to Larger Earthquakes Associated with Crustal Loading. 1974 , 37, 285-296	13
2190	Earthquake Source Dynamics from Farfield Amplitude and Phase Spectra of Body Waves. 1974 , 37, 31-44	2
2189	A Source Function for a Dynamic Brittle Unilateral Shear Fracture. 1974 , 38, 365-376	9
2188	Elastic Dislocations in a Layered Half-Space?II The Point Source. 1974 , 39, 219-239	48
2187	Stacking marine magnetic anomalies: A critique. 1974 , 1, 259-260	12
2186	The faulting mechanism of the San Fernando Earthquake. <i>Journal of Geophysical Research</i> , 1974 , 79, 1215-1229	62
2185	Seismic displacement and ground motion near a fault: The Saitama Earthquake of September 21, 1931. <i>Journal of Geophysical Research</i> , 1974 , 79, 4393-4399	26
2184	Lunar seismicity, structure, and tectonics. 1974 , 12, 1	104
2183	Long-period ground motion in the epicentral area of major earthquakes. 1974 , 21, 341-356	11
2182	The influence of temperature, strain rate and interstitial water in the experimental deformation of calcite rocks. 1974 , 22, 311-334	216
2181	Friction in faulted rock at high temperature and pressure. 1974 , 23, 177-203	230
2180	Origin of coda waves: Source, attenuation, and scattering effects. <i>Journal of Geophysical Research</i> , 1975 , 80, 3322-3342	1072
2179	Ground-motion modelling at regional distances for earthquakes in a continental interior, I. Theory and observations. 1975 , 4, 49-58	10

2178	Source Properties of Shallow Earthquakes in New Zealand and their Tectonic Associations. 1975 , 43, 589-605	14
2177	Spectral Characteristics of the Lg wave Generated by Central United States Earthquakes. 1975 , 41, 51-63	80
2176	Generation of Pseudotachylyte by Ancient Seismic Faulting. 1975 , 43, 775-794	584
2175	Earthquake Shaking and Damage to Buildings: Recent evidence for severe ground shaking raises questions about the earthquake resistance of structures. 1975 , 189, 601-8	25
2174	Developments in seismic source theory. 1975 , 13, 304	2
2173	Polar motion of a triaxial earth and dynamic plate tectonics. 1975 , 25, 1-40	5
2172	Static and dynamic fault parameters of the Saitama earthquake of July 1, 1968. 1975 , 27, 223-238	24
2171	Modeling local earthquakes as shear dislocations in a layered half space. <i>Journal of Geophysical Research</i> , 1975 , 80, 4881-4888	37
2170	Seismic activity accompanying the 1974 eruption of Mt. Etna. 1976 , 1, 347-362	33
2169	Mode of the strain release along the Gibbs fracture zone, Mid-Atlantic ridge. 1976 , 11, 312-332	263
2168	Seismic return motion. 1976 , 12, 343-349	7
2167	Dynamic properties of stick-slip friction of rock. <i>Journal of Geophysical Research</i> , 1976 , 81, 881-888	83
2166	A body wave inversion of the Koyna, India, earthquake of December 10, 1967, and some implications for body wave focal mechanisms. <i>Journal of Geophysical Research</i> , 1976 , 81, 2517-2529	92
2165	Rupture propagation with finite stress in antiplane strain. <i>Journal of Geophysical Research</i> , 1976 , 81, 3575-3582	283
2164	The Opunake, New Zealand, earthquake of 5 November 1974. 1976 , 19, 335-345	19
2163	Archambeau's Elastodynamical Source-Model Solution and Low-Frequency Spectral Peaks in the Far-Field Displacement Amplitude. 1976 , 44, 27-44	9
2162	Potentials and displacements for two theoretical seismic sources. 1976 , 47, 97-133	33
2161	Transformation of multipolar source fields under a change of reference frame. 1976 , 47, 397-409	7

2160	Teleseismic body wave radiation from a seismic source in a layered medium. 1976 , 47, 515-530	49
2159	Ocean bottom seismic measurements on the East Pacific Rise and Rivera Fracture Zone. 1976 , 262, 121-124	31
2158	Correlations of peak acceleration, velocity and displacement with earthquake magnitude, distance and site conditions. 1976 , 4, 455-471	39
2157	Observations and estimation of long-period strong ground motion in the los angeles basin. 1976 , 4, 473-488	10
2156	Field-seismic investigation of the August 1975 Oroville, California, earthquake sequence. 1976 , 10, 353-369	4
2155	Contributions to the spectral theory of seismic sources and determination of the parameters of earthquake foci. 1976 , 114, 701-710	
2154	The spectral content of Pamir-Hindu Kush intermediate depth earthquakes: Evidence for a high-Q zone in the upper mantle. <i>Journal of Geophysical Research</i> , 1977 , 82, 2931-2943	17
2153	The amplitudes of P waves and magnitude corrections for deep focus earthquakes. <i>Journal of Geophysical Research</i> , 1977 , 82, 2971-2980	10
2152	Fault rocks and fault mechanisms. 1977 , 133, 191-213	1468
2151	Earthquake similarity laws. 1977 , 15, P10-P18	2
2150	Lunar seismicity and tectonics. 1977 , 14, 224-273	79
2149	Preliminary analysis of microacoustic signals associated with rock fracture. 1977 , 4, 477-480	1
2148	Microseismicity near the Indian Ocean triple junction. 1977 , 4, 597-600	5
2147	Energy balance for motion along a fault. 1977 , 49, 699-714	62
2146	Upper mantle structure beneath the Fiji Plateau: seismic observations of second P arrivals from the olivine--spinel phase transition zone. 1977 , 50, 185-213	6
2145	Source mechanism and mb?Msanalysis of aftershocks of the San Fernando earthquake. 1977 , 49, 371-426	36
2144	High-frequency radiation from crack (stress drop) models of earthquake faulting. 1977 , 51, 625-651	216
2143	Statistical theories of crack propagation. 1977 , 9, 455-481	64

2142	Implications of stress-drop models of earthquakes for the inversion of stress drop from seismic observations. 1977 , 115, 301-316	51
2141	Source parameters for the January 1975 Brawley Imperial valley earthquake swarm. 1977 , 115, 333-355	19
2140	Kinetic shear resistance, fluid pressures and radiation efficiency during seismic faulting. 1977 , 115, 387-400	45
2139	Earthquake stress drops, ambient tectonic stresses and stresses that drive plate motions. 1977 , 115, 441-458	299
2138	Experimental observations of elastic wave radiation characteristics from tensile cracks and pre-existing shear faults. 1978 , 116, 888-899	7
2137	Rupture and particle velocity during frictional sliding. 1978 , 116, 954-963	2
2136	Nonuniform friction as a physical basis for earthquake mechanics. 1978 , 116, 964-989	53
2135	Creep rupture at depth in a cold ice sheet. 1978 , 275, 733-733	7
2134	Body-wave spectral structure of 14 earthquakes with mb? 6.0 determined from long-period records of WWSSN stations for 1964?74. 1978 , 52, 231-240	
2133	Dynamical rupture process on a three-dimensional fault with non-uniform frictions and near-field seismic waves. 1978 , 54, 417-438	101
2132	Earthquake-source parameters related to magnitude. 1978 , 55, 45-66	9
2131	Aseismic design implications of near-fault san fernando earthquake records. 1978 , 6, 31-42	255
2130	Determination of the parameters of a shear source of seismic radiation. Part I. 1978 , 14, 450-457	
2129	Moments, corner frequencies, and the free surface. <i>Journal of Geophysical Research</i> , 1978 , 83, 3422-3426	19
2128	Experimental thermal fragmentation in relation to seismic faulting. 1978 , 49, T9-T17	11
2127	Seismic moment and its determination in practice of data generalization of unified system of seismic observations (USSO) of the U.S.S.R.. 1978 , 49, 247-253	2
2126	P-wave shape and seismic moment for Ust-Kamchatsk earthquake of December 15, 1971. 1978 , 49, 255-261	
2125	Source parameters of the Burma-India border earthquake of July 29, 1970, from body waves. 1978 , 51, T77-T84	6

2124	Earthquake parameters for use in engineering design in Scandinavia. 1978 , 100, 301-305	1
2123	Analysis of short-period waveforms of P phases from deep-focus earthquakes beneath the Fiji Islands. 1979 , 56, 19-40	5
2122	The specification of wide-band recorders. 1979 , 18, 51-57	2
2121	Spectral analysis of body waves for earthquakes and their source parameters in the Himalaya and nearby regions. 1979 , 18, 143-152	10
2120	A complete solution of a one-dimensional propagating fault with nonuniform stress and strength. <i>Journal of Geophysical Research</i> , 1979 , 84, 2223	13
2119	b values and seismic source models: Implications for tectonic stress variations along active crustal fault zones and the estimation of high-frequency strong ground motion. <i>Journal of Geophysical Research</i> , 1979 , 84, 2235	209
2118	Observations relevant to seismic driving stress, stress drop, and efficiency. <i>Journal of Geophysical Research</i> , 1979 , 84, 2251	82
2117	Far-field S-wave spectra, corner frequencies, and pulse shapes. <i>Journal of Geophysical Research</i> , 1979 , 84, 2262	41
2116	Rupture propagation and focusing of energy in a foam rubber model of a stick slip earthquake. <i>Journal of Geophysical Research</i> , 1979 , 84, 3623-3636	12
2115	A crystal defect theory approach to faulting in geological structures. <i>Journal of Geophysical Research</i> , 1979 , 84, 6083	8
2114	Characterization of barriers on an earthquake fault. <i>Journal of Geophysical Research</i> , 1979 , 84, 6140	424
2113	Acoustic fluidization: A new geologic process?. <i>Journal of Geophysical Research</i> , 1979 , 84, 7513-7520	347
2112	Seismic source parameters of large earthquake in Vrancea. 1979 , 53, 195-201	3
2111	Far-field displacements from a rectangular fault with two rupture velocities. 1980 , 118, 990-1006	
2110	Earthquake strong motion simulated by stress drop models. 1980 , 118, 1248-1271	1
2109	Parkfield, California, Earthquake of June 1966: Interpretation of the strong motion records. 1980 , 8, 527-544	2
2108	Journal of Geophysical Research 1980 , 24, 142-152	1
2107	Spectral analysis of body waves for earthquakes in Nepal Himalaya and vicinity: Their focal parameters and tectonic implications. 1980 , 62, 53-66	10

2106	Some medium properties at friuli (Italy) from amplitude spectrum analysis: A possible change in time or in space. 1980 , 68, 167-182	6
2105	Possible minimum depths of large historical earthquakes in eastern North America. 1980 , 7, 619-620	3
2104	Variation of seismic source parameters and stress drops within a descending slab and its implications in plate mechanics. 1980 , 23, 134-159	54
2103	The role of heterogeneities in faulting. 1980 , 21, 225-236	16
2102	Constraints on the absorption band model of Q. <i>Journal of Geophysical Research</i> , 1980 , 85, 5244	65
2101	Frictional heating, fluid pressure, and the resistance to fault motion. <i>Journal of Geophysical Research</i> , 1980 , 85, 6097-6112	433
2100	Power dissipation and stress levels on faults in the upper crust. <i>Journal of Geophysical Research</i> , 1980 , 85, 6239-6247	80
2099	Investigation of two high stress drop earthquakes in the Shumagin Seismic Gap, Alaska. <i>Journal of Geophysical Research</i> , 1980 , 85, 7151	39
2098	A note on a random stress model for seismicity statistics and earthquake prediction. 1981 , 8, 485-488	6
2097	Source parameters of earthquakes in northeast India from spectra of Rayleigh waves. 1981 , 75, 297-315	5
2096	The source parameters, surface deformation and tectonic setting of three recent earthquakes: thessalonki (Greece), tabas-e-golshan (iran) and carlisle (u.k.). 1981 , 5, 36-46	5
2095	Seismic energy release of the Moon. <i>Journal of Geophysical Research</i> , 1981 , 86, 378	51
2094	Analysis of peak ground motion in terms of a model of inhomogeneous faulting. <i>Journal of Geophysical Research</i> , 1981 , 86, 3901	55
2093	The relationship between microseismicity and high pore pressures during hydraulic stimulation experiments in low permeability granitic rocks. <i>Journal of Geophysical Research</i> , 1981 , 86, 7855-7864	205
2092	The 1886 Charleston, South Carolina earthquake and the Appalachian Detachment. <i>Journal of Geophysical Research</i> , 1981 , 86, 7874-7894	32
2091	A stochastic fault model: 2. Time-dependent case. <i>Journal of Geophysical Research</i> , 1981 , 86, 10821-10834	71
2090	The Belchatow, Poland, earthquakes of 1979 and 1980 induced by surface mining. 1981 , 17, 257-271	9
2089	A statistical comparison of various source formulations for explosions and earthquakes. 1981 , 13, 119-133	2

2088	Numerical simulation of ground acceleration spectra and accelerograms for engineering application. 1981 , 119, 380-391	
2087	Qualitative und quantitative Beschreibung der Erdbebenwirkung. 1981 , 68, 535-541	
2086	Earthquake seismograms that show Doppler effects due to crack propagation. 1981 , 64, 163-185	18
2085	Basement faulting and the focal depths of the larger earthquakes in the Zagros mountains (Iran). 1981 , 64, 561-586	133
2084	A source study of the Thessaloniki (northern Greece) 1978 earthquake sequence. 1981 , 67, 343-358	81
2083	Earthquake-induced ground acceleration. 1981 , 291, 51-53	10
2082	Monitoring an underground repository with modern seismological methods. 1981 , 18, 517-527	6
2081	Characterization of earthquake sources in the Gulf of Alaska. 1981 , 4, 243-267	1
2080	Parameters and a magnitude moment relationship from small earthquakes observed during hydraulic fracturing experiments in crystalline rocks. 1982 , 9, 404-407	21
2079	Containment of stick-slip failures on a simulated fault by pore fluid injection. 1982 , 9, 801-804	24
2078	Quantitative relations of seismic source parameters and a classification of earthquakes. 1982 , 84, 57-128	89
2077	Palaeostress and strain estimates from boudinage structure and their bearing on the evolution of a major Variscan fold-thrust complex in Southwest England. 1982 , 88, 269-289	22
2076	Intrinsic Q and its frequency dependence. 1982 , 27, 286-299	16
2075	Objective estimation of source parameters and local values by simultaneous inversion method. 1982 , 30, 197-208	19
2074	Seismic source spectra and moment tensors. 1982 , 30, 214-227	17
2073	Shear fracture energy of Westerly granite from post-failure behavior. <i>Journal of Geophysical Research</i> , 1982 , 87, 990-1000	178
2072	Attenuation of short-period P, PcP, ScP, and pP waves in the Earth's mantle. <i>Journal of Geophysical Research</i> , 1982 , 87, 3905	21
2071	The Oroville Earthquakes: A study of source characteristics and site effects. <i>Journal of Geophysical Research</i> , 1982 , 87, 4585-4594	31

2070	Source parameters of the 1980 Mammoth Lakes, California, earthquake sequence. <i>Journal of Geophysical Research</i> , 1982 , 87, 4595-4607	232
2069	A comparison between the tectonic stress measured in situ and stress parameters from induced seismicity at Monticello Reservoir, South Carolina. <i>Journal of Geophysical Research</i> , 1982 , 87, 6931-6944	54
2068	Microearthquakes on the East Pacific Rise at 21°N and the Rivera Fracture Zone. <i>Journal of Geophysical Research</i> , 1982 , 87, 8509	32
2067	The 1978 earthquake sequence near Thessaloniki (northern Greece). 1982 , 68, 429-458	72
2066	An investigation of the regional variations and frequency dependence of anelastic attenuation in the mantle under the United States in the 0.5-4 Hz band. 1982 , 69, 67-99	66
2065	Reflection and refraction of general P- and type-I S-waves in elastic and anelastic solids. 1982 , 70, 621-638	110
2064	Coseismic and other short-term strain changes recorded with Sacks-Evertson strainmeters in a deep mine, South Africa. 1982 , 70, 717-740	20
2063	Continuous swarm-like seismicity: the Wanganui, New Zealand, earthquakes. 1983 , 75, 493-512	11
2062	Are there one-to-one relationships between magnitude, moment, intensity and ground acceleration?. 1983 , 72, 83-92	10
2061	Bilateral propagation of a spontaneous two-dimensional anti-plane shear crack under the influence of cohesion. 1983 , 73, 449-473	10
2060	Source mechanism and surface wave excitation for two earthquakes in northern Baja California, Mexico. 1983 , 73, 739-763	10
2059	Love waves excited by discontinuous propagation of a rupture front. 1983 , 72, 337-351	3
2058	A mechanism to explain the generation of earthquake lights. 1983 , 302, 28-33	78
2057	Measures of strong ground motion derived from a stochastic source model. 1983 , 2, 135-149	5
2056	Empirical magnitude and spectral scaling relations for mid-plate and plate-margin earthquakes. 1983 , 93, 207-223	25
2055	Characteristics of multiple shocks: Wave pattern, extent and orientation of focal regions. 1983 , 93, 225-232	2
2054	Amplitude-periodband diagrams and amplitude spectra of teleseismic body waves. 1983 , 93, 277-288	2
2053	Normal, blue and red earthquakes—a new way of earthquake classification on the basis of body-wave magnitudes. 1983 , 93, 295-306	3

2052	Relationships among the source parameters of earthquakes in Europe. 1983 , 93, 307-311	
2051	Spectra of the earthquake sequence February-March, 1981, in south-central Sweden. 1983 , 93, 337-350	10
2050	Accurate source depths and focal mechanisms of shallow earthquakes in western South America and in the New Hebrides Island Arc. 1983 , 2, 529-563	149
2049	Strong-motion seismology. 1983 , 21, 1308	12
2048	Total-moment spectra of fourteen large earthquakes. <i>Journal of Geophysical Research</i> , 1983 , 88, 3273	100
2047	Earthquakes in the Orozco Transform Zone: Seismicity, source mechanisms, and tectonics. <i>Journal of Geophysical Research</i> , 1983 , 88, 8203	64
2046	Utilization of seismically recorded infrasonic-acoustic signals to monitor volcanic explosions: The El Chichon Sequence 1982â83 case study. <i>Journal of Geophysical Research</i> , 1983 , 88, 10385-10401	18
2045	Seismodynamic investigations of the Swedish bedrock. 1983 , 105, 378-381	1
2044	Snow Avalanches and Acoustic Emissions. 1983 , 4, 271-276	22
2043	Snow Avalanches and Acoustic Emissions. 1983 , 4, 271-276	22
2042	Downward migration of shearing in jointed rock during hydraulic injections. 1984 , 21, 249-263	188
2041	High stress drop events in the Victoria, Baja California earthquake swarm of 1978 March. 1984 , 76, 725-752	15
2040	Estimates of fracture parameters of earthquakes. 1984 , 122, 645-661	3
2039	The effect of rupture complexity on estimates of source size. <i>Journal of Geophysical Research</i> , 1984 , 89, 1132-1146	37
2038	Seismic estimates of stress release. <i>Journal of Geophysical Research</i> , 1984 , 89, 6961-6968	51
2037	Scaling of ground motion parameters, state of stress, and focal depth. <i>Journal of Geophysical Research</i> , 1984 , 89, 6969-6979	109
2036	Evidence for magma intrusion during the Mammoth Lakes Earthquakes of May 1980 and implications of the absence of volcanic (harmonic) tremor. <i>Journal of Geophysical Research</i> , 1984 , 89, 7689-7696	80
2035	Asperities, barriers, characteristic earthquakes and strong motion prediction. <i>Journal of Geophysical Research</i> , 1984 , 89, 5867-5872	252

2034	Baltic shield seismicity, The results of a regional network. 1984 , 11, 1247-1250	35
2033	Moment-magnitude relations in theory and practice. <i>Journal of Geophysical Research</i> , 1984 , 89, 6229-6235	151
2032	Effects of physical fault properties on frictional instabilities produced on simulated faults. <i>Journal of Geophysical Research</i> , 1984 , 89, 5817-5827	223
2031	SYNTHESIZING DESIGN GROUND MOTIONS FROM MICROEARTHQUAKE RECORDS. 1985 , 1985, 177-187	1
2030	Predicted near-field ground motion for dynamic stress-drop models. 1985 , 123, 173-198	3
2029	Seismic source-parameter relations for earthquakes in Greece. 1985 , 123, 27-41	43
2028	Sealing law of far-field spectra based on observed parameters of the specific barrier model. 1985 , 123, 353-374	34
2027	Asperity models and characteristic earthquakes. 1985 , 83, 435-450	35
2026	Acoustic emission and wave propagation monitoring at the spent fuel test: Climax, Nevada. 1985 , 22, 215-226	13
2025	Two observations about low-frequency signals on accelerograms from the october 15, 1979 imperial valley, california earthquake. 1985 , 13, 97-108	3
2024	Energy Dissipation and Seismic Liquefaction of Sands: Revised Model. 1985 , 25, 106-118	98
2023	The parkfield, california, earthquake prediction experiment. 1985 , 229, 619-24	316
2022	The physical basis of mb : Ms and variable frequency magnitude methods for earthquake/explosion discrimination. <i>Journal of Geophysical Research</i> , 1985 , 90, 3009	75
2021	A source extent analysis of the Imperial Valley earthquake of October 15, 1979, and the Victoria earthquake of June 9, 1980. <i>Journal of Geophysical Research</i> , 1985 , 90, 7639	27
2020	Surface wave excitation and source mechanisms of the Mammoth Lakes Earthquake Sequence. <i>Journal of Geophysical Research</i> , 1985 , 90, 11177	10
2019	Locations and spectral properties of earthquakes accompanying an eruption of Mount St. Helens. <i>Journal of Geophysical Research</i> , 1985 , 90, 12729	7
2018	On the magnitude-frequency relation of asperity models. 1985 , 120, 133-140	10
2017	Spectral P-wave magnitudes, Aki's Square model and source parameters of earthquakes. 1985 , 118, 175-193	5

2016	Seismic moment tensor components of an earthquake source in the eastern Himalayas, 26.61°N, 97.03°E. 1985 , 118, 283-291	
2015	Plate waves and the 1980 huajuapán de león, Mexico earthquake. 1985 , 112, 463-492	16
2014	A body-wave analysis of the 1966 Gisborne, New Zealand, earthquake. 1985 , 113, 271-282	19
2013	Preliminary results from vertical seismic profiling of Oroville microearthquake S-waves. 1985 , 12, 137-140	12
2012	High stress shallow moonquakes: evidence for an initially totally molten moon. 1985 , 74, 149-154	15
2011	Physical basis of earthquake magnitudes: an extreme value of seismic amplitudes from incoherent fracture of random fault patches. 1985 , 40, 301-308	8
2010	Signal processing and spectral analysis of the aftershocks of the 1980 El Asnam, Algeria earthquake—Engineering application. 1985 , 38, 174-188	2
2009	A numerical model of earthquake-induced piezomagnetic anomalies. <i>Journal of Geophysical Research</i> , 1986 , 91, 709	29
2008	Depth estimates of large earthquakes on the Island of Hawaii since 1940. <i>Journal of Geophysical Research</i> , 1986 , 91, 2063	11
2007	Teleseismic estimates of the energy radiated by shallow earthquakes. <i>Journal of Geophysical Research</i> , 1986 , 91, 2095	132
2006	Short-period strain (0.1–0.05 s): Near-source strain field for an earthquake (M L 3.2) near San Juan Bautista, California. <i>Journal of Geophysical Research</i> , 1986 , 91, 11497	18
2005	Rupture characteristics and tomographic source imaging of ML ~ 3 earthquakes near Anza, southern California. <i>Journal of Geophysical Research</i> , 1986 , 91, 12633-12650	75
2004	History of ideas on the cause of earthquakes. 1986 , 67, 1323	8
2003	Some source and medium properties of the Vrancea seismic region, Romania. 1986 , 126, 245-258	14
2002	An index for measuring the effects of topography on seismic ground motion intensity. 1986 , 14, 719-731	4
2001	Studying hydrofractures by high frequency seismic monitoring. 1986 , 23, 185-199	39
2000	Seismicity simulation with a rate- and state-dependent friction law. 1986 , 124, 487-513	66
1999	Effect of slip rate on stress drop. 1986 , 124, 515-529	38

1998	Possible mechanism of rockbursts in coal mines. 1986 , 124, 841-855	10
1997	Relative seismic moment tensor determination for Vrancea intermediate depth earthquakes. 1986 , 124, 931-940	11
1996	Estimating ground motions using recorded accelerograms. 1986 , 8, 25-83	91
1995	Strong ground motion from the michoacan, Mexico, earthquake. 1986 , 233, 1043-9	239
1994	Source dynamic parameters of four Greek earthquakes and a possible correlation with the lead-times of their precursor seismic electric signals. 1987 , 134, 323-329	2
1993	Analysis of the microseismicity induced by a fluid injection in a granitic rock mass. 1987 , 14, 227-230	54
1992	Strong-motion seismology. 1987 , 25, 1149	10
1991	Source parameters of microearthquakes at Phlegraean Fields (Southern Italy) volcanic area. 1987 , 47, 25-42	38
1990	The digital array at Anza, California: Processing and initial interpretation of source parameters. <i>Journal of Geophysical Research</i> , 1987 , 92, 369	33
1989	Magnitude-frequency relation for small earthquakes: A clue to the origin of the max of large earthquakes. <i>Journal of Geophysical Research</i> , 1987 , 92, 1349	126
1988	A study of ground motion attenuation in the Southern Great Basin, Nevada-California, using several techniques for estimates of Q_s , $\log A_0$, and coda Q . <i>Journal of Geophysical Research</i> , 1987 , 92, 3527	12
1987	Effects of frictional heating on the thermal, hydrologic, and mechanical response of a fault. <i>Journal of Geophysical Research</i> , 1987 , 92, 6249	203
1986	High precision relative locations of earthquakes at Mount St. Helens, Washington. <i>Journal of Geophysical Research</i> , 1987 , 92, 10223-10236	129
1985	Depth of faulting during the 1968 Meckering, Australia, Earthquake sequence determined from waveform analysis of local seismograms. <i>Journal of Geophysical Research</i> , 1987 , 92, 11561-11574	42
1984	Creation and preservation of subduction-related inverted metamorphic gradients. <i>Journal of Geophysical Research</i> , 1987 , 92, 12763	84
1983	Depth distribution of local stress inhomogeneities in the Vrancea Region, Romania. <i>Journal of Geophysical Research</i> , 1987 , 92, 13878-13886	12
1982	The U.S. hot dry rock project. 1987 , 16, 331-339	8
1981	Results from Le Mayet de Montagne project. 1987 , 16, 355-374	11

1980	Prediction of the ground motion in Italy: a preliminary attempt. 1987 , 10, 91-101	
1979	The interpretation of the b and the b0 values and its implications on the regional deformation of the crust. 1987 , 90, 551-573	6
1978	Point sources of elastic deformation: elementary sources, dynamic displacements. 1987 , 91, 891-912	9
1977	Analytical approach to calculation of response spectra from seismological models of ground motion. 1988 , 16, 121-134	13
1976	A simple model for strong ground motions and response spectra. 1988 , 16, 203-215	4
1975	The information content of high-frequency seismograms and the near-surface geologic structure of hard rock recording sites. 1988 , 128, 333-363	33
1974	Soft seismic emission in the Mashtagol'skaya mine. 1988 , 24, 26-32	1
1973	Scaling of peak ground motions from digital recordings of small earthquakes at Campi Flegrei, southern Italy. 1988 , 126, 37-53	22
1972	The 1984 Round Valley, California Earthquake Sequence. 1988 , 95, 215-235	19
1971	Source mechanisms of moderate-size earthquakes and stress orientation in mid-plate South America. 1988 , 92, 253-267	70
1970	The theoretical seismicity of asperity models: an application to the coast of Oaxaca. 1988 , 95, 491-501	19
1969	Evidence for an inverted metamorphic gradient associated with a Precambrian suture, southern Wyoming. 1988 , 6, 41-63	17
1968	Seismic source mechanisms and ground motion models. 1988 , 3, 64-74	11
1967	An investigation of the complexity of the earthquake source time function using dynamic faulting models. <i>Journal of Geophysical Research</i> , 1988 , 93, 8035	35
1966	Slip budget and potential for a M7 earthquake in central California. 1988 , 15, 1215-1218	13
1965	Magnitude spectra and other source parameters for some major 1985 and 1986 earthquakes. 1988 , 152, 303-318	5
1964	Q P and Q S in Beijing and Jianchuan, Yunnan areas. 1988 , 1, 1-12	
1963	Simultaneous inversion of regional wave spectra for attenuation and seismic moment in Scandinavia. <i>Journal of Geophysical Research</i> , 1988 , 93, 2019	54

1962	Body wave attenuation in the Tonga Subduction Zone. <i>Journal of Geophysical Research</i> , 1988 , 93, 2125	27
1961	Observations of high-frequency P wave earthquake and explosion spectra compared with \bar{m} , \bar{m} , and sharp source models. <i>Journal of Geophysical Research</i> , 1988 , 93, 6318	15
1960	Microearthquakes beneath Median Valley of Mid-Atlantic Ridge near 23°N: Tomography and tectonics. <i>Journal of Geophysical Research</i> , 1988 , 93, 9093	160
1959	Earthquake dynamics and seismotectonics in the Baltic Shield. 1988 , 110, 422-425	2
1958	Analysis of Mining-Induced Microseismic Events at Strathcona Mine, Sudbury, Canada. 1989 , 455-474	3
1957	TurboBasic complex number operations. 1989 , 15, 1003-1009	1
1956	Anomalous seismic events observed at the CSM HDR project, U.K.. 1989 , 26, 257-269	9
1955	VSP and Cross-hole seismic surveys used to determine reservoir characteristics of a hot dry rock geothermal system. 1989 , 26, 271-280	2
1954	Analysis of exceptionally large tremors in two gold mining districts of South Africa. 1989 , 129, 295-307	31
1953	The mechanism of small mining tremors from amplitude inversion. 1989 , 129, 309-324	11
1952	Observations of mine seismicity in the eastern Wasatch Plateau, Utah, U.S.A.: A possible case of implosional failure. 1989 , 129, 369-405	21
1951	Analysis of mining-induced microseismic events at Strathcona Mine, Sudbury, Canada. 1989 , 129, 455-474	17
1950	Microseismicity in a flooded potash mine, the Hope mine, Federal Republic of Germany. 1989 , 129, 475-496	2
1949	Seismological models for mining-induced seismic events. 1989 , 129, 513-521	4
1948	Perspectives on seismic and rockburst research in the South African gold mining industry: 1983-1987. 1989 , 129, 673-680	9
1947	Estimation of strong ground motions from hypothetical earthquakes on the Cascadia subduction zone, Pacific Northwest. 1989 , 129, 131-201	34
1946	Three recent larger earthquakes offshore Norway. 1989 , 1, 284-295	30
1945	A stochastic model for fracture growth on a heterogeneous seismic fault. 1989 , 99, 183-194	16

1944	Microearthquake activity in the Dead Sea region. 1989 , 99, 605-620	61
1943	Heterogeneity of the 1980 Izu-Hanto-Toho-Oki earthquake rupture process. 1989 , 99, 711-722	4
1942	A hybrid boundary integral equation method for the computation of source time functions for 3-D rupture propagation. 1989 , 96, 163-177	8
1941	Spectral characteristics of the 1986 September 13 Kalamata (southern Greece) earthquake. 1989 , 98, 149-157	4
1940	Strong ground motion in normal-faulting earthquakes. 1989 , 96, 529-559	20
1939	Thermal Modeling of Metamorphic Pressure-Temperature-Time Paths: a Forward Approach. 1989 , 57-102	38
1938	Theoretical calculations of the seismicity in Oaxaca, Mexico. 1989 , 167, 81-91	1
1937	Modelling earthquake ground motion for failure analysis. 1989 , 167, 151-155	
1936	Investigation of a high stress drop earthquake on August 30, 1986 in the Vrancea region. 1989 , 163, 35-43	14
1935	The quantitative characteristics of earthquake sources as determined in the seismological practice of the U.S.S.R.. 1989 , 166, 45-52	3
1934	Scaling law and its applications to earthquake statistical relations. 1989 , 166, 53-72	31
1933	Interpretation of seismic pulse duration in terms of a propagating rupture: a method and case histories. 1989 , 166, 115-132	3
1932	Regional spectral scaling relations of source parameters for earthquakes in the Baltic Shield. 1989 , 166, 151-161	18
1931	Source complexity of small earthquakes near Matsushiro, Japan. 1989 , 166, 175-187	2
1930	Spectral magnitudes, magnitude spectra and earthquake quantification; the stability issue of the corner period and of the maximum magnitude for a given earthquake. 1989 , 166, 205-219	6
1929	Source parameters of selected earthquakes on the central and western margin of Afar. 1989 , 170, 243-257	6
1928	Issues in Strong Ground-Motion Estimation in Eastern North Americaa. 1989 , 558, 136-147	
1927	Source parameters of the 1987 Edgecumbe earthquake, New Zealand. 1989 , 32, 53-59	8

1926	Asperity distribution and percolation as fundamentals of an earthquake cycle. 1989 , 58, 277-288	22
1925	Mode of stress release within a subducting slab of lithosphere: implication of source mechanism of deep and intermediate-depth earthquakes. 1989 , 55, 106-125	12
1924	A cohesive zone model for dynamic shear faulting based on experimentally inferred constitutive relation and strong motion source parameters. <i>Journal of Geophysical Research</i> , 1989 , 94, 4089-4104	120
1923	Acceleration spectra for subduction zone earthquakes. <i>Journal of Geophysical Research</i> , 1989 , 94, 15541-15553	22
1922	Seismicity Induced by Mining. 1990 , 1-74	25
1921	Evidence for anomalous body-wave radiation between 0.3 and 0.7 Hz from the 1985 September 19 Michoacan, Mexico earthquake. 1990 , 101, 37-48	11
1920	Po/So Synthetics For A Variety of Oceanic Models and Their Implications For the Structure of the Oceanic Lithosphere. 1990 , 100, 235-253	33
1919	Empirical Green's Functions from small earthquakes: A waveform study of locally recorded aftershocks of the 1971 San Fernando Earthquake. <i>Journal of Geophysical Research</i> , 1990 , 95, 1187	56
1918	An analytical model for far-field response spectra with soil amplification effects. 1990 , 12, 263-268	11
1917	Frequency-dependence of velocity and attenuation of elastic waves in granite under uniaxial compression. 1990 , 133, 73-85	5
1916	Source parameters of some large earthquakes in the eastern Mediterranean region based on an iterative maximum entropy technique. 1990 , 132, 679-698	4
1915	On faulting in a medium containing an inhomogeneity inplane and antiplane strain models. 1990 , 134, 283-301	
1914	Source spectra and RMS acceleration of Mexican subduction zone earthquakes. 1990 , 133, 447-474	12
1913	Input parameters for estimating seismic loading. 1990 , 3, 125-139	
1912	Non-stationary structural response with evolutionary spectra using seismological input model. 1990 , 19, 275-288	34
1911	Local-soil and source-mechanism effects in the 1986 kalamata (Greece) earthquake. 1990 , 19, 431-456	20
1910	Attenuation models inferred from intraplate earthquake recordings. 1990 , 19, 1125-1141	48
1909	Lower bound earthquake magnitude for probabilistic seismic hazard evaluation. 1990 , 123, 143-153	4

1908	Haskell's Source Mechanism Papers and their Impact on Modern Seismology. 1990 , 42-45	1
1907	Haskell's Seismic Source Theory. 1990 , 46-49	
1906	Icequakes On Ekström Ice Shelf Near Atka Bay, Antarctica*. 1990 , 36, 31-36	11
1905	Microtremor networks and seismic hazard assessment in the UK. 1990 , 23, 193-208	2
1904	Source characteristics of the Loma Prieta, California, Earthquake of October 18, 1989 from global digital seismic data. 1990 , 17, 1183-1186	18
1903	Implication from the aftershocks of the 1989 Loma Prieta Earthquake. 1990 , 17, 1421-1424	1
1902	History of ideas on the cause of earthquakes. 1990 , 118-124	
1901	Evidence for and implications of self-healing pulses of slip in earthquake rupture. 1990 , 64, 1-20	664
1900	Spectral source parameters for three earthquakes in the southern Red Sea. 1990 , 59, 288-293	1
1899	Fluid processes in subduction zones. 1990 , 248, 329-37	755
1898	Slip partitioning of the Calaveras Fault, California, and prospects for future earthquakes. <i>Journal of Geophysical Research</i> , 1990 , 95, 8483	63
1897	Combined inversion for the three-dimensional Q structure and source parameters using microearthquake spectra. <i>Journal of Geophysical Research</i> , 1990 , 95, 12423	82
1896	Distribution of attenuation in the Kaoiki, Hawaii, source volume estimated by inversion of P wave spectra. <i>Journal of Geophysical Research</i> , 1990 , 95, 12439	21
1895	Microearthquake evidence for extension across the Kane Transform Fault. <i>Journal of Geophysical Research</i> , 1990 , 95, 15439	53
1894	Comparison of ground motion from tremors and explosions in deep gold mines. <i>Journal of Geophysical Research</i> , 1990 , 95, 21777	9
1893	Recent Kattegat earthquakes – evidence of active intraplate tectonics in southern Scandinavia. 1991 , 67, 275-287	19
1892	Source parameters of earthquakes in and around the Korean Peninsula deduced from spectral analysis. 1991 , 65, 255-266	6
1891	Source mechanism of the 1987 Vatnafjall Earthquake in south Iceland. <i>Journal of Geophysical Research</i> , 1991 , 96, 4313-4324	23

1890	Model for steady state friction. <i>Journal of Geophysical Research</i> , 1991 , 96, 6121-6131	32
1889	Unusual high-stress drop subevent during the M5.5 Earthquake, The largest event of the 1989 Ito-Oki swarm activity. 1991 , 18, 641-644	6
1888	The effects of site response on source parameters deduced for the 1980 Long Valley, California earthquake sequence. 1991 , 18, 1905-1908	
1887	Source parameters of the Sierra Madre Earthquake from regional and local body waves. 1991 , 18, 2015-2018	58
1886	An analysis of spectral differences between Nevada Test Site and Shagan River nuclear explosions. <i>Journal of Geophysical Research</i> , 1991 , 96, 6237-6245	17
1885	High-frequency spectral falloff of earthquakes, fractal dimension of complex rupture, b value, and the scaling of strength on faults. <i>Journal of Geophysical Research</i> , 1991 , 96, 6291-6302	111
1884	Inversion for the rupture details of the 1987 East Chiba Earthquake, Japan, using a fault model based on the distribution of relocated aftershocks. <i>Journal of Geophysical Research</i> , 1991 , 96, 8205	14
1883	Observations constraining near-source ground motion estimated from locally recorded seismograms. <i>Journal of Geophysical Research</i> , 1991 , 96, 16495	34
1882	Seismological constraints on source properties of the mb =4.0, 1985 Ardsley, New York, earthquake: A characteristic rupture?. <i>Journal of Geophysical Research</i> , 1991 , 96, 18183	6
1881	How does an asperity break? New elements from the waveform inversion of accelerograms for the 2319 UT, October 15, 1979, Imperial Valley Aftershock. <i>Journal of Geophysical Research</i> , 1991 , 96, 21549-21573 ⁴	
1880	Four seismogenic environments in eastern Canada. 1991 , 186, 3-17	7
1879	Analysis and interpretation of the heterogeneous rupture process: application of the empirical Green's function method and nonlinear inversion technique to large earthquakes. 1991 , 197, 1-17	8
1878	Minimum size of earthquakes and minimum value of dynamic rupture velocity. 1991 , 197, 19-25	7
1877	How geology can influence scaling relations. 1991 , 197, 41-53	5
1876	A simplified hypocenter model based on the multi-criterion principle for strong earthquakes. 1991 , 197, 73-87	1
1875	Dynamic source parameters of the 1981 Gulf of Corinth (central Greece) earthquake sequence based on FFT and iterative maximum entropy techniques. 1991 , 185, 261-275	1
1874	The seismic spectrum, radiated energy, and the Savage and Wood inequality for complex earthquakes. 1991 , 188, 303-320	17
1873	High-Frequency P Wave Spectra from Explosions and Earthquakes. 1991 , 219-228	8

1872	Regional Seismic Observations from NTS Explosions. 1991 , 185-196	2
1871	Seismic Source Dynamics, Radiation and Stress. 1991 , 29, 688-699	14
1870	Strong Motion Seismology. 1991 , 29, 700-720	17
1869	Spectral characteristics and source parameters of microearthquakes from the Mt Cameroon volcanic region, West Africa. 1991 , 106, 229-237	5
1868	Spectral discrimination between Soviet explosions and earthquakes using short-period array data. 1991 , 106, 265-273	8
1867	Assessment of possible peak accelerations through stochastic variations. 1991 , 3, 289-293	
1866	Microearthquakes and seismotectonic analysis for a nuclear plant area in southeastern Finland. 1991 , 31, 231-247	0
1865	Relation between seismic source parameters and mechanical properties of rocks: A case study. 1991 , 137, 175-199	19
1864	Intermediate and deep earthquakes in Spain. 1991 , 136, 375-393	70
1863	Size of earthquakes in southern Mexico from indirect methods. 1991 , 136, 479-498	
1862	Source Mechanism of Earthquakes. 1991 , 81-140	2
1861	Inversion of source parameters and attenuation of the Tangshan aftershocks. 1992 , 5, 481-492	1
1860	Microearthquake Characteristics of a Mid-Ocean Ridge along-axis high. <i>Journal of Geophysical Research</i> , 1992 , 97, 1659-1685	153
1859	Seismicity and geometry of a 110-km-long blind thrust fault 1. The 1985 Kettleman Hills, California, earthquake. <i>Journal of Geophysical Research</i> , 1992 , 97, 4843	89
1858	Microearthquakes on and near the East Pacific Rise, 9°-10°N. 1992 , 19, 2131-2134	30
1857	Earthquake source parameters and the frequency dependence of attenuation at Coalinga, Mammoth Lakes, and the Santa Cruz Mountains, California. <i>Journal of Geophysical Research</i> , 1992 , 97, 14137	18
1856	Attenuation of high-frequency seismic waves beneath the central Andean Plateau. <i>Journal of Geophysical Research</i> , 1992 , 97, 19929	78
1855	Seismological observations in the eastern Alps. 1992 , 75, 145-152	

1854	Spectral investigations of hydraulic fracture induced seismic events. 1992 , 69, 304-310	1
1853	On relations between earthquake population and asperity population on a fault. 1992 , 211, 85-98	9
1852	A crack-like rupture model for the 19 September 1985 Michoacan, Mexico, earthquake. 1992 , 138, 407-427	5
1851	Space-time correlations of b values with stress release. 1992 , 139, 449-462	155
1850	Mining-induced seismicity in faulted geologic structures: An analysis of seismicity-induced slip potential. 1992 , 139, 657-676	13
1849	Influence of source region properties on scaling relations for M . 1992 , 139, 721-739	14
1848	Stochastic modeling based on deterministic formulation: An example. 1992 , 24, 161-169	1
1847	Building blocks on shaky ground. 1992 , 355, 114-115	
1846	Deep-crustal earthquakes in the southern Baltic Shield. 1992 , 108, 767-777	12
1845	A seismic refraction investigation of the Archaean Kaapvaal Craton, South Africa, using mine tremors as the energy source. 1992 , 108, 812-832	66
1844	Induced microseismicity and reservoir growth at the Fjällbacka hot dry rocks project, Sweden. 1992 , 29, 343-354	29
1843	Response of a coulomb system to stochastic excitation. 1992 , 159, 223-235	3
1842	A semi analytical model for Fourier amplitude spectrum of earthquake ground motion. 1992 , 133, 199-208	1
1841	13 March, 1992 ($M_s=6.8$) Erzincan earthquake: A preliminary reconnaissance report. 1992 , 11, 279-310	14
1840	Monitoring of subsidence and induced seismicity in the Lacq Gas Field (France): the consequences on gas production and field operation. 1992 , 32, 123-135	32
1839	Site-dependent models of earthquake ground motion. 1992 , 21, 573-589	9
1838	Moving resonance in nonlinear response to fully nonstationary stochastic ground motion. 1993 , 8, 157-167	32
1837	Synthetic uniform-hazard site specific response spectrum. 1993 , 8, 201-215	12

1836	Nonlinear processes in earthquake foci. 1993 , 140, 29-47	2
1835	Source parameters of some significant earthquakes near Koyna dam, India. 1993 , 140, 403-413	12
1834	Spectral analysis of the rotational component of seismic ground motion. 1993 , 8, 5-14	16
1833	Strike-slip or reverse faulting earthquake: consequences on the aftershock activity and prediction of the occurrence of large aftershocks. 1993 , 217, 195-203	
1832	Comparison of dynamic source parameters for earthquakes in different tectonic regions of the northern Cascadia subduction zone. 1993 , 217, 205-215	6
1831	Source parameters and scaling relationships of earthquakes in Israel. 1993 , 217, 217-226	39
1830	Spectral and dynamic characteristics of strong earthquakes in the Armenia upland and adjacent areas. 1993 , 217, 227-234	1
1829	Estimation of attenuation structure and local earthquake magnitude based on acceleration records in Greece. 1993 , 217, 243-253	21
1828	Earthquake rate analysis. 1993 , 218, 1-21	13
1827	Rupture mechanism and interface separation in foam rubber models of earthquakes: a possible solution to the heat flow paradox and the paradox of large overthrusts. 1993 , 218, 59-67	182
1826	Future ground motions in Mexico City. 1993 , 218, 141-155	2
1825	Propagative Macrodislocation Modes in an Earthquake Fault Model. 1993 , 21, 375-380	41
1824	Seismicity remotely triggered by the magnitude 7.3 landers, california, earthquake. 1993 , 260, 1617-23	655
1823	Spectra of seismic radiation from a tensile crack. <i>Journal of Geophysical Research</i> , 1993 , 98, 4449-4459	47
1822	Source parameters of small earthquakes recorded at 2.5 km depth, Cajon Pass, southern California: Implications for earthquake scaling. 1993 , 20, 1511-1514	149
1821	Mapping of the high-frequency source radiation for the Loma Prieta Earthquake, California. <i>Journal of Geophysical Research</i> , 1993 , 98, 11981-11993	53
1820	Automaton models of seismic fracture: Constraints imposed by the magnitude-frequency relation. <i>Journal of Geophysical Research</i> , 1993 , 98, 17745-17756	42
1819	Experimental and analytical study of the dynamic response of low-porosity brittle rocks. <i>Journal of Geophysical Research</i> , 1993 , 98, 22081-22094	5

1818	Estimation and Generation of Design Input Motion. 1993 , 401-434	
1817	Statistical aspects of earthquake source parameter estimation in the presence of signal generated noise. 1993 , 22, 1425-1440	4
1816	Micro-earthquakes beneath Ice Streams Land C, West Antarctica: observations and implications. 1993 , 39, 455-462	8
1815	Seismic velocity and attenuation structure of the Geysers geothermal field, California. 1994 , 23, 111-126	51
1814	Model parameter optimization for site-dependent simulation of ground motion by simulated annealing: Re-evaluation of the Ashigara Valley prediction experiment. 1994 , 10, 275-296	8
1813	Analysis of macroseismic and instrumental data for the study of the 19 November 1923 earthquake in the Aran Valley (Central Pyrenees). 1994 , 10, 7-17	20
1812	Some comparisons between mining-induced and laboratory earthquakes. 1994 , 142, 467-489	74
1811	Frictional heat generation and seismic radiation in a foam rubber model of earthquakes. 1994 , 142, 735-747	51
1810	Fourier amplitude spectra of strong motion acceleration: Extension to high and low frequencies. 1994 , 23, 389-411	25
1809	Generation of hazard-consistent ground motion. 1994 , 13, 377-386	13
1808	and high-frequency strong motion spectra. 1994 , 13, 149-161	40
1807	The 1989-1990 seismic swarm in the Alban Hills volcanic area, central Italy. 1994 , 61, 225-237	46
1806	Energy of selected events of 1985/86 west-bohemian earthquake swarm. 1994 , 38, 23-36	1
1805	The Roer Valley Graben earthquake of 13 April 1992 and its seismotectonic setting. 1994 , 6, 291-300	34
1804	Modelling the Roermond earthquake of 1992 April 13 by stochastic simulation of its high-frequency strong ground motion. 1994 , 119, 31-43	16
1803	The design of optimum networks for aftershock recordings. 1994 , 117, 716-726	48
1802	Isotropic and deviatoric characterization of the Coalora nuclear explosion in Yucca Flats. 1994 , 116, 538-552	3
1801	Contrasts between source parameters of M 5.5 earthquakes in northern Baja California and southern California. 1994 , 116, 605-617	10

1800	Source parameters for the Roermond aftershocks of 1992 April 13-May 2 and site spectra for P and S waves at the Belgian seismic network. 1994 , 116, 673-682	10
1799	Bayesian Attenuation Regressions: an Application to Mexico City. 1994 , 117, 335-344	33
1798	Stress perturbations associated with active faults penetrated by boreholes: Possible evidence for near-complete stress drop and a new technique for stress magnitude measurement. <i>Journal of Geophysical Research</i> , 1994 , 99, 9373-9390	141
1797	Inversion for P and S wave attenuation structure, Long Valley caldera, California. <i>Journal of Geophysical Research</i> , 1994 , 99, 2619-2635	31
1796	Three-dimensional attenuation tomography at Loma Prieta: Inversion of t^* for Q. <i>Journal of Geophysical Research</i> , 1994 , 99, 6843	57
1795	A composite source model for computing realistic synthetic strong ground motions. 1994 , 21, 725-728	137
1794	Large slip velocity of the surface rupture associated with the 1990 Luzon Earthquake. 1994 , 21, 1799-1802	9
1793	Seismic guided waves trapped in the fault zone of the Landers, California, earthquake of 1992. <i>Journal of Geophysical Research</i> , 1994 , 99, 11705-11722	148
1792	The finite extension of fractal geometry and power law distribution of shallow earthquakes: A geomechanical effect. <i>Journal of Geophysical Research</i> , 1994 , 99, 21879-21889	20
1791	On the variation of b-values with earthquake size. 1994 , 87, 55-76	100
1790	Occurrence of low stress drop earthquakes in the Garhwal Himalaya region. 1994 , 85, 265-272	43
1789	Single and joint fault plane solutions for microearthquakes in South Iceland. 1994 , 237, 73-86	40
1788	Identification of Model Parameters Governing Seismic Waveforms with Multi-Layer Perceptrons. 1994 , 27, 615-620	
1787	Earthquake Kinematics and Dynamics. 1995 , 58, 357-396	
1786	DIGITAL SIMULATION OF EARTHQUAKE GROUND MOTIONS USING A SEISMOLOGICAL MODEL. 1995 , 1995, 209-217	3
1785	Duration of earthquake fault motion in California. 1995 , 24, 781-799	20
1784	Pseudo relative velocity spectra of earthquake ground motion at high frequencies. 1995 , 24, 1113-1130	14
1783	Attenuation and source parameters at Deception Island (South Shetland Islands, Antarctica). 1995 , 144, 229-250	17

1782	Source parameters of mining-induced seismic events: An evaluation of homogeneous and inhomogeneous faulting models for assessing damage potential. 1995 , 145, 3-27	19
1781	The CQU Regional Seismic Network and applications to underground mining in Central Queensland, Australia. 1995 , 145, 39-57	1
1780	Seismic-source and wave-propagation effects of Lg waves in Scandinavia. 1995 , 120, 525-536	11
1779	East African earthquakes below 20 km depth and their implications for crustal structure. 1995 , 121, 49-62	97
1778	Coseismic crustal deformation on a fault zone defined by microseismicity in the Pavliani area, central Greece. 1995 , 123, 16-40	13
1777	Source scaling of earthquakes in the Shumagin region, Alaska: time-domain inversions of regional waveforms. 1995 , 123, 41-58	30
1776	Coseismic crustal deformation from microseismicity in the Patras area, western Greece. 1995 , 122, 815-836	18
1775	STOCHASTIC MODELING AND IDENTIFICATION OF SEISMIC RECORDS BASED ON ESTABLISHED DETERMINISTIC FORMULATIONS. 1995 , 16, 201-220	6
1774	Pseudo relative velocity spectra of earthquake ground motion at long periods. 1995 , 14, 331-346	14
1773	Dynamic source parameters of the 12th October 1992 earthquake, Cairo, Egypt. 1995 , 20, 99-109	9
1772	Source parameters of seismic events at Mount Etna volcano, Italy, during the outburst of the 1991-1993 eruption. 1995 , 89, 149-162	10
1771	The earthquake sequence of June 1992 near Saba, West Indies. 1995 , 246, 225-243	1
1770	Seismic energies of earthquakes and relationships to other source parameters. 1995 , 248, 171-184	5
1769	Source spectral properties of small earthquakes in the northern North Sea. 1995 , 248, 207-218	16
1768	Subevent rake and random scattering effects in realistic strong ground motion simulation. 1995 , 22, 17-20	17
1767	Site response modelling by non-linear waveform inversion. 1995 , 22, 199-202	2
1766	Source time functions of nuclear explosions and earthquakes in central Asia determined using empirical Green's functions. <i>Journal of Geophysical Research</i> , 1995 , 100, 659-674	8
1765	The earthquake sequence of November 1987 and March 1988 in the Gulf of Alaska: A new insight. 1995 , 22, 1029-1032	4

1764	Stress drop distribution of the aftershocks of the 1993 Hokkaido-Nansei-Oki Earthquake. 1995 , 22, 3083-3086	
1763	Response of high-rise and base-isolated buildings to a hypothetical mw 7.0 blind thrust earthquake. 1995 , 267, 206-11	246
1762	Discrete-Time Analysis of Seismic Site Amplification. 1995 , 121, 801-809	36
1761	Characteristics of ambient stress values for micro-earthquake sequences in Western Yunnan Earthquake Prediction Experimental Field. 1995 , 8, 563-574	1
1760	Foreshock sequence of the 1992 Landers, California, earthquake and its implications for earthquake nucleation. <i>Journal of Geophysical Research</i> , 1995 , 100, 9865-9880	114
1759	Earthquake source scaling relationships from M_0 to 5 ML using seismograms recorded at 2.5-km depth. <i>Journal of Geophysical Research</i> , 1995 , 100, 24015-24036	491
1758	Microearthquake characteristics and crustal velocity structure at 29°N on the Mid-Atlantic Ridge: The architecture of a slow spreading segment. <i>Journal of Geophysical Research</i> , 1995 , 100, 24449-24472	119
1757	Attenuation of seismic waves in the Trinidad and Tobago area. 1996 , 253, 111-127	5
1756	Analysis of the Granada (Spain) earthquake of 24 June, 1984 (M = 5) with emphasis on seismic hazard in the Granada Basin. 1996 , 257, 253-263	13
1755	The magnitude-frequency distribution of earthquakes recorded with deep seismometers at Cajon Pass, southern California. 1996 , 261, 1-7	57
1754	Source characteristics of the Sinaia (Romania) sequence of May-June 1993. 1996 , 261, 39-49	8
1753	Seismic source parameters for microearthquakes of the Granada basin (southern Spain). 1996 , 261, 51-66	30
1752	Scaling of source parameters for Vrancea (Romania) intermediate depth earthquakes. 1996 , 261, 67-81	18
1751	Observational constraints on earthquake source scaling: understanding the limits in resolution. 1996 , 261, 83-95	53
1750	Relations among earthquake source parameters derived from the debye solid-body model. 1996 , 22, 137-143	1
1749	Fracture mechanics rupture model of earthquakes and an estimate of ambient shear stress. 1996 , 93, 299-308	9
1748	Frequency-dependent attenuation of S and coda waves in Erzincan region (Turkey). 1996 , 97, 109-119	31
1747	Stress/strain changes and triggered seismicity at The Geysers, California. <i>Journal of Geophysical Research</i> , 1996 , 101, 733-749	71

1746	Seismicity and stress-drop in the Eastern Transverse Ranges, southern California. 1996 , 23, 233-236	14
1745	Site and propagation effects on the spectra of an S-to-S reflected phase recorded from a set of microearthquakes in the Northern Apennines (Italy). 1996 , 23, 1163-1166	2
1744	Attenuation of coda waves in southern Tibet. 1996 , 23, 3015-3018	6
1743	Moment, energy, stress drop, and source spectra of western United States earthquakes from regional coda envelopes. <i>Journal of Geophysical Research</i> , 1996 , 101, 11195-11208	179
1742	Estimation of seismic waveform governing parameters with neural networks. <i>Journal of Geophysical Research</i> , 1996 , 101, 20109-20118	13
1741	Complexity of seismicity due to highly rate-dependent friction. <i>Journal of Geophysical Research</i> , 1996 , 101, 25321-25336	117
1740	A dissipation-based analysis of an earthquake fault model. <i>Journal of Geophysical Research</i> , 1996 , 101, 27741-27764	33
1739	Excitation and propagation of Lg from earthquakes in central Asia with implications for explosion/earthquake discrimination. <i>Journal of Geophysical Research</i> , 1996 , 101, 27779-27789	16
1738	Seismic activity along fault branches of the Dead Sea-Jordan Transform System: The Carmel-Tirtza fault system. 1996 , 267, 317-330	63
1737	Microearthquake analysis for hydraulic fracturing process. 1996 , 9, 377-387	3
1736	Spectral analysis and earthquake scaling of the Petatlan earthquake ($M_s = 7.6$) aftershocks, recorded at stations along the pacific coast and between the coast and Mexico City. 1996 , 147, 631-656	1
1735	Body-wave wave-form modelling and source parameters for the indochina border earthquakes. 1996 , 147, 657-673	
1734	The mechanism of mine-collapse deduced from seismic observations. 1996 , 147, 207-216	4
1733	Characteristics of mining tremors within the near-wave field zone. 1996 , 147, 249-261	9
1732	Rock-mass characterization using intrinsic and scattering attenuation estimates at frequencies from 400 to 1600 Hz. 1996 , 147, 289-304	10
1731	Effects of rupture complexity and stress regime on scaling relations of induced microseismic events. 1996 , 147, 319-343	11
1730	Seismic moment assessment of earthquakes in stable continental regions-III. New Madrid 1811-1812, Charleston 1886 and Lisbon 1755. 1996 , 126, 314-344	299
1729	Global Creepex Distribution and Its Relation to Earthquake-Source Geometry and Tectonic Origin. 1996 , 125, 249-265	65

1728	Dynamical weakening of faults by acoustic fluidization. 1996 , 379, 601-606	193
1727	Empirical ground motion relations for earthquakes in the Cascadia region. 1997 , 24, 64-77	12
1726	Why blind thrust faults do not propagate to the Earth's surface: Numerical modeling of coseismic deformation associated with thrust-related anticlines. <i>Journal of Geophysical Research</i> , 1997 , 102, 11901-11912 ⁶¹	61
1725	Regional variations of seismic attenuation of Lg waves in southern Mexico. <i>Journal of Geophysical Research</i> , 1997 , 102, 27501-27509	6
1724	Source scaling of microearthquakes at Mt. Etna Volcano and in the Calabrian Arc (southern Italy). 1997 , 24, 1879-1882	15
1723	Assessment of Liquefaction Potential during Earthquakes by Arias Intensity. 1997 , 123, 1162-1174	136
1722	A theorem for the direct estimation of seismic source spectra. 1997 , 269, 337-341	
1721	High-frequency fall-off of source spectra of deep-focus earthquakes from Wigner-distribution estimation. 1997 , 99, 221-229	3
1720	Self-similarity and scaling relations for microearthquakes at Mt. Etna volcano (Italy). 1997 , 103, 165-177	9
1719	Empirical Green's function analysis: Taking the next step. <i>Journal of Geophysical Research</i> , 1997 , 102, 5369-5384	74
1718	The Zihuatanejo, Mexico, earthquake of 1994 December 10 (M= 6.6): source characteristics and tectonic implications. 1997 , 131, 135-145	29
1717	Anatomy of a small intraplate earthquake: a dissection of its rupture characteristics using regional data. 1997 , 129, 235-251	7
1716	Seismic hazard in central southern Africa. 1997 , 130, 737-745	6
1715	Modeling seismicity clustering and fault weakness due to high pore pressures. 1997 , 22, 43-48	2
1714	Estimation of seismic stress drop from the peak velocity of ground motion. 1997 , 10, 581-591	2
1713	Synthesis of accelerations of the 1976 Tangshan earthquake (M S 7.8) in near- and far-field by using semi-empirical method. 1997 , 10, 347-354	0
1712	Seismological and energy balance constraints on the mechanism of a catastrophic bump in the Book Cliffs coal mining district, Utah, U.S.A.. 1997 , 34, 27-43	19
1711	Site coefficients for design of buildings in eastern United States. 1997 , 16, 29-40	19

1710	Attenuation relations of ground motion for rock and soil sites in eastern United States. 1997 , 16, 363-372	45
1709	Simulation of strong ground motions based on recorded accelerograms and the stochastic method. 1998 , 17, 551-556	11
1708	Ambient tectonic shear stress field in Southern California and seismic hazard regions. 1998 , 11, 153-162	3
1707	A single-station coda solution for source, attenuation and site factors. 1998 , 11, 163-170	5
1706	A source extent analysis of the Lancang earthquake ($M_s=7.6$) of 1988. 1998 , 11, 393-402	
1705	Identification of seismic events based on stochastic properties of the short-period records. 1998 , 17, 101-115	3
1704	Experimental procedures to measure volumetric changes and microseismic activity during triaxial compression tests. 1998 , 35, 249-254	11
1703	Seismic attenuation in underground mines: a comparative evaluation of methods and results. 1998 , 289, 31-49	12
1702	Shear zone stress release heterogeneity associated with two mining-induced events of M 1.7 and 2.2. 1998 , 289, 75-89	8
1701	Reservoir characterization using oil-production-induced microseismicity, Clinton County, Kentucky. 1998 , 289, 129-152	61
1700	Source inversion of the October 1, 1995, Dinar earthquake ($M_s=6.1$): a rupture model with implications for seismotectonics in SW Turkey. 1998 , 292, 255-266	30
1699	Simplified Frequency Content Estimates of Earthquake Ground Motions. 1998 , 124, 150-159	289
1698	A procedure for estimation of source and propagation amplitude corrections for regional seismic discriminants. <i>Journal of Geophysical Research</i> , 1998 , 103, 2781-2789	25
1697	Broadband seismology and noise under the ocean. 1998 , 36, 105-142	285
1696	A very broad-band stochastic source model used for near source strong motion prediction. 1998 , 25, 1063-1066	10
1695	Observations of hybrid seismic events at Soufriere Hills Volcano, Montserrat: July 1995 to September 1996. 1998 , 25, 3657-3660	54
1694	Postrifling seismicity and a model for the 1993 diking event on the Coaxial segment, Juan de Fuca Ridge. <i>Journal of Geophysical Research</i> , 1998 , 103, 9867-9877	19
1693	Lithospheric-scale structure across the Bolivian Andes from tomographic images of velocity and attenuation for P and S waves. <i>Journal of Geophysical Research</i> , 1998 , 103, 21233-21252	100

1692	Strain constraint on the source of the alleged Varotsos-Alexopoulos-Nomikos (VAN) precursor of the 1995 Aigion earthquake (Greece). <i>Journal of Geophysical Research</i> , 1998 , 103, 15145-15155	3
1691	A Dark Discharge Model of Earthquake Lightning. 1998 , 37, 5016-5020	8
1690	Use of Microseismic Source Parameters for Rockburst Hazard Assessment. 1998 , 41-65	1
1689	SITE-DEPENDENT AMPLIFICATION FUNCTIONS AND RESPONSE SPECTRA IN GREECE. 1999 , 3, 237-270	22
1688	Current status of seismic and borehole measurements for HDR/HWR development. 1999 , 28, 475-490	23
1687	New techniques for the analysis of earthquake sources from local array data with an application to the 1993 Scotts Mills, Oregon, aftershock sequence. 1999 , 137, 585-600	12
1686	Source parameters of small events using constrained deconvolution with empirical Green's functions. 1999 , 137, 651-662	45
1685	Moment tensor inversion of single-hole mining cast blasts. 1999 , 139, 679-690	4
1684	High frequency fall-off of source spectra using Q-free spectra estimation. 1999 , 12, 1-10	3
1683	A study on seismic source process in short-term and imminent stage before destructive mining shock. 1999 , 12, 63-72	3
1682	Scaling of stress drop and high-frequency fall-off of source spectra. 1999 , 12, 507-515	6
1681	Rupture process of the M _L =4.1 earthquake in Huailai Basin on July 20, 1995. 1999 , 12, 618-631	5
1680	The SIL data acquisition systemâat present and beyond year 2000. 1999 , 113, 89-101	55
1679	A hybrid method for calculating the radiated wave energy of deep earthquakes. 1999 , 115, 181-190	16
1678	S wave attenuation in the coastal region of JaliscoâColima, Mxico. 1999 , 115, 247-257	7
1677	Mapping the rupture process of moderate earthquakes by inverting accelerograms. <i>Journal of Geophysical Research</i> , 1999 , 104, 7319-7328	12
1676	On relating apparent stress to the stress causing earthquake fault slip. <i>Journal of Geophysical Research</i> , 1999 , 104, 3003-3011	165
1675	A three-dimensional fluid-controlled earthquake model: Behavior and implications. <i>Journal of Geophysical Research</i> , 1999 , 104, 10621-10638	54

1674	A self-organized model of earthquakes with constant stress drops and the b-value of 1. 1999 , 26, 2817-2820	9
1673	Slip-parallel seismic lineations on the Northern Hayward Fault, California. 1999 , 26, 3525-3528	65
1672	P wave crustal velocity structure in the greater Mount Rainier area from local earthquake tomography. <i>Journal of Geophysical Research</i> , 1999 , 104, 10775-10786	35
1671	A THEORETICAL ATTENUATION MODEL FOR EARTHQUAKE-INDUCED GROUND MOTION. 1999 , 3, 287-315	9
1670	Microscopic and macroscopic physics of earthquakes. 2000 , 147-163	136
1669	East Texas Hydraulic Fracture Imaging Project: Measuring Hydraulic Fracture Growth of Conventional Sandfracs and Waterfracs. 2000 ,	25
1668	Response spectral relationships for rock sites derived from the component attenuation model. 2000 , 29, 1457-1489	43
1667	Response spectrum modelling for rock sites in low and moderate seismicity regions combining velocity, displacement and acceleration predictions. 2000 , 29, 1491-1525	40
1666	Determination of earthquake energy release in the Eastern Mediterranean region. 2000 , 143, 898-908	13
1665	Normal left-oblique fault mechanisms as an indication of sinistral deformation between the Nubia and Somalia plates in the Main Ethiopian Rift. 2000 , 31, 359-367	20
1664	Spectral parameters of ground motion in different regions: comparison of empirical models. 2000 , 19, 173-181	8
1663	Simulation of near source ground motion and its characteristics. 2000 , 20, 125-136	6
1662	Site & region-specific response spectra: a probabilistic approach. 2000 , 20, 273-281	4
1661	Fracture characteristics of the 1997 Jiashi, Xinjiang, China, earthquake swarm inferred from source spectra. 2000 , 13, 125-135	6
1660	The focus parameters and their correlation from small earthquakes before and after the 1995 Douhe earthquake. 2000 , 13, 249-256	1
1659	Spectral seismograms, magnitude spectra and source parameters of a selection of Indian plate earthquakes. 2000 , 30, 423-438	2
1658	The 1994 Hokkaido Toho-oki earthquake sequence: the complex activity of intra-slab and plate-boundary earthquakes. 2000 , 121, 39-58	9
1657	Attenuation structure beneath the volcanic front in northeastern Japan from broad-band seismograms. 2000 , 121, 339-357	26

- 1656 Hypocenter migration as an explanation for temporal changes in coda Q. *Journal of Geophysical Research*, **2000**, 105, 16151-16160
- 1655 The spectral decay parameter τ in the region of Umbria-Marche, Italy. *Journal of Geophysical Research*, **2000**, 105, 23811-23823 12
- 1654 GENERATION OF SYNTHETIC EARTHQUAKE ACCELEROGRAMS USING SEISMOLOGICAL MODELLING: A REVIEW. **2000**, 4, 321-354 71
- 1653 Nucleation phase and high-speed rupture propagation of faulting at Mt. Etna Volcano (southern Italy). **2000**, 27, 2321-2324 1
- 1652 A method for mapping apparent stress and energy radiation applied to the 1994 Northridge Earthquake Fault Zone. **2000**, 27, 1953-1956 8
- 1651 Influence of friction and fault geometry on earthquake rupture. *Journal of Geophysical Research*, **2000**, 105, 6069-6088 51
- 1650 Crustal attenuation and site effects at Parkfield, California. *Journal of Geophysical Research*, **2000**, 105, 6277-6286 22
- 1649 Spatial patterns of earthquake sounds and seismic source geometry. **2000**, 27, 2749-2752 10
- 1648 Subevent structure of large earthquakes—a ground-motion perspective. **2001**, 28, 53-56
- 1647 Estimation of rupture propagation direction and strong motion generation area from azimuth and distance dependence of source amplitude spectra. **2001**, 28, 2727-2730 26
- 1646 Three-dimensional attenuation variations in southern California. *Journal of Geophysical Research*, **2001**, 106, 30719-30735 18
- 1645 Equivalent Number of Uniform Stress Cycles for Soil Liquefaction Analysis. **2001**, 127, 1017-1026 98
- 1644 Estimating source parameters of the earthquake swarm in the Hida Mountains Region, central Japan, using near-field waveforms. **2001**, 28, 1655-1658
- 1643 P wave attenuation structure in the fault area of the 1995 Kobe earthquake. *Journal of Geophysical Research*, **2001**, 106, 4141-4154 81
- 1642 Earthquake stress drop and laboratory-inferred interseismic strength recovery. *Journal of Geophysical Research*, **2001**, 106, 30701-30713 60
- 1641 Microearthquake characteristics and crustal VP/VS structure at the Mid-Atlantic Ridge, 35°N. *Journal of Geophysical Research*, **2001**, 106, 2017-2034 59
- 1640 Spatial distribution of focal mechanisms for interplate and intraplate earthquakes associated with the subducting Pacific plate beneath the northeastern Japan arc: A triple-planed deep seismic zone. *Journal of Geophysical Research*, **2001**, 106, 2177-2191 125
- 1639 The 1994 Java tsunami earthquake: Slip over a subducting seamount. *Journal of Geophysical Research*, **2001**, 106, 6595-6607 124

1638	Attenuation tomography in the western central Andes: A detailed insight into the structure of a magmatic arc. <i>Journal of Geophysical Research</i> , 2001 , 106, 11151-11167	94
1637	Stress drop with constant, scale independent seismic efficiency and overshoot. 2001 , 28, 3353-3356	17
1636	A method for mapping apparent stress and energy radiation applied to the 1994 Northridge Earthquake Fault Zone—Revisited. 2001 , 28, 3529-3532	14
1635	Does apparent stress vary with earthquake size?. 2001 , 28, 3349-3352	282
1634	The fracturing in volcanic edifice before an eruption: the June–July 1998 high-frequency earthquake swarm at Volc�n de Colima, M�xico. 2001 , 105, 65-75	20
1633	Source parameters and tectonic interpretation of recent earthquakes (1995–1997) in the Pannonian basin. 2001 , 31, 87-103	8
1632	Complex source processes and the interaction of moderate earthquakes during the earthquake swarm in the Hida-Mountains, Japan, 1998. 2001 , 334, 35-54	37
1631	Source characteristics of the seismic sequences in the Eastern Carpathians foredeep region (Romania). 2001 , 338, 325-337	12
1630	Source parameters and fault plane determinations of the 28 December 1999 northeastern Cairo earthquakes. 2001 , 343, 63-77	15
1629	Relationship between displacement and velocity amplitudes of seismic waves from local earthquakes. 2001 , 53, 347-355	3
1628	Rupture directivity and source-process time of the September 20, 1999 Chi-Chi, Taiwan, earthquake estimated from Rayleigh-wave phase velocity. 2001 , 53, 1171-1176	7
1627	Energy Budget of Earthquakes and Seismic Efficiency. 2001 , 293-305	21
1626	Source parameters and three-dimensional attenuation structure from the inversion of microearthquake pulse width data: Method and synthetic tests. <i>Journal of Geophysical Research</i> , 2001 , 106, 16287-16306	12
1625	PREDICTION OF LEVEL-2 EARTHQUAKE MOTION FOR EARTHQUAKE-RESISTANT DESIGN OF DAM WITH A SEISMOGRAMS RECORDED AT THE SITE. 2001 , 2001, 259-269	1
1624	Estimation of source parameters of Chamoli Earthquake, India. 2001 , 110, 171-177	7
1623	Precise determination of focal parameters for July 20, 1995 M L=4.1 earthquake sequence in the Huailai basin. 2001 , 14, 237-250	1
1622	Three-dimensional Q structure in Jiashi earthquake region of Xinjiang. 2001 , 14, 611-619	
1621	Site-dependent design input ground motion estimations for the Taipei area: a probabilistic approach. 2001 , 16, 177-191	11

1620	Regional and local seismic hazard assessment. 2001 , 21, 415-429	5
1619	A hybrid procedure for the assessment of design basis earthquake ground motions for near-fault conditions. 2001 , 21, 431-443	11
1618	Preliminary determination of the interdependence among strong-motion amplitude, earthquake magnitude and hypocentral distance for the Himalayan region. 2001 , 144, 577-596	27
1617	Dynamic ruptures in recent models of earthquake faults. 2001 , 49, 2209-2244	244
1616	Quantification of rock mass damage in underground excavations from microseismic event monitoring. 2001 , 38, 1135-1145	185
1615	The Mw 5.4 Reggio Emilia 1996 earthquake: active compressional tectonics in the Po Plain, Italy. 2001 , 144, 1-13	65
1614	The relative locations of multiplets in the vicinity of the Western Almería (southern Spain) earthquake series of 1993-1994. 2001 , 146, 801-812	32
1613	Stochastic models for simulation of strong ground motion in Iceland. 2001 , 30, 1305-1331	14
1612	Seismicity induced by mining: Ten years later. 2001 , 39-181	63
1611	Earthquake Dynamics. 2002 , 81, 175-III	15
1610	Strength and Energetics of Active Fault Zones. 2002 , 81, 569-XIII	16
1609	32 Rock failure and earthquakes. 2002 , 505-537	37
1608	ESTIMATES OF LOCAL SITE EFFECTS BY A GENERALIZED INVERSION SCHEME USING OBSERVED RECORDS BY "SMALL-TITAN" 2002 , 2002, 237-253	1
1607	Source Parameters of Hydraulic Fracture Induced Microseismicity. 2002 ,	5
1606	An inversion method to analyze rupture processes of small earthquakes using stopping phases. <i>Journal of Geophysical Research</i> , 2002 , 107, ESE 2-1	9
1605	Dynamic rupture on an interface between a compliant fault zone layer and a stiffer surrounding solid. <i>Journal of Geophysical Research</i> , 2002 , 107, ESE 6-1	78
1604	Microearthquakes on the Endeavour segment of the Juan de Fuca Ridge. <i>Journal of Geophysical Research</i> , 2002 , 107, EPM 4-1-EPM 4-21	56
1603	34 State of stress in the Earth's lithosphere. 2002 , 81, 559-XII	19

1602	Slip-weakening and interactive dynamics of an heterogeneous seismic source. 2002 , 344, 37-60	6
1601	Three-dimensional attenuation model of the shallow Hikurangi subduction zone in the Raukumara Peninsula, New Zealand. <i>Journal of Geophysical Research</i> , 2002 , 107, ESE 3-1	93
1600	Scaling law between corner frequency and seismic moment of microearthquakes: Is the breakdown of the cube law a nature of earthquakes?. 2002 , 29, 52-1-52-4	30
1599	Scaling of displacement spectra of near-fault seismograms of the 1999 Chi-Chi, Taiwan, earthquake. 2002 , 29, 84-1-84-4	6
1598	Characteristic small-earthquake sequence off Sanriku, northeastern Honshu, Japan. 2002 , 29, 38-1	138
1597	Analysis of the southeast Beni-Suef, northern Egypt earthquake sequence. 2002 , 33, 219-234	8
1596	Intersonic shear cracks and fault ruptures. 2002 , 51, 1189-1257	149
1595	A review of recent studies of triggered earthquakes by artificial water reservoirs with special emphasis on earthquakes in Koyna, India. 2002 , 58, 279-310	273
1594	Comparative characteristics of the 1997-1998 seismic swarms preceding the November 1998 eruption of Volc�n de Colima, M�xico. 2002 , 117, 47-60	29
1593	Stochastic prediction of ground motions in southern Korea. 2002 , 6, 203-214	22
1592	The seismic energy of Yao�n earthquake sequence estimated by peak velocity. 2002 , 15, 107-112	2
1591	Earthquake motion input and its dissemination via the Internet. 2002 , 1, 20-26	3
1590	Renormalization group approach to earthquake scaling. 2002 , 13, 1281-1294	4
1589	Rupture nucleations in the 1995 Hyogo-ken Nanbu earthquake and its large aftershocks. 2002 , 149, 572-588	12
1588	Classification of local and regional events in central Europe based on estimates of S-wave spectral variance. 2002 , 151, 196-208	4
1587	Source scaling of intermediate-depth Vrancea earthquakes. 2002 , 151, 879-889	37
1586	InSAR volcano and seismic monitoring in Spain. Results for the period 1992-2000 and possible interpretations. 2002 , 37, 285-297	15
1585	Uncertainty Analysis of Strong-Motion and Seismic Hazard. 2003 , 1, 321-347	9

1584	PGA and structural dynamics input motion at a given site. 2003 , 2, 25-33	3
1583	The inversion of anelastic coefficient, source parameters and site response using genetic algorithm. 2003 , 16, 226-232	8
1582	Magnitude scales for very local earthquakes. Application for Deception Island Volcano (Antarctica). 2003 , 128, 115-133	17
1581	Exact computation of input-energy spectra from Fourier amplitude spectra. 2003 , 32, 597-605	69
1580	Empirical attenuation relationship for Arias Intensity. 2003 , 32, 1133-1155	137
1579	A uniform approach to seismic site effect analysis in Bucharest, Romania. 2003 , 23, 737-758	15
1578	Evaluation of hard rock spectral models for the Taiwan region on the basis of the 1999 Chi-Chi earthquake data. 2003 , 23, 715-735	14
1577	Size and geometry of microearthquake seismic ruptures from P and S pulse width data. 2003 , 155, 422-442	10
1576	Source parameters of the MW= 6.1 1910 Adra earthquake (southern Spain). 2003 , 155, 539-546	35
1575	Complex seismic site effects in sediment-filled valleys and implications on design spectra. 2003 , 5, 223-238	5
1574	Hydrothermal microearthquake swarms beneath active vents at Middle Valley, northern Juan de Fuca Ridge. <i>Journal of Geophysical Research</i> , 2003 , 108,	19
1573	Stress drops and radiated energies of aftershocks of the 1994 Northridge, California, earthquake. <i>Journal of Geophysical Research</i> , 2003 , 108,	61
1572	Source parameters of acoustic emission events and scaling with mining-induced seismicity. <i>Journal of Geophysical Research</i> , 2003 , 108,	55
1571	Magnitude dependence of radiated energy spectra: Far-field expressions of slip pulses in earthquake models. <i>Journal of Geophysical Research</i> , 2003 , 108,	3
1570	Apparent break in earthquake scaling due to path and site effects on deep borehole recordings. <i>Journal of Geophysical Research</i> , 2003 , 108,	161
1569	Simulation of tensile crack generation by three-dimensional dynamic shear rupture propagation during an earthquake. <i>Journal of Geophysical Research</i> , 2003 , 108,	70
1568	Evidence for fault lubrication during the 1999 Chi-Chi, Taiwan, earthquake (Mw7.6). 2003 , 30, n/a-n/a	96
1567	The 1994 Java Tsunami earthquake and its "normal" aftershocks. 2003 , 30,	13

1566	Very long period oscillations of Mount Erebus Volcano. <i>Journal of Geophysical Research</i> , 2003 , 108,	93
1565	Slip-weakening behavior during the propagation of dynamic ruptures obeying rate- and state-dependent friction laws. <i>Journal of Geophysical Research</i> , 2003 , 108,	78
1564	Estimation of earthquake source parameters and site response in Anchorage, Alaska from strong-motion network data using generalized inversion method. 2003 , 137, 13-29	30
1563	Source spectral characteristics of two large intra-slab earthquakes along the southern Kurile-Hokkaido arc. 2003 , 137, 67-80	6
1562	Finite-fault site-specific acceleration time histories that include nonlinear soil response. 2003 , 137, 153-181	9
1561	Three-dimensional attenuation structure beneath southwest Japan estimated from spectra of microearthquakes. 2003 , 136, 215-231	23
1560	Complex patterns of fluid and melt transport in the central Andean subduction zone revealed by attenuation tomography. 2003 , 215, 105-119	146
1559	Seismic observations of the 22/11/1995 Gulf of Aqaba earthquake sequence. 2003 , 369, 21-36	48
1558	A supershear transition mechanism for cracks. 2003 , 299, 1557-9	97
1557	Subset Simulation and its Application to Seismic Risk Based on Dynamic Analysis. 2003 , 129, 901-917	250
1556	ATTENUATION RELATION FOR WEST EURASIA DETERMINED WITH RECENT NEAR-FAULT RECORDS FROM CALIFORNIA, JAPAN AND TURKEY. 2003 , 7, 573-598	21
1555	Advances in Seismology with Impact on Earthquake Engineering. 2003 , 81, 1081-1095	1
1554	57 Strong-motion seismology. 2003 , 937-VIII	13
1553	65 Seismic hazards and risk assessment in engineering practice. 2003 , 1065-1080	6
1552	Source Parameters of the 2000 Yao'an Earthquakes. 2003 , 46, 908-918	0
1551	Microearthquake analysis at local seismic networks in Iceland and Sweden and earthquake precursors. 2003 , 149-172	
1550	The SIL seismological data acquisition system as operated in Iceland and in Sweden 2003, 131-148	12
1549	A STUDY ON STRONG MOTION CHARACTERISTICS OF THE 2000 ISHIKAWA-KEN SEIHO-OKI, JAPAN EARTHQUAKE. 2003 , 2003, 257-266	1

1548	HIGH-FREQUENCY WAVE GENERATION OF THE INTRA-SLAB EARTHQUAKES IN THE PHILIPPINE SEA PLATE FROM STRONG MOTION RECORDS : Comparison with the intra-slab earthquakes in Hokkaido and Tohoku districts. 2004 , 69, 53-61	1
1547	Displacement Spectra for Long Periods. 2004 , 20, 347-376	108
1546	Coda-derived source spectra, moment magnitudes and energy-moment scaling in the western Alps. 2004 , 160, 263-275	21
1545	Seismic ground motion relationship in southern China based on stochastic finite-fault model. 2004 , 3, 11-21	4
1544	A simplified method for simulation of strong ground motion using finite rupture model of the earthquake source. 2004 , 8, 467-484	34
1543	Study on inelastic attenuation coefficient, site response and source parameters in Shanxi region. 2004 , 17, 405-416	1
1542	Source process of the 14 November 2001 western Kunlun Mountain M S=8.1 earthquake. 2004 , 17, 9-21	4
1541	Determination of combined effect of amplification and attenuation of soft rock site using digital seismic data. 2004 , 17, 157-162	1
1540	Estimating site-specific strong earthquake motions. 2004 , 24, 199-223	10
1539	Accounting for site effect in probabilistic assessment of seismic hazard for Romania and Bucharest: a case of deep seismicity in Vrancea zone. 2004 , 24, 929-947	27
1538	Dynamic FE analysis of South Memnon Colossus including 3D soilâ€”foundationâ€”structure interaction. 2004 , 82, 1719-1736	30
1537	Exploitation of high-sampling Hi-net data to study seismic energy scaling: The aftershocks of the 2000 Western Tottori, Japan, earthquake. 2004 , 56, 859-871	11
1536	S-wave energy estimation of small-earthquakes in the western Nagano region, Japan. 2004 , 31,	10
1535	Source and Qp parameters from pulse width inversion of microearthquake data in southeastern Sicily, Italy. <i>Journal of Geophysical Research</i> , 2004 , 109,	8
1534	A new nonlinear finite fault inversion with three-dimensional Green's functions: Application to the 1989 Loma Prieta, California, earthquake. <i>Journal of Geophysical Research</i> , 2004 , 109,	25
1533	Microearthquake seismicity of the Mid-Atlantic Ridge at 5°S: A view of tectonic extension. <i>Journal of Geophysical Research</i> , 2004 , 109,	27
1532	The 1997â€”1998 Umbria-Marche sequence (central Italy): Source, path, and site effects estimated from strong motion data recorded in the epicentral area. <i>Journal of Geophysical Research</i> , 2004 , 109,	26
1531	Physical response of mid-ocean ridge hydrothermal systems to local earthquakes. 2004 , 5, n/a-n/a	31

1530	Earthquake source parameters determined by the SAFOD Pilot Hole seismic array. 2004 , 31, n/a-n/a	46
1529	Characteristic seismic activity in the subducting plate boundary zone off Kamaishi, northeastern Japan, revealed by precise hypocenter distribution analysis using ocean-bottom seismometers. 2004 , 31,	10
1528	Local attenuation in western Nagano, central Japan, estimated from seismograms recorded in three boreholes. 2004 , 31,	2
1527	Earthquake source scaling and self-similarity estimation from stacking P and S spectra. <i>Journal of Geophysical Research</i> , 2004 , 109,	123
1526	The physics of earthquakes. 2004 , 67, 1429-1496	457
1525	Source parameters of earthquakes from the 1987 and 1993 swarms and crustal deformation study during 1987, Aswan Lake area, Egypt. 2004 , 39, 89-99	1
1524	Empirical Relationships for Frequency Content Parameters of Earthquake Ground Motions. 2004 , 20, 119-144	139
1523	Depth variation of seismic source scaling relations: implications for earthquake hazard in southeastern Australia. 2004 , 390, 5-24	25
1522	Near-fault strong motion complexity of the 2000 Tottori earthquake (Japan) from a broadband source asperity model. 2004 , 390, 177-192	49
1521	Strong ground motion during the largest aftershock (Mw=5.8) of the 1999 Izmit earthquake, Turkey. 2004 , 391, 347-355	5
1520	Strong ground motion estimation in the Sea of Marmara region (Turkey) based on a scenario earthquake. 2004 , 391, 357-374	49
1519	One mechanism for generation of the co-seismic electromagnetic oscillations. 2004 , 29, 453-457	7
1518	Determination of near-surface attenuation, with τ parameter, to obtain the seismic moment, stress drop, source dimension and seismic energy for microearthquakes in the Granada Basin (Southern Spain). 2004 , 141, 9-26	19
1517	Seismic moments of earthquakes in the Baikal rift zone as indicators of recent geodynamic processes. 2004 , 37, 155-168	21
1516	Faulting Processes and Earthquake Source Parameters at Mount Etna: State of the art and Perspectives. 2004 , 167-189	4
1515	Precarious Rock Evidence for Seismic Shaking during and Prior to the 1992 ML 5.6 Little Skull Mountain, Nevada, Earthquake. 2005 , 21, 967-985	5
1514	Seismic emissions from a surging glacier: Bakaninbreen, Svalbard. 2005 , 42, 151-157	39
1513	Dissipative interface waves and the transient response of a three-dimensional sliding interface with Coulomb friction. 2005 , 53, 327-357	14

1512	Site-specific ground motion simulation and seismic response analysis at the proposed bridge sites within the city of Addis Ababa, Ethiopia. 2005 , 79, 127-150	10
1511	Assessment of excavation damaged zone using a micromechanics model. 2005 , 20, 301-310	116
1510	Processing of strong-motion accelerograms: needs, options and consequences. 2005 , 25, 93-115	392
1509	Reliability-based design sensitivity by efficient simulation. 2005 , 83, 1048-1061	209
1508	Temporal and spatial rupture process of the great Kunlun Mountain Pass earthquake of November 14, 2001 from the GDSN long period waveform data. 2005 , 48, 112-122	11
1507	Can observations of earthquake scaling constrain slip weakening?. 2005 , 162, 406-424	281
1506	Analysis of the Mw 4.3 Lorient earthquake sequence: a multidisciplinary approach to the geodynamics of the Armorican Massif, westernmost France. 2005 , 162, 935-950	17
1505	The nature of volcanic earthquake swarm preceding the 2000 flank eruption at Usu volcano, Hokkaido, Japan. 2005 , 163, 265-275	8
1504	Modelling of multiple events using empirical Green's functions: method, application to swarm earthquakes and implications for their rupture propagation. 2005 , 163, 991-1005	15
1503	The effect of slip variability on earthquake slip-length scaling. 2005 , 162, 841-849	38
1502	Evolutionary aseismic design and retrofit of structures with passive energy dissipation. 2005 , 34, 1601-1626	64
1501	Study on simulating strong ground motion by fractal stochastic method. 2005 , 18, 490-495	
1500	Attenuation of S wave in the crust of Ordos massif. 2005 , 18, 521-531	3
1499	Inversion of source parameters for moderate and small earthquakes in Beijing region. 2005 , 18, 532-543	1
1498	A study on the focal parameters of Shidian M=5.9 earthquake sequences in 2001. 2005 , 18, 269-279	
1497	The 1986 Dharamsala earthquake of Himachal Himalaya - Estimates of source parameters, average intrinsic attenuation and site amplification functions. 2005 , 9, 473-485	21
1496	Predictive ground motion scaling in Switzerland: Best estimates and uncertainties. 2005 , 9, 223-240	18
1495	PROBABILISTIC SEISMIC HAZARD ANALYSIS WITH FOCUS ON FOURIER AMPLITUDE AND GROUP DELAY TIME. 2005 , 2005, 801_141-801_158	4

1494	Seismological Aspects of the 2003 Bam, Iran, Earthquake and Its Aftershock Analysis. 2005 , 21, 101-112	3
1493	The 2003 Bam, Iran, Earthquake: An Interpretation of the Strong Motion Records. 2005 , 21, 181-206	12
1492	Rupture process by waveform inversion using simulated annealing and simulation of broadband ground motions. 2005 , 57, 571-590	2
1491	Repeating short- and long-term slow slip events with deep tremor activity around the Bungo channel region, southwest Japan. 2005 , 57, 961-972	193
1490	Source parameters of the May 29, 2004 South Korea earthquake (ML 5.2). 2005 , 57, 471-475	7
1489	Subevent analysis for the Tabas earthquake of September 16, 1978, using near field accelerograms. 2005 , 151, 53-76	11
1488	Estimation of the source parameters of the Himalaya earthquake of October 19, 1991, average effective shear wave attenuation parameter and local site effects from accelerograms. 2005 , 407, 1-24	36
1487	Qp structure of Mount Etna: Constraints for the physics of the plumbing system. <i>Journal of Geophysical Research</i> , 2005 , 110,	61
1486	A seismic hazard scenario in the Sikkim Himalaya from seismotectonics, spectral amplification, source parameterization, and spectral attenuation laws using strong motion seismometry. <i>Journal of Geophysical Research</i> , 2005 , 110,	48
1485	Radiation efficiency and apparent stress of small earthquakes in a South African gold mine. <i>Journal of Geophysical Research</i> , 2005 , 110,	34
1484	Slip-generated patterns of swarm microearthquakes from West Bohemia/Vogtland (central Europe): Evidence of their triggering mechanism?. <i>Journal of Geophysical Research</i> , 2005 , 110,	40
1483	The 7 May 2001 induced seismic event in the Ekofisk oil field, North Sea. <i>Journal of Geophysical Research</i> , 2005 , 110,	30
1482	Radiated energy from the mid Niigata, Japan, earthquake of October 23, 2004, and its aftershocks. 2005 , 32,	23
1481	Effects of Ground Motion Parameters and Cyclic Degradation Behavior on Collapse Response of Steel Moment-Resisting Frames. 2006 , 132, 1553-1562	3
1480	Site-Specific Validation of Random Vibration Theory-Based Seismic Site Response Analysis. 2006 , 132, 911-922	27
1479	A Brief Review of Techniques Used to Estimate Radiated Seismic Energy. 2006 , 15-24	3
1478	The Scaling of Seismic Energy With Moment: Simple Models Compared With Observations. 2006 , 25-41	21
1477	Uncertainties in Earthquake Source Spectrum Estimation Using Empirical Green Functions. 2006 , 69-74	16

1476	Source Parameters Determined from Microearthquakes in an Underground Ore Mine. 2006 , 75-80	2
1475	Effects of Methods of Attenuation Correction on Source Parameter Determination. 2006 , 91-97	19
1474	Inferring Earthquake Source Properties from Laboratory Observations and the Scope of Lab Contributions to Source Physics. 2006 , 99-119	13
1473	Ground motion scaling in the Marmara region, Turkey. 2006 , 166, 635-651	30
1472	Relationship between rupture process complexity and earthquake size. <i>Journal of Geophysical Research</i> , 2006 , 111, n/a-n/a	7
1471	Nonlinear thermoporoelastic effects on dynamic earthquake rupture. <i>Journal of Geophysical Research</i> , 2006 , 111, n/a-n/a	28
1470	Measurements of spectral similarity for microearthquakes in western Nagano, Japan. <i>Journal of Geophysical Research</i> , 2006 , 111, n/a-n/a	22
1469	Attenuation models (QP and QS) in three dimensions of the southern California crust: Inferred fluid saturation at seismogenic depths. <i>Journal of Geophysical Research</i> , 2006 , 111, n/a-n/a	88
1468	Comprehensive analysis of earthquake source spectra in southern California. <i>Journal of Geophysical Research</i> , 2006 , 111, n/a-n/a	189
1467	Ambient noise levels in north central Italy. 2006 , 7, n/a-n/a	36
1466	Very low frequency earthquakes within accretionary prisms are very low stress-drop earthquakes. 2006 , 33,	84
1465	Stress change prior to the major events in the 1989 earthquake swarm off the eastern Izu Peninsula, Japan. 2006 , 58, 305-314	2
1464	Seismicity and kinematic evolution of middle Egypt. 2006 , 42, 28-37	11
1463	Source parameters and scaling relationships in the Friuli-Venezia Giulia (Northeastern Italy) region. 2006 , 154, 148-167	21
1462	New Additional Correction Terms for Attenuation Relations of Peak Amplitudes and Response Spectra Corresponding to the Anomalous ismic Intensity in Northeastern Japan. 2006 , 6, 23-41	5
1461	INFLUENCE OF FAULT MECHANISM, DEPTH, AND REGION ON STRESS DROPS OF SMALL AND MODERATE EARTHQUAKES IN JAPAN. 2006 , 23, 125s-134s	7
1460	SIMULATION OF BASIN-INDUCED SURFACE WAVES USING EMPIRICAL SITE AMPLIFICATION AND PHASE CHARACTERISTICS WITH SPECIAL REFERENCE TO PREDOMINANT LATER PHASES IN CALDERAS. 2006 , 62, 891-905	
1459	Earthquake magnitude estimation from peak amplitudes of very early seismic signals on strong motion records. 2006 , 33,	119

1458	Guided waves at subduction zones: dependencies on slab geometry, receiver locations and earthquake sources. 2006 , 167, 693-704	21
1457	Source parameters of microearthquakes at Mount St Helens (USA). 2006 , 166, 1193-1223	15
1456	2001 August earthquake swarm at Shadwan Island, Gulf of Suez, Egypt. 2006 , 167, 288-296	7
1455	Basin-related effects on ground motion for earthquake scenarios in the Lower Rhine Embayment. 2006 , 166, 197-212	25
1454	Stress-strain state of the lithosphere in the southern Baikal region and northern Mongolia from data on seismic moments of earthquakes. 2006 , 42, 416-428	10
1453	Moment magnitude determination of local seismic events recorded at selected Polish seismic stations. 2006 , 54, 15-32	3
1452	Another look at the 1993 and 1995 Gulf of Aqaba earthquakes from the analysis of teleseismic waveforms. 2006 , 54, 260-279	20
1451	Self-similarity of energy structure of seismicity in the Baikal region. 2006 , 408, 559-563	4
1450	Hybrid stochastic finite fault modeling of 2003, M6.5, Bam earthquake (Iran). 2006 , 10, 91-103	36
1449	Criteria for Selecting and Adjusting Ground-Motion Models for Specific Target Regions: Application to Central Europe and Rock Sites. 2006 , 10, 137-156	210
1448	The Southern Region of Peru Earthquake of June 23rd, 2001. 2006 , 10, 171-195	11
1447	Ground-Motion Scaling in the Western Alps. 2006 , 10, 315-333	31
1446	On the Importance of Geolithological Features for the Estimate of the Site Response: The Case of Catania Metropolitan Area (Italy). 2006 , 38, 339-354	9
1445	Synthetic seismograms of ground motion near earthquake fault using simulated Green's function method. 2006 , 51, 3018-3025	5
1444	Precursory specialties of apparent stresses in Yunnan earthquake series. 2006 , 19, 497-506	2
1443	Influence of long-period filter cut-off on elastic spectral displacements. 2006 , 35, 1145-1165	100
1442	Dimensional response analysis of yielding structures with first-mode dominated response. 2006 , 35, 1203-1224	40
1441	Theory and Observations of Forward Modeling/Synthetic Body Wave Seismograms. 2007 , 157-189	4

1440	Slip Inversion. 2007 , 193-223	12
1439	Physical Processes That Control Strong Ground Motion. 2007 , 513-565	6
1438	Deep Earth Structure and Q of the Earth from Crust to Core. 2007 , 731-774	26
1437	Lithosphere Stress and Deformation. 2007 , 255-271	2
1436	The Role of Fault-Zone Drilling. 2007 , 161-181	
1435	Ground Motion Attenuation Model for Peak Horizontal Acceleration from Shallow Crustal Earthquakes. 2007 , 23, 585-613	25
1434	Strong ground motion simulation for seismic hazard assessment in an urban area. 2007 , 4, 308-316	6
1433	Simulated Strong Ground Motions for the Great M 9.3 Sumatra-Andaman Earthquake of 26 December 2004. 2007 , 97, S139-S151	20
1432	Q ₀ Tomography of S Wave Attenuation in Sichuan Yunnan and Adjacent Regions. 2007 , 50, 423-429	7
1431	Velocity and Attenuation Structures in the Focal Area of 2003 Dayao Earthquakes. 2007 , 50, 686-696	3
1430	Highland Boundary Fault Zone: Tectonic implications of the Aberfoyle earthquake sequence of 2003. 2007 , 430, 83-95	5
1429	Some characteristics of aftershock sequences of major earthquakes from 1994 to 2002 in the Kivu province, Western Rift Valley of Africa. 2007 , 439, 1-12	22
1428	The 1980, 1997 and 1998 Azores earthquakes and some seismo-tectonic implications. 2007 , 435, 37-54	58
1427	Scaling relationships between sizes of nucleation regions and eventual sizes of microearthquakes. 2007 , 443, 209-219	1
1426	Source parameters of intermediate-depth Vrancea (Romania) earthquakes from empirical Green's functions modeling. 2007 , 438, 33-56	23
1425	Hybrid k-squared source model for strong ground motion simulations: Introduction. 2007 , 160, 34-50	31
1424	Source parameters and stress release of seismic sequences occurred in the Friuli-Venezia Giulia region (Northeastern Italy) and in Western Slovenia. 2007 , 160, 192-214	21
1423	An estimate of the attenuation relationship for strong ground motion in the Kivu Province, Western Rift Valley of Africa. 2007 , 162, 13-21	7

1422	The exceptional earthquakes in Kaliningrad district, Russia on September 21, 2004. 2007 , 164, 63-74	36
1421	Repeating earthquakes from rupture of an asperity under an Antarctic outlet glacier. 2007 , 253, 151-158	38
1420	Analysis of Iranian strong-motion data using the specific barrier model. 2007 , 4, 415-428	13
1419	Source model of the 2005 Miyagi-Oki, Japan, earthquake estimated from broadband strong motions. 2007 , 59, 1155-1171	27
1418	A Fast and Efficient Simulation of the Far-Fault and Near-Fault Earthquake Ground Motions Associated with the June 17 and 21, 2000, Earthquakes in South Iceland. 2007 , 11, 343-370	16
1417	Volcanic activity influenced by tectonic earthquakes: Static and dynamic stress triggering at Mt. Merapi. 2007 , 34,	88
1416	Slow initial phase and nucleation process of microearthquakes in western Nagano, central Japan. <i>Journal of Geophysical Research</i> , 2007 , 112,	1
1415	Spatial and temporal stress drop variations in small earthquakes near Parkfield, California. <i>Journal of Geophysical Research</i> , 2007 , 112,	118
1414	Similar microearthquakes observed in western Nagano, Japan, and implications for rupture mechanics. <i>Journal of Geophysical Research</i> , 2007 , 112,	17
1413	Earthquake source characteristics from dynamic rupture with constrained stochastic fault stress. <i>Journal of Geophysical Research</i> , 2007 , 112,	60
1412	A systematic study of source time functions and moment tensors of intermediate and deep earthquakes. <i>Journal of Geophysical Research</i> , 2007 , 112,	18
1411	Application of the telegraph model to coda Q variations in southern California. <i>Journal of Geophysical Research</i> , 2007 , 112,	3
1410	Stress drops and radiated seismic energies of microearthquakes in a South African gold mine. <i>Journal of Geophysical Research</i> , 2007 , 112,	67
1409	Tsunami early warning using GPS-Shield arrays. <i>Journal of Geophysical Research</i> , 2007 , 112,	54
1408	Empirical ground-motion prediction equations for northwestern Turkey using the aftershocks of the 1999 Kocaeli earthquake. 2007 , 34,	27
1407	A new spectral ratio method using narrow band coda envelopes: Evidence for non-self-similarity in the Hector Mine sequence. 2007 , 34,	85
1406	Using coda wave interferometry for estimating the variation in source mechanism between double couple events. <i>Journal of Geophysical Research</i> , 2007 , 112,	4
1405	Seismic scaling relations and aftershock activity from the sequences of the 2004 mid Niigata and the 2005 west off Fukuoka earthquakes (MW 6.6) in Japan. <i>Journal of Geophysical Research</i> , 2007 , 112,	14

1404	The Role of Fault Zone Drilling. 2007 , 649-674	12
1403	Lithosphere Stress and Deformation. 2007 , 253-273	7
1402	Seismic Source Theory. 2007 , 59-82	12
1401	Seismic risk assessment for the mega-city of Istanbul: Ductility, strength and maximum interstory drift demands. 2007 , 27, 1101-1117	3
1400	Reliability-based vector nonstationary random critical earthquake excitations for parametrically excited systems. 2007 , 29, 32-48	30
1399	Site dependent response spectra and analysis of the characteristics of the strong ground motion due to the 1999 Duzce earthquake in Turkey. 2007 , 29, 1939-1956	3
1398	Large earthquakes during hydraulic stimulations at the geothermal site of Soultz-sous-Forêts. 2007 , 44, 1091-1105	80
1397	Confidence intervals for earthquake source parameters. 2007 , 168, 1227-1234	45
1396	A Procedure for Modelling Shallow Dislocation Sources. 2007 , 42, 117-130	315
1395	Can One Determine Seismic Focal Parameters from the Far-Field Radiation?. 2007 , 42, 591-606	11
1394	On the Forces Driving Plate Tectonics: Inferences from Absolute Plate Velocities and Intraplate Stress. 2007 , 42, 769-801	142
1393	Evidence for coupled seismic and aseismic fault slip during water injection in the geothermal site of Soultz (France), and implications for seismogenic transients. 2007 , 169, 723-732	95
1392	The relative amplitude method: exploiting F-statistics from array seismograms. 2007 , 170, 813-822	5
1391	Simulations of strong ground motion in SW Iberia for the 1969 February 28 ($M_s=8.0$) and the 1755 November 1 ($M\sim 8.5$) earthquakes - II. Strong ground motion simulations. 2007 , 171, 807-822	36
1390	Reducing the bias of multitaper spectrum estimates. 2007 , 171, 1269-1281	56
1389	Stressed state of the medium in the lithosphere of the Baikal rift zone based on the data of seismic moments of large earthquakes. 2007 , 417, 1281-1286	1
1388	Stresses and seismicity at the present stage of evolution of the Baikal rift zone lithosphere. 2007 , 43, 992-1004	20
1387	Seismic Hazard Analysis for the Bangalore Region. 2007 , 40, 261-278	76

1386	Seismic demands and analysis of site effects in the Marmara region during the 1999 Kocaeli earthquake. 2007 , 42, 169-191	3
1385	Tectonic stress, seismicity, and seismic hazard in the southeastern Carpathians. 2007 , 42, 493-514	8
1384	Ground deformation modeling of flank dynamics prior to the 2002 eruption of Mt. Etna. 2007 , 69, 757-768	35
1383	Estimation of seismic spectral acceleration in Peninsular India. 2007 , 116, 199-214	125
1382	S wave inelastic attenuation and site effect in the northern Tianshan area. 2007 , 20, 188-193	
1381	Strong motion simulation by the composite source modeling: A case study of 1679 M8.0 Sanhe-Pinggu earthquake. 2007 , 20, 319-331	3
1380	Application of apparent stress in earthquake prediction. 2007 , 20, 467-476	9
1379	An inversion of site response and Lg attenuation using Lg waveform. 2007 , 20, 605-616	1
1378	Modeling of non-stationary ground motion using the mean reverting stochastic process. 2008 , 32, 1912-1932	7
1377	Broadband strong motion simulation in layered half-space using stochastic Green's function technique. 2008 , 12, 265-279	20
1376	Broadband (0.05 to 20 s) prediction of displacement response spectra based on worldwide digital records. 2008 , 12, 453-475	141
1375	A Survey of Techniques for Predicting Earthquake Ground Motions for Engineering Purposes. 2008 , 29, 187-220	86
1374	Focal parameters of seismic sources during the 1981 and 1983 eruption at Mt. Etna volcano (Sicily, Italy). 2008 , 55, 1061-1073	2
1373	Constraints on rupture speed of the 2001 MS 8.1 West Kunlun Mountain Pass earthquake by co-seismic surface rupture slip displacements based on the slip-weakening mechanism with frictional undershoot involved. 2008 , 21, 219-232	
1372	Seismic hazard scenario and attenuation model of the Garhwal Himalaya using near-field synthesis from weak motion seismometry. 2008 , 117, 649-670	12
1371	Modeling and synthesis of strong ground motion. 2008 , 117, 683-705	5
1370	Ground-motion prediction equations for the intermediate depth Vrancea (Romania) earthquakes. 2008 , 6, 367-388	38
1369	A stochastic ground motion model with separable temporal and spectral nonstationarities. 2008 , 37, 1565-1584	148

1368	Source parameters of the ML 4.1 earthquake of November 08, 2006, southeast Beni-Suef, northern Egypt. 2008 , 51, 151-159	7
1367	Spectral P-wave magnitudes, magnitude spectra and other source parameters for the 1990 southern Sudan and the 2005 Lake Tanganyika earthquakes. 2008 , 52, 89-96	4
1366	Earthquake shaking scenarios for the metropolitan area of Lisbon. 2008 , 28, 347-364	24
1365	Calibration of the specific barrier model to Iranian plateau earthquakes and development of physically based attenuation relationships for Iran. 2008 , 28, 550-576	29
1364	A study of the seismic response of the city of Benevento (Southern Italy) through a combined analysis of seismological and geological data. 2008 , 97, 146-170	25
1363	Spectral characteristics of natural and artificial seismic events in the Lop Nor test site, China. 2008 , 56, 344-356	2
1362	Comparison of source parameters estimated in the frequency and time domains for seismic events at the Rudna copper mine, Poland. 2008 , 56, 324-343	31
1361	Simulating time-histories and pseudo-spectral accelerations from the 1992 Cairo earthquake at the proposed El-Fayoum New City Site, Egypt. 2008 , 56, 1025-1042	20
1360	A uniform representation in the calculation of seismic radiation efficiency and rupture speed. 2008 , 21, 608-617	
1359	The 2006 November, ML = 5.0 earthquake near Lourdes (France): New evidence for NS extension across the Pyrenees. 2008 , 175, 649-664	22
1358	Galerkin boundary integral equation method for spontaneous rupture propagation problems: SH-case. 2008 , 172, 1083-1103	8
1357	Weak-motion-based attenuation relationships for Israel. 2008 , 175, 1127-1140	13
1356	Seismic Ψ Phase Picking Using a Kurtosis-Based Criterion in the Stationary Wavelet Domain. 2008 , 46, 3815-3826	42
1355	Production of brief extreme ground acceleration pulses by nonlinear mechanisms in the shallow subsurface. 2008 , 9, n/a-n/a	16
1354	A model of earthquake triggering probabilities and application to dynamic deformations constrained by ground motion observations. <i>Journal of Geophysical Research</i> , 2008 , 113,	16
1353	Crustal dynamics of Mount Vesuvius from 1998 to 2005: Effects on seismicity and fluid circulation. <i>Journal of Geophysical Research</i> , 2008 , 113,	10
1352	Stresses that drive the plates from below: Definitions, computational path, model optimization, and error analysis. <i>Journal of Geophysical Research</i> , 2008 , 113,	92
1351	An EGF technique to infer the rupture velocity history of a small magnitude earthquake. <i>Journal of Geophysical Research</i> , 2008 , 113,	5

1350	Strong along-arc variations in attenuation in the mantle wedge beneath Costa Rica and Nicaragua. 2008 , 9, n/a-n/a	79
1349	Nonlinear attenuation and rock damage during strong seismic ground motions. 2008 , 9, n/a-n/a	12
1348	Apparent stress scaling for tectonic and induced seismicity: Model and observations. 2008 , 167, 98-109	5
1347	Source parameters of March 10 and September 13, 2007, United Arab Emirates earthquakes. 2008 , 460, 237-247	7
1346	Seismicity in the outer rise offshore southern Chile: Indication of fluid effects in crust and mantle. 2008 , 269, 41-55	31
1345	Shallow intraplate earthquakes in Western Australia observed by Interferometric Synthetic Aperture Radar. <i>Journal of Geophysical Research</i> , 2008 , 113,	39
1344	Collective behavior of earthquakes and faults: Continuum-discrete transitions, progressive evolutionary changes, and different dynamic regimes. 2008 , 46,	304
1343	Radiated energy from the Noto Hanto, Japan, earthquake of March 25, 2007, and its aftershock. 2008 , 60, 145-150	2
1342	Site amplification and strong ground motion of the 2007 Noto Hanto, Japan, earthquake estimated from aftershock observation. 2008 , 60, 161-167	6
1341	Source parameters of the 2007 Noto Hanto earthquake sequence derived from strong motion records at temporary and permanent stations. 2008 , 60, 1011-1016	8
1340	Rupture process during the 2007 Noto Hanto earthquake (MJMA 6.9) and strong-motion simulation in the source region. 2008 , 60, 1023-1028	2
1339	Seismic scaling relation of the 2007 Off Mid Niigata, Japan, earthquake (Mw 6.6) sequence in comparison with two other earthquake (Mw 6.6) sequences. 2008 , 60, 1137-1141	4
1338	Chapter 15 Seismogram Envelope Inversion for High-Frequency Seismic Energy Radiation from Moderate-to-Large Earthquakes. 2008 , 50, 401-426	23
1337	Estimation of Strong Ground Motions in Southwest Western Australia with a Combined Green's Function and Stochastic Approach. 2008 , 12, 382-405	10
1336	Possible relationship between Seismic Electric Signals (SES) lead time and earthquake stress drop. 2008 , 84, 117-22	9
1335	SOURCE CHARACTERIZATION AND GROUND MOTION EVALUATION OF THE 1938 SHIOYAZAKI-OKI EARTHQUAKES. 2008 , 73, 1951-1958	
1334	GENERATION METHOD OF BROADBAND STATISTICAL GREEN'S FUNCTIONS OF HORIZONTAL AND VERTICAL GROUND MOTIONS. 2008 , 73, 1087-1094	0
1333	SHORT-PERIOD SEISMIC WAVES GENERATED IN RECTANGULAR CRACK MODELS AND ASPERITY MODELS BY DYNAMIC SIMULATION OF FAULT RUPTURING. 2008 , 73, 57-62	

- 1332 Estimation of Rupture Speed for the 1995 ML4.1 Shacheng, Hebei, China, Earthquake Sequence Based on the Minimum Radiation Energy Criterion. **2008**, 51, 1181-1188
- 1331 Analysis of microearthquake data at Cold Lake and its applications to reservoir monitoring. **2008**, 73, O15-O21 31
- 1330 Application of Long-period Ground Motion Prediction using Earthquake Early Warning System to Elevator Emergency Operation Control System of a High-Rise Building. **2009**, 9, 31-50 5
- 1329 Temporal change of characteristics of shallow volcano-tectonic earthquakes associated with increase in volcanic activity at Kuchinoerabujima volcano, Japan. **2009**, 187, 1-12 11
- 1328 New predictive equations for Arias intensity from crustal earthquakes in New Zealand. **2009**, 13, 31-52 57
- 1327 Source study of two small earthquakes of Delhi, India, and estimation of ground motion from future moderate, local events. **2009**, 13, 89-105 22
- 1326 The reality of the scaling law of earthquake-source spectra?. **2009**, 13, 433-436 11
- 1325 Probabilistic seismic hazard assessment of Switzerland: best estimates and uncertainties. **2009**, 13, 449-478 65
- 1324 Spatio-temporal rupture process of the 2008 great Wenchuan earthquake. **2009**, 52, 145-154 130
- 1323 Source process of M 6.4 earthquake in Ningmêr, Yunnan in 2007. **2009**, 52, 180-188 13
- 1322 Nonparametric ground-motion evaluation of high frequency shear-wave Fourier spectra in Korea. **2009**, 13, 387-399
- 1321 Variations of strain-drops of aftershocks of the 1999 İzmit and Düzce earthquakes around the Karadere-Düzce branch of the North Anatolian Fault. **2009**, 177, 235-246 17
- 1320 Broad-band Lgattenuation modelling in the Middle East. **2009**, 177, 1166-1176 51
- 1319 Distortion of the apparent S-wave radiation pattern in the high-frequency wavefield: Tottori-Ken Seibu, Japan, earthquake of 2000. **2009**, 178, 950-961 81
- 1318 Source parameters and rupture velocity of small Mw 2.1 reservoir induced earthquakes. **2009**, 179, 1013-1023 51
- 1317 Lgwave attenuation in Britain. **2009**, 179, 1593-1606 15
- 1316 New approach for coupling k₂ and empirical Green's functions: application to the blind prediction of broad-band ground motion in the Grenoble basin. **2009**, 179, 1627-1644 31
- 1315 The Mw 6.3, 2009 L'Aquila earthquake: source, path and site effects from spectral analysis of strong motion data. **2009**, 179, 1573-1579 44

1314	Frictional resistance of faults during accelerating and decelerating earthquake slip. 2009 , 2, 705-708	81
1313	Large-amplitude ground-motion recordings and their interpretations. 2009 , 29, 1305-1329	17
1312	Critical earthquake load inputs for multi-degree-of-freedom inelastic structures. 2009 , 325, 532-544	19
1311	Modeling of the ground motion for the Petropavlovsk earthquake of November 24, 1971 (M = 7.6). 2009 , 45, 395-405	3
1310	The study of the radiation characteristics and propagation of seismic waves in the North Caucasus by modeling the accelerograms of the recorded earthquakes. 2009 , 45, 874-884	11
1309	Source parameters of the earthquakes of the Baikal rift system. 2009 , 45, 1093-1109	14
1308	A study of the interaction among mining-induced seismic events in the Legnica-Głogów Copper District, Poland. 2009 , 57, 413-434	17
1307	Podhale, Poland, earthquake of November 30, 2004. 2009 , 57, 346-366	16
1306	Strong ground motions from an Mj 6.1 inland crustal earthquake in Hokkaido, Japan: the 2004 Rumoi earthquake. 2009 , 61, 689-701	9
1305	A seismic sequence from Northern Apennines (Italy) provides new insight on the role of fluids in the active tectonics of accretionary wedges. 2009 , 281, 99-109	21
1304	Density distribution functions and correlations of earthquake parameters. 2009 , 474, 633-642	
1303	A test of a physically-based strong ground motion prediction methodology with the 26 September 1997, Mw=6.0 Colfiorito (Umbria-Marche sequence), Italy earthquake. 2009 , 476, 145-158	12
1302	Hierarchy of earthquakes in the Baikal rift system: implications for lithospheric stress. 2009 , 50, 206-213	8
1301	Anomalous seismicity in the lower crust of the Santiago Basin, Chile. 2009 , 175, 17-25	8
1300	Intraplate and interplate earthquakes in Chilean subduction zone: A theoretical and observational comparison. 2009 , 175, 37-46	15
1299	Apparent stress and corner frequency variations in the 1999 Taiwan (Chi-Chi) sequence: Evidence for a step-wise increase at Mw ~ 5.5. 2009 , 36,	22
1298	Source analysis using regional empirical Green's functions: The 2008 Wells, Nevada, earthquake. 2009 , 36,	7
1297	Extension of Gutenberg-Richter distribution to MW ~ 3, no lower limit in sight. 2009 , 36,	36

1296	A possible explanation for difference in stress drop between intraplate and interplate earthquakes. 2009 , 36,	15
1295	Extended deterministic seismic hazard assessment for the Aswan High Dam, Egypt, with emphasis on associated uncertainty. 2009 , 6, 250-263	10
1294	Earthquake time histories compatible with the 2005 National building code of Canada uniform hazard spectrum. 2009 , 36, 991-1000	88
1293	Influence of Uncertain Source Parameters on Strong Ground Motion Simulation with the Empirical Green's Function Method. 2009 , 13, 791-813	
1292	Coseismic thermal pressurization can notably prolong earthquake recurrence intervals on weak rate and state friction faults: Numerical experiments using different constitutive equations. <i>Journal of Geophysical Research</i> , 2009 , 114,	20
1291	Global variations of stress drop for moderate to large earthquakes. <i>Journal of Geophysical Research</i> , 2009 , 114,	424
1290	Seismic attenuation structure in central Mexico: Image of a focused high-attenuation zone in the mantle wedge. <i>Journal of Geophysical Research</i> , 2009 , 114,	27
1289	Using \bar{m} to estimate magnitude for earthquake early warning and effects of near-field terms. <i>Journal of Geophysical Research</i> , 2009 , 114,	18
1288	Seismicity Induced by Mining: Recent Research. 2009 , 51, 1-53	37
1287	Broadband Simulation of Earthquake Ground Motion by a Spectrum-Matching, Multiple-Pulse Technique. 2009 , 25, 257-276	8
1286	IMPROVEMENT OF GENERATION METHOD OF THREE COMPONENTS OF STATISTICAL GREEN'S FUNCTIONS CONSIDERING NEAR-FIELD AND INTERMEDIATE-FIELD TERMS. 2009 , 74, 629-638	1
1285	Simultaneous magma and gas eruptions at three volcanoes in southern Italy: An earthquake trigger?. 2009 , 37, 251-254	39
1284	A Study on Segmentation Characteristics of Aftershock Source Parameters of the Wenchuan M8.0 Earthquake in 2008. 2009 , 52, 130-137	10
1283	Microseismic Mapping of Laboratory-Induced Hydraulic Fractures in Anisotropic Reservoirs. 2010 ,	8
1282	Key Criteria for a Successful Microseismic Project. 2010 ,	14
1281	MODELING OF DYNAMIC FAULT RUPTURING CONSTRAINED BY EMPIRICAL RELATIONS AMONG FAULT PARAMETERS OF SURFACE AND SUBSURFACE FAULTS. 2010 , 75, 1965-1974	4
1280	SOURCE MODEING OF THE 2009 SURUGA BAY EARTHQUAKE USING SPECTRAL INVERSION AND EMPIRICAL GREEN'S FUNCTION METHOD. 2010 , 75, 2153-2162	2
1279	A STUDY ON MODELING OF DEEP SUBSURFACE STRUCTURE CONSIDERING RANDOM VELOCITY FLUCTUATION FOR ESTIMATION OF BROADBAND SITE AMPLIFICATION FACTOR. 2010 , 75, 289-298	4

- 1278 TRANSFORMING PROCEDURE OF MULTI-CRACK MODEL INTO ASPERITY MODEL AND ITS APPLICATION TO PREDICTION OF STRONG MOTION IN SCENARIO EARTHQUAKES. **2010**, 75, 57-66
- 1277 ATTENUATION RELATIONS OF HORIZONTAL AND VERTICAL GROUND MOTIONS FOR INTRASLAB AND INTERPLATE EARTHQUAKES IN JAPAN. **2010**, 75, 67-76 2
- 1276 SCALING LAW OF SHORT-PERIOD SOURCE SPECTRA FOR CRUSTAL EARTHQUAKES IN JAPAN CONSIDERING STYLE OF FAULTING OF DIP-SLIP AND STRIKE-SLIP. **2010**, 75, 923-932 11
- 1275 MODELING OF SUBSURFACE FAULT FOR STRONG MOTION PREDICTION INFERRED FROM SHORT ACTIVE FAULT OBSERVED ON GROUND SURFACE. **2010**, 75, 279-288 3
- 1274 Main regularities of volume seismotectonic flow of rocks in the lithosphere of the Baikal Rift Zone. **2010**, 433, 906-910
- 1273 Simulation of ground motion in the Moscow region using the empirical Green's function. **2010**, 46, 19-33 1
- 1272 Microseismicity induced during fluid-injection: A case study from the geothermal site at Groß Schöbebeck, North German Basin. **2010**, 58, 995-1020 37
- 1271 Spectral source parameters for weak local earthquakes in the Pannonian basin. **2010**, 2, 6
- 1270 Earthquakes in Switzerland and surrounding regions during 2009. **2010**, 103, 535-549 13
- 1269 Management of Post-mining Large-scale Ground Failures: Blast Swarms Field Experiment for Calibration of Permanent Microseismic Early-warning Systems. **2010**, 167, 43-62 12
- 1268 Induced Seismicity Monitoring of an Underground Salt Cavern Prone to Collapse. **2010**, 167, 5-25 14
- 1267 Earthquake Recurrence in Simulated Fault Systems. **2010**, 167, 1087-1104 60
- 1266 A prototype system for earthquake early-warning and alert management in southern Italy. **2010**, 8, 1105-1129 40
- 1265 The Friuli Venezia Giulia Accelerometric Network: RAF. **2010**, 8, 1141-1157 11
- 1264 A strong motion network in northern Italy: detection capabilities and first analysis. **2010**, 8, 1091-1104 6
- 1263 Evaluation and implications of seismic events in Garhwal-Kumaun region of Himalaya. **2010**, 76, 414-418 17
- 1262 Bounding of near-fault ground motion based on radiated seismic energy with a consideration of fault frictional mechanisms. **2010**, 23, 357-368
- 1261 The updated crustal attenuation in North China using ML amplitude tomography. **2010**, 23, 541-548 1

1260	Source parameters estimation of 2003 Bam earthquake Mw 6.5 using empirical Green's function method, based on an evolutionary approach. 2010 , 119, 383-396	
1259	Estimates of source parameters of M4.9 Kharsali earthquake using waveform modelling. 2010 , 119, 731-743	11
1258	Deterministic seismic scenarios for North East India. 2010 , 14, 143-167	24
1257	Modeling the strong ground motion and rupture characteristics of the March 31, 2006, Darb-e-Astane earthquake, Iran, using a hybrid of near-field SH-wave and empirical Green's function method. 2010 , 14, 169-195	8
1256	Coseismic stress parameter of three California Earthquakes derived from the stochastic finite fault technique. 2010 , 14, 431-443	3
1255	A Mw 6.3 earthquake scenario in the city of Nice (southeast France): ground motion simulations. 2010 , 14, 523-541	9
1254	Strong ground-motion relations for Mexican interplate earthquakes. 2010 , 14, 769-785	27
1253	Source parameters and ground motion of the Suez-Cairo shear zone earthquakes, Eastern Desert, Egypt. 2010 , 52, 431-451	24
1252	Simulation of synthetic ground motions for specified earthquake and site characteristics. 2010 , 39, n/a-n/a	27
1251	Determination of the earthquake source parameters at Tushka area and its surroundings, Aswan, South Egypt. 2010 , 58, 553-560	
1250	Fuzzy classification of roof fall predictors in microseismic monitoring. 2010 , 43, 1690-1701	30
1249	vS30, regional attenuation and Mw from accelerograms: application to magnitude 3-5 French earthquakes. 2010 , 182, 880-898	83
1248	Automatic computation of moment magnitudes for small earthquakes and the scaling of local to moment magnitude. 2010 , 183, 407-420	64
1247	Assessment of focal mechanisms of microseismic events computed from two three-component receivers: application to the Arkema-Vauvert field (France). 2010 , 58, 775-790	6
1246	Dimensional Analysis of the Earthquake Response of a Pounding Oscillator. 2010 , 136, 299-310	19
1245	Modelling of seismic hazard at the northeastern part of greater Cairo metropolitan area, Egypt. 2010 , 7, 75-90	28
1244	Seismogenic Shear Zones in the Lithospheric Mantle: Ultramafic Pseudotachylytes in the Lanzo Peridotite (Western Alps, NW Italy). 2010 , 51, 81-100	22
1243	Modeling Critical Ground-Motion Sequences for Inelastic Structures. 2010 , 13, 665-679	18

1242	Synthesizing Broadband Time-Histories at Near Source Sites; Case Study, 2003 Bam Mw6.5 Earthquake. 2010 , 14, 898-917	2
1241	Synthesizing Strong Motion Using Empirical Green's Function and Genetic Algorithm Approach. 2010 , 14, 512-526	4
1240	The preliminary review and application software on methods of seismic identification. 2010 ,	
1239	Flow rate perturbations in a black smoker hydrothermal vent in response to a mid-ocean ridge earthquake swarm. 2010 , 11, n/a-n/a	27
1238	Source radiation invariant property of local and near-regional shear-wave coda: Application to source scaling for the Mw 5.9 Wells, Nevada sequence. 2010 , 37, n/a-n/a	27
1237	Sequence of rifting in Afar, Manda-Hararo rift, Ethiopia, 2005-2009: Time-space evolution and interactions between dikes from interferometric synthetic aperture radar and static stress change modeling. <i>Journal of Geophysical Research</i> , 2010 , 115,	63
1236	Radiated seismic energy from coda measurements and no scaling in apparent stress with seismic moment. <i>Journal of Geophysical Research</i> , 2010 , 115,	63
1235	Constraining the roughness degree of slip heterogeneity. <i>Journal of Geophysical Research</i> , 2010 , 115,	35
1234	Energy radiation from intermediate- to large-magnitude earthquakes: Implications for dynamic fault weakening. <i>Journal of Geophysical Research</i> , 2010 , 115,	34
1233	The 2002 M5 Au Sable Forks, NY, earthquake sequence: Source scaling relationships and energy budget. <i>Journal of Geophysical Research</i> , 2010 , 115,	57
1232	Coherence of Mach fronts during heterogeneous supershear earthquake rupture propagation: Simulations and comparison with observations. <i>Journal of Geophysical Research</i> , 2010 , 115,	34
1231	Anisotropy, repeating earthquakes, and seismicity associated with the 2008 eruption of Okmok volcano, Alaska. <i>Journal of Geophysical Research</i> , 2010 , 115,	33
1230	Source, attenuation, and site parameters of the 1997 Umbria-Marche seismic sequence from the inversion of P wave spectra: A comparison between constant QP and frequency-dependent QP models. <i>Journal of Geophysical Research</i> , 2010 , 115,	14
1229	Seismic Lg-wave Q tomography in and around Northeast China. <i>Journal of Geophysical Research</i> , 2010 , 115,	27
1228	Evidence for non-self-similarity and transitional increment of scaled energy in the 2005 west off Fukuoka seismic sequence. <i>Journal of Geophysical Research</i> , 2010 , 115,	11
1227	Strong seismic shaking of randomly prestressed brittle rocks, rock damage, and nonlinear attenuation. 2010 , 11, n/a-n/a	9
1226	A seismic swarm and regional hydrothermal and hydrologic perturbations: The northern Endeavour segment, February 2005. 2010 , 11, n/a-n/a	16
1225	Earthquake scaling characteristics and the scale-(in)dependence of seismic energy-to-moment ratio: Insights from KiK-net data in Japan. 2010 , 37, n/a-n/a	59

1224	Large amplitude variations recorded by an on-fault seismological station during the L'Aquila earthquakes: Evidence for a complex fault-induced site effect. 2010 , 37, n/a-n/a	15
1223	Nonlinear geodynamics of the Baikal rift system: An evolution scenario with triple equilibrium bifurcation. 2010 , 49, 19-23	16
1222	Regional differences in attenuation modelling for Eastern China. 2010 , 39, 441-459	7
1221	A hybrid method for simulating near-source, broadband seismograms: Application to the 2003 Bam earthquake (Mw 6.5). 2010 , 487, 46-58	9
1220	Evidence of a highly attenuative aseismic zone in the active collision orogen of Taiwan. 2010 , 489, 128-138	11
1219	Stochastic Modeling of Earthquake Scenarios in Greater Tehran. 2011 , 15, 321-337	8
1218	An evolutionary approach to real-time moment magnitude estimation via inversion of displacement spectra. 2011 , 38, n/a-n/a	7
1217	Very high rate (10 Hz) GPS seismology for moderate-magnitude earthquakes: The case of the Mw 6.3 L'Aquila (central Italy) event. <i>Journal of Geophysical Research</i> , 2011 , 116,	86
1216	Fault instability on a finite and planar fault related to early phase of nucleation. <i>Journal of Geophysical Research</i> , 2011 , 116,	14
1215	Along-strike variations of earthquake apparent stress at the Nicoya Peninsula, Costa Rica, subduction zone. 2011 , 12, n/a-n/a	4
1214	Cascadia tremor spectra: Low corner frequencies and earthquake-like high-frequency falloff. 2011 , 12, n/a-n/a	19
1213	Variability in earthquake stress drop and apparent stress. 2011 , 38, n/a-n/a	107
1212	Rupture directivity of microearthquake sequences near Parkfield, California. 2011 , 38, n/a-n/a	41
1211	Stress drop variations of induced earthquakes at the Basel geothermal site. 2011 , 38,	136
1210	High resolution regional seismic attenuation tomography in eastern Tibetan Plateau and adjacent regions. 2011 , 38, n/a-n/a	29
1209	Moments, magnitudes, and radiated energies of non-volcanic tremor near Cholame, CA, from ground motion spectra at UPSAR. 2011 , 38, n/a-n/a	12
1208	Inter event times of fluid induced earthquakes suggest their Poisson nature. 2011 , 38, n/a-n/a	59
1207	Comprehensive analysis of earthquake source spectra and swarms in the Salton Trough, California. <i>Journal of Geophysical Research</i> , 2011 , 116,	55

1206	Analysis of laboratory simulations of volcanic hybrid earthquakes using empirical Green's functions. <i>Journal of Geophysical Research</i> , 2011 , 116, n/a-n/a	8
1205	ON THE DETERMINISTIC DESCRIPTION OF EARTHQUAKES. 2011 , 49,	43
1204	Extreme Environmental Events. 2011 , 623-662	1
1203	Damage-Based Design Earthquake Loads for Single-Degree-Of-Freedom Inelastic Structures. 2011 , 137, 456-467	49
1202	Recent earthquake swarms in Garhwal Himalaya: A precursor to moderate to great earthquakes in the region. 2011 , 42, 1179-1186	12
1201	Seismic detection of meteorite impacts on Mars. 2011 , 186, 70-80	51
1200	Apparent stress variations near the Osa Peninsula, Costa Rica, influenced by subducted bathymetric features. 2011 , 38, n/a-n/a	1
1199	Static stress drop as determined from geodetic strain rates and statistical seismicity. <i>Journal of Geophysical Research</i> , 2011 , 116,	22
1198	BENCHMARK TESTS FOR STRONG GROUND MOTION PREDICTION METHODS: CASE FOR STOCHASTIC GREEN'S FUNCTION METHOD (PART 1). 2011 , 17, 49-54	4
1197	SOURCE MODELING USING THE EMPIRICAL GREEN'S FUNCTION METHOD AND STRONG GROUND MOTION ESTIMATION CONSIDERING NONLINEAR SITE EFFECT. 2011 , 76, 1253-1261	4
1196	Estimation of site amplification and S-wave velocity profiles in metropolitan Manila, the Philippines, from earthquake ground motion records. 2011 , 42, 69-79	3
1195	SCARDEC: a new technique for the rapid determination of seismic moment magnitude, focal mechanism and source time functions for large earthquakes using body-wave deconvolution. 2011 , 184, 338-358	85
1194	Characterization of earthquake-induced ground motion from the L'Aquila seismic sequence of 2009, Italy. 2011 , 184, 325-337	24
1193	Tsunami early warning using earthquake rupture duration and P-wave dominant period: the importance of length and depth of faulting. 2011 , 185, 283-291	19
1192	An EGF-based methodology for predicting compatible seismograms in the spectral domain using GA technique. 2011 , 185, 557-573	2
1191	Attenuation of seismic shear wave energy in Switzerland. 2011 , 185, 967-984	45
1190	Modelling directivity of strong ground motion with a fractal, kinematic source model. 2011 , 186, 226-244	22
1189	Hellenic Unified Seismological Network: an evaluation of its performance through SNES method. 2011 , 185, 1417-1430	32

1188	Inferring water infiltration in the Longtan reservoir area by three-dimensional attenuation tomography. 2011 , 186, 1045-1063	3
1187	Modelling basin effects on earthquake ground motion in the Santiago de Chile basin by a spectral element code. 2011 , 187, 929-945	27
1186	Ground motion simulations of a major historical earthquake (1660) in the French Pyrenees using recent moderate size earthquakes. 2011 , 187, 1001-1018	8
1185	The São Vicente earthquake of 2008 April and seismicity in the continental shelf off SE Brazil: further evidence for flexural stresses. 2011 , 187, 1076-1088	19
1184	New moment magnitude scale, evidence of stress drop magnitude scaling and stochastic ground motion model for the French West Indies. 2011 , 187, 1625-1644	21
1183	Adjustments for baseline shifts in far-fault strong-motion data: An alternative scheme to high-pass filtering. 2011 , 31, 1703-1710	4
1182	A study on the influence of the 2008 Wenchuan earthquake on the stability of the Qinghai-Tibet Plateau tectonic block system. 2011 , 510, 94-103	8
1181	Seismic imaging of the 2001 Bhuj Mw7.7 earthquake source zone: b-value, fractal dimension and seismic velocity tomography studies. 2011 , 512, 1-11	10
1180	An updated study on near-fault ground motions of the 1978 Tabas, Iran, earthquake (). 2011 , 18, 895-905	20
1179	Mass estimates of the scalar seismic moments of small earthquake foci on southern Sakhalin. 2011 , 5, 225-233	0
1178	The January 6, 2006, Balei earthquake as a reflection of the present tectonic activity of the east Trans-Baikal Region. 2011 , 437, 552-556	8
1177	The moment magnitude M_w and the energy magnitude M_e : common roots and differences. 2011 , 15, 411-427	37
1176	Attenuation, source parameters and site effects in the Irpinia-Basilicata region (southern Apennines, Italy). 2011 , 15, 375-389	11
1175	Separation of source and site effects by generalized inversion technique using the aftershock recordings of the 2009 L'Aquila earthquake. 2011 , 9, 717-739	26
1174	Assessment of ground motion variability and its effects on seismic hazard analysis: a case study for iceland. 2011 , 9, 931-953	23
1173	Quantification of ground-motion parameters and response spectra in the near-fault region. 2011 , 9, 893-930	42
1172	Earthquakes in Switzerland and surrounding regions during 2010. 2011 , 104, 537-547	10
1171	Broadband Kinematic Stochastic Simulation of an Earthquake Source: a Refined Procedure for Application in Seismic Hazard Studies. 2011 , 168, 155-200	31

1170	Scenario-Based Seismic Risk Analysis: An Engineering Approach to the Development of Source and Site-Specific Ground Motion Time Histories in Areas of Low Seismicity. 2011 , 168, 55-67	
1169	Source Characteristics of the 22 January 2003 M _w = 7.5 Tecomán, Mexico, Earthquake: New Insights. 2011 , 168, 1339-1353	6
1168	Strong ground motion attenuation in Aswan area, Egypt. 2011 , 4, 855-861	1
1167	A procedure to estimate the seismic hazard in an urban area: an application to Acireale (Eastern Sicily). 2011 , 64, 1777-1786	2
1166	Physical random function model of ground motions for engineering purposes. 2011 , 54, 175-182	39
1165	The existence of "complete similarities" in the response of seismic isolated structures subjected to pulse-like ground motions and their implications in analysis. 2011 , 40, 1103-1121	29
1164	Earthquake fault-induced surface rupture—a hybrid strong ground motion simulation technique and discussion for structural design. 2011 , 40, 1591-1608	9
1163	Response of nonlinear single-degree-of-freedom structures to random acceleration sequences. 2011 , 33, 1251-1258	46
1162	An evolutionary stochastic ground-motion model defined by a seismological scenario and local site conditions. 2011 , 31, 1465-1479	4
1161	Estimation of site amplification, attenuation and source spectra of S-waves in the East-Central Iran. 2011 , 31, 1397-1413	32
1160	Sensitivity of the strong ground motion time histories to a finite source model: A case study for the January 12, 2010 Haiti earthquake (M _w =7.0). 2011 , 31, 1441-1451	3
1159	Shallow dynamic overshoot and energetic deep rupture in the 2011 Mw 9.0 Tohoku-Oki earthquake. 2011 , 332, 1426-9	449
1158	Relation between similar aftershocks and ruptured asperity of a large inland earthquake: Example of the 2007 Noto Hanto earthquake. 2011 , 63, 145-149	7
1157	Examination of source-model construction methodology for strong ground-motion simulation of multi-segment rupture during 1891 Nobi earthquake. 2011 , 63, 71-88	3
1156	Rise time and source duration of the 2008 M _w 7.9 Wenchuan (China) earthquake as revealed by Rayleigh waves. 2011 , 63, 427-434	7
1155	Identifying Stress Transfer in CSS Reservoir Operations Through Integrated Microseismic Solutions. 2011 ,	1
1154	On the relation between fault strength and frictional stability. 2011 , 39, 83-86	216
1153	The ShakeOut Earthquake Source and Ground Motion Simulations. 2011 , 27, 273-291	36

1152	Comparison of Ground Motions from Hybrid Simulations to NGA Prediction Equations. 2011 , 27, 331-350	25
1151	Digital Filters for Simulation of Seismic Ground Motion and Structural Response. 2011 , 15, 1212-1237	5
1150	Potential use of resonance frequencies in microseismic interpretation. 2012 , 31, 1338-1346	14
1149	Assessing Stimulation of Complex Natural Fractures as Characterized Using Microseismicity: An Argument the Inclusion of Sub-Horizontal Fractures in Reservoir Models. 2012 ,	4
1148	Source parameters of the 2011 Yellow Sea earthquake (M L 5.3): Different features from earthquakes on the Korean Peninsula. 2012 , 64, 379-388	
1147	Analysis of seismic magnitude differentials ($m_b - m_w$) across megathrust faults in the vicinity of recent great earthquakes. 2012 , 64, 1199-1207	4
1146	Predicting Seismogram at Far Source Site Using Omega-Squared Source Spectrum Model. 2012 , 16, 105-124	2
1145	A STRONG MOTION MODEL OF THE 2004 GREAT SUMATRA EARTHQUAKE: SIMULATION USING A MODIFIED SEMI EMPIRICAL METHOD. 2012 , 06, 1250023	17
1144	Influence of a single lightning discharge on the intensity of an air electric field and acoustic emission of near-surface rocks. 2012 , 3, 307-311	2
1143	Estimation of ground motion during the 18th September 2011 Sikkim Earthquake. 2012 , 3, 9-34	12
1142	Modeling detection thresholds of microseismic monitoring networks. 2012 ,	1
1141	Continuous deep microseismic monitoring of the Karachaganak Field, Kazakhstan: integrating reservoir geoscience, drilling and engineering. 2012 , 18, 279-287	2
1140	Assessing the Spacing of Stages in Plug and Perf Completions in the Marcellus Shale. 2012 ,	4
1139	Mining seismicity in the Witwatersrand Basin: monitoring, mechanisms and mitigation strategies in perspective. 2012 , 4, 228-249	11
1138	DIRECT EVALUATION OF AVERAGE RESPONSE SPECTRUM BY STOCHASTIC GREEN'S FUNCTION METHOD. 2012 , 77, 351-360	
1137	SOURCE MODELING OF THE 2011 OFF THE PACIFIC COAST OF TOHOKU EARTHQUAKE USING EMPIRICAL GREEN'S FUNCTION METHOD. 2012 , 77, 695-704	10
1136	BENCHMARK TESTS FOR STRONG GROUND MOTION PREDICTION METHODS: CASE FOR STOCHASTIC GREEN'S FUNCTION METHOD (PART2). 2012 , 18, 67-72	
1135	Hydraulic Fracture Geomechanics and Microseismic Source Mechanisms. 2012 ,	14

1134	Measurements of Hydraulic-Fracture-Induced Seismicity in Gas Shales. 2012,	29
1133	Structure of central and southern Mexico from velocity and attenuation tomography. <i>Journal of Geophysical Research</i> , 2012 , 117,	19
1132	Low-frequency and broad-band source models for the 2009 L'Aquila, Italy, earthquake. 2012 , 191, 224-242	10
1131	Geoacoustic emission response to deformation processes activation during earthquake preparation. 2012 , 6, 457-464	19
1130	Estimating tsunami potential of earthquakes in the Sumatra-Andaman region based on broadband seismograms in India. 2012 , 64, 1491-1510	2
1129	Earthquakes in Switzerland and surrounding regions during 2011. 2012 , 105, 463-476	18
1128	Near-field and far-field simulation of accelerograms of Sikkim earthquake of September 18, 2011 using modified semi-empirical approach. 2012 , 64, 1029-1054	26
1127	Modeling of strong ground motions for 1991 Uttarkashi, 1999 Chamoli earthquakes, and a hypothetical great earthquake in Garhwal-Kumaun Himalaya. 2012 , 64, 1141-1159	24
1126	Seismological model parameters for northeastern and its surrounding region of India. 2012 , 25, 323-338	6
1125	Estimation of earthquake parameters in the Alborz seismic zone, Iran using generalized inversion method. 2012 , 42, 197-218	23
1124	A bibliometric study of earthquake research: 1900-2010. 2012 , 92, 747-765	61
1123	Temporal changes in attenuation of Swaves through a fault zone in a South African gold mine. 2012 , no-no	2
1122	Motion of an Antarctic glacier by repeated tidally modulated earthquakes. 2012 , 5, 623-626	57
1121	Phenomenology of Tsunamis II. 2012 , 35-92	12
1120	Relating stick-slip friction experiments to earthquake source parameters. 2012 , 39, n/a-n/a	12
1119	Dependence of earthquake stress drop on critical slip-weakening distance. <i>Journal of Geophysical Research</i> , 2012 , 117, n/a-n/a	20
1118	Robust determination of earthquake source parameters and mantle attenuation. <i>Journal of Geophysical Research</i> , 2012 , 117, n/a-n/a	32
1117	The depth of pseudotachylyte formation from detailed thermochronology and constraints on coseismic stress drop variability. <i>Journal of Geophysical Research</i> , 2012 , 117, n/a-n/a	24

1116	Earthquake spectra and near-source attenuation in the Cascadia subduction zone. <i>Journal of Geophysical Research</i> , 2012 , 117, n/a-n/a	13
1115	The transition of dynamic rupture styles in elastic media under velocity-weakening friction. <i>Journal of Geophysical Research</i> , 2012 , 117,	78
1114	Contrasting rupture processes during the April 11, 2010 deep-focus earthquake beneath Granada, Spain. 2012 , 353-354, 38-46	19
1113	Simulation of Strong Ground Motion Using the Stochastic Method: Application and Validation for Near-Fault Region. 2012 , 16, 1230-1247	8
1112	Tomographic inversion for microseismic source parameters in mining. 2012 , 9, 341-348	5
1111	Simultaneous estimation of earthquake source parameters and crustal Q value from broadband data of selected aftershocks of the 2001 M w 7.7 Bhuj earthquake. 2012 , 121, 1421-1440	4
1110	Source parameters of some recent earthquakes in the Gulf of Aqaba, Egypt. 2012 , 5, 943-952	1
1109	Determination of horizontal and vertical design spectra based on ground motion records at Lali tunnel, Iran. 2012 , 25, 315-322	2
1108	Source characteristics of seismicity associated with underground wastewater disposal: A case study from the 2008 Dallas-Fort Worth earthquake sequence. 2012 , 31, 1454-1460	14
1107	Spectrum Compatible Earthquake Ground Motions by Morlet Wavelet. 2012 ,	3
1106	Location Performance and Detection Magnitude Threshold of the Romanian National Seismic Network. 2012 , 169, 2149-2164	13
1105	Stability of a power law relation between characteristics of earthquakes and electric precursors. 2012 , 12, 1783-1787	9
1104	A Simplified Source Model to Explain Strong Ground Motions from a Huge Subduction Earthquake. 2012 , 65, 45-67	3
1103	Rupture process and energy budget of the 29 July 2008 Mw 5.4 Chino Hills, California, earthquake. <i>Journal of Geophysical Research</i> , 2012 , 117, n/a-n/a	7
1102	Sizing the slenderness of free-standing rocking columns to withstand earthquake shaking. 2012 , 82, 1497-1511	33
1101	Stochastic ground-motion simulation of two Himalayan earthquakes: seismic hazard assessment perspective. 2012 , 16, 345-369	5
1100	Induced seismicity during the construction of the Gotthard Base Tunnel, Switzerland: hypocenter locations and source dimensions. 2012 , 16, 195-213	16
1099	Adaptive neuro-fuzzy inference systems for semi-automatic discrimination between seismic events: a study in Tehran region. 2012 , 16, 291-303	5

1098	Stochastic finite fault modelling of M w 4.8 earthquake in Kachchh, Gujarat, India. 2012 , 16, 435-449	9
1097	Ground-motion predictions in Shillong region, northeast India. 2012 , 16, 475-488	19
1096	Seismicity and source parameters of moderate earthquakes in Sikkim Himalaya. 2012 , 62, 937-952	13
1095	A random physical model of seismic ground motion field on local engineering site. 2012 , 55, 2057-2065	15
1094	Rupture process of the 2011 Tohoku earthquake from the joint inversion of teleseismic and GPS data. 2012 , 25, 129-135	3
1093	Variations of the specific barrier modelâpart I: effect of subevent size distributions. 2012 , 10, 1299-1319	12
1092	Simulation of strong ground motion in northern Iran using the specific barrier model. 2012 , 188, 645-679	30
1091	SGRAPH (SeismoGRAPHer): Seismic waveform analysis and integrated tools in seismology. 2012 , 40, 153-165	13
1090	Source parameters of the 2007 earthquake sequence, Aswan, Egypt. 2012 , 62, 19-25	2
1089	Spectral scaling of the aftershocks of the Tocopilla 2007 earthquake in northern Chile. 2012 , 189, 469-480	27
1088	Predictions of high-frequency ground-motion in Taiwan based on weak motion data. 2012 , 189, 611-628	16
1087	Three-dimensional attenuation structure of intrinsic absorption and wide-angle scattering of S waves in northeastern Japan. 2012 , 189, 1667-1680	20
1086	Observation and scaling of microearthquakes from the Taiwan Chelungpu-fault borehole seismometers. 2012 , 190, 665-676	11
1085	Microseismic feasibility studies âassessing the probability of success of monitoring projects. 2012 , 60, 1043-1053	4
1084	Intrusive mechanism of the 2008â2009 Mt. Etna eruption: Constraints by tomographic images and stress tensor analysis. 2012 , 229-230, 50-63	32
1083	Variance decomposition of the seismic response of structures. 2012 , 19, 84-90	4
1082	Observed source parameters for dynamic rupture with non-uniform initial stress and relatively high fracture energy. 2012 , 38, 77-89	28
1081	A numerical approach for modeling near-fault ground motion and its application in the 1994 Northridge earthquake. 2012 , 34, 52-61	10

1080	An attempt of real-time structural response assessment by an interferometric approach: A tailor-made earthquake early warning for buildings. 2012 , 38, 109-118	15
1079	Attenuation characteristics of coda waves in Mainland Gujarat (India). 2012 , 530-531, 264-271	13
1078	Laboratory observations of transient frictional slip in rock analog materials at co-seismic slip rates and rapid changes in normal stress. 2012 , 558-559, 58-69	4
1077	Evaluating the seismic hazard to the National Capital (Delhi) Region, India, from moderate earthquakes using simulated accelerograms. 2012 , 61, 481-500	5
1076	Deterministic seismic microzonation of Kolkata city. 2012 , 60, 223-240	26
1075	Deterministic seismic scenario for Gujarat region, India. 2012 , 60, 517-540	23
1074	The 1992 Tafilalt seismic crisis (Anti-Atlas, Morocco). 2012 , 16, 35-53	6
1073	Strong ground motion simulation of the 2003 Bam, Iran, earthquake using the empirical Green's function method. 2013 , 17, 297-312	4
1072	Earthquake source parameters and scaling relationships in Hungary (central Pannonian basin). 2013 , 17, 507-521	7
1071	Source parameters and scaling relations for small earthquakes in Kumaon Himalaya, India. 2013 , 17, 579-592	18
1070	Observations of seismic activity in Southern Lebanon. 2013 , 17, 629-644	6
1069	Site response and source spectra of S waves in the Zagros region, Iran. 2013 , 17, 645-666	10
1068	Seismic discrimination of the 2009 North Korean nuclear explosion based on regional source spectra. 2013 , 17, 753-769	8
1067	Stress drop and its relation to tectonic and structural elements for the meizoseismal region of great 1905 Kangra earthquake of the NW Himalaya. 2013 , 69, 2021-2038	9
1066	Earthquake ground-motion prediction equations for northern Iran. 2013 , 69, 1877-1894	17
1065	Source parameters of earthquakes in the reservoir-triggered seismic (RTS) zone of Koyna-Warna, Western India. 2013 , 69, 965-979	9
1064	Ground motion simulations of the SW Iberia margin: rupture directivity and earth structure effects. 2013 , 69, 1229-1245	4
1063	Location Performance and Detection Threshold of the Spanish National Seismic Network. 2013 , 170, 1859-1880	15

1062	Stochastic Finite Fault Modeling of Subduction Zone Earthquakes in Northeastern India. 2013 , 170, 1705-1727	7
1061	Source Parameters and Scaling Relations for Reservoir Induced Seismicity in the Longtan Reservoir Area. 2013 , 170, 767-783	8
1060	Analysis of Applicability of Seismic Intensity Estimation Using Fourier Spectrum of Ground Motions for Iranian Earthquakes. 2013 , 170, 597-606	4
1059	High-Frequency Radiation from an Earthquake Fault: A Review and a Hypothesis of Fractal Rupture Front Geometry. 2013 , 170, 65-93	24
1058	Influence of epicentral distance on local seismic response in Kolkata City, India. 2013 , 122, 321-338	10
1057	The Gulf of Suez earthquake, 30 January 2012, northeast of Egypt. 2013 , 24, 377-386	5
1056	Geomorphological and seismological investigations in a part of western Kumaun Himalaya, Uttarakhand, India. 2013 , 193, 81-90	19
1055	Induced seismicity associated with fluid injection into a deep well in Youngstown, Ohio. 2013 , 118, 3506-3518	234
1054	Use of the stochastic-source model to simulate ground motion and response spectra in northern Vietnam. 2013 , 62, 485-500	3
1053	Site effects by generalized inversion technique using strong motion recordings of the 2008 Wenchuan earthquake. 2013 , 12, 165-184	23
1052	Modeling of strong ground motion during the 1992 Cairo earthquake in the urban area northern Greater of Cairo, EgyptPeer review under responsibility of National Research Institute of Astronomy and Geophysics.View all notes. 2013 , 2, 166-174	1
1051	Three-dimensional upper crustal structure of the geothermal system in Tarutung (North Sumatra, Indonesia) revealed by seismic attenuation tomography. 2013 , 195, 2037-2049	10
1050	Source parameters and fmax in Kameng region of Arunachal Lesser Himalaya. 2013 , 70-71, 35-44	13
1049	Source time function properties indicate a strain drop independent of earthquake depth and magnitude. 2013 , 4, 2606	48
1048	Source parameters scaling of the 2004 Kobarid (Western Slovenia) seismic sequence. 2013 , 222, 58-75	7
1047	Low-magnitude seismicity monitoring in rocks. 2013 , 49, 691-703	4
1046	A theoretical study of correlation between scaled energy and earthquake magnitude based on two source displacement models. 2013 , 26, 373-376	1
1045	Seismic evidence for thermal runaway during intermediate-depth earthquake rupture. 2013 , 40, 6064-6068	64

1044	Earthquakes in Switzerland and surrounding regions during 2012. 2013 , 106, 543-558	16
1043	Reproducing fling-step and forward directivity at near source site using of multi-objective particle swarm optimization and multi taper. 2013 , 12, 529-540	16
1042	Source Parameter Estimation and Stochastic Ground Motion Simulation Based on Recorded Accelerograms in Northwestern Vietnam. 2013 , 17, 304-322	3
1041	Induced seismicity during the construction of the Gotthard Base Tunnel, Switzerland: hypocenter locations and source dimensions. 2013 , 17, 63-81	16
1040	Implications of salt-related propagation and mode conversion effects on the analysis of induced seismicity. 2013 , 17, 95-107	25
1039	Estimation of seismic hazard in Gujarat region, India. 2013 , 65, 1157-1178	21
1038	The October 20, 2011 Mw 5.1 Talala earthquake in the stable continental region of India. 2013 , 65, 1197-1216	16
1037	Imaging fluid-related subduction processes beneath Central Java (Indonesia) using seismic attenuation tomography. 2013 , 590, 175-188	27
1036	Scaling earthquake ground motions in western Anatolia, Turkey. 2013 , 63, 124-135	17
1035	On the characteristics of earthquake stress release variations in Japan. 2013 , 377-378, 132-141	67
1034	Ground motion prediction equation considering combined dataset of recorded and simulated ground motions. 2013 , 53, 92-108	49
1033	Development of an integrated onsite earthquake early warning system and test deployment in Zhaotong, China. 2013 , 56, 170-177	21
1032	Using centroid time-delays to characterize source durations and identify earthquakes with unique characteristics. 2013 , 374, 92-100	65
1031	Large earthquake rupture process variations on the Middle America megathrust. 2013 , 381, 147-155	32
1030	Rupture directivity of small earthquakes at Parkfield. 2013 , 118, 212-221	50
1029	Strongly gliding harmonic tremor during the 2009 eruption of Redoubt Volcano. 2013 , 259, 89-99	67
1028	Static stress drop inferred from near-fault parameters for the 1999 ChiâChi earthquake in Taiwan. 2013 , 64, 151-157	1
1027	Kappa (k) derived from accelerograms recorded in the 2008 Wenchuan mainshock, Sichuan, China. 2013 , 73, 306-316	12

1026	Seismic event near Jarocin (Poland). 2013 , 61, 26-36	11
1025	A domain decomposition approach to implementing fault slip in finite-element models of quasi-static and dynamic crustal deformation. 2013 , 118, 3059-3079	166
1024	Engineering Characteristics of Ground Motion Records from the 2010 Mw 7.2 El Mayor-Cuapah Earthquake in Mexico. 2013 , 29, 177-205	6
1023	California foreshock sequences suggest aseismic triggering process. 2013 , 40, 2602-2607	55
1022	Intermediate-depth earthquakes facilitated by eclogitization-related stresses. 2013 , 41, 659-662	33
1021	Characteristics of large-magnitude microseismic events recorded during and after stimulation of a geothermal reservoir at Basel, Switzerland. 2013 , 45, 1-17	49
1020	Great Detachment Earthquakes Along the Himalayan Arc and Long-Term Forecasting. 2013 , 259-277	98
1019	The peak frequency of direct waves for microseismic events. 2013 , 78, A45-A49	54
1018	Crustal Lg attenuation within the North China Craton and its surrounding regions. 2013 , 195, 513-531	18
1017	Source parameters of the swarm earthquakes in West Bohemia/Vogtland. 2013 , 195, 1196-1210	16
1016	Comparison of average stress drop measures for ruptures with heterogeneous stress change and implications for earthquake physics. 2013 , 193, 1691-1712	106
1015	Magnitude scale for LP events: a quantification scheme for volcanic quakes. 2013 , 194, 911-919	5
1014	An Improved Source Model for Simulation Near-Field Strong Ground Motion Acceleration Time History. 2013 , 438-439, 1474-1480	
1013	Peak ground motion predictions with empirical site factors using Taiwan Strong Motion Network recordings. 2013 , 65, 957-972	5
1012	Spatial distribution of similar aftershocks of a large inland earthquake, the 2000 Western Tottori earthquake, in Japan. 2013 , 65, 1587-1592	7
1011	Broad-band near-field ground motion simulations in 3-dimensional scattering media. 2013 , 192, 725-744	52
1010	Long-period, long-duration seismic events during hydraulic stimulation of shale and tight-gas reservoirs âPart 1: Waveform characteristics. 2013 , 78, KS97-KS108	46
1009	High-resolution relocation and mechanism of aftershocks of the 2007 Tocopilla (Chile) earthquake. 2013 , 194, 1216-1228	26

- 1008 The 2012 May 20 and 29, Emilia earthquakes (Northern Italy) and the main aftershocks: S-wave attenuation, acceleration source functions and site effects. **2013**, 195, 597-611 17
- 1007 Response of Nonlinear SDOF Structures to Random Acceleration Sequences. **2013**, 135-149
- 1006 The Influence of Stress Drop on Synthesized Ground Motion. **2013**, 477-478, 1064-1068
- 1005 Moment tensors for rapid characterization of megathrust earthquakes: the example of the 2011 M 9 Tohoku-oki, Japan earthquake. **2013**, 192, 759-772 12
- 1004 Reflection of Waves in Visco-thermoelastic Transversely Isotropic Medium. **2013**, 14, 83-89 1
- 1003 Measurements of stress parameter and site attenuation from recordings of moderate to large earthquakes in Europe and the Middle East. **2013**, 194, 1190-1202 18
- 1002 Frictional properties of shale reservoir rocks. **2013**, 118, 5109-5125 138
- 1001 Evaluation of Soil Liquefaction Potential Based on the Nonlinear Energy Dissipation Principles. **2013**, 17, 54-72 3
- 1000 Optimization of a large-scale microseismic monitoring network in northern Switzerland. **2013**, 195, 474-490 30
- 999 Stress drop and source scaling of the 2009 April L'Aquila earthquakes. **2013**, 192, 260-274 34
- 998 Source Effects on the Spectral Characteristics of Strong Ground Motions Recorded in Bucharest Area During Vrancea Earthquakes of 1986 and 1990. **2013**, 17, 1192-1211 5
- 997 Selecting ground-motion models developed for induced seismicity in geothermal areas. **2013**, 195, 1314-1322 13
- 996 Producing Broadband Synthetic Time Histories for Central and Eastern North America. **2013**, 1 1
- 995 Seismic attenuation beneath northeastern Japan: Constraints on mantle dynamics and arc magmatism. **2013**, 118, 5838-5855 59
- 994 On Simulating Large Earthquakes by Green's Function Addition of Smaller Earthquakes. **2013**, 269-274 29
- 993 Triggered tremor sweet spots in Alaska. **2013**, 118, 6203-6218 9
- 992 Temporal changes in attenuation associated with the 2004 M6.0 Parkfield earthquake. **2013**, 118, 630-645 22
- 991 Rupture model of the 2011 Mineral, Virginia, earthquake from teleseismic and regional waveforms. **2013**, 40, 5665-5670 16

990	Modeling the effects of eruptive and seismic activities on flank instability at Mount Etna, Italy. 2013 , 118, 5252-5273	15
989	Geophysical Insights into Completions and Production Predictability for a Shale Gas Reservoir Using Fault Intensity and AVO Inversion. 2013 ,	1
988	Comparison of direct and coda wave stress drop measurements for the Wells, Nevada, earthquake sequence. 2013 , 118, 1458-1470	39
987	Termination of a 6 year ridge-spreading event observed using a seafloor seismic network on the Endeavour Segment, Juan de Fuca Ridge. 2013 , 14, 1375-1398	18
986	An intraslab seismic sequence activated by the 2011 Tohoku-oki earthquake: Evidence for fluid-related embrittlement. 2013 , 118, 3492-3505	10
985	Mapping of Vp/Vs and Qs/Qp Ratio Structures Using Induced Micro-seismic Data in a Geothermal Exploration Field. 2013 ,	
984	Borehole Microseismic, Completion and Production Data Analysis to Determine Future Wellbore Placement, Spacing and Vertical Connectivity, Eagle Ford Shale, South Texas. 2013 ,	15
983	Fracture of a Single Asperity on a Finite Fault: A Model for Weak Earthquakes?. 2013 , 91-96	16
982	Downhole Recordings of Seismic Radiation. 2013 , 319-329	11
981	Source and Path Parameters for Recorded Earthquakes in Tehran Province, Iran. 2013 , 69, I_980-I_988	
980	The Seismic Radiation from a 3-D Dynamic Model of a Complex Rupture Process. Part I: Confined Ruptures. 2013 , 97-109	12
979	A Study of Strong Motions from Italy and Yugoslavia in Terms of Gross Source Properties. 2013 , 297-309	17
978	Low Stress-Drop Earthquakes in the Light of New Data from the Anza, California Telemetered Digital Array. 2013 , 237-245	11
977	Site Response Evaluation of Agartala City Using Geophysical and Geotechnical Data. 2013 , 4, 53-73	5
976	Seismicity at the northeast edge of the Mexican Volcanic Belt (MVB) and activation of an undocumented fault: the Peamiller earthquake sequence of 2010-2011, Querfaro, Mexico. 2013 , 13, 2521-2531	5
975	Some Observations Indicating Complications in the Nature of Earthquake Scaling. 2013 , 217-225	8
974	El posible escenario de un sismo de magnitud 5,5 para la ciudad de Villavicencio (Colombia). 2013 , 22, 171-190	1
973	A PSEUDO POINT-SOURCE MODEL FOR OFF MIYAGI INTRASLAB EARTHQUAKE ON MAY 26, 2003. 2014 , 70, I_818-I_829	2

972	Frequency-dependent effects of rupture for the 2004 Parkfield main shock, results from UPSAR. 2014 , 119, 7195-7208	1
971	Estimating seismic energy release and surface area generation: Implications for interpreting hydraulic fracture behavior. 2014 ,	
970	Borehole microseismic, completion and production data analysis to determine future wellbore placement, spacing and vertical connectivity, Eagle Ford Shale, South Texas. 2014 ,	1
969	Average QLg, QSn, and observation of Lg blockage in the Continental Margin of Nova Scotia. 2014 , 119, 7722-7744	16
968	Scaling relations and spectral characteristics of tensile microseisms: evidence for opening/closing cracks during hydraulic fracturing. 2014 , 196, 1844-1857	39
967	Along-strike variations in temperature and tectonic tremor activity along the Hikurangi subduction zone, New Zealand. 2014 , 66,	11
966	Scaling properties of corner frequencies of Kamchatka earthquakes. 2014 , 458, 1112-1115	7
965	S wave attenuation structure on the western side of the Nankai subduction zone: Implications for fluid distribution and dynamics. 2014 , 119, 7805-7822	4
964	Coseismic and potential early afterslip distribution of the 2009 Mw 6.3 L'Aquila, Italy earthquake. 2014 , 199, 23-40	17
963	Delamination of southern Puna lithosphere revealed by body wave attenuation tomography. 2014 , 119, 549-566	18
962	Kappa(β) from Records of Small Earthquakes in North China. 2014 , 1065-1069, 1469-1473	
961	Estimation of rockburst wall-rock velocity invoked by slab flexure sources in deep tunnels. 2014 , 51, 520-539	38
960	Imaging P and S attenuation in the termination region of the Hikurangi subduction zone, New Zealand. 2014 , 198, 516-536	21
959	Rupture velocity inferred from near-field shear strain analysis. 2014 , 199, 1709-1712	4
958	References. 2014 , 167-180	
957	Stress drops of repeating earthquakes on the San Andreas Fault at Parkfield. 2014 , 41, 8784-8791	62
956	A laboratory acoustic emission experiment under in situ conditions. 2014 , 41, 3422-3430	59
955	Bias in magnitude for earthquakes with unknown focal mechanism. 2014 , 62, 848-861	6

954	Encyclopedia of Earthquake Engineering. 2014 , 1-18	3
953	Breakdown of the Gutenberg-Richter relation for microearthquakes induced by hydraulic fracturing: influence of stratabound fractures. 2014 , 62, 806-818	42
952	Stress Release and Source Scaling of the 2010â2011 Canterbury, New Zealand Earthquake Sequence from Spectral Inversion of Ground Motion Data. 2014 , 171, 2767-2782	33
951	Variability in Wood-Frame Building Damage using Broad-Band Synthetic Ground Motions: A Comparative Numerical Study with Recorded Motions. 2014 , 18, 389-406	
950	Empirical evidence of local seismic effects at sites with pronounced topography: a systematic approach. 2014 , 197, 608-619	63
949	Combining microseismic and geomechanical observations to interpret storage integrity at the In Salah CCS site. 2014 , 198, 447-461	45
948	Preslip and cascade processes initiating laboratory stick slip. 2014 , 119, 6323-6336	61
947	Quantification of potential macroseismic effects of the induced seismicity that might result from hydraulic fracturing for shale gas exploitation in the UK. 2014 , 47, 333-350	29
946	Seismic source spectra and estimated stress drop derived from cohesive-zone models of circular subshear rupture. 2014 , 197, 1002-1015	97
945	Seismicity and seismic structure at Okmok Volcano, Alaska. 2014 , 278-279, 103-119	25
944	Rifting Attractor Structures in the Baikal Rift System: Location and Effects. 2014 , 88, 246-256	17
943	Source parameters of the December 2011âJanuary 2012 earthquake sequence in Southern Carpathians, Romania. 2014 , 623, 23-38	5
942	Magnitude scaling of induced earthquakes. 2014 , 52, 132-139	27
941	Use of site amplification and anelastic attenuation for the determination of source parameters of the Sikkim earthquake of September 18, 2011, using far-field strong-motion data. 2014 , 70, 217-235	7
940	Mantle Attenuation Estimated from Regional and Teleseismic P-waves of Deep Earthquakes and Surface Explosions. 2014 , 171, 485-506	2
939	Fourier spectral- and duration models for the generation of response spectra adjustable to different source-, propagation-, and site conditions. 2014 , 12, 467-493	49
938	Seismicity and source parameters of local earthquakes in Bilaspur region of Himachal Lesser Himalaya. 2014 , 7, 2257-2267	12
937	Present stage of recent crustal movements and seismicity within Greater Cairo area, Egypt. 2014 , 18, 23-35	0

936	Low-frequency scaling applied to stochastic finite-fault modeling. 2014 , 18, 109-122	3
935	What Do Data Used to Develop Ground-Motion Prediction Equations Tell Us About Motions Near Faults?. 2014 , 171, 3023-3043	8
934	Interpretation of resonance frequencies recorded during hydraulic fracturing treatments. 2014 , 119, 1295-1315	35
933	Source Scaling of Inland Crustal Earthquake Sequences in Japan Using the S-Wave Coda Spectral Ratio Method. 2014 , 171, 2747-2766	18
932	Laboratory Generated M -6 Earthquakes. 2014 , 171, 2601-2615	42
931	An empirical significant duration relationship for stable continental regions. 2014 , 12, 217-235	24
930	Near real-time automatic moment magnitude estimation. 2014 , 12, 185-202	6
929	Modeling of strong motion generation areas of the 2011 Tohoku, Japan earthquake using modified semi-empirical technique. 2014 , 71, 587-609	20
928	Estimation of Source Parameters of M w 6.9 Sikkim Earthquake and Modeling of Ground Motions to Determine Causative Fault. 2014 , 171, 1311-1328	10
927	How to Invert Multi-Band, Regional Phase Amplitudes for 2-D Attenuation and Source Parameters: Tests Using the USArray. 2014 , 171, 469-484	15
926	The 2011 Lorca seismic series: Temporal evolution, faulting parameters and hypocentral relocation. 2014 , 12, 1871-1888	16
925	Variability of dynamic source parameters inferred from kinematic models of past earthquakes. 2014 , 196, 1754-1769	39
924	Imaging the high-frequency energy radiation process of a main shock and its early aftershock sequence: The case of the 2008 Iwate-Miyagi Nairiku earthquake, Japan. 2014 , 119, 4729-4746	13
923	Monitoring of induced seismicity during the first geothermal reservoir stimulation at Paralana, Australia. 2014 , 52, 120-131	45
922	Seismogenesis of exceptional ground motion due to a sequence of mining induced tremors from Legnica-Głogów Copper District in Poland. 2014 , 198, 40-54	12
921	The Diversity of Large Earthquakes and Its Implications for Hazard Mitigation. 2014 , 42, 7-26	24
920	Gradual Fault Weakening with Seismic Slip: Inferences from the Seismic Sequences of L'Aquila, 2009, and Northridge, 1994. 2014 , 171, 2709-2730	11
919	Scaling Transition in Earthquake Sources: A Possible Link Between Seismic and Laboratory Measurements. 2014 , 171, 2685-2707	22

918	Applications of a Low-Cost, Wireless, Self-Organising System (SOSEWIN) to Earthquake Early Warning and Structural Health Monitoring. 2014 , 263-288	2
917	Source parameters and radiation efficiency for intermediate-depth earthquakes in Northeast Japan. 2014 , 196, 1247-1259	13
916	The robustness of seismic moment and magnitudes estimated using spectral analysis. 2014 , 62, 862-878	31
915	A Bayesian approach to determine the average shape of the slip-rate function and the rupture velocity using near-field phases: the 2003 Mw6.6 Bam earthquake example. 2014 , 199, 604-613	
914	Earthquake ground motion predictive equations for Garhwal Himalaya, India. 2014 , 66, 135-148	7
913	Downdip velocity changes in subducted oceanic crust beneath Northern Japan—insights from guided waves. 2014 , 198, 1342-1358	14
912	A family of repeating low-frequency earthquakes at the downdip edge of tremor and slip. 2014 , 15, 3713-3721	26
911	Strong ground motion simulation for the 2013 Lushan MW6.6 earthquake, Sichuan, China, based on the inverted and synthetic slip models. 2014 , 27, 377-389	1
910	Doubly Stochastic Earthquake Source Model: Ω -Square Spectrum and Low High-Frequency Directivity Revealed by Numerical Experiments. 2014 , 171, 2581-2599	7
909	Ground Motion Relations for Active Regions in India. 2014 , 171, 2241-2275	20
908	Stress Drops of the 1997–1998 Colfiorito, Central Italy Earthquakes: Hints for a Common Behaviour of Normal Faults in the Apennines. 2014 , 171, 2731-2746	4
907	Applying Fractal Dimensions and Energy-Budget Analysis to Characterize Fracturing Processes During Magma Migration and Eruption: 2011–2012 El Hierro (Canary Islands) Submarine Eruption. 2014 , 35, 1023-1044	15
906	Source parameters and scaling relations for small earthquakes in the Kachchh region of Gujarat, India. 2014 , 73, 1269-1289	13
905	Effect of frequency-dependent radiation pattern in the strong motion simulation of the 2011 Tohoku earthquake, Japan, using modified semi-empirical method. 2014 , 73, 1499-1521	15
904	Modeling of strong motion generation area of the Uttarkashi earthquake using modified semiempirical approach. 2014 , 73, 2041-2066	15
903	On the modeling of ground-motion field for assessment of multiple-location hazard, damage, and loss: example of estimation of electric network performance during scenario earthquake. 2014 , 74, 1555-1575	2
902	Seismic attenuation beneath Kanto, Japan: evidence for high attenuation in the serpentized subducting mantle. 2014 , 66,	15
901	Estimation of source parameters and attenuation using digital waveforms of Al-Ays 2009 earthquake, Saudi Arabia. 2014 , 7, 3325-3337	5

900	Study of the 26 December 2011 Aswan earthquake, Aswan area, South of Egypt. 2014 , 7, 4553-4562	6
899	Source parameters of the 2001 Mw 7.7 Bhuj earthquake, Gujarat, India, aftershock sequence. 2014 , 83, 517-531	7
898	Models of source spectra for tectonic earthquakes in application to some types of volcanic earthquakes: Klyuchevskoi volcano. 2014 , 8, 125-134	1
897	Stress drop in the sources of intermediate-magnitude earthquakes in northern Tien Shan. 2014 , 50, 415-426	0
896	Two dimensional self-similar expanding crack problems in elastic half-space. 2014 , 51, 852-864	
895	Constraints on crustal attenuation and three-dimensional spatial distribution of stress drop in Switzerland. 2014 , 196, 493-509	14
894	Detailed seismic attenuation structure beneath Hokkaido, northeastern Japan: Arc-arc collision process, arc magmatism, and seismotectonics. 2014 , 119, 6486-6511	32
893	Source parameters and moment tensor of the ML 4.6 earthquake of November 19, 2011, southwest Sharm El-Sheikh, EgyptPeer review under responsibility of National Research Institute of Astronomy and Geophysics.View all notes. 2014 , 3, 27-36	2
892	Assessing the scalar moment of moderate earthquake and the effect of lateral heterogeneity on normal modesAn example from the 2013/04/20 Lushan earthquake, Sichuan, China. 2014 , 232, 61-71	1
891	Modeling of induced seismicity and ground vibrations associated with geologic CO ₂ storage, and assessing their effects on surface structures and human perception. 2014 , 24, 64-77	35
890	Radiated energy estimations from finite-fault earthquake slip models. 2014 , 41, 3431-3437	4
889	Spectral determination of source parameters in the Marmara Region. 2014 , 18, 651-669	3
888	ENVELOPE MODEL FOR STOCHASTIC GREEN'S FUNCTION METHOD USING RECORDS OF MEDIUM-SIZED EARTHQUAKES IN THE SOURCE REGION OF THE 2008 IWATE-MIYAGI NAIRIKU EARTHQUAKE. 2014 , 79, 247-256	1
887	GENERATION METHOD OF STOCHASTIC GREEN'S FUNCTION CONSIDERING INTO SURFACE WAVES AND SCATTERING WAVES USING RECORDS OF MODERATE-SIZED INTERPLATE EARTHQUAKES ALONG THE SAGAMI TROUGH. 2014 , 79, 1589-1599	3
886	Fluid-induced earthquakes with variable stress drop. 2014 , 119, 8900-8913	41
885	Three-dimensional compressional wave attenuation tomography for the crust and uppermost mantle of Northern and central California. 2014 , 119, 3462-3477	4
884	Variability of fault slip behavior along the San Andreas Fault in the San Juan Bautista Region. 2014 , 119, 8827-8844	16
883	Source parameter scaling and radiation efficiency of microearthquakes along the Irpinia fault zone in southern Apennines, Italy. 2014 , 119, 3256-3275	46

882	Seismic attenuation tomography of the Northeast Japan arc: Insight into the 2011 Tohoku earthquake (Mw 9.0) and subduction dynamics. 2014 , 119, 1094-1118	55
881	Seismic and geodetic evidence for grounding-line control of Whillans Ice Stream stick-slip events. 2014 , 119, 333-348	45
880	DEVELOPEMENT OF AN SPGA MODEL FOR THE 1703 GENROKU, JAPAN, EARTHQUAKE (Mw8.2) WITH CONSIDERATION OF SEISMIC INTENSITY DATA. 2014 , 70, I_1089-I_1095	
879	SOURCE MODELING OF THE OFF MIYAGI INTRASLAB EARTHQUAKE OF MAY 26, 2003 WITH SPECIAL REFERENCE TO STRONG GROUND MOTIONS IN KITAKAMI BASIN. 2014 , 70, I_958-I_969	
878	The matter of size: On the moment magnitude of microseismic events. 2014 , 79, KS31-KS41	3
877	The potential of imaging subsurface heterogeneities by natural local earthquakes. 2014 , 79, KS43-KS49	
876	Enhanced Fluid Flow: An Improved Method for Estimating Stimulated Reservoir Volume. 2014 ,	1
875	Temporal Evolution of the Geometrical and Transport Properties of a Fracture-Proppant System under Increasing Mechanical Loading. 2014 ,	
874	Utilizing Microseismic Stress Release to Identify Out-of-Zone Fracture Growth. 2014 ,	0
873	Active segment of the 12 November 2003 Mw 5.6 earthquake at Salsipuedes oceanic basin, Gulf of California, Mexico. 2014 , 53, 17-26	0
872	Enhancing Recovery in Shales Through Stimulation of Pre-Existing Fracture Networks. 2014 ,	4
871	High-resolution 3-D P wave attenuation structure of the New Madrid Seismic Zone using local earthquake tomography. 2014 , 119, 409-424	10
870	Source reverberations, near-surface resonances, or Q? Comment on "The peak frequency of direct waves for microseismic events" (Leo Eisner, Davide Gei, Miroslav Hallo, Ivo Opršal, and Mohammed Y. Ali, Geophysics, 78, no. 6, A45-A49). 2014 , 79, X19-X22	5
869	Crustal earthquake triggering by modern great earthquakes on subduction zone thrusts. 2014 , 119, 1235-1250	12
868	Potential of ambient seismic noise techniques to monitor the St. Gallen geothermal site (Switzerland). 2015 , 120, 4301-4316	56
867	Investigating uncertainties in empirical Green's function analysis of earthquake source parameters. 2015 , 120, 4263-4277	94
866	Laboratory-developed contact models controlling instability on frictional faults. 2015 , 120, 4208-4236	27
865	Nucleation and dynamic rupture on weakly stressed faults sustained by thermal pressurization. 2015 , 120, 7606-7640	11

864	Identifying Frac Growth in Multiple Horizons using Integrated Microseismic and Induced Seismic Monitoring Approaches. 2015,	
863	Kinematic earthquake source inversion and tsunami runup prediction with regional geophysical data. 2015, 120, 3324-3349	72
862	Dynamical weakening by fluidization under oscillatory viscous flows. 2015, 120, 7641-7654	1
861	Empirical predictive relationship for seismic lateral displacement of slopes: models for stable continental and active crustal regions. 2015, 51-67	
860	AN EVALUATION TECHNIQUE OF SOURCE AND PATH EFFECTS USING THE KIK-NET BOREHOLE OBSERVATION RECORDS. 2015, 80, 231-240	
859	STUDY ON PREDICTION METHOD OF GROUND MOTION RESPONSE SPECTRUM AND VARIABILITY IN PREDICTION RESULTS BASED ON FAULT MODELS. 2015, 80, 1403-1413	1
858	Are stress drop and rupture velocity of earthquakes independent? Insight from observed ground motion variability. 2015, 42, 7383-7389	31
857	Seismic tomography of compressional wave attenuation structure for Kīlauea Volcano, Hawai'i 2015, 120, 2510-2524	9
856	Toward the azimuthal characteristics of ionospheric and seismic effects of the Chelyabinsk meteorite fall according to the data from coherent radar, GPS, and seismic networks. 2015, 120, 10,754-10,771	9
855	Bayesian inversion of seismic spectral ratio for source scaling: Application to a persistent multiplet in the western Corinth rift. 2015, 120, 7683-7712	15
854	Slip-pulse rupture behavior on a 2 m granite fault. 2015, 42, 7039-7045	26
853	Moment Magnitude Computation and Instrumentation Selection for Induced-Seismicity Traffic Light Systems. 2015,	
852	Combining Surface and Downhole Microseismic Monitoring: A Multi-Well Completion in Oman. 2015,	0
851	A single theory for some quasi-static, supersonic, atomic, and tectonic scale applications of dislocations. 2015, 84, 145-195	38
850	Migration of earthquakes with a small stress drop in the Tanzawa Mountains, Japan. 2015, 67,	9
849	Variability of seismic source spectra, estimated stress drop, and radiated energy, derived from cohesive-zone models of symmetrical and asymmetrical circular and elliptical ruptures. 2015, 120, 1053-1079	93
848	DEVELOPEMENT OF AN SPGA MODEL FOR THE GENROKU (1703) KANTO EARTHQUAKE WITH CONSIDERATION OF SEISMIC INTENSITY. 2015, 71, I_401-I_407	
847	Three-dimensional P-wave Attenuation Structure beneath Southwest Japan. 2015, 67, 105-124	2

846	Self-similar rupture implied by scaling properties of volcanic earthquakes occurring during the 2004-2008 eruption of Mount St. Helens, Washington. 2015 , 120, 4966-4982	14
845	A Ground Motion Prediction Model for Deep Earthquakes beneath the Island of Hawaii. 2015 , 31, 1763-1788	8
844	Static stress drop in the Mw 9 Tohoku-oki earthquake: Heterogeneous distribution and low average value. 2015 , 42, 10,595-10,600	41
843	Characteristics of Jerk Response Spectra for Elastic and Inelastic Systems. 2015 , 2015, 1-12	5
842	Ground-Motion Simulation in the Lower Tagus Valley Basin. 2015 , 172, 2411-2420	4
841	MW 4.9 earthquake of 21 August, 2014 in Kangra region, Northwest Himalaya: Seismotectonics implications. 2015 , 109, 29-37	12
840	Stress-drop heterogeneity within tectonically complex regions: a case study of San Gorgonio Pass, southern California. 2015 , 202, 514-528	33
839	Theory and Observations: Forward Modeling: Synthetic Body Wave Seismograms. 2015 , 201-230	
838	Physical Processes That Control Strong Ground Motion. 2015 , 505-557	4
837	Deep Earth Structure: Q of the Earth from Crust to Core. 2015 , 789-827	29
836	Slip Inversion. 2015 , 215-241	9
835	Full Waveform Seismological Advances for Microseismic Monitoring. 2015 , 56, 169-228	38
834	Seismic Source Theory. 2015 , 51-71	10
833	Methodology of Seismic Tomography. 2015 , 21-54	3
832	Simulation of the records of the 27 March 2013 Nantou Taiwan earthquake using modified semi-empirical approach. 2015 , 78, 995-1020	9
831	Seismic hazard assessment for Yanbu metropolitan area, western Saudi Arabia. 2015 , 8, 9945-9958	12
830	Seismic monitoring and analysis of deep geothermal projects in St Gallen and Basel, Switzerland. 2015 , 201, 1022-1039	64
829	Simulation of acceleration field of the Lushan earthquake (Ms7.0, April 20, 2013, China). 2015 , 189, 84-97	4

828	Location of microseismic swarms induced by salt solution mining. 2015 , 200, 337-362	16
827	Seismic attenuation tomography of the Southwest Japan arc: new insight into subduction dynamics. 2015 , 201, 135-156	50
826	Strategy for the selection of input ground motion for inelastic structural response analysis based on naïve Bayesian classifier. 2015 , 13, 2517-2546	3
825	Updated predictive equations for broadband (0.01–10 s) horizontal response spectra and peak ground motions, based on a global dataset of digital acceleration records. 2015 , 13, 1587-1612	100
824	Determination of source parameters for local and regional earthquakes in Israel. 2015 , 19, 389-401	8
823	Source Parameters of Earthquakes Recorded Near the Itoiz Dam (Northern Spain). 2015 , 172, 3163-3177	2
822	Seismic Monitoring of Poland—Description and Results of Temporary Seismic Project with Mobile Seismic Network. 2015 , 63, 17-44	6
821	Modeling of strong motion generation areas of the Niigata, Japan, earthquake of 2007 using modified semi-empirical technique. 2015 , 77, 933-957	13
820	Evidence for non-self-similarity in the M w 7.7 2001 Bhuj earthquake sequence. 2015 , 75, 1577-1598	6
819	The 2013 earthquake swarm in Helike, Greece: seismic activity at the root of old normal faults. 2015 , 202, 2044-2073	36
818	Influence of wavelength-to-excavation span ratio on ground motion around deep underground excavations. 2015 , 49, 438-453	26
817	The effect of structural properties and ground motion variables on the global response of structural systems. 2015 , 32, 216-229	1
816	Seismic Behaviors Estimation of the Shallow and Deep Soil Layers Using Microtremor Recording and EGF Technique in Yogyakarta City, Central Java Island. 2015 , 12, 31-46	6
815	Fast determination of earthquake magnitude and fault extent from real-time P-wave recordings. 2015 , 202, 1158-1163	14
814	Empirical predictive relationship for seismic lateral displacement of slopes. 2015 , 65, 374-390	7
813	The Mara Rosa 2010 GT-5 earthquake and its possible relationship with the continental-scale transbrasiliano lineament. 2015 , 60, 1-9	17
812	Reservoir-induced seismicity in high seismicity region—case study of the Xiaowan reservoir in Yunnan province, China. 2015 , 19, 567-584	4
811	Kappa and regional attenuation for Vrancea (Romania) earthquakes. 2015 , 19, 791-799	11

810	Source study of three moderate size recent earthquakes in the Guerrero seismic gap. 2015 , 19, 753-780	2
809	The 3D seismotectonic flow of geological masses in the lithosphere of the Baikal Rift Zone. 2015 , 9, 48-64	1
808	Mining Induced Seismic Event on an Inactive Fault. 2015 , 63, 176-200	24
807	Slab-derived fluids, fore-arc hydration, and sub-arc magmatism beneath Kyushu, Japan. 2015 , 42, 1685-1693	24
806	Active transverse faulting within underthrust Indian crust beneath the Sikkim Himalaya. 2015 , 201, 1072-1083	25
805	Investigation on the stochastic simulation of strong ground motions for Bucharest area. 2015 , 69, 227-232	7
804	Separation of source, site and near-surface attenuation effects in western Turkey. 2015 , 77, 1515-1532	5
803	Hydraulic fracture energy budget: Insights from the laboratory. 2015 , 42, 3179-3187	71
802	Seismic Q estimates in Umbria Marche (Central Italy): hints for the retrieval of a new attenuation law for seismic risk. 2015 , 201, 1370-1382	11
801	Rupture history of 2014 Mw 6.0 South Napa earthquake inferred from near-fault strong motion data and its impact to the practice of ground strong motion prediction. 2015 , 42, 2149-2156	22
800	Broad-band strong motion simulations coupling k-square kinematic source models with empirical Green's functions: the 2009 L'Aquila earthquake. 2015 , 203, 720-736	10
799	Epistemic uncertainty and limitations of the σ model for near-surface attenuation at hard rock sites. 2015 , 202, 1627-1645	37
798	Constraining geomechanical models by using microseismic-derived fractures from source mechanisms. 2015 , 34, 912-916	3
797	Quantitative analysis of rock stress heterogeneity: Implications for the seismogenesis of fluid-injection-induced seismicity. 2015 , 80, WC73-WC88	18
796	Microseismic rupture propagation imaging. 2015 , 80, WC107-WC115	10
795	New models for frequency content prediction of earthquake records based on Iranian ground-motion data. 2015 , 19, 831-848	9
794	The role of topography and lateral velocity heterogeneities on near-source scattering and ground-motion variability. 2015 , 202, 2163-2181	36
793	Estimation of the spectral parameter kappa in the region of the Gulf of California, Mexico. 2015 , 19, 809-829	6

792	Site-specific ground motion simulation and seismic response analysis for microzonation of Nanded City, India. 2015 , 78, 915-938	6
791	Geomorphological features of active tectonics and ongoing seismicity of northeastern Kumaun Himalaya, Uttarakhand, India. 2015 , 124, 1143-1157	20
790	Integrated Analysis Model for the Seismic Responses of Cable-Stayed Bridges Near Active Faults. 2015 , 09, 1550002	5
789	A two-asperity fault model with wave radiation. 2015 , 248, 83-93	13
788	New magnitude scales M_L and spectrum-based M_w for the area around Shanxi Rift System, North China. 2015 , 19, 141-158	7
787	Maximum magnitude estimations of induced earthquakes at Paradox Valley, Colorado, from cumulative injection volume and geometry of seismicity clusters. 2015 , 200, 322-336	25
786	Source parameters and f_{max} in lower Siang region of Arunachal lesser Himalaya. 2015 , 8, 255-265	6
785	Estimation of source parameters of local earthquakes in the environs of Koldam site. 2015 , 8, 227-238	4
784	Analysis of ground motion in Delhi from earthquakes recorded by strong motion network. 2015 , 8, 2005-2017	15
783	The northern Egyptian continental margin. 2015 , 101, 177-185	6
782	Joint Determination of Slip and Stress Drop in a Bayesian Inversion Approach: A Case Study for the 2010 M8.8 Maule Earthquake. 2015 , 172, 375-388	4
781	Strong motion PGA prediction for southwestern China from small earthquake records. 2016 , 16, 1145-1155	1
780	Tremor during ice-stream stick slip. 2016 , 10, 385-399	42
779	Source Parameters of the 2003-2004 Bange Earthquake Sequence, Central Tibet, China, Estimated from InSAR Data. 2016 , 8, 516	4
778	Estimate of displacement-type sources scales of geoacoustic emission according to sparse representation of signal. 2016 ,	0
777	On the nature of long-period long-duration seismic events detected during hydraulic fracturing. 2016 , 81, KS113-KS121	30
776	Multievent moment-tensor inversion for ill-conditioned geometries. 2016 , 81, KS11-KS24	3
775	Meltwater influences on deep stick-slip icequakes near the base of the Greenland Ice Sheet. 2016 , 121, 223-240	29

774	Influence of time-varying frequency content in earthquake ground motions on seismic response of linear elastic systems. 2016 , 45, 1271-1291	20
773	Dynamic rupture processes inferred from laboratory microearthquakes. 2016 , 121, 4343-4365	62
772	Characteristic scale of heterogeneity of seismically active fault and its manifestation in scaling of earthquake source spectra. 2016 , 470, 1104-1108	
771	Moment rate scaling for earthquakes 3.3 \leq $M \leq$ 3 with implications for stress drop. 2016 , 43, 12,004	34
770	Special Session Complete Session. 2016 ,	
769	Passive Seismic Complete Session. 2016 ,	
768	Seismic Modeling Complete Session. 2016 ,	
767	Physically based probabilistic seismic hazard analysis using broadband ground motion simulation: a case study for the Prince Islands Fault, Marmara Sea. 2016 , 68,	8
766	Stress drop estimates of potentially induced earthquakes in the Guy-Greenbrier sequence. 2016 , 121, 6597-6607	63
765	Induced-seismicity monitoring: Broadband seismometers and geophone comparison. 2016 ,	1
764	Spatial distribution and energy release of nonvolcanic tremor at Parkfield, California. 2016 , 121, 8833-8854	5
763	Applications of 3D elastic wavefield simulation to induced seismicity. 2016 ,	1
762	Site-specific Probabilistic Seismic Hazard Map of Himachal Pradesh, India. Part I. Site-specific Ground Motion Relations. 2016 , 64, 336-361	7
761	Seismic Parameters and Their Physical Meaning. 2016 , 31-60	
760	Calculating regional stresses for northern Canterbury: the effect of the 2010 Darfield earthquake. 2016 , 59, 202-212	5
759	Microseismicity and its time-frequency characteristics of the left bank slope at the Jinping first-stage hydropower station during reservoir impoundment. 2016 , 75, 1	16
758	Further studies on the focal mechanism and source rupture process of the 2012 Haida Gwaii, Canada, 7.8 moment magnitude earthquake. 2016 , 53, 129-139	
757	Physically Parameterized Prediction Equations for Significant Duration in Active Crustal Regions. 2016 , 32, 2057-2081	56

756	Generalized Free-Surface Effect and Random Vibration Theory: a new tool for computing moment magnitudes of small earthquakes using borehole data. 2016 , 206, 103-113	7
755	Source mechanism and parameters of the 19 October 2012 earthquake, northern Egyptian continental margin. 2016 , 9, 1	2
754	Resolving source mechanisms of microseismic swarms induced by solution mining. 2016 , 206, 696-715	7
753	Integrated microseismic and geomechanical study in the Barnett Shale Formation. 2016 , 81, KS135-KS147	2
752	Source Spectra of Near Kamchatka Earthquakes: Recovering them from S-Wave Spectra, and Determination of Scaling for Three Corner Frequencies. 2016 , 173, 1539-1557	5
751	Preliminary empirical scaling of pseudo relative velocity spectra in Serbia from the Vrancea earthquakes. 2016 , 86, 41-54	16
750	Atypical evolution of seismicity patterns resulting from the coupled natural, human-induced and coseismic stresses in a longwall coal mining environment. 2016 , 86, 5-15	22
749	Estimation of the source parameters of the Nepal earthquake from strong motion data. 2016 , 83, 867-883	5
748	Simulation of near-field ground motion characteristics of May 01, 2013, Doda earthquake using modified semi-empirical approach. 2016 , 82, 1411-1430	1
747	Kinematic rupture scenarios and synthetic displacement data: An example application to the Cascadia subduction zone. 2016 , 121, 6658-6674	44
746	Measuring earthquake source parameters in the Mendocino triple junction region using a dense OBS array: Implications for fault strength variations. 2016 , 453, 276-287	15
745	Low stress drop earthquakes in the rupture zone of the 1992 Nicaragua tsunami earthquake. 2016 , 43, 10,180	7
744	Investigating source directivity of moderate earthquakes by multiple approach: the 2013 Matese (southern Italy) $M_w=5$ event. 2016 , 207, 1513-1528	6
743	Ground motion prediction in Beirut: a multi-step procedure coupling empirical Green's functions, ground motion prediction equations and instrumental transfer functions. 2016 , 14, 3317-3341	4
742	Variation in high-frequency wave radiation from small repeating earthquakes as revealed by cross-spectral analysis. 2016 , 207, 1030-1048	4
741	New perspectives on self-similarity for shallow thrust earthquakes. 2016 , 121, 6533-6565	65
740	Shear wave attenuation estimated from the spectral decay rate in the vicinity of the Petropavlovsk station, Kamchatka. 2016 , 52, 503-519	6
739	Three-dimensional attenuation model of Sierra Negra Volcano, Galápagos Archipelago. 2016 , 43, 6259-6266	3

738	Scaling relations of moment magnitude, local magnitude, and duration magnitude for earthquakes originated in northeast India. 2016 , 29, 153-164	11
737	Considering uncertainties in the determination of earthquake source parameters from seismic spectra. 2016 , 207, 691-701	11
736	Laboratory observations of time-dependent frictional strengthening and stress relaxation in natural and synthetic fault gouges. 2016 , 121, 1183-1201	55
735	A new database of source time functions (STFs) extracted from the SCARDEC method. 2016 , 257, 149-157	47
734	On the scale dependence of earthquake stress drop. 2016 , 20, 1151-1170	55
733	Toward reliable automated estimates of earthquake source properties from body wave spectra. 2016 , 121, 4390-4407	38
732	Energy radiated by seismic events of different scales and geneses. 2016 , 52, 606-620	4
731	Influence of the Bachatsky Earthquake on Methane Emission in Roadways in Coal Mines. 2019 , 55, 695-700	7
730	Prevalence of asymmetrical rupture in small earthquakes and its effect on the estimation of stress drop: a systematic investigation in inland Japan. 2019 , 6,	6
729	An analysis of a moderate earthquake, eastern flank of the Red Sea, Saudi Arabia. 2020 , 72,	4
728	Passive seismic imaging of hydraulic fracture proppant placement. 2004 ,	5
727	Analysis of microearthquake data at Cold Lake and its applications to reservoir monitoring. 2007 ,	1
726	A combined borehole/surface broadband passive seismic survey over a gas storage field. 2011 ,	0
725	Q determination, corner frequency and spectral characteristics of microseismicity induced by hydraulic fracturing. 2011 ,	3
724	Multievent moment-tensor inversion for ill-conditioned geometries. 2016 , 81, KS33-KS46	1
723	Spectral analysis of Brazilian data and comparison with ground-motion models. 2013 ,	2
722	The scalar moment and moment magnitude of microseismic events. 2013 ,	0
721	Event grouping and multi-event moment-tensor inversion for ill-posed monitoring geometry. 2015 ,	3

720	Characterization of microseismic source mechanism in the Marcellus shale through analysis in the spectral domain. 2015 ,	2
719	The degree of uniformity of microseismic moment tensors and the question of complexity of hydraulic fracturing. 2016 ,	3
718	Magnitude calibration of imaging-based microseismic locations. 2019 ,	0
717	Evaluation of Generalized Site Response Functions for Typical Soil Classes (B, C, and D) in Taiwan. 2004 , 20, 1279-1316	8
716	Engineering Characterization of Ground Motion. 2004 ,	1
715	Ground motion associated with coal mine tremors close to the underground openings. 2017 , 91-102	2
714	Reliability analysis of uncertain structures using earthquake response spectra. 2011 , 2, 279-295	8
713	Earthquake response spectra estimation of bilinear hysteretic systems using random-vibration theory method. 2015 , 8, 1055-1067	2
712	On the origin of exponential growth in induced earthquakes in Groningen. 2016 , 11, 861-871	1
711	Site specific ground motion simulation and seismic response analysis for microzonation of Kolkata. 2012 , 4, 1-18	21
710	Probabilistic analysis of peak response to nonstationary seismic excitations. 2005 , 20, 527-542	2
709	Ground strain estimation for lifeline earthquake engineering. 2007 , 25, 291-310	5
708	Probabilistic study of the influence of ground motion variables on response spectra. 2011 , 39, 877-893	6
707	Frequency spectrum method-based stress analysis for oil pipelines in earthquake disaster areas. 2015 , 10, e0115299	9
706	On the prediction of expected seismic impacts from strong earthquakes of the Crimea. 2014 , 102-109	1
705	Stress-Drop and Source Scaling of the 2019 Ridgecrest, California, Earthquake Sequence. 2020 , 110, 1859-1871	13
704	Ground-Motion Model for Deep Intraslab Subduction Zone Earthquakes of Northeastern India (NEI) and Adjacent Regions. 2021 , 111, 932-950	1
703	Two Empirical Double-Corner-Frequency Source Spectra and Their Physical Implications. 2021 , 111, 737-761	3

702	The use of body-wave spectra in the determination of seismic-source parameters. 1972 , 62, 561-589	229
701	Dynamics of an expanding circular fault. 1976 , 66, 639-666	927
700	The use of the coda for determination of the earthquake source spectrum. 1978 , 68, 923-948	311
699	A semi-empirical approach to prediction of long-period ground motions from great earthquakes. 1979 , 69, 1645-1670	83
698	Source inversion of seismic waveforms: The Koyna, India, earthquakes of 13 September 1967. 1981 , 71, 1-24	130
697	Strong ground motion of mine tremors: Some implications for near-source ground motion parameters. 1981 , 71, 295-319	63
696	P-wave spectra for ML 5 foreshocks, aftershocks, and isolated earthquakes near Parkfield, California. 1981 , 71, 423-436	15
695	The corner frequency shift, earthquake source models, and Q. 1981 , 71, 597-612	50
694	Effects of fault finiteness on near-source ground motion. 1981 , 71, 939-957	79
693	Source parameters and scaling relationships of small earthquakes in the northeastern Caribbean. 1981 , 71, 1173-1190	25
692	The character of high-frequency strong ground motion. 1981 , 71, 2071-2095	418
691	ASP: An Automated Seismic Processor for microearthquake networks. 1982 , 72, 303-325	36
690	A dynamic model for far-field acceleration. 1982 , 72, 1049-1068	61
689	The Sharpsburg, Kentucky, earthquake of 27 July 1980. 1982 , 72, 1219-1239	19
688	Experimental study of the spectral content for shallow earthquakes. 1982 , 72, 1739-1758	37
687	f max. 1982 , 72, 1867-1879	269
686	Analysis of near-source static and dynamic measurements from the 1979 Imperial Valley earthquake. 1982 , 72, 1927-1956	74
685	Spectral attenuation of SH waves along the Imperial fault. 1982 , 72, 2003-2016	73

684	Modeling some empirical vertical component Lg relations. 1983 , 73, 157-171	97
683	Simplified estimation of seismic moment from seismograms. 1983 , 73, 735-748	14
682	Retrieval of source-extent parameters and the interpretation of corner frequency. 1983 , 73, 1499-1511	40
681	Determination of rupture duration and stress drop for earthquakes in southern California. 1983 , 73, 1527-1551	43
680	Source dimensions and stress drops of small earthquakes near Parkfield, California. 1984 , 74, 27-40	18
679	Use of seismoscope records to determine ML and peak velocities. 1984 , 74, 315-324	20
678	The partition of radiated energy between P and S waves. 1984 , 74, 361-376	115
677	Seismic moments, local magnitudes, and coda-duration magnitudes for earthquakes in central California. 1984 , 74, 439-458	98
676	The 4 September 1981 Santa Barbara Island, California, earthquake: Interpretation of strong motion data. 1984 , 74, 995-1010	166
675	Source parameters for aftershocks of the Oroville, California, earthquake. 1984 , 74, 1101-1123	59
674	Estimates of short-period Q values and seismic moments from coda waves for earthquakes of the Beijing and Yun-nan regions of China. 1984 , 74, 1189-1207	14
673	Source parameters of two ML ~ 5 earthquakes near Anza, California, and a comparison with an Imperial Valley aftershock. 1984 , 74, 1509-1527	25
672	High stress drops of short-period subevents from the 1968 Tokachi-Oki earthquake as observed on strong-motion records. 1984 , 74, 1529-1544	29
671	Source parameters from locally recorded aftershocks of the 9 January 1982 Miramichi, New Brunswick, earthquake. 1985 , 75, 337-360	20
670	An extension of random vibration theory estimates of strong ground motion to large distances. 1985 , 75, 1447-1453	61
669	ML observations in the Great Basin and M0 versus ML relationships for the 1980 Mammoth Lakes, California, earthquake sequence. 1985 , 75, 1583-1598	16
668	Apparent stresses, stress drops, and amplitude ratios of earthquakes preceding and following the 1975 Hawaii MS = 7.2 main shock. 1987 , 77, 69-96	13
667	Comparison of source scaling relations of eastern and western North American earthquakes. 1987 , 77, 322-346	47

666	On two characteristic frequencies of acceleration spectra: Patch corner frequency and f_{max} . 1988 , 78, 509-529	55
665	Regional discrimination between NTS explosions and western U.S. earthquakes. 1989 , 79, 1142-1176	67
664	Stability of earthquake ground motion synthesized by using different small-event records as empirical Green's functions. 1990 , 80, 1433-1455	23
663	Estimation of strong ground motions in Mexico City expected for large earthquakes in the Guerrero seismic gap. 1993 , 83, 811-829	15
662	Regional propagation characteristics and source parameters of earthquakes in northeastern North America. 1994 , 84, 1-15	85
661	Ground-motion relations for eastern North America. 1995 , 85, 17-30	331
660	Strong ground motion from the Uttarkashi, Himalaya, India, earthquake: Comparison of observations with synthetics using the composite source model. 1995 , 85, 31-50	76
659	The high-frequency shape of the source spectrum for earthquakes in eastern and western Canada. 1996 , 86, 106-112	37
658	Evaluation of models for earthquake source spectra in eastern North America. 1998 , 88, 917-934	82
657	A semi-empirical method for simulating strong ground motions based on variable-slip rupture models for large earthquakes. 1999 , 89, 36-53	7
656	Basin waves on a seafloor recording of the 1990 Upland, California, earthquake: Implications for ground motions from a larger earthquake. 1999 , 89, 317-324	10
655	Lateral variation of P_n and L_g attenuation at the CDSN station LSA. 1999 , 89, 325-330	7
654	An improvement on the estimation of pseudoresponse spectral velocity using RVT method. 1999 , 89, 1384-1389	30
653	Adjusting Fragility Analysis to Seismic Hazard Input. 2010 , 5, 395-406	1
652	Relationship Between b-Value Distribution and the Magma Plumbing System in and Around Mt. Tarumae, Japan. 2017 , 12, 932-943	1
651	Induced Microseismicity: Short Overview, State of the Art and Feedback on Source Rock Production. 2016 , 9, 55-71	1
650	Macroseismic and instrumental data comprehensive analysis: Earthquake of June 2, 1930 in Catalonia (Spain). 2006 , 8, 1-11	1
649	Scaling of two corner frequencies of source spectra for earthquakes of the Bering fault. 2020 , 20, 1-9	4

648	Improvement of methods for sparse model identification of pulsed geophysical signals. 2019 ,	1
647	GEODYNAMICS. 2013 , 2013, 124-128	1
646	P wave attenuation structure by spectral inversion of seismic waveforms. 2005 , 58, 617-629	1
645	A FAULT MODEL OF THE 1995 HYOGO-KEN NANBU EARTHQUAKE AND SIMULATION OF STRONG GROUND MOTION IN NEAR-SOURCE AREA. 1997 , 62, 29-36	8
644	STRONG-MOTION PREDICTION BY SEMI-EMPIRICAL METHOD BASED ON VARIABLE-SLIP RUPTURE MODEL OF EARTHQUAKE FAULT. 1998 , 63, 49-60	11
643	THEORETICAL APPROACH TO EXTREME DISTRIBUTIONS WITH LOWER AND UPPER LIMITS FOR MODELING ANNUAL MAXIMA OF EARTHQUAKE GROUND MOTIONS IN SEISMIC RISK ANALYSIS. 1998 , 63, 57-65	2
642	ISOSEISMAL MAP OF STRONG MOTIONS FOR THE 1923 KANTO EARTHQUAKE (M _s 7.9) BY STOCHASTIC GREEN'S FUNCTION METHOD. 2000 , 65, 53-62	3
641	SHORT-PERIOD SOURCE SPECTRA INFERRED FROM VARIABLE-SLIP RUPTURE MODELS AND MODELING OF EARTHQUAKE FAULTS FOR STRONG MOTION PREDICTION BY SEMI-EMPIRICAL METHOD. 2001 , 66, 51-62	35
640	EVALUATION OF SOURCE, PATH, AND SITE AMPLIFICATION FACTORS FROM THE K-NET STRONG MOTION RECORDS OF THE 1997 KAGOSHIMA-KEN-HOKUSEIBU EARTHQUAKES. 2001 , 66, 61-68	5
639	ESTIMATION OF SOURCE PARAMETERS AND STRONG GROUND MOTIONS DURING THE 1855 ANSEI-EDO EARTHQUAKE BY THE EMPIRICAL GREEN'S FUNCTION METHOD. 2001 , 66, 63-70	2
638	SOURCE, PATH, AND SITE EFFECTS FOR CRUSTAL AND SUBDUCTION EARTHQUAKES INFERRED FROM STRONG MOTION RECORDS IN JAPAN. 2002 , 67, 15-24	12
637	RADIATION PATTERN AND F _{MAX} OF THE TOTTORI-KEN SEIBU EARTHQUAKE AND THE AFTERSHOCKS INFERRED FROM KIK-NET STRONG MOTION RECORDS. 2002 , 67, 25-34	14
636	SOURCE CHARACTERIZATION AND STRONG GROUND MOTION SIMULATION OF THE 2000 TOTTORI-KEN SEIBU EARTHQUAKE USING THE EMPIRICAL GREEN'S FUNCTION METHOD. 2002 , 67, 37-45	8
635	STUDY ON CAUSES OF LARGE PEAK GROUND ACCELERATIONS OF THE 2003 MIYAGIKEN-OKI EARTHQUAKE BASED ON STRONG MOTION RECORDS. 2004 , 69, 31-38	1
634	ESTIMATION OF EFFECTIVE STRESS ON ASPERITIES IN INLAND EARTHQUAKES CAUSED BY LARGE STRIKE-SLIP FAULTS AND ITS APPLICATION TO STRONG MOTION SIMULATION. 2005 , 70, 81-88	1
633	LONG PERIOD GROUND MOTION SIMULATION OF THE 2011 OFF THE PACIFIC COAST OF TOHOKU EARTHQUAKE USING THEORETICAL GREEN'S FUNCTION. 2020 , 85, 427-437	1
632	Ice Stream C, Antarctica, sticky spots detected by microearthquake monitoring. 1994 , 20, 183-186	8
631	A water-piracy hypothesis for the stagnation of Ice Stream C, Antarctica. 1994 , 20, 187-194	18

630	Earthquake ground-motion parameters at stiff sites in Addis Ababa, Ethiopia. 2008 , 2, 45-58	1
629	Ultra-low-frequency electromagnetic waves in the Earth's crust and magnetosphere. 2007 , 177, 1257	25
628	A Numerical Model for Simulating Ground Motions for the Korean Peninsula. 2020 , 10, 1254	2
627	SPECTRAL and SOURCE EARTHQUAKE PARAMETERS on NORTHERN CAUCASUS. 2019 , 311-319	5
626	KRIVOY ROG-III EARTHQUAKE on June 23, 2013 with $M=11.6$, $M_{wreg}=4.5$, $I_0=6$ (Ukraine, Dnipropetrovsk region). 2019 , 421-434	3
625	SPECTRAL and FOCAL PARAMETERS of NORTHERN CAUCASUSEARTHQUAKES. 2020 , 263-270	1
624	Inversi3n de efectos de sitio y factor Q utilizando cocientes espectrales. 2009 , 65, 67-77	1
623	Probabilistic Seismic Hazard Analysis and Synthetic Ground Motion Generation for Seismic Risk Assessment of Structures in the Northeast India. 2017 , 8, 39-59	7
622	Software to Estimate Earthquake Spectral and Source Parameters. 2012 , 03, 1142-1149	16
621	Characterization of Source Parameters and Some Empirical Relations between Them for Kachchh Region, Gujarat, India: Implication of January 26, 2001 Bhuj Earthquake and Its Aftershock Sequence. 2015 , 06, 1127-1139	3
620	Analysis of the Low-Energy Seismic Activity in the Southern Apulia (Italy). 2013 , 02, 91-105	4
619	Evaluation of Microseismicity Related to Hydraulic Fracking Operations of Petroleum Reservoirs and Its Possible Environmental Repercussions. 2014 , 03, 43-54	3
618	First Determination of Source Parameters of Moderate Earthquakes (4.1 $\leq M \leq 5.1$) in Morocco from Spectral Analysis. 2014 , 03, 55-65	1
617	The High Frequency Decay Parameter κ (Kappa) in the Region of North East India. 2018 , 07, 141-159	5
616	Microseismic Imaging of Hydraulically Induced-Fractures in Gas Reservoirs: A Case Study in Barnett Shale Gas Reservoir, Texas, USA. 2013 , 03, 361-369	8
615	An Evaluation of the 11 th September, 2009 Earthquake and Its Implication for Understanding the Seismotectonics of South Western Nigeria. 2014 , 04, 542-550	7
614	Comparative Study on Scaling Relations of Source Parameters for Great Earthquakes in Inland Crusts and on Subducting Plate-Boundaries. 2013 , 66, 31-45	9
613	Source- and Site-Specific Earthquake Ground Motions. 2020 , 10, 5882-5888	4

612	Modeling of Near Fault Ground Motion due to Moderate Magnitude Earthquakes in Stable Continental Regions. 2006 , 10, 101-111	4
611	Estimation of Path Attenuation Effect from Ground Motion in the Korean Peninsula using Stochastic Point-source Model. 2020 , 24, 9-17	1
610	Tremor during ice stream stick-slip.	3
609	The New Zealand Strong Motion Database. 2017 , 50, 1-20	33
608	The Acceleration Response Spectrum for Simulated Strong Motions Considering the Earthquake Characteristics of the Korean Peninsula. 2007 , 28, 179-186	3
607	The Seismic Source Parameters for Earthquakes Occurring in the Korean Peninsula. 2008 , 29, 117-127	4
606	Source Modeling of the 2011 Off the Pacific Coast of Tohoku Earthquake. 2013 , 13, 2_75-2_87	7
605	REVISIONS OF EMPIRICAL GROUND MOTION MODELS AND THE SIMULATIONS OF LONG-PERIOD STRONG MOTIONS OF THE 2011 OFF THE PACIFIC COAST OF TOHOKU EARTHQUAKE. 2014 , 14, 6_1-6_20	2
604	Developing a Stochastic Green's Function Method having more accuracy in long period range to be used in the Hybrid Method. 2004 , 4, 21-32	12
603	Site Amplification Factors for Strong-Motion Sites in Japan Based on Spectral Inversion Technique and Their Use for Strong-Motion Evaluation. 2007 , 7, 215-234	28
602	Earthquake Seismic Moment, Rupture Radius and Stress-drop from P-wave Displacement Amplitude vs Time Curves. 2021 , 1-1	0
601	Interplay of large-scale tectonic deformation and local fluid injection investigated through seismicity patterns at the Reykjanes Geothermal Field, Iceland. 2021 , 228, 1866-1886	1
600	Lower crustal attenuation in northeastern Tibetan Plateau from ML amplitude. 2021 , 34, 1-9	
599	Análisis complementario entre parámetros instrumentales y macrosísmicos: terremoto de mayo 24, 2008 en Quetame, Colombia. 2021 , 43,	0
598	Studies about the Impacts of Upward Fluid Migration on the Earthquake Occurrence: Constrains from Seismicity Triggered by the 2011 Tohoku-Oki Earthquake. 2021 , 74, 95-116	
597	Source parameters and scaling relations for small to moderate earthquakes in the Indo-Burma Ranges, North-east India, and its seismotectonic implications.	3
596	Migration-Based Local Event-Location Workflow for Ocean-Bottom Seismometer (OBS) Records in Subduction Zones: A Practical Approach for Addressing a Large Number of Events.	
595	Spatio-Temporal Evolution of Earthquake Static Stress Drop Values in the 2016-2017 Central Italy Seismic Sequence. 2021 , 126, e2021JB022566	3

594	Fault Interactions Enhance High-Frequency Earthquake Radiation. 2021 , 48, e2021GL095271	3
593	Global reference seismological data sets: multimode surface wave dispersion.	2
592	Implications of Site Effects and Attenuation Properties for Estimation of Earthquake Source Characteristics in Kinnaur Himalaya, India. 1	
591	Modeling Seismic Network Detection Thresholds Using Production Picking Algorithms.	0
590	STOCHASTIC METHOD FOR SHORT PERIOD GROUND MOTIONS BASED ON THE RANDOM RESPONSE THEORY : Effects of the randomness of inhomogeneous slip distribution of the source on the covariance responses of ground motion. 2000 , 65, 61-68	1
589	Acoustic emission/microseismic technique. 2000 , 109-125	1
588	Water Reservoir and Deep Well Induced Seismicity. 2000 , 5-76	
587	Fractal Concepts and their Application to Earthquakes in Austria. 2000 , 49-75	1
586	EVALUATION OF RUPTURE DIRECTIVITY EFFECTS ON PEAK GROUND MOTION USING STOCHASTIC GREEN'S FUNCTION METHOD. 2001 , 66, 47-53	1
585	STOCHASTIC ESTIMATION OF BROADBAND STRONG MOTIONS USING FRACTAL SOURCE MODEL : For the Northridge earthquake and the Western Tottori prefecture earthquake. 2001 , 66, 47-55	
584	Regional Magnitude Scaling, Transportability, and Ms:mb Discrimination at Small Magnitudes. 2001 , 1951-2015	
583	Seismic Event Identification of Earthquakes and Explosions in Germany Using Spectral Lg Ratios. 2002 , 759-778	1
582	A STOCHASTIC WAVEFORM SYNTHESIS METHOD FOR RANDOMLY INHOMOGENEOUS FAULTING WITH ASPERITY. 2002 , 8, 373-378	
581	SIMULATION OF GROUND MOTIONS AT SAPPORO AND AKITA DURING THE 1993 HOKKAIDO-NANSEI-OKI EARTHQUAKE BY EMPIRICAL GREEN'S FUNCTION METHOD : Verification of characterizing procedure of earthquake source model for strong motion prediction. 2002 , 67, 53-62	1
580	Amplitude Corrections for Regional Seismic Discriminants. 2002 , 623-650	2
579	GENERATION OF THE HIGH-FREQUENCY WAVE FOR INTERMEDIATE-DEPTH EARTHQUAKES IN AND AROUND HOKKAIDO REGION FROM STRONG MOTION RECORDS. 2002 , 67, 67-73	4
578	Review on Pre-processing of Earthquake Data from KEPRI Seismic Monitoring System. 2002 , 6, 39-50	
577	Special topics. 2003 ,	

- 576 HIGH-FREQUENCY WAVE GENERATION OF THE INTERMEDIATE-DEPTH EARTHQUAKES IN AND AROUND TOHOKU DISTRICT FROM STRONG MOTION RECORDS. **2003**, 68, 39-46 1
- 575 Determina dos parmetros de fonte do sismo de 10/03/98 de Porto dos Gahos/MT, por anlise espectral de sinais. **2005**, 0
- 574 CHARACTERIZED FAULT MODEL FOR PREDICTION OF STRONG GROUND MOTIONS FROM INTRA-SLAB EARTHQUAKES. **2006**, 71, 35-42
- 573 Seismic Fragility Analysis of a Cable-stayed Bridge with Energy Dissipation Devices. **2006**, 10, 1-11
- 572 Estimation of Source Spectrum of the 2005 Miyagi-oki Earthquake and Attenuation and Site Amplification Factors around Miyagi Prefecture. **2007**, 59, 355-370
- 571 QUANTITATIVE PREDICTION OF LONG-PERIOD GROUND MOTIONS OF TOKYO BAY AREA FROM THE TOKAI EARTHQUAKE. **2007**, 72, 55-62 5
- 570 A Strong Motion Attenuation Relation for Early-warning Application in the Campania Region (Southern Apennines). **2007**, 133-152 2
- 569 Distance Dependency of Corner Frequencies for Earthquakes in and around the Korean Peninsula. **2008**, 12, 39-45
- 568 Source Modeling of the 2007 Niigataken Chuetsu-oki Earthquake Using the Empirical Green's Function Method. **2009**, 62, 47-59 2
- 567 Ground Motion Characteristics. 97-139
- 566 Instrumental Seismic Intensity based on Fourier Acceleration Spectra of the earthquake ground-motion. **2009**, 13, 27-37 2
- 565 Seismic Inputs for Structures. 41-97
- 564 Extreme Environmental Events. **2011**, 255-277
- 563 Long-term assessment of reservoir integrity utilizing seismic source parameters as recorded with integrated microseismic-pressure arrays. **2011**,
- 562 Extreme Environmental Events. **2011**, 967-981
- 561 Characterized Source Model and Strong Ground Motion Simulation for the 2004 Mid Niigata Prefecture (Niigata-ken Chuetsu) Earthquake Based on Empirical Site Amplification and Phase Effects. **2011**, 11, 40-58 2
- 560 Source Characteristics of Aftershocks for the 2008 Iwate-Miyagi Nairiku Earthquake and Site Amplification around the Source Region Based on Spectral Inversion Technique. **2011**, 11, 28-40
- 559 Some Statistical Methods for Random Process Data from Seismology and Neurophysiology. **2012**, 89-142 0

558 Introduction. **2012**, 1-11

557 Short-period Spectral Level, Path and Site-amplification Derived from Strong Motion Records during the Normal-faulting Earthquakes in Hamadori, Fukushima Prefecture in 2011. **2012**, 12, 7_1-7_18 5

556 Introduction to Volcanic Seismology - Pages 457-482. **2012**, 457-482

555 Revisions of Empirical Ground Motion Models and the Simulations of Long-period Strong Motions of the 2011 off the Pacific Coast of Tohoku Earthquake. **2012**, 12, 4_354-4_373 2

554 Effects of Fault Parameters on the Ground Motion Synthesized by the Stochastic Green Function Method. **2012**, 16, 27-35

553 Modeling Critical Ground-Motion Sequences for Inelastic Structures. **2013**, 115-134

552 Damage Assessment of Inelastic Structures Under Worst Earthquake Loads. **2013**, 177-201

551 Improving the Source Characterization of Seismicity Associated with Underground Wastewater Disposal: A Case Study from the 2008 Dallas-Fort Worth Earthquake Sequence. **2012**,

550 Microseismic Detectability from Stacking Signals on Near-Surface Arrays. **2012**,

549 Edificios de concreto reforzado siguiendo la NSR-10 vs sismo de Quetame registrado en Bogotá D.C.. **2012**, 8, 129-189

548 Control Parameters of Magnitude- seismic Moment Correlation for the Crustal Earthquakes. **2013**, 02, 60-74

547 The influence of stress drop of seismic sources on the variance of peak accelerations of ground motions. **2013**, 13, 4_68-4_84 1

546 Synthesis of High-Frequency Ground Motion Using Information Extracted from Low-Frequency Ground Motion: A Case Study in Kanto Area, Japan. **2013**, 13, 4_1-4_18

545 Seismicity in northeast edge of the Mexican Volcanic Belt (MVB), activation of an undocumented fault: the Peamiller earthquake sequence of 2011, Queretaro, Mexico.

544 Utilizing fracture complexity and stress release parameters to characterize b-value behavior and the growth of hydraulic fractures. **2013**,

543 NetMoment Derived Q and Source Parameters in Unconventional Reservoir Stimulations. **2013**, 1

542 GEODYNAMICS. **2013**, 2013, 231-233

541 Uncertainty Propagation in Engineering Systems: Probability Density Evolution Theory and Its Recent Developments. **2014**, 113-130

- 540 Spectral Analysis and Source Parameters of Icequakes. **2014**, 45-70
- 539 Encyclopedia of Complexity and Systems Science. **2014**, 1-32 0
- 538 Lunar Seismicity, Structure, and Tectonics. 1-21
- 537 Static stress drop in the 1994 Northridge, California, aftershock sequence. **1997**, 87, 1495-1501 9
- 536 Kinetic Shear Resistance, Fluid Pressures and Radiation Efficiency During Seismic Faulting. **1977**, 387-400 0
- 535 Source Parameters for the January 1975 Brawley â€”Imperial Valley Earthquake Swarm. **1977**, 333-355 1
- 534 Experimental Observations of Elastic Wave Radiation Characteristics from Tensile Cracks and Pre-existing Shear Faults. **1978**, 888-899
- 533 Rupture and Particle Velocity During Frictional Sliding. **1978**, 954-963 1
- 532 Local Magnetic Field Variations and Stress Changes Near a Slip Discontinuity on the San Andreas Fault. **1979**, 33-44
- 531 Bibliography. **1979**, 449-485
- 530 Estimation of Earthquake Ground Motions Relevant to the Triggering of Marine Mass Movements. **1982**, 219-231 1
- 529 Random Vibration Approach to Seismic Safety Evaluation. **1986**, 499-509
- 528 Source Parameters of Some Friuli Earthquakes (1976â€”1977) from Strong Motion Data. **1987**, 85-97
- 527 Perspectives on Seismic and Rockburst Research in the South African Gold Mining Industry: 1983â€”1987. **1989**, 673-680
- 526 Microseismicity in a Flooded Potash Mine, the Hope Mine, Federal Republic of Germany. **1989**, 475-496
- 525 Estimation of Strong Ground Motions from Hypothetical Earthquakes on the Cascadia Subduction Zone, Pacific Northwest. **1989**, 131-201
- 524 The Mechanism of Small Mining Tremors from Amplitude Inversion. **1989**, 309-324
- 523 Icequakes On Ekstr m Ice Shelf Near Atka Bay, Antarctica*. **1990**, 36, 31-36 0

522	Comparison of strong-motion spectra with teleseismic spectra for three magnitude 8 subduction-zone earthquakes. 1990 , 80, 913-934	9
521	Reply to K. Aki's "Comment on "microearthquake spectra from the Anza, California seismic network: Site response and source scaling"1990, 80, 1036-1038	4
520	A statistical model for ground motion produced by earthquakes at local and regional distances. 1990 , 80, 1397-1417	36
519	Size of Earthquakes in Southern Mexico from Indirect Methods. 1991 , 479-498	
518	Simultaneous inversion for Q and source parameters of microearthquakes accompanying hydraulic fracturing in granitic rock. 1991 , 81, 553-575	42
517	Complex faulting deduced from broadband modeling of the 28 February 1990 Upland earthquake (ML = 5.2). 1991 , 81, 1129-1144	33
516	Ground motion at the San Francisco international airport from the Loma Prieta earthquake sequence, 1989. 1991 , 81, 1923-1944	43
515	Rupture history of the 1989 Loma Prieta, California, earthquake. 1991 , 81, 1573-1602	64
514	Spectral Analysis of Blast Vibrations from Large Explosions. 1992 , 283-308	
513	Discrimination using spectral slopes at frequencies up to 50 Hz. 1992 , 82, 337-351	2
512	Modeling delay-fired explosion spectra at regional distances. 1992 , 82, 2430-2447	9
511	Seismic source spectrum of microearthquakes. 1992 , 82, 2391-2409	8
510	Source Process of Some Large Earthquakes in Greece and its Tectonic Implication. 1993 , 269-294	
509	The Role of Geological Discontinuities and Tectonic Stresses in Mine Seismicity. 1993 , 393-410	
508	Aftershock stress release along active fault planes of the 1984 Round Valley, California, earthquake sequence applying a time-domain stress drop method. 1993 , 83, 144-159	8
507	Notes on ground motion parameters for eastern north America: Duration and H/V ratio. 1993 , 83, 587-596	53
506	ML:M0 as a regional seismic discriminant. 1993 , 83, 1167-1183	15
505	Estimation of strong ground motions in meizoseismal region of the 1976 Tangshan, China, earthquake. 1993 , 83, 1756-1777	2

504 References. **1994**, 347-385

- 503 Modeling of strong ground motions from the 16 September 1978 Tabas, Iran, earthquake. **1994**, 84, 31-46 3
- 502 Calibration of time history simulation methods. **1994**, 84, 400-414 17
- 501 Broadband waveform observation of the 28 June 1991 Sierra Madre earthquake sequence (ML = 5.8). **1994**, 84, 1725-1738 7
- 500 SCALING FACTORS IN DIFFERENT SEMMI-EMPIRICAL METHODS FOR SYNTHESIZING EARTHQUAKE MOTIONS. **1995**, 60, 29-40 1
- 499 The CQU Regional Seismic Network and Applications to Underground Mining in Central Queensland, Australia. **1995**, 39-57
- 498 Modeling of source rupture characteristics for the Saguenay earthquake of November 1988. **1995**, 85, 525-551 9
- 497 Integral equation method for plane crack with arbitrary shape in 3D elastic medium. **1995**, 85, 614-628 38
- 496 A high-frequency magnitude scale. **1995**, 85, 825-833 16
- 495 Simulating strong motions of large earthquakes using recordings of small earthquakes: the Loma Prieta mainshock as a test case. **1995**, 85, 1144-1160 56
- 494 Attenuation and source parameters of earthquakes in the Cascadia region. **1995**, 85, 1327-1342 35
- 493 Source characterization and fault plane determination for $M_b L_g = 1.2$ to 4.4 earthquakes in the Charlevoix Seismic Zone, Quebec, Canada. **1995**, 85, 1604-1621 21
- 492 Rock-mass Characterization Using Intrinsic and Scattering Attenuation Estimates at Frequencies from 400 to 1600 Hz. **1996**, 289-304
- 491 The Mechanism of Mine-collapse Deduced from Seismic Observations. **1996**, 207-216
- 490 RMS response of a one-dimensional half-space to SH. **1996**, 86, 363-370 9
- 489 Scaling relations for strong ground motion prediction models with M_2 terms. **1996**, 86, 329-336 21
- 488 Use of empirical Green's functions, spectral ratios, and kinematic source models for simulating strong ground motion. **1996**, 86, 597-615 13
- 487 Earthquake slip rise time and rupture propagation: Numerical results of the quantum earthquake model. **1996**, 86, 567-574 7

- 486 Liquefaction susceptibility based on dissipated energy. **1996**, 29, 83-91 1
- 485 Source characteristics of small to moderate earthquakes in the Kanto region, Japan: application of a new definition of the S-wave time window length. **1996**, 86, 1284-1291 11
- 484 A SEMI-EMPIRICAL METHOD FOR SYNTHESIZING INTERMEDIATE-PERIOD STRONG GROUND MOTIONS. **1997**, 62, 47-52 1
- 483 An Anatomy of a Seismic Sequence in a Deep Gold Mine. **1997**, 393-414
- 482 General Description of Complex Faulting Process. **1997**, 107-116
- 481 Statistical spectral model of earthquakes in the eastern Tohoku district, Japan, based on the surface and borehole records observed in Sendai. **1997**, 87, 446-462 24
- 480 Microearthquakes at intermediate spreading-rate ridges: The Cleft segment megaplume site on the Juan de Fuca Ridge. **1997**, 87, 684-691 9
- 479 High-frequency radiation process during earthquake faulting—envelope inversion of acceleration seismograms from the 1993 Hokkaido-Nansei-Oki, Japan, earthquake. **1997**, 87, 904-917 14
- 478 Earthquake Engineering. **1997**,
- 477 Far-field pulse shapes from circular sources with variable rupture velocities. **1997**, 87, 1288-1296 23
- 476 Comment on “Earthquake source spectra in eastern North America” by R. A. W. Haddon. **1997**, 87, 1697-1702 17
- 475 Source Parameters of Injection-induced Microseismicity. **1998**, 113-130
- 474 DIFFERENCE OF REGRESSION COEFFICIENTS FOR RESPONSE AND FOURIER SPECTRA OF STRONG-MOTION RECORDS AND ITS INTERPRETATION. **1998**, 63, 83-92 1
- 473 ESTIMATION OF SITE EFFECTS IN HIGASHINADA WARD, KOBE CITY USING AFTERSHOCK RECORDS OF THE 1995 HYOGO-KEN NANBU EARTHQUAKE. **1998**, 63, 183-190
- 472 Partial Stress Drop and Frictional Overshoot Mechanism of Seismic Events Induced by Mining. **1998**, 5-20
- 471 A Seismic Model of Casing Failure in Oil Fields. **1998**, 197-217
- 470 Source model of the 1995 Hyogo-Ken Nanbu earthquake and simulation of near-source ground motion. **1998**, 88, 400-412 107
- 469 The corner frequencies and stress drops of intraplate earthquakes in the northeastern United States. **1998**, 88, 531-542 29

- 468 Erratum to "The high-frequency shape of the source spectrum for earthquakes in Eastern and Western Canada" **1998**, 88, 633-634
- 467 A physical model of the effect of a shallow weak layer on strong ground motion for strike-slip ruptures. **1998**, 88, 1070-1078 13
- 466 Modeling dynamic rupture in a 3D earthquake fault model. **1998**, 88, 1182-1197 106
- 465 Far-field radiated energy scaling in elastodynamic earthquake fault models. **1998**, 88, 1457-1465 9
- 464 Dynamic Stress Drop of Recent Earthquakes: Variations within Subduction Zones. **1999**, 409-431 0
- 463 Empirical Green's functions: A comparison between pulse width measurements and deconvolution by spectral division. **1999**, 89, 178-189 7
- 462 Source process of the Chiapas, Mexico, intermediate-depth earthquake (Mw = 7.2) of 21 October 1995. **1999**, 89, 348-358 11
- 461 Seismic analysis of the 7 January 1998 Chemical plant explosion at Kean Canyon, Nevada. **1999**, 89, 938-945 2
- 460 Seismic signal detection by fractal dimension analysis. **1999**, 89, 970-977 9
- 459 Source mechanism of two 1994 intermediate-depth-focus earthquakes in Guerrero, Mexico. **1999**, 89, 1004-1018 1
- 458 Discrimination between Earthquakes and Explosions Recorded by the KSRS Seismic Array in Wonju, Korea. **2014**, 17, 137-146
- 457 Encyclopedia of Earthquake Engineering. **2015**, 677-702
- 456 Dynamic Characterization and Site Response Studies for an Offshore Site Based on Detailed Geotechnical Tests. **2015**, 6, 50-80
- 455 Active Crustal Deformation in the Area of San Carlos, Baja California Sur, Mexico as Shown by Data of Local Earthquake Sequences. **2015**, 3631-3644
- 454 Engineering Characterization of Earthquake Ground Motions. **2015**, 986-1001
- 453 Encyclopedia of Earthquake Engineering. **2015**, 1-27
- 452 Encyclopedia of Complexity and Systems Science. **2015**, 1-55
- 451 Stochastic Green's Functions Considering Surface Waves and Scattering Waves Using Strong Motion Records of Moderate-Sized Intraplate Earthquakes along the Sagami Trough. **2015**, 15, 1_116-1_135

- 450 Vibration-induced dynamical weakening of pyroclastic flows: Insights from rotating drum experiments. **2015**, n/a-n/a
- 449 Strong Motion Simulation of the 1987 Chiba-ken-toho-oki Earthquake (MJ6.7) Using Stochastic Green's Function Generation Method Empirically Considering Surface Waves and Scattering Waves. **2015**, 15, 7_34-7_48 1
- 448 New data on the processes on the focus of the tangible earthquake on July 2, 1990 (Crimea). **2015**, 102-109
- 447 Ground Motion Estimation Using Front Site Wave Form Data Based on RVM for Earthquake Early Warning. **2015**, 10, 667-677 0
- 446 Rupture Characteristics of M_3 to M_1 Hydraulically Induced Seismicity. **2015**,
- 445 GEODYNAMICS. **2015**, 2(19)2015, 55-71 1
- 444 Benchmark tests for the Stochastic Green's Function Method based on strong ground motions observed at the 2004 Kii-hanto-nanto-oki earthquake (MJMA7.1). **2016**, 16, 3_234-3_244
- 443 Scaling Properties for the Vrancea Subcrustal Earthquakes: An Overview. **2016**, 235-252
- 442 References. **2016**, 577-588
- 441 On the Calculation Procedure of Near-Source Displacement Waveform in Frequency Domain. **2016**, 16, 10_15-10_30
- 440 Analysis of M 3.5 Geochang earthquake on February 5, 2013 and its aftershocks. **2016**, 52, 421-432 0
- 439 Technical Program in full - Part I (ACQ 1 - PS P1). **2016**,
- 438 Technical Program in full - Part II (RC 1 - VSP P1). **2016**,
- 437  **2017**, 484-487
- 436 Stochastic Earthquake Rupture Modeling Using Nonparametric Co-Regionalization. **2018**, 245-263
- 435 Determination of Parameters for Stochastic Strong Motion Models Representing Earthquakes in the South Iceland Seismic Zone. **2018**, 193-207
- 434 Source Functions and Path Effects from Earthquakes in the Farallon Transform Fault Region, Gulf of California, Mexico that Occurred on October 2013. **2018**, 45-62
- 433 Azimuthal Dependence of the Ground Motion Variability from Scenario Modeling of the 2014 Mw6.0 South Napa, California, Earthquake Using an Advanced Kinematic Source Model. **2018**, 143-154

- 432 Broadband Ground Motion Simulation of the 2004 and 1977 Vrancea, Romania, Earthquakes Using Empirical Green's Function Method. **2018**, 179-195
- 431 COMPARISON OF THE PREDICTED GROUND MOTIONS TARGETING INTRA-PLATE EARTHQUAKE BY DIFFERENT SOURCE MODELS. **2018**, 74, I_1035-I_1044
- 430 INTRODUCING NEAR AND INTERMEDIATE FIELD TERMS INTO CORRECTED EMPIRICAL GREEN'S FUNCTION METHOD. **2018**, 74, I_1045-I_1051
- 429 Effects of Different Ways of Counting Fault Area for Asperity Model of Crustal Earthquakes on Fault Parameters and Predicted Strong Ground Motions. **2018**, 18, 4_38-4_54
- 428 Characterized Seismic Source Model for the 2016 Central Tottori Earthquake using Empirical Green's Function Method. **2018**, 18, 2_51-2_61 2
- 427 STRONG GROUND MOTION EVALUATION AT AFTER SHOCK OBSERVATION SITES DUE TO THE 2016 CENTRAL TOTTORI EARTHQUAKE. **2018**, 74, I_417-I_428
- 426 SOURCE CHARACTERIZATION OF THE 2016 CENTRAL TOTTORI PREFECTURE EARTHQUAKE USING THE EMPIRICAL GREEN'S FUNCTION METHOD. **2018**, 74, I_497-I_507 1
- 425 Prediction of Peak Ground Acceleration Generated from the 2017 Pohang Earthquake. **2018**, 22, 211-217 3
- 424 Ğnakkale-Ayvack Deprem EtkinliĐİksel Glemleri ve DeĐlendirmeleri. **2018**, 4, 1-13
- 423 Microseismic interpretation: From dots to the bigger picture. **2018**,
- 422 Generation of infrasonic signals during earthquakes under Lake Hovsgool (Northern Mongolia) on December 5, 2014. **2018**, 4, 95-105
- 421 Marmara BĖgesi Orta-KĖ Depremlerinin Mw-ML DĖĐn BaĐıtı. 127-135
- 420 Relationship between Phase Properties, Significant Duration and PGA from the Earthquake Records of Mw 5.5~6.5. **2019**, 23, 55-70
- 419 ESTIMATION OF INHOMOGENEOUS ATTENUATION STRUCTURE, SOURCE PARAMETERS AND SITE AMPLIFICATION BY DIVIDING THE PATH REGION FROM THE SOURCE TO SITES. **2019**, 84, 171-181 1
- 418 Earthquake Source Parameters, Rapid Estimates for Tsunami Forecasts and Warnings. **2019**, 1-35 1
- 417 Development of Simulation Model for the 2017 Pohang Earthquake and Construction of Hazard Map based on its Scenario. **2019**, 19, 289-301
- 416 An Analysis of Intensity Attenuation Characteristics by Physics-based Strong Ground-Motion Simulation. **2019**, 40, 56-67 1
- 415 MetodologĖ para el cĖculo de acelerogramas sintĖticos utilizando funciones de transferencia empĖricas y el mĖtodo estocĖstico de Boore, en la ciudad de Tapachula, Chiapas. **2019**, 58, 189-210

414	A COMPARATIVE STUDY ON EMOTIONAL INTELLIGENCE AND PERSONALITY TRAITS BETWEEN MALE ALCOHOL DEPENDENTS AND NON-ALCOHOLIC MALES. 2019 , 6, 2306-2309	
413	Attenuation tomography using recorded microseismicity in a mine. 2019 ,	
412	Source parameter analysis of microseismicity during hydraulic fracture: Pinning stress distributions within fracture zone. 2019 ,	
411	SOURCE PARAMETERS of STRONG EARTHQUAKES of the EARTH. 2019 , 292-298	1
410	SOURCE PARAMETERS of CRIMEAN-BLACK SEA REGION EARTHQUAKES. 2019 , 299-310	6
409	Peak Ground Velocity Spatial Variability Revealed by Dense Seismic Array in Southern California. 2020 , 125, e2019JB019157	4
408	Extended Slip-Weakening Model and Inference of Rupture Velocity. 2020 , 24, 219-232	1
407	A Comprehensive Search for Repeating Earthquakes in Northern California: Implications for Fault Creep, Slip Rates, Slip Partitioning, and Transient Stress. 2021 , 126, e2021JB022495	2
406	A regionally adaptable ground-motion model for fourier amplitude spectra of shallow crustal earthquakes in Europe. 1	1
405	From Seismic Quiescence to Surged Activity After Decades of Wastewater Disposal: A Case Study in Central-West Alberta, Canada. 2021 , 48, e2021GL095074	1
404	Fine Structure of Microseismic Glacial Stick-Slip. 2021 , 48, e2021GL096043	1
403	Energy Partitioning, Dynamic Fragmentation, and Off-Fault Damage in the Earthquake Source Volume. 2021 , 126, e2021JB022616	1
402	Earthquake Source Theory. 2020 , 1-5	
401	Local and Moment Magnitude Analysis in the Ridgecrest Region, California: Impact on Interevent Ground-Motion Variability. 2021 , 111, 339-355	3
400	SOURCE PARAMETERS of STRONG EARTHQUAKES of the EARTH. 2020 , 244-249	
399	BAIKAL and TRANSBAIKALIA. 2020 , 130-139	1
398	Source and strong-motion characteristics of two M > 6 buried earthquakes in southwest Taiwan. 2020 , 72,	0
397	Seismic Ground Motion Model. 2021 , 25-44	

- 396 Rock mass softening due to damage quantified by microseismicity. **2020**, 371-378
- 395 SPECTRAL and SOURCE PARAMETERS of CRIMEAN-BLACK SEA EARTHQUAKES. **2020**, 250-262 0
- 394 From slab to surface: Earthquake evidence for fluid migration at Uturuncu volcano, Bolivia. **2022**, 577, 117268 2
- 393 Stress drop assessment of the August 8, 2017, Jiuzhaigou earthquake sequence and its tectonic implications. **2020**, 33, 161-176 0
- 392 IMPROVEMENT OF BROADBAND SOURCE MODEL OF THE 2018 HOKKAIDO EASTERN IBURI EARTHQUAKE AND THE SIMULATION OF HORIZONTAL AND VERTICAL STRONG MOTIONS. **2020**, 85, 857-867 2
- 391 An intraslab earthquake at a depth of 100 km in the subducting Cocos plate beneath Nevado de Toluca volcano. **2020**, 59, 5-12
- 390 TECHNICAL TERMINOLOGY OF ASPERITY USED IN THE STRONG MOTION PREDICTION. **2020**, 85, 1533-1543 1
- 389 Microseismic Data Processing. **2020**, 55-122
- 388 INCORPORATING RUPTURE DIRECTIVITY EFFECTS INSIDE SUBFAULTS IN STOCHASTIC GREEN'S FUNCTION METHOD. **2020**, 85, 1145-1155
- 387 A Stochastic Method for Simulating Near-field Seismograms: Application to the 2016 Tottori Earthquake. 2
- 386 Unexpected Directionality of Failures in the 1906 San Francisco Earthquake near Point Reyes Station.
- 385 Moment-duration scaling of Low-Frequency Earthquakes in Guerrero, Mexico.
- 384 Dynamic Frictional Slip Along Rock Faults. **2020**, 142, 2
- 383 Damage Assessment of Inelastic Structures under Simulated Critical Earthquakes. 128-151
- 382 Selection and Scaling Time History Records for Performance-Based Design. 1-35 2
- 381 Pseudo-probabilistic identification of fracture network in seismic clouds driven by source parameters. **2020**, 223, 2066-2084
- 380 Robust Empirical Time-Frequency Relations for Seismic Spectral Amplitudes, Part 2: Model Uncertainty and Optimal Parameterization. **2021**, 111, 193-205 1
- 379 Spectral Inversion for Seismic Site Response in Central Oklahoma: Low-Frequency Resonances from the Great Unconformity. **2021**, 111, 87-100 2

378	Monitoring of seismic processes and physical parameters of earthquake focuses in the Northern Tien Shan. 2020 , 2, 97-108	1
377	Characteristics of Stress Drop and Energy Budget from Extended Slip-Weakening Model and Scaling Relationships. 2020 , 24, 253-266	
376	A Study on Development of an Earthquake Ground-motion Database Based on the Korean National Seismic Network. 2020 , 24, 277-283	
375	Ground motion near causative fault of Kita-Tango earthquake of 1927. 1980 , 13, 49-59	
374	Identification of research needs for improving the aseismic design of building structures. 1976 , 9, 1-31	1
373	A moment-magnitude relation for Hawaii. 1988 , 78, 370-373	13
372	Failure of self-similarity for large ($M > 8.14$) earthquakes. 1988 , 78, 478-488	14
371	Spectral discrimination between NTS explosions and Western United States earthquakes at regional distances. 1988 , 78, 1563-1579	33
370	Seismic wave energy inferred from long-period body wave inversion. 1988 , 78, 1707-1724	48
369	Source spectral characteristics of Miramichi earthquakes: Results from 115 P-wave observations. 1989 , 79, 15-30	7
368	Comment on "Apparent stresses, stress drops, and amplitude ratios of earthquakes preceding and following the 1975 Hawaii $M_S = 7.2$ main shock" by F. R. Züfka, M. Wyss, and M. E. Wilson. 1989 , 79, 1300-1304	2
367	Focal mechanisms of earthquakes related to the 29 November 1975 Kalapana, Hawaii, earthquake: The effect of structure models. 1981 , 71, 713-729	37
366	A mantle wave magnitude for the St. Elias, Alaska, earthquake of 28 February 1979. 1981 , 71, 1143-1159	8
365	Inversion of teleseismic body waves for the moment tensor of the 1978 Thessaloniki, Greece, earthquake. 1981 , 71, 1423-1444	24
364	A numerical study of peak ground motion scaling. 1981 , 71, 1963-1979	12
363	Comments on "The corner frequency shift, earthquake source models, and Q ," by T. C. Hanks. 1982 , 72, 1427-1432	6
362	Reply to "Comments on 'The corner frequency shift, earthquake source models, and Q '" 1982 , 72, 1433-1444	5
361	Upper bounds on near-source peak ground motion based on a model of inhomogeneous faulting. 1982 , 72, 1825-1841	14

360	Source parameters and scaling laws of the 1978 Swabian Jura (southwest Germany) aftershocks. 1983 , 73, 1321-1343	26
359	Microearthquakes and the nature of the creeping-to-locked transition of the San Andreas fault zone near San Juan Bautista, California. 1984 , 74, 235-254	11
358	On the determination of radiated seismic energy and related source parameters. 1984 , 74, 395-415	3
357	Variations of apparent stresses and stress drops prior to the earthquake of 6 May 1984 (mb = 5.8) in the Adak Seismic Zone. 1984 , 74, 2577-2592	16
356	On strong ground motion estimates based on models of the radiated spectrum. 1985 , 75, 641-649	14
355	Characteristics of the aftershock sequence of the Borah Peak, Idaho, earthquake determined from digital recordings of the events. 1985 , 75, 1265-1284	28
354	An earthquake detector employing frequency domain techniques. 1985 , 75, 1827-1835	16
353	A nomograph to calculate source radius and stress drop from corner frequency, shear velocity, and seismic moment. 1987 , 77, 264-265	1
352	Spectral scaling of earthquakes in the Miramichi region of New Brunswick. 1987 , 77, 347-365	35
351	Lg attenuation and source studies using 1982 Miramichi data. 1987 , 77, 384-397	70
350	Source characteristics of earthquakes in the Michoacan seismic gap in Mexico. 1987 , 77, 1326-1346	39
349	Microseismic analysis to aid gas reservoir characterization. 2022 , 219-242	
348	3 Aralık 2020 Siirt-Kurtalan Depremi (Mw5.1) Kaynak Parametreleri ve Fay Özelliklerinin Araştırılması, Gölge Doğu Anadolu. 2021 , 21, 1210-1222	
347	Microseismic Technology. 2021 , 272-317	
346	Constraints on near-source saturation models for avoiding over-saturation of response spectral ordinates in RVT-based stochastic ground-motion simulations. 1	0
345	ESOPA: a GUI-based MATLAB platform for estimation of earthquake spectral source parameters, inelastic attenuation, high-frequency decay kappa, and fmax-model. 2021 , 14, 1	
344	Characteristics of the Vertical and Horizontal Response Spectra of Earthquakes in the Jeju Island Region. 2021 , 11, 10690	1
343	Crustal Seismic Attenuation of the Central United States and Intermountain West. 2021 , 126, e2021JB022097	1

- 342 Source process of the September 21, 2020 Mw 5.6 Bystraya earthquake at the South-Eastern segment of the main Sayan fault (Eastern Siberia, Russia). **2021**, 229162 1
- 341 Fluid-injection-induced earthquakes characterized by hybrid-frequency waveforms manifest the transition from aseismic to seismic slip. **2021**, 12, 6862 7
- 340 Simultaneous estimation of site response and source parameters of reservoir-triggered earthquakes using data from the borehole seismic network in the Koyna-Warna seismic zone, Maharashtra, India. 1
- 339 Stress drops of hydraulic fracturing induced microseismicity in the Horn River basin: Challenges at high frequencies recorded by borehole geophones. 0
- 338 Depth-dependent free surface effect to predict ground motion at depth for the design of underground structures. **2021**, 14, 1
- 337 Fast and Robust Earthquake Source Spectra and Moment Magnitudes from Envelope Inversion.
- 336 A source and ground motion study of earthquakes in and near Delhi (the National Capital Region), India. **2021**, 1-21 0
- 335 Determination of Source, Site, and Path Effects of Mw = 7.3, 2017 Sarpol-e Zahab Using a Non-Parametric Generalized Inversion Technique. 1
- 334 Features of Different Types of Seismic Events in China's Capital Region. **2021**, 34, 1-18 0
- 333 OUP accepted manuscript. 0
- 332 Rupture properties and safety assessment of raw coal specimen rupture process under true triaxial hydraulic fracturing based on the source parameters and magnitude. **2022**, 158, 661-673 0
- 331 Strong Motion Modelling of the 1999 Izmit Earthquake Using Site Effect in a Semi-Empirical Technique: A More Realistic Approach. **2022**, 179, 483 0
- 330 Discrimination Between Small Earthquakes and Quarry Blasts in Egypt Using Spectral Source Characteristics. **2022**, 179, 599 2
- 329 Site Response Analysis of Anchorage, Alaska Using Generalized Inversions of Strong-Motion Data (2004-2019). **2022**, 179, 499
- 328 Ground motion simulations in Quito (Ecuador) due to major earthquakes from the subduction zone. 0
- 327 Estimation of High frequency Decay Factor to Simulate Earthquake Ground Motion for Indo-Gangetic Plain. 1
- 326 An Updated Corner-Frequency Model for Stochastic Finite-Fault Ground-Motion Simulation. 0
- 325 Lateral variations in crustal Lg attenuation in and around the Hangay Dome, Mongolia. **2022**, 111, 591 2

324	Comparison of the Dynamic and Static Corner Frequencies in Ground Motion Simulation: Cases Study of Jiuzhaigou Earthquake and Northridge Earthquake. 2022 , 9,	1
323	ADE-Net: A Deep Neural Network for DAS earthquake detection trained with a Limited Number of Positive Samples. 2022 , 1-1	1
322	Determination of characteristics of the microearthquakes occurring in Lesser and Higher Himalaya India. 1	
321	Artificial Water Reservoir-Triggered Seismicity (RTS): Most Prominent Anthropogenic Seismicity. 1	3
320	A Source Physics Interpretation of Nonself-Similar Double-Corner-Frequency Source Spectral Model JA19_2S.	0
319	Modelling of 2016 Kumamoto earthquake by integrating site effect in semi-empirical technique. 2022 , 111, 1931	
318	Source properties of the 2019 ML6.3 Hualien, Taiwan, earthquake, determined by the local strong motion networks.	0
317	Frictional and Lithological Controls on Shallow Slow Slip at the Northern Hikurangi Margin. 2022 , 23,	1
316	A Physical ground for the scaling of Peak Ground Acceleration (PGA) with the integral of squared velocity ($\int V_p$ and its potential for Earthquake Early Warning. 2022 , 2162, 012018	
315	Host-region parameters for an adjustable model for crustal earthquakes to facilitate the implementation of the backbone approach to building ground-motion logic trees in probabilistic seismic hazard analysis. 875529302110632	2
314	Near-source magnitude scaling of spectral accelerations: analysis and update of Kotha et al. (2020) model. 2022 , 20, 1343-1370	2
313	Can site effects be estimated with respect to a distant reference station? Performance of the spectral factorization of coda waves.	
312	Kudara Earthquake of September 12, 2020 (MW = 5.5) on Lake Baikal: Results of Instrumental and Macroseismic Observations. 2022 , 58, 86-98	1
311	GITEC: A Generalized Inversion Technique Benchmark.	0
310	Empirical model for frequency content estimation of strong ground motion records of Iran. 2022 , 297, 106526	0
309	Seismic fragility of approach backfill differential settlement for statewide bridges in California. 2022 , 153, 107049	
308	Empirical frequency content models based on intermediate-depth earthquake ground-motions. 2022 , 155, 107173	0
307	Deep fault slip characteristics in the Xianshuihe-Anninghe-Daliangshan Fault junction region (eastern Tibet) revealed by repeating micro-earthquakes. 2022 , 227, 105115	2

306	Occurrences of low-stress drop earthquakes in the eastern Ladakh-Karakoram zone of the Trans Himalaya and their tectonic implications. 2022 , 7, 100080	
305	Spectral analysis of subduction zone earthquakes for coastal stations and applications to stochastic finite-fault simulation method.	0
304	Spatial Coherency Model Considering Focal Mechanism Based on Simulated Ground Motions. 2022 , 14, 1989	
303	Exploring the Effects of Emplacement Conditions on Explosion P/S Ratios across Local to Regional Distances.	0
302	Stress estimates for the San Fernando, California, earthquake of February 9, 1971: Main event and thirteen aftershocks. 1972 , 62, 721-750	46
301	Tectonic stress and the source mechanism of the Imperial Valley, California, earthquake of 1940. 1972 , 62, 1283-1302	29
300	Stick-slip propagation velocity and seismic source mechanism. 1972 , 62, 1621-1628	36
299	Determination of source parameters of small earthquakes from P-wave rise time. 1973 , 63, 599-614	19
298	Aftershocks and source characteristics of the 1969 Coyote Mountain earthquake, San Jacinto Fault zone, California. 1973 , 63, 647-661	20
297	Surface-wave attenuation and crustal anelasticity in Central North America. 1973 , 63, 1057-1071	34
296	Comparison of earthquake and microtremor ground motions in El Centro, California. 1973 , 63, 1227-1253	40
295	Teleseismic p-wave transmission through slabs. 1973 , 63, 1349-1373	81
294	Stress drop and aftershocks. 1973 , 63, 1433-1446	33
293	Corner frequencies of P and S waves and models of earthquake sources. 1973 , 63, 2091-2104	81
292	Earthquake modeling by stick-slip along pre-cut surfaces in stressed foam rubber. 1973 , 63, 2105-2119	35
291	Generalized ray theory for shear dislocations. 1974 , 64, 45-64	100
290	On the ratio of P-wave to S-wave corner frequencies for shallow earthquake sources. 1974 , 64, 1159-1180	49
289	Time functions appropriate for deep earthquakes. 1974 , 64, 1419-1427	13

288	Strong ground motion of the San Fernando, California, earthquake: Ground displacements. 1975 , 65, 193-225	54
287	Preliminary empirical model for scaling Fourier Amplitude Spectra of strong ground acceleration in terms of earthquake magnitude, source-to-station distance, and recording site conditions. 1976 , 66, 1343-1373 ⁸⁹	89
286	The far-field spectrum of the displacement generated by a sudden SH crack. 1976 , 66, 1427-1439	6
285	Reflection and refraction of type-II S waves in elastic and anelastic media. 1977 , 67, 43-67	87
284	Earthquake modeling in a homogeneous half-space. 1978 , 68, 301-316	13
283	Preliminary analysis of the spectral content of P and S waves from local earthquakes in the Garm, Tadjikistan region. 1978 , 68, 949-971	59
282	Microtremor sequences and tilting in a deep mine. 1978 , 68, 1679-1697	9
281	Source parameters of the Volvi-Langadh earthquake of June 20, 1978 deduced from body-wave spectra at stations Uppsala and Kiruna. 1979 , 69, 1289-1294	10
280	Validating predicted site response in sedimentary basins from 3D ground motion simulations. 875529302110731	
279	Modelling of Moment Tensors and Source Parameters of the 25 July 2021 Rare Lower Crustal Hyderabad (India) Earthquake of Mw 3.9. 2022 , 179, 993	
278	New conditional, scenario-based, and traditional peak ground velocity models for interface and intraslab subduction zone earthquakes. 875529302110678	0
277	RUPTURE DIRECTIVITY AND SHORT-PERIOD SPECTRAL LEVEL OF MODERATE-SIZED INTRASLAB AND INTERPLATE EARTHQUAKES OFF THE COAST OF FUKUSHIMA PREFECTURE. 2022 , 87, 263-273	2
276	Quadratic Stress Drop Model of the 2013 Mw 6.6 Lushan Earthquake and Aftershocks Triggered by Blind Thrust Events. 1	
275	The 17 July 2013 Hammam Melouane earthquake: observations and analysis of geological and seismological data. 1	0
274	Foreshock Activity Promoted by Locally Elevated Loading Rate on a 4-m-Long Laboratory Fault. 2022 , 127,	0
273	Microseismic Monitoring, Event Location, and Focal Mechanisms at the Illinois BasinâDecatur Project, Decatur, Illinois, USA. 2022 , 321-341	
272	ANALYSIS OF THE SEISMIC AND IONOSPHERIC EFFECTS OF THE KUDARINSKY EARTHQUAKE ON DECEMBER 9, 2020.	1
271	Variability in Kappa (κ): Contributions from the Computation Procedure. 2022 ,	1

270	Experimental and Numerical Study on the Anchorage Effect of Bolted Jointed Rock Masses. 2022 , 10,	1
269	Site Amplifications from Earthquake Data and VS30 in the Fort Worth Basin, Texas.	
268	A review of near-surface QS estimation methods using active and passive sources. 1	0
267	Induced-seismicity geomechanics for controlled CO2 storage in the North Sea (IGCCS). 2022 , 115, 103614	1
266	Source Properties of Hydraulic-Fracturing-Induced Earthquakes in the Kiskatinaw Area, British Columbia, Canada. 2022 , 127,	1
265	Estimation of source parameters and scaling relations for local earthquakes of Lohit Valley in Arunachal Himalaya, Northeast India.	1
264	Calculation of maximum earthquake accelerations in a semi-empirical way for southern Gulf of California extensional province, Mexico. 1	
263	How Low Should We Alert? Quantifying Intensity Threshold Alerting Strategies for Earthquake Early Warning in the United States. 2022 , 10,	0
262	REVIEW OF SOURCE MODELS FOR REPRODUCING AND PREDICTING STRONG MOTIONS BY EMPIRICAL GREEN'S FUNCTION METHOD. 2022 , 87, 350-361	
261	Subduction earthquakes controlled by incoming plate geometry: The 2020 M > 7.5 Shumagin, Alaska, earthquake doublet. 2022 , 584, 117447	2
260	Temporal evolution of radiated energy to seismic moment scaling during the preparatory phase of the Mw 6.1, 2009 L'Aquila earthquake (Italy).	1
259	The Influence of a Transitional Stress Regime on the Source Characteristics of Induced Seismicity and Fault Activation: Evidence from the 30 November 2018 Fort St. John ML 4.5 Induced Earthquake Sequence.	0
258	Stress Drop Variations of Induced Earthquakes near the Dallas-Fort Worth Airport, Texas. 2022 , 2, 68-77	
257	Scaling properties of seismicity and faulting. 2022 , 584, 117511	2
256	Resolving Differences in the Rupture Properties of M5 Earthquakes in California Using Bayesian Source Spectral Analysis. 2022 , 127,	1
255	Triggered Seismicity in a Flooded Former Coal Mining Basin (Gardanne Area, France). 1	0
254	Parameter estimation for predicting near-fault strong ground motion and its application to Lushan earthquake in China. 2022 , 156, 107223	1
253	Time domain probabilistic seismic risk analysis using ground motion prediction equations of Fourier amplitude spectra. 2022 , 157, 107218	0

252	SPECTRAL and FOCAL PARAMETERS of NORTHERN CAUCASUS EARTHQUAKES in 2015. 2021 , 237-244	0
251	SOURCE PARAMETERS of CRIMEAN-BLACK SEA EARTHQUAKES in 2015. 2021 , 226-236	0
250	Coalescence Microseismic Mapping for Distributed Acoustic Sensing (DAS) and Geophone Hybrid Array. 2021 , 161-173	
249	Damping Modification Factor of Acceleration Response Spectrum considering Seismological Effects. 1-24	0
248	Spatiotemporal Evolution of Ground-Motion Intensity at the Irpinia Near-Fault Observatory, Southern Italy. 2022 , 112, 243-261	1
247	ESTIMATION OF SOURCE, PATH AND SITE EFFECTS OF THE KYUSHU REGION. 2021 , 86, 1597-1606	
246	Surface strong motion associated with a stick-slip event in a foam rubber model of earthquakes. 1975 , 65, 1059-1071	10
245	Slip-Related High-Frequency Scaling Factor for Stochastic Finite-Fault Modeling of Ground Motion.	1
244	Characterized source model of the 2013 Lushan earthquake (Mw 6.6) by the empirical Green's function method. 2022 , 74,	
243	Rapid characterization of large volcanic eruptions: measuring the impulse of the Hunga Tonga Ha'apai explosion from teleseismic waves.	12
242	Testing Earthquake Nucleation Length Scale with Pawnee Aftershocks.	
241	A Generic Model of Global Earthquake Rupture Characteristics Revealed by Machine Learning. 2022 , 49,	1
240	Low-Noise Optical Accelerometers: Bridging the Gaps among Geophones, Accelerometers, and Broadbands in a Deep Borehole.	
239	Data_Sheet_1.docx. 2020 ,	
238	Data_Sheet_2.docx. 2020 ,	
237	Source Characteristics and Triggering of Seismicity at the Geothermal Doublet of the Balmatt Site (Mol, Belgium).	
236	Source and Path Characteristics of Chamoli Region, India. 2022 , 187-190	
235	Equivalence between δ Source Time Functions and Those Proposed from Dynamic Finite-Source Modeling.	0

234	Near-Source Attenuation and Spatial Variability of the Spectral Decay Parameter Kappa in Central Italy.	0
233	Long-term triggered seismicity on the Mosha fault by Damavand Volcano, N-Iran, Implications on the seismic hazard of Tehran metropolis.	
232	Stress drop variations of triggered earthquakes at KoynaâWarna, western India: A case study. 2022 , 131, 1	
231	Path Attenuation and Source Characteristics during the 2019 Sichuan Changning Earthquake Sequence in China. 2022 , 2022, 1-11	
230	A strength inversion origin for non-volcanic tremor.. 2022 , 13, 2311	
229	ESTIMATION OF SOURCE PARAMETERS, LOCAL ATTENUATION STRUCTURE, AND SITE EFFECTS USING TWO-STEP SPECTRAL INVERSION METHOD. 2022 , 87, 487-497	
228	Temporal Changes in Seismic Velocity and Attenuation at The Geysers Geothermal Field, California, From Double-Difference Tomography. 2022 , 127,	0
227	Multistage Nucleation of the 2021 Yangbi M S 6.4 Earthquake, Yunnan, China and Its Foreshocks. 2022 , 127,	1
226	High-Frequency Rupture Processes of the 2014 Mw'8.2 Iquique and 2015 Mw'8.3 Illapel, Chile, Earthquakes Determined from Strong-Motion Recordings.	0
225	0-5'Hz deterministic 3D ground motion simulations for the 2014 La Habra, California, Earthquake.	0
224	Topographic Response to Simulated Mw'6.5â7.0 Earthquakes on the Seattle Fault.	0
223	Rise time of the 2018 MW 6.4 Hualien earthquake revealed by source time functions: A restrictive estimation of static stress drop. 2022 , 327, 106878	0
222	The spectral theory of seismic sources. 1973 , 63, 1133-1144	35
221	Source mechanisms of microearthquakes associated with underground mines in eastern Utah. 1974 , 64, 1295-1317	16
220	Near-field observations and source parameters of central California earthquakes. 1974 , 64, 1855-1886	29
219	Shear-wave attenuation along the San Andreas fault zone in central California. 1975 , 65, 439-459	25
218	A non-ergodic ground-motion model of Fourier amplitude spectra for France.	1
217	A dislocation model for the Parkfield earthquake. 1974 , 64, 671-686	18

216	From antimoment to moment: Plane-strain models of earthquakes that stop. 1975 , 65, 163-182	10
215	The high-frequency signature of slow and fast laboratory earthquakes.	0
214	The cascading foreshock sequence of the Ms 6.4 Yangbi Earthquake in Yunnan, China. 2022 , 591, 117594	1
213	Seismogenic Patches in a Tectonic Fault Interface. 2022 , 10,	0
212	Spatiotemporal Variability of Earthquake Source Parameters at Parkfield, California, and Their Relationship With the 2004 M6 Earthquake. 2022 , 127,	0
211	Site Amplification at High Spatial Resolution from Combined Ambient Noise and Earthquake Recordings in Sion, Switzerland.	1
210	Evaluation of the Event Detection Level of the Cuban Seismic Network.	
209	A theory for pressure radiation from ocean-bottom earthquakes. 1971 , 61, 707-721	0
208	A note on discrepancies between local magnitude (ML) and microearthquake magnitude scales. 1973 , 63, 315-319	0
207	Fault parameters determined by near- and far-field data: The Wakasa Bay earthquake of March 26, 1963. 1974 , 64, 1369-1382	16
206	Variations of strong earthquake ground shaking in the Los Angeles area. 1974 , 64, 1429-1454	4
205	Variation of source properties: The Inangahua, New Zealand, aftershocks of 1968. 1975 , 65, 261-276	6
204	Source dimensions of two deep earthquakes estimated from aftershocks and spectra. 1975 , 65, 403-409	2
203	A comprehensive study of long-period (20 to 200 seconds) earth noise at the high-gain worldwide seismograph stations. 1975 , 65, 1827-1862	9
202	P-wave spectra of nevada test site events at near and very near distances: Implications for a near-regional body wave-surface wave discriminant. 1976 , 66, 803-825	4
201	Time-domain determination of earthquake fault parameters from short-period P-waves. 1976 , 66, 1459-1484	2
200	Scaling northeastern United States/southeastern Canadian earthquakes by their Lg waves. 1976 , 66, 1525-1537	19
199	The role of the shear mach number in earthquake source dynamics. 1976 , 66, 1787-1799	4

198	Two-parameter scaling of source spectra: Love waves from deep-focus Bonin Islands earthquakes. 1977 , 67, 285-300	0
197	Source parameters of moderate size earthquakes and the importance of receiver crustal structure in interpreting observations of local earthquakes. 1977 , 67, 301-313	6
196	A study of northeastern North American spectral moments, magnitudes, and intensities. 1977 , 67, 599-614	29
195	Spectral characteristics of the P codas of Eurasian earthquakes and explosions. 1977 , 67, 1153-1171	4
194	Source mechanism and surface-wave attenuation studies for Tibet earthquake of July 14, 1973. 1979 , 69, 737-750	7
193	Horizontal particle velocity and its relation to magnitude in the Western United States. 1979 , 69, 2037-2061	2
192	Study of the characteristics of strong-motion Fourier spectra on bedrock. 1979 , 69, 2101-2115	0
191	The 28 April 2021 Kopili Fault Earthquake (Mw 6.1) in Assam Valley of North East India: Seismotectonic Appraisal.	0
190	Improved stress drop estimates for M 1.5 to 4 earthquakes in Southern California from 1996 to 2019.	1
189	Seismological and engineering characteristics of strong motion data from 24 and 26 September 2019 Marmara Sea earthquakes.	1
188	Implications for fault locking south of Jakarta from an investigation of seismic activity along the Baribis fault, northwestern Java, Indonesia. 2022 , 12,	1
187	Interplate Slip Rate Variation Between Closely Spaced Earthquakes in Southern Mexico: The 2012 Ometepepec and 2018 Pinotepa Nacional Thrust Events. 2022 , 127,	
186	Extension of aseismic slip propagation theory to slow earthquake migration.	
185	A Small CO ₂ Leakage May Induce Seismicity on a Sub-Seismic Fault in a Good-Porosity Clastic Saline Aquifer. 2022 , 49,	0
184	Variability of Spectral Estimates of Stress Drop Reconciled by Radiated Energy.	1
183	Source Characteristics and Path Attenuation for the Yangbi, China Seismic Sequence in 2021.	
182	An alternative method to evaluate earthquake detection from synthetic Wood-Anderson seismograms: an application in Italy.	
181	Analysis of the spatio-temporal evolution of the Maurienne swarm (French Alps) based on earthquake clustering.	1

- 180 Machine learning of source spectra for large earthquakes. **2022**, 231, 692-702
- 179 Finite-fault stochastic simulation of the 2008 Iwate-Miyagi Nairiku, Japan, earthquake.
- 178 Low-frequency Earthquakes in the Continental Plate and Their Seismological and Tectonic Implications. **2022**, 131, 289-315
- 177 Spectral decomposition of S-waves in investigating regional dependent attenuation and improving site amplification factors: A case study in western Greece.
- 176 S-Wave Attenuation Variation and its Impact on Ground Motion Amplitudes During 2016â2017 Central Italy Earthquake Sequence. 10, 0
- 175 Aseismic Fault Slip During a Shallow Normal-Faulting Seismic Swarm Constrained Using a Physically Informed Geodetic Inversion Method. **2022**, 127, 2
- 174 Radiated seismic energy from the 2021 ML 5.8 and ML 6.2 Shoufeng (Hualien), Taiwan, earthquakes and their aftershocks. **2022**, 33, 0
- 173 What to expect when you're expecting earthquake early warning. 0
- 172 Distinguishing Unique Earthquakes with Overlapping Signals in Oklahoma.
- 171 A Python Code for Detecting True Repeating Earthquakes from Self-Similar Waveforms (FINDRES).
- 170 Natural and Anthropogenic Sources of Seismic, Hydroacoustic, and Infrasonic Waves: Waveforms and Spectral Characteristics (and Their Applicability for Sensor Calibration). 0
- 169 Radiated Seismic Energy and Source Damage Evolution from analysis of simulated dynamic rupture and far-field seismograms. 0
- 168 Source scaling comparison and validation in central Italy: data intensive direct S-waves versus the sparse data coda envelope methodology.
- 167 Near-Real-Time Strong Motion Acquisition at National Scale and Automatic Analysis. **2022**, 22, 5699
- 166 On the Limitations of Spectral Source Parameter Estimation for Minor and Microearthquakes. 0
- 165 Data Management and Processing in Seismology: An Application of Big Data Analysis for the Doublet Earthquake of 2021, 03 March, Elassona, Central Greece. **2022**, 12, 7446
- 164 An embedded ultrasonic sensor for monitoring acoustic emissions in laboratory earthquake experiments. **2022**, 111800 0
- 163 Spectral characteristics of P-and S-wave quarry blasts in Aswan region, South Egypt. **2022**, 104712

- 162 Brittle faulting at elevated temperature and vanishing effective stress.
- 161 Hybrid broadband ground-motion simulation validation of small magnitude active shallow crustal earthquakes in New Zealand. 875529302211092
- 160 A 1D Spring-Slider Model with a Simple Poly-Linear Failure Law Produces Rich Variations in Slip Behavior. 1
- 159 Propagation path tracing of hydraulically created fractures based on microseismic monitoring. 10,
- 158 Stress Drop Estimates for Small to Moderate Earthquakes in Tohoku, Japan Considering Rupture Geometry, Speed, and Directivity. **2022**, 127,
- 157 Discrete Fault Models. 0
- 156 Moment magnitude estimation using Iran strong motion data.
- 155 An updated stochastic finite fault modeling: Application to the Mw 6.0 earthquake in Jiashi, China. **2022**, 162, 107450 1
- 154 The envelopes of acceleration time histories. **1993**, 83, 1095-1114 3
- 153 Modeling of rupture using strong motion generation area: a case study of Hualien earthquake (Mw 6.1) occurred on April 18, 2019. 0
- 152 Source Parameters of the Mw 5.7 Pica Crustal Earthquake in Northern Chile. 0
- 151 Optimization of local scale seismic networks applied to geothermal fields. The case of the Acoculco caldera, Mexico. **2022**, 119, 103995 0
- 150 Hard as a Rock? Reconsidering Rock-Site Seismic Response and Reference Ground Motions. **2022**, 47-61 0
- 149 The seismic network of Ischia island from 1993 to 2021. **2022**, 519, 0
- 148 Determination and application of path duration of seismic ground motions based on the K-NET data in Sagami Bay, Japan. **2022**, 35, 263-279 0
- 147 Rupture Directivity of the 2021 M W 6.0 Yangbi, Yunnan Earthquake. **2022**, 127, 0
- 146 A Method for Predicting Hybrid Source Model of Near-Field Ground Motion: Application to Yangbi Earthquake in China. 0
- 145 Stress drops of intermediate-depth and deep earthquakes in the Tonga slab. 0

- 144 Improvement of Stochastic Green's Function Method for 3D Broadband Ground-Motion Simulation. 0
- 143 Amplification and Attenuation Due to Geologic Conditions in the Sichuan Basin, Central China. 0
- 142 Long-term triggered seismicity on the Mosha fault by Damavand volcano, Iran: Implications on the seismic hazard of Tehran metropolis. 10, 1
- 141 Classification of earthquakes, explosions and mining-induced earthquakes based on XGBoost algorithm. 2022, 105242 2
- 140 Blind broad-band (0.01-10 Hz) numerical prediction of the 3-D near field seismic response of an MW6.0 extended fault scenario: application to the nuclear site of Cadarache (France). 2022, 232, 581-600 0
- 139 Microseismic Constraints on the Mechanical State of the North Anatolian Fault Zone 13 Years After the 1999 M7.4 Izmit Earthquake. 2022, 127, 0
- 138 A Source Study of the Mw 7.0 Acapulco, Mexico, Earthquake of 8 September 2021. 0
- 137 Empirical shaking scenarios for Europe: a feasibility study. 0
- 136 A Long-Term Earthquake Catalog for the Endeavour Segment: Constraints on the Extensional Cycle and Evidence for Hydrothermal Venting Supported by Propagating Rifts. 0
- 135 The recent seismicity of northern Algeria: the 2006-2020 catalogue. 0
- 134 Linking the scaling of tremor and slow slip near Parkfield, CA. 2022, 13, 0
- 133 Stress dissipation and seismic potential in the central seismic gap of the north-west Himalaya. 2022, 239, 105432 0
- 132 Source characteristics of the 16 June 2020 ML 5.4 earthquake and its significant aftershock sequences, northern Red Sea, Egypt. 2022, 9, 0
- 131 Region- and Site-Specific Measurements of Kappa (κ) and Associated Variabilities for Iran. 0
- 130 New Empirical Equations for Determination of Fourier Amplitude Spectrum of Acceleration. 1-21 0
- 129 Three-dimensional attenuation tomography of Garhwal Himalaya, India obtained from strong motion data. 2022, 131, 0
- 128 Ground motion simulation for the 21 May 2021 Ms 6.4 Yangbi, China, earthquake using stochastic finite-fault method. 875529302211296 0
- 127 A Method to Generate Initial Fault Stresses for Physics-Based Ground-Motion Prediction Consistent with Regional Seismicity. 0

126	Temporal Variation of the Spectral Decay Parameter Kappa Detected before and after the 2016 Main Earthquakes of Central Italy.	0
125	Focal Mechanism of Strong Ground Seismicity Induced by Deep Coal Mining.	0
124	Seismic and tsunamigenic characteristics of a multimodal rupture of rapid and slow stages: The example of the complex 2021-08-12 South Sandwich earthquake.	0
123	Stochastic Semi-Physical Model for Nonstationary Spatially Variable Ground Motions in an Engineering Site. 2022 , 12, 1727	0
122	Nonlinear Earthquake Response of Marine Sediments With Distributed Acoustic Sensing. 2022 , 49,	1
121	Detection of Spatial and Temporal Stress Changes During the 2016 Central Italy Seismic Sequence by Monitoring the Evolution of the Energy Index. 2022 , 127,	0
120	Source parameters of the Fatehjang, Pakistan earthquake M_w 4.1 of 28 August 2020. 2022 , 15,	0
119	First insights to the seismic response of the fractured Carboniferous limestone reservoir at the Balmatt geothermal doublet (Belgium). 2023 , 107, 102585	0
118	Estimation of the finite fault source model for the 2018 Mw7.1 Acari, Peru earthquake using a hybrid simulation prediction approach. 2023 , 164, 107613	0
117	High-frequency attenuation in the crust and upper mantle of the northern Tien Shan. 1999 , 89, 215-238	2
116	Site response for Seattle and source parameters of earthquakes in the Puget Sound Region. 1999 , 89, 468-483	5
115	Generic finite-fault model for ground-motion prediction in eastern North America. 1999 , 89, 608-625	7
114	Fracture Diagnostics. 2019 , 625-655	0
113	Stochastic Mainshock-Aftershock Simulation and Its Applications in Dynamic Reliability of Structural Systems via DPIM. 2023 , 149,	0
112	Regionally adjusted ground motion model: Case study of the ML6.2 (Mw6.4) Petrinja (Croatia) 2020 earthquake. 2022 , 66, 162-186	0
111	Experimental and theoretical investigation of roadway fracture induced by static-blast loading using acoustic emission. 2022 , 106909	0
110	Regional Spectral Characteristics Derived Using the Generalized Inversion Technique and Applications to Stochastic Simulation of the 2021 Mw 6.1 Yangbi Earthquake.	0
109	Characteristics of stress field and crustal kinematics of the southern region of Sichuan-Yunnan block, southern Tibet Plateau. 2022 ,	0

108	High-frequency decay of Fourier spectra of strong motion acceleration and nonlinear site response.	0
107	Study on Evolution Law and the Mechanical Mechanism of Strong Mine Tremors in a Deep Coal Mine. 2022 , 2022, 1-10	1
106	Parametric spectral inversion of seismic source, path and site parameters: application to northeast Italy. 2022 , 232, 1926-1943	0
105	Earthquake Stress Drop for a Circular Crack in an Anisotropic Medium.	0
104	Empirical correlations between a FAS non-ergodic ground motion model and a GIT derived model for Central Italy.	0
103	Filter Equations Compatible with the Point-Source Model for Seismic Acceleration. 1-19	0
102	The fk-Based Direct Exact Stiffness Matrix Method for Broadband Seismogram Synthesis of a Multi-Scale Crustal Structure Due to Finite Fault Kinematic Sources.	0
101	Shallow earthquakes source parameters in the Eastern Sierras Pampeanas of Córdoba, (Argentina): Implications to deep crustal faulting and shortening. 2023 , 121, 104123	0
100	Estimates of regional and local strong motions during the great 1923 Kanto, Japan, earthquake (Ms 8.2). Part 1: Source estimation of a calibration event and modeling of wave propagation paths. 1998 , 88, 183-205	2
99	Calculation of broadband time histories of ground motion: Comparison of methods and validation using strong-ground motion from the 1994 Northridge earthquake. 1999 , 89, 1484-1504	9
98	Aftershocks of an explosively induced mine collapse at White Pine, Michigan. 1999 , 89, 1575-1590	1
97	A spectral analysis of the 21 May 1997, Jabalpur, India, earthquake (Mw = 5.8) and estimation of ground motion from future earthquakes in the Indian shield region. 1999 , 89, 1620-1630	11
96	Attenuation and source properties at the Coso Geothermal Area, California. 1999 , 89, 1606-1619	3
95	A Proposal of the Scaling Relation for the Short-Period Level Associated with the Three-Stage Model of Inland Crustal Earthquakes. 2022 , 22, 5_43-5_59	0
94	Site amplification and rupture velocity in EXSIM and updated EXSIM during the 2017 Mw6.6 Jiuzhaigou, China earthquake.	0
93	Using Artificial Intelligence Methods to Classify Different Seismic Events.	0
92	Source parameters and scaling relations for small earthquakes in mainland Gujarat region of Western Deccan Volcanic Province, India. 2022 , 13, 2925-2948	0
91	Seismic hazard maps and spectra deduced for sustainable urban developments in Kuwait. 2022 , 15,	0

90	Estimates of σ and Effects on Ground Motions in the San Francisco Bay Area.	0
89	Conditional ground-motion model based on RVT spectral moments for converting Fourier amplitude spectra to response spectra.	0
88	Least-squares interferometric migration of microseismic source location with a deblurring filter. 1-67	0
87	BROADBAND SOURCE MODELS OF THE OFF MIYAGI EARTHQUAKES IN MARCH AND MAY, 2021 AND THE RUPTURE DIRECTIONS OF MODERATE-SIZED EARTHQUAKES IN THE SOURCE REGION. 2022 , 87, 1152-1163	0
86	Ground Motion Simulations for the 19 January 2020 Jiashi, China, Earthquake Using Stochastic Finite-Fault Approach. 2022 , 9,	0
85	INTEGRATED MONITORING OF HAZARDOUS GEOLOGICAL PROCESSES IN PRIBAIKALYE: PILOT NETWORK AND FIRST RESULTS. 2022 , 13,	0
84	Frictional sliding of infilled planar granite fracture under oscillating normal stress. 2022 ,	0
83	Using a grid-search approach to validate the Graves&Bitarka broadband simulation method. 2022 , 74,	1
82	Dynamic parameters of weak earthquakes on the southeastern slope of the Baltic Shield. 2022 , 4, 65-78	0
81	Dynamics of thrust faulting: 2D lattice model. 1998 , 88, 1484-1494	3
80	A study of site response in the Longmen Shan and adjacent regions and site response models for the Sichuan Basin. 10,	0
79	Characterizing Multisubevent Earthquakes Using the Brune Source Model.	0
78	Fracture Energy and Breakdown Work During Earthquakes. 2023 , 51,	2
77	Estimation of source parameters and Q from acceleration recorded in the Vatnafjall earthquake in south Iceland. 1998 , 88, 556-563	2
76	Source parameters of injection-induced microearthquakes at 9 km depth at the KTB Deep Drilling site, Germany. 1998 , 88, 815-832	13
75	Source parameters of Koyna earthquakes, India. 1998 , 88, 833-842	8
74	A review of stochastic earthquake ground motion prediction equations for stable regions.	0
73	Magnitude estimation and ground motion prediction to harness fiber optic distributed acoustic sensing for earthquake early warning. 2023 , 13,	0

72	Modeling frictional precursory phenomena using a wear-based rate- and state-dependent friction model in the laboratory. 2023 , 847, 229689	0
71	Estimation of source, path, and site factors of S waves recorded at the S-net sites in the Japan Trench area using the spectral inversion technique. 2023 , 75,	0
70	Sensitivity analysis of moment magnitude (Mw) spectral fitting parameters based on orthogonal design: using aftershocks of the 2019 Mw 6.5 Ambon, Indonesia earthquake.	0
69	Source characteristics of the aftershocks of the Wenchuan and Lushan earthquake sequences in the Longmen-Shan fault zone. 10,	0
68	A suite of broadband physics-based ground motion simulations for the Istanbul region.	1
67	Quantitative Evaluation of the Competing Effects of Wastewater Disposal and Hydraulic Fracturing on Causing Induced Earthquakes: A Case Study of an M3.1 Earthquake Sequence in Western Canada.	0
66	Modulation of Seismic Radiation by Fault-Scale Geology of the 2016 Mw 6.0 Shallow Petermann Ranges Earthquake (PRE) in Central Australia.	0
65	Re-estimation of the location and size of the pre-instrumented 1 September 1803 Garhwal-Himalaya earthquake: Evidence from site characterization and strong motion seismology. 2023 , 237, 104299	0
64	EASOt-AP: An open-source MATLAB package to estimate the seismic moment, rupture radius, and stress-drop of earthquakes from time-dependent P-wave displacements. 2023 , 171, 105293	0
63	FOCAL PARAMETERS of CRIMEAN-BLACK SEA REGION EARTHQUAKES in 2016-2017. 2022 , 242-252	0
62	SPECTRAL and FOCAL PARAMETERS of NORTHERN CAUCASUS EARTHQUAKES in 2016-2017. 2022 , 253-260	0
61	The Cut-Off Frequency of High-Pass Filtering of Strong-Motion Records Based on Transfer Learning. 2023 , 13, 1500	0
60	Quantifying Rupture Characteristics of Microearthquakes in the Parkfield Area Using a High-Resolution Borehole Network.	1
59	Unstable Shear Slip Failure and Seismic Potential Investigation Using DEM in Underground Mining. 2023 , 40, 405-420	0
58	Time Domain Source Parameter Estimation of Natural and Man-Induced Microearthquakes at the Geysers Geothermal Field. 2023 , 16, 1121	0
57	Rapid Near-Field Attenuation of Ground Motion from Shallow Induced Earthquakes, Case Study: Preston New Road, United Kingdom.	0
56	Source parameters and moment tensor inversion of April 11, 2020 (mb=4.4), the significant El-Negalah Earthquake, Matrouh, Egypt. 2023 , 12, 58-71	0
55	Spectral parameters of the ground motions in Caucasian seismogenic zones. 1998 , 88, 1438-1444	3

54	Earthquake source parameters and fault kinematics in the eastern California shear zone. 1998 , 88, 1337-1352	5
53	Study of weak and strong ground motion including nonlinearity from the Northridge, California, earthquake sequence. 1998 , 88, 1411-1425	4
52	Classification of Seismic Events Accompanying Mine Blasting. 2022 , 58, S258-S266	0
51	Earthquake Source Parameters in Zagros Region (Iran) From the Time -Evolutive P-wave Displacement.	0
50	Fault friction under thermal pressurization during large seismic-slip: Numerical analyses and extension of the model of frictional slip. 2023 , 248, 108184	0
49	Evaluation of random-vibration procedures to estimate response spectral ordinates on soft soil sites from fourier amplitude spectra. 2023 , 166, 107776	0
48	Eastward expansion of the Tibetan plateau: Insights from stress drops of the 2021 Ms 6.4 Yangbi, Yunnan and Ms 7.4 Maduo, Qinghai earthquake sequences in China. 11,	0
47	Prevalence of Repeating Earthquakes in the Continental Crust and Subducting Slabs: Triggering of Earthquakes by Aseismic Slip. 2023 , 128,	0
46	Megathrust Stress Drop as Trigger of Aftershock Seismicity: Insights From the 2011 Tohoku Earthquake, Japan. 2023 , 50,	1
45	Nonsystematic Rupture Directivity of Geothermal Energy Induced Microseismicity in Helsinki, Finland. 2023 , 128,	0
44	Spatio-Temporal Evolution of Aftershock and Repeater Source Properties After the 2016 Pedernales Earthquake (Ecuador). 2023 , 128,	0
43	Anomalous Attenuation of High-Frequency Seismic Waves in Taiwan: Observation, Model and Interpretation. 2023 , 128,	1
42	A Long-Term Earthquake Catalog for the Endeavour Segment: Constraints on the Extensional Cycle and Evidence for Hydrothermal Venting Supported by Propagating Rifts. 2023 , 128,	0
41	Seismic and ionospheric disturbances caused by the 3 September 2017 underground nuclear test in North Korea. 2023 ,	0
40	An automatic procedure for earthquake analysis using real-time data. 2023 , 58, 1-18	0
39	Statistical kinematic source models for seismic hazard estimations. 2023 , 15, 37-54	0
38	Source parameter analysis using distributed acoustic sensing â€”an example with the PoroTomo array. 2023 , 233, 2207-2213	0
37	Time-domain source parameter estimation of Mw 3âˆ¼ earthquakes in Japan from a large database of moment-rate functions. 2023 , 234, 243-262	0

- 36 Simulation of earthquake ground motion via stochastic finite-fault modeling considering the effect of rupture velocity. ○
- 35 A Source Model for Earthquakes near the Nucleation Dimension. ○
- 34 Stress Features Inferred From Induced Earthquakes in the Weiyuan Shale Gas Block in Southwestern China. **2023**, 128, ○
- 33 Empirical Green's Function Simulations Toward Site-Specific Ground Motion Prediction for Kopili Fault of NE India. ○
- 32 Kappa model and Coda-Q for Eastern Chotanagpur Plateau region (India). ○
- 31 The Spatio-Temporal Evolution of Rock Failure Due to Blasting under High Stress. **2023**, 13, 2781 ○
- 30 Tectonic stress of northeastern Indian region derived from seismic focal mechanisms and the effect of focal mechanism on stress drop: a comparative analysis with Kachchh intraplate region of India. **2023**, 234, 453-478 ○
- 29 Rupture direction and short-period spectral level of moderate-sized intraslab and interplate earthquakes off the coast of Fukushima prefecture, Japan. **2023**, 6, ○
- 28 Hydrothermal Fluids and Where to Find Them: Using Seismic Attenuation and Anisotropy to Map Fluids Beneath Uturuncu Volcano, Bolivia. **2023**, 50, ○
- 27 COMPARISON OF SHORT-PERIOD SPECTRAL LEVEL OF CRUSTAL EARTHQUAKES IN JAPAN ESTIMATED BY DIFFERENT METHODS. **2023**, 88, 414-425 ○
- 26 Rupture Directivity of the 2019 ML 6.3 Xiulin (Taiwan) Earthquake Estimated by Near-Field Seismograms: Implications for Source Scaling During Faulting. ○
- 25 Mesostructure of a Tectonic Fault Slip Zone. **2023**, 26, 82-92 ○
- 24 Induced Microseismic Event with Strong Rupture Directivity and Superimposed Attenuation Effects. ○
- 23 Identification of fracturing behavior in thermally cracked granite using the frequency spectral characteristics of acoustic emission. **2023**, 118, n/a ○
- 22 Crustal attenuation structure of the Tianshan tectonic belt and its spatiotemporal variations. 11, ○
- 21 A Time-Domain Approach for Accurate Spectral Source Estimation with Application to Ridgecrest, California, Earthquakes. ○
- 20 Assessment of earthquake localization uncertainties for the design of local seismic networks. ○
- 19 Moment and Local Magnitudes Calibration for Earthquakes in the Northwest Caucasus. **2022**, 507, S304-S312 ○

