

# CITATION REPORT

List of articles citing

## Solubility of helium and neon in water and seawater

DOI: 10.1021/je60049a019

Journal of Chemical & Engineering Data, 1971, 16, 235-24

**Source:** <https://exaly.com/paper-pdf/10656010/citation-report.pdf>

**Version:** 2024-04-10

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
390	Dissolved gas saturation anomalies and excess helium in the ocean. <i>Earth and Planetary Science Letters</i> , <b>1971</b> , 10, 289-296	5.3	84
389	The effect of salinity on the solubility of argon in seawater. <b>1971</b> , 18, 225-230		6
388	Dissolved noble gases in the east equatorial and southeast Pacific. <b>1972</b> , 77, 1667-1676		28
387	Paleotemperatures and other hydrological parameters deduced from noble gases dissolved in groundwaters; Jordan Rift Valley, Israel. <i>Geochimica Et Cosmochimica Acta</i> , <b>1972</b> , 36, 1321-1336	5.5	197
386	More on noble gases in Yellowstone National Park hot waters. <i>Geochimica Et Cosmochimica Acta</i> , <b>1973</b> , 37, 515-525	5.5	51
385	Hammat Gader (Israel): Geochemistry of a mixed thermal spring complex. <i>Journal of Hydrology</i> , <b>1973</b> , 18, 289-303	6	27
384	Carbon dioxide in water and seawater: the solubility of a non-ideal gas. <i>Marine Chemistry</i> , <b>1974</b> , 2, 203-215	5.7	2171
383	Neuere Veröffentlichungen. <b>1975</b> , 28, 180-192		
382	Salting coefficients for gases in seawater from scaled-particle theory. <b>1975</b> , 4, 523-534		19
381	Review of marine geochemistry. <b>1975</b> , 13, 554		
380	Excess $^3\text{He}$ in deep water on the East Pacific Rise. <i>Earth and Planetary Science Letters</i> , <b>1975</b> , 26, 125-132	5.3	273
379	Empirical laws for dilute aqueous solutions of nonpolar gases. <b>1976</b> , 64, 689-709		184
378	Hot springs of Rhodesia: Their noble gases, isotopic and chemical composition. <i>Journal of Hydrology</i> , <b>1976</b> , 28, 29-43	6	14
377	An evaluation of the apparent dissociation constants of carbonic acid in seawater. <i>Earth and Planetary Science Letters</i> , <b>1976</b> , 32, 458-467	5.3	27
376	The distribution of $^3\text{He}$ in the western Atlantic ocean. <b>1976</b> , 23, 481-494		18
375	Partition coefficients and solubility measurements of dimethylmercury in fresh and sea water over a temperature range 0-25°C. <b>1976</b> , 11, 99-105		3
374	Tritium-helium dating in the sargasso sea: a measurement of oxygen utilization rates. <b>1977</b> , 196, 291-2		53

373	Mantle helium in the Red Sea brines. <b>1977</b> , 266, 244-246		73
372	Geothermal tracing with atmospheric and radiogenic noble gases. <b>1977</b> , 5, 21-36		34
371	Noble gases in a section across the vapor dominated geothermal field of Larderello, Italy. <b>1978</b> , 117, 262-275		21
370	Seasonal variations of helium, radon, and uranium in lake waters near the Key Lake uranium deposit, Saskatchewan. <b>1978</b> , 10, 153-167		9
369	Hydrological applications of noble gases and temperature measurements in underground water systems: Examples from Israel. <i>Journal of Hydrology</i> , <b>1979</b> , 41, 217-231	6	52
368	Nitrous oxide solubility in water and seawater. <i>Marine Chemistry</i> , <b>1980</b> , 8, 347-359	3.7	1097
367	Helium-3 and manganese at the 21°N East Pacific Rise hydrothermal site. <i>Earth and Planetary Science Letters</i> , <b>1980</b> , 50, 115-127	5.3	109
366	Excess <sup>3</sup> He in the deep water over the Mid-Atlantic Ridge at 26°N: evidence of hydrothermal activity. <i>Earth and Planetary Science Letters</i> , <b>1980</b> , 49, 39-44	5.3	41
365	Helium diffusion and solubility in obsidians and basaltic glass in the range 200-300°C. <i>Earth and Planetary Science Letters</i> , <b>1980</b> , 51, 206-214	5.3	55
364	Controls on pore-fluid concentration of <sup>4</sup> He and <sup>222</sup> Rn and the calculation of <sup>4</sup> He/ <sup>222</sup> Rn ages. <b>1980</b> , 13, 57-75		122
363	Fayetteville, Green Lake, New York: <sup>3</sup> H- <sup>3</sup> He water mass ages and secondary chemical structure <sup>1,2</sup> . <b>1981</b> , 26, 110-122		30
362	SECRETION OF NITROGEN INTO THE SWIMBLADDER OF FISH. II. MOLECULAR MECHANISM. SECRETION OF NOBLE GASES. <b>1981</b> , 161, 440-451		4
361	Gas exchange dependency on diffusion coefficient: Direct <sup>222</sup> Rn and <sup>3</sup> He comparisons in a small lake. <b>1982</b> , 87, 546		40
360	A helium isotope profile of Lake Taupo, New Zealand. <b>1983</b> , 26, 221-225		3
359	The solubility of noble gases in water and in NaCl brine. <i>Geochimica Et Cosmochimica Acta</i> , <b>1983</b> , 47, 503-515	3.5	175
358	Anomalous neon-helium ratios in the Arctic Ocean. <i>Geophysical Research Letters</i> , <b>1983</b> , 10, 1168-1171	4.9	15
357	Dynamics of a geothermal field traced by noble gases: Cerro Prieto, Mexico. <b>1984</b> , 13, 91-102		37
356	Origins of some arseniferous groundwaters in Nova Scotia and New Brunswick, Canada. <i>Journal of Hydrology</i> , <b>1984</b> , 69, 223-257	6	21

- 355 Diffusivity of He and Ar in deep-sea sediments. *Earth and Planetary Science Letters*, **1984**, 70, 61-68 5.3 20
- 354 Helium concentration in the Earth's lower atmosphere. *Geochimica Et Cosmochimica Acta*, **1984**, 48, 1759-1767 5.5 81
- 353 Helium and neon isotope geochemistry of some ground waters from the Canadian Precambrian Shield. *Geochimica Et Cosmochimica Acta*, **1984**, 48, 1973-1985 5.5 107
- 352 References. **1984**, 249-267
- 351 Rates and sources of  $^4\text{He}$  accumulation in groundwater. **1984**, 29, 29-47 43
- 350 Solubilities of chlorofluorocarbons 11 and 12 in water and seawater. **1985**, 32, 1485-1497 43.1
- 349 Groundwater helium surveys in mineral exploration in Australia. **1986**, 25, 309-344 10
- 348 Helium: a new tracer in Antarctic oceanography. **1986**, 321, 233-235 49
- 347 Hydrothermal methane plumes in the Mariana back-arc spreading centre. **1986**, 324, 131-133 59
- 346 Noble gas composition of deep brines from the Palo Duro Basin, Texas. *Geochimica Et Cosmochimica Acta*, **1987**, 51, 73-84 5.5 34
- 345 Methane anomalies in seawater above the Loihi submarine summit area, Hawaii. *Geochimica Et Cosmochimica Acta*, **1987**, 51, 2857-2864 5.5 50
- 344 Excess  $^3\text{He}$  in the ocean surface layer. **1987**, 92, 6559 49
- 343 Measurement of the diffusion coefficients of sparingly soluble gases in water. **1987**, 92, 10767 562
- 342 Tritogenic  $^3\text{He}$  in groundwater in Takaoka. *Earth and Planetary Science Letters*, **1987**, 85, 74-78 5.3 37
- 341 Helium, radon, and hydrothermal circulation associated with the Carnmenellis radiothermal granite of southwest England. **1987**, 92, 12567 10
- 340 A review of Australian experience in the evaluation of helium as a pathfinder in exploration. **1987**, 92, 12595
- 339 Helium in soil gas: a method of mapping groundwater circulation systems in fractured plutonic rock. *Applied Geochemistry*, **1987**, 2, 11-23 3.5 6
- 338 Helium isotope effect and solubility of helium and neon in distilled water and seawater. **1987**, 34, 1139-1148 19

337	Helium-3 balance of the upper layers of the northwestern Weddell sea. <b>1987</b> , 34, 365-377		28
336	Noble gases in hydrothermal plumes of Loihi Seamount. <i>Earth and Planetary Science Letters</i> , <b>1988</b> , 87, 266-272	5.3	17
335	Tritium/ <sup>3</sup> He dating of shallow groundwater. <i>Earth and Planetary Science Letters</i> , <b>1988</b> , 89, 353-362	5.3	217
334	Tritium and helium isotopes as hydrologic tracers in a shallow unconfined aquifer. <i>Journal of Hydrology</i> , <b>1988</b> , 103, 1-9	6	84
333	Xe in amorphous silica: A new thermometer in geothermal systems. <i>Geophysical Research Letters</i> , <b>1988</b> , 15, 657-660	4.9	13
332	Tritium and helium 3 in the northeastern Atlantic Ocean during the 1983 TOPOGULF cruise. <b>1988</b> , 93, 12511		10
331	Noble gas geochemistry in thermal springs. <i>Geochimica Et Cosmochimica Acta</i> , <b>1988</b> , 52, 1919-1928	5.5	29
330	Geochemistry of some gases in hydrothermal fluids from the southern Juan de Fuca Ridge. <b>1988</b> , 93, 15305-15313		78
329	<sup>3</sup> He in the Bransfield Strait waters: indication for local injection from back-arc rifting. <b>1988</b> , 35, 1919-1935		19
328	A new microcalorimetric vessel for dissolution of slightly soluble gases enthalpies of solution in water of carbon tetrafluoride and sulphur hexafluoride at 288.15, 298.15, and 308.15 K. <b>1989</b> , 21, 519-528		21
327	The solubility and isotopic fractionation of gases in dilute aqueous solution. IIa. solubilities of the noble gases. <b>1989</b> , 18, 823-873		80
326	Calculation of the thermodynamic and transport properties of aqueous species at high pressures and temperatures: Standard partial molal properties of inorganic neutral species. <i>Geochimica Et Cosmochimica Acta</i> , <b>1989</b> , 53, 2157-2183	5.5	561
325	Dead Sea gas solubilities. <i>Earth and Planetary Science Letters</i> , <b>1989</b> , 92, 7-10	5.3	15
324	Helium isotopes and CO <sub>2</sub> in volcanic gases of Japan. <i>Chemical Geology</i> , <b>1989</b> , 76, 25-40	4.2	186
323	Ventilation rates of the waters in the Nansen Basin of the Arctic Ocean derived from a multitracer approach. <b>1990</b> , 95, 3265		37
322	Studies of deep water formation and circulation in the Weddell Sea using natural and anthropogenic tracers. <i>Marine Chemistry</i> , <b>1991</b> , 35, 97-122	3.7	66
321	Tritium and helium: 3 as groundwater age tracers in the Borden Aquifer. <b>1992</b> , 28, 741-755		100
320	Helium in deep circulating groundwater in the Great Hungarian Plain: Flow dynamics and crustal and mantle helium fluxes. <i>Geochimica Et Cosmochimica Acta</i> , <b>1992</b> , 56, 2051-2067	5.5	150

319	Geochemical constraints on formation fluid ages, hydrothermal heat flux, and crustal mass transport mechanisms at Cajon Pass. <b>1992</b> , 97, 5031		13
318	Relationship between wind speed and gas exchange over the ocean. <b>1992</b> , 97, 7373		3234
317	Design and performance of a mass spectrometric facility for measuring helium isotopes in natural waters and for low-level tritium determination by the $^3\text{He}$ ingrowth method. <b>1992</b> , 43, 881-91		70
316	A validation of the $^3\text{H}/^3\text{He}$ method for determining groundwater recharge. <b>1993</b> , 29, 2951-2962		108
315	Gas exchange rates in the tidal Hudson river using a dual tracer technique. <b>1994</b> , 46, 274-285		27
314	Dating of shallow groundwater: Comparison of the transient tracers $^3\text{H}/^3\text{He}$ , chlorofluorocarbons, and $^{85}\text{Kr}$ . <b>1994</b> , 30, 1693-1708		157
313	Helium and carbon geochemistry of hydrothermal fluids from the North Fiji Basin spreading ridge (southwest Pacific). <i>Earth and Planetary Science Letters</i> , <b>1994</b> , 128, 183-197	5:3	47
312	Injection of mantle type helium into Lake Van (Turkey): the clue for quantifying deep water renewal. <i>Earth and Planetary Science Letters</i> , <b>1994</b> , 125, 357-370	5:3	68
311	$^3\text{He}$ and methane in Sakurajima Caldera, Kagoshima Bay, Japan. <i>Earth and Planetary Science Letters</i> , <b>1994</b> , 123, 221-226	5:3	10
310	Carbon and helium isotopic ratios at Kusatsu-Shirane Volcano, Japan. <i>Applied Geochemistry</i> , <b>1994</b> , 9, 371-377	5:3	34
309	Use of injected helium as a hydrological tracer. <b>1994</b> , 39, 109-119		6
308	Helium isotopes in South Pacific deep seawater.. <b>1995</b> , 29, 377-384		9
307	Site Characterization Using $^3\text{H}/^3\text{He}$ Ground-Water Ages, Cape Cod, MA. <b>1995</b> , 33, 988-996		69
306	A 30,000 yr Continental Paleotemperature Record Derived from Noble Gases Dissolved in Groundwater from the San Juan Basin, New Mexico. <b>1995</b> , 43, 209-220		102
305	Gas transfer velocities for $\text{SF}_6$ and $^3\text{He}$ in a small pond at low wind speeds. <i>Geophysical Research Letters</i> , <b>1995</b> , 22, 93-96	4:9	33
304	Cooling of Tropical Brazil ( $5^\circ\text{C}$ ) During the Last Glacial Maximum. <b>1995</b> , 269, 379-83		479
303	Dissolved gas tracers in groundwater: Simplified injection, sampling, and analysis. <b>1996</b> , 32, 1635-1642		80
302	$\text{SF}_6/^3\text{He}$ Tracer Release Experiment: A New Method of Determining Longitudinal Dispersion Coefficients in Large Rivers. <b>1996</b> , 30, 1527-1532		51

301	Gas supersaturation in the surface ocean: The roles of heat flux, gas exchange, and bubbles. <b>1996</b> , 43, 569-589		20
300	Fresh water seepage and pore water recycling on the seafloor: Sagami Trough subduction zone, Japan. <i>Earth and Planetary Science Letters</i> , <b>1996</b> , 138, 157-168	5.3	42
299	The helium and carbon isotope systematics of a continental geothermal system: results from monitoring studies at Long Valley caldera (California, U.S.A.). <i>Chemical Geology</i> , <b>1996</b> , 127, 269-295	4.2	124
298	Quantification of gas fluxes from the subcontinental mantle: The example of Laacher See, a maar lake in Germany. <i>Geochimica Et Cosmochimica Acta</i> , <b>1996</b> , 60, 31-41	5.5	64
297	Bottomwater formation due to hydrothermal activity in Frolikh Bay, Lake Baikal, eastern Siberia. <i>Geochimica Et Cosmochimica Acta</i> , <b>1996</b> , 60, 961-971	5.5	29
296	Helium and argon isotopes in rocks, minerals, and related ground waters: A case study in northern Switzerland. <i>Geochimica Et Cosmochimica Acta</i> , <b>1996</b> , 60, 1497-1514	5.5	84
295	Isotope data from Ice Station Weddell: Implications for deep water formation in the Weddell Sea. <b>1996</b> , 101, 25723-25739		87
294	Gravitational Enrichment of $^{84}\text{Kr}/^{36}\text{Ar}$ Ratios in Polar Ice Caps: A Measure of Firn Thickness and Accumulation Temperature. <b>1996</b> , 271, 1708-1710		15
293	Source of radiogenic helium 4 in shallow aquifers: Implications for dating young groundwater. <b>1996</b> , 32, 1805-1813		119
292	A tracer study of the Floridan Aquifer in southeastern Georgia: Implications for groundwater flow and paleoclimate. <b>1997</b> , 33, 281-289		46
291	Recent advances in dating young groundwater: chlorofluorocarbons, and $^{85}\text{Kr}$ . <i>Journal of Hydrology</i> , <b>1997</b> , 191, 245-265	6	157
290	Mantle-derived helium and carbon in groundwaters and gases of Mount Etna, Italy. <i>Earth and Planetary Science Letters</i> , <b>1997</b> , 148, 501-516	5.3	128
289	Tritium/ $^3\text{He}$ Dating of River Infiltration: An Example from the Danube in the Szigetköz Area, Hungary. <b>1997</b> , 35, 905-911		45
288	Effects of hydrothermal processes on the chemical and isotopic composition of mantle-derived gases in SE China. <b>1997</b> , 26, 179-192		6
287	Ground Water Age and Nitrate Distribution Within a Glacial Aquifer Beneath a Thick Unsaturated Zone. <b>1998</b> , 36, 171-180		66
286	Flow of river water into a karstic limestone aquifer. Dating the young fraction in groundwater mixtures in the Upper Floridan aquifer near Valdosta, Georgia. <i>Applied Geochemistry</i> , <b>1998</b> , 13, 1017-1043	3.5	65
285	Dating very old pore waters in impermeable rocks by noble gas isotopes. <i>Geochimica Et Cosmochimica Acta</i> , <b>1998</b> , 62, 3041-3045	5.5	52
284	Noble gases, stable isotopes, and radiocarbon as tracers of flow in the Dakota aquifer, Colorado and Kansas. <i>Journal of Hydrology</i> , <b>1998</b> , 211, 151-167	6	49

283	Distribution of helium and tritium in Lake Baikal. <b>1998</b> , 103, 12823-12838		39
282	Transient tracers in a global OGCM: Source functions and simulated distributions. <b>1998</b> , 103, 15903-15922		11
281	Tritium and CFC input functions for the Weddell Sea. <b>1998</b> , 103, 15923-15937		18
280	Component separation of oceanic helium. <b>1998</b> , 103, 27931-27946		35
279	Seasonal variations in the atmospheric O <sub>2</sub> /N <sub>2</sub> ratio in relation to the kinetics of air-sea gas exchange. <b>1998</b> , 12, 141-163		102
278	Noble gases as natural tracers of water circulation in the Paris Basin: 1. Measurements and discussion of their origin and mechanisms of vertical transport in the basin. <b>1998</b> , 34, 2443-2466		92
277	Infiltration of river water to a shallow aquifer investigated with 3H/3He, noble gases and CFCs. <i>Journal of Hydrology</i> , <b>1999</b> , 220, 169-185	6	103
276	He, Ne, Ar, and C isotope systematics of geothermal emanations in the Lesser Antilles Islands Arc. <i>Geochimica Et Cosmochimica Acta</i> , <b>1999</b> , 63, 515-532	5.5	33
275	Determining paleotemperature and other variables by using an error-weighted, nonlinear inversion of noble gas concentrations in water. <i>Geochimica Et Cosmochimica Acta</i> , <b>1999</b> , 63, 2315-2336	5.5	104
274	Accumulation of mantle gases in a permanently stratified volcanic lake (Lac Pavin, France). <i>Geochimica Et Cosmochimica Acta</i> , <b>1999</b> , 63, 3357-3372	5.5	54
273	Interpretation of dissolved atmospheric noble gases in natural waters. <b>1999</b> , 35, 2779-2792		240
272	The activity coefficients of non-electrolytes in seawater. <i>Marine Chemistry</i> , <b>2000</b> , 70, 5-22	3.7	31
271	Equilibration Times of Gas-Filled Diffusion Samplers in Slow-Moving Ground Water Systems. <b>2000</b> , 20, 60-65		8
270	References. <b>2000</b> , 7, 471-511		
269	Analysis of deep-water exchange in the Caspian Sea based on environmental tracers. <b>2000</b> , 47, 621-654		76
268	Primordial 3He in South Atlantic deep waters from sources on the Mid-Atlantic Ridge. <b>2000</b> , 47, 1059-1075		36
267	Comparison of 4He ages and 14C ages in simple aquifer systems: implications for groundwater flow and chronologies. <i>Applied Geochemistry</i> , <b>2000</b> , 15, 1137-1167	3.5	106
266	Isotope geochemistry of Pantelleria volcanic fluids, Sicily Channel rift: a mantle volatile end-member for volcanism in southern Europe. <i>Earth and Planetary Science Letters</i> , <b>2000</b> , 180, 325-339	5.3	70



265	Sub sea floor boiling of Red Sea brines: new indication from noble gas data. <i>Geochimica Et Cosmochimica Acta</i> , <b>2000</b> , 64, 1567-1575	5.5	37
264	A Mass Spectrometric System for the Analysis of Noble Gases and Tritium from Water Samples. <b>2000</b> , 34, 2042-2050		177
263	Gas transfer experiment on a lake (Kerguelen Islands) using $^3\text{He}$ and $\text{SF}_6$ . <b>2000</b> , 105, 1177-1186		7
262	$^3\text{H}$ and $^3\text{He}$ . <b>2000</b> , 397-424		81
261	Atmospheric Noble Gases. <b>2000</b> , 349-377		40
260	Crustal helium in deep Pacific waters. <b>2001</b> , 106, 14165-14177		17
259	Two-way cluster analysis of geochemical data to constrain spring source waters. <i>Chemical Geology</i> , <b>2001</b> , 179, 73-91	4.2	71
258	A multi-tracer study in a shallow aquifer using age dating tracers $^3\text{H}$ , $^{85}\text{Kr}$ , CFC-113 and $\text{SF}_6$ □ indication for retarded transport of CFC-113. <i>Journal of Hydrology</i> , <b>2001</b> , 248, 14-34	6	63
257	References. <b>2001</b> , 253-280		
256	Volcanic Helium. <b>2001</b> , 3166-3173		2
255	Ground water/surface water interactions in Lake Naivasha, Kenya, using delta $^{18}\text{O}$ , delta D, and $^3\text{H}/^3\text{He}$ age-dating. <b>2001</b> , 39, 526-33		38
254	Deep-water renewal in Lake Issyk-Kul. <i>Geophysical Research Letters</i> , <b>2002</b> , 29, 124-1-124-4	4.9	17
253	Mechanisms controlling the global oceanic distribution of the inert gases argon, nitrogen and neon. <i>Geophysical Research Letters</i> , <b>2002</b> , 29, 35-1-35-4	4.9	64
252	A paleotemperature record derived from dissolved noble gases in groundwater of the Aquia Aquifer (Maryland, USA). <i>Geochimica Et Cosmochimica Acta</i> , <b>2002</b> , 66, 797-817	5.5	103
251	Magma-derived gas influx and water-rock interactions in the volcanic aquifer of Mt. Vesuvius, Italy. <i>Geochimica Et Cosmochimica Acta</i> , <b>2002</b> , 66, 963-981	5.5	106
250	Solute transport in formations of very low permeability: profiles of stable isotope and dissolved noble gas contents of pore water in the Opalinus Clay, Mont Terri, Switzerland. <i>Geochimica Et Cosmochimica Acta</i> , <b>2002</b> , 66, 1311-1321	5.5	104
249	Experimental investigations on the formation of excess air in quasi-saturated porous media. <i>Geochimica Et Cosmochimica Acta</i> , <b>2002</b> , 66, 4103-4117	5.5	77
248	A quadrupole-based mass spectrometric system for the determination of noble gas abundances in fluids. <i>Geochemistry, Geophysics, Geosystems</i> , <b>2002</b> , 3, 1-10	3.6	34

247	Excess helium and neon in the southeast Pacific: Tracers for glacial meltwater. <b>2002</b> , 107, 19-1		45
246	The physical structure and dynamics of a deep, meromictic crater lake (Lac Pavin, France). <b>2002</b> , 487, 111-136		45
245	Dissolved helium and TDS in groundwater from Bhavnagar in Gujarat: Unrelated to seismic events between August 2000 and January 2001. <b>2003</b> , 112, 51-60		3
244	Kinetic Model of Gas Bubble Dissolution in Groundwater and Its Implications for the Dissolved Gas Composition. <b>2003</b> , 37, 1337-1343		104
243	Calibration of regional groundwater flow models: Working toward a better understanding of site-specific systems. <b>2003</b> , 39,		56
242	Helium isotope studies in the Mojave Desert, California: implications for groundwater chronology and regional seismicity. <i>Chemical Geology</i> , <b>2003</b> , 202, 95-113	4.2	48
241	Helium 3 and dissolved oxygen balances in the upper waters of the Weddell Sea: Implications for oceanic heat fluxes. <b>2003</b> , 108,		3
240	Improving noble gas based paleoclimate reconstruction and groundwater dating using $^{20}\text{Ne}/^{22}\text{Ne}$ ratios. <i>Geochimica Et Cosmochimica Acta</i> , <b>2003</b> , 67, 587-600	5.5	69
239	Origin of groundwater helium and temperature anomalies in the Cambay region of Gujarat, India. <i>Chemical Geology</i> , <b>2003</b> , 198, 33-46	4.2	7
238	Contrasting $\text{He}/\text{C}$ relationships in Nicaragua and Costa Rica: insights into C cycling through subduction zones. <i>Earth and Planetary Science Letters</i> , <b>2003</b> , 214, 499-513	5.3	143
237	Changes in isotope ratio and content of dissolved helium through groundwater evolution. <i>Applied Geochemistry</i> , <b>2003</b> , 18, 719-738	3.5	13
236	An additional deep-water mass in Drake Passage as revealed by $^3\text{He}$ data. <b>2003</b> , 50, 1079-1098		42
235	Neon distribution in South Atlantic and South Pacific waters. <b>2003</b> , 50, 721-735		23
234	Helium Isotopes in Pacific Waters from Adjacent Region of Honshu, Japan. <b>2004</b> , 60, 625-630		7
233	Datierung mit der $^3\text{He}$ -Tritium-Methode am Beispiel der Uferfiltration im Oderbruch. <b>2004</b> , 9, 221-234		13
232	Measurement of dissolved neon by isotope dilution using a quadrupole mass spectrometer. <i>Marine Chemistry</i> , <b>2004</b> , 91, 53-64	3.7	26
231	Climate variability in the Botswana Kalahari from the late Pleistocene to the present day. <i>Geophysical Research Letters</i> , <b>2004</b> , 31, n/a-n/a	4.9	50
230	Physical and chemical characterization of gas hydrates and associated methane plumes in the Congo-Angola Basin. <i>Chemical Geology</i> , <b>2004</b> , 205, 405-425	4.2	103

229	Helium sources in passive margin aquifers—New evidence for a significant mantle $^3\text{He}$ source in aquifers with unexpectedly low in situ $^3\text{He}/^4\text{He}$ production. <i>Earth and Planetary Science Letters</i> , <b>2004</b> , 222, 897-913	5.3	37
228	Mechanisms controlling the distribution of helium and neon in the Arctic seas: the case of the Knipovich Ridge. <i>Earth and Planetary Science Letters</i> , <b>2004</b> , 229, 125-139	5.3	5
227	The solubility of neon, nitrogen and argon in distilled water and seawater. <b>2004</b> , 51, 1517-1528		237
226	Age and flow pattern of groundwater in a Jurassic limestone aquifer and related Tertiary sands derived from combined isotope, noble gas and chemical data. <i>Journal of Hydrology</i> , <b>2004</b> , 286, 87-112	6	50
225	Geochemistry, radiocarbon ages, and paleorecharge conditions along a transect in the central High Plains aquifer, southwestern Kansas, USA. <i>Applied Geochemistry</i> , <b>2004</b> , 19, 1655-1686	3.5	90
224	Measurement of Noble Gas Solubility in Seawater Using a Quadrupole Mass Spectrometer. <b>2005</b> , 61, 465-473		21
223	Sources of radiogenic helium in a clay till aquitard and its use to evaluate the timing of geologic events. <i>Geochimica Et Cosmochimica Acta</i> , <b>2005</b> , 69, 475-483	5.5	25
222	Source and movement of helium in the eastern Morongo groundwater Basin: The influence of regional tectonics on crustal and mantle helium fluxes. <i>Geochimica Et Cosmochimica Acta</i> , <b>2005</b> , 69, 3857-3872	5.5	80
221	Characterization of gas chemistry and noble-gas isotope ratios of inclusion fluids in magmatic-hydrothermal and magmatic-steam alunite. <i>Chemical Geology</i> , <b>2005</b> , 215, 155-184	4.2	18
220	Gas geochemistry of a shallow submarine hydrothermal vent associated with the El Requesón fault zone, Bahía Concepción, Baja California Sur, México. <i>Chemical Geology</i> , <b>2005</b> , 224, 82-95	4.2	34
219	Helium transfer from water into quartz crystals: A new approach for porewater dating. <i>Earth and Planetary Science Letters</i> , <b>2005</b> , 238, 31-41	5.3	9
218	Cosmogenic, radiogenic, and stable isotopic constraints on groundwater residence time in the Nubian Aquifer, Western Desert of Egypt. <i>Geochemistry, Geophysics, Geosystems</i> , <b>2005</b> , 6, n/a-n/a	3.6	47
217	Quantifying magmatic, crustal, and atmospheric helium contributions to volcanic aquifers using all stable noble gases: Implications for magmatism and groundwater flow. <i>Geochemistry, Geophysics, Geosystems</i> , <b>2005</b> , 6, n/a-n/a	3.6	41
216	Estimation of groundwater residence time in a geologically active region by coupling $^4\text{He}$ concentration with helium isotopic ratios. <i>Geophysical Research Letters</i> , <b>2005</b> , 32,	4.9	14
215	Helium, radon and radiocarbon studies on a regional aquifer system of the North Gujarat—Cambay region, India. <i>Chemical Geology</i> , <b>2006</b> , 228, 209-232	4.2	15
214	Application of environmental tracers to mixing, evolution, and nitrate contamination of ground water in Jeju Island, Korea. <i>Journal of Hydrology</i> , <b>2006</b> , 327, 258-275	6	68
213	$^{14}\text{C}$ Groundwater Age and the Importance of Chemical Fluxes Across Aquifer Boundaries in Confined Cretaceous Aquifers of North Carolina, USA. <b>2007</b> , 49, 1181-1203		17
212	Effects of surface-water irrigation on sources, fluxes, and residence times of water, nitrate, and uranium in an alluvial aquifer. <i>Applied Geochemistry</i> , <b>2007</b> , 22, 152-174	3.5	51

211	Geochemical implications for the mechanism of deep convection in a semi-closed tropical marginal basin: Sulu Sea. <b>2007</b> , 54, 4-13		13
210	The He/O <sub>2</sub> isotope and relative abundance characteristics of geothermal fluids in El Salvador and Honduras: New constraints on volatile mass balance of the Central American Volcanic Arc. <i>Earth and Planetary Science Letters</i> , <b>2007</b> , 258, 132-146	5.3	61
209	Field experiments yield new insights into gas exchange and excess air formation in natural porous media. <i>Geochimica Et Cosmochimica Acta</i> , <b>2007</b> , 71, 1385-1397	5.5	60
208	Aquifer-scale controls on the distribution of nitrate and ammonium in ground water near La Pine, Oregon, USA. <i>Journal of Hydrology</i> , <b>2007</b> , 333, 486-503	6	54
207	Influence of energetic wind and waves on gas transfer in a large wind-wave tunnel facility. <b>2007</b> , 112,		13
206	Ocean/ice shelf interaction in the southern Weddell Sea: results of a regional numerical helium/neon simulation. <b>2007</b> , 57, 1-11		16
205	Helium isotopes of seawater in the Japan Sea. <b>2008</b> , 64, 293-301		6
204	Investigation of groundwater residence times during bank filtration in Berlin: a multi-tracer approach. <b>2008</b> , 22, 788-801		103
203	Magmatic He distribution around Unzen volcano inferred from intensive investigation of helium isotopes in groundwater. <i>Journal of Volcanology and Geothermal Research</i> , <b>2008</b> , 175, 218-230	2.8	12
202	Identification of processes affecting excess air formation during natural bank filtration and managed aquifer recharge. <i>Journal of Hydrology</i> , <b>2008</b> , 359, 235-246	6	21
201	Helium-4 characteristics of groundwaters from Central Australia: Comparative chronology with chlorine-36 and carbon-14 dating techniques. <i>Journal of Hydrology</i> , <b>2008</b> , 348, 176-194	6	32
200	Venting of a separate CO <sub>2</sub> -rich gas phase from submarine arc volcanoes: Examples from the Mariana and Tonga-Kermadec arcs. <b>2008</b> , 113,		53
199	Experimental and numerical studies on excess-air formation in quasi-saturated porous media. <b>2008</b> , 44,		40
198	Correlation between dissolved <sup>4</sup> He concentration and <sup>36</sup> Cl in groundwater at Bp, Sweden. <i>Applied Geochemistry</i> , <b>2008</b> , 23, 3305-3320	3.5	12
197	Evidence of deep- and bottom-water formation in the western Weddell Sea. <b>2008</b> , 55, 1098-1116		69
196	Thermodynamics background. 63-100		1
195	Groundwater N <sub>2</sub> /O <sub>2</sub> emission factors of nitrate-contaminated aquifers as derived from denitrification progress and N <sub>2</sub> /O <sub>2</sub> accumulation. <i>Biogeosciences</i> , <b>2008</b> , 5, 1215-1226	4.6	71
194	A model for Ischia hydrothermal system: Evidences from the chemistry of thermal groundwaters. <i>Journal of Volcanology and Geothermal Research</i> , <b>2009</b> , 186, 133-159	2.8	49

193	Chemical and isotopic approach to groundwater cycle in western Qaidam Basin, China. <b>2009</b> , 19, 357-364		5
192	Evaluation of noble gas recharge temperatures in a shallow unconfined aquifer. <b>2009</b> , 47, 646-59		26
191	Flow and geochemistry of groundwater beneath a back-barrier lagoon: The subterranean estuary at Chincoteague Bay, Maryland, USA. <i>Marine Chemistry</i> , <b>2009</b> , 113, 78-92	3.7	18
190	Assessment of the long-term safety of radioactive waste disposal: 2. Isotopic study of water exchange in a multilayer system. <b>2009</b> , 36, 345-356		5
189	Helium isotopes in hydrothermal volcanic fluids of the Azores archipelago. <i>Earth and Planetary Science Letters</i> , <b>2009</b> , 281, 70-80	5.3	29
188	The effects of volatile recycling, degassing and crustal contamination on the helium and carbon geochemistry of hydrothermal fluids from the Southern Volcanic Zone of Chile. <i>Chemical Geology</i> , <b>2009</b> , 266, 38-49	4.2	61
187	Impact of recharge variations on water quality as indicated by excess air in groundwater of the Kalahari, Botswana. <i>Geochimica Et Cosmochimica Acta</i> , <b>2009</b> , 73, 911-922	5.5	7
186	Evidence for prolonged El Nino-like conditions in the Pacific during the Late Pleistocene: a 43 ka noble gas record from California groundwaters. <b>2009</b> , 28, 2465-2473		20
185	Helium isotopic fingerprints of the heavy land subsidence left in groundwater of the Saga Plain, near Beppu-Bhimabara graben, Kyushu, Japan. <i>Applied Geochemistry</i> , <b>2009</b> , 24, 438-446	3.5	5
184	Helium transport in sediment pore fluids of the Congo-Angola margin. <i>Geochemistry, Geophysics, Geosystems</i> , <b>2009</b> , 10, n/a-n/a	3.6	12
183	Analysis of long-term dispersion in a river-recharged aquifer using tritium/helium data. <b>2009</b> , 45,		23
182	Helium systematics of cold seep fluids at Monterey Bay, California, USA: Temporal variations and mantle contributions. <i>Geochemistry, Geophysics, Geosystems</i> , <b>2009</b> , 10, n/a-n/a	3.6	10
181	Noble gas constraints on air-sea gas exchange and bubble fluxes. <b>2009</b> , 114,		79
180	Design and deployment of a portable membrane equilibrator for sampling aqueous dissolved gases. <b>2009</b> , 45,		15
179	Comment on Magnetic effect on CO2 solubility in seawater: A possible link between geomagnetic field variations and climate by Alexander Pazur and Michael Winkhofer. <i>Geophysical Research Letters</i> , <b>2009</b> , 36, n/a-n/a	4.9	4
178	Exceptional mixing events in meromictic Lake Lugano (Switzerland/Italy), studied using environmental tracers. <b>2009</b> , 54, 1113-1124		34
177	Helium isotopes of seawater in the Philippine Sea and the western North Pacific. <b>2010</b> , 44, 451-460		6
176	Monitoring of temporal and spatial variations in fumarole helium and carbon dioxide characteristics at Poas and Turrialba volcanoes, Costa Rica (2001-2009). <b>2010</b> , 44, 431-440		36

175	Influence of fat content and temperature of liquid on krypton solubility. Experimental data. <b>2010</b> , 46, 474-478		
174	Bibliography. <b>2010</b> , 403-431		
173	Carbon release from submarine seeps at the Costa Rica fore arc: Implications for the volatile cycle at the Central America convergent margin. <i>Geochemistry, Geophysics, Geosystems</i> , <b>2010</b> , 11, n/a-n/a	3.6	28
172	Impact of lake level change on deep-water renewal and oxic conditions in deep saline Lake Van, Turkey. <b>2010</b> , 46,		38
171	Noble gas isotope sites and mobility in mafic rocks and olivine. <i>Geochimica Et Cosmochimica Acta</i> , <b>2010</b> , 74, 1436-1447	5.5	28
170	Apparent decoupling of the He and Ne isotope systematics of the Icelandic mantle: The role of He depletion, melt mixing, degassing fractionation and air interaction. <i>Geochimica Et Cosmochimica Acta</i> , <b>2010</b> , 74, 3307-3332	5.5	59
169	New insights into the origin and evolution of Lake Vida, McMurdo Dry Valleys, Antarctica: A noble gas study in ice and brines. <i>Earth and Planetary Science Letters</i> , <b>2010</b> , 289, 112-122	5.3	18
168	Low helium flux from the mantle inferred from simulations of oceanic helium isotope data. <i>Earth and Planetary Science Letters</i> , <b>2010</b> , 297, 379-386	5.3	55
167	Regional and temporal variations in CO <sub>2</sub> /3He, 3He/4He and $\delta^{13}C$ along the North Anatolian Fault Zone, Turkey. <i>Applied Geochemistry</i> , <b>2010</b> , 25, 524-539	3.5	44
166	One-Dimensional Hydrodynamic Mixing Models for Regional Flow Systems Under Areal Recharge Conditions and Their Application to the Interpretation of Isotopic Data. <b>2011</b> , 123-171		
165	Contribution of logging tools to understanding helium porewater data across the Mesozoic sequence of the East of the Paris Basin. <i>Geochimica Et Cosmochimica Acta</i> , <b>2011</b> , 75, 7566-7584	5.5	16
164	Dissolved helium distribution in the Oxfordian and Dogger deep aquifers of the Meuse/Haute-Marne area. <b>2011</b> , 36, 1511-1520		12
163	Seasonal recharge components in an urban/agricultural mountain front aquifer system using noble gas thermometry. <i>Journal of Hydrology</i> , <b>2011</b> , 409, 118-127	6	6
162	Tritium/helium groundwater age used to constrain a groundwater flow model of a valley-fill aquifer contaminated with trichloroethylene (Quebec, Canada). <b>2011</b> , 19, 195-207		16
161	Age structure and recharge conditions of a coastal aquifer (northern Germany) investigated with <sup>39</sup> Ar, <sup>14</sup> C, <sup>3</sup> H, He isotopes and Ne. <b>2011</b> , 19, 221-236		38
160	References. <b>2012</b> , 249-251		
159	Estimation of Groundwater Residence Time and Evaluation of the Origin of Groundwater Using Dissolved Noble Gases and Natural Radionuclides with a Long Half-life as Geochemical Tracers. <b>2012</b> , 121, 96-117		5
158	Interpreting noble-gas concentrations as proxies for salinity and temperature in the world's largest soda lake (Lake Van, Turkey). <i>Journal of Asian Earth Sciences</i> , <b>2012</b> , 59, 99-107	2.8	19

157	Air-water partitioning of $^{222}\text{Rn}$ and its dependence on water temperature and salinity. <b>2012</b> , 46, 3905-11	137
156	Dissolved gases in brackish thermal waters: an improved analytical method. <i>Geofluids</i> , <b>2012</b> , 12, 236-244	13
155	Groundwater residence time downgradient of Trench No. 22 at the Chernobyl Pilot Site: Constraints on hydrogeological aquifer functioning. <i>Applied Geochemistry</i> , <b>2012</b> , 27, 1304-1319	3.5 9
154	Stages of evolution of a Toarcian compacted claystone around galleries excavated between 1 and 124 years ago by the study of noble gases dissolved in pore water at the Tournemire Underground Research Laboratory (France). <i>Applied Geochemistry</i> , <b>2012</b> , 27, 1403-1416	3.5 4
153	Isotopic and geochemical indicators for groundwater flow and multi-component mixing near disturbed salt anticlines. <i>Chemical Geology</i> , <b>2012</b> , 294-295, 226-242	4.2 7
152	Spatial variations in gas and stable isotope compositions of thermal fluids around Lake Van: Implications for crustal dynamics in eastern Turkey. <i>Chemical Geology</i> , <b>2012</b> , 300-301, 165-176	4.2 22
151	Effects of electrolyte concentration, temperature, and pressure on the sechenov salt-effect parameter: He-NaCl-H <sub>2</sub> O system. <b>2012</b> , 53, 487-494	1
150	Helium, Argon and Carbon Isotopic Compositions of Spring Gases in the Hainan Island, China. <b>2012</b> , 86, 1515-1523	7
149	Passive degassing of magmatic volatiles from Iwate volcano, NE Japan, based on three-dimensional measurement of helium isotopes in groundwater. <b>2012</b> , 117, n/a-n/a	7
148	Membrane inlet mass spectrometer for the quasi-continuous on-site analysis of dissolved gases in groundwater. <b>2012</b> , 46, 8288-96	40
147	References. 483-515	
146	Origin and Flow Dynamics of Perennial Groundwater in Continuous Permafrost Terrain using Isotopes and Noble Gases: Case Study of the Fishing Branch River, Northern Yukon, Canada. <b>2012</b> , 23, 91-106	12
145	Equilibrium helium partitioning in the rock-water system: New prospects for dating ancient groundwater. <i>Geochemistry International</i> , <b>2012</b> , 50, 8-17	0.8 1
144	Isotope and geochemical study for geothermal assessment of the Xining basin of the northeastern Tibetan Plateau. <b>2012</b> , 42, 47-55	24
143	Gas chemistry of the Dallol region of the Danakil Depression in the Afar region of the northern-most East African Rift. <i>Chemical Geology</i> , <b>2013</b> , 339, 16-29	4.2 50
142	Resolving volatile sources along the western Sunda arc, Indonesia. <i>Chemical Geology</i> , <b>2013</b> , 339, 263-282	4.2 26
141	Solubility and thermodynamics of dissolution of helium in water at gas partial pressures of 0.1-100 MPa within a temperature range of 278-353 K. <b>2013</b> , 58, 808-812	2
140	Thermal fluids along the East Anatolian Fault Zone (EAFZ): Geochemical features and relationships with the tectonic setting. <i>Chemical Geology</i> , <b>2013</b> , 339, 103-114	4.2 35



139	Properties of the closed-system equilibration model for dissolved noble gases in groundwater. <i>Chemical Geology</i> , <b>2013</b> , 339, 291-300	4.2	12
138	Helium and carbon isotope systematics of cold Hazuku CO <sub>2</sub> vents and hydrothermal gases and fluids from Rungwe Volcanic Province, southern Tanzania. <i>Chemical Geology</i> , <b>2013</b> , 339, 141-156	4.2	82
137	Geographical distribution of <sup>3</sup> He/ <sup>4</sup> He ratios in north Kyushu, Japan: Geophysical implications for the occurrence of mantle-derived fluids at deep crustal levels. <i>Chemical Geology</i> , <b>2013</b> , 340, 13-20	4.2	10
136	Groundwater helium: An indicator of active tectonic regions along Narmada River, central India. <i>Chemical Geology</i> , <b>2013</b> , 344, 42-49	4.2	9
135	Volatile fluxes through the Big Bend section of the San Andreas Fault, California: Helium and carbon-dioxide systematics. <i>Chemical Geology</i> , <b>2013</b> , 339, 92-102	4.2	48
134	Hydrothermal He and CO <sub>2</sub> at Wudalianchi intra-plate volcano, NE China. <i>Journal of Asian Earth Sciences</i> , <b>2013</b> , 62, 526-530	2.8	13
133	Testing helium equilibrium between quartz and pore water as a method to determine pore water helium concentrations. <i>Applied Geochemistry</i> , <b>2013</b> , 35, 187-195	3.5	6
132	Helium isotopes in Dead Sea Transform waters. <i>Chemical Geology</i> , <b>2013</b> , 352, 188-201	4.2	12
131	Gas chemistry and nitrogen isotope compositions of cold mantle gases from Rungwe Volcanic Province, southern Tanzania. <i>Chemical Geology</i> , <b>2013</b> , 339, 30-42	4.2	31
130	Environmental isotopes and noble gases in the deep aquifer system of Kazan Trona Ore Field, Ankara, central Turkey and links to paleoclimate. <b>2013</b> , 79, 292-303		7
129	Anomalies of noble gases and self-potential associated with fractures and fluid dynamics in a horizontal borehole, Mont Terri Underground Rock Laboratory. <b>2013</b> , 156, 46-57		11
128	He, N and C isotopes and fluxes in Aira caldera: Comparative study of hydrothermal activity in Sakurajima volcano and Wakamiko crater, Kyushu, Japan. <i>Journal of Volcanology and Geothermal Research</i> , <b>2013</b> , 258, 163-175	2.8	14
127	Combined sample collection and gas extraction for the measurement of helium isotopes and neon in natural waters. <b>2013</b> , 76, 27-34		3
126	Noble Gases in Oil and Gas Accumulations. <i>Advances in Isotope Geochemistry</i> , <b>2013</b> , 225-247	1.2	16
125	Isotope and chemical compositions of thermal fluids at Tekman Geothermal Area (Eastern Turkey). <b>2013</b> , 47, 423-435		8
124	Principles and Applications of the Noble Gas Paleothermometer. <b>2013</b> , 89-100		52
123	The transient distributions of nuclear weapon-generated tritium and its decay product <sup>3</sup> He in the Mediterranean Sea, 1952-2011, and their oceanographic potential. <b>2013</b> , 9, 837-854		16
122	Noble gases identify the mechanisms of fugitive gas contamination in drinking-water wells overlying the Marcellus and Barnett Shales. <b>2014</b> , 111, 14076-81		309



121	Kr and Xe isotopic compositions of Fe-Mn crusts from the western and central Pacific Ocean and implications for their genesis. <b>2014</b> , 33, 26-33		
120	Helium isotope systematics of volcanic gases and thermal waters of Guadeloupe Island, Lesser Antilles. <i>Journal of Volcanology and Geothermal Research</i> , <b>2014</b> , 283, 66-72	2.8	10
119	The degassing character of a young volcanic center: Cerro Negro, Nicaragua. <b>2014</b> , 76, 1		7
118	The tritium-helium-3 method and its application to groundwater dating by the example of the Kirovsk mine region, Murmansk oblast. <i>Geochemistry International</i> , <b>2014</b> , 52, 587-594	0.8	5
117	Investigation of young water inflow in karst aquifers using SF <sub>6</sub> /CF <sub>4</sub> H/He <sup>3</sup> /Kr <sup>39</sup> Ar and stable isotope components. <i>Applied Geochemistry</i> , <b>2014</b> , 50, 164-176	3.5	23
116	Carbon isotope and abundance systematics of Icelandic geothermal gases, fluids and subglacial basalts with implications for mantle plume-related CO <sub>2</sub> fluxes. <i>Geochimica Et Cosmochimica Acta</i> , <b>2014</b> , 134, 74-99	5.5	74
115	Dissolved gas dynamics in wetland soils: Root-mediated gas transfer kinetics determined via push-pull tracer tests. <b>2015</b> , 51, 7343-7357		8
114	The evolution of Devonian hydrocarbon gases in shallow aquifers of the northern Appalachian Basin: Insights from integrating noble gas and hydrocarbon geochemistry. <i>Geochimica Et Cosmochimica Acta</i> , <b>2015</b> , 170, 321-355	5.5	83
113	Transport of groundwater, heat, and radiogenic He in topography-driven basins. <b>2015</b> , 53 Suppl 1, 33-46		1
112	The Gas Transfer through Polar Sea ice experiment: Insights into the rates and pathways that determine geochemical fluxes. <i>Journal of Geophysical Research: Oceans</i> , <b>2015</b> , 120, 8177-8194	3.3	17
111	Simulation of the mantle and crustal helium isotope signature in the Mediterranean Sea using a high-resolution regional circulation model. <b>2015</b> , 11, 965-978		4
110	Stagnant subducted Pacific slab-derived CO <sub>2</sub> emissions: Insights into magma degassing at Changbaishan volcano, NE China. <i>Journal of Asian Earth Sciences</i> , <b>2015</b> , 106, 49-63	2.8	26
109	Mean annual temperature in New Zealand during the last glacial maximum derived from dissolved noble gases in groundwater. <i>Earth and Planetary Science Letters</i> , <b>2015</b> , 431, 206-216	5.3	7
108	Post-earthquake anomalies in He/CO <sub>2</sub> isotope and relative abundance systematics of thermal waters: The case of the 2011 Van earthquake, eastern Anatolia, Turkey. <i>Chemical Geology</i> , <b>2015</b> , 411, 1-11	4.2	9
107	Solubility of Pressurant Gases in Liquid Hydrazine at Elevated. <b>2015</b> , 31, 1193-1203		2
106	Mantle-derived helium in hot springs of the Cordillera Blanca, Peru: Implications for mantle-to-crust fluid transfer in a flat-slab subduction setting. <i>Chemical Geology</i> , <b>2015</b> , 417, 200-209	4.2	20
105	Quantifying He fluxes from the mantle using multi-tracer data assimilation. <b>2016</b> , 374,		20
104	The distribution of glacial meltwater in the Amundsen Sea, Antarctica, revealed by dissolved helium and neon. <i>Journal of Geophysical Research: Oceans</i> , <b>2016</b> , 121, 1654-1666	3.3	27

103	Widespread distribution of ascending fluids transporting mantle helium in the fore-arc region and their upwelling processes: Noble gas and major element composition of deep groundwater in the Kii Peninsula, southwest Japan. <i>Geochimica Et Cosmochimica Acta</i> , <b>2016</b> , 182, 173-196	5.5	202
102	Cross-checking groundwater age by $^4\text{He}$ and $^{14}\text{C}$ dating in a granite, Tono area, central Japan. <i>Geochimica Et Cosmochimica Acta</i> , <b>2016</b> , 192, 166-185	5.5	7
101	Dissolved inert gases ( $\text{He}$ , $\text{Ne}$ and $\text{N}_2$ ) as markers of groundwater flow and degassing areas at Mt Etna volcano (Italy). <i>Chemical Geology</i> , <b>2016</b> , 443, 10-21	4.2	6
100	Groundwater transit time distribution and mean from streambed sampling in an agricultural coastal plain watershed, North Carolina, USA. <b>2016</b> , 52, 2025-2044		33
99	Helium and carbon isotopes in the hot springs of Changbaishan Volcano, northeastern China: A material connection between Changbaishan Volcano and the west Pacific plate?. <i>Journal of Volcanology and Geothermal Research</i> , <b>2016</b> , 327, 398-406	2.8	14
98	Estimating the recharge properties of the deep ocean using noble gases and helium isotopes. <i>Journal of Geophysical Research: Oceans</i> , <b>2016</b> , 121, 5959-5979	3.3	17
97	Helium as a tracer for fluids released from Juan de Fuca lithosphere beneath the Cascadia forearc. <i>Geochemistry, Geophysics, Geosystems</i> , <b>2016</b> , 17, 2434-2449	3.6	18
96	Quantifying air-sea gas exchange using noble gases in a coastal upwelling zone. <b>2016</b> , 35, 012017		5
95	Magma-derived $\text{CO}_2$ emissions in the Tengchong volcanic field, SE Tibet: Implications for deep carbon cycle at intra-continent subduction zone. <i>Journal of Asian Earth Sciences</i> , <b>2016</b> , 127, 76-90	2.8	32
94	Spatial distribution of helium isotopes in volcanic gases and thermal waters along the Vanuatu (New Hebrides) volcanic arc. <i>Journal of Volcanology and Geothermal Research</i> , <b>2016</b> , 322, 20-29	2.8	4
93	Turkish geothermal fields as natural analogues of $\text{CO}_2$ storage sites: Gas geochemistry and implications for $\text{CO}_2$ trapping mechanisms. <b>2016</b> , 64, 96-110		20
92	Residence time distribution in a large unconfined/semiconfined aquifer in the Argentine Pampas using $^3\text{H}/^3\text{He}$ and CFC tracers. <b>2016</b> , 24, 1107-1120		7
91	Subaerial and sublacustrine hydrothermal activity at Lake Rotomahana. <i>Journal of Volcanology and Geothermal Research</i> , <b>2016</b> , 314, 156-168	2.8	12
90	Mantle volatiles in spring gases in the Basin and Range Province on the west of Beijing, China: Constraints from helium and carbon isotopes. <i>Journal of Volcanology and Geothermal Research</i> , <b>2016</b> , 309, 45-52	2.8	15
89	Geochemical constraints on origin of hydrothermal volatiles from southern Tibet and the Himalayas: Understanding the degassing systems in the India-Asia continental subduction zone. <i>Chemical Geology</i> , <b>2017</b> , 469, 19-33	4.2	18
88	Vertical distribution of helium and $^{40}\text{Ar}/^{36}\text{Ar}$ in porewaters of the Eastern Paris Basin (Bure/Haute-Marne): constraints on transport processes through the sedimentary sequence. <i>Geological Society Special Publication</i> , <b>2017</b> , 443, 179-192	1.7	1
87	Geochemical and geological factors controlling the spatial distribution of sulfate-methane transition zone in the R� de Vigo (NW Spain). <i>Continental Shelf Research</i> , <b>2017</b> , 140, 47-59	2.4	4
86	Flux and genesis of $\text{CO}_2$ degassing from volcanic-geothermal fields of Gulu-Yadong rift in the Lhasa terrane, South Tibet: Constraints on characteristics of deep carbon cycle in the India-Asia continent subduction zone. <i>Journal of Asian Earth Sciences</i> , <b>2017</b> , 149, 110-123	2.8	20

85	The geochemistry of naturally occurring methane and saline groundwater in an area of unconventional shale gas development. <i>Geochimica Et Cosmochimica Acta</i> , <b>2017</b> , 208, 302-334	5.5	91
84	Helium in Porewater and Rocks of Crystalline Bedrock from the Fennoscandian Shield, Olkiluoto (Finland). <i>Procedia Earth and Planetary Science</i> , <b>2017</b> , 17, 762-765		
83	Hydrophobic Solvation of Gases (CO <sub>2</sub> , CH <sub>4</sub> , H <sub>2</sub> , Noble Gases) in Clay Interlayer Nanopores. <i>Journal of Physical Chemistry C</i> , <b>2017</b> , 121, 26539-26550	3.8	41
82	HNC-Plot: an excel VBA for visualization of helium, nitrogen and CO <sub>2</sub> isotope data of crustal and mantle gases. <i>Earth Science Informatics</i> , <b>2017</b> , 10, 115-125	2.5	1
81	Spray-Mediated Air-Sea Gas Exchange: The Governing Time Scales. <i>Journal of Marine Science and Engineering</i> , <b>2017</b> , 5, 60	2.4	4
80	The Escarot gas seep, French Massif Central: CO <sub>2</sub> discharge from a quiescent volcanic system □ Characterization and quantification of gas emissions. <i>Journal of Volcanology and Geothermal Research</i> , <b>2018</b> , 353, 68-82	2.8	3
79	Differentiating between biogenic and thermogenic sources of natural gas in coalbed methane reservoirs from the Illinois Basin using noble gas and hydrocarbon geochemistry. <i>Geological Society Special Publication</i> , <b>2018</b> , 468, 151-188	1.7	21
78	A new software tool for the analysis of noble gas data sets from (ground)water. <i>Environmental Modelling and Software</i> , <b>2018</b> , 103, 120-130	5.2	17
77	The deep distributions of helium isotopes, radiocarbon, and noble gases along the U.S. GEOTRACES East Pacific Zonal Transect (GP16). <i>Marine Chemistry</i> , <b>2018</b> , 201, 167-182	3.7	29
76	Helium and Argon Isotopes in the Fe-Mn Polymetallic Crusts and Nodules from the South China Sea: Constraints on Their Genetic Sources and Origins. <i>Minerals (Basel, Switzerland)</i> , <b>2018</b> , 8, 471	2.4	2
75	New Insights on Betic Cordillera Structure From Gas Geochemistry. <i>Geochemistry, Geophysics, Geosystems</i> , <b>2018</b> , 19, 4945-4956	3.6	2
74	Greenland Submarine Melt Water Observed in the Labrador and Irminger Sea. <i>Geophysical Research Letters</i> , <b>2018</b> , 45, 10,570-10,578	4.9	10
73	Identifying temporally and spatially changing boundary conditions at an aquifer □quitard interface using helium in porewater. <i>Applied Geochemistry</i> , <b>2018</b> , 96, 62-77	3.5	3
72	Mantle fluids associated with crustal-scale faulting in a continental subduction setting, Taiwan. <i>Scientific Reports</i> , <b>2019</b> , 9, 10805	4.9	5
71	Noble and major gases released from rock core materials as intrinsic tracers for detecting carbon dioxide leakage □Laboratory evaluation. <i>International Journal of Greenhouse Gas Control</i> , <b>2019</b> , 89, 76-88	4.2	7
70	Volcanogenic CO <sub>2</sub> Degassing in the Songliao Continental Rift System, NE China. <i>Geofluids</i> , <b>2019</b> , 2019, 1-14	1.5	3
69	Radiocarbon and Helium Isotope Constraints on Deep Ocean Ventilation and Mantle-3He Sources. <i>Journal of Geophysical Research: Oceans</i> , <b>2019</b> , 124, 3036-3057	3.3	28
68	A determination of atmospheric helium, neon, argon, krypton, and xenon solubility concentrations in water and seawater. <i>Marine Chemistry</i> , <b>2019</b> , 211, 94-107	3.7	19

67	Changes in gross oxygen production, net oxygen production, and air-water gas exchange during seasonal ice melt in Whycocomagh Bay, a Canadian estuary in the Bras d'Or Lake system. <i>Biogeosciences</i> , <b>2019</b> , 16, 3351-3376	4.6	2
66	Hot spring hydrochemistry of the Rio Grande rift in northern New Mexico reveals a distal geochemical connection between Valles Caldera and Ojo Caliente. <i>Journal of Volcanology and Geothermal Research</i> , <b>2019</b> , 387, 106663	2.8	8
65	Dual in-aquifer and near surface processes drive arsenic mobilization in Cambodian groundwaters. <i>Science of the Total Environment</i> , <b>2019</b> , 659, 699-714	10.2	16
64	Using Noble Gases to Assess the Ocean's Carbon Pumps. <i>Annual Review of Marine Science</i> , <b>2019</b> , 11, 75-103	13.4	16
63	Henry's Law Constant of Noble Gases in Water, Methanol, Ethanol, and Isopropanol by Experiment and Molecular Simulation. <i>Journal of Chemical &amp; Engineering Data</i> , <b>2020</b> , 65, 1180-1188	2.8	3
62	Groundwater dating tools (3H, 3He, 4He, CFC-12, SF6) coupled with hydrochemistry to evaluate the hydrogeological functioning of complex evaporite-karst settings. <i>Journal of Hydrology</i> , <b>2020</b> , 580, 124263	6	8
61	Spatial and temporal variations of CO2 emissions from the active fault zones in the capital area of China. <i>Applied Geochemistry</i> , <b>2020</b> , 112, 104489	3.5	10
60	Noble gases, dead carbon, and reinterpretation of groundwater ages and travel time in local aquifers of the Columbia River Basalt Group. <i>Journal of Hydrology</i> , <b>2020</b> , 581, 124400	6	3
59	Missing atmospheric noble gases in a large, tropical lake: The case of Lake Kivu, East-Africa. <i>Chemical Geology</i> , <b>2020</b> , 532, 119374	4.2	3
58	Helium and carbon isotopic signatures of thermal spring gases in southeast Yunnan, China. <i>Journal of Volcanology and Geothermal Research</i> , <b>2020</b> , 402, 106995	2.8	5
57	Helium Isotopic Signature of a Plate Boundary Suture in an Active Arc-Continent Collision. <i>ACS Earth and Space Chemistry</i> , <b>2020</b> , 4, 1237-1246	3.2	
56	Improved sampling technique to collect natural gas from hydrate-bearing pressure cores. <i>Applied Geochemistry</i> , <b>2020</b> , 122, 104773	3.5	5
55	The Use of Noble Gas Isotopes in Detecting Methane Contamination of Groundwater in Shale Gas Development Areas: An Overview of Technology and Methods. <i>Analytical Sciences</i> , <b>2020</b> , 36, 521-530	1.7	1
54	The relationship between He and Cl <sup>-</sup> as a criterion for the formation of groundwater composition. <i>Chemical Geology</i> , <b>2020</b> , 538, 119496	4.2	
53	Diffuse emission and transport of gaseous elemental mercury (GEM) in the Mapamyum geothermal system, Western Tibet (China). <i>Journal of Volcanology and Geothermal Research</i> , <b>2020</b> , 397, 106825	2.8	1
52	Fresh and saline groundwater ages and flow dynamics in a perturbed coastal aquifer. <i>Journal of Hydrology</i> , <b>2021</b> , 597, 125721	6	2
51	3He evidence for fluid transfer and continental hydration above a flat slab. <i>Earth and Planetary Science Letters</i> , <b>2021</b> , 556, 116722	5.3	5
50	An Automatic System for Continuous Monitoring and Sampling of Groundwater Geochemistry in Earthquake-Prone Regions of SW Taiwan. <i>Frontiers in Earth Science</i> , <b>2021</b> , 9,	3.5	1

49	A method for resolving changes in atmospheric $\text{He}/\text{N}_2$ as an indicator of fossil fuel extraction and stratospheric circulation. <i>Atmospheric Measurement Techniques</i> , <b>2021</b> , 14, 2515-2527 <sup>1</sup>		
48	Hydrochemical Zoning and Chemical Evolution of the Deep Upper Jurassic Thermal Groundwater Reservoir Using Water Chemical and Environmental Isotope Data. <i>Water (Switzerland)</i> , <b>2021</b> , 13, 1162	3	3
47	FRIS Revisited in 2018: On the Circulation and Water Masses at the Filchner and Ronne Ice Shelves in the Southern Weddell Sea. <i>Journal of Geophysical Research: Oceans</i> , <b>2021</b> , 126, e2021JC017269	3.3	2
46	Submarine Meltwater From Nioghalvfjærdsbreen (79 North Glacier), Northeast Greenland. <i>Journal of Geophysical Research: Oceans</i> , <b>2021</b> , 126, e2021JC017224	3.3	2
45	Metamorphic CO <sub>2</sub> emissions from the southern Yadong-Gulu rift, Tibetan Plateau: Insights into deep carbon cycle in the India-Asia continental collision zone. <i>Chemical Geology</i> , <b>2021</b> , 584, 120534	4.2	2
44	Helium-carbon systematics of groundwaters in the Lassen Peak Region. <i>Chemical Geology</i> , <b>2021</b> , 584, 120535	4.2	1
43	Deciphering a mantle degassing transect related with India-Asia continental convergence from the perspective of volatile origin and outgassing. <i>Geochimica Et Cosmochimica Acta</i> , <b>2021</b> , 310, 61-78	5.5	4
42	Transfer of dissolved gases through a thick karstic vadose zone – Implications for recharge characterisation and groundwater age dating in karstic aquifers. <i>Journal of Hydrology</i> , <b>2021</b> , 601, 126576 <sup>6</sup>		0
41	The dichotomy in noble gas signatures linked to tectonic deformation in Wufeng-Longmaxi Shale, Sichuan Basin. <i>Chemical Geology</i> , <b>2021</b> , 581, 120412	4.2	1
40	Methane, Hydrogen and Helium in Hydrothermal Fluids at 21°N on the East Pacific Rise. <b>1983</b> , 391-409		140
39	Applications of Groundwater Helium. <i>Advances in Isotope Geochemistry</i> , <b>2012</b> , 285-304	1.2	7
38	Noble Gases in Seawater as Tracers for Physical and Biogeochemical Ocean Processes. <i>Advances in Isotope Geochemistry</i> , <b>2013</b> , 55-79	1.2	12
37	Noble Gas Thermometry in Groundwater Hydrology. <i>Advances in Isotope Geochemistry</i> , <b>2013</b> , 81-122	1.2	37
36	Gas-Liquid and Solid-Liquid Phase Equilibria in Binary Aqueous Systems of Nonelectrolytes. <b>1986</b> , 259-275		2
35	On Oceanic Boundary Conditions for Tritium, on Tritiogenic <sup>3</sup> He, and on the Tritium- <sup>3</sup> He Age Concept. <b>1989</b> , 377-407		5
34	Volcanic Helium. <b>2001</b> , 277-284		1
33	Assessment of excess $\text{N}_2$ and groundwater $\text{N}_2/\text{O}_2$ emission factors of nitrate-contaminated aquifers in northern Germany.		9
32	The transient distributions of nuclear weapon-generated tritium and its decay product $^3\text{He}$ in the Mediterranean Sea, 1952-2011, and their oceanographic potential.		3

- 31 Fluid Geochemistry within the North China Craton: Spatial Variation and Genesis. *Geofluids*, **2021**, 2021, 1-17 1.5 1
- 30 References. **2006**, 429-459
- 29 Introduction and General. **1974**, 1-42
- 28 Krypton. **1979**, 1-133 3
- 27 Helium solubilities up to 2 bar. **1979**, 1-123
- 26 Neon solubilities up to 2 bar. **1979**, 124-252
- 25 Noble Gases in a Section across the Vapor Dominated Geothermal Field of Larderello, Italy. **1979**, 262-275
- 24 Argon Solubilities up to 200 kPa (2 bar). **1980**, 1-251
- 23 Nitrous Oxide. **1981**, 1-259
- 22 Simulation of the mantle and crustal helium isotope signature in the Mediterranean Sea using a high-resolution regional circulation model.
- 21 Bubbles Formation in Water. **2015**, 740-749
- 20 References. 593-608
- 19 Spring Gas Geochemistry in the Weixi-Qiaohou Fault Zone: Understanding the Fluid Characteristics of the Western Boundary of the Sichuan-Yunnan Rhombic Block. *Geochemistry International*, **2022**, 60, 109-121 0.8 0
- 18 Spatial Mapping of Dissolved Gases in the Danube Delta Reveals Intense Plant-Mediated Gas Transfer. *Frontiers in Environmental Science*, **2022**, 10, 4.8
- 17 Deep CO<sub>2</sub> and N<sub>2</sub> emissions from Peruvian hot springs: Stable isotopic constraints on volatile cycling in a flat-slab subduction zone. *Chemical Geology*, **2022**, 595, 120787 4.2 1
- 16 Extending Noble Gas Solubilities in Water to Higher Temperatures for Environmental Application. *Journal of Chemical & Engineering Data*, **2022**, 67, 1164-1173 2.8 1
- 15 Helium. **2022**, 1-31
- 14 First Estimates of Hydrothermal Helium Fluxes in Continental Collision Settings: Insights From the Southeast Tibetan Plateau Margin. *Geophysical Research Letters*, **2022**, 49, 4.9 0

- 13 The Helium and Carbon Isotope Characteristics of the Andean Convergent Margin. *Frontiers in Earth Science*, 10, 3.5 2
- 12 Mantle-derived fluids in the continental-scale Nubian aquifer. *Chemical Geology*, **2022**, 121023 4.2
- 11 Short communication: Mechanism and prevention of irreversible trapping of atmospheric He during mineral crushing. **2022**, 4, 551-560
- 10 Geochemical and geophysical effects of tectonic activity in faulted areas of the North China Craton. **2022**, 609, 121048 o
- 9 Improving gas-derived parameterization of groundwater using free phase gas measurements. o
- 8 Methods and benefits of measuring non-hydrocarbon gases from surface casing vents. o
- 7 Identification of ventilated and submarine glacial meltwaters in the Amundsen Sea, Antarctica, using noble gases. 9, o
- 6 Groundwater flow patterns in a coastal fen exposed to drainage, rewetting and interaction with the Baltic Sea. **2022**, 615, 128726 o
- 5 Dissolved, Labile, and Total Particulate Trace Metal Dynamics on the Northeast Greenland Shelf. **2022**, 36, o
- 4 Contribution of deep-earth fluids to the geothermal system: A case study in the Arxan volcanic region, northeastern China. 10, o
- 3 Distribution characteristics and controlling factors of helium-rich gas reservoirs. **2023**, 204885 o
- 2 Estimation of the depth of origin of fluids using noble gases in the surface sediments of submarine mud volcanoes off Tanegashima Island. **2023**, 13, o
- 1 Conceptual Hydrodynamic Model with Hydrochemical and Isotopic Signatures of the Triassic and Silurian-Devonian Groundwater Systems in Northwestern Saudi Arabia. **2023**, 249, 107215 o