

CITATION REPORT

List of articles citing

**Nonchromosomal antibiotic resistance in bacteria:
genetic transformation of *Escherichia coli* by R-factor DNA**

DOI: 10.1073/pnas.69.8.2110

**Proceedings of the National Academy of Sciences of
the United States of America, 1972, 69, 2110-4.**

Source: <https://exaly.com/paper-pdf/10931442/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

| # | Paper | IF | Citations |
|------|--|------|-----------|
| 1984 | The genetic and biochemical basis of the transformability of Escherichia coli K12. 1972 , 49, 1568-72 | | 79 |
| 1983 | Genetic transformation in Escherichia coli K12. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1973 , 70, 84-7 | 11.5 | 121 |
| 1982 | Aminoglycoside antibiotic-inactivating enzymes in actinomycetes similar to those present in clinical isolates of antibiotic-resistant bacteria. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1973 , 70, 2276-80 | 11.5 | 395 |
| 1981 | Recircularization and autonomous replication of a sheared R-factor DNA segment in Escherichia coli transformants. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1973 , 70, 1293-7 | 11.5 | 177 |
| 1980 | Construction of biologically functional bacterial plasmids in vitro. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1973 , 70, 3240-4 | 11.5 | 1242 |
| 1979 | Isolation and characterization of a kanamycin resistance plasmid from Staphylococcus aureus. 1974 , 6, 516-20 | | 14 |
| 1978 | Enzymes that inactivate antibiotics in transit to their targets. 1974 , 235, 130-6 | | 35 |
| 1977 | A method for selective cloning of eukaryotic DNA fragments in Escherichia coli by repeated transformation. 1974 , 134, 133-41 | | 30 |
| 1976 | Genome construction between bacterial species in vitro: replication and expression of Staphylococcus plasmid genes in Escherichia coli. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1974 , 71, 1030-4 | 11.5 | 150 |
| 1975 | Replication and transcription of eukaryotic DNA in Escherichia coli. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1974 , 71, 1743-7 | 11.5 | 321 |
| 1974 | Utilization of two distinct modes of replication by a hybrid plasmid constructed in vitro from separate replicons. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1974 , 71, 4556-60 | 11.5 | 101 |
| 1973 | Plasmid ColEI as a molecular vehicle for cloning and amplification of DNA. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1974 , 71, 3455-9 | 11.5 | 484 |
| 1972 | Nature of R-factor replication in the presence of chloramphenicol. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1975 , 72, 654-8 | 11.5 | 47 |
| 1971 | Bidirectional replication of plasmid R6K DNA in Escherichia coli; correspondence between origin of replication and position of single-strand break in relaxed complex. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1975 , 72, 2905-9 | 11.5 | 100 |
| 1970 | Site specific recA--independent recombination between bacterial plasmids: involvement of palindromes at the recombinational loci. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1975 , 72, 1373-7 | 11.5 | 154 |
| 1969 | Cloning, isolation, and characterization of replication regions of complex plasmid genomes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1975 , 72, 2242-6 | 11.5 | 210 |
| 1968 | Transformation of Pseudomonas putida and Escherichia coli with plasmid-linked drug-resistance factor DNA. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1975 , 72, 3647-51 | 11.5 | 78 |

| | | | |
|------|---|------|-----|
| 1967 | Translocation of a plasmid DNA sequence which mediates ampicillin resistance: molecular nature and specificity of insertion. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1975 , 72, 3623-7 | 11.5 | 178 |
| 1966 | The generation of a ColE1-Apr cloning vehicle which allows detection of inserted DNA. 1975 , 142, 239-49 | | 269 |
| 1965 | Molecular vehicle properties of the broad host range plasmid RK2. 1975 , 190, 1226-8 | | 34 |
| 1964 | Studies of mouse mitochondrial DNA in Escherichia coli: structure and function of the eucaryotic-procaryotic chimeric plasmids. 1975 , 6, 231-44 | | 109 |
| 1963 | Histone genes of the sea urchin (<i>S. purpuratus</i>) cloned in E coli: order, polarity, and strandedness of the five histone-coding and spacer regions. 1976 , 9, 147-61 | | 102 |
| 1962 | The structures and fidelity of replication of mouse mitochondrial DNA-pSC 101 EcoRI recombinant plasmids grown in E. coli K12. 1976 , 7, 517-30 | | 37 |
| 1961 | A non-transmissible variant of RP4 suitable as cloning vehicle for genetic engineering. 1976 , 61, 186-8 | | 8 |
| 1960 | Molecular cloning of DNA fragments produced by restriction endonucleases Sa1I and BamI. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1976 , 73, 1537-41 | 11.5 | 53 |
| 1959 | Biochemical construction of specific chimeric plasmids from ColE1 DNA and unfractionated Escherichia coli DNA. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1976 , 73, 3838-42 | 11.5 | 23 |
| 1958 | Construction of plasmids carrying the <i>cl</i> gene of bacteriophage lambda. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1976 , 73, 4174-8 | 11.5 | 383 |
| 1957 | Characterization of 2-mum DNA of <i>Saccharomyces cerevisiae</i> by restriction fragment analysis and integration in an Escherichia coli plasmid. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1976 , 73, 2072-6 | 11.5 | 85 |
| 1956 | Amplification in Escherichia coli of enzymes involved in genetic recombination: construction of hybrid ColE1 plasmids carrying the structural gene for exonuclease I. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1976 , 73, 3492-6 | 11.5 | 48 |
| 1955 | Replication control in a composite plasmid constructed by in vitro linkage of two distinct replicons. 1976 , 259, 285-90 | | 241 |
| 1954 | Bacterial cloning of plasmids carrying copies of rabbit globin messenger RNA. 1976 , 260, 221-5 | | 96 |
| 1953 | Transposable genetic elements and plasmid evolution. 1976 , 263, 731-8 | | 291 |
| 1952 | Characterization of yeast ribosomal DNA fragments generated by EcoR1 restriction endonuclease. 1976 , 147, 153-68 | | 14 |
| 1951 | Transfection of Escherichia coli by Mu DNA. 1976 , 149, 323-8 | | 17 |
| 1950 | Effect of ultraviolet irradiation of bacteriophage f1 DNA on its conversion to replicative form by extracts of Escherichia coli. 1976 , 149, 335-45 | | 13 |

| | | |
|------|---|----------|
| 1949 | A method for the deletion of restriction sites in bacterial plasmid deoxyribonucleic acid. 1976 , 145, 155-8 | 94 |
| 1948 | Inactivation of lambda phage infectivity and lambda deoxyribonucleic acid transfection by N-methyl-isatin beta-thiosemicarbazone-copper complexes. 1976 , 9, 160-3 | 18 |
| 1947 | Genetic manipulation of microorganisms: potential benefits and biohazards. 1976 , 30, 507-33 | 56 |
| 1946 | Integration of synthetic globin genes into an E. coli plasmid. 1976 , 3, 1961-71 | 41 |
| 1945 | Plasmid-mediated beta-lactamase production in Neisseria gonorrhoeae. 1977 , 11, 528-33 | 122 |
| 1944 | Binding and Entry of DNA in Bacterial Transformation. 1977 , 177-232 | 35 |
| 1943 | Increase in conjugational transmission frequency of nonconjugative plasmids. 1977 , 196, 186-7 | 28 |
| 1942 | A novel pleiotropic mutation in Escherichia coli K12 which affects transduction, transformation and rates of mutation. 1977 , 98, 569-78 | 7 |
| 1941 | Nonconjugative plasmids encoding sulfanilamide resistance. 1977 , 12, 418-22 | 8 |
| 1940 | Transfer of plasmid-borne beta-lactamase in Neisseria gonorrhoeae. 1977 , 12, 270-80 | 23 |
| 1939 | Degradation of DNA by nucleases in intestinal tract of rats. 1977 , 196, 216-8 | 19 |
| 1938 | Use of phage immunity in molecular cloning experiments. 1977 , 196, 182-3 | 21 |
| 1937 | Clones of individual repetitive sequences from sea urchin DNA constructed with synthetic Eco RI sites. 1977 , 196, 197-200 | 51 |
| 1936 | Construction of chimeric phages and plasmids containing the origin of replication of bacteriophage lambda. 1977 , 198, 1041-6 | 32 |
| 1935 | Recombinant plasmid that carries part of the nitrogen fixation (nif) gene cluster of Klebsiella pneumoniae. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1977 , 74, 2963-7 | 11.5 62 |
| 1934 | In vivo site-specific genetic recombination promoted by the EcoRI restriction endonuclease. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1977 , 74, 4811-5 | 11.5 70 |
| 1933 | Bidirectional replication from a unique origin in a mini-F plasmid. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1977 , 74, 1138-41 | 11.5 74 |
| 1932 | Maize chloroplast DNA fragment encoding the large subunit of ribulosebiphosphate carboxylase. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1977 , 74, 5487-91 | 11.5 219 |

| | | | |
|------|---|------|-----|
| 1931 | Deletions affecting the transposition of an antibiotic resistance gene. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1977 , 74, 702-6 | 11.5 | 203 |
| 1930 | Filamentous coliphage M13 as a cloning vehicle: insertion of a HindII fragment of the lac regulatory region in M13 replicative form in vitro. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1977 , 74, 3642-6 | 11.5 | 654 |
| 1929 | Construction and characterization of new cloning vehicles. I. Ampicillin-resistant derivatives of the plasmid pMB9. 1977 , 2, 75-93 | | 907 |
| 1928 | Cloned <i>Bacillus subtilis</i> DNA containing a gene that is activated early during sporulation. 1977 , 11, 751-61 | | 99 |
| 1927 | <i>E. coli</i> phosphofructokinase synthesized in vitro from a ColE1 hybrid plasmid. 1977 , 1, 347-56 | | 17 |
| 1926 | Selection of Bacteria as Sources of Enzymes. 1977 , 21-37 | | |
| 1925 | Transforming activity of plasmid and chromosomal DNA in <i>Escherichia coli</i> . 1977 , 22, 353-9 | | 8 |
| 1924 | Precise location of the crossover region in the lambda attachment sequence. 1977 , 267, 555-7 | | 8 |
| 1923 | Conjugation proteins encoded by the F sex factor. 1977 , 270, 580-5 | | 150 |
| 1922 | Replication of plasmid pSC101 in <i>Escherichia coli</i> K12: requirement for dnaA function. 1977 , 154, 225-30 | | 118 |
| 1921 | Mapping of the drug resistance genes carried by the r-determinant of the R100.1 plasmid. 1977 , 157, 17-23 | | 35 |
| 1920 | Construction and restriction endonuclease mapping of hybrid plasmids containing <i>Saccharomyces cerevisiae</i> ribosomal DNA. 1977 , 151, 229-44 | | 53 |
| 1919 | Physical and genetic studies with restriction endonucleases on the broad host-range plasmid RK2. 1977 , 152, 129-35 | | 97 |
| 1918 | Molecular cloning of DNA. An introduction into techniques and problems. 1977 , 40, 1-72 | | 18 |
| 1917 | Transposition of TnA does not generate deletions. 1977 , 154, 205-11 | | 93 |
| 1916 | Complementation of transfer deficient ColE1 mutants. 1977 , 151, 197-201 | | 47 |
| 1915 | Translocation of an ampicillin resistance determinant within an R-factor aggregate in <i>Salmonella panama</i> . 1978 , 44, 203-18 | | 14 |
| 1914 | Evaluation of several enrichment procedures for the isolation of recombinant plasmid DNA. 1979 , 4, 253-6 | | 2 |

| | | |
|------|---|-----|
| 1913 | Incompatibility and transforming efficiency of ColE1 and related plasmids. 1978 , 161, 39-47 | 42 |
| 1912 | Tra cistrons and proteins encoded by the Escherichia coli antibiotic resistance plasmid R6-5. 1978 , 163, 169-79 | 32 |
| 1911 | Lambda phage promoter used to enhance expression of a plasmid-cloned gene. 1978 , 163, 197-203 | 32 |
| 1910 | Genetic analysis of the mobilization of the non-conjugative plasmid Clo DF13. 1978 , 160, 139-149 | 18 |
| 1909 | Cloning and characterization of EcoRI and HindIII restriction endonuclease-generated fragments of antibiotic resistance plasmids R6-5 and R6. 1978 , 162, 121-37 | 156 |
| 1908 | Amplification of the lactose carrier protein in Escherichia coli using a plasmid vector. 1978 , 159, 239-48 | 146 |
| 1907 | Mini-chromosomes: plasmids which carry the E. coli replication origin. 1978 , 162, 269-75 | 74 |
| 1906 | Molecular cloning of the gene region coding for the chloroplast rRNA of Euglena gracilis. 1978 , 163, 1-6 | 6 |
| 1905 | A runaway-replication mutant of plasmid R1drd-19: temperature-dependent loss of copy number control. 1978 , 165, 167-79 | 122 |
| 1904 | Cloning of a restriction fragment of phage mu DNA coding for early functions. 1978 , 160, 115-8 | 18 |
| 1903 | Characterisation of Tn501, a transposon determining resistance to mercuric ions. 1978 , 159, 101-6 | 86 |
| 1902 | Mapping of RP4 plasmid using deletion mutants of pAS8 hybrid (RP4--ColE1). 1978 , 165, 331-41 | 13 |
| 1901 | The stable carriage of two TnA units on a single replicon. 1978 , 160, 339-46 | 10 |
| 1900 | Mapping of regions on cloned Saccharomyces cerevisiae 2-mum DNA coding for polypeptides synthesized in Escherichia coli minicells. 1978 , 162, 23-34 | 28 |
| 1899 | Methylation of single-stranded DNA in vitro introduces new restriction endonuclease cleavage sites. 1978 , 272, 375-7 | 245 |
| 1898 | Determination of plasmid molecular weights from ultraviolet sensitivities. 1978 , 272, 471-2 | 84 |
| 1897 | Plasmid incompatibility: cloning analysis of an incFII determinant of R6-5. 1978 , 273, 27-32 | 59 |
| 1896 | DNA sequence for a low-level promoter of the lac repressor gene and an NpNpromoter mutation. 1978 , 274, 762-5 | 231 |

| | | | |
|------|---|------|-----|
| 1895 | Phenotypic expression in <i>E. coli</i> of a DNA sequence coding for mouse dihydrofolate reductase. 1978 , 275, 617-24 | | 409 |
| 1894 | Application of R-plasmid DNA from <i>Escherichia coli</i> minicells in genetic transformation. 1978 , 23, 278-85 | | 8 |
| 1893 | Charakterisierung eines CaCl ₂ -abhängigen Transfektionssystems von <i>Escherichia coli</i> und Lambda-Phagen-DNS. 1978 , 18, 1-16 | | |
| 1892 | Transformation of <i>Pseudomonas putida</i> with chromosomal DNA. 1978 , 82, 281-8 | | 10 |
| 1891 | Factors affecting the transformation of <i>Escherichia coli</i> strain chi1776 by pBR322 plasmid DNA. 1978 , 3, 279-92 | | 178 |
| 1890 | Molecular cloning of restriction fragments and construction of a physical and genetic map of the <i>Escherichia coli</i> plasmid R538-1. 1978 , 1, 388-404 | | 24 |
| 1889 | DNA-bound histones are not phosphorylated by protein kinases. 1978 , 89, 253-6 | | 4 |
| 1888 | Genetic and molecular characterization of an <i>Escherichia coli</i> plasmid coding for hydrogen sulfide production and drug resistance. 1978 , 14, 765-70 | | 14 |
| 1887 | Streptomycin and Spectinomycin resistance mediated by plasmids. 1978 , 13, 1031-5 | | 15 |
| 1886 | Binding of phosphorylated histone H1 to DNA. 1978 , 5, 2113-31 | | 12 |
| 1885 | DNA Cloning and the Analysis of Plasmid Structure and Function. 1978 , 1-58 | | 24 |
| 1884 | Partial characterization of R-plasmids from <i>Pasteurella multocida</i> isolated from turkeys. 1978 , 14, 348-52 | | 20 |
| 1883 | Plasmid-mediated sulfanilamide resistance. 1978 , 22, 367-75 | | 15 |
| 1882 | Bacteriophage lambda carrying the <i>Escherichia coli</i> chromosomal region of the replication origin. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1978 , 75, 5099-103 | 11.5 | 77 |
| 1881 | In vitro mutagenesis of a circular DNA molecule by using synthetic restriction sites. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1978 , 75, 6012-6 | 11.5 | 187 |
| 1880 | Phenotypically cryptic EcoRI endonuclease activity specified by the ColE1 plasmid. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1978 , 75, 1265-9 | 11.5 | 7 |
| 1879 | Mechanism of integrating foreign DNA during transformation of <i>Bacillus subtilis</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1978 , 75, 3664-8 | 11.5 | 90 |
| 1878 | Fertility repression of F-like conjugative plasmids: physical mapping of the R6-5 finO and finP cistrons and identification of the finO protein. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1978 , 75, 5836-40 | 11.5 | 38 |

| | | | |
|------|--|------|-----|
| 1877 | Sequence organization and transcription at two heat shock loci in <i>Drosophila</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1978 , 75, 5613-7 | 11.5 | 176 |
| 1876 | Construction and characterization of an <i>Escherichia coli</i> plasmid bearing a functional gene G of bacteriophage phiX174. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1978 , 75, 774-8 | 11.5 | 11 |
| 1875 | The Development and Utilization of Recombinant DNA Technology. 1978 , 35-58 | | |
| 1874 | Cloning, mapping and expression of the genetic determinant that encodes for the K88ab antigen. 1979 , 6, 849-65 | | 113 |
| 1873 | Bacterial transformation. 1979 , 19, 245-331 | | 31 |
| 1872 | The plasmid system of <i>Escherichia coli</i> strain UR12644: identification and molecular characteristics of transposons involved in the generation of endogenous R-plasmids. 1979 , 34, 287-301 | | 7 |
| 1871 | Plasmid-mediated ampicillin resistance in <i>Haemophilus ducreyi</i> . 1979 , 15, 294-9 | | 56 |
| 1870 | Homology of the 3Nterminal sequences of the 18S rRNA of <i>Bombyx mori</i> and the 16S rRNA of <i>Escherichia coli</i> . 1979 , 7, 1109-19 | | 56 |
| 1869 | The structure of the phi 80d3 ilv+ Su+7 transducing phage and the origin of its Su+7 tRNA-gene containing fragment. 1979 , 170, 283-9 | | 6 |
| 1868 | Isolation and properties of a plasmid which expresses the <i>E. coli</i> Su+7 amber suppressor tRNA gene. 1979 , 170, 291-8 | | 15 |
| 1867 | Expression of incompatibility by derivatives of the broad host-range inc P-1 plasmid RK2. 1979 , 177, 155-61 | | 11 |
| 1866 | Construction and some properties of packageable plasmid F. 1979 , 169, 107-12 | | 12 |
| 1865 | The effect of rifampicin upon the transcription of RNA polymerase beta-gene in <i>Escherichia coli</i> . 1979 , 173, 101-7 | | 12 |
| 1864 | Plasmid replication functions. II. Cloning analysis of the repA replication region of antibiotic resistance plasmid R6-5. 1979 , 168, 1-25 | | 70 |
| 1863 | Plasmid replication functions. III. Origin and direction of replication of a "mini" plasmid derived from R6-5. 1979 , 168, 27-36 | | 34 |
| 1862 | High frequency transformation of <i>Bacillus subtilis</i> protoplasts by plasmid DNA. 1979 , 168, 111-5 | | 817 |
| 1861 | Molecular cloning of tobacco chloroplast ribosomal RNA genes. 1979 , 172, 137-141 | | 65 |
| 1860 | Isolation and restriction mapping of plasmids containing ribosomal DNA sequences from the rrn B cistron of <i>E. coli</i> . 1979 , 172, 171-8 | | 11 |

| | | |
|------|---|-----|
| 1859 | A complementation analysis of mobilization deficient mutants of the plasmid ColE1. 1979 , 172, 211-9 | 21 |
| 1858 | The effects of an <i>Escherichia coli</i> dnaA _{ts} mutation on the replication of the plasmids colE1 pSC101, R100.1 and RTF-TC. 1979 , 174, 117-26 | 74 |
| 1857 | Genetic analysis of the inter-relationship between plasmid replication and incompatibility. 1979 , 174, 135-47 | 45 |
| 1856 | In vitro system for the replication of the mini R1 factor Rsc11. 1979 , 170, 49-56 | 2 |
| 1855 | ColE1 plasmid mobility: essential and conditional functions. 1979 , 170, 103-7 | 37 |
| 1854 | Use of RP4-prime plasmids constructed in vitro to promote a polarized transfer of the chromosome in <i>Escherichia coli</i> and <i>Rhizobium meliloti</i> . 1979 , 173, 289-98 | 37 |
| 1853 | Studies of colicin induction with an imm- col ⁺ mutant of the plasmid colicin E1. 1979 , 173, 333-8 | 8 |
| 1852 | The construction and replication properties of hybrid plasmids composed of the r-determinant of R100.1 and the plasmids pCRI and pSC201. 1979 , 168, 337-40 | 8 |
| 1851 | Nucleotide sequence of the region required for maintenance of colicin E1 plasmid. 1979 , 176, 161-70 | 32 |
| 1850 | Molecular cloning of the 4.2 Md EcoRI fragment of <i>Aspergillus nidulans</i> mitochondrial DNA. 1979 , 171, 75-8 | 13 |
| 1849 | Transformation of <i>Pseudomonas aeruginosa</i> and <i>Escherichia coli</i> with resistance plasmid DNA: formation of smaller conjugative plasmids from RPI. 1979 , 171, 107-9 | 2 |
| 1848 | Simultaneous transformation of <i>Escherichia coli</i> by pairs of compatible and incompatible plasmid DNA molecules. 1979 , 172, 113-8 | 24 |
| 1847 | The organization of the ribosomal RNA genes of <i>Chironomus tentans</i> and some closely related species. 1979 , 71, 263-81 | 21 |
| 1846 | Dissection of the transposition process: a transposon-encoded site-specific recombination system. 1979 , 175, 267-74 | 210 |
| 1845 | Localization of the dihydrofolate reductase gene on the physical map of bacteriophage T5. 1979 , 175, 333-41 | 5 |
| 1844 | The gene for the small ribosomal RNA on yeast mitochondrial DNA: Physical map, direction of transcription and absence of an intervening sequence. 1979 , 1, 33-43 | 42 |
| 1843 | Interfamilial transfer of amber suppressor gene for the isolation of amber mutants of <i>Mycobacteriophage</i> I3. 1979 , 120, 301-2 | 3 |
| 1842 | Location and characterisation of a new replication origin in the <i>E. coli</i> K12 chromosome. 1979 , 175, 151-7 | 31 |

| | | |
|------|---|---------|
| 1841 | Genetic transformation of <i>Pseudomonas phaseolicola</i> by R-factor DNA. 1979 , 174, 101-3 | 10 |
| 1840 | Stable yeast transformation with chimeric plasmids using a 2 micron-circular DNA-less strain as a recipient. 1979 , 176, 335-42 | 30 |
| 1839 | Cloning of bacteriophage PM2 DNA in <i>Escherichia coli</i> K12. 1979 , 176, 433-8 | 3 |
| 1838 | Cloning of the entire region for nitrogen fixation from <i>Klebsiella pneumoniae</i> on a multicopy plasmid vehicle in <i>Escherichia coli</i> . 1979 , 176, 17-24 | 31 |
| 1837 | The <i>E. coli</i> gene encoding heat stable toxin is a bacterial transposon flanked by inverted repeats of IS1. 1979 , 277, 453-6 | 169 |
| 1836 | Cloned fragments of the plasmid ColV,I-K94 specifying virulence and serum resistance. 1979 , 279, 778-81 | 174 |
| 1835 | Transposition protein of Tn3: identification and characterisation of an essential repressor-controlled gene product. 1979 , 282, 801-6 | 106 |
| 1834 | Transformation of <i>Escherichia coli</i> C600 by plasmid DNA at different phases of growth. 1979 , 5, 219-222 | 115 |
| 1833 | Construction in vitro of hybrid plasmids carrying all the EcoRI fragments from lambda darifd18 DNA. 1979 , 95, 391-8 | 5 |
| 1832 | Application of recombinant DNA technology to questions of developmental biology: a review. 1979 , 69, 305-28 | 61 |
| 1831 | Construction and properties of hybrid plasmids carrying the <i>E. coli</i> gal operon. 1979 , 7, 109-19 | 4 |
| 1830 | High frequency of yeast transformation by plasmids carrying part or entire 2-micron yeast plasmid. 1979 , 5, 233-53 | 118 |
| 1829 | Inceptor and origin of DNA replication in lambdoid coliphages. I. The lambda DNA minimal replication system. 1979 , 6, 137-72 | 43 |
| 1828 | Plasmids with temperature-dependent copy number for amplification of cloned genes and their products. 1979 , 6, 91-106 | 164 |
| 1827 | Investigations into the <i>Klebsiella aerogenes</i> pentitol operons using specialised transducing phages lambda daprbt and lambda daprbt dal. 1979 , 132, 435-70 | 18 |
| 1826 | Isolation and characterization of cloned fragments of bacteriophage P1 DNA. 1979 , 93, 387-97 | 61 |
| 1825 | Cloning and expression of the <i>Escherichia coli</i> replication origin in a single-stranded DNA phage. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1979 , 76, 6250-4 | 11.5 41 |
| 1824 | Isolation and mapping of plasmids containing the <i>Salmonella typhimurium</i> origin of DNA replication. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1979 , 76, 3097-101 | 11.5 46 |

| | | | |
|------|---|------|-----|
| 1823 | Transcription of spacer sequences in genes coding for ribosomal RNA in <i>Xenopus</i> cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1979 , 76, 3957-61 | 11.5 | 30 |
| 1822 | Identification and characterization of a self-regulated repressor of translocation of the Tn3 element. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1979 , 76, 4020-4 | 11.5 | 73 |
| 1821 | Cloning of the structural gene (ompA) for an integral outer membrane protein of <i>Escherichia coli</i> K-12. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1979 , 76, 4360-4 | 11.5 | 45 |
| 1820 | Entrapment of a bacterial plasmid in phospholipid vesicles: potential for gene transfer. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1979 , 76, 3348-52 | 11.5 | 85 |
| 1819 | Operon-specific regulation of ribosomal protein synthesis in <i>Escherichia coli</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1979 , 76, 6542-6 | 11.5 | 69 |
| 1818 | Control features within the rplJL-rpoBC transcription unit of <i>Escherichia coli</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1979 , 76, 4922-6 | 11.5 | 93 |
| 1817 | Assay of repair enzyme activity by reactivation of ultraviolet-irradiated infective viral DNA. 1980 , 87, 1387-94 | | 3 |
| 1816 | Gene expression of ampicillin resistance transposons, Tn2601 and Tn2602. 1980 , 24, 479-94 | | 10 |
| 1815 | Cloning of an origin of DNA replication of <i>Xenopus laevis</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1980 , 77, 5292-6 | 11.5 | 32 |
| 1814 | Interspecies homology of nitrogenase genes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1980 , 77, 191-5 | 11.5 | 330 |
| 1813 | Nucleotide sequence of the <i>Salmonella typhimurium</i> origin of DNA replication. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1980 , 77, 2460-4 | 11.5 | 53 |
| 1812 | DNA sequence encoding the NH ₂ -terminal peptide involved in transport of lambda receptor, an <i>Escherichia coli</i> secretory protein. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1980 , 77, 2621-5 | 11.5 | 52 |
| 1811 | Nucleotide sequence of the bacterial transposon Tn1681 encoding a heat-stable (ST) toxin and its identification in enterotoxigenic <i>Escherichia coli</i> strains. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1980 , 77, 4011-5 | 11.5 | 235 |
| 1810 | Replication of the plasmid pBR322 under the control of a cloned replication origin from the single-stranded DNA phage M13. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1980 , 77, 4638-42 | 11.5 | 42 |
| 1809 | Expression of a DNA strand initiation sequence of ColE1 plasmid in a single-stranded DNA phage. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1980 , 77, 6566-70 | 11.5 | 53 |
| 1808 | Construction and identification of bacterial plasmids containing nucleotide sequence for human leukocyte interferon. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1980 , 77, 7010-3 | 11.5 | 108 |
| 1807 | Mitochondrial DNA polymorphism: evidence that variants detected by restriction enzymes differ in nucleotide sequence rather than in methylation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1980 , 77, 6415-9 | 11.5 | 27 |
| 1806 | Genetic and DNA sequence analysis of the kanamycin resistance transposon Tn903. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1980 , 77, 7176-80 | 11.5 | 110 |

| | | | |
|------|---|------|-----|
| 1805 | DNA sequence of the <i>Serratia marcescens</i> lipoprotein gene. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1980 , 77, 1369-73 | 11.5 | 46 |
| 1804 | Targeted deletions of sequences from closed circular DNA. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1980 , 77, 2455-9 | 11.5 | 27 |
| 1803 | Integrative recombination of bacteriophage lambda: extent of the DNA sequence involved in attachment site function. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1980 , 77, 3220-4 | 11.5 | 52 |
| 1802 | DNA sequence of regulatory region for integration gene of bacteriophage lambda. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1980 , 77, 2477-81 | 11.5 | 40 |
| 1801 | Two control regions for eukaryotic tRNA gene transcription. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1980 , 77, 3365-8 | 11.5 | 139 |
| 1800 | Establishment of <i>Escherichia coli</i> cells with an integrated high copy number plasmid. 1980 , 178, 525-33 | | 82 |
| 1799 | Characterization and cloning of plasmid like DNA of the ascomycete <i>Podospora anserina</i> . 1980 , 178, 639-46 | | 75 |
| 1798 | Cloned β -galactosidase gene of <i>Escherichia coli</i> is expressed in the yeast <i>Saccharomyces cerevisiae</i> . 1980 , 2, 109-13 | | 24 |
| 1797 | Construction of a physical map of a kanamycin (Km) transposon, Tn5, and a comparison to another Km transposon, Tn903. 1980 , 178, 77-83 | | 15 |
| 1796 | The <i>araC</i> regulatory gene mRNA contains a leader sequence. 1980 , 180, 219-26 | | 14 |
| 1795 | Conversion of bacteriophage fd into an efficient single-stranded DNA vector system. 1980 , 177, 231-42 | | 102 |
| 1794 | Transcription of bacteriophage Mu. II. Transcription of the repressor gene. 1980 , 179, 185-9 | | 21 |
| 1793 | The construction and characterisation of plasmid vectors suitable for the expression of all DNA phases under the control of the <i>E. coli</i> tryptophan promoter. 1980 , 177, 427-38 | | 56 |
| 1792 | Induction of mutations in specific genes of bacteriophage T4 using cloned restriction fragments and marker rescue. 1980 , 177, 447-52 | | 22 |
| 1791 | Construction of pBR322- <i>ara</i> hybrid plasmids by in vivo recombination. 1980 , 179, 615-25 | | 9 |
| 1790 | The boundaries and copy numbers of Ti plasmid T-DNA vary in crown gall tumors. 1980 , 177, 637-43 | | 62 |
| 1789 | On procaryotic gene expression in eucaryotic systems. 1980 , 54, 289-302 | | 8 |
| 1788 | F plasmid provides a function that promotes <i>recA</i> -independent site-specific fusions of pSC101 replicon. 1980 , 285, 577-9 | | 15 |

| | | |
|------|--|-----|
| 1787 | Isolation of a complex between the P protein of phage lambda and the dnaB protein of Escherichia coli. 1980 , 105, 1-6 | 54 |
| 1786 | Nucleotide sequence of a 5S ribosomal RNA gene in the sea urchin <i>Lytechinus variegatus</i> . 1980 , 8, 1839-53 | 40 |
| 1785 | New translocation sequence mediating tetracycline resistance found in Escherichia coli pathogenic for piglets. 1980 , 18, 200-5 | 2 |
| 1784 | Basic steps in genetic engineering. 1980 , 15, 11-24 | 0 |
| 1783 | Characterization of beta-lactamase-deficient (bla) mutants of the R plasmid R1 in Escherichia coli K-12 and comparison with similar mutants of RP1. 1980 , 18, 667-74 | 11 |
| 1782 | Leu-enkephalin purification from E. coli cells carrying the plasmid with fused synthetic leu-enkephalin gene. 1980 , 8, 6163-74 | 4 |
| 1781 | A cDNA clone from Zea mays endosperm sucrose synthetase mRNA. 1980 , 8, 6175-88 | 35 |
| 1780 | Plasmid-determined resistance to fosfomycin in <i>Serratia marcescens</i> . 1980 , 18, 215-9 | 63 |
| 1779 | The expression in E. coli of synthetic repeating polymeric genes coding for poly(L-aspartyl-L-phenylalanine). 1980 , 8, 4575-92 | 52 |
| 1778 | Cloning of influenza cDNA into M13: the sequence of the RNA segment encoding the A/PR/8/34 matrix protein. 1980 , 8, 1965-74 | 229 |
| 1777 | Expression of the herpes thymidine kinase gene in <i>Xenopus laevis</i> oocytes: an assay for the study of deletion mutants constructed in vitro. 1980 , 8, 5931-48 | 159 |
| 1776 | A short primer for sequencing DNA cloned in the single-stranded phage vector M13mp2. 1980 , 8, 1731-43 | 157 |
| 1775 | Construction and characterization of a plasmid containing a nearly full-size DNA copy of satellite tobacco necrosis virus RNA. 1980 , 143, 259-71 | 12 |
| 1774 | Persistence and spread of a chloramphenicol resistance-mediating plasmid in antigenic types of Escherichia coli, pathogenic for piglets. 1980 , 4, 123-9 | 6 |
| 1773 | Characterization of the plasmids comprising the "R factor" R5 and their relationships to other R plasmids. 1980 , 3, 260-77 | 17 |
| 1772 | Partitioning of plasmid R1 in Escherichia coli. II. Incompatibility properties of the partitioning system. 1980 , 4, 332-9 | 66 |
| 1771 | ColE1 hybrid plasmids containing Escherichia coli genes involved in the biosynthesis of glutamate and glutamine. 1980 , 3, 150-64 | 43 |
| 1770 | A versatile primer for DNA sequencing in the M13mp2 cloning system. 1980 , 10, 69-73 | 239 |

| | | |
|------|--|------|
| 1769 | The expression of the cloned <i>tufB</i> gene in vivo. 1980 , 119, 215-8 | 13 |
| 1768 | Molecular cloning of synthetic angiotensin 1 gene in <i>Escherichia coli</i> : a route to physiologically active hormone. 1980 , 114, 273-7 | 3 |
| 1767 | pMB9 plasmids bearing the <i>Salmonella typhimurium</i> his operon and <i>gnd</i> gene. 1980 , 8, 239-53 | 17 |
| 1766 | Isolation of transposon TnA from plasmid RP4 carrying two copies of this element. 1980 , 8, 153-62 | 6 |
| 1765 | Expression of thymidylate synthetase activity in <i>Bacillus subtilis</i> upon integration of a cloned gene from <i>Escherichia coli</i> . 1980 , 10, 227-35 | 28 |
| 1764 | A plasmid cloning vehicle allowing a positive selection for inserted fragments. 1980 , 12, 123-7 | 108 |
| 1763 | The genetic code in bovine mitochondria: sequence of genes for the cytochrome oxidase subunit II and two tRNAs. 1980 , 12, 257-65 | 48 |
| 1762 | Molecular cloning of the gene (<i>ush</i>) from <i>Escherichia coli</i> specifying periplasmic UDP-sugar hydrolase (5Nucleotidase). 1980 , 12, 281-6 | 15 |
| 1761 | Isolation of rat liver 5S RNA genes. 1980 , 11, 97-108 | 9 |
| 1760 | DNA protection with the DNA methylase M . BbvI from <i>Bacillus brevis</i> var. GB against cleavage by the restriction endonucleases PstI and PvuII. 1980 , 10, 105-12 | 32 |
| 1759 | Replication of heterologous DNA in <i>Xenopus laevis</i> oocytes. 1981 , 124, 215-8 | 4 |
| 1758 | Propagation of B-lymphotropic papovavirus (LPV) in human B-lymphoma cells and characterization of its DNA. 1981 , 114, 228-35 | 34 |
| 1757 | Genetic structure of the IncN plasmid N3. 1981 , 6, 293-301 | 14 |
| 1756 | A system for shotgun DNA sequencing. 1981 , 9, 309-21 | 2657 |
| 1755 | The nucleotide sequence of the promoter and the amino-terminal region of alkaline phosphatase structural gene (<i>phoA</i>) of <i>Escherichia coli</i> . 1981 , 9, 5671-8 | 91 |
| 1754 | Genetic transformation of <i>Rhizobium meliloti</i> by plasmid DNA. 1981 , 15, 279-83 | 36 |
| 1753 | Region- and strand-specific mutagenesis of a recombinant plasmid. 1981 , 15, 331-42 | 18 |
| 1752 | Recovery of DNA fragments inserted by the "tailing" method: regeneration of PstI restriction sites. 1981 , 13, 339-46 | 36 |

| | | | |
|------|---|------|-----|
| 1751 | Cloning of the HIS5 gene of <i>Saccharomyces cerevisiae</i> by yeast transformation. 1981 , 16, 335-41 | | 12 |
| 1750 | Construction and characterization of new cloning vehicles. V. Mobilization and coding properties of pBR322 and several deletion derivatives including pBR327 and pBR328. 1981 , 13, 25-35 | | 139 |
| 1749 | Ampicillin treatment failure of apparently beta-lactamase-negative <i>Haemophilus influenzae</i> type b meningitis due to novel beta-lactamase. 1981 , 2, 1008-10 | | 86 |
| 1748 | Construction and characterization of a novel two-plasmid system for accomplishing temperature-regulated, amplified expression of cloned adventitious genes in <i>Escherichia coli</i> . 1981 , 16, 275-86 | | 47 |
| 1747 | Cloning and organization of genes for 5S ribosomal RNA in the sea urchin. <i>Lytechinus variegatus</i> . 1981 , 14, 51-62 | | 15 |
| 1746 | Nucleotide sequence of the argF regulatory region of <i>Escherichia coli</i> K-12. 1981 , 16, 119-32 | | 21 |
| 1745 | Cloning of a recA-like gene of <i>Proteus mirabilis</i> . 1981 , 14, 301-8 | | 27 |
| 1744 | Bacteriophage T5 growth in <i>Escherichia coli</i> containing PstI fragments of the colicin Ib plasmid. 1981 , 16, 89-96 | | 13 |
| 1743 | Mutants of <i>Shigella sonnei</i> deficient in DNA polymerase I. 1981 , 90, 149-55 | | 2 |
| 1742 | Transcription and processing of adenoviral RNA by extracts from HeLa cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1981 , 78, 4092-6 | 11.5 | 42 |
| 1741 | RNAs involved in copy-number control and incompatibility of plasmid R1. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1981 , 78, 6008-12 | 11.5 | 164 |
| 1740 | Plasmid ColE1 incompatibility determined by interaction of RNA I with primer transcript. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1981 , 78, 6096-100 | 11.5 | 239 |
| 1739 | Isolation of two clusters of mouse histone genes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1981 , 78, 4078-82 | 11.5 | 90 |
| 1738 | Biological activity of the spleen focus-forming virus is encoded by a molecularly cloned subgenomic fragment of spleen focus-forming virus DNA. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1981 , 78, 1401-5 | 11.5 | 64 |
| 1737 | Heterogeneity of RNA polymerase in <i>Bacillus subtilis</i> : evidence for an additional sigma factor in vegetative cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1981 , 78, 2762-6 | 11.5 | 74 |
| 1736 | Molecular cloning and characterization of winter flounder antifreeze cDNA. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1981 , 78, 2825-9 | 11.5 | 36 |
| 1735 | Two separate regions of the extrachromosomal ribosomal deoxyribonucleic acid of <i>Tetrahymena thermophila</i> enable autonomous replication of plasmids in <i>Saccharomyces cerevisiae</i> . 1981 , 1, 535-43 | | 103 |
| 1734 | Method for introducing site-specific mutations into adenovirus 2 genome: construction of a small deletion mutant in VA-RNAI gene. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1981 , 78, 2184-8 | 11.5 | 14 |

| | | | |
|------|---|------|-----|
| 1733 | Cloning and analysis of strong promoters is made possible by the downstream placement of a RNA termination signal. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1981 , 78, 4936-40 | 11.5 | 152 |
| 1732 | Different nucleotide changes in the large rRNA gene of the mitochondrial DNA confer chloramphenicol resistance on two human cell lines. 1981 , 9, 5785-95 | | 81 |
| 1731 | Expression of the hepatitis B virus surface antigen gene in cell culture by using a simian virus 40 vector. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1981 , 78, 2606-10 | 11.5 | 141 |
| 1730 | Cloning and expression of the <i>Bacillus thuringiensis</i> crystal protein gene in <i>Escherichia coli</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1981 , 78, 2893-7 | 11.5 | 269 |
| 1729 | Resolution of cointegrates between transposons gamma delta and Tn3 defines the recombination site. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1981 , 78, 3428-32 | 11.5 | 96 |
| 1728 | Mitochondrial DNA of chloramphenicol-resistant mouse cells contains a single nucleotide change in the region encoding the 3' end of the large ribosomal RNA. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1981 , 78, 3789-93 | 11.5 | 92 |
| 1727 | R plasmid with carbadox resistance from <i>Escherichia coli</i> of porcine origin. 1981 , 19, 86-90 | | 19 |
| 1726 | Mechanism of high power picosecond laser UV inactivation of viruses and bacterial plasmids. 1981 , 33, 835-8 | | 29 |
| 1725 | Characterization of a human papillomavirus from epidermodysplasia verruciformis lesions of a patient from Upper-volta. 1981 , 27, 645-50 | | 84 |
| 1724 | Restriction enzyme analysis of a highly diverged satellite DNA from <i>Drosophila nasutoides</i> . 1981 , 83, 367-79 | | 2 |
| 1723 | The influence of colicinogenic plasmids ColIb-P9, ColIa-CA53 and ColV-K30 on the repair, mutagenesis and induction of colicin E1 synthesis. 1981 , 181, 101-6 | | 6 |
| 1722 | Cloning of a eukaryotic regulatory gene. 1981 , 184, 394-9 | | 65 |
| 1721 | Cloning of mitochondrial DNA from the petite negative yeast <i>Schizosaccharomyces pombe</i> in the bacterial plasmid pBR322. 1981 , 184, 465-70 | | 14 |
| 1720 | Evidence for transcriptional regulation of dihydroorotic acid dehydrogenase in <i>Saccharomyces cerevisiae</i> . 1981 , 3, 119-23 | | 21 |
| 1719 | An IS4-encoded protein is synthesized in minicells. 1981 , 182, 183-8 | | 26 |
| 1718 | Cloning and expression of the <i>Bacillus subtilis</i> phage SPP1 in <i>E. coli</i> . I. Construction and characterization of lambda/SPP1 hybrids. 1981 , 182, 293-8 | | 9 |
| 1717 | Structure and function of the region of the replication origin of the <i>Bacillus subtilis</i> chromosome. I. Isolation and characterization of plasmids containing the origin region. 1981 , 183, 220-6 | | 27 |
| 1716 | Structure and function of the region of the replication origin of the <i>Bacillus subtilis</i> chromosome. II. Identification of the essential regions for inhibitory functions shown by the DNA segment containing the replication origin. 1981 , 183, 227-33 | | 9 |

- 1715 Surface exclusion between F⁺ plasmids in strains of *Escherichia coli* K-12 carrying a *dnaB* mutation, in the presence or absence of bacteriophage genomes providing a *dnaB* analog function. **1981**, 183, 238-42
- 1714 The cloning and transposon Tn5 mutagenesis of the *glnA* region of *Klebsiella pneumoniae*: identification of *glnR*, a gene involved in the regulation of the *nif* and *hut* operons. **1981**, 183, 289-97 59
- 1713 Cloning of *E. coli* *pnp* gene from an episome. **1981**, 183, 298-305 38
- 1712 Replication control functions of plasmid R1 act as inhibitors of expression of a gene required for replication. **1981**, 184, 56-61 53
- 1711 The location of sequences of TnA required for the establishment of transposition immunity. **1981**, 184, 80-6 21
- 1710 The *tnpR* gene product of TnA is required for transposition immunity. **1981**, 184, 87-91 11
- 1709 Molecular cloning of the *uvrD* gene of *Escherichia coli* that controls ultraviolet sensitivity and spontaneous mutation frequency. **1981**, 184, 191-9 34
- 1708 Vectors for cloning in cyanobacteria: construction and characterization of two recombinant plasmids capable of transformation of *Escherichia coli* K12 and *Anacystis nidulans* R2. **1981**, 184, 249-54 80
- 1707 Cloning of a gene from the fission yeast *S. pombe* which complements *E. coli* *pyrB*, the gene for aspartate transcarbamylase. **1981**, 182, 426-429 9
- 1706 Construction of hybrid plasmids containing the *lysA* gene of *Escherichia coli*: studies of expression in *Escherichia coli* and *Saccharomyces cerevisiae*. **1981**, 182, 456-61 19
- 1705 The requirement for both DNA polymerase and 5' to 3' exonuclease activities of DNA polymerase I during Tn5 transposition. **1981**, 182, 19-24 32
- 1704 *Nif* plasmid from *Lignobacter*. **1981**, 130, 322-324 15
- 1703 Physical and functional mapping of Tn2603, a transposon encoding ampicillin, streptomycin, sulfonamide, and mercury resistance. **1981**, 181, 464-9 31
- 1702 Introduction of active enzymes into intact *Escherichia coli* cells by means of liposomes. Phenotypic suppression of *uvr A* and *pol A* mutants. **1981**, 181, 532-4 1
- 1701 Construction of new yeast vectors and cloning of the *nif* (nitrogen fixation) gene cluster of *Klebsiella pneumoniae* in yeast. **1981**, 3, 173-80 38
- 1700 A "Stopper" mutant of *Neurospora crassa* containing two populations of aberrant mitochondrial DNA. **1981**, 3, 205-11 54
- 1699 Analysis of the plasmid content of an *E. coli* clinical isolate: Characterization of pPJ3a, pPJ3b, and of the transposon Tn2301. **1981**, 10, 169-173 5
- 1698 Cloning the *chlC* gene for nitrate reductase of *Escherichia coli*. **1981**, 11, 213-216 3

| | | |
|------|--|-----|
| 1697 | Cloning and expression of the <i>chlA</i> gene of <i>Escherichia coli</i> K12. 1981 , 12, 61-64 | 10 |
| 1696 | Characterization of the <i>Escherichia coli</i> <i>chlC</i> regulatory region in a cloned <i>chlC-lac</i> gene fusion. 1981 , 12, 125-129 | 5 |
| 1695 | Detergent-oversensitive strains of <i>Escherichia coli</i> suitable for biological containment. 1981 , 12, 269-272 | |
| 1694 | A general method for site-directed mutagenesis in prokaryotes. 1981 , 289, 85-8 | 670 |
| 1693 | Molecular cloning of the K1 capsular polysaccharide genes of <i>E. coli</i> . 1981 , 289, 696-8 | 97 |
| 1692 | Genetic analysis of K88-mediated adhesion of enterotoxigenic <i>Escherichia coli</i> . 1981 , 291, 122-6 | 73 |
| 1691 | Synthesis of hepatitis B surface and core antigens in <i>E. coli</i> . 1981 , 291, 503-6 | 145 |
| 1690 | In vivo consequences of plasmid topology. 1981 , 292, 380-2 | 101 |
| 1689 | Hot spots of frameshift mutations induced by the ultimate carcinogen N-acetoxy-N-2-acetylaminofluorene. 1981 , 294, 657-9 | 197 |
| 1688 | Cloning of cDNA sequences derived from poly(A) nuclear RNA of <i>Xenopus laevis</i> at different developmental stages: Evidence for stage specific regulation. 1981 , 190, 97-102 | 7 |
| 1687 | Hairpin-loop formation by inverted repeats in supercoiled DNA is a local and transmissible property. 1981 , 9, 1271-89 | 133 |
| 1686 | Identification of a protein coded by pR plasmid and involved in SOS repair in <i>E. coli</i> . 1981 , 9, 623-31 | 10 |
| 1685 | Structural complexity of defective-interfering RNAs of Semliki Forest virus as revealed by analysis of complementary DNA. 1981 , 9, 3403-17 | 21 |
| 1684 | Conjugal transfer of an R-plasmid in <i>Pasteurella multocida</i> . 1981 , 20, 415-7 | 21 |
| 1683 | Characterization of a cloned histone gene cluster of the newt <i>Notophthalmus viridescens</i> . 1981 , 9, 2281-95 | 40 |
| 1682 | Chloramphenicol transposons found in <i>Salmonella naestved</i> and <i>Escherichia coli</i> of domestic animal origin. 1981 , 20, 382-6 | 3 |
| 1681 | Nonconjugative plasmid with ampicillin resistance isolated from <i>Haemophilus influenzae</i> in Japan. 1981 , 25, 609-11 | |
| 1680 | Drug resistance and R plasmids in <i>Bordetella bronchiseptica</i> isolates from pigs. 1981 , 25, 773-86 | 11 |

| | | |
|------|--|-----|
| 1679 | Molecular cloning and analysis of cDNA sequences derived from poly A+ RNA from barley endosperm: identification of B hordein related clones. 1981 , 9, 6689-707 | 101 |
| 1678 | Sequence relationships between single repeat units of highly reiterated African Green monkey DNA. 1981 , 9, 169-81 | 51 |
| 1677 | Cloning and mapping of the chloroplast DNA sequences for two messenger RNAs from mustard (<i>Sinapis alba</i> L.). 1981 , 9, 3681-94 | 48 |
| 1676 | Expression of plant tumor-specific proteins in minicells of <i>Escherichia coli</i> : a fusion protein of lysopine dehydrogenase with chloramphenicol acetyltransferase. 1981 , 9, 5187-202 | 48 |
| 1675 | Recombinant DNA technology. 1981 , 27, 1-84 | 14 |
| 1674 | Dissection of the r-determinant of the plasmid R100.1: the sequence at the extremities of Tn21. 1981 , 9, 6265-78 | 24 |
| 1673 | Organization of highly repetitive satellite DNA of two Cucurbitaceae species (<i>Cucumis melo</i> and <i>Cucumis sativus</i>). 1982 , 10, 631-44 | 46 |
| 1672 | The maize chloroplast genes for the beta and epsilon subunits of the photosynthetic coupling factor CF1 are fused. 1982 , 10, 4985-5002 | 240 |
| 1671 | Chapter 23. A Review of the Basic Elements of Recombinant DNA Research. 1982 , 17, 229-242 | 1 |
| 1670 | Thymidine kinase deletion mutants of herpes simplex virus type 1. 1982 , 63, 277-95 | 87 |
| 1669 | Plasmid-coded ampicillin resistance in <i>Haemophilus ducreyi</i> . 1982 , 22, 689-92 | 5 |
| 1668 | Plasmid-mediated sulfonamide resistance in <i>Haemophilus ducreyi</i> . 1982 , 21, 159-65 | 57 |
| 1667 | Characterization of ampicillin resistance plasmids from <i>Haemophilus ducreyi</i> . 1982 , 21, 622-7 | 30 |
| 1666 | Directed mutagenesis of DNA cloned in filamentous phage: influence of hemimethylated GATC sites on marker recovery from restriction fragments. 1982 , 10, 6475-85 | 92 |
| 1665 | The chromosomal origin of replication (<i>oriC</i>) of <i>Erwinia carotovora</i> . 1982 , 10, 2639-50 | 21 |
| 1664 | Plasmid R394 is a cointegrate. 1982 , 128, 2791-5 | 1 |
| 1663 | Molecular epidemiology of beta-lactamase-specifying plasmids of <i>Haemophilus ducreyi</i> . 1982 , 21, 857-63 | 44 |
| 1662 | Nucleotide sequences of the murine retrovirus Friend SFFVp long terminal repeats: identification of a structure with extensive dyad symmetry 5' to the TATA box. 1982 , 10, 3315-30 | 34 |

| | | | |
|------|--|------|-----|
| 1661 | Cloning and sequence analysis of a cDNA plasmid for one of the rat liver glutathione S-transferase subunits. 1982 , 10, 5407-19 | | 34 |
| 1660 | Use of specific single stranded DNA probes cloned in M13 to study the RNA synthesis of four temperature-sensitive mutants of HK/68 influenza virus. 1982 , 10, 2925-38 | | 26 |
| 1659 | High-level expression of an interferon alpha 2 gene cloned in phage M13mp7 and subsequent purification with a monoclonal antibody. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1982 , 79, 5455-9 | 11.5 | 40 |
| 1658 | Mouse EcoRI satellite DNA contains a sequence homologous to the long terminal repeat of the intracisternal A particle gene. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1982 , 79, 6123-7 | 11.5 | 6 |
| 1657 | Cloning and sequence determination of the gene for the human immunoglobulin epsilon chain expressed in a myeloma cell line. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1982 , 79, 6661-5 | 11.5 | 45 |
| 1656 | Cloning the double-stranded RNA genes of reovirus: sequence of the cloned S2 gene. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1982 , 79, 7644-8 | 11.5 | 69 |
| 1655 | Identification of a sequence responsible for periodic synthesis of yeast histone 2A mRNA. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1982 , 79, 7689-93 | 11.5 | 82 |
| 1654 | Cloning and transcriptional control of a eucaryotic permease gene. 1982 , 2, 977-84 | | 41 |
| 1653 | Localization of kinetoplast DNA maxicircle transcripts in bloodstream and procyclic form <i>Trypanosoma brucei</i> . 1982 , 2, 845-52 | | 54 |
| 1652 | A plasmid-mediated cephalosporinase from <i>Achromobacter</i> species. 1982 , 145, 753-61 | | 52 |
| 1651 | Conjugation of drug-resistance plasmids from <i>Vibrio anguillarum</i> to <i>Vibrio parahaemolyticus</i> . 1982 , 26, 479-85 | | 18 |
| 1650 | Genetic selection for reciprocal translocation at chosen chromosomal sites in <i>Saccharomyces cerevisiae</i> . 1982 , 2, 1025-32 | | 30 |
| 1649 | Repair and mutagenesis of plasmid DNA modified by ultraviolet irradiation or N-acetoxy-N-2-acetylaminofluorene. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1982 , 79, 4133-7 | 11.5 | 30 |
| 1648 | A monkey Alu sequence is flanked by 13-base pair direct repeats by an interrupted alpha-satellite DNA sequence. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1982 , 79, 1497-500 | 11.5 | 61 |
| 1647 | Sequence of terminal regions of cowpox virus DNA: arrangement of repeated and unique sequence elements. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1982 , 79, 7112-6 | 11.5 | 32 |
| 1646 | Retrovirus long terminal repeats activate expression of coding sequences for the herpes simplex virus thymidine kinase gene. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1982 , 79, 1573-7 | 11.5 | 31 |
| 1645 | Isolation and identification of a cDNA clone corresponding to an HLA-DR antigen beta chain. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1982 , 79, 1703-7 | 11.5 | 79 |
| 1644 | Broad host range plasmid RK2 encodes multiple kil genes potentially lethal to <i>Escherichia coli</i> host cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1982 , 79, 1935-9 | 11.5 | 121 |

| | | | |
|------|--|------|------|
| 1643 | cDNA recombinant plasmid complementary to mRNAs for light chains 1 and 3 of mouse skeletal muscle myosin. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1982 , 79, 2437-41 | 11.5 | 28 |
| 1642 | Cloning of a nitrogen fixation (nif) gene cluster of <i>Azospirillum brasilense</i> . 1982 , 64, 495-502 | | 87 |
| 1641 | Molecular cloning of double-stranded cDNA from the eye lens of the frog <i>Rana temporaria</i> : construction of the cDNA clonothèque and identification of a clone containing the nucleotide sequences of the lambda-crystallin gene. 1982 , 17, 131-8 | | 17 |
| 1640 | The site-specific deletion in plasmid pBR322. 1982 , 18, 21-8 | | 15 |
| 1639 | Human nucleotide sequences related to the transforming gene of a murine sarcoma virus: studies with cloned viral and cellular DNAs. 1982 , 17, 19-26 | | 12 |
| 1638 | The cloning of the <i>Escherichia coli</i> K-12 deoxyribonucleoside operon. 1982 , 17, 291-8 | | 16 |
| 1637 | Cloning SV40 HindIII restriction fragments into M13 bacteriophage. 1982 , 18, 97-100 | | 1 |
| 1636 | The pUC plasmids, an M13mp7-derived system for insertion mutagenesis and sequencing with synthetic universal primers. 1982 , 19, 259-68 | | 6127 |
| 1635 | MOlecular cloning of human alpha and beta interferon genes from Namalwa cells. 1982 , 2, 575-85 | | 23 |
| 1634 | Tn7 insertion mutations affecting the host range of the promiscuous IncP-1 plasmid R18. 1982 , 8, 164-74 | | 33 |
| 1633 | Analysis of foldback sequences and repetitive sequences in cloned segments of nuclear DNA from <i>Physarum polycephalum</i> . 1982 , 697, 89-100 | | 7 |
| 1632 | Cloning of genes for bacteriophage T5 stable RNAs. 1982 , 697, 235-42 | | 6 |
| 1631 | Excision of polyoma virus DNA from that of a transformed mouse cell: identification of a hybrid molecule with direct and inverted repeat sequences at the viral-cellular joints. 1982 , 122, 84-97 | | 31 |
| 1630 | Structure and stability of Tn9-mediated cointegrates. Evidence for two pathways of transposition. 1982 , 154, 245-72 | | 79 |
| 1629 | Multiple forms of human dihydrofolate reductase messenger RNA. Cloning and expression in <i>Escherichia coli</i> of their DNA coding sequence. 1982 , 156, 583-607 | | 75 |
| 1628 | A small RNA that complements mutants in the RNA processing enzyme ribonuclease P. 1982 , 162, 515-33 | | 53 |
| 1627 | Molecular epidemiology of antibiotic resistance in salmonella from animals and human beings in the United States. 1982 , 307, 1-6 | | 137 |
| 1626 | Influence of phage T3 and T7 gene functions on a type III(EcoP1) DNA restriction-modification system in vivo. 1982 , 185, 457-61 | | 10 |

| | | | |
|------|--|----|------|
| 1625 | High-efficiency cloning of full-length cDNA. 1982 , 2, 161-70 | | 1324 |
| 1624 | Construction of a broad host range cosmid cloning vector and its use in the genetic analysis of <i>Rhizobium</i> mutants. 1982 , 18, 289-96 | | 821 |
| 1623 | Recombinant plasmids carrying the glutamate dehydrogenase structural gene from <i>Escherichia coli</i> K-12. 1982 , 17, 1-8 | | 17 |
| 1622 | Efficient transformation of <i>Serratia marcescens</i> with pBR322 plasmid DNA. 1982 , 17, 107-12 | | 30 |
| 1621 | Chemical synthesis and cloning of a gene for human beta-urogastrone. 1982 , 10, 4467-82 | | 85 |
| 1620 | Expression of the cloned uracil permease gene of <i>Saccharomyces cerevisiae</i> in a heterologous membrane.. <i>EMBO Journal</i> , 1982 , 1, 375-377 | 13 | 14 |
| 1619 | Chromosome breakage in yeast caused by sister-chromatid recombination in an integrated 2-micron plasmid. 1982 , 47, 355-369 | | 7 |
| 1618 | Expression of the gene coding for the small subunit of ribulosebisphosphate carboxylase during differentiation of tobacco plant protoplasts. 1982 , 126, 489-94 | | 48 |
| 1617 | Charakterisierung eines CaCl ₂ -abhängigen Transfektionssystems von <i>Escherichia coli</i> und T3-Phagen-DNS. 1982 , 22, 487-493 | | 1 |
| 1616 | Cloning and restriction mapping of the yeast URA2 gene coding for the carbamyl phosphate synthetase aspartate-transcarbamylase complex. 1982 , 186, 385-90 | | 35 |
| 1615 | Induction of <i>Escherichia coli</i> K-12 mutants with highly efficient plasmid transformation. 1982 , 93, 643-645 | | |
| 1614 | Expression of pyruvate formate-lyase of <i>Escherichia coli</i> from the cloned structural gene. 1982 , 132, 365-71 | | 37 |
| 1613 | Reiterated DNA sequences in a mutant strain of <i>Streptomyces glaucescens</i> and cloning of the sequence in <i>Escherichia coli</i> . 1982 , 186, 106-10 | | 36 |
| 1612 | UV-induced alleviation of lambda restriction in <i>Escherichia coli</i> K-12: kinetics of induction and specificity of this SOS function. 1982 , 186, 111-7 | | 46 |
| 1611 | Gene expression in <i>Streptomyces</i> : construction and application of promoter-probe plasmid vectors in <i>Streptomyces lividans</i> . 1982 , 187, 265-77 | | 283 |
| 1610 | Detection and mapping of six miniF-encoded proteins by cloning analysis of dissected miniF segments. 1982 , 186, 193-203 | | 67 |
| 1609 | In vitro construction of the <i>tufB</i> -lacZ fusion: analysis of the regulatory mechanism of <i>tufB</i> promoter. 1982 , 187, 355-63 | | 5 |
| 1608 | Mutants that overproduce TraTp, a plasmid-specified major outer membrane protein of <i>Escherichia coli</i> . 1982 , 187, 426-31 | | 13 |

| | | |
|------|--|-----|
| 1607 | The sites of action of the two copy number control functions of plasmid R1. 1982 , 187, 486-93 | 79 |
| 1606 | Genetic analysis of two bacterial RNA polymerase mutants that inhibit the growth of bacteriophage T7. 1982 , 188, 211-8 | 11 |
| 1605 | DNA replication and transcription in a temperature-sensitive mutant of E. coli with a defective DNA gyrase B subunit. 1982 , 188, 91-5 | 16 |
| 1604 | Cloning and characterization of the Escherichia coli chromosomal region surrounding the dnaG Gene, with a correlated physical and genetic map of dnaG generated via transposon Tn5 mutagenesis. 1982 , 185, 120-8 | 32 |
| 1603 | Recombination between two TnA transposon sequences oriented as inverse repeats is found less frequently than between direct repeats. 1982 , 185, 169-75 | 13 |
| 1602 | Cloning of the glnA, ntrB and ntrC genes of Klebsiella pneumoniae and studies of their role in regulation of the nitrogen fixation (nif) gene cluster. 1982 , 186, 518-24 | 71 |
| 1601 | Expression of Rhizobium meliloti genes for nitrogen fixation in Escherichia coli minicells: Mapping of the subunit of the nitrogenase reductase. 1982 , 1, 305-20 | 10 |
| 1600 | Improvement of Escherichia coli strains overproducing lysine using recombinant DNA techniques. 1982 , 15, 227-231 | 24 |
| 1599 | Transfer of the demethylation and decarboxylation activity of vanillic acid to Klebsiella. 1982 , 13, 423-426 | 2 |
| 1598 | Nucleotide sequence homology between the K88 and the K99 adhesion system of enterotoxigenic Escherichia coli. 1982 , 14, 129-132 | 7 |
| 1597 | Construction of a functional human suppressor tRNA gene: an approach to gene therapy for beta-thalassaemia. 1982 , 296, 537-40 | 126 |
| 1596 | Redesigning enzyme structure by site-directed mutagenesis: tyrosyl tRNA synthetase and ATP binding. 1982 , 299, 756-8 | 306 |
| 1595 | Introduction of IncQ plasmids into Rhizobium meliloti. Isolation of a host-range mutant of RSF1010 plasmid. 1983 , 16, 335-341 | 4 |
| 1594 | The influence of phase transition of membrane lipids on uptake of plasmid DNA in Escherichia coli transformation. 1983 , 18, 127-130 | 1 |
| 1593 | The generation of human monocyte/macrophage cell lines. 1983 , 306, 597-9 | 55 |
| 1592 | Cloning and characterization of the ribosomal genes of the sea-urchin Paracentrotus lividus. Heterogeneity of the multigene family. 1983 , 137, 233-9 | 4 |
| 1591 | Miniâ€”: A New Vector Strategy for Plant Genetic Engineering. 1983 , 1, 262-269 | 80 |
| 1590 | Nucleotide sequence of a Euglena gracilis chloroplast genome region coding for the elongation factor Tu; evidence for a spliced mRNA. 1983 , 11, 5877-92 | 158 |

| | | |
|------|--|----|
| 1589 | Use of the Mud(Ap,lac) bacteriophage to study the regulation of L-proline biosynthetic genes in <i>Escherichia coli</i> K-12. 1983 , 9, 31-35 | 8 |
| 1588 | Molecular cloning of pea mRNAs encoding a shoot-specific polypeptide and light-induced polypeptides. 1983 , 2, 295-303 | 15 |
| 1587 | The barley chloroplast genome: Physical structure and transcriptional activity in vivo. 1983 , 48, 57-80 | 81 |
| 1586 | Mapping the Chloroplast DNA of <i>Vicia faba</i> . 1983 , 7, 255-63 | 21 |
| 1585 | Molecular cloning of the genes for xylan degradation of <i>Bacillus pumilus</i> and their expression in <i>Escherichia coli</i> . 1983 , 192, 335-41 | 63 |
| 1584 | The cloning and characterization of the <i>glnF</i> (<i>ntrA</i>) gene of <i>Klebsiella pneumoniae</i> : Role of <i>glnF</i> (<i>ntrA</i>) in the regulation of nitrogen fixation (<i>nif</i>) and other nitrogen assimilation genes. 1983 , 192, 342-353 | 48 |
| 1583 | The large endogenous plasmid of <i>Anacystis nidulans</i> : Mapping, cloning and localization of the origin of replication. 1983 , 192, 402-407 | 13 |
| 1582 | Occurrence of deletion plasmids at high rates after conjugative transfer of the plasmids RP4 and RK2 from <i>Escherichia coli</i> to <i>Alcaligenes eutrophus</i> H16. 1983 , 136, 140-6 | 13 |
| 1581 | Expression of a prokaryotic gene in yeast: isolation and characterization of mutants with increased expression. 1983 , 191, 451-9 | 12 |
| 1580 | Cloning of photoreactivation repair gene and excision repair gene of the yeast <i>Saccharomyces cerevisiae</i> . 1983 , 7, 191-4 | 34 |
| 1579 | mtDNA sequences of <i>Candida utilis</i> capable of supporting autonomous replication of plasmids in <i>Saccharomyces cerevisiae</i> . 1983 , 189, 479-484 | 19 |
| 1578 | Deletion and amplification of DNA sequences in melanin-negative variants of <i>Streptomyces reticuli</i> . 1983 , 189, 501-5 | 57 |
| 1577 | Expression of a neomycin phosphotransferase gene from <i>Streptomyces fradiae</i> in <i>Escherichia coli</i> after interplasmidic recombination. 1983 , 189, 27-33 | 16 |
| 1576 | Localization of the gene for cytochrome <i>f</i> in pea chloroplast DNA. 1983 , 189, 85-89 | 54 |
| 1575 | Molecular cloning of tobacco chromosomal and chloroplast DNA segments capable of replication in yeast. 1983 , 192, 1-4 | 29 |
| 1574 | Plasmid and chromosomal mutants in the iron(III)-aerobactin transport system of <i>Escherichia coli</i> . Use of streptonigrin for selection. 1983 , 192, 131-9 | 74 |
| 1573 | Replication-control functions block the induction of an SOS response by a damaged P1 bacteriophage. 1983 , 192, 140-8 | 13 |
| 1572 | Plasmid transformation in <i>Bacillus subtilis</i> . Effects of the insertion of <i>Bacillus subtilis</i> rRNA genes into plasmids. 1983 , 192, 149-54 | 26 |

| | | |
|------|---|------|
| 1571 | Genetic analysis of the streptomycin resistance encoded by Tn5. 1983 , 192, 155-162 | 32 |
| 1570 | Cloning and expression of the gene(s) for cephalosporinase production of <i>Citrobacter freundii</i> . 1983 , 190, 85-91 | 19 |
| 1569 | Molecular cloning of <i>pldA</i> , the structural gene for outer membrane phospholipase of <i>E. coli</i> K12. 1983 , 190, 150-5 | 62 |
| 1568 | Tn5 carries a streptomycin resistance determinant downstream from the kanamycin resistance gene. 1983 , 191, 288-94 | 64 |
| 1567 | Detection of chemicals that stimulate Tn9 transposition in <i>Escherichia coli</i> K12. 1983 , 189, 245-50 | 19 |
| 1566 | Restriction endonuclease <i>Bgl</i> I as a tool for in vitro reconstruction and recombination of plasmid and bacteriophage genomes. 1983 , 189, 269-74 | 9 |
| 1565 | Synthetic Gene Fragments in Genetic Engineering – The Renaissance of Chemistry in Molecular Biology. 1983 , 22, 13-31 | 21 |
| 1564 | Synthetische Genfragmente in der Gentechnik – Die Renaissance der Chemie in der Molekularbiologie. 1983 , 95, 26-44 | 13 |
| 1563 | Map location and nucleotide sequence of <i>korA</i> , a key regulatory gene of promiscuous plasmid RK2. 1983 , 11, 7453-69 | 55 |
| 1562 | Construction and application of a novel plasmid "ATG vector" for direct expression of foreign genes in <i>Escherichia coli</i> . 1983 , 2, 265-73 | 17 |
| 1561 | Isolation and characterization of plasmids carrying a partially defective <i>Escherichia coli</i> replication origin. 1983 , 11, 8007-18 | 1 |
| 1560 | Isolation and characterization of the <i>dut</i> gene of <i>Escherichia coli</i> . I. Cloning in thermoinducible plasmids. 1983 , 22, 115-26 | 20 |
| 1559 | Expression of the phage lambda recombination genes <i>exo</i> and <i>bet</i> under <i>lacPO</i> control on a multi-copy plasmid. 1983 , 23, 277-92 | 18 |
| 1558 | The use of a partition locus to increase stability of tryptophan-operon-bearing plasmids in <i>Escherichia coli</i> . 1983 , 23, 105-15 | 85 |
| 1557 | Prospects for development and use of recombinant deoxyribonucleic acid techniques with ruminal bacteria. 1983 , 66, 1536-46 | 46 |
| 1556 | Expression plasmid vectors containing <i>Escherichia coli</i> tryptophan promoter transcriptional units lacking the attenuator. 1983 , 23, 255-65 | 30 |
| 1555 | Tandemly repeated DNA sequences from <i>Xenopus laevis</i> . I. Studies on sequence organization and variation in satellite 1 DNA (741 base-pair repeat). 1983 , 165, 567-85 | 59 |
| 1554 | Studies on transformation of <i>Escherichia coli</i> with plasmids. 1983 , 166, 557-80 | 9497 |

| | | |
|------|--|-----|
| 1553 | Initiation, processing and termination of ribosomal RNA from a hybrid 5 S ribosomal RNA gene in a plasmid. 1983 , 168, 525-57 | 19 |
| 1552 | Molecular cloning of the gene for phosphofructokinase-2 of <i>Escherichia coli</i> and the nature of a mutation, pfkB1, causing a high level of the enzyme. 1983 , 168, 285-305 | 86 |
| 1551 | Deletion analysis of a complex promoter for a developmentally regulated gene from <i>Bacillus subtilis</i> . 1983 , 168, 351-65 | 101 |
| 1550 | Molecular cloning and expression of a <i>Bacillus subtilis</i> beta-glucanase gene in <i>Escherichia coli</i> . 1983 , 23, 211-9 | 87 |
| 1549 | Characterization of Two Cel (Cellulose Degradation) Genes of <i>Clostridium Thermocellum</i> Coding for Endoglucanases. 1983 , 1, 589-594 | 64 |
| 1548 | Uses of recombinant DNA for analyses of <i>Streptomyces</i> species. 1983 , 413, 31-46 | 6 |
| 1547 | Large scale purification of plasmid DNA. 1983 , 13, 161-6 | 15 |
| 1546 | Proline utilization in <i>Saccharomyces cerevisiae</i> : analysis of the cloned PUT2 gene. 1983 , 3, 1846-56 | 67 |
| 1545 | The isolation and characterization of the <i>Escherichia coli</i> DNA adenine methylase (dam) gene. 1983 , 11, 837-51 | 165 |
| 1544 | Cloning and expression of a porcine prorelaxin gene in <i>E. coli</i> . 1983 , 11, 6597-609 | 6 |
| 1543 | Direct expression of hepatitis B surface antigen gene in <i>E. coli</i> . 1983 , 11, 3581-91 | 33 |
| 1542 | Biological Limitations on the Length of Highly Repetitive DNA Sequences that May be Stably Maintained within Plasmid Replicons in <i>Escherichia coli</i> . 1983 , 1, 602-609 | 7 |
| 1541 | Sequence analysis of zein cDNAs obtained by an efficient mRNA cloning method. 1983 , 11, 4891-906 | 127 |
| 1540 | Kilo-sequencing: an ordered strategy for rapid DNA sequence data acquisition. 1983 , 11, 349-68 | 81 |
| 1539 | DNA sequence of the 16S rRNA/23S rRNA intercistronic spacer of two rDNA operons of the archaeobacterium <i>Methanococcus vannielii</i> . 1983 , 11, 7537-44 | 38 |
| 1538 | Maintenance and incompatibility of plasmids carrying the replication origin of the <i>Escherichia coli</i> chromosome: evidence for a control region of replication between oriC and asnA. 1983 , 11, 5775-91 | 45 |
| 1537 | Formation of genes coding for hybrid proteins by recombination between related, cloned genes in <i>E. coli</i> . 1983 , 11, 5661-9 | 62 |
| 1536 | The nucleotide sequence of the chicken apo very low density lipoprotein II gene. 1983 , 11, 2529-40 | 43 |

| | | | |
|------|---|------|-----|
| 1535 | Post-transcriptional control of expression of the repA gene of plasmid R1 mediated by a small RNA molecule.. <i>EMBO Journal</i> , 1983 , 2, 93-98 | 13 | 88 |
| 1534 | Identification of Escherichia coli DNA helicase I as the tral gene product of the F sex factor. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1983 , 80, 4659-63 | 11.5 | 91 |
| 1533 | Cloned restriction/modification system from Pseudomonas aeruginosa. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1983 , 80, 402-6 | 11.5 | 105 |
| 1532 | Molecular cloning and cell cycle-specific regulation of a functional human thymidine kinase gene. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1983 , 80, 5588-91 | 11.5 | 77 |
| 1531 | The transforming function of bovine papillomavirus DNA. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1983 , 80, 5832-6 | 11.5 | 57 |
| 1530 | Bacillus stearothermophilus contains a plasmid-borne gene for alpha-amylase. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1983 , 80, 5975-9 | 11.5 | 39 |
| 1529 | Mitochondrial DNA and nuclear DNA from normal rat liver have a common sequence. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1983 , 80, 6495-9 | 11.5 | 63 |
| 1528 | Isolation of the catalase T structural gene of Saccharomyces cerevisiae by functional complementation. 1983 , 3, 1545-51 | | 57 |
| 1527 | Carbenicillin-hydrolyzing penicillinases of Proteus mirabilis and the PSE-type penicillinases of Pseudomonas aeruginosa. 1983 , 27, 995-1004 | | 17 |
| 1526 | Analysis at the sequence level of mutations induced by the ultimate carcinogen N-acetoxy-N-2-acetylaminofluorene. 1983 , 49, 135-40 | | 9 |
| 1525 | Construction of a correlated physical and genetic map of the Klebsiella pneumoniae hisDGO region using transposon Tn5 mutagenesis.. <i>EMBO Journal</i> , 1983 , 2, 1831-1838 | 13 | 5 |
| 1524 | Dynamics of cruciform extrusion in supercoiled DNA: use of a synthetic inverted repeat to study conformational populations.. <i>EMBO Journal</i> , 1983 , 2, 527-533 | 13 | 31 |
| 1523 | Insect immunity. Isolation of cDNA clones corresponding to attacins and immune protein P4 from Hyalophora cecropia.. <i>EMBO Journal</i> , 1983 , 2, 577-581 | 13 | 29 |
| 1522 | The cloning and expression of the gene encoding organ-specific esterase S from the genome of Drosophila virilis.. <i>EMBO Journal</i> , 1983 , 2, 1-7 | 13 | 8 |
| 1521 | pBR322 plasmid DNA modified with 2-acetylaminofluorene derivatives: transforming activity and in vitro strand cleavage by the Escherichia coli uvrABC endonuclease.. <i>EMBO Journal</i> , 1984 , 3, 757-760 | 13 | 35 |
| 1520 | GENETIC IMPROVEMENT OF CHITINASE PRODUCTION BY SERRATIA MARCESCENS11This work is a result of research sponsored in part by NOAA, National Sea Grant College Program, Department of Commerce, grants numbered 04-8-M01-189 and NA80AA-D-00120, through the California Sea Grant College Program, and in part by the California State Resources Agency, projects numbered R/P-50. | | 4 |
| 1519 | Increased abundance of a normal cell mRNA sequence accompanies the conversion of rat mammary cuboidal epithelial cells to elongated myoepithelial-like cells in culture. 1984 , 12, 8097-114 | | 38 |
| 1518 | A large fragment approach to DNA synthesis: total synthesis of a gene for the protease inhibitor eglin c from the leech Hirudo medicinalis and its expression in E. coli. 1984 , 12, 6369-87 | | 96 |

| | | |
|------|--|-----|
| 1517 | The gapped duplex DNA approach to oligonucleotide-directed mutation construction. 1984 , 12, 9441-56 | 531 |
| 1516 | The DNA sequence of the gene and genetic control sites for the excreted <i>B. subtilis</i> enzyme beta-glucanase. 1984 , 12, 5355-67 | 146 |
| 1515 | Site-specificity of abnormal excision: the mechanism of formation of a specialized transducing bacteriophage lambda plac5. 1984 , 12, 6779-95 | 4 |
| 1514 | Efficient expression in <i>Escherichia coli</i> of a mature and a modified human interferon-beta 1. 1984 , 3, 157-65 | 23 |
| 1513 | Restriction Endonuclease Map of pTi Bo542, a Potential Ti Plasmid Vector for Genetic Engineering of Plants. 1984 , 2, 702-709 | 43 |
| 1512 | Cloning and sequencing of the ribosomal RNA genes in maize: the 17S region. 1984 , 3, 31-40 | 108 |
| 1511 | Expression of the mouse dihydrofolate reductase cDNA in <i>B. subtilis</i> : a system to select mutant cDNAs coding for methotrexate resistant enzymes. 1984 , 12, 3585-601 | 11 |
| 1510 | Factors affecting the biosynthesis of L-tryptophan by genetically modified strains of <i>Escherichia coli</i> . 1984 , 130, 3091-100 | 3 |
| 1509 | Initiation of plasmid R1 replication in vitro is independent of transcription by host RNA polymerase. 1984 , 12, 5175-91 | 17 |
| 1508 | Identification of autonomous replication sequences in genomic and mitochondrial DNA of <i>Crithidia fasciculata</i> . 1984 , 10, 151-60 | 7 |
| 1507 | Detection of virus-specific sequences in <i>Drosophila melanogaster</i> mutants induced by injection of RSV DNA into early embryos. 1984 , 311, 394-5 | 8 |
| 1506 | Persistence of pBR322-related plasmids in <i>Escherichia coli</i> grown in chemostat cultures. 1984 , 22, 239-243 | 54 |
| 1505 | Integrative suppression as a way to detect homologies between the <i>Escherichia coli</i> chromosome and cloned DNA fragments. 1984 , 23, 187-190 | 2 |
| 1504 | Efficient transformation of a <i>Yersinia enterocolitica</i> strain (serotype O:3) by pBR322 DNA. 1984 , 23, 329-331 | |
| 1503 | Molecular cloning of the <i>Escherichia coli</i> K-12 <i>entACG</i> genes. 1984 , 24, 77-80 | 30 |
| 1502 | Characterization of a plasmid carrying the <i>Escherichia coli</i> K-12 <i>entD</i> , <i>fepA</i> , <i>fes</i> , and <i>entF</i> genes. 1984 , 25, 111-116 | 23 |
| 1501 | Physical map of the bacteriophage L (<i>Salmonella typhimurium</i>). 1984 , 25, 117-120 | 2 |
| 1500 | Isolation of two beta-xylosidase genes of <i>Bacillus pumilus</i> and comparison of their gene products. 1984 , 138, 267-73 | 27 |

| | | |
|------|--|--------|
| 1499 | The 3' untranslated sequence of human skeletal muscle alpha-actin mRNA. 1984 , 5, 457-64 | 17 |
| 1498 | Isolation and physical characterization of plasmid pCcl from <i>Corynebacterium callunae</i> and construction of hybrid derivatives. <i>Applied Microbiology and Biotechnology</i> , 1984 , 19, 409-413 | 5-7 34 |
| 1497 | A DNA sequence from <i>Dictyostelium discoideum</i> complements <i>ura3</i> and <i>ura5</i> mutations of <i>Saccharomyces cerevisiae</i> . 1984 , 193, 406-13 | 32 |
| 1496 | Can Ca ²⁺ -dependent competence be repeatedly induced in the same <i>Escherichia coli</i> cells?. 1984 , 193, 538-42 | 6 |
| 1495 | Recombination-dependent recircularization of linearized pBR322 plasmid DNA following transformation of <i>Escherichia coli</i> . 1984 , 194, 211-8 | 65 |
| 1494 | The role of insertions, deletions, and substitutions in the evolution of R6 related plasmids encoding aminoglycoside transferase ANT-(2"). 1984 , 194, 248-59 | 35 |
| 1493 | Copy mutants of plasmid R1: effects of base pair substitutions in the <i>copA</i> gene on the replication control system. 1984 , 194, 286-92 | 41 |
| 1492 | The <i>Euglena gracilis</i> chloroplast genome: structural features of a DNA region possibly carrying the single origin of DNA replication. 1984 , 8, 629-34 | 29 |
| 1491 | Organisation of nodulation and nitrogen fixation genes on a <i>Rhizobium trifolii</i> symbiotic plasmid. 1984 , 139-139, 151-157 | 21 |
| 1490 | Cloning of a DNA fragment from <i>Cephalosporium acremonium</i> which functions as an autonomous replication sequence in yeast. 1984 , 8, 155-63 | 24 |
| 1489 | Effect of ochre nonsense mutations on yeast <i>URA1</i> mRNA stability. 1984 , 8, 277-82 | 48 |
| 1488 | Cloning by genetic complementation and restriction mapping of the yeast <i>HEM1</i> gene coding for 5-aminolevulinic synthase. 1984 , 8, 327-31 | 17 |
| 1487 | The localization and orientation of specific genes in the chloroplast chromosome of <i>Vicia faba</i> . 1984 , 8, 359-67 | 18 |
| 1486 | Localisation of genes for four ATP synthase subunits in pea chloroplast DNA. 1984 , 194, 402-409 | 33 |
| 1485 | Nucleotide sequence and functional properties of DNA encoding incompatibility in the broad host-range plasmid R1162. 1984 , 194, 423-31 | 19 |
| 1484 | Localization of the gene for P700 chlorophyll a protein in pea chloroplast DNA. 1984 , 194, 471-476 | 27 |
| 1483 | Location and nucleotide sequence of the gene for the 15.2 kDa polypeptide of the cytochrome b-f complex from pea chloroplasts. 1984 , 194, 477-484 | 57 |
| 1482 | Recombinational properties of the <i>Saccharomyces cerevisiae</i> <i>FLP</i> gene expressed in <i>Escherichia coli</i> . 1984 , 8, 439-48 | 1 |

| | | |
|------|---|-----|
| 1481 | Native supercoiling of DNA: the effects of DNA gyrase and omega protein in <i>E. coli</i> . 1984 , 196, 508-12 | 10 |
| 1480 | Localization and nucleotide sequence of the gene for the membrane polypeptide D2 from pea chloroplast DNA. 1984 , 3, 191-9 | 82 |
| 1479 | Analysis in vivo of factors affecting the control of transcription initiation at promoters containing target sites for trp repressor. 1984 , 193, 110-8 | 19 |
| 1478 | Repair of UV-irradiated plasmid DNA in a <i>Saccharomyces cerevisiae</i> rad3 mutant deficient in excision-repair of pyrimidine dimers. 1984 , 193, 167-71 | 12 |
| 1477 | Evolutionary relationship between Tn21-like elements and pBP201, a plasmid from <i>Klebsiella pneumoniae</i> mediating resistance to gentamicin and eight other drugs. 1984 , 197, 109-19 | 33 |
| 1476 | Transduction of multi-copy plasmid pBR322 by bacteriophage Mu. 1984 , 197, 169-74 | 13 |
| 1475 | A hybrid DNA sequence containing the replication origin of the multicopy yeast plasmid 2 micron circle and an additional repeated sequence can convert maltose-negative into maltose-positive strains. 1984 , 197, 491-6 | 2 |
| 1474 | Genetic structure and stability of a copy number mutant of IncFI group plasmid ColV-K94 in <i>Escherichia coli</i> K-12. 1984 , 193, 349-57 | 7 |
| 1473 | Physical and genetic structure of the glpK-cpxA interval of the <i>Escherichia coli</i> K-12 chromosome. 1984 , 197, 261-71 | 14 |
| 1472 | Location and nucleotide sequence of a tobacco chloroplast DNA segment capable of replication in yeast. 1984 , 195, 1-4 | 25 |
| 1471 | New regulatory genes involved in the control of transcription initiation at the thr and ilv promoters of <i>Escherichia coli</i> K-12. 1984 , 195, 70-6 | 13 |
| 1470 | Cloning and expression of the structural gene for beta-glucosidase of <i>Kluyveromyces fragilis</i> in <i>Escherichia coli</i> and <i>Saccharomyces cerevisiae</i> . 1984 , 195, 108-15 | 49 |
| 1469 | Selective transduction of recombinant plasmids with cloned pac sites by <i>Salmonella</i> phage P22. 1984 , 196, 123-8 | 34 |
| 1468 | Molecular cloning of genes involved in purine biosynthetic and salvage pathways of <i>Salmonella typhimurium</i> . 1984 , 196, 152-7 | 6 |
| 1467 | Functional substitution of the recE gene of <i>Bacillus subtilis</i> by the recA gene of <i>Proteus mirabilis</i> . 1984 , 195, 516-22 | 5 |
| 1466 | Recombination following transformation of <i>Escherichia coli</i> by heteroduplex plasmid DNA molecules. 1984 , 29, 255-61 | 4 |
| 1465 | Mutations of the heat inducible 70 kilodalton genes of yeast confer temperature sensitive growth. 1984 , 38, 841-9 | 269 |
| 1464 | Structural analysis of the dnaA and dnaN genes of <i>Escherichia coli</i> . 1984 , 28, 159-70 | 111 |

| | | |
|------|--|---------|
| 1463 | Glutamine synthetase gene of <i>Bacillus subtilis</i> . 1984 , 32, 427-38 | 53 |
| 1462 | Thermo-inducible gene expression in <i>Bacillus subtilis</i> using transcriptional regulatory elements from temperate phage phi 105. 1984 , 32, 181-94 | 30 |
| 1461 | Nucleotide sequence of the avian influenza virus A/fowl plague/Rostock/34 segment 1 encoding the PB2 polypeptide. 1984 , 1, 65-71 | 18 |
| 1460 | Molecular cloning and characterization of the gene for <i>Escherichia coli</i> valyl-tRNA synthetase. 1984 , 30, 219-26 | 12 |
| 1459 | Temperature-dependent retention of a tryptophan-operon-bearing plasmid in <i>Escherichia coli</i> . 1984 , 31, 117-22 | 26 |
| 1458 | Biotechnological approach to a new foot-and-mouth disease virus vaccine. 1984 , 1, 223-59 | 5 |
| 1457 | Two modules from the hypersuppressive rho- mitochondrial DNA are required for plasmid replication in yeast. 1984 , 30, 47-61 | 25 |
| 1456 | Effects of alterations in the translation control region on bacterial gene expression: use of cat gene constructs transcribed from the lac promoter as a model system. 1984 , 28, 177-93 | 57 |
| 1455 | Mutagenesis and mutation transfer induced by ultraviolet light in plasmid-cloned DNA. 1984 , 27, 213-22 | 32 |
| 1454 | The complete nucleotide sequence of the <i>Pseudomonas</i> gene coding for carboxypeptidase G2. 1984 , 31, 31-8 | 86 |
| 1453 | 4 Transformation of Bacteria by Plasmid DNA. 1984 , 17, 61-95 | 12 |
| 1452 | A New Chimeric Gene as a Marker for Plant Transformation: The Expression of <i>Escherichia coli</i> β -Galactosidase in Sunflower and Tobacco Cells. 1984 , 2, 520-527 | 56 |
| 1451 | The use of double mutants to detect structural changes in the active site of the tyrosyl-tRNA synthetase (<i>Bacillus stearothermophilus</i>). 1984 , 38, 835-40 | 538 |
| 1450 | Human thymidine kinase gene: molecular cloning and nucleotide sequence of a cDNA expressible in mammalian cells. 1984 , 4, 2316-20 | 192 |
| 1449 | Micronuclear DNA of <i>Oxytricha nova</i> contains sequences with autonomously replicating activity in <i>Saccharomyces cerevisiae</i> . 1984 , 4, 1725-9 | 4 |
| 1448 | Regulation of the araC gene of <i>Escherichia coli</i> : catabolite repression, autoregulation, and effect on araBAD expression. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1984 , 81, 4120-4 | 11.5 66 |
| 1447 | Photoaffinity labeling and characterization of the cloned purine-cytosine transport system in <i>Saccharomyces cerevisiae</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1984 , 81, 6276-80 | 11.5 28 |
| 1446 | Efficient coupled transcription and mRNA splicing in vitro using plasmids derived from early region 3 of adenovirus 2 and a nondefective adenovirus-simian virus 40 hybrid. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1984 , 81, 2679-83 | 11.5 2 |

| | | | |
|------|---|------|-----|
| 1445 | Recombinational instability of a chimeric plasmid in <i>Saccharomyces cerevisiae</i> . 1984 , 4, 195-8 | | 16 |
| 1444 | Molecular cloning and nucleotide sequence analysis of the <i>Saccharomyces cerevisiae</i> RAD1 gene. 1984 , 4, 2161-9 | | 48 |
| 1443 | Isolation and characterization of a mouse cDNA clone that expresses mast-cell growth-factor activity in monkey cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1984 , 81, 1070-4 | 11.5 | 306 |
| 1442 | Cloning of genes involved in pathogenicity of <i>Xanthomonas campestris</i> pv. <i>campestris</i> using the broad host range cosmid pLAFR1. <i>EMBO Journal</i> , 1984 , 3, 3323-3328 | 13 | 222 |
| 1441 | Inactivation of p53 gene expression by an insertion of Moloney murine leukemia virus-like DNA sequences. 1984 , 4, 1402-10 | | 108 |
| 1440 | Use of short DNA oligonucleotides for determination of DNA sequence modifications induced by benzo[a]pyrene diol epoxide. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1984 , 81, 5936-40 | 11.5 | 20 |
| 1439 | Molecular cloning of the mouse ouabain-resistance gene. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1984 , 81, 1489-93 | 11.5 | 46 |
| 1438 | A positive regulatory site and a negative regulatory site control the expression of the <i>Saccharomyces cerevisiae</i> CYC7 gene. 1984 , 4, 2023-30 | | 64 |
| 1437 | Plasmid-directed synthesis of genuine adenovirus 2 early-region 1A and 1B proteins in <i>Escherichia coli</i> . 1984 , 4, 1427-39 | | 17 |
| 1436 | <i>Saccharomyces cerevisiae</i> ribosomes recognize non-AUG initiation codons. 1984 , 4, 1191-7 | | 102 |
| 1435 | Gene transfer in fungi. 1985 , 23, 73-178 | | 17 |
| 1434 | Nucleotide sequence of the replication region of plasmid R401 and its incompatibility function. 1985 , 29, 383-93 | | 6 |
| 1433 | Electron transfer to nitrogenase in <i>Klebsiella pneumoniae</i> . nifF gene cloned and the gene product, a flavodoxin, purified. <i>Biochemical Journal</i> , 1985 , 231, 743-53 | 3.8 | 41 |
| 1432 | A Tn3 lacZ transposon for the random generation of beta-galactosidase gene fusions: application to the analysis of gene expression in <i>Agrobacterium</i> .. <i>EMBO Journal</i> , 1985 , 4, 891-898 | 13 | 343 |
| 1431 | Nucleotide sequence of bean golden mosaic virus and a model for gene regulation in geminiviruses. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1985 , 82, 3572-6 | 11.5 | 69 |
| 1430 | Reconstitution of the GTP-dependent adenylate cyclase from products of the yeast CYR1 and RAS2 genes in <i>Escherichia coli</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1985 , 82, 7855-9 | 11.5 | 44 |
| 1429 | Molecular cloning of the gene for the RNA-processing enzyme RNase III of <i>Escherichia coli</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1985 , 82, 849-53 | 11.5 | 31 |
| 1428 | Two alkaline phosphatase genes positioned in tandem in <i>Bacillus licheniformis</i> MC14 require different RNA polymerase holoenzymes for transcription. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1985 , 82, 1035-9 | 11.5 | 17 |

| | | | |
|------|---|------|-----|
| 1427 | Malignant transformation and tumor promoter treatment increase levels of a transcript for a secreted glycoprotein. 1985 , 5, 466-73 | | 44 |
| 1426 | Cloning and expression of a novel variant of human interferon-gamma cDNA. 1985 , 97, 153-9 | | 21 |
| 1425 | Use of a cDNA expression vector for isolation of mouse interleukin 2 cDNA clones: expression of T-cell growth-factor activity after transfection of monkey cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1985 , 82, 68-72 | 11.5 | 162 |
| 1424 | Regulation of expression from the glnA promoter of <i>Bacillus subtilis</i> requires the glnA gene product. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1985 , 82, 3375-9 | 11.5 | 43 |
| 1423 | cDNA of the immunoglobulin kappa chain of an Epstein-Barr virus-transformed human lymphoid cell line: partial sequence determination and bacterial expression. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1985 , 82, 7025-9 | 11.5 | |
| 1422 | TU elements: a heterogeneous family of modularly structured eucaryotic transposons. 1985 , 5, 991-1001 | | 25 |
| 1421 | The 140-kDa adenovirus DNA polymerase is recognized by antibodies to <i>Escherichia coli</i> -synthesized determinants predicted from an open reading frame on the adenovirus genome. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1985 , 82, 2652-6 | 11.5 | 9 |
| 1420 | Molecular cloning of a full-length cDNA for human alcohol dehydrogenase. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1985 , 82, 2703-7 | 11.5 | 57 |
| 1419 | korA function of promiscuous plasmid RK2: an autorepressor that inhibits expression of host-lethal gene kilA and replication gene trfA. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1985 , 82, 7374-8 | 11.5 | 45 |
| 1418 | Evaluation of plasmids in tetracycline resistant strains of <i>Neisseria gonorrhoeae</i> and <i>Ureaplasma urealyticum</i> in a case of severe urethritis. 1985 , 1, 294-300 | | 6 |
| 1417 | Cloning of maltase regulatory genes in <i>Saccharomyces cerevisiae</i> . 1985 , 9, 539-545 | | 22 |
| 1416 | Sequence of 5S ribosomal RNA gene regions and their products in the archaebacterium <i>Halobacterium volcanii</i> . 1985 , 198, 270-4 | | 27 |
| 1415 | Kinetoplast DNA segments function as promoters in <i>Escherichia coli</i> cells. 1985 , 198, 323-8 | | 2 |
| 1414 | Organization of the MAL loci of <i>Saccharomyces</i> . Physical identification and functional characterization of three genes at the MAL6 locus. 1985 , 200, 1-8 | | 47 |
| 1413 | Isolation of the catalase A gene of <i>Saccharomyces cerevisiae</i> by complementation of the cta1 mutation. 1985 , 200, 74-9 | | 60 |
| 1412 | Molecular cloning of a nodulation gene from fast- and slow-growing strains of <i>Lotus rhizobia</i> . 1985 , 201, 43-50 | | 11 |
| 1411 | The chloroplast genome of <i>Euglena gracilis</i> : the mosaic structure of a DNA segment linking the extra 16S rRNA gene with the rrn operon A. 1985 , 9, 221-7 | | 10 |
| 1410 | Identification and isolation of the cytochrome oxidase subunit II gene in mitochondria of the yeast <i>Hansenula saturnus</i> . 1985 , 9, 345-50 | | 6 |

| | | |
|------|--|-----|
| 1409 | Multimer resolution systems of ColE1 and ColK: localisation of the crossover site. 1985 , 201, 334-8 | 29 |
| 1408 | Certain chromosomal regions in <i>Streptomyces glaucescens</i> tend to carry amplifications and deletions. 1985 , 200, 375-84 | 36 |
| 1407 | The expression of the MET25 gene of <i>Saccharomyces cerevisiae</i> is regulated transcriptionally. 1985 , 200, 407-14 | 50 |
| 1406 | A recombinant plasmid carrying the mitochondrial plasmid sequence of <i>Neurospora intermedia</i> LaBelle yields new plasmid derivatives in <i>Neurospora crassa</i> transformants. 1985 , 9, 471-477 | 14 |
| 1405 | Nucleotide sequences encoding and promoting expression of three antibiotic resistance genes indigenous to <i>Streptomyces</i> . 1985 , 199, 26-36 | 141 |
| 1404 | Localization of a symbiotic fix region on <i>Rhizobium meliloti</i> pSym megaplasmid more than 200 kilobases from the nod-nif region. 1985 , 199, 232-239 | 68 |
| 1403 | Identification and cloning of nodulation genes from the wide host range <i>Rhizobium</i> strain MPIK3030. 1985 , 199, 271-278 | 23 |
| 1402 | Evidence for two distinct origins of replication in the large endogenous plasmid of <i>Anacystis nidulans</i> R2. 1985 , 199, 300-305 | 14 |
| 1401 | Transcription and its regulation in the basic replicon region of plasmid R1. 1985 , 198, 503-8 | 25 |
| 1400 | Nucleotide sequences and stability of a <i>Nicotiana</i> nuclear DNA segment possessing autonomously replicating ability in yeast. 1985 , 5, 35-9 | 12 |
| 1399 | Non-oncogenic plant vectors for use in the agrobacterium binary system. 1985 , 5, 85-9 | 32 |
| 1398 | DNA changes involving repeated sequences in senescing soybean (<i>Glycine max</i>) cotyledon nuclei. 1985 , 64, 409-417 | 16 |
| 1397 | Cloning of ten distinct DNA fragments of <i>Clostridium thermocellum</i> coding for cellulases. 1985 , 29, 145-149 | 101 |
| 1396 | Transformation of <i>Bacillus subtilis</i> with DNA-encoding naphthalene degradation from <i>Bacillus megaterium</i> . 1985 , 4, 21-27 | 2 |
| 1395 | Plasmid-determined cloacin DF13-susceptibility in <i>Enterobacter cloacae</i> and <i>Klebsiella edwardsii</i> ; identification of the cloacin DF13/aerobactin outer membrane receptor proteins. 1985 , 51, 203-18 | 15 |
| 1394 | Isolation and characterization of a gene encoding meso-diaminopimelate dehydrogenase from <i>Glycine max</i> . 1985 , 4, 197-204 | 16 |
| 1393 | The LV1 gene in <i>Saccharomyces cerevisiae</i> : 5' and 3' end mapping of transcripts and their regulation. 1985 , 50, 163-178 | 10 |
| 1392 | Transduction of virulence in herpes simplex virus type 1 from a pathogenic to an apathogenic strain by a cloned viral DNA fragment. 1985 , 173, 257-78 | 46 |

| | | | |
|------|---|-----|-----|
| 1391 | Mapping of the deletion in the genome of HSV-1 strain HFEM responsible for its avirulent phenotype. 1985 , 173, 329-43 | | 32 |
| 1390 | Construction of <i>Clostridium butyricum</i> hybrid plasmids and transfer to <i>Bacillus subtilis</i> . <i>Applied Microbiology and Biotechnology</i> , 1985 , 23, 114-122 | 5-7 | 10 |
| 1389 | Cloning and expression of the <i>Saccharomycopsis fibuligera</i> glucoamylase gene in <i>Saccharomyces cerevisiae</i> . <i>Applied Microbiology and Biotechnology</i> , 1985 , 23, 130-133 | 5-7 | 22 |
| 1388 | Strain-dependent variation in ribosomal DNA arrangement in <i>Absidia glauca</i> . 1985 , 146, 443-8 | | 62 |
| 1387 | Cloning of the gene encoding the hydrogenase from <i>Desulfovibrio vulgaris</i> (Hildenborough) and determination of the NH ₂ -terminal sequence. 1985 , 148, 509-14 | | 69 |
| 1386 | Cloning and expression of <i>Klebsiella pneumoniae</i> genes coding for citrate transport and fermentation.. <i>EMBO Journal</i> , 1985 , 4, 1599-1603 | 13 | 24 |
| 1385 | A single amino acid alteration in the initiation protein is responsible for the DNA overproduction phenotype of copy number mutants of plasmid R6K.. <i>EMBO Journal</i> , 1985 , 4, 2301-2307 | 13 | 20 |
| 1384 | Mapping and expression of a regulatory nitrogen fixation gene (fix D) of <i>Rhizobium meliloti</i> . <i>EMBO Journal</i> , 1985 , 4, 2751-2756 | 13 | 32 |
| 1383 | Transformation of <i>Saccharomyces cerevisiae</i> and <i>Schizosaccharomyces pombe</i> with linear plasmids containing 2 micron sequences.. <i>EMBO Journal</i> , 1985 , 4, 1569-1573 | 13 | 10 |
| 1382 | The wheat chloroplast gene for CF0 subunit I of ATP synthase contains a large intron. <i>EMBO Journal</i> , 1985 , 4, 1381-1388 | 13 | 104 |
| 1381 | Recombinant DNA and Other Direct Specimen Identification Techniques. 1985 , 5, 99-107 | | 4 |
| 1380 | Site-directed mutagenesis of the <i>Klebsiella pneumoniae</i> nifL and nifH promoters and in vivo analysis of promoter activity. 1985 , 13, 7621-38 | | 73 |
| 1379 | The extent of DNA sequence required for a functional bacterial attachment site of phage lambda. 1985 , 13, 1193-208 | | 31 |
| 1378 | Single stranded DNA SP6 promoter plasmids for engineering mutant RNAs and proteins: synthesis of a stretched preproparathyroid hormone. 1985 , 13, 1103-18 | | 130 |
| 1377 | Antibiotic resistance and small R plasmids among <i>Escherichia coli</i> isolates from outpatient urinary tract infections in northern Norway. 1985 , 27, 107-13 | | 15 |
| 1376 | Development of two DNA probes for differentiating the structural genes of subclasses I and II of the aminoglycoside-modifying enzyme 3Naminoglycoside phosphotransferase. 1985 , 27, 739-44 | | 32 |
| 1375 | Multiresistance plasmid from commensal <i>Neisseria</i> strains. 1985 , 27, 120-4 | | 36 |
| 1374 | Hexamine cobalt chloride promotes intermolecular ligation of blunt end DNA fragments by T4 DNA ligase. 1985 , 13, 1997-2008 | | 51 |

| | | |
|------|--|-------|
| 1373 | Comparison of three DNA hybridization methods for detection of the aminoglycoside 2"-O-adenylyltransferase gene in clinical bacterial isolates. 1985 , 28, 69-73 | 18 |
| 1372 | Cloning and characterization of the cDNAs for human and rabbit interleukin-1 precursor. 1985 , 13, 5869-82 | 210 |
| 1371 | A pH-dependent structural transition in the homopurine-homopyrimidine tract in superhelical DNA. 1985 , 3, 327-38 | 124 |
| 1370 | Site-directed mutagenesis of the Escherichia coli chromosome near oriC: identification and characterization of asnC, a regulatory element in E. coli asparagine metabolism. 1985 , 13, 8797-811 | 44 |
| 1369 | Nucleotide sequence of the PaeR7 restriction/modification system and partial characterization of its protein products. 1985 , 13, 8441-61 | 83 |
| 1368 | Cloning of argG from Streptomyces: Loss of Gene in Argâ€­Mutants of S. cattleya. 1985 , 3, 917-918 | 18 |
| 1367 | Expression in Escherichia coli of Multiple Products from a Chimaeric Gene Fusion: Evidence for the Presence of Procaryotic Translational Control Regions within Eucaryotic Genes. 1985 , 3, 715-720 | 17 |
| 1366 | Principles of Genetic Engineering Technology. 1985 , 11, 1073-1088 | |
| 1365 | Genetic and biochemical properties of AER-1, a novel carbenicillin-hydrolyzing beta-lactamase from Aeromonas hydrophila. 1985 , 27, 479-84 | 34 |
| 1364 | Genetic elements used for a murine lupus anti-DNA autoantibody are closely related to those for antibodies to exogenous antigens. 1985 , 161, 805-15 | 92 |
| 1363 | Cloning of a DNA sequence that complements glutamine auxotrophy in Saccharomyces cerevisiae. 1985 , 36, 123-9 | 8 |
| 1362 | Transformation of Rhodosporidium toruloides. 1985 , 36, 235-40 | 50 |
| 1361 | Physical and genetic characterization of cloned enterobactin genomic sequences from Escherichia coli K-12. 1985 , 34, 47-54 | 29 |
| 1360 | Repetitive extragenic palindromic (REP) sequences in the Escherichia coli gdhA gene. 1985 , 37, 53-62 | 20 |
| 1359 | Stabilization by the Mini-F Fragment of a pBR322 Derivative Bearing the Tryptophan Operon in Escherichia coli. 1985 , 49, 3619-3622 | 2 |
| 1358 | Expression of rat liver cytochrome P-450MC cDNA in Saccharomyces cerevisiae. 1985 , 4, 203-10 | 222 |
| 1357 | Improved M13 phage cloning vectors and host strains: nucleotide sequences of the M13mp18 and pUC19 vectors. 1985 , 33, 103-19 | 14870 |
| 1356 | Isolation and characterization of the yeast aspartyl-tRNA synthetase gene. 1985 , 40, 349-52 | 14 |

| | | |
|------|--|-----|
| 1355 | Construction of multicopy yeast plasmids with regulated centromere function. 1985 , 39, 25-31 | 55 |
| 1354 | The araBAD operon of Salmonella typhimurium LT2. I. Nucleotide sequence of araB and primary structure of its product, ribulokinase. 1985 , 34, 111-22 | 19 |
| 1353 | Specificity of insertion of IS1. 1985 , 185, 517-24 | 56 |
| 1352 | Efficient utilization of Escherichia coli transcriptional signals in Bacillus subtilis. 1985 , 186, 547-55 | 71 |
| 1351 | Genetic expression and gyrase dependence of methylated and undermethylated DNA in Escherichia coli. 1985 , 825, 335-8 | 1 |
| 1350 | Cloning and analysis of the promoter region of the erythromycin resistance gene (ermE) of Streptomyces erythraeus. 1985 , 38, 215-26 | 281 |
| 1349 | Enzymatic Hydrolysis of Organophosphates: Cloning and Expression of a Parathion Hydrolase Gene from Pseudomonas diminuta. 1985 , 3, 567-571 | 63 |
| 1348 | Bacterial vectors which confer resistance to kanamycin. 1985 , 133, 1112-8 | |
| 1347 | Cloning of two β tubulin related genes in tetrahymena pyriformis. 1985 , 188, 227-232 | 16 |
| 1346 | The kanamycin resistance gene expression in Escherichia coli as affected by specific yeast sequences. 1986 , 136, 529-34 | |
| 1345 | Enhanced instability of IncFII basic replicon by the polA mutation. 1986 , 139, 918-25 | 1 |
| 1344 | Identification of a sequence containing the positive regulatory region of Saccharomyces cerevisiae gene ENO1. 1986 , 45, 67-75 | 48 |
| 1343 | The organization and nucleotide sequence of the Bacillus subtilis hisH, tyrA and aroE genes. 1986 , 49, 147-52 | 42 |
| 1342 | Yeast shuttle and integrative vectors with multiple cloning sites suitable for construction of lacZ fusions. 1986 , 45, 299-310 | 611 |
| 1341 | Molecular cloning of a recA-like gene of Methylophilus methylotrophus and identification of its product. 1986 , 44, 47-53 | 18 |
| 1340 | Overproduction of aspartase of Escherichia coli K-12 by molecular cloning. 1986 , 3, 281-291 | 12 |
| 1339 | Isolation, Crystallization and Properties of a New Cellulase of Clostridium thermocellum Overproduced in Escherichia coli. 1986 , 4, 896-900 | 41 |
| 1338 | Application of recombinant DNA technology to the production of useful biomaterials. 1986 , 33, 1-27 | 16 |

| | | |
|------|--|-----|
| 1337 | Plasmid-transformed <i>ura3 fur1</i> Double-Mutants of <i>S. cerevisiae</i> : An Autoselection System Applicable to the Production of Foreign Proteins. 1986 , 4, 433-437 | 28 |
| 1336 | Mutations resulting in promoter-like sequences which enhance the expression of <i>araC</i> in <i>Salmonella typhimurium</i> . 1986 , 46, 113-21 | 4 |
| 1335 | Cellulase genes of <i>Cellulomonas uda</i> CB4. I. Cloning and expression of β -glucosidase genes in <i>Escherichia coli</i> . 1986 , 3, 239-246 | 13 |
| 1334 | Expression of synthetic human-lysozyme gene in <i>Saccharomyces cerevisiae</i> : use of a synthetic chicken-lysozyme signal sequence for secretion and processing. 1986 , 43, 273-9 | 75 |
| 1333 | A dominant influence of flanking sequences on a local structural transition in DNA. 1986 , 47, 817-27 | 101 |
| 1332 | Genetic characterization of the gene <i>hupB</i> encoding the HU-1 protein of <i>Escherichia coli</i> . 1986 , 45, 37-44 | 57 |
| 1331 | The <i>MET2</i> gene of <i>Saccharomyces cerevisiae</i> : molecular cloning and nucleotide sequence. 1986 , 49, 283-93 | 46 |
| 1330 | Purification and properties of the endoglucanase C of <i>Clostridium thermocellum</i> produced in <i>Escherichia coli</i> . 1986 , 68, 687-95 | 64 |
| 1329 | Molecular cloning and characterization of the <i>purE</i> operon of <i>Escherichia coli</i> . 1986 , 44, 55-62 | 5 |
| 1328 | Plasmid vectors useful in the study of translation initiation signals. 1986 , 43, 281-6 | 11 |
| 1327 | Analysis of <i>Tn3</i> sequences required for transposition and immunity. 1986 , 41, 23-31 | 36 |
| 1326 | Construction of a single-copy integration vector and its use in analysis of regulation of the <i>trp</i> operon of <i>Bacillus subtilis</i> . 1986 , 43, 85-94 | 199 |
| 1325 | Mini- μ bacteriophage with plasmid replicons for in vivo cloning and <i>lac</i> gene fusing. 1986 , 168, 357-64 | 156 |
| 1324 | Mechanism of postsegregational killing by the <i>hok</i> gene product of the <i>parB</i> system of plasmid R1 and its homology with the <i>relF</i> gene product of the <i>E. coli</i> <i>relB</i> operon.. <i>EMBO Journal</i> , 1986 , 5, 2023-2029 | 213 |
| 1323 | Characterization of a cloned <i>Bacillus subtilis</i> gene that inhibits sporulation in multiple copies. 1986 , 168, 860-9 | 112 |
| 1322 | Characterization of the OCT plasmid encoding alkane oxidation and mercury resistance in <i>Pseudomonas putida</i> . 1986 , 165, 650-3 | 10 |
| 1321 | Characterization of a <i>Haemophilus ducreyi</i> mobilizing plasmid. 1986 , 165, 657-9 | 3 |
| 1320 | Cloning and characterization of the <i>polC</i> region of <i>Bacillus subtilis</i> . 1986 , 165, 951-7 | 14 |

| | | |
|------|---|-----|
| 1319 | Identification and characterization of mutations in <i>Escherichia coli</i> that selectively influence the growth of hybrid lambda bacteriophages carrying the immunity region of bacteriophage P22. 1986 , 167, 191-200 | 14 |
| 1318 | Genetic organization of plasmid R1162 DNA involved in conjugative mobilization. 1986 , 167, 703-10 | 45 |
| 1317 | Mutants of <i>Escherichia coli</i> defective for replicative transposition of bacteriophage Mu. 1986 , 167, 905-19 | 41 |
| 1316 | Naturally occurring TOL plasmids in <i>Pseudomonas</i> strains carry either two homologous or two nonhomologous catechol 2,3-oxygenase genes. 1986 , 168, 878-85 | 45 |
| 1315 | Deletion analysis of the <i>Klebsiella pneumoniae</i> nitrogenase promoter: importance of spacing between conserved sequences around positions -12 and -24 for activation by the nifA and ntrC (glnG) products. 1986 , 166, 545-51 | 58 |
| 1314 | IS1-dependent generation of high-copy-number replicons from bacteriophage P1 Ap Cm as a mechanism of gene amplification. 1986 , 166, 609-17 | 6 |
| 1313 | Molecular cloning, DNA sequencing, and enzymatic analyses of two <i>Escherichia coli</i> pyruvate oxidase mutants defective in activation by lipids. 1986 , 167, 312-8 | 19 |
| 1312 | Altered regulation of the glnA gene in glutamine synthetase mutants of <i>Bacillus subtilis</i> . 1986 , 167, 35-43 | 46 |
| 1311 | Amino-terminal fragments of delta 1-pyrroline-5-carboxylate dehydrogenase direct beta-galactosidase to the mitochondrial matrix in <i>Saccharomyces cerevisiae</i> . 1986 , 6, 3502-12 | 33 |
| 1310 | <i>Escherichia coli</i> K-12 envelope proteins specifically required for ferrienterobactin uptake. 1986 , 166, 930-6 | 67 |
| 1309 | Replication of plasmid RK2 in vitro by a DNA-membrane complex: evidence for initiation of replication and its coupling to transcription and translation. 1986 , 167, 319-26 | 16 |
| 1308 | Expression of the cloned ColE1 kil gene in normal and Kilr <i>Escherichia coli</i> . 1986 , 168, 648-54 | 16 |
| 1307 | Cloning of genes that encode a new heat-labile enterotoxin of <i>Escherichia coli</i> . 1986 , 165, 348-52 | 75 |
| 1306 | Expression in <i>Escherichia coli</i> of <i>Bacillus subtilis</i> tRNA genes from a promoter within the tRNA gene region. 1986 , 166, 306-12 | 6 |
| 1305 | Identification and characterization of recD, a gene affecting plasmid maintenance and recombination in <i>Escherichia coli</i> . 1986 , 167, 594-603 | 199 |
| 1304 | Regulatory elements common to the <i>Bacillus pumilus</i> and <i>Bacillus subtilis</i> trp operons. 1986 , 167, 792-8 | 33 |
| 1303 | Origin of small beta-lactamase-specifying plasmids in <i>Haemophilus</i> species and <i>Neisseria gonorrhoeae</i> . 1986 , 168, 374-9 | 27 |
| 1302 | Transcriptional control of the <i>Bacillus subtilis</i> spoIID gene. 1986 , 165, 771-9 | 111 |

| | | | |
|------|--|------|-----|
| 1301 | Three human alcohol dehydrogenase subunits: cDNA structure and molecular and evolutionary divergence. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1986 , 83, 634-8 | 11.5 | 76 |
| 1300 | Integrable alpha-amylase plasmid for generating random transcriptional fusions in <i>Bacillus subtilis</i> . 1986 , 168, 973-81 | | 39 |
| 1299 | Molecular cloning and nucleotide sequence of the <i>Corynebacterium glutamicum</i> pheA gene. 1986 , 167, 695-702 | | 50 |
| 1298 | The hypervirulence of <i>Agrobacterium tumefaciens</i> A281 is encoded in a region of pTiBo542 outside of T-DNA. 1986 , 168, 1291-301 | | 758 |
| 1297 | Expression of the staphylococcal protein A gene in <i>Bacillus subtilis</i> by gene fusions utilizing the promoter from a <i>Bacillus amyloliquefaciens</i> alpha-amylase gene. 1986 , 165, 796-804 | | 47 |
| 1296 | Modulation of <i>Bacillus subtilis</i> levansucrase gene expression by sucrose and regulation of the steady-state mRNA level by sacU and sacQ genes. 1986 , 168, 380-8 | | 101 |
| 1295 | Cloning and expression of the genes specifying Shiga-like toxin production in <i>Escherichia coli</i> H19. 1986 , 166, 375-9 | | 77 |
| 1294 | Transformation by extracellular DNA produced by <i>Pseudomonas aeruginosa</i> . 1986 , 30, 621-8 | | 17 |
| 1293 | Novel form of transcription attenuation regulates expression the <i>Bacillus subtilis</i> tryptophan operon. 1986 , 166, 461-71 | | 152 |
| 1292 | <i>Saccharomyces cerevisiae</i> PHO5 promoter region: location and function of the upstream activation site. 1986 , 6, 2613-23 | | 41 |
| 1291 | Isolation of point mutations in bacteriophage Mu attachment regions cloned in a lambda::mini-Mu phage. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1986 , 83, 6012-6 | 11.5 | 19 |
| 1290 | Introduction and expression of the bacterial PaeR7 methylase gene in mammalian cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1986 , 83, 7713-7 | 11.5 | 15 |
| 1289 | Cellular response to DNA damage is enhanced by the pR plasmid in mouse cells and in <i>Escherichia coli</i> . 1986 , 6, 586-92 | | 12 |
| 1288 | Nucleotide sequence of rat preputial gland beta-glucuronidase cDNA and in vitro insertion of its encoded polypeptide into microsomal membranes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1986 , 83, 7292-6 | 11.5 | 61 |
| 1287 | Evidence that a human soluble beta-galactoside-binding lectin is encoded by a family of genes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1986 , 83, 7603-7 | 11.5 | 67 |
| 1286 | Human glucose-6-phosphate dehydrogenase: primary structure and cDNA cloning. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1986 , 83, 4157-61 | 11.5 | 79 |
| 1285 | Differential processing of RNA transcribed from the single-copy <i>Drosophila</i> myosin heavy chain gene produces four mRNAs that encode two polypeptides. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1986 , 83, 2128-32 | 11.5 | 85 |
| 1284 | Human homologs of TU transposon sequences: polypurine/polypyrimidine sequence elements that can alter DNA conformation in vitro and in vivo. 1986 , 6, 3632-42 | | 57 |

| | | |
|------|--|-----|
| 1283 | Survey of modifying enzymes and plasmids in amikacin-resistant <i>Serratia marcescens</i> . 1986 , 30, 509-19 | 4 |
| 1282 | Analysis of the genome of molluscum contagiosum virus by restriction endonuclease analysis and molecular cloning. 1986 , 18, 29-39 | 46 |
| 1281 | Heterochromatic DNA in <i>Triturus</i> (Amphibia, Urodela). I. A satellite DNA component of the pericentric C-bands. 1986 , 93, 435-46 | 31 |
| 1280 | Two soybean seed lipoxygenase nulls accumulate reduced levels of lipoxygenase transcripts. 1986 , 7, 11-23 | 34 |
| 1279 | Bleomycin resistance: a new dominant selectable marker for plant cell transformation. 1986 , 7, 171-6 | 75 |
| 1278 | The localization of genes for ribosomal, cytochrome b6/f complex and photosystems I and II polypeptides on the chloroplast chromosome of <i>Vicia faba</i> . 1986 , 7, 219-28 | 4 |
| 1277 | Chromosomal mapping of the uracil permease gene of <i>Saccharomyces cerevisiae</i> . 1986 , 11, 93-6 | 4 |
| 1276 | Evidence for autonomous replication and stabilization of recombinant plasmids in the transformants of yeast <i>Hansenula polymorpha</i> . 1986 , 10, 741-7 | 48 |
| 1275 | Mobilization of cloned luciferase genes into <i>Vibrio harveyi</i> luminescence mutants. 1986 , 143, 325-9 | 14 |
| 1274 | Cloned mitochondrial DNA from the zygomycete <i>Absidia glauca</i> promotes autonomous replication in <i>Saccharomyces cerevisiae</i> . 1986 , 10, 435-41 | 14 |
| 1273 | Identification of an autonomously replicating sequence near a histone gene of <i>Physarum polycephalum</i> . 1986 , 10, 459-62 | 2 |
| 1272 | Cloning and expression on a multicopy vector of five invertase genes of <i>Saccharomyces cerevisiae</i> . 1986 , 11, 217-25 | 35 |
| 1271 | Insertion of non-homologous DNA sequences into a regulatory gene cause a constitutive maltase synthesis in yeast. 1986 , 11, 235-41 | 27 |
| 1270 | Construction and characterisation of a series of multi-copy promoter-probe plasmid vectors for <i>Streptomyces</i> using the aminoglycoside phosphotransferase gene from Tn5 as indicator. 1986 , 203, 468-78 | 347 |
| 1269 | Deletion of the phosphoglucose isomerase structural gene makes growth and sporulation glucose dependent in <i>Saccharomyces cerevisiae</i> . 1986 , 204, 310-6 | 49 |
| 1268 | Regions associated with the stable maintenance of plasmid pSC101 and its tetracycline resistance. 1986 , 204, 115-9 | 4 |
| 1267 | A host-vector system for gene cloning in the cyanobacterium <i>Synechocystis</i> PCC 6803. 1986 , 204, 185-191 | 58 |
| 1266 | Identification of host range determinants in the <i>Rhizobium</i> species MPIK3030. 1986 , 203, 42-48 | 25 |

| | | |
|------|---|------|
| 1265 | Heme control region of the catalase T gene of the yeast <i>Saccharomyces cerevisiae</i> . 1986 , 203, 73-8 | 38 |
| 1264 | Location and nucleotide sequence of the gene for cytochrome b-559 in wheat chloroplast DNA. 1986 , 203, 95-100 | 36 |
| 1263 | A <i>Petunia hybrida</i> chloroplast DNA region, close to one of the inverted repeats, shows sequence homology with the <i>Euglena gracilis</i> chloroplast DNA region that carries the putative replication origin. 1986 , 202, 48-54 | 31 |
| 1262 | Isolation and characterization of the two structural genes coding for phosphofructokinase in yeast. 1986 , 202, 75-82 | 90 |
| 1261 | Isolation and molecular analysis of the phosphoglucose isomerase structural gene of <i>Saccharomyces cerevisiae</i> . 1986 , 202, 83-9 | 48 |
| 1260 | Base pair substitution and frameshift mutagenesis induced by apurinic sites and two fluorene derivatives in a <i>recA441 lexA (Def)</i> strain. 1986 , 202, 90-5 | 11 |
| 1259 | Expression of Tn5-encoded streptomycin resistance in <i>E. coli</i> . 1986 , 204, 404-9 | 18 |
| 1258 | Genetic studies on the role of octopine T-DNA border regions in crown gall tumor formation. 1986 , 202, 312-320 | 17 |
| 1257 | Spot-transformation with plasmids. 1986 , 205, 561-2 | |
| 1256 | Yeast/ <i>E. coli</i> shuttle vectors with multiple unique restriction sites. 1986 , 2, 163-7 | 1373 |
| 1255 | Multispecific DNA methyltransferases from <i>Bacillus subtilis</i> phages. Properties of wild-type and various mutant enzymes with altered DNA affinity. 1986 , 159, 485-92 | 21 |
| 1254 | Cloning of carotenoid biosynthesis genes from <i>Rhodospseudomonas sphaeroides</i> . 1986 , 14, 25-29 | 27 |
| 1253 | Co-expression and inheritance of foreign genes in transformants obtained by direct DNA transformation of tobacco protoplasts. 1986 , 205, 1-8 | 36 |
| 1252 | Genetic characterization and isolation of the <i>Saccharomyces cerevisiae</i> gene coding for uridine monophosphokinase. 1986 , 205, 74-81 | 36 |
| 1251 | Repeated sequences with unusual properties from the divergent region of <i>Crithidia oncopelti</i> maxicircle kinetoplast DNA. 1986 , 205, 122-6 | 4 |
| 1250 | Cloning of the <i>Bacillus Subtilis</i> IMP Dehydrogenase Gene and its Application to Increased Production of Guanosine. 1986 , 4, 225-228 | 13 |
| 1249 | Deletion and rearrangement of plasmid DNA during transformation of <i>Escherichia coli</i> with linear plasmid molecules. 1986 , 14, 8905-17 | 51 |
| 1248 | RecBC, <i>sbcB</i> independent, (AT) <i>n</i> -mediated deletion of sequences flanking a <i>Xenopus laevis</i> beta globin gene on propagation in <i>E. coli</i> . 1986 , 14, 4147-58 | 18 |

| | | |
|------|--|-----|
| 1247 | Complete nucleotide sequence of the gene for human interleukin 1 alpha. 1986 , 14, 3167-79 | 171 |
| 1246 | Chemical synthesis and expression of a gene coding for hirudin, the thrombin-specific inhibitor from the leech <i>Hirudo medicinalis</i> . 1986 , 367, 731-40 | 49 |
| 1245 | The involvement of host replication proteins and of specific origin sequences in the in vitro replication of miniplasmid R1 DNA. 1986 , 14, 4865-79 | 44 |
| 1244 | Cloning the Ddel restriction-modification system using a two-step method. 1986 , 14, 7939-51 | 49 |
| 1243 | Proline utilization in <i>Saccharomyces cerevisiae</i> : analysis of the cloned PUT1 gene. 1986 , 6, 2638-45 | 66 |
| 1242 | Cloning and expression in <i>Escherichia coli</i> of a synthetic DNA for hirudin, the blood coagulation inhibitor in the leech. 1986 , 5, 511-7 | 59 |
| 1241 | Molecular cloning of amikacin resistance determinants from a <i>Klebsiella pneumoniae</i> plasmid. 1986 , 30, 315-20 | 46 |
| 1240 | Identification and location of nine T5 bacteriophage tRNA genes by DNA sequence analysis. 1986 , 14, 4197-205 | 10 |
| 1239 | Region VI of cauliflower mosaic virus encodes a host range determinant. 1986 , 6, 2632-7 | 102 |
| 1238 | Copy-number of broad host-range plasmid R1162 is regulated by a small RNA. 1986 , 14, 8027-46 | 43 |
| 1237 | Cloning and expression in <i>Escherichia coli</i> of a gene encoding nonenzymatic chloramphenicol resistance from <i>Pseudomonas aeruginosa</i> . 1986 , 29, 445-50 | 27 |
| 1236 | Cloning and expression of a tetracycline resistance determinant from <i>Campylobacter jejuni</i> in <i>Escherichia coli</i> . 1987 , 31, 1301-6 | 14 |
| 1235 | Complex interactions among members of an essential subfamily of hsp70 genes in <i>Saccharomyces cerevisiae</i> . 1987 , 7, 2568-77 | 335 |
| 1234 | Overproduction of gene products by the super-high-copy-number plasmid pNR333. 1987 , 31, 737-44 | |
| 1233 | DNA synthesis is initiated at two positions within the origin of replication of plasmid R1162. 1987 , 15, 8319-31 | 37 |
| 1232 | Nucleotide sequence of the Ddel restriction-modification system and characterization of the methylase protein. 1987 , 15, 8249-66 | 59 |
| 1231 | Negative regulators of the PHO system in <i>Saccharomyces cerevisiae</i> : isolation and structural characterization of PHO85. 1987 , 15, 10299-309 | 69 |
| 1230 | Structure and mobilization of an ampicillin and gentamicin resistance determinant. 1987 , 31, 1266-70 | 16 |

| | | | |
|------|--|------|----|
| 1229 | Expression in <i>Saccharomyces cerevisiae</i> of chimeric cytochrome P450 cDNAs constructed from cDNAs for rat cytochrome P450c and P450d. 1987 , 6, 31-9 | | 62 |
| 1228 | Expression of an interferon-alpha gene variant in <i>E. coli</i> using tandemly repeated synthetic ribosomal binding sites. 1987 , 6, 41-6 | | 10 |
| 1227 | Pyruvate decarboxylase of <i>Zymomonas mobilis</i> : isolation, properties, and genetic expression in <i>Escherichia coli</i> . 1987 , 169, 1024-8 | | 83 |
| 1226 | Genetic organization of multiple <i>fep</i> genes encoding ferric enterobactin transport functions in <i>Escherichia coli</i> . 1987 , 169, 3638-46 | | 74 |
| 1225 | Cluster of genes controlling synthesis and activation of 2,3-dihydroxybenzoic acid in production of enterobactin in <i>Escherichia coli</i> . 1987 , 169, 4163-70 | | 56 |
| 1224 | Yeast plasmids resembling 2 micron DNA: regional similarities and diversities at the molecular level. 1987 , 169, 5537-45 | | 68 |
| 1223 | Expression in <i>Escherichia coli</i> of a cloned crystal protein gene of <i>Bacillus thuringiensis</i> subsp. <i>israelensis</i> . 1987 , 169, 1017-23 | | 58 |
| 1222 | Defective regulation of the phenylalanine biosynthetic operon in mutants of the phenylalanyl-tRNA synthetase operon. 1987 , 169, 1949-53 | | 10 |
| 1221 | Two promoters, one inducible and one constitutive, control transcription of the <i>Streptomyces lividans</i> galactose operon. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1987 , 84, 2130-4 | 11.5 | 61 |
| 1220 | DNA sequence analysis of host range mutants of the promiscuous IncP-1 plasmids R18 and R68 with Tn7 insertions in <i>oriV</i> . 1987 , 18, 35-45 | | 7 |
| 1219 | The <i>araC</i> gene of <i>Citrobacter freundii</i> . 1987 , 61, 243-52 | | 7 |
| 1218 | Cloning and expression of the genes of two fumarate reductase subunits from <i>Wolinella succinogenes</i> . 1987 , 166, 447-52 | | 14 |
| 1217 | Molecular cloning and sequence of the gene for p9Ka. A cultured myoepithelial cell protein with strong homology to S-100, a calcium-binding protein. 1987 , 198, 13-20 | | 94 |
| 1216 | Cloning of tryptophanase gene of <i>Alcaligenes faecalis</i> for effective production of l-tryptophan. 1987 , 5, 17-28 | | 1 |
| 1215 | Chemical synthesis of a gene coding for human angiogenin, its expression in <i>Escherichia coli</i> and conversion of the product into its active form. 1987 , 56, 61-70 | | 57 |
| 1214 | Molecular cloning and characterization of the genetic determinant encoding CS3 fimbriae of enterotoxigenic <i>Escherichia coli</i> . 1987 , 2, 195-209 | | 28 |
| 1213 | Activation of an elastase precursor by the <i>lasA</i> gene product of <i>Pseudomonas aeruginosa</i> . 1987 , 169, 4532-9 | | 39 |
| 1212 | Characterization and mapping of the <i>Bacillus subtilis</i> <i>prtR</i> gene. 1987 , 169, 434-7 | | 42 |

| | | |
|------|---|----|
| 1211 | uvrC gene function has no specific role in repair of N-2-aminofluorene adducts. 1987 , 169, 423-6 | 14 |
| 1210 | Gene-enzyme relationships in the proline biosynthetic pathway of <i>Saccharomyces cerevisiae</i> . 1987 , 169, 5364-72 | 64 |
| 1209 | Cloning of genes from members of the family Enterobacteriaceae with mini-Mu bacteriophage containing plasmid replicons. 1987 , 169, 687-93 | 39 |
| 1208 | Plasmid transfer in <i>Streptomyces lividans</i> : identification of a kil-kor system associated with the transfer region of pIJ101. 1987 , 169, 4177-83 | 74 |
| 1207 | Control of replication of plasmid R1: translation of the 7k reading frame in the RepA mRNA leader region counteracts the interaction between CopA RNA and CopT RNA.. <i>EMBO Journal</i> , 1987 , 6, 515-522 ¹³ | 22 |
| 1206 | Genetic and morphological characterization of ftsB and nrdB mutants of <i>Escherichia coli</i> . 1987 , 169, 19-25 | 35 |
| 1205 | <i>Haemophilus influenzae</i> immunoglobulin A1 protease genes: cloning by plasmid integration-excision, comparative analyses, and localization of secretion determinants. 1987 , 169, 4442-50 | 28 |
| 1204 | Structural and functional analysis of a cloned segment of <i>Escherichia coli</i> DNA that specifies proteins of a C4 pathway of serine biosynthesis. 1987 , 169, 4716-21 | 17 |
| 1203 | Genetics of type IIa heat-labile enterotoxin of <i>Escherichia coli</i> : operon fusions, nucleotide sequence, and hybridization studies. 1987 , 169, 5180-7 | 52 |
| 1202 | Genetic and physical location of the <i>Escherichia coli</i> rap locus, which is essential for growth of bacteriophage lambda. 1987 , 169, 5188-92 | 20 |
| 1201 | Organization of rRNA genes in <i>Mycobacterium bovis</i> BCG. 1987 , 169, 839-43 | 64 |
| 1200 | Construction and characterization of <i>Pseudomonas aeruginosa</i> algB mutants: role of algB in high-level production of alginate. 1987 , 169, 1593-602 | 71 |
| 1199 | Identification and expression of a copy number control gene in the IncFIII hemolytic plasmid pSU316. 1987 , 169, 2405-9 | 7 |
| 1198 | Characterization and expression of a cloned tetracycline resistance determinant from <i>Campylobacter jejuni</i> plasmid pUA466. 1987 , 169, 2984-9 | 69 |
| 1197 | Translocation of <i>Vibrio harveyi</i> N,NNdiacetylchitobiase to the outer membrane of <i>Escherichia coli</i> . 1987 , 169, 3785-91 | 35 |
| 1196 | Identification of polypeptides encoded by an <i>Escherichia coli</i> locus (hflA) that governs the lysis-lysogeny decision of bacteriophage lambda. 1987 , 169, 4076-85 | 36 |
| 1195 | Molecular characterization of the <i>Escherichia coli</i> enterobactin cistron entF and coupled expression of entF and the fes gene. 1987 , 169, 4154-62 | 40 |
| 1194 | Control of the kilA gene of the broad-host-range plasmid RK2: involvement of korA, korB, and a new gene, korE. 1987 , 169, 1315-20 | 32 |

| | | |
|------|--|----|
| 1193 | Expression of the gene for NAD-dependent glucose-6-phosphate dehydrogenase from <i>Leuconostoc mesenteroides</i> cloned in <i>Escherichia coli</i> K-12. 1987 , 169, 334-9 | 2 |
| 1192 | Yeast cells may use AUC or AAG as initiation codon for protein synthesis. 1987 , 52, 83-90 | 5 |
| 1191 | Analysis of the effect of dG ₁₂ C homopolymer tails on expression of a mouse α -amylase cDNA gene in yeast. 1987 , 52, 91-97 | 7 |
| 1190 | Molecular cloning and characterization of <i>Bombyx</i> densovirus genomic DNA. Brief report. 1987 , 93, 139-46 | 11 |
| 1189 | Expression of <i>Rhodospseudomonas sphaeroides</i> carotenoid photopigment genes in phylogenetically related nonphotosynthetic bacteria. 1987 , 15, 67-71 | 17 |
| 1188 | Identification of the domain of <i>Saccharomyces cerevisiae</i> adenylate cyclase associated with the regulatory function of RAS products. 1987 , 210, 187-94 | 28 |
| 1187 | Characterization of a genomic clone of <i>Erwinia carotovora</i> subsp. <i>carotovora</i> TG3 encoding a pectolytic enzyme of apparent molecular weight 78 kDa. 1987 , 210, 294-298 | 3 |
| 1186 | The <i>Saccharomyces cerevisiae</i> MET3 gene: nucleotide sequence and relationship of the 5N non-coding region to that of MET25. 1987 , 210, 307-13 | 64 |
| 1185 | Isolation of the yeast phosphoglyceromutase gene and construction of deletion mutants. 1987 , 206, 133-40 | 25 |
| 1184 | Mutant regulatory subunit of 3',5'-cAMP-dependent protein kinase of yeast <i>Saccharomyces cerevisiae</i> . 1987 , 210, 413-8 | 14 |
| 1183 | Evidence for multiple carboxymethylcellulase genes in <i>Pseudomonas fluorescens</i> subsp. <i>cellulosa</i> . 1987 , 210, 551-6 | 41 |
| 1182 | The 20 bp, directly repeated DNA sequence of broad host range plasmid R1162 exerts incompatibility in vivo and inhibits R1162 DNA replication in vitro. 1987 , 208, 390-7 | 28 |
| 1181 | Correlation between restriction map, genetic map and catalytic functions in the gene complex URA2. 1987 , 209, 283-9 | 17 |
| 1180 | Sequence analysis of the <i>Brevibacterium lactofermentum</i> trp operon. 1987 , 209, 299-305 | 10 |
| 1179 | The rep region of pR plasmid regulates the expression of SOS system. 1987 , 209, 41-8 | 3 |
| 1178 | Genetic analysis of the parB ⁺ locus of plasmid R1. 1987 , 209, 122-8 | 26 |
| 1177 | Characterization of the levanase gene of <i>Bacillus subtilis</i> which shows homology to yeast invertase. 1987 , 208, 177-84 | 77 |
| 1176 | Mutations of the <i>Escherichia coli</i> lacUV5 promoter resulting in increased expression in <i>Bacillus subtilis</i> . 1987 , 209, 467-74 | 49 |

| | | |
|------|---|--------|
| 1175 | Cloning of two type II methylase genes that recognise asymmetric nucleotide sequences: FokI and HgaI. 1987 , 209, 570-4 | 26 |
| 1174 | Expression of the <i>Bacillus subtilis</i> polC gene in <i>Escherichia coli</i> . 1987 , 207, 335-41 | 6 |
| 1173 | Identification of components of a new stability system of plasmid R1, ParD, that is close to the origin of replication of this plasmid. 1987 , 210, 101-10 | 121 |
| 1172 | DNA sequence and functional analysis of an ARS-element from the zygomycete <i>Absidia glauca</i> . 1987 , 12, 599-603 | 9 |
| 1171 | Neomycin resistance as a dominantly selectable marker for transformation of the zygomycete <i>Absidia glauca</i> . 1987 , 12, 625-7 | 46 |
| 1170 | Efficient integrative transformation of <i>Cephalosporium acremonium</i> . 1987 , 12, 337-48 | 84 |
| 1169 | Construction of a transposon containing a gene for polygalacturonate trans-eliminase from <i>Klebsiella oxytoca</i> . 1987 , 146, 390-5 | 15 |
| 1168 | Cloning and expression in <i>Escherichia coli</i> of the homoserine kinase (thrB) gene from <i>Brevibacterium lactofermentum</i> . 1987 , 206, 361-7 | 16 |
| 1167 | Isolation and characterization of the regulatory HEX2 gene necessary for glucose repression in yeast. 1987 , 206, 505-9 | 48 |
| 1166 | Nuclear DNA amplification in cultured cells of <i>Oryza sativa</i> L. 1987 , 74, 65-70 | 59 |
| 1165 | Tomato protoplast DNA transformation: physical linkage and recombination of exogenous DNA sequences. 1987 , 8, 383-94 | 37 |
| 1164 | Interspecies homology of nodulation genes in <i>Rhizobium</i> . 1987 , 8, 61-75 | 31 |
| 1163 | Cloning of the gene coding for aromatic amino acid aminotransferase from an <i>E. Coli</i> B strain. 1987 , 9, 673-679 | 5 |
| 1162 | A proposed mechanism underlying the process of Ca ²⁺ -mediated transfer of DNA across biological membranes. 1987 , 17, 111-117 | 1 |
| 1161 | Tn1000 insertional mutagenesis of cloned repressor gene of the phage λ : plasmid oligomerization in the presence of F _{lac} . 1987 , 32, 185-93 | 2 |
| 1160 | Use of the plasmid pRK 2013 as a vehicle for transposition in <i>Azotobacter vinelandii</i> . <i>Journal of Biosciences</i> , 1987 , 12, 131-135 | 2,3 10 |
| 1159 | Cell volume changes correlate with efficiency of transformation of <i>Escherichia coli</i> with plasmid DNA. 1987 , 42, 125-128 | 2 |
| 1158 | Restoration of phenotype in <i>Escherichia coli</i> auxotrophs by pULB113-mediated mobilisation from methylotrophic bacteria. 1987 , 43, 235-239 | 14 |

| | | |
|------|---|----|
| 1157 | Cloning of the <i>sacS</i> gene encoding a positive regulator of the sucrose regulon in <i>Bacillus subtilis</i> . 1987 , 41, 137-140 | 19 |
| 1156 | Identification of a new locus, <i>sacV</i> , involved in the regulation of levansucrase synthesis in <i>Bacillus subtilis</i> . 1987 , 44, 39-43 | 14 |
| 1155 | The number of ribosomal RNA genes in <i>Mycobacterium lepraemurium</i> . 1987 , 44, 73-76 | 16 |
| 1154 | pWW174: a large plasmid from <i>Acinetobacter calcoaceticus</i> encoding benzene catabolism by the beta-ketoadipate pathway. 1987 , 1, 219-27 | 33 |
| 1153 | Amino acid sequence of the L-lactate dehydrogenase of <i>Bacillus caldotenax</i> deduced from the nucleotide sequence of the cloned gene. 1987 , 165, 581-6 | 16 |
| 1152 | The technology of genetic manipulation. 1987 , 16, 7S-19S | |
| 1151 | Primary structure of the uracil transport protein of <i>Saccharomyces cerevisiae</i> . 1988 , 171, 417-24 | 89 |
| 1150 | An ATP-dependent protease and ingensin, the multicatalytic proteinase, in K562 cells. 1988 , 177, 261-6 | 61 |
| 1149 | Alterations in the extracellular domain of M13 procoat protein make its membrane insertion dependent on <i>secA</i> and <i>secY</i> . 1988 , 177, 267-71 | 82 |
| 1148 | Isolation and molecular characterization of an ROB-1 beta-lactamase plasmid in a <i>Haemophilus influenzae</i> strain in France. 1988 , 7, 583-5 | 4 |
| 1147 | Construction of transposons encoding genes for α -glucosidase, amylase and polygalacturonate trans-eliminase from <i>Klebsiella oxytoca</i> and their expression in a range of gram-negative bacteria. 1988 , 17, 69-75 | 7 |
| 1146 | Stabilization of an <i>E. coli</i> plasmid by a mini-F fragment of DNA. 1988 , 2, 323-328 | 9 |
| 1145 | Cloning, sequencing and analysis of the yeast <i>S. uvarum</i> ERG10 gene encoding acetoacetyl CoA thiolase. 1988 , 13, 471-8 | 32 |
| 1144 | General organization of the genes specifically involved in the diaminopimelate-lysine biosynthetic pathway of <i>Corynebacterium glutamicum</i> . 1988 , 212, 105-11 | 48 |
| 1143 | Nucleotide sequence of the <i>lysA</i> gene of <i>Corynebacterium glutamicum</i> and possible mechanisms for modulation of its expression. 1988 , 212, 112-9 | 24 |
| 1142 | Effects on growth and sporulation of inactivation of a <i>Bacillus subtilis</i> gene (<i>ctc</i>) transcribed in vitro by minor vegetative cell RNA polymerases (E-sigma 37, E-sigma 32). 1988 , 212, 166-71 | 21 |
| 1141 | Identification of functional regions of the colicinogenic plasmid ColA. 1988 , 211, 223-30 | 11 |
| 1140 | Integrative suppression of <i>dnaA46</i> by broad host-range plasmid R1162. 1988 , 215, 139-45 | 2 |

| | | |
|------|---|----|
| 1139 | Killing of <i>Escherichia coli</i> cells modulated by components of the stability system ParD of plasmid R1. 1988 , 215, 146-51 | 55 |
| 1138 | Transcriptional regulation of nitrogen fixation genes by DNA supercoiling. 1988 , 212, 360-363 | 27 |
| 1137 | Cloning of two chloramphenicol acetyltransferase genes from <i>Clostridium butyricum</i> and their expression in <i>Escherichia coli</i> and <i>Bacillus subtilis</i> . 1988 , 214, 328-32 | 10 |
| 1136 | Characterization of the gene for the Fe-protein of the vanadium dependent alternative nitrogenase of <i>Azotobacter vinelandii</i> and construction of a Tn5 mutant. 1988 , 214, 121-7 | 39 |
| 1135 | Regulation of isoleucine-valine biosynthesis in <i>Saccharomyces cerevisiae</i> . 1988 , 13, 207-17 | 55 |
| 1134 | The minimal replicon of the <i>Streptomyces ghanaensis</i> plasmid pSG5 identified by subcloning and Tn5 mutagenesis. 1988 , 211, 424-9 | 45 |
| 1133 | Increase in plasmid transformation efficiency in SOS-induced <i>Escherichia coli</i> cells. 1988 , 211, 526-30 | 6 |
| 1132 | Expression of env sequences of the bovine leukemia virus (BLV) in the yeast <i>Saccharomyces cerevisiae</i> . 1988 , 4, 47-59 | 6 |
| 1131 | A nuclear gene required for the expression of the linear DNA-associated killer system in the yeast <i>Kluyveromyces lactis</i> . 1988 , 4, 71-81 | 90 |
| 1130 | Organization and regulation of the <i>Corynebacterium glutamicum</i> hom-thrB and thrC loci. 1988 , 2, 53-62 | 55 |
| 1129 | Nucleotide sequencing and expression of the fadL gene involved in long-chain fatty acid transport in <i>Escherichia coli</i> . 1988 , 2, 363-70 | 7 |
| 1128 | Cloning and characterization of an albicidin resistance gene from <i>Klebsiella oxytoca</i> . 1988 , 2, 443-54 | 42 |
| 1127 | Reiterated DNA sequences defining genomic diversity within the species <i>Mycoplasma hyorhinitis</i> . 1988 , 2, 665-72 | 12 |
| 1126 | Expression and Secretion in <i>S. Cerevisiae</i> of Biologically Active Leech Hirudin. 1988 , 6, 72-77 | 49 |
| 1125 | An <i>Escherichia coli</i> enterobactin cluster gene with sequence homology to trpE and pabB. 1988 , 56, 35-40 | 27 |
| 1124 | A small nonconjugative plasmid encoded for streptomycin-resistant character in <i>Shigella dysenteriae</i> . 1988 , 33, 525-8 | 3 |
| 1123 | Cloning of a positive regulatory element involved in nitrogen fixation in <i>Azotobacter vinelandii</i> . 1988 , 67, 121-127 | 5 |
| 1122 | Heparin cofactor II: cDNA sequence, chromosome localization, restriction fragment length polymorphism, and expression in <i>Escherichia coli</i> . 1988 , 27, 752-9 | 85 |

| | | |
|------|--|-----|
| 1121 | A new human alphoid-like repetitive DNA sequence. 1988 , 231, 130-4 | 2 |
| 1120 | Ligands to the 2Fe iron-sulfur center in succinate dehydrogenase. 1988 , 232, 298-302 | 11 |
| 1119 | Molecular cloning and sequence analysis of a developmentally regulated cysteine-rich outer membrane protein from <i>Chlamydia trachomatis</i> . 1988 , 71, 307-14 | 44 |
| 1118 | Cloning and characterization of the 5-aminolevulinate synthase gene(s) from <i>Rhodobacter sphaeroides</i> . 1988 , 70, 139-51 | 48 |
| 1117 | Murine genomic DNA sequences replicating autonomously in mouse L cells. 1988 , 52, 355-65 | 48 |
| 1116 | Functional regions and structural features of the gB glycoprotein of herpes simplex virus type 1. An analysis of linker insertion mutants. 1988 , 201, 575-88 | 103 |
| 1115 | A gene fusion system using the aminoglycoside 3N-phosphotransferase gene of the kanamycin-resistance transposon Tn903: use in the yeast <i>Kluyveromyces lactis</i> and <i>Saccharomyces cerevisiae</i> . 1988 , 69, 181-92 | 44 |
| 1114 | A trans-acting gene is required for the phenotypic expression of a tyrosinase gene in <i>Streptomyces</i> . 1988 , 65, 71-81 | 48 |
| 1113 | Kinetics of plasmid transformation in <i>Zymomonas mobilis</i> . 1988 , 8, 317-320 | 2 |
| 1112 | The cyclization of linear DNA in <i>Escherichia coli</i> by site-specific recombination. 1988 , 70, 331-41 | 58 |
| 1111 | 4 Bacterial Transformation with Plasmid DNA. 1988 , 21, 79-128 | 10 |
| 1110 | Detection of two different kanamycin resistance genes in naturally occurring isolates of <i>Campylobacter jejuni</i> and <i>Campylobacter coli</i> . 1988 , 32, 1170-3 | 30 |
| 1109 | Oral <i>Salmonella typhimurium</i> vaccine expressing circumsporozoite protein protects against malaria. 1988 , 240, 336-8 | 232 |
| 1108 | Genetic determinant of the ROB-1 beta-lactamase in bovine and porcine <i>Pasteurella</i> strains. 1988 , 32, 1282-4 | 40 |
| 1107 | Structural bases of a long-stretched deletion: completing the lambda plac5 DNA primary structure. 1988 , 16, 10199-212 | 3 |
| 1106 | SAM2 encodes the second methionine S-adenosyl transferase in <i>Saccharomyces cerevisiae</i> : physiology and regulation of both enzymes. 1988 , 8, 5132-9 | 134 |
| 1105 | A regulatory region responsible for proline-specific induction of the yeast PUT2 gene is adjacent to its TATA box. 1988 , 8, 4634-41 | 40 |
| 1104 | Expression of the <i>Bacillus subtilis</i> xyl operon is repressed at the level of transcription and is induced by xylose. 1988 , 170, 3102-9 | 97 |

| | | |
|------|---|-----|
| 1103 | Cloning of genes from mucoid <i>Pseudomonas aeruginosa</i> which control spontaneous conversion to the alginate production phenotype. 1988 , 170, 1452-60 | 80 |
| 1102 | Transcription of <i>Bacillus subtilis</i> subtilisin and expression of subtilisin in sporulation mutants. 1988 , 170, 289-95 | 144 |
| 1101 | Structure and expression of the <i>Bacillus subtilis</i> sin operon. 1988 , 170, 1046-53 | 84 |
| 1100 | gltBDF operon of <i>Escherichia coli</i> . 1988 , 170, 821-7 | 40 |
| 1099 | Gene organization and structure of the <i>Streptomyces lividans</i> gal operon. 1988 , 170, 203-12 | 70 |
| 1098 | The plasmid, pBR322. 1988 , 10, 5-41 | 14 |
| 1097 | Genetic analysis of the iron uptake region of the <i>Vibrio anguillarum</i> plasmid pJM1: molecular cloning of genetic determinants encoding a novel trans activator of siderophore biosynthesis. 1988 , 170, 1913-9 | 70 |
| 1096 | Cloning and sequencing of a gene encoding an aminoglycoside 6N-acetyltransferase from an R factor of <i>Citrobacter diversus</i> . 1988 , 170, 471-3 | 69 |
| 1095 | The lit gene product which blocks bacteriophage T4 late gene expression is a membrane protein encoded by a cryptic DNA element, e14. 1988 , 170, 2056-62 | 35 |
| 1094 | Site-specific insertion of biologically functional adventitious genes into the <i>Streptomyces lividans</i> chromosome. 1988 , 170, 2174-84 | 26 |
| 1093 | Use of a gene replacement cosmid vector for cloning alginate conversion genes from mucoid and nonmucoid <i>Pseudomonas aeruginosa</i> strains: algS controls expression of algT. 1988 , 170, 3228-36 | 69 |
| 1092 | In vivo analysis of puf operon expression in <i>Rhodobacter sphaeroides</i> after deletion of a putative intercistronic transcription terminator. 1988 , 170, 4681-92 | 51 |
| 1091 | Autogenous regulation and kinetics of induction of <i>Pseudomonas aeruginosa</i> recA transcription as analyzed with operon fusions. 1988 , 170, 4699-705 | 14 |
| 1090 | An amino acid substitution in penicillin-binding protein 3 creates pointed polar caps in <i>Escherichia coli</i> . 1988 , 170, 4828-37 | 23 |
| 1089 | Importance of the C terminus of plasmid Rts1 RepA protein for replication and incompatibility of the plasmid. 1988 , 170, 1261-7 | 13 |
| 1088 | Inhibition of the SOS response of <i>Escherichia coli</i> by the Ada protein. 1988 , 170, 1354-9 | 8 |
| 1087 | Molecular cloning and characterization of an rRNA operon in <i>Streptomyces lividans</i> TK21. 1988 , 170, 1631-6 | 30 |
| 1086 | Transcriptional and translational analyses of recA mutant alleles in <i>Pseudomonas aeruginosa</i> . 1988 , 170, 1637-50 | 25 |

| | | | |
|------|--|----|-----|
| 1085 | cis-acting sites in the transcript of the <i>Bacillus subtilis</i> trp operon regulate expression of the operon. 1988 , 170, 3080-8 | | 94 |
| 1084 | Secretion of interleukin-1 beta and <i>Escherichia coli</i> galactokinase by <i>Streptomyces lividans</i> . 1988 , 170, 3924-9 | | 31 |
| 1083 | Resolution of ColE1 dimers requires a DNA sequence implicated in the three-dimensional organization of the cer site.. <i>EMBO Journal</i> , 1988 , 7, 851-858 | 13 | 97 |
| 1082 | Analysis of recombination occurring at SLP1 att sites. 1988 , 170, 5806-13 | | 20 |
| 1081 | Molecular cloning, characterization, and nucleotide sequence of an extracellular amylase gene from <i>Aeromonas hydrophila</i> . 1988 , 170, 1325-32 | | 49 |
| 1080 | Localization of <i>Bacillus subtilis</i> sacU(Hy) mutations to two linked genes with similarities to the conserved procaryotic family of two-component signalling systems. 1988 , 170, 5102-9 | | 132 |
| 1079 | Cloning of DNA involved in sporulation of <i>Streptomyces griseus</i> . 1988 , 170, 2802-8 | | 50 |
| 1078 | Construction of TnpHoA gene fusions in <i>Rhodobacter sphaeroides</i> : isolation and characterization of a respiratory mutant unable to utilize dimethyl sulfoxide as a terminal electron acceptor during anaerobic growth in the dark on glucose. 1989 , 171, 4385-94 | | 33 |
| 1077 | High homology between 6-aminohexanoate-cyclic-dimer hydrolases of <i>Flavobacterium</i> and <i>Pseudomonas</i> strains. 1989 , 171, 3187-91 | | 36 |
| 1076 | Induction and metabolite regulation of levanase synthesis in <i>Bacillus subtilis</i> . 1989 , 171, 1885-92 | | 62 |
| 1075 | Comparison of tellurite resistance determinants from the IncP alpha plasmid RP4Ter and the IncHII plasmid pHH1508a. 1989 , 171, 2160-5 | | 39 |
| 1074 | Molecular cloning of the recA analog from the marine fish pathogen <i>Vibrio anguillarum</i> 775. 1989 , 171, 6367-71 | | 16 |
| 1073 | The <i>Saccharomyces cerevisiae</i> PUT3 activator protein associates with proline-specific upstream activation sequences. 1989 , 9, 4706-12 | | 71 |
| 1072 | Activation of a cryptic pathway for threonine metabolism via specific IS3-mediated alteration of promoter structure in <i>Escherichia coli</i> . 1989 , 171, 5503-11 | | 26 |
| 1071 | Cloning, characterization, and heterologous expression of the <i>Saccharopolyspora erythraea</i> (<i>Streptomyces erythraeus</i>) gene encoding an EF-hand calcium-binding protein. 1989 , 171, 5614-9 | | 31 |
| 1070 | Genetic selection and DNA sequences of 4.5S RNA homologs. 1989 , 171, 6517-20 | | 24 |
| 1069 | Nucleotide sequence and transcriptional organization of the <i>Escherichia coli</i> enterobactin biosynthesis cistrons entB and entA. 1989 , 171, 784-90 | | 59 |
| 1068 | Two transcribing activities are involved in expression of the <i>Streptomyces</i> galactose operon. 1989 , 171, 1355-61 | | 42 |

| | | | |
|------|--|----|----|
| 1067 | Derivatives of ColE1 cer show altered topological specificity in site-specific recombination.. <i>EMBO Journal</i> , 1989 , 8, 309-315 | 13 | 36 |
| 1066 | Identification and analysis of transcriptional regulatory signals for the kil and kor loci of <i>Streptomyces</i> plasmid pIJ101. 1989 , 171, 5768-75 | | 62 |
| 1065 | Cloning, nucleotide sequence, and hybridization studies of the type IIb heat-labile enterotoxin gene of <i>Escherichia coli</i> . 1989 , 171, 4945-52 | | 43 |
| 1064 | Identification of polypeptides encoded by cloned pJM1 iron uptake DNA isolated from <i>Vibrio anguillarum</i> 775. 1989 , 171, 2293-302 | | 6 |
| 1063 | Nucleotide sequences required for Tn3 transposition immunity. 1989 , 171, 1904-14 | | 20 |
| 1062 | Plasmid dependence of <i>Pseudomonas</i> sp. strain NK87 enzymes that degrade 6-aminohexanoate-cyclic dimer. 1989 , 171, 3181-6 | | 27 |
| 1061 | Gene transfer system for <i>Rhodopseudomonas viridis</i> . 1989 , 171, 4425-35 | | 25 |
| 1060 | Resistance to antimicrobial agents and prevalence of R plasmids in <i>Pasteurella multocida</i> from turkeys. 1989 , 33, 670-3 | | 27 |
| 1059 | Development of a DNA probe from the deoxyribonucleotide sequence of a 3-N-aminoglycoside acetyltransferase [AAC(3)-I] resistance gene. 1989 , 33, 551-9 | | 41 |
| 1058 | <i>Bacillus</i> . 1989 , | | 6 |
| 1057 | Mapping of transfer and H pilus coding regions of the IncHII plasmid pHH1508a. 1989 , 35, 289-94 | | 1 |
| 1056 | Mutagenicity of N2 guanylation is SOS functions dependent and reminiscent of the high mutagenic property of 4NQO. 1989 , 10, 1961-6 | | 18 |
| 1055 | Cloning the BamHI restriction modification system. 1989 , 17, 979-97 | | 48 |
| 1054 | Unusual transcriptional and translational features of the aminoglycoside phosphotransferase gene (aph) from <i>Streptomyces fradiae</i> . 1989 , 3, 415-29 | | 70 |
| 1053 | Hyperproduction of aspartase by a catabolite repression-resistant mutant of <i>Escherichia coli</i> B harboring multicopy aspA and par recombinant plasmids. 1989 , 67, 107-110 | | 8 |
| 1052 | Cassava-fermenting organisms. 1989 , 5, 169-179 | | 15 |
| 1051 | Molecular organization and expression of the tetracycline resistance (TetB1) determinant specified by IncHI1 plasmids. 1989 , 19, 163-168 | | 3 |
| 1050 | Operon fusions of Mu d1(Ap,lac) to the l-proline biosynthetic genes of <i>Escherichia coli</i> K-12. 1989 , 18, 113-117 | | |

| | | |
|------|--|--------|
| 1049 | Three regulatory systems control expression of glutamine synthetase in <i>Saccharomyces cerevisiae</i> at the level of transcription. 1989 , 217, 370-7 | 38 |
| 1048 | Molecular cloning and expression in <i>Saccharomyces cerevisiae</i> and <i>Neurospora crassa</i> of the invertase gene from <i>Neurospora crassa</i> . 1989 , 67, 401-10 | 2 |
| 1047 | Determination of protein expression and plasmid copy number from cloned genes in <i>Escherichia coli</i> by flow injection analysis using an enzyme indicator vector. 1989 , 34, 1023-36 | 20 |
| 1046 | Transformation of a glucose negative mutant of <i>Pachysolen tannophilus</i> with a plasmid carrying the cloned hexokinase PII gene from <i>Saccharomyces cerevisiae</i> . 1989 , 11, 601-604 | 5 |
| 1045 | Structure and expression of the URA5 gene of <i>Saccharomyces cerevisiae</i> . 1989 , 215, 455-62 | 30 |
| 1044 | Effect of repeated DNA sequences on direct gene transfer in protoplasts of <i>Nicotiana plumbaginifolia</i> . 1989 , 78, 113-8 | 9 |
| 1043 | The <i>uvp1</i> gene of plasmid pR cooperates with <i>mucAB</i> genes in the DNA repair process. 1989 , 218, 18-24 | 5 |
| 1042 | The plastid <i>rpoA</i> gene encoding a protein homologous to the bacterial RNA polymerase alpha subunit is expressed in pea chloroplasts. 1989 , 217, 77-84 | 46 |
| 1041 | Isolation and characterization of a conditional replication mutant of the antibiotic resistance factor R1 affected in the gene of the replication protein <i>repA</i> . 1989 , 217, 111-7 | 8 |
| 1040 | Structure of the HOM2 gene of <i>Saccharomyces cerevisiae</i> and regulation of its expression. 1989 , 217, 149-54 | 18 |
| 1039 | The phosphoenolpyruvate carboxylase gene of <i>Corynebacterium glutamicum</i> : molecular cloning, nucleotide sequence, and expression. 1989 , 218, 330-9 | 70 |
| 1038 | Mutations in ADE3 reduce the efficiency of the omnipotent suppressor <i>sup45-2</i> . 1989 , 16, 315-21 | 9 |
| 1037 | Isolation and interspecies-transfer of a plasmid from <i>Pasteurella multocida</i> encoding for streptomycin resistance. 1989 , 178, 121-5 | 9 |
| 1036 | High expression and efficient secretion of <i>Rhizopus oryzae</i> glucoamylase in the yeast <i>Saccharomyces cerevisiae</i> . <i>Applied Microbiology and Biotechnology</i> , 1989 , 30, 515 | 5-7 42 |
| 1035 | High level of expression of a protective antigen of schistosomes in <i>Saccharomyces cerevisiae</i> . 1989 , 5, 497-507 | 63 |
| 1034 | Nucleotide sequence of the <i>Escherichia coli</i> <i>entE</i> gene. 1989 , 59, 15-19 | 41 |
| 1033 | Phospholipase C and haemolytic activities of <i>Clostridium perfringens</i> alpha-toxin cloned in <i>Escherichia coli</i> : sequence and homology with a <i>Bacillus cereus</i> phospholipase C. 1989 , 3, 383-92 | 77 |
| 1032 | Molecular characterization and sequence of phosphatidylinositol-specific phospholipase C of <i>Bacillus thuringiensis</i> . 1989 , 3, 621-6 | 38 |

| | | |
|------|--|-----------|
| 1031 | The Escherichia coli enterobactin biosynthesis gene, entD: nucleotide sequence and membrane localization of its protein product. 1989 , 3, 757-66 | 40 |
| 1030 | Increased Inosine Production by a Bacillus subtilis Xanthine-Requiring Mutant Derived by Insertional Inactivation of the IMP Dehydrogenase Gene. 1989 , 7, 821-824 | 6 |
| 1029 | Regulation of Bacillus subtilis glutamine synthetase gene expression by the product of the glnR gene. 1989 , 210, 51-63 | 107 |
| 1028 | The HIV-1 Gag precursor Pr55gag synthesized in yeast is myristoylated and targeted to the plasma membrane. 1989 , 79, 71-81 | 59 |
| 1027 | The HU protein is not essential for generating deletions adjacent to transposon Tn3. 1989 , 76, 359-62 | 1 |
| 1026 | Cloning and expression of a β -glucosidase gene from Xanthomonas albilineans in Escherichia coli and Zymomonas mobilis. 1989 , 9, 139-152 | 20 |
| 1025 | Analysis of the promoter region of the melanin locus from Streptomyces antibioticus. 1989 , 84, 267-77 | 16 |
| 1024 | Production of plasmids giving high expression of recombinant DNA-derived ovine growth hormone variants in Escherichia coli. 1989 , 250, 371-6 | 10 |
| 1023 | Identification and characterization of the nifH and nifJ promoter regions located on the nif-plasmid pEA3 of Enterobacter agglomerans 333. 1989 , 78, 101-9 | 23 |
| 1022 | Cloning and expression of the major inner capsid protein of SA-11 simian rotavirus in Escherichia coli. 1989 , 79, 239-48 | 10 |
| 1021 | The influence of lipopolysaccharide on the transformation efficiency of Klebsiella pneumoniae. 1989 , 35, 735-7 | 3 |
| 1020 | One-step preparation of competent Escherichia coli: transformation and storage of bacterial cells in the same solution. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1989 , 86, 2172-5 | 11.5 1173 |
| 1019 | Elements involved in S-adenosylmethionine-mediated regulation of the Saccharomyces cerevisiae MET25 gene. 1989 , 9, 3292-8 | 118 |
| 1018 | Uncoupling of the cytochrome P-450cam monooxygenase reaction by a single mutation, threonine-252 to alanine or valine: possible role of the hydroxy amino acid in oxygen activation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1989 , 86, 7823-7 | 11.5 363 |
| 1017 | Isolation of constitutive mutations affecting the proline utilization pathway in Saccharomyces cerevisiae and molecular analysis of the PUT3 transcriptional activator. 1989 , 9, 4696-705 | 33 |
| 1016 | Positive regulation of glutamate biosynthesis in Bacillus subtilis. 1989 , 171, 4718-27 | 77 |
| 1015 | Nucleotide sequence of Escherichia coli isochorismate synthetase gene entC and evolutionary relationship of isochorismate synthetase and other chorismate-utilizing enzymes. 1989 , 171, 775-83 | 110 |
| 1014 | xylE functions as an efficient reporter gene in Streptomyces spp.: use for the study of galP1, a catabolite-controlled promoter. 1989 , 171, 6617-24 | 187 |

| | | |
|------|--|--------|
| 1013 | Cloning, nucleotide sequence, and expression in <i>Escherichia coli</i> of the <i>Bacillus stearothermophilus</i> peroxidase gene (perA). 1989 , 171, 4871-5 | 50 |
| 1012 | Identification and sequence analysis of the <i>Bacillus subtilis</i> W23 xylR gene and xyl operator. 1989 , 171, 3840-5 | 67 |
| 1011 | An in vitro system involving Tn3 transposase that catalyzes the formation of DNA deletions.. 1989 , 65, 1-4 | |
| 1010 | gcr2, a new mutation affecting glycolytic gene expression in <i>Saccharomyces cerevisiae</i> . 1990 , 10, 6389-96 | 67 |
| 1009 | Self-regulation of 70-kilodalton heat shock proteins in <i>Saccharomyces cerevisiae</i> . 1990 , 10, 1622-32 | 122 |
| 1008 | TEC1, a gene involved in the activation of Ty1 and Ty1-mediated gene expression in <i>Saccharomyces cerevisiae</i> : cloning and molecular analysis. 1990 , 10, 3541-50 | 98 |
| 1007 | Expression and purification of a truncated recombinant streptococcal protein G. <i>Biochemical Journal</i> , 1990 , 267, 171-7 | 3.8 47 |
| 1006 | Genes for two herbicide-inducible cytochromes P-450 from <i>Streptomyces griseolus</i> . 1990 , 172, 3335-45 | 90 |
| 1005 | Natural transformation in <i>Campylobacter</i> species. 1990 , 172, 949-55 | 257 |
| 1004 | The sacT gene regulating the sacPA operon in <i>Bacillus subtilis</i> shares strong homology with transcriptional antiterminators. 1990 , 172, 3966-73 | 124 |
| 1003 | Characterization of PBSX, a defective prophage of <i>Bacillus subtilis</i> . 1990 , 172, 2667-74 | 54 |
| 1002 | The molecular structure of the <i>Corynebacterium glutamicum</i> threonine synthase gene. 1990 , 4, 1693-702 | 38 |
| 1001 | Stable expression of meningococcal class 1 protein in an antigenically reactive form in outer membranes of <i>Escherichia coli</i> . 1990 , 4, 769-76 | 15 |
| 1000 | Homologous DNA sequences on the virulence plasmids of pathogenic <i>Yersinia</i> and <i>Salmonella</i> dublin lane. 1990 , 4, 905-11 | 9 |
| 999 | Nucleotide sequence and organization of the upstream region of the <i>Corynebacterium glutamicum</i> lysA gene. 1990 , 4, 1819-30 | 22 |
| 998 | Hypersecretion of a cellulase from <i>Clostridium thermocellum</i> in <i>Bacillus subtilis</i> by induction of chromosomal DNA amplification. 1990 , 8, 559-63 | 14 |
| 997 | DNA sequence analysis of the replication region of the <i>Pseudomonas aeruginosa</i> plasmid R91-5. 1990 , 69, 101-112 | |
| 996 | Interspecific gene transfer: where next?. 1990 , 8, 198-203 | 18 |

| | | |
|-----|--|-----|
| 995 | Structure of isozyme genes of glucose dehydrogenase from <i>Bacillus megaterium</i> IAM1030. 1990 , 70, 363-369 | 11 |
| 994 | Cloning and expression of an <i>Aeromonas hydrophila</i> chitinase gene in <i>Escherichia coli</i> . 1990 , 21, 329-337 | 25 |
| 993 | Mutational and functional analysis of the <i>korA</i> and <i>korB</i> gene products of <i>Streptomyces</i> plasmid pIJ101. 1990 , 222, 337-44 | 19 |
| 992 | Molecular cloning and expression of a proteinase gene from <i>Lactococcus lactis</i> subsp. <i>cremoris</i> H2 and construction of a new lactococcal vector pFX1. 1990 , 154, 99-104 | 14 |
| 991 | Cloning and sequencing of the <i>hemA</i> gene of <i>Rhodobacter capsulatus</i> and isolation of a delta-aminolevulinic acid-dependent mutant strain. 1990 , 221, 371-8 | 35 |
| 990 | Endoglucanase E, produced at high level in <i>Escherichia coli</i> as a <i>lacZ</i> fusion protein, is part of the <i>Clostridium thermocellum</i> cellulosome. 1990 , 12, 656-62 | 34 |
| 989 | Effect of altering GATC sequences in the plasmid ColE1 primer promoter. 1990 , 172, 1762-8 | 12 |
| 988 | Second-site revertants of the P1 <i>copN22</i> copy mutant. 1990 , 172, 2762-4 | 1 |
| 987 | Physical analysis of <i>phr</i> gene transcription in <i>Escherichia coli</i> K-12. 1990 , 172, 6551-6 | 5 |
| 986 | Recombination at ColE1 <i>cer</i> requires the <i>Escherichia coli</i> <i>xerC</i> gene product, a member of the lambda integrase family of site-specific recombinases. 1990 , 172, 6973-80 | 138 |
| 985 | Effects of multiple yeast <i>rad3</i> mutant alleles on UV sensitivity, mutability, and mitotic recombination. 1990 , 172, 6620-30 | 37 |
| 984 | Site-directed mutations in the <i>repA</i> C-terminal region of plasmid Rts1: pleiotropic effects on the replication and autorepressor functions. 1990 , 172, 2535-40 | 8 |
| 983 | Nucleotide sequence and transcriptional products of the <i>csg</i> locus of <i>Myxococcus xanthus</i> . 1990 , 172, 15-23 | 80 |
| 982 | Effects of mutations in the <i>repA</i> gene of plasmid Rts1 on plasmid replication and autorepressor function. 1990 , 172, 786-92 | 18 |
| 981 | Multiple translational products from a <i>Mycoplasma hyorhinitis</i> gene expressed in <i>Escherichia coli</i> . 1990 , 172, 2986-95 | 21 |
| 980 | Genetic analysis of the O7-polysaccharide biosynthesis region from the <i>Escherichia coli</i> O7:K1 strain VW187. 1990 , 172, 3590-9 | 74 |
| 979 | Isolation and characterization of <i>Rhodobacter capsulatus</i> mutants defective in oxygen regulation of the <i>puf</i> operon. 1990 , 172, 4549-54 | 35 |
| 978 | The <i>kil-kor</i> regulon of broad-host-range plasmid RK2: nucleotide sequence, polypeptide product, and expression of regulatory gene <i>korC</i> . 1990 , 172, 3040-50 | 25 |

- 977 Replication of the broad-host-range plasmid RK2: direct measurement of intracellular concentrations of the essential TrfA replication proteins and their effect on plasmid copy number. **1990**, 172, 3849-58 64
- 976 Signal transduction pathway controlling synthesis of a class of degradative enzymes in *Bacillus subtilis*: expression of the regulatory genes and analysis of mutations in *degS* and *degU*. **1990**, 172, 824-34 239
- 975 Mutations in the *trfA* replication gene of the broad-host-range plasmid RK2 result in elevated plasmid copy numbers. **1990**, 172, 3859-67 64
- 974 Role of DNA polymerase 3N \rightarrow 5N exonuclease activity in the bypass of aminofluorene lesions in DNA. **1990**, 11, 2103-9 30
- 973 The *mtr* locus is a two-gene operon required for transcription attenuation in the *trp* operon of *Bacillus subtilis*. *Proceedings of the National Academy of Sciences of the United States of America*, **1990**, 87, 8726-30 11.5 86
- 972 Oral *Salmonella*: malaria circumsporozoite recombinants induce specific CD8 α cytotoxic T cells. **1990**, 172, 1083-90 190
- 971 The upstream activating sequence for L-leucine gene regulation in *Saccharomyces cerevisiae*. **1990**, 18, 3923-31 25
- 970 Single d(ApG)/cis-diamminedichloroplatinum(II) adduct-induced mutagenesis in *Escherichia coli*. *Proceedings of the National Academy of Sciences of the United States of America*, **1990**, 87, 6087-91 11.5 46
- 969 The rejoining of double-strand breaks in DNA by human cell extracts. **1990**, 18, 6205-10 125
- 968 Use of shuttle vectors to study the molecular processing of defined carcinogen-induced DNA damage: mutagenicity of single O4-ethylthymine adducts in HeLa cells. **1990**, 18, 4131-7 73
- 967 Identification and mapping of *mba* regions of the *Salmonella choleraesuis* virulence plasmid pKDSC50 responsible for mouse bacteremia. **1990**, 8, 13-21 19
- 966 Cloning, expression and characterization of the *Sau3AI* restriction and modification genes in *Staphylococcus carnosus* TM300. **1990**, 94, 37-43 46
- 965 Isolation of fragments with *pac* function for phage P22 from phage LP7 DNA and comparison of packaging gene 3 sequences. **1990**, 88, 47-55 7
- 964 Novel mutations that alter the regulation of sporulation in *Bacillus subtilis*. Evidence that phosphorylation of regulatory protein SpoOA controls the initiation of sporulation. **1990**, 215, 359-72 62
- 963 Fragment tagging. **1990**, 7, 151-9
- 962 Expression of mammalian DT-diaphorase in *Escherichia coli*: purification and characterization of the expressed protein. **1990**, 283, 311-7 10
- 961 Detection of *Mycoplasma hyopneumoniae* DNA by the polymerase chain reaction. **1991**, 5, 103-9 31
- 960 Disruption and mutagenesis of the *Saccharomyces cerevisiae* PDX1 gene encoding the protein X component of the pyruvate dehydrogenase complex. **1991**, 30, 2834-9 73

| | | |
|-----|--|-------|
| 959 | Site-directed mutagenesis of glutathione S-transferase YaYa: nonessential role of histidine in catalysis. 1991 , 286, 574-8 | 31 |
| 958 | The rate of processing and degradation of antisense RNAi regulates the replication of ColE1-type plasmids in vivo. 1991 , 65, 1233-42 | 200 |
| 957 | Biogenesis of bacterial cellulose. 1991 , 17, 435-47 | 178 |
| 956 | Transcriptional analysis, translational analysis, and sequence of the kilA-tellurite resistance region of plasmid RK2Ter. 1991 , 173, 1111-9 | 51 |
| 955 | Broad-host-range properties of plasmid RK2: importance of overlapping genes encoding the plasmid replication initiation protein TrfA. 1991 , 173, 5861-8 | 52 |
| 954 | Polyamines as constituents of the outer membranes of Escherichia coli and Salmonella typhimurium. 1991 , 173, 3695-9 | 40 |
| 953 | Mutagenesis and isolation of Aeromonas hydrophila genes which are required for extracellular secretion. 1991 , 173, 1241-9 | 40 |
| 952 | Genes for 7S RNAs can replace the gene for 4.5S RNA in growth of Escherichia coli. 1991 , 173, 1835-7 | 16 |
| 951 | Cloning, nucleotide sequence, and characterization of mtr, the structural gene for a tryptophan-specific permease of Escherichia coli K-12. 1991 , 173, 108-15 | 55 |
| 950 | Expression of gene 1.2 and gene 10 of bacteriophage T7 is lethal to F plasmid-containing Escherichia coli. 1991 , 173, 1536-43 | 20 |
| 949 | Expression and nucleotide sequence of the Clostridium acetobutylicum beta-galactosidase gene cloned in Escherichia coli. 1991 , 173, 3084-95 | 51 |
| 948 | Structural, molecular, and genetic analysis of the kilA operon of broad-host-range plasmid RK2. 1991 , 173, 3463-77 | 40 |
| 947 | Novel structure of the recA locus of Mycobacterium tuberculosis implies processing of the gene product. 1991 , 173, 5653-62 | 128 |
| 946 | Identification of the structural gene for glucose-6-phosphate dehydrogenase in yeast. Inactivation leads to a nutritional requirement for organic sulfur.. <i>EMBO Journal</i> , 1991 , 10, 547-553 | 13 98 |
| 945 | Cloning, nucleotide sequence, and engineered expression of Thermus thermophilus DNA ligase, a homolog of Escherichia coli DNA ligase. 1991 , 173, 5047-53 | 51 |
| 944 | Characterization and expression of the Escherichia coli Mrr restriction system. 1991 , 173, 5207-19 | 98 |
| 943 | The tdh and serA operons of Escherichia coli: mutational analysis of the regulatory elements of leucine-responsive genes. 1991 , 173, 5944-53 | 67 |
| 942 | Expression of virulence and antibiotic resistance in an Escherichia coli transconjugant carrying a large plasmid pCAT120 of Shigella dysenteriae type I and its spontaneous fragmentations. 1991 , 36, 127-35 | 6 |

| | | | |
|-----|---|------|-----|
| 941 | In vitro mutagenesis as a result of ⁶⁰ Co-gamma-ray-induced base damage. 1991 , 251, 187-99 | | 5 |
| 940 | In Vitro Gene Manipulation. 1991 , 11-27 | | |
| 939 | Nucleotide sequence and genetic organization of the ferric enterobactin transport system: homology to other periplasmic binding protein-dependent systems in <i>Escherichia coli</i> . 1991 , 5, 1415-28 | | 112 |
| 938 | The <i>kilA</i> operon of promiscuous plasmid RK2: the use of a transducing phage (λ p $kilA$ -1) to determine the effects of the lethal <i>kilA</i> gene on <i>Escherichia coli</i> cells. 1991 , 5, 2673-83 | | 7 |
| 937 | <i>Bacillus thuringiensis</i> Berliner resistant to high temperature and ultraviolet radiation. 1991 , 112, 520-524 | | 2 |
| 936 | Improved L-lysine production by the amplification of the <i>Corynebacterium glutamicum</i> <i>dapA</i> gene encoding dihydrodipicolinate synthetase in <i>E. coli</i> . 1991 , 13, 727-732 | | 4 |
| 935 | Decreased frequency of the rat growth hormone transgene in mouse populations with or without selection for increased adult body weight. 1991 , 81, 327-32 | | 17 |
| 934 | Identification of a promoter dependent on NifA and sigma 54 upstream of <i>nifH</i> in <i>Azospirillum lipoferum</i> . 1991 , 227, 86-90 | | 3 |
| 933 | Site-specific integration of genes into hot spots for recombination flanking <i>aadA</i> in Tn21 transposons. 1991 , 229, 137-46 | | 5 |
| 932 | The synthesis of the two S-adenosyl-methionine synthetases is differently regulated in <i>Saccharomyces cerevisiae</i> . 1991 , 226, 224-32 | | 63 |
| 931 | Optimization of <i>Candida tropicalis</i> cytochrome P450alk gene expression in <i>Saccharomyces cerevisiae</i> with continuous cultures. <i>Applied Microbiology and Biotechnology</i> , 1991 , 36, 48-60 | 5-7 | 7 |
| 930 | Amplification of three threonine biosynthesis genes in <i>Corynebacterium glutamicum</i> and its influence on carbon flux in different strains. <i>Applied Microbiology and Biotechnology</i> , 1991 , 34, 617-22 | 5-7 | 125 |
| 929 | Genetic analysis of the phosphinothricin-tripeptide biosynthetic pathway of <i>Streptomyces viridochromogenes</i> T Φ 94. <i>Applied Microbiology and Biotechnology</i> , 1991 , 34, 749-55 | 5-7 | 21 |
| 928 | Monitoring survival and gene transfer in soil microcosms of recombinant <i>Escherichia coli</i> designed to represent an industrial production strain. <i>Applied Microbiology and Biotechnology</i> , 1991 , 35, 247-52 | 5-7 | 14 |
| 927 | Sequence and localization of the gene encoding yeast phosphoglycerate mutase. 1991 , 20, 167-71 | | 18 |
| 926 | The mitochondrial genome of <i>Schizosaccharomyces pombe</i> . Stimulation of intra-chromosomal recombination in <i>Escherichia coli</i> by the gene product of the first <i>cox1</i> intron. 1991 , 19, 295-9 | | 5 |
| 925 | Characterization of the cloned BamHI restriction modification system: its nucleotide sequence, properties of the methylase, and expression in heterologous hosts. 1991 , 19, 841-50 | | 63 |
| 924 | The <i>Bacillus subtilis</i> <i>sigL</i> gene encodes an equivalent of sigma 54 from gram-negative bacteria. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1991 , 88, 9092-6 | 11.5 | 108 |

| | | | |
|-----|---|------|-----|
| 923 | A DNA sequence upstream of the tet(O) gene is required for full expression of tetracycline resistance. 1991 , 35, 2020-5 | | 28 |
| 922 | Insecticidal activity and processing in larval gut juices of genetically engineered 130-kDa proteins of <i>Bacillus thuringiensis</i> subsp. <i>aizawai</i> . 1992 , 56, 1-7 | | 16 |
| 921 | Diffusion of meropenem and imipenem through the outer membrane of <i>Escherichia coli</i> K-12 and correlation with their antibacterial activities. 1992 , 36, 1902-8 | | 32 |
| 920 | Recombinant plasmids. 1992 , 93-152 | | 0 |
| 919 | Identification and cloning of a tetracycline resistance gene from the fish pathogen <i>Vibrio salmonicida</i> . 1992 , 36, 611-5 | | 56 |
| 918 | Analysis of human TSH receptor gene and RNA transcripts in patients with thyroid disorders. 1992 , 13, 43-50 | | 7 |
| 917 | Characterization of the chromosomal <i>aac(6)Ic</i> gene from <i>Serratia marcescens</i> . 1992 , 36, 1447-55 | | 77 |
| 916 | Activity of a plasmid-borne <i>leu-500</i> promoter depends on the transcription and translation of an adjacent gene. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1992 , 89, 8784-8 | 11.5 | 74 |
| 915 | Identification of the <i>rph</i> (RNase PH) gene of <i>Bacillus subtilis</i> : evidence for suppression of cold-sensitive mutations in <i>Escherichia coli</i> . 1992 , 174, 4727-35 | | 23 |
| 914 | Regulation of the <i>Bam</i> HI restriction-modification system by a small intergenic open reading frame, <i>bam</i> HIC, in both <i>Escherichia coli</i> and <i>Bacillus subtilis</i> . 1992 , 174, 7194-201 | | 61 |
| 913 | <i>MET4</i> , a leucine zipper protein, and centromere-binding factor 1 are both required for transcriptional activation of sulfur metabolism in <i>Saccharomyces cerevisiae</i> . 1992 , 12, 1719-27 | | 146 |
| 912 | Cloning, nucleotide sequence, and expression of the <i>Escherichia coli</i> <i>fabD</i> gene, encoding malonyl coenzyme A-acyl carrier protein transacylase. 1992 , 174, 2851-7 | | 70 |
| 911 | Function of the N-terminal half of RepA in activation of Rts1 ori. 1992 , 174, 6904-10 | | 3 |
| 910 | The <i>Salmonella typhimurium</i> virulence plasmid complement resistance gene <i>rck</i> is homologous to a family of virulence-related outer membrane protein genes, including <i>pagC</i> and <i>ail</i> . 1992 , 174, 84-91 | | 119 |
| 909 | Proline biosynthesis in <i>Saccharomyces cerevisiae</i> : molecular analysis of the <i>PRO1</i> gene, which encodes gamma-glutamyl kinase. 1992 , 174, 4148-56 | | 23 |
| 908 | Acetylation of O-specific lipopolysaccharides from <i>Shigella flexneri</i> 3a and 2a occurs in <i>Escherichia coli</i> K-12 carrying cloned <i>S. flexneri</i> 3a and 2a <i>rfb</i> genes. 1992 , 174, 7500-8 | | 23 |
| 907 | Comparison of the expression of the seven ribosomal RNA operons in <i>Escherichia coli</i> . <i>EMBO Journal</i> , 1992 , 11, 4175-4185 | 13 | 108 |
| 906 | Isolation and characterization of <i>kikA</i> , a region on IncN group plasmids that determines killing of <i>Klebsiella oxytoca</i> . 1992 , 174, 3070-7 | | 8 |

| | | | |
|-----|---|-----|-----|
| 905 | Expression and regulation of the antimonite, arsenite, and arsenate resistance operon of <i>Staphylococcus xylosum</i> plasmid pSX267. 1992 , 174, 3676-83 | | 144 |
| 904 | Analysis of mutations in <i>trfA</i> , the replication initiation gene of the broad-host-range plasmid RK2. 1992 , 174, 4110-9 | | 26 |
| 903 | Replication origin mutations affecting binding of pSC101 plasmid-encoded Rep initiator protein. 1992 , 174, 456-63 | | 7 |
| 902 | Proline biosynthesis in <i>Saccharomyces cerevisiae</i> : analysis of the PRO3 gene, which encodes delta 1-pyrroline-5-carboxylate reductase. 1992 , 174, 3782-8 | | 42 |
| 901 | Interaction of the <i>Bacillus subtilis</i> <i>glnRA</i> repressor with operator and promoter sequences in vivo. 1992 , 174, 671-81 | | 37 |
| 900 | Regulation of the <i>Bacillus subtilis</i> W23 xylose utilization operon: interaction of the Xyl repressor with the <i>xyl</i> operator and the inducer xylose. 1992 , 232, 415-22 | | 49 |
| 899 | The SEG1 element: a new DNA region promoting stable mitotic segregation of plasmids in the zygomycete <i>Absidia glauca</i> . 1992 , 235, 166-72 | | 20 |
| 898 | Circular extrachromosomal DNA codes for a surface protein in the (+) mating type of the zygomycete <i>Absidia glauca</i> . 1992 , 22, 319-25 | | 21 |
| 897 | A novel mutation occurring in the PHO80 gene suppresses the PHO4c mutations of <i>Saccharomyces cerevisiae</i> . 1992 , 21, 95-9 | | 18 |
| 896 | Transformation of the mycoparasite <i>Parasitella simplex</i> to neomycin resistance. 1992 , 21, 121-4 | | 18 |
| 895 | Construction of stable lactose-utilizing <i>Xanthomonas campestris</i> by chromosomal integration of cloned <i>lac</i> genes using filamentous phage ϕ Lf DNA. <i>Applied Microbiology and Biotechnology</i> , 1992 , 37, 225 | 5-7 | 16 |
| 894 | Expression and secretion of pea-seed lipoxygenase isoenzymes in <i>Saccharomyces cerevisiae</i> . <i>Applied Microbiology and Biotechnology</i> , 1992 , 37, 342-51 | 5-7 | 14 |
| 893 | The small heat-shock protein Hsp26 of <i>Saccharomyces cerevisiae</i> assembles into a high molecular weight aggregate. 1992 , 8, 95-106 | | 52 |
| 892 | Molecular cloning and physical analysis of an 8.2 kb segment of chromosome XI of <i>Saccharomyces cerevisiae</i> reveals five tightly linked genes. 1992 , 8, 227-38 | | 29 |
| 891 | <i>spbA</i> locus ensures the segregational stability of pTH1030, a novel type of gram-positive replicon. 1992 , 6, 35-46 | | 77 |
| 890 | The <i>Aeromonas hydrophila</i> <i>exeE</i> gene, required both for protein secretion and normal outer membrane biogenesis, is a member of a general secretion pathway. 1992 , 6, 1351-61 | | 105 |
| 889 | <i>gltF</i> , a member of the <i>gltBDF</i> operon of <i>Escherichia coli</i> , is involved in nitrogen-regulated gene expression. 1992 , 6, 2733-41 | | 34 |
| 888 | Cloning of a yeast gene coding for the glutamate synthase small subunit (<i>GUS2</i>) by complementation of <i>Saccharomyces cerevisiae</i> and <i>Escherichia coli</i> glutamate auxotrophs. 1992 , 6, 301-308 | | 9 |

| | | |
|-----|--|------|
| 887 | Molecular analysis of the <i>Corynebacterium glutamicum</i> <i>gdh</i> gene encoding glutamate dehydrogenase. 1992 , 6, 317-26 | 94 |
| 886 | The chromosomal integration site for the <i>Streptomyces</i> plasmid SLP1 is a functional tRNA(Tyr) gene essential for cell viability. 1992 , 6, 3041-50 | 21 |
| 885 | Identification of antibodies against human papillomavirus type 16 E6 and E7 proteins in sera of patients with cervical neoplasias. 1992 , 83, 705-13 | 16 |
| 884 | Expression of the ice nucleation active gene of a novel plasmid pNVR-1 from <i>Pseudomonas viridiflava</i> in <i>Escherichia coli</i> and <i>Pseudomonas aeruginosa</i> . 1992 , 74, 73-76 | 7 |
| 883 | Production of insecticidal protein of <i>Bacillus thuringiensis</i> by cultivation of recombinant <i>Escherichia coli</i> . 1992 , 74, 163-168 | 15 |
| 882 | Primary structure of guinea-pig Hageman factor: sequence around the cleavage site differs from the human molecule. 1992 , 1159, 113-21 | 15 |
| 881 | Site-directed mutagenesis of virtually any plasmid by eliminating a unique site. 1992 , 200, 81-8 | 1132 |
| 880 | Initial studies on a <i>Bacillus subtilis</i> mutant lacking the <i>dnaK</i> -homologue protein. 1992 , 24, 143-149 | 3 |
| 879 | Identification and mapping of origins of DNA replication within the DNA sequences of the genome of insect iridescent virus type 6. 1992 , 6, 19-32 | 25 |
| 878 | Genetic analysis of epidermin biosynthetic genes and epidermin-negative mutants of <i>Staphylococcus epidermidis</i> . 1992 , 204, 1149-54 | 208 |
| 877 | Cloning, sequencing and in vivo expression of genes encoding the F0 part of the sodium-ion-dependent ATP synthase of <i>Propionigenium modestum</i> in <i>Escherichia coli</i> . 1992 , 207, 463-70 | 25 |
| 876 | Sensitive bioluminescent detection of pesticides utilizing a membrane mutant of <i>Escherichia coli</i> and recombinant DNA technology. 1992 , 257, 183-188 | 11 |
| 875 | The <i>Azotobacter vinelandii</i> <i>nifL</i> -like gene: nucleotide sequence analysis and regulation of expression. 1993 , 237, 400-6 | 19 |
| 874 | GUT2, a gene for mitochondrial glycerol 3-phosphate dehydrogenase of <i>Saccharomyces cerevisiae</i> . 1993 , 9, 1121-30 | 124 |
| 873 | Multicopy plasmid instability: the dimer catastrophe hypothesis. 1993 , 8, 1031-8 | 133 |
| 872 | ColE1 multimer formation triggers inhibition of <i>Escherichia coli</i> cell division. 1993 , 9, 1089-95 | 38 |
| 871 | Identification and characterization of the <i>pupB</i> gene encoding an inducible ferric-pseudobactin receptor of <i>Pseudomonas putida</i> WCS358. 1993 , 8, 591-601 | 103 |
| 870 | The partition (<i>par</i>) locus of pSC101 is an enhancer of plasmid incompatibility. 1993 , 9, 695-702 | 19 |

| | | |
|-----|---|----|
| 869 | Molecular cloning, sequence analysis and expression of the gene for catalase-peroxidase (cpeA) from the photosynthetic bacterium <i>Rhodobacter capsulatus</i> B10. 1993 , 214, 251-8 | 28 |
| 868 | The induction of <i>Bacillus thuringiensis</i> new types by foreign DNA. 1993 , 115, 350-354 | 1 |
| 867 | Restriction Fragment Length Polymorphisms of Mitochondrial and Nuclear DNAs among Korean Races of <i>Magnaporthe grisea</i> . 1993 , 138, 41-54 | 4 |
| 866 | Photolesions in DNA upon 193 nm excitation. 1993 , 58, 71-80 | 16 |
| 865 | Photolesions and biological inactivation of plasmid DNA on 254 nm irradiation and comparison with 193 nm laser irradiation. 1993 , 58, 477-85 | 11 |
| 864 | Plasmid-mediated antibiotic resistance in <i>Pseudomonas aeruginosa</i> from well water sediments and their transformation into <i>Escherichia coli</i> . 1993 , 16, 17-20 | 2 |
| 863 | Molecular analysis of a cryptic plasmid isolated from avian strains of <i>Pasteurella multocida</i> . 1993 , 37, 31-43 | 8 |
| 862 | Radiosensitization and radioprotection of <i>E. coli</i> by alcohols. 1993 , 64, 485-95 | 7 |
| 861 | Irradiation of plasmid and phage DNA in water-alcohol mixtures: strand breaks and lethal damage as a function of scavenger concentration. 1993 , 64, 497-510 | 35 |
| 860 | The Gene for a 74 kDa DNA Polymerase from the Archaeon <i>Sulfolobus solfataricus</i> . 1993 , 16, 665-671 | 8 |
| 859 | Double-strand breaks in plasmid DNA and the induction of deletions. 1993 , 299, 233-50 | 11 |
| 858 | A new tetracycline resistance determinant, Tet H, from <i>Pasteurella multocida</i> specifying active efflux of tetracycline. 1993 , 37, 2699-705 | 64 |
| 857 | Structural requirement of C-terminal region of chicken lysozyme signal peptide. 1993 , 4, 113-120 | 1 |
| 856 | Sequence analysis and phenotypic characterization of groEL mutations that block lambda and T4 bacteriophage growth. 1993 , 175, 1134-43 | 62 |
| 855 | Cysteine biosynthesis in <i>Saccharomyces cerevisiae</i> occurs through the transsulfuration pathway which has been built up by enzyme recruitment. 1993 , 175, 5366-74 | 57 |
| 854 | Localization and nucleotide sequences of genes mediating site-specific recombination of the SLP1 element in <i>Streptomyces lividans</i> . 1993 , 175, 3067-74 | 25 |
| 853 | Characterization of genes for synthesis and catabolism of a new rhizopine induced in nodules by <i>Rhizobium meliloti</i> Rm220-3: extension of the rhizopine concept. 1993 , 175, 5205-15 | 46 |
| 852 | Altered regulation of the glnRA operon in a <i>Bacillus subtilis</i> mutant that produces methionine sulfoximine-tolerant glutamine synthetase. 1993 , 175, 892-7 | 16 |

| | | | |
|-----|--|----|-----|
| 851 | Depletion of functional ribosomal RNA operons in <i>Escherichia coli</i> causes increased expression of the remaining intact copies.. <i>EMBO Journal</i> , 1993 , 12, 4305-4315 | 13 | 105 |
| 850 | Multiple changes in cell wall antigens of isogenic mutants of <i>Streptococcus mutans</i> . 1993 , 175, 5925-33 | | 22 |
| 849 | Construction and biochemical characterization of recombinant cytoplasmic forms of the lucD protein (lysine:N6-hydroxylase) encoded by the pColV-K30 aerobactin gene cluster. 1993 , 175, 589-96 | | 45 |
| 848 | Identification of a complex operator for galP1, the glucose-sensitive, galactose-dependent promoter of the <i>Streptomyces galactose</i> operon. 1993 , 175, 1213-20 | | 27 |
| 847 | kil-kor regulon of promiscuous plasmid RK2: structure, products, and regulation of two operons that constitute the kilE locus. 1993 , 175, 5078-90 | | 23 |
| 846 | Structure, function, and regulation of the kilB locus of promiscuous plasmid RK2. 1993 , 175, 2423-35 | | 34 |
| 845 | Identification, expression, and DNA sequence of the GDP-mannose biosynthesis genes encoded by the O7 rfb gene cluster of strain VW187 (<i>Escherichia coli</i> O7:K1). 1993 , 175, 148-58 | | 57 |
| 844 | A mutational analysis of the structural basis for transcriptional activation and monomer-monomer interaction in the TyrR system of <i>Escherichia coli</i> K-12. 1993 , 175, 1777-84 | | 21 |
| 843 | Promoter and operator determinants for fur-mediated iron regulation in the bidirectional fepA-fes control region of the <i>Escherichia coli</i> enterobactin gene system. 1994 , 176, 3944-55 | | 55 |
| 842 | Two classes of extragenic suppressor mutations identify functionally distinct regions of the GroEL chaperone of <i>Escherichia coli</i> . 1994 , 176, 6558-65 | | 18 |
| 841 | Structural and functional analyses of mutant Fur proteins with impaired regulatory function. 1994 , 176, 5116-22 | | 26 |
| 840 | Topological promoter coupling in <i>Escherichia coli</i> : delta topA-dependent activation of the leu-500 promoter on a plasmid. 1994 , 176, 3757-64 | | 30 |
| 839 | Mutation of flgM attenuates virulence of <i>Salmonella typhimurium</i> , and mutation of fliA represses the attenuated phenotype. 1994 , 176, 368-77 | | 58 |
| 838 | Characterization of the <i>Vibrio anguillarum</i> fur gene: role in regulation of expression of the Fata outer membrane protein and catechols. 1994 , 176, 213-20 | | 71 |
| 837 | Structure, expression, and regulation of the kilC operon of promiscuous IncP alpha plasmids. 1994 , 176, 5022-32 | | 39 |
| 836 | Mutations induced by aromatic amine DNA adducts in pBR322. 1994 , 15, 889-99 | | 68 |
| 835 | Virulence region of plasmid pNL2001 of <i>Salmonella enteritidis</i> . 1994 , 140 (Pt 6), 1307-18 | | 11 |
| 834 | The optimization of preparations of competent cells for transformation of <i>E. coli</i> . 1994 , 22, 2857-8 | | 52 |

| | | |
|-----|--|--------|
| 833 | Involvement of SRE element of Ty1 transposon in TEC1-dependent transcriptional activation. 1994 , 22, 999-1005 | 55 |
| 832 | Identification of a new transposon Tn5403 in a <i>Klebsiella pneumoniae</i> strain isolated from a polluted aquatic environment. 1994 , 29, 249-54 | 12 |
| 831 | New in-vivo cloning methods by homologous recombination in yeast. 1994 , 25, 180-3 | 13 |
| 830 | Multifactorial experimental design for optimizing transformation: Electroporation of <i>Streptococcus thermophilus</i> . 1994 , 43, 490-6 | 26 |
| 829 | Production and simple purification of a protein encoded by part of the gag gene of HIV-1 in the <i>Escherichia coli</i> HB101F+ expression system inducible by lactose and isopropyl-beta-D-thiogalactopyranoside. 1994 , 656, 127-33 | 3 |
| 828 | Are enzymatically produced single-strand breaks involved in UV-induced inactivation of plasmid DNA?. 1994 , 22, 131-8 | 3 |
| 827 | Putative functions of phenylalanine-350 of <i>Pseudomonas putida</i> cytochrome P-450cam. 1994 , 1204, 84-90 | 27 |
| 826 | Primary structure of bovine Hageman factor (blood coagulation factor XII): comparison with human and guinea pig molecules. 1994 , 1206, 63-70 | 9 |
| 825 | Transposon Tn5403, a mobilization-helper element: Complete nucleotide sequence and distribution in aquatic strains. 1994 , 15, 89-95 | 7 |
| 824 | Molecular analysis of RepHI1A, a minimal replicon of the IncHI1 plasmid R27. 1994 , 11, 757-68 | 10 |
| 823 | Peptidase activity of <i>Escherichia coli</i> aminopeptidase A is not required for its role in Xer site-specific recombination. 1994 , 12, 241-51 | 55 |
| 822 | The functional units of a peptostreptococcal protein L. 1994 , 12, 911-20 | 22 |
| 821 | Mutational analysis of the pseudoknot structure of the S15 translational operator from <i>Escherichia coli</i> . 1994 , 14, 31-40 | 24 |
| 820 | Survival of genetically-marked <i>Aeromonas hydrophila</i> in water. 1994 , 19, 121-123 | 9 |
| 819 | Dimorphism of rDNA organization in mating types of the zygomycete <i>Absidia glauca</i> . 1994 , 149, 407-411 | 6 |
| 818 | A site-directed spin-labeling study of ligand-induced conformational change in the ferric enterobactin receptor, FepA. 1994 , 33, 13274-83 | 48 |
| 817 | Elevated unconstrained supercoiling of plasmid DNA generated by transcription and translation of the tetracycline resistance gene in eubacteria. 1994 , 33, 9266-75 | 39 |
| 816 | Substitutions for Glu-537 of beta-galactosidase from <i>Escherichia coli</i> cause large decreases in catalytic activity. <i>Biochemical Journal</i> , 1994 , 299 (Pt 2), 527-31 | 3.8 39 |

| | | | |
|-----|---|------|-----|
| 815 | Genetic analysis of the O-specific lipopolysaccharide biosynthesis region (rfb) of Escherichia coli K-12 W3110: identification of genes that confer group 6 specificity to Shigella flexneri serotypes Y and 4a. 1994 , 176, 4133-43 | | 77 |
| 814 | Ribosome recycling factor (ribosome releasing factor) is essential for bacterial growth. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1994 , 91, 4249-53 | 11.5 | 107 |
| 813 | Retrovirus-mediated transfer of an angiotensin type I receptor (AT1-R) antisense sequence decreases AT1-Rs and angiotensin II action in astroglial and neuronal cells in primary cultures from the brain. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1995 , 92, 1162-6 | 11.5 | 37 |
| 812 | Roles of URE2 and GLN3 in the proline utilization pathway in <i>Saccharomyces cerevisiae</i> . 1995 , 15, 2321-30 | | 56 |
| 811 | Translation of trpG in <i>Bacillus subtilis</i> is regulated by the trp RNA-binding attenuation protein (TRAP). 1995 , 177, 4272-8 | | 62 |
| 810 | Genetic analysis of the dTDP-rhamnose biosynthesis region of the Escherichia coli VW187 (O7:K1) rfb gene cluster: identification of functional homologs of rfbB and rfbA in the rff cluster and correct location of the rffE gene. 1995 , 177, 5539-46 | | 89 |
| 809 | Double-stranded-RNA-dependent protein kinase and TAR RNA-binding protein form homo- and heterodimers in vivo. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1995 , 92, 9445-9 | 11.5 | 160 |
| 808 | Analysis of the gene for the elongation factor 1 alpha from the zygomycete <i>Absidia glauca</i> . Use of the promoter region for constructions of transformation vectors. 1995 , 150, 63-70 | | 9 |
| 807 | Deletion of integrated hepatitis B virus genome and cellular flanking sequences in hepatocellular carcinoma cells in BALB/c Mice. 1995 , 21, 1504-1509 | | 2 |
| 806 | Transposon mutagenesis and cloning of the genes encoding the enzymes of fengycin biosynthesis in <i>Bacillus subtilis</i> . 1995 , 248, 121-5 | | 27 |
| 805 | Multiple outer membrane receptors for uptake of ferric pseudobactins in <i>Pseudomonas putida</i> WCS358. 1995 , 248, 735-43 | | 27 |
| 804 | High level expression of a heterologous protein in <i>Lactobacillus plantarum</i> and its effect on the persistence of the recombinant strain in silage. 1995 , 17, 561-566 | | 1 |
| 803 | A histidine decarboxylase gene encoded by the <i>Vibrio anguillarum</i> plasmid pJM1 is essential for virulence: histamine is a precursor in the biosynthesis of anguibactin. 1995 , 15, 87-95 | | 49 |
| 802 | "Horizontal" gene transfer from a transgenic potato line to a bacterial pathogen (<i>Erwinia chrysanthemi</i>) occurs--if at all--at an extremely low frequency. 1995 , 13, 1094-8 | | 102 |
| 801 | Isolation and structure of a new integron that includes a streptomycin resistance gene from the R plasmid of <i>Pseudomonas aeruginosa</i> . 1995 , 134, 137-41 | | 38 |
| 800 | Construction of a food-grade host/vector system for <i>Lactococcus lactis</i> based on the lactose operon. 1995 , 127, 105-9 | | 56 |
| 799 | Effects of vacuum UV and UVC radiation on dry E. coli plasmid pUC19. I. Inactivation, lacZ- mutation induction and strand breaks. 1995 , 28, 77-85 | | 20 |
| 798 | Effects of vacuum UV and UVC radiation on dry Escherichia coli plasmid pUC19. II. Mutational specificity at the lacZ gene. 1995 , 30, 171-7 | | 11 |

| | | |
|-----|--|--------|
| 797 | The effect of changes in nucleotide sequence coding for the N-terminus on expression levels of ovine growth hormone variants in <i>Escherichia coli</i> . 1995 , 1261, 360-8 | 7 |
| 796 | Functional analysis of <i>E. coli</i> threonine dehydrogenase by means of mutant isolation and characterization. 1995 , 1253, 208-14 | 12 |
| 795 | Mutations in <i>Escherichia coli</i> dnaA which suppress a dnaX(Ts) polymerization mutation and are dominant when located in the chromosomal allele and recessive on plasmids. 1995 , 177, 705-15 | 22 |
| 794 | Analysis of functional domains of Rts1 RepA by means of a series of hybrid proteins with P1 RepA. 1995 , 177, 4028-35 | 3 |
| 793 | Lethality and survival of <i>Klebsiella oxytoca</i> evoked by conjugative IncN group plasmids. 1995 , 177, 6352-61 | 8 |
| 792 | Different relative importances of the par operons and the effect of conjugal transfer on the maintenance of intact promiscuous plasmid RK2. 1995 , 177, 2789-97 | 62 |
| 791 | Molecular epidemiology of ceftazidime resistant Enterobacteriaceae from patients on a paediatric oncology ward. 1995 , 36, 65-82 | 47 |
| 790 | Functional characterization of the 180-kD ribosome receptor in vivo. 1995 , 130, 29-39 | 76 |
| 789 | Identification and characterization of the putative human peroxisomal C-terminal targeting signal import receptor. 1995 , 270, 7731-6 | 154 |
| 788 | Relative importances of outer membrane permeability and group 1 beta-lactamase as determinants of meropenem and imipenem activities against <i>Enterobacter cloacae</i> . 1995 , 39, 350-5 | 28 |
| 787 | Efficient secretion of <i>Bacillus subtilis</i> levanase by <i>Saccharomyces cerevisiae</i> . 1995 , 161, 45-9 | 9 |
| 786 | Expression of the rocDEF operon involved in arginine catabolism in <i>Bacillus subtilis</i> . 1995 , 249, 843-56 | 100 |
| 785 | RECOMBINANT DNA CLONING. 1995 , 45-134 | |
| 784 | Expression of <i>Bacillus subtilis</i> levanase gene in <i>Lactobacillus plantarum</i> and <i>Lactobacillus casei</i> . <i>Applied Microbiology and Biotechnology</i> , 1995 , 43, 297-303 | 5-7 14 |
| 783 | Human renin 5'flanking DNA to nucleotide-2750. 1995 , 5, 319-21 | 4 |
| 782 | Deletion of integrated hepatitis B virus genome and cellular flanking sequences in hepatocellular carcinoma cells in BALB/c mice*1. 1995 , 21, 1504-1509 | |
| 781 | Conformational changes of the yeast mitochondrial adenosine diphosphate/adenosine triphosphate carrier studied through its intrinsic fluorescence. 1. Tryptophanyl residues of the carrier can be mutated without impairing protein activity. 1996 , 35, 16116-24 | 24 |
| 780 | T4 endonuclease VII selects and alters the structure of the four-way DNA junction; binding of a resolution-defective mutant enzyme. 1996 , 260, 678-96 | 77 |

| | | | |
|-----|---|-----|-----|
| 779 | Molecular analysis of the bvg-repressed urease of <i>Bordetella bronchiseptica</i> . 1996 , 21, 379-94 | | 32 |
| 778 | Expression of <i>Neisseria meningitidis</i> class 1 porin as a fusion protein in <i>Escherichia coli</i> : the influence of liposomes and adjuvants on the production of a bactericidal immune response. 1996 , 21, 499-512 | | 25 |
| 777 | A new plasmid-encoded proteic killer gene system: cloning, sequencing, and analyzing hig locus of plasmid Rts1. 1996 , 220, 280-4 | | 73 |
| 776 | Cloning, expression and sequence analysis of the SphI restriction-modification system. 1996 , 180, 107-12 | | 5 |
| 775 | Characterization of cis-acting mutations in the first attenuator region of the <i>Bacillus subtilis</i> pyr operon that are defective in pyrimidine-mediated regulation of expression. 1996 , 178, 2351-5 | | 20 |
| 774 | Mechanism of retrotransfer in conjugation: prior transfer of the conjugative plasmid is required. 1996 , 178, 1457-64 | | 36 |
| 773 | The ornithine decarboxylase gene <i>odc</i> is required for alcaligin siderophore biosynthesis in <i>Bordetella</i> spp.: putrescine is a precursor of alcaligin. 1996 , 178, 54-60 | | 66 |
| 772 | Tetrameric malate dehydrogenase from a thermophilic <i>Bacillus</i> : cloning, sequence and overexpression of the gene encoding the enzyme and isolation and characterization of the recombinant enzyme. <i>Biochemical Journal</i> , 1996 , 317 (Pt 1), 235-45 | 3.8 | 23 |
| 771 | Preparing ultra-competent <i>Escherichia coli</i> . 1996 , 21, 75-76 | | 2 |
| 770 | Stability of manipulated plasmid DNA in aquatic environments. 1996 , 11, 129-135 | | 23 |
| 769 | The <i>Salmonella typhimurium</i> <i>flgM</i> gene, which encodes a negative regulator of flagella synthesis and is involved in virulence, is present and functional in other <i>Salmonella</i> species. 1996 , 135, 281-5 | | 7 |
| 768 | The AngR protein and the siderophore anguibactin positively regulate the expression of iron-transport genes in <i>Vibrio anguillarum</i> . 1996 , 22, 127-34 | | 40 |
| 767 | The effect of the <i>crp</i> genotypes on the transformation efficiency in <i>Escherichia coli</i> . 1996 , 3, 93-4 | | 3 |
| 766 | Antisense RNA, <i>fur</i> , iron, and the regulation of iron transport genes in <i>Vibrio anguillarum</i> . 1996 , 271, 18885-91 | | 45 |
| 765 | High efficiency 5 min transformation of <i>Escherichia coli</i> . 1996 , 24, 536-7 | | 69 |
| 764 | The extreme C terminus of primase is required for interaction with DnaB at the replication fork. 1996 , 271, 21391-7 | | 65 |
| 763 | Characterization of genes for the biosynthesis of the compatible solute ectoine from <i>Marinococcus halophilus</i> and osmoregulated expression in <i>Escherichia coli</i> . 1997 , 143 (Pt 4), 1141-1149 | | 176 |
| 762 | Regulation of the inducible acetamidase gene of <i>Mycobacterium smegmatis</i> . 1997 , 143 (Pt 7), 2267-2276 | | 107 |

| | | | |
|-----|--|------|-----|
| 761 | The unique hetero-oligomeric nature of the subunits in the catalytic cooperativity of the yeast Cct chaperonin complex. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1997 , 94, 10780-5 | 11.5 | 65 |
| 760 | Divergence and conservation of the partitioning and global regulation functions in the central control region of the IncP plasmids RK2 and R751. 1997 , 143 (Pt 7), 2167-2177 | | 45 |
| 759 | Plant Molecular Biology & Laboratory Manual. 1997 , | | 54 |
| 758 | Functional analysis of mutated purine-cytosine permease from <i>Saccharomyces cerevisiae</i> . A possible role of the hydrophilic segment 371-377 in the active carrier conformation. 1997 , 272, 9697-702 | | 20 |
| 757 | Genetic evidence for interaction between Cbp1 and specific nucleotides in the 5' untranslated region of mitochondrial cytochrome b mRNA in <i>Saccharomyces cerevisiae</i> . 1997 , 17, 6203-11 | | 21 |
| 756 | Tyrosine is involved in protection from oxidative stress in <i>Saccharomyces cerevisiae</i> . 1997 , 43, 963-70 | | 8 |
| 755 | Identification of three key residues in substrate recognition site 5 of human cytochrome P450 3A4 by cassette and site-directed mutagenesis. 1997 , 36, 8831-9 | | 80 |
| 754 | Cloning and nucleotide sequence of the <i>gyrA</i> gene from <i>Campylobacter fetus</i> subsp. <i>fetus</i> ATCC 27374 and characterization of ciprofloxacin-resistant laboratory and clinical isolates. 1997 , 41, 665-71 | | 29 |
| 753 | The <i>kilE</i> locus of promiscuous IncP alpha plasmid RK2 is required for stable maintenance in <i>Pseudomonas aeruginosa</i> . 1997 , 179, 2339-47 | | 23 |
| 752 | Spontaneous loss of antibiotic-resistant plasmids transferred to <i>Escherichia coli</i> in experimental chronic bladder infection. 1997 , 4, 285-8 | | 2 |
| 751 | Characterization of the replication and mobilization regions of the multiresistance <i>Klebsiella pneumoniae</i> plasmid pJHCMW1. 1997 , 38, 97-105 | | 28 |
| 750 | Identification of plasmids in the genus <i>Marinococcus</i> and complete nucleotide sequence of plasmid pPL1 from <i>Marinococcus halophilus</i> . 1997 , 38, 107-14 | | 4 |
| 749 | Cloning and expression of an agarase gene from a marine bacterium <i>Pseudomonas</i> sp. w7. 1997 , 19, 23-26 | | 10 |
| 748 | Ribosomal RNA genes of <i>Endomyces fibuliger</i> : isolation, sequencing and the use of the 26S rRNA gene in integrative transformation of <i>Saccharomyces cerevisiae</i> for efficient expression of the α -amylase gene of <i>Endomyces fibuliger</i> . 1997 , 13, 103-117 | | 6 |
| 747 | The processing of a plasmid-based gene from <i>E. Coli</i> . Primary recovery by filtration. 1997 , 16, 175-183 | | 35 |
| 746 | Transposon mutagenesis and strain construction in <i>Zymomonas mobilis</i> . 1997 , 82, 379-88 | | 23 |
| 745 | Role of the transcriptional activator RocR in the arginine-degradation pathway of <i>Bacillus subtilis</i> . 1997 , 24, 825-37 | | 63 |
| 744 | The outer membrane component, YscC, of the Yop secretion machinery of <i>Yersinia enterocolitica</i> forms a ring-shaped multimeric complex. 1997 , 26, 789-97 | | 208 |

| | | | |
|-----|---|------|-----|
| 743 | In vitro evolution of horse heart myoglobin to increase peroxidase activity. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1998 , 95, 12825-31 | 11.5 | 96 |
| 742 | Characterization of mutants of the 6MN-acetyltransferase encoded by the multiresistance transposon Tn1331: effect of Phen171-to-Leu171 and Tyr80-to-Cys80 substitutions. 1998 , 39, 123-33 | | 13 |
| 741 | Bioconversion using immobilized recombinant flocculent yeast cells carrying a fused enzyme gene in an intelligent bioreactor. 1998 , 2, 229-235 | | 29 |
| 740 | ClpP of <i>Bacillus subtilis</i> is required for competence development, motility, degradative enzyme synthesis, growth at high temperature and sporulation. 1998 , 27, 899-914 | | 202 |
| 739 | Destabilized inheritance of pSC101 and other <i>Escherichia coli</i> plasmids by DpiA, a novel two-component system regulator. 1998 , 29, 49-59 | | 31 |
| 738 | Analysis of upstream activation of the <i>vnfH</i> promoter of <i>Azotobacter vinelandii</i> . 1998 , 44, 405-415 | | 6 |
| 737 | Identification of the in vivo promoters of bacteriophages S13 and ϕ X174 and measurement of their relative activities. 1998 , 76, 625-636 | | 2 |
| 736 | Activation of the <i>leu-500</i> promoter by a reversed polarity <i>tetA</i> gene. Response to global plasmid supercoiling. 1998 , 273, 653-9 | | 9 |
| 735 | Phenotypic study of resistance of beta-lactamase-inhibitor-resistant TEM enzymes which differ by naturally occurring variations and by site-directed substitution at Asp276. 1998 , 42, 1323-8 | | 13 |
| 734 | A yeast model for the study of Batten disease. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1998 , 95, 6915-8 | 11.5 | 75 |
| 733 | DOT BLOTS, MOLECULAR CLONING, AND DNA SEQUENCING. 1999 , 935-962 | | |
| 732 | 1 Introduction of DNA into Bacteria. 1999 , 3-49 | | 4 |
| 731 | Catalytic and binding mutants of the junction-resolving enzyme endonuclease I of bacteriophage ϕ 7: role of acidic residues. 1999 , 27, 682-9 | | 22 |
| 730 | High-level secretory production of recombinant human lipocortin-I by <i>Saccharomyces cerevisiae</i> . 1999 , 35, 97-101 | | 7 |
| 729 | Cloning and expression of β -glucosidase from <i>Flavobacterium meningosepticum</i> : a new member of family B β -glucosidase. 1999 , 24, 144-150 | | 12 |
| 728 | CtsR, a novel regulator of stress and heat shock response, controls <i>clp</i> and molecular chaperone gene expression in gram-positive bacteria. 1999 , 31, 117-31 | | 336 |
| 727 | Biotin production under limiting growth conditions by <i>Agrobacterium/Rhizobium</i> HK4 transformed with a modified <i>Escherichia coli</i> bio operon. 1999 , 22, 590-599 | | 8 |
| 726 | Lanthanides—the future drugs?. 1999 , 190-192, 297-308 | | 110 |

| | | |
|-----|--|-----|
| 725 | Failure of highly immunogenic filarial proteins to provide host-protective immunity. 1999 , 91, 334-40 | 17 |
| 724 | Conditionally lethal genes in the N pilus region of plasmid pCU1. 1999 , 42, 53-9 | 1 |
| 723 | cDNA cloning and genetic analysis of a novel decolorizing enzyme, peroxidase gene dyp from <i>Geotrichum candidum</i> Dec 1. 1999 , 87, 411-7 | 58 |
| 722 | Screening of an intragenic second-site suppressor of purine-cytosine permease from <i>Saccharomyces cerevisiae</i> . Possible role of Ser272 in the base translocation process. 1999 , 260, 22-30 | 15 |
| 721 | Identification of Delta12-fatty acid desaturase from arachidonic acid-producing <i>Mortierella</i> fungus by heterologous expression in the yeast <i>Saccharomyces cerevisiae</i> and the fungus <i>Aspergillus oryzae</i> . 1999 , 261, 812-20 | 100 |
| 720 | Evidence for a dynamic role for proline376 in the purine-cytosine permease of <i>Saccharomyces cerevisiae</i> . 1999 , 263, 57-64 | 11 |
| 719 | Transformation of <i>Bacillus subtilis</i> using the particle inflow gun and submicrometer particles obtained by the polyol process. 1999 , 269, 418-20 | 4 |
| 718 | Cloning, sequence analysis and overexpression of a <i>Saccharomyces cerevisiae</i> endopolygalacturonase-encoding gene (PGL1). 1999 , 15, 11-22 | 34 |
| 717 | Spontaneous mutation, oxidative DNA damage, and the roles of base and nucleotide excision repair in the yeast <i>Saccharomyces cerevisiae</i> . 1999 , 15, 205-18 | 51 |
| 716 | In situ hybridization as a technique for the immunological investigation of canine intestine: jejunal expression of IFN γ and IL10 in Irish setters and beagles. 1999 , 70, 1-17 | 6 |
| 715 | Cloning of an alpha-glucosidase gene from <i>Thermococcus hydrothermalis</i> by functional complementation of a <i>Saccharomyces cerevisiae</i> mal11 mutant strain. 1999 , 458, 188-92 | 21 |
| 714 | Gadolinium induces domain and pore formation of human erythrocyte membrane: an atomic force microscopic study. 1999 , 1421, 249-60 | 58 |
| 713 | 2 The Development of Plasmid Vectors. 1999 , 29, 51-96 | 1 |
| 712 | Amino-terminal processing of chemokine ENA-78 regulates biological activity. 1999 , 38, 636-42 | 80 |
| 711 | Expression of the 180-kD ribosome receptor induces membrane proliferation and increased secretory activity in yeast. 1999 , 146, 273-84 | 47 |
| 710 | Development of a chromosome-plasmid balanced lethal system for <i>Lactobacillus acidophilus</i> with thyA gene as selective marker. 2000 , 44, 551-6 | 20 |
| 709 | Highly efficient secretion of heterologous proteins from <i>Saccharomyces cerevisiae</i> using inulinase signal peptides. 1996 , 49, 473-9 | 16 |
| 708 | The clpP multigenic family in <i>Streptomyces lividans</i> : conditional expression of the clpP3 clpP4 operon is controlled by PopR, a novel transcriptional activator. 2000 , 38, 602-12 | 30 |

| | | |
|-----|--|---------|
| 707 | Cloning and expression of an alpha-amylase encoding gene from the hyperthermophilic archaeobacterium <i>Thermococcus hydrothermalis</i> and biochemical characterisation of the recombinant enzyme. 2000 , 186, 67-71 | 35 |
| 706 | <i>Vitreoscilla</i> hemoglobin enhances the first step in 2,4-dinitrotoluene degradation in vitro and at low aeration in vivo. 2000 , 9, 75-82 | 23 |
| 705 | Cloning, expression and regulation of <i>Schizosaccharomyces pombe</i> gene encoding thioltransferase. 2000 , 1517, 171-5 | 4 |
| 704 | Lanthanides enhance pulmonary absorption of insulin. 2000 , 75, 215-25 | 11 |
| 703 | The <i>Arabidopsis</i> phytochrome B gene influences growth of the apple rootstock M26. 2000 , 19, 1049-1056 | 14 |
| 702 | Control of <i>Bacillus subtilis</i> glutamine synthetase expression by <i>glnR</i> from <i>Staphylococcus aureus</i> . 2000 , 41, 425-9 | 9 |
| 701 | Leaf-specific overexpression of plastidic glutamine synthetase stimulates the growth of transgenic tobacco seedlings. 2000 , 210, 252-60 | 86 |
| 700 | The replication origin of <i>Azotobacter vinelandii</i> . 2000 , 262, 1070-80 | 3 |
| 699 | Formation of domain structure of erythrocyte membrane in Wistar rat fed with $CeCl_3$ per os. 2000 , 45, 426-429 | 2 |
| 698 | Rapid purification of recombinant human lipocortin-I secreted from <i>Saccharomyces cerevisiae</i> . 2000 , 5, 242-246 | |
| 697 | The RheA repressor is the thermosensor of the HSP18 heat shock response in <i>Streptomyces albus</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2000 , 97, 3538-3543 | 11.5 54 |
| 696 | <i>ampR</i> gene mutations that greatly increase class C beta-lactamase activity in <i>Enterobacter cloacae</i> . 2000 , 44, 561-7 | 70 |
| 695 | Preparative synthesis of GDP-beta-L-fucose by recombinant enzymes from enterobacterial sources. 2000 , 10, 875-81 | 54 |
| 694 | Structural and functional features of modified heat-stable toxins produced by enteropathogenic <i>Klebsiella</i> cells. 2000 , 48, 685-90 | 7 |
| 693 | Cloning of the human cDNA which can complement the defect of the yeast mannosyltransferase I-deficient mutant alg 1. 2000 , 10, 321-7 | 18 |
| 692 | Cross-pathway regulation in <i>Saccharomyces cerevisiae</i> : activation of the proline utilization pathway by <i>Ga14p</i> in vivo. 2000 , 182, 3748-53 | 6 |
| 691 | The role of the conserved box E residues in the active site of the <i>Escherichia coli</i> type I signal peptidase. 2000 , 275, 6490-8 | 31 |
| 690 | Incompatibility protein <i>IncC</i> and global regulator <i>KorB</i> interact in active partition of promiscuous plasmid RK2. 2000 , 182, 6014-26 | 35 |

| | | |
|-----|--|-----|
| 689 | Transcriptional and mutational analysis of the uptake hydrogenase of the filamentous cyanobacterium <i>Anabaena variabilis</i> ATCC 29413. 2000 , 182, 1624-31 | 153 |
| 688 | Mutational analysis of <i>Escherichia coli</i> topoisomerase IV. I. Selection of dominant-negative <i>parE</i> alleles. 2000 , 275, 4099-103 | 9 |
| 687 | Transformation of <i>Endomyces fibuliger</i> based on its gene for orotidine-5-phosphate decarboxylase. 2000 , 254, 97-103 | 5 |
| 686 | Nonspecific adherence by <i>Actinobacillus actinomycetemcomitans</i> requires genes widespread in bacteria and archaea. 2000 , 182, 6169-76 | 177 |
| 685 | A small protein-protein interaction domain common to KlcB and global regulators KorA and TrbA of promiscuous IncP plasmids. 2001 , 310, 51-67 | 14 |
| 684 | Efficient transformation of <i>Halobacterium salinarum</i> by a "freeze and thaw" technique. 2001 , 31, 1010, 1012 | 8 |
| 683 | PCR primers and conditions for nonmarine ostracods. 2001 , 31, 1012, 1014, 1016 passim | 6 |
| 682 | Molecular transformation, gene cloning, and gene expression systems for filamentous fungi. 2001 , 1, 199-238 | 2 |
| 681 | Green fluorescent protein as a reporter for gene expression in the mucoralean fungus <i>Absidia glauca</i> . 2001 , 175, 1-7 | 23 |
| 680 | Molecular analysis of the cytochrome bc1-aa3 branch of the <i>Corynebacterium glutamicum</i> respiratory chain containing an unusual diheme cytochrome c1. 2001 , 175, 282-94 | 148 |
| 679 | The RepA protein of plasmid pSC101 controls <i>Escherichia coli</i> cell division through the SOS response. 2001 , 42, 519-26 | 18 |
| 678 | Regulation of the expression of endopolygalacturonase gene PGU1 in <i>Saccharomyces</i> . 2001 , 18, 423-32 | 14 |
| 677 | A convenient and rapid method for genetic transformation of <i>E. coli</i> with plasmids. 2001 , 80, 297-300 | 11 |
| 676 | Characterization and regulation of <i>Schizosaccharomyces pombe</i> gene encoding thioredoxin. 2001 , 1518, 194-9 | 7 |
| 675 | Characterization and regulation of glutathione S-transferase gene from <i>Schizosaccharomyces pombe</i> . 2001 , 1520, 179-85 | 16 |
| 674 | A new method for generating point mutations in bacterial artificial chromosomes by homologous recombination in <i>Escherichia coli</i> . 2001 , 29, E14 | 62 |
| 673 | Nonspecific adherence and fibril biogenesis by <i>Actinobacillus actinomycetemcomitans</i> : TadA protein is an ATPase. 2001 , 183, 5927-36 | 72 |
| 672 | Role of Arg-166 in yeast cytochrome C1. 2001 , 276, 18450-6 | 3 |

| | | |
|-----|---|-----|
| 671 | Transcriptional activation of <i>Bordetella alcaligin</i> siderophore genes requires the AlcR regulator with alcaligin as inducer. 2001 , 183, 483-9 | 44 |
| 670 | Cytoplasmic RNA Polymerase in <i>Escherichia coli</i> . 2001 , 183, 2527-34 | 55 |
| 669 | Distinct <i>clpP</i> genes control specific adaptive responses in <i>Bacillus thuringiensis</i> . 2002 , 184, 5554-62 | 45 |
| 668 | Osmoregulation of dimer resolution at the plasmid pJHCMW1 <i>mwr</i> locus by <i>Escherichia coli</i> XerCD recombination. 2002 , 184, 1607-16 | 14 |
| 667 | Purification and properties of TrwB, a hexameric, ATP-binding integral membrane protein essential for R388 plasmid conjugation. 2002 , 277, 46456-62 | 55 |
| 666 | MobA, the DNA strand transferase of plasmid R1162: the minimal domain required for DNA processing at the origin of transfer. 2002 , 277, 14575-80 | 21 |
| 665 | Construction and evaluation of plasmid vectors optimized for constitutive and regulated gene expression in <i>Burkholderia cepacia</i> complex isolates. 2002 , 68, 5956-64 | 110 |
| 664 | Natural Plasmid Transformation in <i>Escherichia coli</i> . 2002 , 9, 246-252 | 12 |
| 663 | Human biliverdin reductase is a leucine zipper-like DNA-binding protein and functions in transcriptional activation of heme oxygenase-1 by oxidative stress. 2002 , 277, 9226-32 | 79 |
| 662 | Environmental response and autoregulation of <i>Clostridium difficile</i> TxeR, a sigma factor for toxin gene expression. 2002 , 184, 5971-8 | 104 |
| 661 | Application of green fluorescent protein to affinity electrophoresis; affinity of IgG-binding domain C from streptococcal protein G to mouse IgG1. 2002 , 25, 168-71 | 3 |
| 660 | Identification, characterization of levoglucosan kinase, and cloning and expression of levoglucosan kinase cDNA from <i>Aspergillus niger</i> CBX-209 in <i>Escherichia coli</i> . 2002 , 26, 71-81 | 46 |
| 659 | Endopolygalacturonase of <i>Saccharomyces cerevisiae</i> : involvement in pseudohyphae development of haploids and in pathogenicity on <i>Vitis vinifera</i> . 2002 , 163, 759-769 | 9 |
| 658 | The dawn of gene isolation. 2002 , 300, 3-11 | 1 |
| 657 | Host-specific incompatibility by 9-bp direct repeats indicates a role in the maintenance of broad-host-range plasmid RK2. 2002 , 47, 216-23 | 3 |
| 656 | Development of a <i>Brucella suis</i> specific hybridisation probe and PCR which distinguishes <i>B. suis</i> from <i>Brucella abortus</i> . 2002 , 84, 253-61 | 4 |
| 655 | ClpP-dependent degradation of PopR allows tightly regulated expression of the <i>clpP3 clpP4</i> operon in <i>Streptomyces lividans</i> . 2002 , 44, 633-43 | 27 |
| 654 | The role of the second binding loop of the cysteine protease inhibitor, cystatin A (stefin A), in stabilizing complexes with target proteases is exerted predominantly by Leu73. 2002 , 269, 5649-58 | 9 |

| | | |
|-----|--|------|
| 653 | Evidence for stable transformation of <i>Pseudomonas aeruginosa</i> with a pUC-based plasmid. 2003 , 25, 959-62 | 1 |
| 652 | Chemical transformation of <i>E. coli</i> . 2003 , 235, 49-53 | 20 |
| 651 | Molecular basis of bacterial outer membrane permeability revisited. 2003 , 67, 593-656 | 2688 |
| 650 | Characterization of the mupirocin biosynthesis gene cluster from <i>Pseudomonas fluorescens</i> NCIMB 10586. 2003 , 10, 419-30 | 223 |
| 649 | Expression of a <i>Bacillus thuringiensis</i> delta-endotoxin cry1Ab gene in <i>Bacillus subtilis</i> and <i>Bacillus licheniformis</i> strains that naturally colonize the phylloplane of tomato plants (<i>Lycopersicon esculentum</i> , Mills). 2003 , 94, 375-81 | 27 |
| 648 | Effect of cysteine mutagenesis on human IgE reactivity of recombinant forms of the major rye grass pollen allergen Lol p 1. 2003 , 52, 183-190 | 6 |
| 647 | Estradiol control of expression and levels of estradiol-binding proteins in the medial preoptic area, medial hypothalamus and pituitary. 2003 , 78, 61-71 | 15 |
| 646 | Oxidative stresses elevate the expression of cytochrome c peroxidase in <i>Saccharomyces cerevisiae</i> . 2003 , 1623, 1-5 | 33 |
| 645 | Genetic engineering of <i>Enterobacter aerogenes</i> with the <i>Vitreoscilla</i> hemoglobin gene: cell growth, survival, and antioxidant enzyme status under oxidative stress. 2003 , 154, 425-31 | 31 |
| 644 | DpiA binding to the replication origin of <i>Escherichia coli</i> plasmids and chromosomes destabilizes plasmid inheritance and induces the bacterial SOS response. 2003 , 185, 6025-31 | 27 |
| 643 | Characterization of the complete genome of the Tupaia (tree shrew) adenovirus. 2003 , 77, 4345-56 | 10 |
| 642 | Characterization of a thermostable D-stereospecific alanine amidase from <i>Brevibacillus borstelensis</i> BCS-1. 2003 , 69, 980-6 | 23 |
| 641 | The aminoglycoside 6N-acetyltransferase type Ib encoded by Tn1331 is evenly distributed within the cell cytoplasm. 2003 , 47, 2897-902 | 15 |
| 640 | <i>E. coli</i> Plasmid Vectors. 2003 , | 15 |
| 639 | Cloning, deletion, and characterization of PadR, the transcriptional repressor of the phenolic acid decarboxylase-encoding padA gene of <i>Lactobacillus plantarum</i> . 2004 , 70, 2146-53 | 92 |
| 638 | Phenylphosphate synthase: a new phosphotransferase catalyzing the first step in anaerobic phenol metabolism in <i>Thauera aromatica</i> . 2004 , 186, 8044-57 | 60 |
| 637 | ThyA as a selection marker in construction of food-grade host-vector and integration systems for <i>Streptococcus thermophilus</i> . 2004 , 70, 1858-64 | 25 |
| 636 | Role of the transmembrane domain in the stability of TrwB, an integral protein involved in bacterial conjugation. 2004 , 279, 10955-61 | 24 |

| | | | |
|-----|---|-----|-----|
| 635 | Regulation of the tryptophan biosynthetic genes in <i>Bacillus halodurans</i> : common elements but different strategies than those used by <i>Bacillus subtilis</i> . 2004 , 186, 818-28 | | 11 |
| 634 | Evidence for mitochondrial-derived alternative oxidase in the apicomplexan parasite <i>Cryptosporidium parvum</i> : a potential anti-microbial agent target. 2004 , 34, 297-308 | | 73 |
| 633 | Cloning and Expression of the <i>Vitreoscilla</i> Hemoglobin Gene in <i>Enterobacter Aerogenes</i> : Effect on Cell Growth and Oxygen Uptake. 2004 , 40, 241-248 | | 16 |
| 632 | Improved long-term cryostorage of <i>Escherichia coli</i> competent cells using trehalose. 2004 , 26, 1593-4 | | 1 |
| 631 | Cloning and characterization of the lactate dehydrogenase genes from <i>Lactobacillus</i> sp. RKY2. 2004 , 9, 318-322 | | 9 |
| 630 | Trehalose increases chemical-induced transformation efficiency of <i>Escherichia coli</i> . 2004 , 333, 199-200 | | 1 |
| 629 | <i>Vitreoscilla</i> hemoglobin renders <i>Enterobacter aerogenes</i> highly susceptible to heavy metals. 2004 , 17, 715-23 | | 3 |
| 628 | Production of L-asparaginase in <i>Enterobacter aerogenes</i> expressing <i>Vitreoscilla</i> hemoglobin for efficient oxygen uptake. <i>Applied Microbiology and Biotechnology</i> , 2004 , 63, 691-7 | 5-7 | 29 |
| 627 | Effect of NADH dehydrogenase-disruption and over-expression on respiration-related metabolism in <i>Corynebacterium glutamicum</i> KY9714. <i>Applied Microbiology and Biotechnology</i> , 2004 , 66, 187-93 | 5-7 | 27 |
| 626 | Immune response to superoxide dismutase in group A streptococcal infection. 2004 , 40, 249-56 | | 24 |
| 625 | Disentangling the web of allosteric communication in a homotetramer: heterotropic inhibition of phosphofructokinase from <i>Bacillus stearothermophilus</i> . 2004 , 43, 577-86 | | 21 |
| 624 | Survey of CTX-M-3 extended-spectrum beta-lactamase (ESBL) among cefotaxime-resistant <i>Serratia marcescens</i> at a medical center in middle Taiwan. 2004 , 49, 125-9 | | 21 |
| 623 | Shift to Pseudomonic acid B production in <i>P. fluorescens</i> NCIMB10586 by mutation of mupirocin tailoring genes mupO, mupU, mupV, and macpE. 2005 , 12, 825-33 | | 25 |
| 622 | Protease activities in the chloroplast capable of cleaving an LHCII N-terminal peptide. 2005 , 123, 21-29 | | 19 |
| 621 | Intra-population diversity between citrus viroid II variants described as agents of cachexia disease. 2005 , 146, 449-458 | | 5 |
| 620 | An expression vector containing a rhamnose-inducible promoter provides tightly regulated gene expression in <i>Burkholderia cenocepacia</i> . 2005 , 54, 219-28 | | 101 |
| 619 | Studies on T4-Head Maturation. 2005 , 115, 123-131 | | 69 |
| 618 | Carbon source-dependent regulation of a second gene encoding glutaredoxin from the fission yeast <i>Schizosaccharomyces pombe</i> . 2005 , 32, 15-24 | | 3 |

| | | |
|-----|--|-----|
| 617 | Physiological effects of unassembled chaperonin Cct subunits in the yeast <i>Saccharomyces cerevisiae</i> . 2005 , 22, 219-39 | 32 |
| 616 | Characterization of the Phd repressor-antitoxin boundary. 2005 , 187, 765-70 | 23 |
| 615 | Mutations in the <i>Pneumocystis jirovecii</i> DHPS gene confer cross-resistance to sulfa drugs. 2005 , 49, 741-8 | 32 |
| 614 | Diverse roles for HspR in <i>Campylobacter jejuni</i> revealed by the proteome, transcriptome and phenotypic characterization of an hspR mutant. 2005 , 151, 905-915 | 50 |
| 613 | Percolation of the phd repressor-operator interface. 2005 , 187, 1901-12 | 12 |
| 612 | The type III secretion system of biocontrol <i>Pseudomonas fluorescens</i> KD targets the phytopathogenic <i>Chromista Pythium ultimum</i> and promotes cucumber protection. 2005 , 18, 991-1001 | 102 |
| 611 | <i>Toxoplasma gondii</i> dense granule protein 3 (GRA3) is a type I transmembrane protein that possesses a cytoplasmic dilysine (KKXX) endoplasmic reticulum (ER) retrieval motif. 2005 , 131, 169-79 | 41 |
| 610 | The Dps-like protein Fri of <i>Listeria monocytogenes</i> promotes stress tolerance and intracellular multiplication in macrophage-like cells. 2005 , 151, 925-933 | 80 |
| 609 | Multidrug-resistant <i>Pseudomonas aeruginosa</i> strain that caused an outbreak in a neurosurgery ward and its aac(6)Iae gene cassette encoding a novel aminoglycoside acetyltransferase. 2005 , 49, 3734-42 | 62 |
| 608 | Analysis of <i>Pneumocystis jirovecii</i> DHPS alleles implicated in sulfamethoxazole resistance using an <i>Escherichia coli</i> model system. 2005 , 11, 1-8 | 14 |
| 607 | A minor catalase/oxidase from <i>Burkholderia cenocepacia</i> is required for normal aconitase activity. 2005 , 151, 1975-1985 | 23 |
| 606 | Functional characterization and purification of a <i>Saccharomyces cerevisiae</i> ADP/ATP carrier-iso 1 cytochrome c fusion protein. 2005 , 40, 358-69 | 8 |
| 605 | Purification, properties, and crystallization of <i>Saccharomyces cerevisiae</i> dihydropterin pyrophosphokinase-dihydropteroate synthase. 2005 , 41, 355-62 | 11 |
| 604 | Molecular cloning of serine proteinases from <i>Bothrops jararaca</i> venom gland. 2005 , 46, 72-83 | 15 |
| 603 | Identification of essential operons with a rhamnose-inducible promoter in <i>Burkholderia cenocepacia</i> . 2006 , 72, 2547-55 | 36 |
| 602 | Processing and in vitro Assembly of Virus Like Particle Nanostructures. 2006 , | 1 |
| 601 | Coexpression of TorD enhances the transport of GFP via the TAT pathway. 2006 , 122, 412-21 | 36 |
| 600 | Role of membrane potential on artificial transformation of <i>E. coli</i> with plasmid DNA. 2006 , 127, 14-20 | 22 |

| | | |
|-----|---|-----|
| 599 | Resistance of <i>Leishmania donovani</i> to sodium stibogluconate is related to the expression of host and parasite gamma-glutamylcysteine synthetase. 2006 , 50, 88-95 | 42 |
| 598 | Possible role of a plasmid in the pathogenesis of a fish disease caused by <i>Aeromonas hydrophila</i> . 2006 , 256, 95-104 | 23 |
| 597 | The transmembrane domain provides nucleotide binding specificity to the bacterial conjugation protein TrwB. 2006 , 580, 3075-82 | 21 |
| 596 | Tandem copies of a human rotavirus VP8 epitope can induce specific neutralizing antibodies in BALB/c mice. 2006 , 1760, 1884-93 | 19 |
| 595 | Dissemination of <i>Proteus mirabilis</i> isolates harboring CTX-M-14 and CTX-M-3 beta-lactamases at 2 hospitals in Taiwan. 2006 , 54, 89-94 | 15 |
| 594 | Molecular cloning of a gene encoding the sucrose phosphorylase from <i>Leuconostoc mesenteroides</i> B-1149 and the expression in <i>Escherichia coli</i> . 2006 , 39, 612-620 | 26 |
| 593 | Cloning of a gene encoding an acidophilic endo- β -1,4-xylanase obtained from <i>Aspergillus niger</i> CGMCC1067 and constitutive expression in <i>Pichia pastoris</i> . 2006 , 39, 1096-1102 | 38 |
| 592 | A mutational analysis of the ColE1-encoded cell cycle regulator Rcd confirms its role in plasmid stability. 2006 , 56, 68-73 | 21 |
| 591 | The [PSI ⁺] prion of <i>Saccharomyces cerevisiae</i> can be propagated by an Hsp104 orthologue from <i>Candida albicans</i> . 2006 , 5, 217-25 | 24 |
| 590 | The <i>mgtC</i> gene of <i>Burkholderia cenocepacia</i> is required for growth under magnesium limitation conditions and intracellular survival in macrophages. 2006 , 74, 5477-86 | 60 |
| 589 | The TadV protein of <i>Actinobacillus actinomycetemcomitans</i> is a novel aspartic acid prepilin peptidase required for maturation of the Flp1 pilin and TadE and TadF pseudopilins. 2006 , 188, 6899-914 | 50 |
| 588 | Differences in resolution of <i>mwr</i> -containing plasmid dimers mediated by the <i>Klebsiella pneumoniae</i> and <i>Escherichia coli</i> XerC recombinases: potential implications in dissemination of antibiotic resistance genes. 2006 , 188, 2812-20 | 18 |
| 587 | Changing images of the gene. 2006 , 56, 53-100 | 6 |
| 586 | Genetic analysis of the requirement for <i>flp-2</i> , <i>tadV</i> , and <i>rcpB</i> in <i>Actinobacillus actinomycetemcomitans</i> biofilm formation. 2006 , 188, 6361-75 | 41 |
| 585 | Mutational analysis reveals that all tailoring region genes are required for production of polyketide antibiotic mupirocin by <i>Pseudomonas fluorescens</i> : pseudomonic acid B biosynthesis precedes pseudomonic acid A. 2007 , 282, 15451-61 | 33 |
| 584 | Discovery and application of the Yoshida effect: nano-sized acicular materials enable penetration of bacterial cells by sliding friction force. 2007 , 1, 194-201 | 19 |
| 583 | Functional characterization and membrane topology of <i>Escherichia coli</i> WecA, a sugar-phosphate transferase initiating the biosynthesis of enterobacterial common antigen and O-antigen lipopolysaccharide. 2007 , 189, 2618-28 | 112 |
| 582 | DNA transformation via local heat shock. 2007 , 91, 013902 | 12 |

| | | |
|-----|---|-----|
| 581 | An <i>Escherichia coli</i> undecaprenyl-pyrophosphate phosphatase implicated in undecaprenyl phosphate recycling. 2007 , 153, 2518-2529 | 82 |
| 580 | <i>Burkholderia cenocepacia</i> requires a periplasmic HtrA protease for growth under thermal and osmotic stress and for survival in vivo. 2007 , 75, 1679-89 | 70 |
| 579 | Regulation of arsenate resistance in <i>Desulfovibrio desulfuricans</i> G20 by an arsRBCC operon and an arsC gene. 2007 , 189, 3705-11 | 62 |
| 578 | Changes in intracellular sodium and potassium in chemostat-cultivated <i>Escherichia coli</i> . 2007 , 43, 229-235 | 1 |
| 577 | DNA vaccination against the parasite enzyme gamma-glutamylcysteine synthetase confers protection against <i>Leishmania donovani</i> infection. 2007 , 25, 4502-9 | 24 |
| 576 | Adaptation or selection? Old issues and new stakes in the postwar debates over bacterial drug resistance. 2007 , 38, 159-90 | 25 |
| 575 | Cloning, expression and bioassay of canine CTLA4Ig. 2007 , 118, 12-8 | 12 |
| 574 | Identification of C-terminal domain residues involved in protein kinase A-mediated potentiation of kainate receptor subtype 6. 2007 , 146, 1158-68 | 13 |
| 573 | The effect of methylation on DNA replication in <i>Salmonella enterica</i> serovar typhimurium. 2007 , 330, 576-80 | 5 |
| 572 | The <i>Saccharomyces cerevisiae</i> ADP/ATP carrier-iso 1 cytochrome c fusion protein: one-step purification and functional analysis in vitro. 2007 , 89, 1070-9 | 1 |
| 571 | Novel Plasmid Transformation Method Mediated by Chrysotile, Sliding Friction, and Elastic Body Exposure. <i>Analytical Chemistry Insights</i> , 2007 , 2, 117739010700200 | 11 |
| 570 | The T1799A BRAF mutation is present in iris melanoma. 2007 , 48, 4897-900 | 39 |
| 569 | The dawn of recombinant DNA. 2007 , 8, S6-S6 | 1 |
| 568 | Construction of conditional analog-sensitive kinase alleles in the fission yeast <i>Schizosaccharomyces pombe</i> . 2007 , 2, 2996-3000 | 42 |
| 567 | Intracellular survival of <i>Burkholderia cenocepacia</i> in macrophages is associated with a delay in the maturation of bacteria-containing vacuoles. 2007 , 9, 40-53 | 88 |
| 566 | Indole signalling contributes to the stable maintenance of <i>Escherichia coli</i> multicopy plasmids. 2007 , 63, 35-43 | 134 |
| 565 | Effect of benzyladenine on the extent of methylation of cytosine residues of the intergenic spacers in rDNA promoter regions of <i>Triticum aestivum</i> and <i>Triticum urartu</i> . 2007 , 54, 207-214 | 1 |
| 564 | Science--or not? The status and dynamics of biotechnology. 2007 , 2, 1154-68 | 9 |

| | | | |
|-----|--|-----|-----|
| 563 | Cloning and expression of rat GFAP cDNA in Escherichia coli. 2007 , 143, 68-71 | | |
| 562 | Cancer, viruses, and mass migration: Paul Berg's venture into eukaryotic biology and the advent of recombinant DNA research and technology, 1967-1980. 2008 , 41, 589-636 | | 25 |
| 561 | Plasmid DNA is released from nanosized acicular material surface by low molecular weight oligonucleotides: exogenous plasmid acquisition mechanism for penetration intermediates based on the Yoshida effect. <i>Applied Microbiology and Biotechnology</i> , 2008 , 80, 813-21 | 5:7 | 20 |
| 560 | In vitro interaction between calf thymus DNA and Escherichia coli LPS in the presence of divalent cation Ca ²⁺ . 2008 , 89, 606-13 | | 8 |
| 559 | How does plasmid DNA penetrate cell membranes in artificial transformation process of Escherichia coli?. 2008 , 25, 411-22 | | 20 |
| 558 | Activity of promoters of carnation etched ring virus and dahlia mosaic virus in tobacco protoplasts and transgenic plants. 2008 , 55, 687-693 | | 6 |
| 557 | Overexpressed ribosomal proteins suppress defective chaperonins in Saccharomyces cerevisiae. 2008 , 8, 1236-44 | | 14 |
| 556 | Study and selection of in vivo protein interactions by coupling bimolecular fluorescence complementation and flow cytometry. 2008 , 3, 22-33 | | 48 |
| 555 | Biological deactivation and single-strand breakage of plasmid DNA by photosensitization using tris(2,2'-bipyridyl)ruthenium(II) and peroxydisulfate. 1988 , 48, 27-34 | | 27 |
| 554 | Plasmid DNA binds to the core oligosaccharide domain of LPS molecules of E. coli cell surface in the CaCl ₂ -mediated transformation process. 2008 , 9, 2501-9 | | 10 |
| 553 | Monolayer film behavior of lipopolysaccharide from Pseudomonas aeruginosa at the air-water interface. 2008 , 9, 2799-804 | | 24 |
| 552 | Burkholderia cenocepacia requires the RpoN sigma factor for biofilm formation and intracellular trafficking within macrophages. 2008 , 76, 1059-67 | | 59 |
| 551 | A functional phenylacetic acid catabolic pathway is required for full pathogenicity of Burkholderia cenocepacia in the Caenorhabditis elegans host model. 2008 , 190, 7209-18 | | 57 |
| 550 | Structure-function relationships of the C-terminal end of the Saccharomyces cerevisiae ADP/ATP carrier isoform 2. 2008 , 283, 11218-25 | | 10 |
| 549 | Silencing survivin results in synergy between methylseleninic acid and paclitaxel against skov3 ovarian cancer cells. 2008 , 7, 1901-8 | | 6 |
| 548 | A novel sensor kinase-response regulator hybrid controls biofilm formation and type VI secretion system activity in Burkholderia cenocepacia. 2008 , 76, 1979-91 | | 107 |
| 547 | Burkholderia cenocepacia requires RpoE for growth under stress conditions and delay of phagolysosomal fusion in macrophages. 2008 , 154, 643-653 | | 31 |
| 546 | Transcriptional regulation of the tad locus in Aggregatibacter actinomycetemcomitans: a termination cascade. 2008 , 190, 3859-68 | | 10 |

| | | | |
|-----|--|-----|----|
| 545 | Outer membrane components of the Tad (tight adherence) secretion of <i>Aggregatibacter actinomycetemcomitans</i> . 2008 , 190, 980-90 | | 43 |
| 544 | Biosynthesis and structure of the <i>Burkholderia cenocepacia</i> K56-2 lipopolysaccharide core oligosaccharide: truncation of the core oligosaccharide leads to increased binding and sensitivity to polymyxin B. 2009 , 284, 21738-51 | | 50 |
| 543 | Inactivation of PadR, the repressor of the phenolic acid stress response, by molecular interaction with Usp1, a universal stress protein from <i>Lactobacillus plantarum</i> , in <i>Escherichia coli</i> . 2009 , 75, 5273-83 | | 34 |
| 542 | Thioredoxin is involved in U(VI) and Cr(VI) reduction in <i>Desulfovibrio desulfuricans</i> G20. 2009 , 191, 4924-33 | | 50 |
| 541 | Regulation of phenylacetic acid degradation genes of <i>Burkholderia cenocepacia</i> K56-2. 2009 , 9, 222 | | 22 |
| 540 | <i>Acanthamoeba</i> alternative oxidase genes: identification, characterisation and potential as antimicrobial targets. 2009 , 39, 1417-24 | | 10 |
| 539 | Use of cyclodextrin and its derivatives for increased transformation efficiency of competent bacterial cells. <i>Applied Microbiology and Biotechnology</i> , 2009 , 83, 589-96 | 5-7 | 12 |
| 538 | Plasmid uptake by bacteria: a comparison of methods and efficiencies. <i>Applied Microbiology and Biotechnology</i> , 2009 , 83, 791-8 | 5-7 | 70 |
| 537 | Feeding <i>Artemia franciscana</i> (Kellogg) larvae with bacterial heat shock protein, protects from <i>Vibrio campbellii</i> infection. 2009 , 32, 675-85 | | 22 |
| 536 | A comparative study on the secretion of alkaline phosphatase in <i>Escherichia coli</i> . 2009 , 40, 29-35 | | 2 |
| 535 | Culture of <i>Escherichia coli</i> in SOC medium improves the cloning efficiency of toxic protein genes. 2009 , 394, 144-6 | | 11 |
| 534 | Horizontal gene transfer of virulence determinants in selected bacterial foodborne pathogens. 2009 , 47, 969-77 | | 37 |
| 533 | Systems Biology and Biotechnology of <i>Escherichia coli</i> . 2009 , | | 18 |
| 532 | mwr Xer site-specific recombination is hypersensitive to DNA supercoiling. 2009 , 37, 3580-7 | | 12 |
| 531 | Enhanced citric acid biosynthesis in <i>Pseudomonas fluorescens</i> ATCC 13525 by overexpression of the <i>Escherichia coli</i> citrate synthase gene. 2009 , 155, 2620-2629 | | 24 |
| 530 | Correlation between proton translocation and growth: genetic analysis of the respiratory chain of <i>Corynebacterium glutamicum</i> . 2009 , 146, 845-55 | | 17 |
| 529 | Expression, purification and characterization of the precursor of human pulmonary surfactant protein B (preproSPB) produced in <i>Escherichia coli</i> . 2009 , | | |
| 528 | History of Biotechnology. 2010 , 1 | | |

| | | | |
|-----|--|-----|----|
| 527 | Bacterial Genetics. 2010 , | | |
| 526 | Symbiotic reactions of sea-buckthorn roots transformed with the pea lectin gene. 2010 , 57, 101-109 | | 5 |
| 525 | Construction of hybrid promoters of caulimoviruses and analysis of their activity in transgenic plants. 2010 , 57, 582-589 | | 6 |
| 524 | The development of a novel vector for construction of a full-length cDNA library. 2010 , 4, 353-361 | | |
| 523 | Methodologies to increase the transformation efficiencies and the range of bacteria that can be transformed. <i>Applied Microbiology and Biotechnology</i> , 2010 , 85, 1301-13 | 5-7 | 85 |
| 522 | Broad-host-range plasmid-mediated metabolic perturbations in <i>Pseudomonas fluorescens</i> 13525. <i>Applied Microbiology and Biotechnology</i> , 2010 , 88, 209-18 | 5-7 | 11 |
| 521 | Enhanced translocation of recombinant proteins via the Tat pathway with chaperones in <i>Escherichia coli</i> . 2010 , 41, 540-546 | | 0 |
| 520 | Expression of a glucose-tolerant beta-glucosidase from <i>Humicola grisea</i> var. <i>thermoidea</i> in <i>Saccharomyces cerevisiae</i> . 2010 , 160, 2036-44 | | 25 |
| 519 | A convenient colony-based transformation method for high-throughput changing of plasmid hosts. 2010 , 32, 1693-7 | | |
| 518 | The two-component sensor response regulator RoxS/RoxR plays a role in <i>Pseudomonas aeruginosa</i> interactions with airway epithelial cells. 2010 , 12, 190-8 | | 12 |
| 517 | A colony-to-lawn method for efficient transformation of <i>Escherichia coli</i> . 2010 , 51, 98-103 | | |
| 516 | Design and engineering of novel enzymes for textile applications. 2010 , 3-31 | | 1 |
| 515 | Construction of aminoglycoside-sensitive <i>Burkholderia cenocepacia</i> strains for use in studies of intracellular bacteria with the gentamicin protection assay. 2010 , 76, 3170-6 | | 61 |
| 514 | Broad-host-range plasmids for red fluorescent protein labeling of gram-negative bacteria for use in the zebrafish model system. 2010 , 76, 3467-74 | | 40 |
| 513 | Metabolic engineering of <i>Gluconobacter oxydans</i> for improved growth rate and growth yield on glucose by elimination of gluconate formation. 2010 , 76, 4369-76 | | 60 |
| 512 | BcsKC is an essential protein for the type VI secretion system activity in <i>Burkholderia cenocepacia</i> that forms an outer membrane complex with BcsLB. 2010 , 285, 35988-98 | | 36 |
| 511 | Personal reflections on the origins and emergence of recombinant DNA technology. 2010 , 184, 9-17 | | 51 |
| 510 | The effect of ultrasound exposure on the transformation efficiency of <i>Escherichia coli</i> HB101. 2010 , 3, 141-147 | | 9 |

| | | |
|-----|--|-------|
| 509 | Effect of acute and chronic arsenic exposure on growth, structure and virulence of <i>Aeromonas hydrophila</i> isolated from fish. 2011 , 50, 63-9 | 12 |
| 508 | Efficiency of sperm-mediated gene transfer in the ovine by laparoscopic insemination, in vitro fertilization and ICSI. 2011 , 57, 188-96 | 21 |
| 507 | 3-Hydroxyphenylacetic acid induces the <i>Burkholderia cenocepacia</i> phenylacetic acid degradation pathway - toward understanding the contribution of aromatic catabolism to pathogenesis. 2011 , 1, 14 | 4 |
| 506 | Irreversible electroporation is a surgical ablation technique that enhances gene transfer. 2011 , 150, 474-9 | 20 |
| 505 | Capillary-composited microfluidic device for heat shock transformation of <i>Escherichia coli</i> . 2011 , 112, 373-8 | 5 |
| 504 | Cloning and expression of β -glucosidase gene from <i>Bacillus licheniformis</i> into <i>E. coli</i> BL 21 (DE3). 2011 , 66, 213-220 | 11 |
| 503 | Constitutive expression of the ARGOS gene driven by dahlia mosaic virus promoter in tobacco plants. 2011 , 58, 507-515 | 12 |
| 502 | Monitoring enzyme expression of a branched respiratory chain of <i>Corynebacterium glutamicum</i> using an EGFP reporter gene. 2011 , 43, 257-66 | 6 |
| 501 | Manipulation of quorum sensing regulation in <i>Pseudomonas fluorescens</i> NCIMB 10586 to increase mupirocin production. <i>Applied Microbiology and Biotechnology</i> , 2011 , 90, 1017-26 | 5:7 9 |
| 500 | Distinct intracellular vesicle transport mechanisms are selectively modified by spastin and spastin mutations. 2011 , 226, 362-8 | 4 |
| 499 | Goods-thinking vs. tree-thinking: Finding a place for mobile genetic elements. 2011 , 1, 304-308 | 5 |
| 498 | TrbB from conjugative plasmid F is a structurally distinct disulfide isomerase that requires DsbD for redox state maintenance. 2011 , 193, 4588-97 | 12 |
| 497 | DNA Cloning in Plasmid Vectors. 2011 , 53-71 | |
| 496 | Yeast ADP/ATP carrier isoform 2: conformational dynamics and role of the RRRMMM signature sequence methionines. 2011 , 286, 36119-36131 | 15 |
| 495 | Bacterial conjugation simulation using hexagonal cellular automaton. 2012 , | |
| 494 | Nucleic acid transfection and transgenesis in parasitic nematodes. 2012 , 139, 574-88 | 32 |
| 493 | Genetic Engineering of Mice. 2012 , 315-337 | |
| 492 | <i>Ralstonia solanacearum</i> needs Flp pili for virulence on potato. 2012 , 25, 546-56 | 27 |

| | | |
|-----|--|-----|
| 491 | Barriers to Horizontal Gene Transfer in <i>Campylobacter jejuni</i> . 2012 , 79, 19-42 | 19 |
| 490 | Conformational changes of the betaine transporter BetP from <i>Corynebacterium glutamicum</i> studied by pulse EPR spectroscopy. 2012 , 1818, 359-66 | 11 |
| 489 | Characterization of the highly conserved VFMGD motif in a bacterial polyisoprenyl-phosphate N-acetylaminosugar-1-phosphate transferase. 2012 , 21, 1366-75 | 8 |
| 488 | Global changes in gene expression by the opportunistic pathogen <i>Burkholderia cenocepacia</i> in response to internalization by murine macrophages. 2012 , 13, 63 | 13 |
| 487 | Production of recombineering substrates with standard-size PCR primers. 2012 , 337, 97-103 | 2 |
| 486 | Design and synthesis of anthracene-based bispyridinium amides: anion binding, cell staining and DNA interaction studies. 2012 , 36, 1231 | 23 |
| 485 | Molecular Cloning of Drug Targets. 2012 , 13-29 | |
| 484 | Construction of lactose-utilizing <i>Xanthomonas campestris</i> and production of xanthan gum from whey. 1990 , 56, 919-23 | 73 |
| 483 | Identification of an additional ferric-siderophore uptake gene clustered with receptor, biosynthesis, and fur-like regulatory genes in fluorescent <i>Pseudomonas</i> sp. strain M114. 1990 , 56, 2056-64 | 16 |
| 482 | Biolistic transformation of a prokaryote, <i>Bacillus megaterium</i> . 1991 , 57, 480-5 | 47 |
| 481 | A lactococcal expression system for engineered nisins. 1992 , 58, 3683-93 | 69 |
| 480 | Molecular and microscopic identification of sulfate-reducing bacteria in multispecies biofilms. 1992 , 58, 614-23 | 322 |
| 479 | Characterization of Fluorescent Siderophore-Mediated Iron Uptake in <i>Pseudomonas</i> sp. Strain M114: Evidence for the Existence of an Additional Ferric Siderophore Receptor. 1992 , 58, 630-5 | 17 |
| 478 | Cloning and sequencing of agaA, a unique agarase 0107 gene from a marine bacterium, <i>Vibrio</i> sp. strain JT0107. 1993 , 59, 3750-6 | 61 |
| 477 | ScrFI restriction-modification system of <i>Lactococcus lactis</i> subsp. <i>cremoris</i> UC503: cloning and characterization of two ScrFI methylase genes. 1993 , 59, 777-85 | 41 |
| 476 | Stable Expression of hom-1-thrB in <i>Corynebacterium glutamicum</i> and Its Effect on the Carbon Flux to Threonine and Related Amino Acids. 1994 , 60, 126-32 | 55 |
| 475 | Identification and characterization of clustered genes for thermostable xylan-degrading enzymes, beta-xylosidase and xylanase, of <i>Bacillus stearothermophilus</i> 21. 1994 , 60, 2252-8 | 45 |
| 474 | Sequence analysis of the <i>Lactococcus lactis</i> temperate bacteriophage BK5-T and demonstration that the phage DNA has cohesive ends. 1995 , 61, 4089-98 | 50 |

| | | |
|-----|---|-----|
| 473 | Insertional Mutations in the Hydrogenase <i>vhc</i> and <i>frc</i> Operons Encoding Selenium-Free Hydrogenases in <i>Methanococcus voltae</i> . 1995 , 61, 1770-5 | 23 |
| 472 | Characterization of rhizosphere colonization by luminescent <i>Enterobacter cloacae</i> at the population and single-cell levels. 1995 , 61, 2950-7 | 51 |
| 471 | Genetic transformation in freshwater: <i>Escherichia coli</i> is able to develop natural competence. 1996 , 62, 3673-8 | 129 |
| 470 | Overcoming a defect in generalized recombination in the marine fish pathogen <i>Vibrio anguillarum</i> 775: construction of a <i>recA</i> mutant by marker exchange. 1996 , 62, 3727-31 | 2 |
| 469 | Plasmid-linked ampicillin resistance in haemophilus influenza type b. 1975 , 12, 404-10 | 148 |
| 468 | Characterization of plasmids that encode for the K88 colonization antigen. 1978 , 20, 559-66 | 61 |
| 467 | Characterization of an <i>Escherichia coli</i> plasmid encoding for synthesis of heat-labile toxin: molecular cloning of the toxin determinant. 1978 , 21, 405-11 | 107 |
| 466 | Cloning and expression of a deoxyribonucleic acid fragment that encodes for the adhesive antigen K99. 1980 , 29, 1125-33 | 49 |
| 465 | Colicin V production by clinical isolates of <i>Escherichia coli</i> . 1981 , 31, 574-9 | 35 |
| 464 | <i>Shigella sonnei</i> plasmids: evidence that a large plasmid is necessary for virulence. 1981 , 34, 75-83 | 206 |
| 463 | Further characterization of complement resistance conferred on <i>Escherichia coli</i> by the plasmid genes <i>traT</i> of R100 and <i>iss</i> of ColV,I-K94. 1982 , 35, 654-9 | 77 |
| 462 | Cloning, expression, and mapping of the <i>Staphylococcus aureus</i> alpha-hemolysin determinant in <i>Escherichia coli</i> K-12. 1983 , 41, 1105-11 | 42 |
| 461 | Expression of a cloned <i>Staphylococcus aureus</i> alpha-hemolysin determinant in <i>Bacillus subtilis</i> and <i>Staphylococcus aureus</i> . 1983 , 41, 1112-7 | 70 |
| 460 | Characterization of the gene encoding heat-stable toxin II and preliminary molecular epidemiological studies of enterotoxigenic <i>Escherichia coli</i> heat-stable toxin II producers. 1983 , 42, 264-8 | 127 |
| 459 | Cloning and expression in <i>Escherichia coli</i> of the streptolysin O determinant from <i>Streptococcus pyogenes</i> : characterization of the cloned streptolysin O determinant and demonstration of the absence of substantial homology with determinants of other thiol-activated toxins. 1984 , 43, 804-10 | 57 |
| 458 | Aerobactin iron transport genes commonly encoded by certain ColV plasmids occur in the chromosome of a human invasive strain of <i>Escherichia coli</i> K1. 1984 , 46, 159-67 | 71 |
| 457 | A cluster of five genes specifying the aerobactin iron uptake system of plasmid ColV-K30. 1984 , 46, 7-12 | 104 |
| 456 | A plasmid-encoded outer membrane protein, <i>TraT</i> , enhances resistance of <i>Escherichia coli</i> to phagocytosis. 1984 , 46, 740-6 | 59 |

| | | |
|-----|---|-----|
| 455 | Cloning of extracellular DNase and construction of a DNase-negative strain of <i>Vibrio cholerae</i> . 1985 , 47, 691-6 | 26 |
| 454 | Cloning and genetic analysis of serotype 5 M protein determinant of group A streptococci: evidence for multiple copies of the M5 determinant in the <i>Streptococcus pyogenes</i> genome. 1985 , 48, 190-7 | 42 |
| 453 | Plasmid-mediated virulence in <i>Salmonella dublin</i> demonstrated by use of a Tn5-oriT construct. 1985 , 50, 420-4 | 82 |
| 452 | Transformation of <i>Streptococcus mutans</i> with chromosomal and shuttle plasmid (pYA629) DNAs. 1986 , 54, 273-82 | 101 |
| 451 | Cloning of genes for production of <i>Escherichia coli</i> Shiga-like toxin type II. 1987 , 55, 2675-80 | 40 |
| 450 | Molecular cloning and expression of <i>Neisseria meningitidis</i> class 1 outer membrane protein in <i>Escherichia coli</i> K-12. 1987 , 55, 2734-40 | 15 |
| 449 | Role of a 60-megadalton plasmid and Shiga-like toxins in the pathogenesis of infection caused by enterohemorrhagic <i>Escherichia coli</i> O157:H7 in gnotobiotic piglets. 1987 , 55, 3117-25 | 176 |
| 448 | A plasmid of enterohemorrhagic <i>Escherichia coli</i> O157:H7 is required for expression of a new fimbrial antigen and for adhesion to epithelial cells. 1987 , 55, 455-61 | 166 |
| 447 | Fibrinogen binding and resistance to phagocytosis of <i>Streptococcus sanguis</i> expressing cloned M protein of <i>Streptococcus pyogenes</i> . 1989 , 57, 29-35 | 36 |
| 446 | Mucoid phenotype of <i>Klebsiella pneumoniae</i> is a plasmid-encoded virulence factor. 1989 , 57, 546-52 | 172 |
| 445 | Construction of a plasmid for expression of foreign epitopes as fusion proteins with subunit B of <i>Escherichia coli</i> heat-labile enterotoxin. 1989 , 57, 1347-50 | 39 |
| 444 | Localization of the cleavage site specificity determinant of <i>Haemophilus influenzae</i> immunoglobulin A1 protease genes. 1990 , 58, 320-31 | 22 |
| 443 | Role of <i>crl</i> in avian pathogenic <i>Escherichia coli</i> : a knockout mutation of <i>crl</i> does not affect hemagglutination activity, fibronectin binding, or Curli production. 1992 , 60, 4460-7 | 69 |
| 442 | Novel invasion determinant of enteropathogenic <i>Escherichia coli</i> plasmid pLV501 encodes the ability to invade intestinal epithelial cells and HEp-2 cells. 1992 , 60, 2229-36 | 22 |
| 441 | A <i>Campylobacter jejuni</i> homolog of the LcrD/FlbF family of proteins is necessary for flagellar biogenesis. 1993 , 61, 2930-6 | 34 |
| 440 | A single amino acid change in AngR, a protein encoded by pJM1-like virulence plasmids, results in hyperproduction of anguibactin. 1993 , 61, 3228-33 | 43 |
| 439 | Cloning, sequencing, and expression of the <i>Escherichia coli</i> cytolethal distending toxin genes. 1994 , 62, 1046-51 | 146 |
| 438 | A plasmid-encoded regulatory region activates chromosomal <i>eaeA</i> expression in enteropathogenic <i>Escherichia coli</i> . 1995 , 63, 1767-76 | 219 |

| | | |
|-----|--|-----|
| 437 | Lyme disease-causing <i>Borrelia</i> species encode multiple lipoproteins homologous to peptide-binding proteins of ABC-type transporters. 1998 , 66, 4115-22 | 25 |
| 436 | Plasmid-specific transformation in <i>Staphylococcus aureus</i> . 1973 , 115, 139-45 | 44 |
| 435 | Molecular and genetic studies of an R factor system consisting of independent transfer and drug resistance plasmids. 1973 , 116, 699-709 | 53 |
| 434 | Transformation and physical properties of R-factor RP4 transferred from <i>Escherichia coli</i> to <i>Rhizobium trifolii</i> . 1973 , 116, 1177-80 | 14 |
| 433 | Molecular nature of two nonconjugative plasmids carrying drug resistance genes. 1974 , 117, 619-30 | 207 |
| 432 | Factors affecting competence for transformation in <i>Staphylococcus aureus</i> . 1974 , 118, 155-64 | 76 |
| 431 | Role of the phi 11 phage genome in competence of <i>Staphylococcus aureus</i> . 1974 , 119, 19-32 | 29 |
| 430 | Incompatibility exhibited by colicin plasmids E1, E2, and E3 in <i>Escherichia coli</i> . 1974 , 119, 478-83 | 22 |
| 429 | Transformation of <i>Salmonella typhimurium</i> by plasmid deoxyribonucleic acid. 1974 , 119, 1072-4 | 702 |
| 428 | Co-transduction of plasmids mediating resistance to tetracycline and chloramphenicol in <i>Staphylococcus aureus</i> . 1974 , 120, 934-4 | 26 |
| 427 | R-factor mutant capable of specifying hypersynthesis of penicillinase. 1974 , 120, 1260-7 | 14 |
| 426 | Indirect selection of bacterial plasmids lacking identifiable phenotypic properties. 1975 , 124, 225-31 | 81 |
| 425 | Transfectability of rough strains of <i>Salmonella typhimurium</i> . 1975 , 124, 1630-4 | 10 |
| 424 | Transformation of <i>Escherichia coli</i> by chromosomal deoxyribonucleic acid from <i>Salmonella typhi</i> . 1976 , 125, 747-9 | 2 |
| 423 | Molecular nature of two beta-lactamase-specifying plasmids isolated from <i>Haemophilus influenzae</i> type b. 1976 , 126, 439-46 | 67 |
| 422 | Characterization of a mini-ColC1 plasmid. 1976 , 126, 447-53 | 194 |
| 421 | Calcium-requiring step in the uptake of deoxyribonucleic acid molecules through the surface of competent pneumococci. 1976 , 126, 1113-8 | 25 |
| 420 | Method for the isolation of the replication region of a bacterial replicon: construction of a mini-F λ n plasmid. 1976 , 127, 982-7 | 204 |

| | | |
|-----|---|-----|
| 419 | Properties of pGC1, a lac plasmid originating in <i>Yersinia enterocolitica</i> 842. 1976 , 127, 1058-62 | 42 |
| 418 | Conjugation in <i>Agrobacterium tumefaciens</i> in the absence of plant tissue. 1976 , 127, 1331-6 | 11 |
| 417 | Interference with propagation of typing bacteriophages by extrachromosomal elements in <i>Salmonella typhimurium</i> : bacteriophage type 505. 1976 , 127, 1414-26 | 17 |
| 416 | Acceptance and transfer of R-factor RP1 by members of the "herbicola" group of the genus <i>Erwinia</i> . 1976 , 128, 309-16 | 7 |
| 415 | Transposition of a plasmid deoxyribonucleic acid sequence that mediates ampicillin resistance: independence from host rec functions and orientation of insertion. 1976 , 128, 425-34 | 106 |
| 414 | Mitomycin C-induced expression of trpA of <i>Salmonella typhimurium</i> inserted into the plasmid ColE1. 1977 , 129, 388-94 | 101 |
| 413 | Isolation, mapping, and examination of effects of TnA insertions in ColE1 plasmids. 1977 , 129, 482-91 | 52 |
| 412 | Transposition of a plasmid deoxyribonucleic acid sequence that mediates ampicillin resistance: identity of laboratory-constructed plasmids and clinical isolates. 1977 , 129, 530-3 | 17 |
| 411 | Transformation in <i>Staphylococcus aureus</i> : role of bacteriophage and incidence of competence among strains. 1977 , 129, 778-88 | 41 |
| 410 | Suppression of an <i>Escherichia coli</i> dnaA mutation by the integrated R factor R100.1: generation of small plasmids after integration. 1977 , 130, 303-11 | 26 |
| 409 | Selected translocation of plasmid genes: frequency and regional specificity of translocation of the Tn3 element. 1977 , 130, 888-99 | 87 |
| 408 | Relationships among some R plasmids found in <i>Haemophilus influenzae</i> . 1977 , 131, 356-62 | 58 |
| 407 | Molecular characterization of two beta-lactamase-specifying plasmids isolated from <i>Neisseria gonorrhoeae</i> . 1977 , 131, 557-63 | 120 |
| 406 | Isolation and genetic analysis of deletion mutants of colicin E1 plasmids carrying a TnA insertion. 1977 , 132, 321-31 | 21 |
| 405 | Studies of colicin E1 plasmid functions by analysis of deletions and TnA insertions of the plasmid. 1977 , 132, 332-40 | 53 |
| 404 | Transformation in <i>Escherichia coli</i> : cryogenic preservation of competent cells. 1977 , 132, 349-51 | 219 |
| 403 | ColE1 plasmid mutants affecting growth of an <i>Escherichia coli</i> recB recC sbcB mutant. 1978 , 133, 433-6 | 24 |
| 402 | Assignment of tra cistrons to EcoRI fragments of F sex factor DNA. 1978 , 133, 1383-92 | 83 |

| | | |
|-----|---|------------------|
| 401 | Construction and characterization of amplifiable multicopy DNA cloning vehicles derived from the P15A cryptic miniplasmid. 1978 , 134, 1141-56 | 377 ^o |
| 400 | Cell-cell interactions in conjugating <i>Escherichia coli</i> : role of F pili and fate of mating aggregates. 1978 , 135, 1053-61 | 74 |
| 399 | Structural and functional analysis of cloned DNA segments containing the replication and incompatibility regions of a miniplasmid derived from a copy number mutant of NR1. 1979 , 137, 92-104 | 84 |
| 398 | Effect of dna mutations on the replication of plasmid pSC101 in <i>Escherichia coli</i> K-12. 1979 , 137, 1095-9 | 20 |
| 397 | Polypeptides expressed in <i>Escherichia coli</i> K-12 minicells by transposition elements Tn1 and Tn3. 1979 , 138, 48-54 | 71 |
| 396 | Clustering of genes involved in replication, copy number control, incompatibility, and stable maintenance of the resistance plasmid R1drd-19. 1979 , 138, 70-9 | 93 |
| 395 | Transformation-derived <i>Neisseria gonorrhoeae</i> plasmids with altered structure and function. 1979 , 138, 510-8 | 55 |
| 394 | Mutants of the mini-F plasmid pML31 thermosensitive in replication. 1979 , 138, 559-66 | 34 |
| 393 | Nature of transforming deoxyribonucleic acid in calcium-treated <i>Escherichia coli</i> . 1979 , 138, 1033-5 | 26 |
| 392 | Penicillin selection of <i>Escherichia coli</i> deoxyribonucleic acid repair mutants. 1979 , 138, 779-82 | 6 |
| 391 | Second EcoRI fragment of F capable of self-replication. 1979 , 139, 141-51 | 64 |
| 390 | Plasmids and transposable elements in <i>Salmonella wien</i> . 1979 , 139, 369-75 | 20 |
| 389 | Effect of temperature on translocation frequency of the Tn3 element. 1979 , 139, 515-9 | 63 |
| 388 | Transposable plasmid deoxyribonucleic acid sequence in <i>Pseudomonas aeruginosa</i> which mediates resistance to gentamicin and four other antimicrobial agents. 1979 , 139, 877-82 | 57 |
| 387 | Transformation and transfection of <i>Pseudomonas aeruginosa</i> : effects of metal ions. 1979 , 140, 37-42 | 69 |
| 386 | Deoxyribonucleic acid adenine and cytosine methylation in <i>Salmonella typhimurium</i> and <i>Salmonella typhi</i> . 1979 , 140, 574-9 | 27 |
| 385 | Evolution of multiple-antibiotic-resistance plasmids mediated by transposable plasmid deoxyribonucleic acid sequences. 1979 , 140, 713-9 | 46 |
| 384 | Control of plasmid R1 replication: functions involved in replication, copy number control, incompatibility, and switch-off of replication. 1980 , 141, 111-20 | 92 |

| | | |
|-----|--|-----|
| 383 | Genetic and molecular characteristics of Vir plasmids of bovine septicemic <i>Escherichia coli</i> . 1980 , 141, 758-69 | 12 |
| 382 | Physical characterization of plasmids determining synthesis of a microcin which inhibits methionine synthesis in <i>Escherichia coli</i> . 1980 , 141, 1015-23 | 12 |
| 381 | Outer membrane of <i>Escherichia coli</i> : properties of the F sex factor traT protein which is involved in surface exclusion. 1980 , 142, 285-94 | 65 |
| 380 | Mapping a cloned gene under sporulation control by inserttion of a drug resistance marker into the <i>Bacillus subtilis</i> chromosome. 1980 , 142, 90-8 | 116 |
| 379 | Cloning and restriction mapping of the trmA gene coding for transfer ribonucleic acid (5-methyluridine)-methyltransferase in <i>Escherichia coli</i> K-12. 1980 , 142, 371-9 | 54 |
| 378 | Deoxyribonucleic acid sequence of araBAD promoter mutants of <i>Escherichia coli</i> . 1980 , 142, 659-67 | 24 |
| 377 | Intramolecular transposition and inversion in plasmid R6K. 1980 , 142, 668-82 | 27 |
| 376 | Transposon-mediated conjugational transmission of nonconjugative plasmids. 1980 , 142, 701-13 | 28 |
| 375 | Plasmid control of 6-aminohexanoic acid cyclic dimer degradation enzymes of <i>Flavobacterium</i> sp. KI72. 1980 , 143, 238-45 | 46 |
| 374 | Construction and characterization of hybrid plasmids containing the <i>Escherichia coli</i> nrd region. 1980 , 143, 561-8 | 46 |
| 373 | Cloning of deoxyribonucleic acid regions encoding a heat-labile and heat-stable enterotoxin originating from an enterotoxigenic <i>Escherichia coli</i> strain of human origin. 1980 , 143, 652-60 | 21 |
| 372 | In vitro gene fusions that join an enzymatically active beta-galactosidase segment to amino-terminal fragments of exogenous proteins: <i>Escherichia coli</i> plasmid vectors for the detection and cloning of translational initiation signals. 1980 , 143, 971-80 | 981 |
| 371 | Genetic organization of the broad-host-range IncP-1 plasmid R751. 1980 , 143, 1362-73 | 80 |
| 370 | Genetic transformation of <i>Streptococcus pneumoniae</i> by heterologous plasmid deoxyribonucleic acid. 1980 , 144, 698-709 | 42 |
| 369 | Molecular cloning and expression of <i>Bacillus licheniformis</i> beta-lactamase gene in <i>Escherichia coli</i> and <i>Bacillus subtilis</i> . 1981 , 145, 422-8 | 100 |
| 368 | Transformation of <i>Escherichia coli</i> with plasmid deoxyribonucleic acid: calcium-induced binding of deoxyribonucleic acid to whole cells and to isolated membrane fractions. 1981 , 145, 780-7 | 39 |
| 367 | <i>Escherichia coli</i> heat-labile enterotoxin genes are flanked by repeated deoxyribonucleic acid sequences. 1981 , 145, 850-60 | 36 |
| 366 | Identification and cloning of the genetic determinant that encodes for the K88ac adherence antigen. 1981 , 145, 920-5 | 30 |

| | | |
|-----|---|----|
| 365 | Replication of M13 oriC bacteriophages in <i>Escherichia coli</i> rep mutant is dependent on the cloned <i>Escherichia coli</i> replication origin. 1981 , 145, 974-9 | 10 |
| 364 | Ordering tryptophan synthase genes of <i>Pseudomonas aeruginosa</i> by cloning in <i>Escherichia coli</i> . 1981 , 146, 102-7 | 10 |
| 363 | Stability in <i>Escherichia coli</i> of an antibiotic resistance plasmid from <i>Bacteroides fragilis</i> . 1981 , 146, 121-7 | 5 |
| 362 | Cloning and expression in <i>Streptomyces lividans</i> of antibiotic resistance genes derived from <i>Escherichia coli</i> . 1981 , 146, 360-8 | 71 |
| 361 | Uptake of plasmid deoxyribonucleic acid by <i>Haemophilus</i> . 1981 , 146, 79-84 | 16 |
| 360 | The region controlling the thermosensitive effect of plasmid Rts1 on host growth is separate from the Rts1 replication region. 1981 , 146, 85-92 | 8 |
| 359 | Effect of metabolic inhibitors on entry of exogenous deoxyribonucleic acid into Ca ²⁺ -treated <i>Escherichia coli</i> cells. 1981 , 146, 435-43 | 23 |
| 358 | Transformation in <i>Escherichia coli</i> : stages in the process. 1981 , 146, 564-70 | 55 |
| 357 | The <i>araIc</i> mutation in <i>Escherichia coli</i> B/r. 1981 , 146, 1098-1105 | 5 |
| 356 | Transformation of <i>Azotobacter vinelandii</i> with plasmids RP4 (IncP-1 group) and RSF1010 (IncQ group). 1981 , 146, 1154-7 | 18 |
| 355 | Effect of growth rate and nutrient limitation on the transformability of <i>Escherichia coli</i> with plasmid deoxyribonucleic acid. 1981 , 146, 841-6 | 11 |
| 354 | Expression of the <i>Serratia marcescens</i> lipoproteins gene in <i>Escherichia coli</i> . 1981 , 146, 861-6 | 16 |
| 353 | Cloning and restriction map of the first part of the histidine operon of <i>Salmonella typhimurium</i> . 1981 , 147, 124-34 | 14 |
| 352 | Absence in <i>Bacillus subtilis</i> and <i>Staphylococcus aureus</i> of the sequence-specific deoxyribonucleic acid methylation that is conferred in <i>Escherichia coli</i> K-12 by the <i>dam</i> and <i>dcm</i> enzymes. 1981 , 147, 259-61 | 26 |
| 351 | Complementation of replication-deficient deletion derivatives of plasmid mini-F. 1981 , 147, 736-43 | 11 |
| 350 | Identification of a new developmental locus in <i>Bacillus subtilis</i> by construction of a deletion mutation in a cloned gene under sporulation control. 1981 , 148, 341-51 | 51 |
| 349 | Cloning of immunity and structural genes for colicin V. 1981 , 148, 498-507 | 28 |
| 348 | Genetic mapping of a linked cluster of ribosomal ribonucleic acid genes in <i>Bacillus subtilis</i> . 1981 , 148, 624-8 | 30 |

| | | |
|-----|--|-----|
| 347 | Effect of nalidixic acid and novobiocin on pBR322 genetic expression in <i>Escherichia coli</i> minicells. 1981 , 148, 745-52 | 22 |
| 346 | Molecular nature of a plasmid specifying beta-lactamase production in <i>Haemophilus ducreyi</i> . 1981 , 148, 788-95 | 20 |
| 345 | Signal sequence of alkaline phosphatase of <i>Escherichia coli</i> . 1982 , 149, 434-9 | 85 |
| 344 | Isolation of a maltase structural gene from <i>Saccharomyces carlsbergensis</i> . 1982 , 149, 1064-70 | 68 |
| 343 | Heterogeneity of tetracycline resistance determinants in <i>Streptococcus</i> . 1982 , 149, 995-1004 | 170 |
| 342 | Construction of a hybrid plasmid capable of replication in the bacterium <i>Escherichia coli</i> and the cyanobacterium <i>Anacystis nidulans</i> . 1982 , 150, 410-3 | 42 |
| 341 | Analysis of the promoter-distal region of the <i>tra</i> operon of the F sex factor of <i>Escherichia coli</i> K-12 encoded by <i>EcoRI</i> restriction fragments f17, f19, and f2. 1982 , 150, 76-88 | 24 |
| 340 | Transformation of <i>Rhizobium meliloti</i> 41 with plasmid DNA. 1982 , 150, 465-70 | 18 |
| 339 | Properties of R1162, a broad-host-range, high-copy-number plasmid. 1982 , 150, 552-62 | 57 |
| 338 | Replication of a low-copy-number plasmid by a plasmid DNA-membrane complex extracted from minicells of <i>Escherichia coli</i> . 1982 , 150, 1234-43 | 13 |
| 337 | Evidence for two genetically distinct DNA primase activities specified by plasmids of the B and I incompatibility groups. 1982 , 151, 1-7 | 9 |
| 336 | Genetic and molecular characterization of Tn21, a multiple resistance transposon from R100.1. 1982 , 151, 222-28 | 160 |
| 335 | Novel selection for tetracycline- or chloramphenicol-sensitive <i>Escherichia coli</i> . 1982 , 151, 487-90 | 11 |
| 334 | Complementation of the <i>leuB6</i> allele of <i>Escherichia coli</i> by cloned DNA from <i>Mucor racemosus</i> . 1982 , 151, 521-3 | 6 |
| 333 | Comparison of DNA sequences required for the function of citrate utilization among different citrate utilization plasmids. 1982 , 151, 1046-50 | 10 |
| 332 | A gene and its product required for transposition of resistance transposon Tn2603. 1982 , 151, 723-8 | 11 |
| 331 | Molecular cloning of eucaryotic genes required for excision repair of UV-irradiated DNA: isolation and partial characterization of the <i>RAD3</i> gene of <i>Saccharomyces cerevisiae</i> . 1982 , 152, 323-31 | 58 |
| 330 | Molecular cloning and regulation of expression of the genes for initiation factor 3 and two aminoacyl-tRNA synthetases. 1982 , 152, 357-62 | 21 |

| | | |
|-----|--|-----|
| 329 | Cloning of <i>trg</i> , a gene for a sensory transducer in <i>Escherichia coli</i> . 1982 , 152, 372-83 | 44 |
| 328 | Expression in <i>Escherichia coli</i> of a staphylococcal gene for resistance to macrolide, lincosamide, and streptogramin type B antibiotics. 1982 , 152, 524-6 | 23 |
| 327 | Plasmid transfer to <i>Bordetella pertussis</i> : conjugation and transformation. 1982 , 152, 549-52 | 22 |
| 326 | Genetic transformation of <i>Rhodopseudomonas sphaeroides</i> by plasmid DNA. 1982 , 152, 89-97 | 50 |
| 325 | Different control circuits for growth rate-dependent regulation of 6-phosphogluconate dehydrogenase and protein components of the translational machinery in <i>Escherichia coli</i> . 1982 , 152, 584-94 | 14 |
| 324 | Chromosomal location of a <i>Bacillus subtilis</i> DNA fragment uniquely transcribed by sigma-28-containing RNA polymerase. 1982 , 152, 780-5 | 33 |
| 323 | Multiple mechanisms for expression of incompatibility by broad-host-range plasmid RK2. 1982 , 152, 1078-90 | 46 |
| 322 | Cloning of the chromosomal determinants encoding hemolysin production and mannose-resistant hemagglutination in <i>Escherichia coli</i> . 1982 , 152, 1241-7 | 141 |
| 321 | Cloning and expression of the cloacin DF13/aerobactin receptor of <i>Escherichia coli</i> (ColV-K30). 1983 , 153, 716-21 | 36 |
| 320 | Plasmid-borne sulfonamide resistance determinants studied by restriction enzyme analysis. 1983 , 153, 1228-37 | 39 |
| 319 | Isolation of conditional lethal mutator mutants of <i>Escherichia coli</i> by localized mutagenesis. 1983 , 153, 1361-7 | 13 |
| 318 | <i>cea-kil</i> operon of the ColE1 plasmid. 1983 , 153, 1479-85 | 55 |
| 317 | Inverted repeats in the DNA of plasmid pCU1. 1983 , 153, 1502-12 | 10 |
| 316 | In vitro construction and characterization of <i>phoA-lacZ</i> gene fusions in <i>Escherichia coli</i> . 1983 , 154, 356-65 | 44 |
| 315 | Site-directed mutagenesis in <i>Escherichia coli</i> of a stable R772::Ti cointegrate plasmid from <i>Agrobacterium tumefaciens</i> . 1983 , 154, 693-701 | 31 |
| 314 | Trimethoprim-induced DNA polymerase I deficiency in <i>Escherichia coli</i> K-12. 1983 , 154, 1098-103 | 3 |
| 313 | Spontaneous deletions and flanking regions of the chromosomally inherited hemolysin determinant of an <i>Escherichia coli</i> O6 strain. 1983 , 154, 1145-52 | 101 |
| 312 | Heat sensitivity of <i>Azotobacter vinelandii</i> genetic transformation. 1983 , 155, 159-68 | 11 |

| | | |
|-----|--|-----|
| 311 | Plasmid-determined enzymatic degradation of nylon oligomers. 1983 , 155, 22-31 | 67 |
| 310 | Evidence that repression mechanisms can exert control over the thr, leu, and ilv operons of <i>Escherichia coli</i> K-12. 1983 , 155, 49-55 | 23 |
| 309 | Amplified DNA in <i>Streptomyces fradiae</i> . 1983 , 155, 459-66 | 76 |
| 308 | In vivo ligation of linear DNA molecules to circular forms in the yeast <i>Saccharomyces cerevisiae</i> . 1983 , 155, 747-54 | 40 |
| 307 | Nucleotide sequence of an incompatibility region of mini-Rts1 that contains five direct repeats. 1983 , 155, 1185-91 | 32 |
| 306 | A hybrid plasmid is a stable cloning vector for the cyanobacterium <i>Anacystis nidulans</i> R2. 1983 , 155, 966-72 | 52 |
| 305 | Shuttle cloning vectors for the cyanobacterium <i>Anacystis nidulans</i> . 1983 , 156, 148-54 | 59 |
| 304 | Evidence for positive regulation of plasmid prophage P1 replication: integrative suppression by copy mutants. 1983 , 156, 205-11 | 11 |
| 303 | A gene affecting accumulation of the RNA moiety of the processing enzyme RNase P. 1983 , 156, 529-36 | 2 |
| 302 | Essential genes of plasmid RK2 in <i>Escherichia coli</i> : trfB region controls a kil gene near trfA. 1983 , 156, 584-91 | 38 |
| 301 | Characterization of the mRNA coding for ribonucleoside diphosphate reductase in <i>Escherichia coli</i> . 1983 , 156, 1192-7 | 21 |
| 300 | Molecular cloning of the <i>Pseudomonas</i> carboxypeptidase G2 gene and its expression in <i>Escherichia coli</i> and <i>Pseudomonas putida</i> . 1983 , 156, 1222-7 | 96 |
| 299 | Suicide plasmid vehicles for insertion mutagenesis in <i>Rhizobium meliloti</i> and related bacteria. 1983 , 156, 1292-300 | 178 |
| 298 | Gene regulation in plasmid RK2: positive control by korA in the expression of korC. 1984 , 157, 247-52 | 29 |
| 297 | Gene envY of <i>Escherichia coli</i> K-12 affects thermoregulation of major porin expression. 1984 , 157, 262-8 | 74 |
| 296 | Transfer of the chromosomal bla gene from <i>Enterobacter cloacae</i> to <i>Escherichia coli</i> by RP4::mini-Mu. 1984 , 157, 89-94 | 12 |
| 295 | Translational coupling of the trpB and trpA genes in the <i>Escherichia coli</i> tryptophan operon. 1984 , 157, 363-7 | 104 |
| 294 | Mutations in the DNA gyrB gene that are temperature sensitive for lambda site-specific recombination, Mu growth, and plasmid maintenance. 1984 , 157, 490-7 | 38 |

| | | |
|-----|--|-----|
| 293 | Exonucleases I, III, and V are required for stability of ColE1-related plasmids in <i>Escherichia coli</i> . 1984 , 157, 661-4 | 43 |
| 292 | Molecular cloning of a gene abundantly expressed during fruiting body initiation in <i>Schizophyllum commune</i> . 1984 , 157, 802-8 | 38 |
| 291 | Promoter-probe plasmid for <i>Bacillus subtilis</i> . 1984 , 157, 965-7 | 52 |
| 290 | Functional limits of the <i>araC</i> promoter suggest an additional regulatory site for <i>araBAD</i> expression. 1984 , 158, 141-7 | 7 |
| 289 | Complete nucleotide sequence of mini-Rts1 and its copy mutant. 1984 , 158, 307-12 | 61 |
| 288 | Origin and direction of <i>in vitro</i> replication of <i>Haemophilus ducreyi</i> and <i>Neisseria gonorrhoeae</i> ampicillin resistance plasmids. 1984 , 158, 393-5 | 6 |
| 287 | DNA-DNA hybridization analysis of nylon oligomer-degradative plasmid pOAD2: identification of the DNA region analogous to the nylon oligomer degradation gene. 1984 , 158, 419-24 | 14 |
| 286 | Transposon Tn5 specifies streptomycin resistance in <i>Rhizobium</i> spp. 1984 , 158, 580-9 | 42 |
| 285 | Cloning and expression in <i>Pseudomonas aeruginosa</i> of a gene involved in the production of alginate. 1984 , 158, 1115-21 | 220 |
| 284 | Construction and characterization of an <i>Escherichia coli</i> strain with a <i>uncl</i> mutation. 1984 , 158, 820-5 | 88 |
| 283 | Expression of the <i>Bacillus subtilis</i> glutamine synthetase gene in <i>Escherichia coli</i> . 1984 , 158, 967-71 | 15 |
| 282 | Cloning and characterization of the <i>Bacillus licheniformis</i> gene coding for alkaline phosphatase. 1984 , 158, 978-82 | 12 |
| 281 | Transformation of <i>Clostridium perfringens</i> . 1984 , 159, 460-4 | 41 |
| 280 | Gene responsible for protecting <i>Escherichia coli</i> from sodium dodecyl sulfate and toluidine blue plus light. 1984 , 159, 527-32 | 7 |
| 279 | Novel system for recognizing and eliminating foreign DNA in <i>Pseudomonas putida</i> . 1984 , 159, 678-82 | 6 |
| 278 | Cloning and expression of a gene segment encoding the enzymatic moiety of <i>Pseudomonas aeruginosa</i> exotoxin A. 1984 , 159, 683-7 | 15 |
| 277 | Polypeptide involved in the <i>Escherichia coli</i> plasmid-mediated citrate transport system. 1984 , 160, 421-6 | 12 |
| 276 | <i>In vitro</i> deletions in the partition locus of plasmid pSC101. 1984 , 160, 434-7 | 3 |

| | | |
|-----|---|-----|
| 275 | Molecular basis of isozyme formation of beta-galactosidases in <i>Bacillus stearothermophilus</i> : isolation of two beta-galactosidase genes, bgaA and bgaB. 1984 , 160, 9-14 | 29 |
| 274 | Mapping of the glucose dehydrogenase gene in <i>Bacillus subtilis</i> . 1984 , 160, 607-11 | 12 |
| 273 | Shuttle cloning vectors for the marine bacterium <i>Vibrio parahaemolyticus</i> . 1984 , 160, 808-11 | 11 |
| 272 | Stable inheritance of plasmid R1 requires two different loci. 1985 , 161, 292-8 | 149 |
| 271 | Molecular cloning of the phenylalanine ammonia lyase gene from <i>Rhodospiridium toruloides</i> in <i>Escherichia coli</i> K-12. 1985 , 161, 314-20 | 26 |
| 270 | Polymorphic extracellular glucoamylase genes and their evolutionary origin in the yeast <i>Saccharomyces diastaticus</i> . 1985 , 161, 574-82 | 75 |
| 269 | New cysE-pyrE-linked rfa mutation in <i>Escherichia coli</i> K-12 that results in a heptoseless lipopolysaccharide. 1985 , 161, 1209-14 | 13 |
| 268 | Physical mapping of a 330 X 10(3)-base-pair region of the <i>Myxococcus xanthus</i> chromosome that is preferentially labeled during spore germination. 1985 , 162, 124-30 | 6 |
| 267 | Transformation of <i>Azotobacter vinelandii</i> with plasmid DNA. 1985 , 162, 276-9 | 29 |
| 266 | Copy mutant of mini-Rts1: lowered binding affinity of mutated RepA protein to direct repeats. 1985 , 162, 72-7 | 20 |
| 265 | Lesions in citrate synthase that affect aerobic nitrogen fixation by <i>Azotobacter chroococcum</i> . 1985 , 162, 746-51 | 17 |
| 264 | Novel dnaG mutation in a dnaP mutant of <i>Escherichia coli</i> . 1985 , 162, 830-2 | 9 |
| 263 | Structural and functional analyses of the fosfomycin resistance transposon Tn2921. 1985 , 162, 1061-7 | 11 |
| 262 | Method for gene replacement in <i>Pseudomonas aeruginosa</i> used in construction of recA mutants: recA-independent instability of alginate production. 1985 , 162, 1068-74 | 52 |
| 261 | Unusual organization of the ilvIH promoter of <i>Escherichia coli</i> . 1985 , 163, 186-98 | 34 |
| 260 | Replication control in promiscuous plasmid RK2: kil and kor functions affect expression of the essential replication gene trfA. 1985 , 163, 228-37 | 55 |
| 259 | TOL plasmid pWW15 contains two nonhomologous, independently regulated catechol 2,3-oxygenase genes. 1985 , 163, 248-55 | 54 |
| 258 | Ca ²⁺ -induced permeabilization of the <i>Escherichia coli</i> outer membrane: comparison of transformation and reconstitution of binding-protein-dependent transport. 1985 , 163, 61-8 | 21 |

| | | |
|-----|--|----|
| 257 | Molecular cloning of the <i>cls</i> gene responsible for cardiolipin synthesis in <i>Escherichia coli</i> and phenotypic consequences of its amplification. 1985 , 163, 506-14 | 38 |
| 256 | Identification of the <i>Escherichia coli</i> <i>deoR</i> and <i>cytR</i> gene products. 1985 , 163, 1095-100 | 13 |
| 255 | Thermoinducible transcription system for <i>Bacillus subtilis</i> that utilizes control elements from temperate phage phi 105. 1985 , 163, 1101-8 | 29 |
| 254 | N conjugative transfer system of plasmid pCU1. 1985 , 163, 1229-36 | 28 |
| 253 | Complementation of a <i>Rhodospseudomonas sphaeroides</i> ribulose biphosphate carboxylase-oxygenase regulatory mutant from a genomic library. 1985 , 164, 147-54 | 19 |
| 252 | Analysis of the <i>ruv</i> locus of <i>Escherichia coli</i> K-12 and identification of the gene product. 1985 , 164, 276-81 | 27 |
| 251 | Isolation of a dihydrofolate reductase-deficient mutant of <i>Escherichia coli</i> . 1985 , 164, 470-2 | 19 |
| 250 | <i>araB</i> Gene and nucleotide sequence of the <i>araC</i> gene of <i>Erwinia carotovora</i> . 1985 , 164, 717-22 | 21 |
| 249 | Evolutionary conservation of genes coding for meta pathway enzymes within TOL plasmids pWW0 and pWW53. 1985 , 164, 887-95 | 61 |
| 248 | Measurement of the proton motive force in <i>Rhizobium meliloti</i> with the <i>Escherichia coli</i> <i>lacY</i> gene product. 1985 , 164, 929-31 | 3 |
| 247 | Glutamine synthetase-constitutive mutation affecting the <i>glnALG</i> upstream promoter of <i>Escherichia coli</i> . 1985 , 164, 1032-8 | 9 |
| 246 | Two functions of the E protein are key elements in the plasmid F replication control system. 1985 , 164, 1262-70 | 45 |
| 245 | Nucleotide sequence of the gene determining plasmid-mediated citrate utilization. 1985 , 164, 977-82 | 38 |
| 244 | Role of <i>ner</i> protein in bacteriophage Mu transposition. 1986 , 167, 503-7 | 28 |
| 243 | Identification of <i>dnaX</i> as a high-copy suppressor of the conditional lethal and partition phenotypes of the <i>parE10</i> allele. 1998 , 180, 1232-40 | 18 |
| 242 | A- and T-tract-mediated intrinsic curvature in native DNA between the binding site of the upstream activator NtrC and the <i>nifLA</i> promoter of <i>Klebsiella pneumoniae</i> facilitates transcription. 1999 , 181, 5296-302 | 22 |
| 241 | Cloning and characterization of a cryptic haloacid dehalogenase from <i>Burkholderia cepacia</i> MBA4. 1999 , 181, 6003-9 | 18 |
| 240 | Separate roles of <i>Escherichia coli</i> replication proteins in synthesis and partitioning of pSC101 plasmid DNA. 1999 , 181, 7552-7 | 17 |

| | | |
|-----|---|-----|
| 239 | Identification of a highly cross-reactive outer surface protein B epitope among diverse geographic isolates of <i>Borrelia</i> spp. causing Lyme disease. 1994 , 32, 489-500 | 19 |
| 238 | Isolation of a lambda dv plasmid carrying the bacterial gal operon. 1974 , 14, 1063-9 | 20 |
| 237 | Correlation between UV dose requirement for lambda bacteriophage induction and lambda repressor concentration. 1978 , 26, 595-602 | 15 |
| 236 | Functional organization of the Harvey murine sarcoma virus genome. 1980 , 35, 76-92 | 89 |
| 235 | Recovery of biologically active spleen focus-forming virus from molecularly cloned spleen focus-forming virus-pBR322 circular DNA by cotransfection with infectious type C retroviral DNA. 1980 , 35, 710-21 | 67 |
| 234 | Subgenomic fragment of molecular cloned Friend murine leukemia virus DNA contains the gene(s) responsible for Friend murine leukemia virus-induced disease. 1980 , 35, 924-36 | 40 |
| 233 | Properties of simian virus 40 small t antigen overproduced in bacteria. 1981 , 37, 683-97 | 45 |
| 232 | Detailed characterization of the mRNA mapping in the HindIII fragment K region of the herpes simplex virus type 1 genome. 1981 , 37, 1011-27 | 77 |
| 231 | Characterization of a major late herpes simplex virus type 1 mRNA. 1981 , 38, 483-96 | 41 |
| 230 | Herpes simplex virus type 1 HindIII fragment L encodes spliced and complementary mRNA species. 1981 , 39, 559-72 | 70 |
| 229 | Genomes of murine leukemia viruses isolated from wild mice. 1981 , 39, 777-91 | 118 |
| 228 | Characterization of the major Epstein-Barr virus-specific RNA in Burkitt lymphoma-derived cells. 1982 , 41, 376-89 | 158 |
| 227 | Colobus type C virus: molecular cloning of unintegrated viral DNA and characterization of the endogenous viral genomes of Colobus. 1982 , 41, 842-54 | 9 |
| 226 | Genome of reticuloendotheliosis virus: characterization by use of cloned proviral DNA. 1982 , 42, 237-52 | 36 |
| 225 | Two defective DNAs of human polyomavirus JC adapted to growth in human embryonic kidney cells. 1982 , 42, 395-401 | 25 |
| 224 | Biological and biochemical studies of African green monkey lymphotropic papovavirus. 1982 , 42, 502-9 | 43 |
| 223 | Change of DNA near the origin of replication enhances the transforming capacity of human papovavirus BK. 1982 , 42, 978-85 | 39 |
| 222 | Isolation and characterization of defective simian virus 40 genomes which complement for infectivity. 1982 , 43, 18-25 | 25 |

| | | |
|-----|---|-----|
| 221 | Envelope gene sequences which encode the gp52 protein of spleen focus-forming virus are required for the induction of erythroid cell proliferation. 1982 , 43, 223-33 | 98 |
| 220 | Molecular cloning of biologically active proviral DNA of the anemia-inducing strain of spleen focus-forming virus. 1982 , 44, 922-31 | 21 |
| 219 | Nucleotide sequence of the 3' end of MCF 247 murine leukemia virus. 1983 , 45, 291-8 | 73 |
| 218 | Comparison of infectious JC virus DNAs cloned from human brain. 1983 , 45, 299-308 | 45 |
| 217 | Characterization of herpes simplex virus 2 temperature-sensitive mutants whose lesions map in or near the coding sequences for the major DNA-binding protein. 1983 , 45, 332-42 | 45 |
| 216 | Molecular genetics of herpes simplex virus. VIII. further characterization of a temperature-sensitive mutant defective in release of viral DNA and in other stages of the viral reproductive cycle. 1983 , 45, 397-407 | 188 |
| 215 | Construction and isolation of a transforming murine retrovirus containing the src gene of Rous sarcoma virus. 1983 , 46, 594-605 | 72 |
| 214 | Structure of Marek's disease virus DNA: detailed restriction enzyme map. 1984 , 51, 102-9 | 115 |
| 213 | Construction of recombinants between molecular clones of murine retrovirus MCF 247 and Akv: determinant of an in vitro host range property that maps in the long terminal repeat. 1985 , 53, 152-7 | 43 |
| 212 | Autoregulation of the bacteriophage P22 scaffolding protein gene. 1985 , 53, 192-7 | 27 |
| 211 | Specific properties of two enteric adenovirus 41 clones mapped within early region 1A. 1985 , 54, 145-50 | 19 |
| 210 | Identification of hepatitis B virus polypeptides encoded by the entire pre-s open reading frame. 1985 , 55, 223-31 | 56 |
| 209 | Proviral genome of radiation leukemia virus: molecular cloning of biologically active proviral DNA and nucleotide sequence of its long terminal repeat. 1985 , 55, 251-5 | 22 |
| 208 | Molecular cloning and physical mapping of the tupaia herpesvirus genome. 1985 , 55, 86-95 | 20 |
| 207 | Monoclonal antibodies to the M protein of vesicular stomatitis virus (Indiana serotype) and to a cDNA M gene expression product. 1985 , 55, 298-306 | 23 |
| 206 | Construction and biological analysis of deletion mutants of Fujinami sarcoma virus: 5' pps sequence has a role in the transforming activity. 1985 , 55, 660-9 | 11 |
| 205 | Hepatitis B virus polypeptide X: expression in Escherichia coli and identification of specific antibodies in sera from hepatitis B virus-infected humans. 1986 , 57, 101-9 | 62 |
| 204 | Identification and localization of pre-s-encoded polypeptides from woodchuck and ground squirrel hepatitis viruses. 1986 , 57, 173-82 | 20 |

| | | |
|-----|--|-----|
| 203 | Mammalian cell transformation by a murine retrovirus vector containing the avian erythroblastosis virus erbB gene. 1986 , 60, 19-28 | 16 |
| 202 | Preferential clustering of viral DNA sequences at or near the site of chromosomal rearrangement in fowl adenovirus type 1 DNA-transformed cell lines. 1987 , 61, 151-8 | 5 |
| 201 | Herpes simplex virus infection generates large tandemly reiterated simian virus 40 DNA molecules in a transformed hamster cell line. 1987 , 61, 1427-34 | 20 |
| 200 | Identification of the human papillomavirus type 6b L1 open reading frame protein in condylomas and corresponding antibodies in human sera. 1987 , 61, 2684-90 | 48 |
| 199 | Simian retrovirus-D serotype 1 (SRV-1) envelope glycoproteins gp70 and gp20: expression in yeast cells and identification of specific antibodies in sera from monkeys that recovered from SRV-1 infection. 1988 , 62, 1774-80 | 20 |
| 198 | Role of glycoprotein B of herpes simplex virus type 1 in viral entry and cell fusion. 1988 , 62, 2596-604 | 366 |
| 197 | Herpes simplex virus type 1 ICP0 plays a critical role in the de novo synthesis of infectious virus following transfection of viral DNA. 1989 , 63, 4579-89 | 194 |
| 196 | Genetic analysis of type-specific antigenic determinants of herpes simplex virus glycoprotein C. 1992 , 66, 4864-73 | 16 |
| 195 | Two separate regions of the extrachromosomal ribosomal deoxyribonucleic acid of <i>Tetrahymena thermophila</i> enable autonomous replication of plasmids in <i>Saccharomyces cerevisiae</i> . 1981 , 1, 535-543 | 52 |
| 194 | gcr2, a new mutation affecting glycolytic gene expression in <i>Saccharomyces cerevisiae</i> . 1990 , 10, 6389-6396 | 38 |
| 193 | Self-regulation of 70-kilodalton heat shock proteins in <i>Saccharomyces cerevisiae</i> . 1990 , 10, 1622-1632 | 55 |
| 192 | TEC1, a gene involved in the activation of Ty1 and Ty1-mediated gene expression in <i>Saccharomyces cerevisiae</i> : cloning and molecular analysis. 1990 , 10, 3541-3550 | 46 |
| 191 | MET4, a leucine zipper protein, and centromere-binding factor 1 are both required for transcriptional activation of sulfur metabolism in <i>Saccharomyces cerevisiae</i> . 1992 , 12, 1719-1727 | 90 |
| 190 | Localization of kinetoplast DNA maxicircle transcripts in bloodstream and procyclic form <i>Trypanosoma brucei</i> . 1982 , 2, 845-852 | 25 |
| 189 | Cloning and transcriptional control of a eucaryotic permease gene. 1982 , 2, 977-984 | 21 |
| 188 | Proline utilization in <i>Saccharomyces cerevisiae</i> : analysis of the cloned PUT2 gene. 1983 , 3, 1846-1856 | 48 |
| 187 | Human thymidine kinase gene: molecular cloning and nucleotide sequence of a cDNA expressible in mammalian cells. 1984 , 4, 2316-2320 | 64 |
| 186 | <i>Saccharomyces cerevisiae</i> ribosomes recognize non-AUG initiation codons. 1984 , 4, 1191-1197 | 57 |

| | | |
|-----|---|--------|
| 185 | Inactivation of p53 gene expression by an insertion of Moloney murine leukemia virus-like DNA sequences. 1984 , 4, 1402-1410 | 56 |
| 184 | Amino-terminal fragments of delta 1-pyrroline-5-carboxylate dehydrogenase direct beta-galactosidase to the mitochondrial matrix in <i>Saccharomyces cerevisiae</i> . 1986 , 6, 3502-3512 | 23 |
| 183 | <i>Saccharomyces cerevisiae</i> PHO5 promoter region: location and function of the upstream activation site. 1986 , 6, 2613-2623 | 21 |
| 182 | Proline utilization in <i>Saccharomyces cerevisiae</i> : analysis of the cloned PUT1 gene. 1986 , 6, 2638-2645 | 40 |
| 181 | Complex interactions among members of an essential subfamily of hsp70 genes in <i>Saccharomyces cerevisiae</i> . 1987 , 7, 2568-2577 | 168 |
| 180 | A regulatory region responsible for proline-specific induction of the yeast PUT2 gene is adjacent to its TATA box. 1988 , 8, 4634-4641 | 31 |
| 179 | SAM2 encodes the second methionine S-adenosyl transferase in <i>Saccharomyces cerevisiae</i> : physiology and regulation of both enzymes. 1988 , 8, 5132-5139 | 58 |
| 178 | Isolation of constitutive mutations affecting the proline utilization pathway in <i>Saccharomyces cerevisiae</i> and molecular analysis of the PUT3 transcriptional activator. 1989 , 9, 4696-4705 | 20 |
| 177 | The <i>Saccharomyces cerevisiae</i> PUT3 activator protein associates with proline-specific upstream activation sequences. 1989 , 9, 4706-4712 | 46 |
| 176 | Elements involved in S-adenosylmethionine-mediated regulation of the <i>Saccharomyces cerevisiae</i> MET25 gene. 1989 , 9, 3292-3298 | 66 |
| 175 | Transfection of Enterobacteriaceae and its applications. 1978 , 42, 194-236 | 38 |
| 174 | Molecular basis of bacterial outer membrane permeability. 1985 , 49, 1-32 | 1652 |
| 173 | Physical and genetic mapping of the <i>Salmonella dublin</i> virulence plasmid pSDL2. Relationship to plasmids from other <i>Salmonella</i> strains. 1988 , 81, 1341-7 | 67 |
| 172 | Anti-Ro(SSA) autoantibodies are associated with T cell receptor beta genes in systemic lupus erythematosus patients. 1990 , 85, 33-9 | 65 |
| 171 | Mechanism of resistance to complement-mediated killing of bacteria encoded by the <i>Salmonella typhimurium</i> virulence plasmid gene rck. 1992 , 90, 953-64 | 78 |
| 170 | Differential expression of a muscle actin gene in muscle cell lineages of ascidian embryos. 1987 , 101, 751-765 | 33 |
| 169 | Production in <i>Escherichia coli</i> and Application of a Recombinant Carbonic Anhydrase of the Cyanobacterium <i>Anabaena</i> sp. Strain PCC7120. 2006 , 39, 351-359 | 1 |
| 168 | Diversity Takes Shape: Understanding the Mechanistic and Adaptive Basis of Bacterial Morphology. <i>PLoS Biology</i> , 2016 , 14, e1002565 | 9.7 66 |

149 Molecular Genetics of GAL Regulon. **2008**, 101-142

148 Cloning of the β -Lactamase Gene from Bacillus sp. J105 and Analysis of Its Expression in E. coli Cells. **2008**, 18, 1592-1599

147 [A novel vector for construction of a cDNA library]. **2010**, 56, 329-41

146 Characteristics and Antibiotic Susceptibility of Imipenem-Resistant Clinical Isolates Producing Carbapenemase. **2010**, 20, 1214-1220

2

145 Historical Perspective. 1-34

144 Genome engineering of Fusarium species by using positive and negative selection approaches for studying regulation of mycotoxin production. **2013**, 63, 85-92

1

143 Characterization of Avirulent TnpA Mutants in *Agrobacterium tumefaciens* to Enhance Transformation Efficiency. **2014**, 04, 579-593

142 Molecular Aspects of the Biosynthesis of R Factor DNA. **1975**, 91-98

141 Replication and expression of constructed plasmid chimeras in transformed Escherichia coli--a review. **1975**, 5A, 335-44

1

140 Resistenzfaktoren, Plasmide und die gezielte Vereinigung von Genen. **1976**, 101-126

139 INITIAL STUDIES OF SEA URCHIN DNA SEQUENCE ORGANIZATION BY MOLECULAR CLONING. **1976**, 553-563

138 CLONING OF DROSOPHILA MELANOGASTER ECORI DNA FRAGMENTS. **1976**, 543-552

137 CLONING THE PHR GENE OF ESCHERICHIA COLI ., **1978**, 159-162

2

136 Annotated Bibliography. **1978**, 337-364

135 Soybean Urease-Potential Genetic Manipulation of Agronomic Importance. **1979**, 241-259

134 CHARACTERIZATION OF MOLECULARLY CLONED SPLEEN FOCUS-FORMING VIRUS DNA. **1980**, 473-482

133 Gene Expression of Transposable Element Determining Ampicillin Resistance. **1980**, 71-76

132 Genetic and Physico-Chemical Analysis of Antibiotic Resistance Plasmids of Clinical Strains. **1980**, 125-130

- 131 PLASMIDS ASSOCIATED WITH AN ENTEROTOXIGENIC STRAIN OF E. coli. **1980**, 145-154
- 130 THE GENOME OF BACTERIOPHAGE PM2: CLONING, RESTRICTION ENDONUCLEASE MAP AND CHARACTERIZATION OF TEMPERATURE-SENSITIVE MUTANTS. **1981**, 87-107 1
- 129 Plasmid Mediated Ampicillin Resistance in a Strain of Haemophilus pleuropneumoniae Isolated from Swine. **1981**, 539-545 1
- 128 CLONING OF DNA SYNTHESIS INITIATION DETERMINANTS OF COLE1 PLASMID INTO SINGLE-STRANDED DNA PHAGES. **1981**, 157-167 1
- 127 Photosynthesis and Cloning in Cyanobacteria. **1982**, 103-131 1
- 126 PLASMID TRANSFORMATION AND PREPARATION. **1982**, 333-336
- 125 CLONING OF DOUBLE STRANDED cDNA FROM MAJOR AND MINOR COMPONENTS OF mRNA. **1982**, 111-127
- 124 Charakterisierung eines CaCl₂-abhängigen Transfektionssystems von Escherichia coli und T3-Phagen-DNS. **1982**, 22, 487-493
- 123 Cloning the Crystal Protein Gene of B. thuringiensis in E. coli. **1982**, 131-144 1
- 122 Recombinational instability of a chimeric plasmid in Saccharomyces cerevisiae. **1984**, 4, 195-198 8
- 121 Basic Methods. **1984**, 1-103
- 120 Shuttle vector for Escherichia coli, Pseudomonas putida, and Pseudomonas aeruginosa. **1985**, 30, 657-62
- 119 Cloning of an enzymatically active segment of the exotoxin-A gene of Pseudomonas aeruginosa. **1985**, 30, 777-90
- 118 Recombination in Bacteria. **1987**, 48-68
- 117 In Vivo Genetic Manipulation. **1987**, 3-53 2
- 116 Recombination in Bacteria. **1987**, 48-68
- 115 Introduction. **1987**, 1-2
- 114 Microcarrier DORMACELL does not detectably alter viral or plasmid DNA upon direct exposure. **1987**, 484-491

- 113 INTRODUCTION OF DNA INTO CELLS. **1989**, 43-49
- 112 Restriction enzyme analysis and localization of Bacillus subtilis chromosomal fragment partially suppressing recB recC mutations of Escherichia coli. **1989**, 5, 72-77
- 111 Expression of a cDNA encoding rat liver DT-diaphorase in Escherichia coli. **1991**, 283, 323-7
- 110 Protein-protein interaction in the alpha-complementation system of beta-galactosidase. **1992**, 33, 81-104 2
- 109 INTRODUCTION OF DNA INTO CELLS. **1992**, 43-50
- 108 Method for rapid transformation of enterobacteria and some factors influencing its efficiency. **1992**, 8, 46-50 3
- 107 Indikationsstellungen für den Einsatz von Immunstimulanzen und Strategien für den klinisch-immunologischen Wirksamkeitsnachweis. **1997**, 39-60
- 106 Cloning from Genomic DNA and Production of Libraries. **1997**, 54-153
- 105 Transposon Tn3, 1973 to 1980. 43-53
- 104 Gene Transfer in Gram-Negative Bacteria. 735-755 2
- 103 An Overview of Methods Used in Neurogenomics and Their Applications. **2015**, 1-59
- 102 References. **2015**, 225-236
- 101 Scientific Breeding in the Twentieth Century and Future Goals. **2016**, 39-71 1
- 100 The Characteristics of Imipenem-Resistant Bacteria Isolated from One Patient. **2017**, 49, 413-419
- 99 Mapping of transgenic alleles in plants using a Nanopore-based sequencing strategy.
- 98 A Simplified Method for Obtaining cDNA of Low-Copy and Silent Eukaryotic Genes Using Human Renalase as an the Example. **2019**, 2, e00101 3
- 97 Investigating Survival of Erwinia amylovora from Fire Blight-Diseased Apple and Pear Trees Buried in Soil as Control Measure. **2019**, 38, 269-272 2
- 96 Cloning and Transformation with Plasmid Vectors. **2021**, 2021, pdb.top101170

| | | |
|----|---|--------|
| 95 | Uptake and Fate of Plasmid-DNA in <i>Azospirillum Lipoferum</i> A23. 1983 , 56-65 | 2 |
| 94 | Construction of a chimeric human gene encoding renalase with a modified N-terminus. 2020 , 3, e00137 | 2 |
| 93 | Construction of <i>Clostridium butyricum</i> hybrid plasmids and transfer to <i>Bacillus subtilis</i> . <i>Applied Microbiology and Biotechnology</i> , 1985 , 23, 114-122 | 5.7 22 |
| 92 | Cloning and expression of the <i>Saccharomycopsis fibuligera</i> glucoamylase gene in <i>Saccharomyces cerevisiae</i> . <i>Applied Microbiology and Biotechnology</i> , 1985 , 23, 130-133 | 5.7 28 |
| 91 | Point mutations in the regulatory region of the human adenoviral VAI gene.. 1983 , 258, 11576-11581 | 6 |
| 90 | Structure of a newly isolated variant of Simian virus 40 DNA containing monkey DNA and its similarity to previously isolated variants.. 1980 , 255, 8919-8927 | 2 |
| 89 | Total synthesis of a tyrosine suppressor tRNA gene. XVIII. Biological activity and transcription, in vitro, of the cloned gene.. 1979 , 254, 5817-5826 | 40 |
| 88 | Transforming activity of mercury-substituted DNA synthesized in vitro by permeable cells of <i>Bacillus subtilis</i> .. 1982 , 257, 1610-1612 | 7 |
| 87 | Isolation of the catalase T structural gene of <i>Saccharomyces cerevisiae</i> by functional complementation. 1983 , 3, 1545-1551 | 30 |
| 86 | A positive regulatory site and a negative regulatory site control the expression of the <i>Saccharomyces cerevisiae</i> CYC7 gene. 1984 , 4, 2023-2030 | 55 |
| 85 | Expression of the <i>Saccharomyces cerevisiae</i> GAL7 gene on autonomous plasmids. 1984 , 4, 2062-2071 | 24 |
| 84 | Molecular cloning and nucleotide sequence analysis of the <i>Saccharomyces cerevisiae</i> RAD1 gene. 1984 , 4, 2161-2169 | 32 |
| 83 | Plasmid-directed synthesis of genuine adenovirus 2 early-region 1A and 1B proteins in <i>Escherichia coli</i> . 1984 , 4, 1427-1439 | 7 |
| 82 | Micronuclear DNA of <i>Oxytricha nova</i> contains sequences with autonomously replicating activity in <i>Saccharomyces cerevisiae</i> . 1984 , 4, 1725-1729 | 1 |
| 81 | Malignant transformation and tumor promoter treatment increase levels of a transcript for a secreted glycoprotein. 1985 , 5, 466-473 | 10 |
| 80 | TU elements: a heterogeneous family of modularly structured eucaryotic transposons. 1985 , 5, 991-1001 | 17 |
| 79 | Human homologs of TU transposon sequences: polypurine/polypyrimidine sequence elements that can alter DNA conformation in vitro and in vivo. 1986 , 6, 3632-3642 | 24 |
| 78 | Cellular response to DNA damage is enhanced by the pR plasmid in mouse cells and in <i>Escherichia coli</i> . 1986 , 6, 586-592 | 5 |

| | | | |
|----|---|----|-----|
| 77 | Region VI of cauliflower mosaic virus encodes a host range determinant. 1986 , 6, 2632-2637 | | 31 |
| 76 | High-efficiency cloning of full-length cDNA. 1982 , 2, 161-170 | | 449 |
| 75 | Genetic selection for reciprocal translocation at chosen chromosomal sites in <i>Saccharomyces cerevisiae</i> . 1982 , 2, 1025-1032 | | 20 |
| 74 | Genome structure of mink cell focus-forming murine leukemia virus in epithelial mink lung cells transformed <i>in vitro</i> by iododeoxyuridine-induced C3H/MuLV cells. 1983 , 45, 740-54 | | 10 |
| 73 | Tn3 labeling of a cryptic plasmid found in the plant pathogenic bacterium <i>Pseudomonas tabaci</i> and mobilization of RSF1010 by donation. 1983 , 155, 438-42 | | 2 |
| 72 | Isolation of <i>uvrA</i> mutation on a multicopy plasmid: preliminary characterization of the mutant protein. 1984 , 157, 857-62 | | |
| 71 | Application of hybrid plasmids carrying glycolysis genes to ATP production by <i>Escherichia coli</i> . 1982 , 152, 98-103 | | 13 |
| 70 | Xer-mediated site-specific recombination at <i>cer</i> generates Holliday junctions <i>in vivo</i> . <i>EMBO Journal</i> , 1994 , 13, 1844-55 | 13 | 27 |
| 69 | Role for the outer membrane ferric siderophore receptor PupB in signal transduction across the bacterial cell envelope. <i>EMBO Journal</i> , 1994 , 13, 2805-13 | 13 | 57 |
| 68 | Modulation of <i>tyrT</i> promoter activity by template supercoiling <i>in vivo</i> . <i>EMBO Journal</i> , 1994 , 13, 5647-55 | 13 | 12 |
| 67 | Derivatives of <i>ColE1</i> <i>cer</i> show altered topological specificity in site-specific recombination. <i>EMBO Journal</i> , 1989 , 8, 309-15 | 13 | 24 |
| 66 | The transition state transcription regulator <i>abrB</i> of <i>Bacillus subtilis</i> is a DNA binding protein. <i>EMBO Journal</i> , 1989 , 8, 1615-21 | 13 | 110 |
| 65 | Anion transport in oocytes of <i>Xenopus laevis</i> induced by expression of mouse erythroid band 3 protein--encoding cRNA and of a cRNA derivative obtained by site-directed mutagenesis at the stilbene disulfonate binding site. <i>EMBO Journal</i> , 1989 , 8, 3601-9 | 13 | 21 |
| 64 | Depletion of functional ribosomal RNA operons in <i>Escherichia coli</i> causes increased expression of the remaining intact copies. <i>EMBO Journal</i> , 1993 , 12, 4305-15 | 13 | 64 |
| 63 | Identification of the structural gene for glucose-6-phosphate dehydrogenase in yeast. Inactivation leads to a nutritional requirement for organic sulfur. <i>EMBO Journal</i> , 1991 , 10, 547-53 | 13 | 46 |
| 62 | Resolution of <i>ColE1</i> dimers requires a DNA sequence implicated in the three-dimensional organization of the <i>cer</i> site. <i>EMBO Journal</i> , 1988 , 7, 851-8 | 13 | 58 |
| 61 | Initial steps in protein membrane insertion. Bacteriophage M13 procoat protein binds to the membrane surface by electrostatic interaction. <i>EMBO Journal</i> , 1990 , 9, 2723-9 | 13 | 20 |
| 60 | Colony-stimulating factor 1 activates protein kinase C in human monocytes. <i>EMBO Journal</i> , 1990 , 9, 2423-8, 2389 | 13 | 25 |

| | | | |
|----|--|----|-----|
| 59 | Convergent transcription interferes with expression of the copy number control gene, <i>copA</i> , from plasmid R1. <i>EMBO Journal</i> , 1982 , 1, 323-8 | 13 | 17 |
| 58 | Expression of the cloned uracil permease gene of <i>Saccharomyces cerevisiae</i> in a heterologous membrane. <i>EMBO Journal</i> , 1982 , 1, 375-7 | 13 | 7 |
| 57 | Genetic analysis of nitrogen fixation in a tropical fast-growing <i>Rhizobium</i> . <i>EMBO Journal</i> , 1982 , 1, 499-503 | 13 | 22 |
| 56 | Cloning and analysis of a genomic fragment of <i>Dictyostelium discoideum</i> hybridizing to an RNA specifically accumulated in spore cells. <i>EMBO Journal</i> , 1982 , 1, 1089-93 | 13 | |
| 55 | Recombinant forms of M13 procoat with an <i>OmpA</i> leader sequence or a large carboxy-terminal extension retain their independence of <i>secY</i> function. <i>EMBO Journal</i> , 1987 , 6, 501-5 | 13 | 14 |
| 54 | Control of replication of plasmid R1: translation of the 7k reading frame in the <i>RepA</i> mRNA leader region counteracts the interaction between <i>CopA</i> RNA and <i>CopT</i> RNA. <i>EMBO Journal</i> , 1987 , 6, 515-22 | 13 | 12 |
| 53 | Functional mutants of phenylalanine transfer RNA from <i>Escherichia coli</i> . <i>EMBO Journal</i> , 1985 , 4, 509-13 | 13 | 4 |
| 52 | A <i>Tn3 lacZ</i> transposon for the random generation of beta-galactosidase gene fusions: application to the analysis of gene expression in <i>Agrobacterium</i> . <i>EMBO Journal</i> , 1985 , 4, 891-8 | 13 | 227 |
| 51 | The wheat chloroplast gene for CF(0) subunit I of ATP synthase contains a large intron. <i>EMBO Journal</i> , 1985 , 4, 1381-8 | 13 | 38 |
| 50 | Transformation of <i>Saccharomyces cerevisiae</i> and <i>Schizosaccharomyces pombe</i> with linear plasmids containing 2 micron sequences. <i>EMBO Journal</i> , 1985 , 4, 1569-73 | 13 | 4 |
| 49 | Cloning and expression of <i>Klebsiella pneumoniae</i> genes coding for citrate transport and fermentation. <i>EMBO Journal</i> , 1985 , 4, 1599-603 | 13 | 11 |
| 48 | A single amino acid alteration in the initiation protein is responsible for the DNA overproduction phenotype of copy number mutants of plasmid R6K. <i>EMBO Journal</i> , 1985 , 4, 2301-7 | 13 | 9 |
| 47 | Mapping and expression of a regulatory nitrogen fixation gene (<i>fixD</i>) of <i>Rhizobium meliloti</i> . <i>EMBO Journal</i> , 1985 , 4, 2751-6 | 13 | 22 |
| 46 | Dynamics of cruciform extrusion in supercoiled DNA: use of a synthetic inverted repeat to study conformational populations. <i>EMBO Journal</i> , 1983 , 2, 527-33 | 13 | 15 |
| 45 | Insect immunity. Isolation of cDNA clones corresponding to attacins and immune protein P4 from <i>Hyalophora cecropia</i> . <i>EMBO Journal</i> , 1983 , 2, 577-81 | 13 | 7 |
| 44 | The cloning and expression of the gene encoding organ-specific esterase S from the genome of <i>Drosophila virilis</i> . <i>EMBO Journal</i> , 1983 , 2, 1-7 | 13 | 4 |
| 43 | Post-transcriptional control of expression of the <i>repA</i> gene of plasmid R1 mediated by a small RNA molecule. <i>EMBO Journal</i> , 1983 , 2, 93-8 | 13 | 56 |
| 42 | The conserved part of the T-region in Ti-plasmids expresses four proteins in bacteria. <i>EMBO Journal</i> , 1983 , 2, 403-9 | 13 | 27 |

| | | | |
|----|---|-----|-----|
| 41 | Construction of a correlated physical and genetic map of the <i>Klebsiella pneumoniae</i> hisDGO region using transposon Tn5 mutagenesis. <i>EMBO Journal</i> , 1983 , 2, 1831-8 | 13 | 2 |
| 40 | Comparison of the expression of the seven ribosomal RNA operons in <i>Escherichia coli</i> . <i>EMBO Journal</i> , 1992 , 11, 4175-85 | 13 | 62 |
| 39 | Regulated expression of a gene important for replication of plasmid F in <i>E. coli</i> . <i>EMBO Journal</i> , 1984 , 3, 257-62 | 13 | 28 |
| 38 | pBR322 plasmid DNA modified with 2-acetylaminofluorene derivatives: transforming activity and in vitro strand cleavage by the <i>Escherichia coli</i> uvrABC endonuclease. <i>EMBO Journal</i> , 1984 , 3, 757-60 | 13 | 16 |
| 37 | Mapping of the protein-coding regions of <i>Rhizobium meliloti</i> common nodulation genes. <i>EMBO Journal</i> , 1984 , 3, 1705-11 | 13 | 21 |
| 36 | Delivery of T-DNA from the <i>Agrobacterium tumefaciens</i> chromosome into plant cells. <i>EMBO Journal</i> , 1984 , 3, 2485-90 | 13 | 21 |
| 35 | Cloning of genes involved in pathogenicity of <i>Xanthomonas campestris</i> pv. <i>campestris</i> using the broad host range cosmid pLAFR1. <i>EMBO Journal</i> , 1984 , 3, 3323-8 | 13 | 106 |
| 34 | Mechanism of postsegregational killing by the <i>hok</i> gene product of the <i>parB</i> system of plasmid R1 and its homology with the <i>relF</i> gene product of the <i>E. coli</i> <i>relB</i> operon. <i>EMBO Journal</i> , 1986 , 5, 2023-9 | 13 | 103 |
| 33 | Characterization of the membrane quinoprotein glucose dehydrogenase from <i>Escherichia coli</i> and characterization of a site-directed mutant in which histidine-262 has been changed to tyrosine. <i>Biochemical Journal</i> , 1999 , 340 (Pt 3), 639-47 | 3.8 | 8 |
| 32 | Plasmid mediated antimicrobial resistance in Ontario isolates of <i>Actinobacillus</i> (<i>Haemophilus</i>) <i>pleuropneumoniae</i> . <i>Canadian Journal of Veterinary Research</i> , 1989 , 53, 38-42 | | 8 |
| 31 | Amino acid change associated with the major polymorphic Hinc II site of Oriental and Caucasian mitochondrial DNAs. <i>American Journal of Human Genetics</i> , 1983 , 35, 167-76 | 11 | 50 |
| 30 | Molecular biology of spiroplasma plasmids. <i>Yale Journal of Biology and Medicine</i> , 1983 , 56, 777-81 | 2.4 | 8 |
| 29 | Novel plasmid transformation method mediated by chrysotile, sliding friction, and elastic body exposure. <i>Analytical Chemistry Insights</i> , 2007 , 2, 9-15 | | 7 |
| 28 | Cloning and Gene Manipulation. 2022 , 13-56 | | |
| 27 | Characterization and heterologous expression of a novel Co-dependent leucyl aminopeptidase Amp0279 originating from <i>Lysinibacillus sphaericus</i> .. <i>Applied Microbiology and Biotechnology</i> , 2022 , 106, 1139 | 5.7 | 0 |
| 26 | Spectroscopic observations of Eudesmol binding to human cytochrome P450 isoforms 3A4 and 1A2, but not to isoforms 2C9, 2C19 and 2D6.. <i>Xenobiotica</i> , 2022 , 1-28 | 2 | 1 |
| 25 | Restriction enzymes and their use in molecular biology: An overview. <i>Journal of Biosciences</i> , 2019 , 44, | 2.3 | 2 |
| 24 | Pionierentwicklungen in der Gentechnik. 2022 , 135-175 | | |

| | | | |
|----|---|-----|---|
| 23 | A Brief History of Plasmids.. <i>EcoSal Plus</i> , 2022 , eESP00282021 | 7.7 | 3 |
| 22 | You can't keep a bad idea down: Dark history, death, and potential rebirth of eugenics.. <i>Anatomical Record</i> , 2021 , | 2.1 | 2 |
| 21 | Table_1.DOCX. 2018 , | | |
| 20 | Table_2.DOCX. 2018 , | | |
| 19 | Data_Sheet_1.pdf. 2020 , | | |
| 18 | Vectors: Guide to Gene Delivery Vehicles. <i>Techniques in Life Science and Biomedicine for the Non-expert</i> , 2022 , 15-42 | | |
| 17 | Enhanced Production, Cloning, and Expression of a Xylanase Gene from Endophytic Fungal Strain <i>Trichoderma harzianum</i> kj831197.1: Unveiling the In Vitro Anti-Fungal Activity against Phytopathogenic Fungi. <i>Journal of Fungi (Basel, Switzerland)</i> , 2022 , 8, 447 | 5.6 | 0 |
| 16 | Lipofection mediated transfection fails for sea urchin coelomocytes.. <i>PLoS ONE</i> , 2022 , 17, e0267911 | 3.7 | 1 |
| 15 | An evolutionary conserved detoxification system for membrane lipid-derived peroxy radicals in Gram-negative bacteria.. <i>PLoS Biology</i> , 2022 , 20, e3001610 | 9.7 | 1 |
| 14 | Impact of tumoral structure and bacterial species on growth and biodistribution of live bacterial therapeutics in xenografted tumours. 1-12 | | 0 |
| 13 | Past, Present, and Future of Genome Modification in <i>Escherichia coli</i> . 2022 , 10, 1835 | | 1 |
| 12 | Molecular Detection of Infectious Endocarditis (<i>Bartonella quintana</i>) Bacteria from Selected Military Hospitals. 2022 , 16, 457-464 | | 0 |
| 11 | Comparaci3n de la eficiencia de transformaci3n entre diferentes cepas de <i>E. coli</i> . 2019 , 13, 112-120 | | 0 |
| 10 | Molecular Detection of Infectious Endocarditis (<i>Coxiella burnetii</i>) Bacteria from Selected Military Hospitals. 2022 , 16, 594-600 | | 0 |
| 9 | CONSTRUCTION OF THE INFECTIOUS MOLECULE OF BETA SATELLITE ASSOCIATED WITH AGERATUM YELLOW VEIN DISEASE OF AGERATUM CONYZOIDES. 2022 , 2018, | | 0 |
| 8 | Characterization and identification of a novel chromosomal class C β -lactamase, LAQ-1, and comparative genomic analysis of a multidrug resistance plasmid in <i>Lelliottia amnigena</i> P13. 13, | | 0 |
| 7 | Motility mediates satellite formation in confined biofilms. | | 0 |
| 6 | Metabolic engineering for sustainability and health. 2023 , | | 0 |

- 5 Knockout of Targeted Plasmid-Borne β -Lactamase Genes in an Extended-Spectrum- β -Lactamase-Producing *Escherichia coli* Strain: Impact on Resistance and Proteomic Profile. ○
- 4 DNA storage—from natural biology to synthetic biology. **2023**, 21, 1227-1235 ○
- 3 Molecular biology tools used to study hominin evolution. **2023**, 219-279 ○
- 2 Classical Recombinant DNA Cloning. **2023**, 1-24 ○
- 1 Degradation of PET Bottles by an Engineered *Ideonella sakaiensis* PETase. **2023**, 15, 1779 ○