

# CITATION REPORT

List of articles citing

**Modification of seizure activity by electrical stimulation. II. Motor seizure**

**DOI: 10.1016/0013-4694(72)90177-0**  
**Electroencephalography and Clinical Neurophysiology**  
**, 1972, 32, 281-94.**

**Source:** <https://exaly.com/paper-pdf/10959375/citation-report.pdf>

**Version:** 2024-04-20

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
2227	Modification of seizure activity by electrical stimulation. I. After-discharge threshold. <i>Electroencephalography and Clinical Neurophysiology</i> , <b>1972</b> , 32, 269-79		623
2226	Modification of seizure activity by electrical stimulation. 3. Mechanisms. <i>Electroencephalography and Clinical Neurophysiology</i> , <b>1972</b> , 32, 295-9		217
2225	Epileptiform activity and neural plasticity in limbic structures. <b>1972</b> , 47, 262-8		245
2224	Self-stimulation and suppression of feeding observed at the same site in the amygdala. <b>1973</b> , 10, 215-9		10
2223	First trial motor seizures triggered by amygdaloid stimulation in the rat. <i>Electroencephalography and Clinical Neurophysiology</i> , <b>1973</b> , 35, 487-94		32
2222	Transfer, interference and spontaneous recovery of convulsions kindled from the rat amygdala. <i>Electroencephalography and Clinical Neurophysiology</i> , <b>1973</b> , 35, 533-43		152
2221	Rates of motor seizure development in rats subjected to electrical brain stimulation: strain and inter-stimulation interval effects. <i>Electroencephalography and Clinical Neurophysiology</i> , <b>1973</b> , 35, 553-6		154
2220	Acute antiepileptic effects of 9-tetrahydrocannabinol in rats with kindled seizures. <b>1973</b> , 40, 471-83		40
2219	Interanimal transfer and chemical events underlying the kindling effect. <b>1973</b> , 1, 319-321		6
2218	Blockage of highly-stable "kindled" seizures in rats by antecedent footshock. <b>1973</b> , 14, 29-37		41
2217	Interanimal negative transfer of the kindling effect. <b>1974</b> , 2, 379-382		20
2216	Potentiation of amygdaloid kindling and metrazol-induced seizures by 6-hydroxydopamine in rats. <b>1974</b> , 45, 118-33		143
2215	Effects of current intensity on kindled motor seizure activity in rats. <b>1974</b> , 11, 59-68		28
2214	Persistent seizure susceptibility and recurrent spontaneous seizures in kindled cats. <b>1974</b> , 15, 465-78		230
2213	Antiepileptic and prophylactic effects of tetrahydrocannabinols in amygdaloid kindled cats. <b>1975</b> , 16, 503-10		47
2212	Kindling: secondary epileptogenesis, sleep and catecholamines. <b>1975</b> , 2, 439-46		93
2211	Does the engram of kindling model the engram of normal long term memory?. <b>1975</b> , 2, 385-94		168

2210	Generality of the kindling phenomenon: some clinical implications. <b>1975</b> , 2, 467-75	95
2209	Kindling, unit discharge patterns and neural plasticity. <b>1975</b> , 2, 395-405	103
2208	Effect of daily saline, drug or blank injections on the susceptibility to the convulsant effect of drugs. <b>1975</b> , 3, 721-2	8
2207	Kindling in the hypothalamus and transfer to the ipsilateral amygdala. <b>1975</b> , 15, 119-31	25
2206	The neural basis of prolonged suppression of predatory attack. I. Naturally occurring physiological differences in the limbic systems of killer and non-killer cats. <b>1975</b> , 1, 315-330	16
2205	Primary and "transfer" seizure development in the kindled rat. <b>1975</b> , 2, 417-28	88
2204	Frontal lobe and kindling in the rat. <b>1975</b> , 2, 501-8	38
2203	Frontal cortical kindling in cats. <b>1975</b> , 2, 493-9	16
2202	Secondary epileptogenesis in frog forebrain: effect of inhibition of protein synthesis. <b>1975</b> , 2, 407-16	36
2201	Split-brain rat: transfer and interference of kindled amygdala convulsions. <b>1975</b> , 2, 429-37	61
2200	Potentials evoked by stimulation of the hippocampus: Low frequency suppression effect. <b>1975</b> , 15, 551-559	2
2199	Electrically-induced epileptogenesis in rabbit olfactory bulb: electrophysiological plasticity in a simple cortical system. <b>1975</b> , 94, 185-97	12
2198	Progressive behavioral changes during chronic lidocaine administration: relationship to kindling. <b>1975</b> , 17, 943-50	95
2197	Post-activation potentiation and the kindling phenomenon. <i>Electroencephalography and Clinical Neurophysiology</i> , <b>1975</b> , 39, 261-71	84
2196	Modification of seizure activity by electrical stimulation: cortical areas. <i>Electroencephalography and Clinical Neurophysiology</i> , <b>1975</b> , 38, 1-12	150
2195	Effects of procaine hydrochloride, diazepam, and diphenylhydantoin on seizure development in cortical and subcortical structures in rats. <i>Electroencephalography and Clinical Neurophysiology</i> , <b>1975</b> , 38, 355-65	142
2194	Hippocampal seizure and secondary epileptogenesis in the "kindled" cat preparations. <b>1975</b> , 29, 239-50	8
2193	Cholinergic seizure kindling in the rat: comparison of caudate, amygdala and hippocampus. <b>1975</b> , 13, 491-5	127

2192	Spontaneous seizures generated in rats by kindling: A preliminary report. <b>1975</b> , 3, 127-129	55
2191	Lack of retardation with convulsed recipients in the kindling paradigm. <b>1976</b> , 7, 183-184	1
2190	The effects of taurine on various stages of the kindling process: A summary of results. <b>1976</b> , 7, 397-400	5
2189	Failure of atropine to retard amygdaloid kindling. <b>1976</b> , 51, 271-5	32
2188	Progressive intensification of motor seizures produced by periodic electroconvulsive shock. <b>1976</b> , 51, 421-33	40
2187	Kindling in the frog: development of spontaneous epileptiform activity. <i>Electroencephalography and Clinical Neurophysiology</i> , <b>1976</b> , 40, 1-11	46
2186	Development of kindled amygdaloid seizures after section of the forebrain commissures in rats. <b>1976</b> , 30, 65-71	2
2185	Kindling-related changes in afterdischarge "thresholds". <b>1976</b> , 17, 197-206	69
2184	Increasing effects of repetitive cocaine administration in the rat. <b>1976</b> , 260, 731-2	384
2183	Kindling rates in inbred mice: an analog to learning?. <b>1976</b> , 16, 439-52	45
2182	Afterdischarge thresholds and kindling rates in dorsal and ventral hippocampus and dentate gyrus. <b>1977</b> , 4, 273-8	149
2181	Functional changes in the caudate and accumbens nuclei during amygdaloid and hippocampal seizure development in kindled cats. <b>1977</b> , 31, 501-12	3
2180	Morphine enhances amygdaloid seizures and increases inter-ictal spike frequency in kindled rats. <b>1977</b> , 6, 255-60	61
2179	Facilitation of secondary-site amygdaloid kindling following bisection of the corpus callosum and hippocampal commissure in rats. <b>1977</b> , 57, 132-41	28
2178	Postseizure inhibition of kindled seizures. <b>1977</b> , 54, 266-82	132
2177	Status epilepticus: a new rodent model. <i>Electroencephalography and Clinical Neurophysiology</i> , <b>1977</b> , 43, 707-24	27
2176	Facilitation of amygdaloid kindling by lesions of the stria terminalis. <b>1977</b> , 122, 137-42	46
2175	Release of gamma-aminobutyric acid from hippocampal slices of the rat following generalized seizures induced by daily electrical stimulation of entorhinal cortex. <b>1977</b> , 138, 369-73	46

2174	Long-lasting depletion of dopamine in the rat amygdala induced by kindling stimulation. <b>1977</b> , 136, 381-6	107
2173	Transfer and Interference in Amygdaloid Kindling in Cats. <b>1977</b> , 4, 5-11	20
2172	Seizure development following repeated electrical stimulation of central olfactory structures. <b>1977</b> , 290, 200-16	47
2171	Kindling in olfactory-lesioned rats. <b>1978</b> , 22, 264-8	15
2170	Electrically induced seizure activity in the hippocampus: time course for postseizure inhibition of subsequent kindled seizures. <b>1978</b> , 22, 479-88	53
2169	Anatomical correlates of electrical and behavioral events related to amygdaloid kindling. <b>1978</b> , 3, 538-44	233
2168	Rapid development of motor seizures in rats barpressing for electrical stimulation of the preoptic area. <b>1978</b> , 6, 57-60	4
2167	Kindling rates in Wistar rats: an analysis of individual differences. <b>1978</b> , 20, 205-7	8
2166	Rhythmic oscillations in amygdala excitability during kindling. <b>1978</b> , 22, 717-26	5
2165	Reduction in tyrosine hydroxylase activity in the rat amygdala induced by kindling stimulation. <b>1978</b> , 153, 423-6	38
2164	Plasticity in the reinforcing consequences of hippocampal stimulation. <b>1978</b> , 159, 458-62	19
2163	Muscarinic cholinergic receptors participate in the kindling model of epilepsy. <b>1978</b> , 154, 415-20	68
2162	Kindling of neuroanatomic pathways during recurrent focal penicillin seizures. <b>1978</b> , 150, 503-17	78
2161	Effect of chronic protein malnutrition on experimentally induced seizures in the rat. <b>1978</b> , 62, 475-81	24
2160	Role of the nonspecific thalamus in amygdaloid kindling. <b>1978</b> , 58, 471-85	14
2159	Lack of activated astrocytes in the kindling phenomenon. <b>1978</b> , 58, 119-25	15
2158	Experimental epileptogenesis: kindling-induced epilepsy in rats. <b>1978</b> , 58, 190-202	244
2157	Electrode placement and kindling-induced experimental epilepsy. <b>1978</b> , 58, 335-46	108

2156	Effects of phenobarbital and SC-13504 on partially kindled hippocampal seizures in rats. <b>1978</b> , 61, 270-80	11
2155	Analgesia produced by stimulation of limbic structures and its relation to epileptiform after-discharges. <b>1978</b> , 62, 720-34	40
2154	Effects of sodium phenobarbital on brain stimulation behavior, behavioral seizures, and EEG seizure activity. <b>1978</b> , 42, 1007-16	1
2153	Long term induction of kindled seizures in rats: interhemispheric factors. <b>1978</b> , 5, 223-30	10
2152	The effects of atropine and reserpine on cortical kindling in the rat. <b>1979</b> , 6, 47-51	11
2151	Effects of gamma-acetylenic GABA and gamma-vinyl GABA on metrazol-activated, and kindled seizures. <b>1979</b> , 11, 265-71	62
2150	The influence of chronic deep brain stimulation on excitability and morphology of the stimulated tissue. <b>1979</b> , 47, 123-9	21
2149	Kindling of motor seizures from the bed nucleus of the stria terminalis. <b>1979</b> , 66, 309-18	11
2148	Kindling in sensory systems: thalamus. <b>1979</b> , 66, 319-29	16
2147	Effect of atropine sulfate on amygdaloid kindling in the rat. <b>1979</b> , 66, 409-12	39
2146	Effect of inhibitors of protein synthesis on the development of kindled seizures in rats. <b>1979</b> , 66, 524-32	44
2145	Sprouting fibers gain access to circuitry transsynaptically altered by kindling. <b>1979</b> , 64, 469-81	50
2144	Behavioral analysis of amygdaloid kindling in beagle dogs and the effects of clonazepam, diazepam, phenobarbital, diphenylhydantoin, and flunarizine on seizure manifestation. <b>1979</b> , 64, 579-86	68
2143	The effects of chronic cocaine pretreatment on kindled seizures and behavioral stereotypies. <b>1979</b> , 64, 306-14	41
2142	Spontaneous interictal spiking in the awake kindled rat. <i>Electroencephalography and Clinical Neurophysiology</i> , <b>1979</b> , 47, 592-6	26
2141	Effects of focal vs generalized kindled convulsions from anterior neocortex or amygdala on CER acquisition in rats. <b>1979</b> , 23, 855-9	31
2140	Independence of cocaine sensitization and amygdaloid kindling in the rat. <b>1979</b> , 22, 631-3	13
2139	Effects of bilateral kindling or bilateral sub-threshold stimulation of the amygdala or septum on muricide, ranacide, intraspecific aggression and passive avoidance in the rat. <b>1979</b> , 22, 115-23	20

2138	The effect of procaine hydrochloride and diazepam, separately or in combination, on cortico-generalized kindled seizures. <i>Electroencephalography and Clinical Neurophysiology</i> , <b>1979</b> , 47, 204-12	20
2137	Effects of midbrain raphe lesions or systemic p-chlorophenylalanine on the development of kindled seizures in rats. <b>1979</b> , 4, 1-7	61
2136	Naloxone and the kindling of seizures. <b>1979</b> , 24, 791-5	43
2135	Turnover kinetics of dopamine and norepinephrine in the forebrain after kindling in rats. <b>1979</b> , 18, 219-22	28
2134	A new model of focal status epilepticus: intra-amygdaloid application of kainic acid elicits repetitive secondarily generalized convulsive seizures. <b>1979</b> , 163, 176-9	164
2133	Endogenous opioids may mediate post-ictal behavioral depression in amygdaloid-kindled rats. <b>1979</b> , 167, 435-40	151
2132	Influences of pituitary-adrenal hormones on kindling. <b>1979</b> , 169, 303-15	20
2131	Post-trial barbiturates do not affect amygdaloid kindling. <b>1979</b> , 26, 202-8	7
2130	An electrophysiological analysis of the anticonvulsant action of cannabidiol on limbic seizures in conscious rats. <b>1979</b> , 20, 351-63	42
2129	Repeated seizures induce long-term increase in hippocampal benzodiazepine receptors. <b>1980</b> , 77, 3029-32	97
2128	The ontogenesis of cortical self-sustained after-discharges in rats. <b>1980</b> , 21, 111-21	11
2127	Amygdaloid kindling and the GABA system. <b>1980</b> , 21, 163-75	55
2126	Development of a new pharmacological seizure model: effects of anticonvulsants on cortical- and amygdala-kindled seizures in the rat. <b>1980</b> , 21, 681-9	242
2125	Effects of kindling or brain stimulation on pentylenetetrazol-induced convulsion susceptibility. <b>1980</b> , 21, 243-9	39
2124	Inhibition of amygdaloid kindling by chronic pretreatment with cocaine or methamphetamine. <b>1980</b> , 21, 497-507	30
2123	Differential effects of cocaine on limbic excitability. <b>1980</b> , 13, 695-703	16
2122	Alcohol withdrawal seizures: implications of kindling. <b>1980</b> , 13 Suppl 1, 225-31	53
2121	[Modification of the "kindling" method for obtaining experimental status epilepticus in rats]. <b>1980</b> , 38, 81-8	5

21120	Facilitation of amygdala kindling in the rat by transecting ascending noradrenergic pathways. <b>1980</b> , 189, 274-8	50
21119	Evidence for an agonist independent down regulation of hippocampal muscarinic receptors in kindling. <b>1980</b> , 195, 345-53	40
21118	Role of forebrain catecholamines in amygdaloid kindling. <b>1980</b> , 190, 473-84	174
21117	Interictal EEG spikes correlate with decreased, rather than increased, epileptogenicity in amygdaloid kindled rats. <b>1980</b> , 190, 543-8	115
21116	The role of epileptic activity in hippocampal and "remote" cerebral lesions induced by kainic acid. <b>1980</b> , 191, 79-97	380
21115	Kindling of seizures with low-frequency electrical stimulation. <b>1980</b> , 196, 262-5	39
21114	Spontaneously recurrent seizures after intracerebral injections of kainic acid in rat: a possible model of human temporal lobe epilepsy. <b>1980</b> , 200, 481-7	126
21113	Naloxone facilitates amygdaloid kindling in rats. <b>1980</b> , 194, 293-7	58
21112	Muscarinic kindling: transsynaptic generation of a chronic seizure focus. <b>1980</b> , 26, 387-91	34
21111	Anticonvulsant drugs and their antagonism of kindled amygdaloid seizures in rats. <b>1980</b> , 19, 643-52	130
21110	Pharmacological modification of amygdaloid-kindled seizures. <b>1980</b> , 19, 1131-6	74
21109	Barbiturate serum levels and protection against kindled amygdaloid seizures in the rat. <b>1980</b> , 19, 1141-4	7
21108	Development of kindled seizures and circadian rhythms. <b>1980</b> , 30, 231-5	19
21107	Locomotor and convulsive responses to picrotoxin in amygdala-kindled rats. <b>1980</b> , 70, 167-72	11
21106	Participation of muscarinic cholinergic receptors may be an important requirement of the kindling process. <b>1980</b> , 70, 458-61	23
21105	Effects of protein synthesis inhibition on kindling in the mouse. <b>1980</b> , 68, 409-19	31
21104	Amygdala kindling induces muscarinic cholinergic receptor declines in a highly specific distribution within the limbic system. <b>1980</b> , 69, 85-98	47
21103	Hypotensive and sedative properties of alpha-adrenoceptor agonists: relation to pre- and post-synaptic stimulation [proceedings]. <b>1980</b> , 68, 107P-108P	3



2102	Locomotor activity, exploration and spatial alternation learning in rats with striatal injections of kainic acid. <b>1980</b> , 24, 11-9	42
2101	Potentiating hippocampal stimulation facilitates acquisition of lever-pressing for stimulation but not food. <b>1980</b> , 24, 1115-8	9
2100	Amygdala kindling during pregnancy in the rat. <b>1980</b> , 25, 599-601	3
2099	Cortical kindled convulsions: disruption of inhibitory avoidance. <b>1980</b> , 25, 1-7	3
2098	Electrode implantation in infant rats for kindling and chronic brain recording. <b>1980</b> , 1, 553-5	20
2097	The kindling model of epilepsy: a review. <b>1980</b> , 15, 139-59	254
2096	Injections of kainic acid into the amygdaloid complex of the rat: an electrographic, clinical and histological study in relation to the pathology of epilepsy. <b>1980</b> , 5, 515-28	322
2095	Effects of ethanol on threshold and duration of amygdaloid kindled seizures. <b>1980</b> , 16, 299-300	1
2094	Cumulative after-discharge as the principal factor in the acquisition of kindled seizures. <i>Electroencephalography and Clinical Neurophysiology</i> , <b>1981</b> , 51, 192-200	43
2093	Facilitation and antagonism of kindled seizure development in the limbic system of the rat. <i>Electroencephalography and Clinical Neurophysiology</i> , <b>1981</b> , 51, 403-16	41
2092	Kindling-induced experimental epilepsy in rats: cortical stimulation. <b>1981</b> , 72, 559-69	40
2091	Depletion of noradrenaline and amygdaloid kindling. <b>1981</b> , 72, 507-11	20
2090	Chronic cholinesterase inhibition does not modify amygdaloid kindling. <b>1981</b> , 73, 588-94	9
2089	Cholinergic kindling of the amygdala requires the activation of muscarinic receptors. <b>1981</b> , 73, 595-9	18
2088	Effect of lesions on cortical-generalized seizures in the kindled rat: spinal transections. <b>1981</b> , 73, 642-50	6
2087	Kindling in developing rats: variability of afterdischarge thresholds with age. <b>1981</b> , 211, 190-5	79
2086	Biochemical evidence of decreased muscarinic cholinergic neuronal communication following amygdala-kindled seizures. <b>1981</b> , 206, 233-8	26
2085	Neuronal hypersensitivity to acetylcholinesterase inhibitors induced by a kindling stimulus in the rabbit brain. <b>1981</b> , 208, 379-86	10

2084	Regional changes in cerebral glucose utilization associated with amygdaloid kindling and electroshock in the rat. <b>1981</b> , 224, 204-8	31
2083	Kainic acid induced limbic seizures: metabolic, behavioral, electroencephalographic and neuropathological correlates. <b>1981</b> , 218, 299-318	632
2082	The anticonvulsant properties of melatonin on kindled seizures in rats. <b>1981</b> , 20, 61-6	104
2081	Valproic acid serum levels and protection against kindled amygdaloid seizures in the rat. <b>1981</b> , 20, 95-7	14
2080	Pentylentetrazol augmentation of developing kindled amygdaloid seizures. <b>1981</b> , 20, 1225-7	8
2079	A developmental study of kindling in the rat. <b>1981</b> , 254, 321-8	38
2078	Changes of visually evoked potential during seizure development in kindled cats. <b>1981</b> , 12, 53-8	5
2077	A new approach to the reactive afterdischarge in the development of kindling. <b>1981</b> , 12, 79-85	3
2076	Lateralized asymmetrical state-dependent learning produced by kindled convulsions from the rat hippocampus. <b>1981</b> , 26, 163-9	20
2075	Long-lasting changes in morphine sensitivity following amygdaloid kindling in mice. <b>1981</b> , 27, 1117-20	10
2074	Electrical versus cholinergic kindling. <i>Electroencephalography and Clinical Neurophysiology</i> , <b>1981</b> , 51, 417-25	21
2073	Phylogenesis and kindling. <b>1981</b> , 35, 245-52	2
2072	Proceedings of the British Pharmacological Society. 10th-12th September, 1980. Abstracts. <b>1981</b> , 72, 487P-590P	3
2071	Extra-focal catecholamine levels in 'kindled' rat forebrains. <b>1981</b> , 5, 537-41	16
2070	Commentary kindling as a model for limbic epilepsy. <b>1981</b> , 6, 1695-1706	38
2069	Electrographic, clinical and pathological alterations following systemic administration of kainic acid, bicuculline or pentetrazole: metabolic mapping using the deoxyglucose method with special reference to the pathology of epilepsy. <b>1981</b> , 6, 1361-91	581
2068	Amygdaloid kindling enhances the enkephalin content in the rat brain. <b>1981</b> , 21, 39-43	100
2067	Cyclic nucleotides in the amygdala of the kindled rat. <b>1981</b> , 6, 1-3	13

2066	Levonantradol potentiates the anticonvulsant effects of diazepam and valproic acid in the kindling model of epilepsy. <b>1981</b> , 21, 406S-412S	8
2065	The effect of amygdala kindling on spontaneous and cocaine-induced motor activity and lidocaine seizures. <b>1981</b> , 72, 189-96	51
2064	Facilitation of kindling by convulsions induced by cocaine or lidocaine but not pentylenetetrazol. <b>1981</b> , 15, 793-8	20
2063	Transfer of pentylenetetrazol sensitization to amygdaloid kindling. <b>1981</b> , 15, 533-6	33
2062	Effect of cocaine and lidocaine on the expression of kindled seizures in the rat. <b>1981</b> , 14, 397-403	27
2061	Pharmacological investigation of convulsant gamma-aminobutyric acid (GABA) antagonists in amygdala-kindled rats. <b>1982</b> , 23, 163-71	14
2060	Kindling-like effect induced by repeated corneal electroshock in mice. <b>1982</b> , 23, 471-9	38
2059	Benzodiazepine receptor increases after repeated seizures: evidence for localization to dentate granule cells. <b>1982</b> , 79, 193-7	91
2058	Forebrain bisection and feline amygdaloid kindling. <b>1982</b> , 23, 521-30	35
2057	Kindling in developing rats: persistence of seizures into adulthood. <b>1982</b> , 256, 67-71	79
2056	Hormonal influences on seizure kindling: the effects of post-stimulation ACTH or cortisone injections. <b>1982</b> , 231, 75-84	23
2055	Electrolytic entorhinal lesions cause seizures. <b>1982</b> , 231, 444-50	48
2054	Kindling-induced changes in morphine analgesia and catalepsy: evidence for independent opioid systems. <b>1982</b> , 237, 193-201	11
2053	Opiate and non-opiate aspects of morphine induced seizures. <b>1982</b> , 253, 253-61	28
2052	Endorphin mediation of post-ictal effects of kindled seizures in rats. <b>1982</b> , 253, 337-40	34
2051	Behavioral and electrographic effects of opioids on kindled seizures in rats. <b>1982</b> , 251, 327-33	35
2050	Kindling antagonism: interactions of dorsal and ventral entorhinal cortex with the septum during concurrent kindling. <b>1982</b> , 238, 3-12	22
2049	A new model of partial status epilepticus based on kindling. <b>1982</b> , 250, 53-63	142

2048	Post-ictal locomotor activity in three different rat models of epilepsy. <b>1982</b> , 250, 178-82	7
2047	Seizures down-regulate muscarinic cholinergic receptors in hippocampal formation. <b>1982</b> , 235, 327-34	85
2046	A lasting change in protein phosphorylation associated with septal kindling. <b>1982</b> , 247, 191-4	21
2045	Interactions between chemical and electrical kindling of the rat amygdala. <b>1982</b> , 247, 341-6	18
2044	Test-specific analgesia elicited by kindled seizures in rats. <b>1982</b> , 251, 196-9	7
2043	Modification of the anticonvulsant efficacy of diazepam by Ro-15-1788 in the kindled amygdaloid seizure model. <b>1982</b> , 31, 1597-601	56
2042	Pharmacological investigation of gamma-aminobutyric acid (GABA) and fully-developed generalized seizures in the amygdala-kindled rat. <b>1982</b> , 21, 127-31	47
2041	Reversal of the anticonvulsant effects of diazepam on amygdaloid-kindled seizures by a specific benzodiazepine antagonist: RO 15-1788. <b>1982</b> , 86, 91-3	24
2040	Effects of amygdala lesions on dorsal hippocampus kindling in rats. <b>1982</b> , 75, 184-90	11
2039	Postseizure inhibition of kindled seizures by electroconvulsive shock. <b>1982</b> , 78, 483-91	31
2038	Electroconvulsive shock disrupts amygdaloid kindling: dissociation between behavioral and electrographic events. <b>1982</b> , 78, 492-502	7
2037	Electroencephalographic response of amygdala-kindled rats after decapitation. <b>1982</b> , 78, 786-9	1
2036	Effects of chronic stimulation of the caudate nucleus on a preexisting alumina seizure focus. <b>1982</b> , 75, 360-7	31
2035	Further studies of antagonism of seizure development between concurrently developing kindled limbic foci in the rat. <b>1982</b> , 75, 476-89	23
2034	Kindling in sensory systems: neocortex. <b>1982</b> , 76, 276-83	11
2033	Long-term inhibition of kindled seizures by brain stimulation. <b>1982</b> , 76, 376-92	14
2032	Effect of norepinephrine depletion on dorsal hippocampus kindling in rats. <b>1982</b> , 77, 700-4	51
2031	Cyclic adenosine 3', 5'-monophosphate in amygdaloid-kindled rats. <b>1982</b> , 77, 459-64	2

2030 Secondary Epileptogenesis in Kindling. **1982**, 36, 249-251

2029 Effect of benzodiazepine derivatives on amygdaloid-kindled convulsion. **1982**, 36, 391-9

1

2028 Changes in amygdaloid afterdischarges and kindling effect following olfactory bulbectomy in the rat. **1982**, 28, 687-92

18

2027 HIPPOCAMPAL KINDLING AND EFFECTS OF ANTIEPILEPTIC DRUGS. **1982**, 32, 37-45

2

2026 Bidirectional transfer of intracerebrally administered pentylenetetrazol and electrical kindling. **1982**, 17, 1111-3

24

2025 Opiate modification of amygdaloid-kindled seizures in rats. **1982**, 16, 751-6

44

2024 Organization of the amygdala with special reference to various pathological syndromes. **1982**, Suppl 1, 26-36

4

2023 Intradentate colchicine retards the development of amygdala kindling. **1982**, 11, 347-52

90

2022 Enhanced rate of kindling after prolonged electrode implantation into the amygdala of rats. **1982**, 5, 343-8

21

2021 Neurochemical correlates of the kindling model of epilepsy. **1982**, 6, 165-81

67

2020 A study of the role of the cholinergic system in amygdaloid kindling in rats. **1982**, 76, 66-9

20

2019 Caffeine modification of kindled amygdaloid seizures. **1983**, 19, 339-43

41

2018 Dose-dependent proconvulsant and anticonvulsant actions of the alpha 2 adrenergic agonist, xylazine, on kindled seizures in the rat. **1983**, 19, 345-50

23

2017 Neurodegenerative diseases of infancy and childhood. **1983**, 13, 351-64

66

2016 Seizures induced by carbachol, morphine, and leucine-enkephalin: a comparison. **1983**, 13, 445-51

20

2015 Maturational changes in postictal refractoriness and seizure susceptibility in developing rats. **1983**, 13, 552-7

97

2014 Kindled seizure-induced reduction of muscarinic cholinergic receptors in rat hippocampal formation: evidence for localization to dentate granule cells. **1983**, 221, 106-12

29

2013 Evidence for distinct benzodiazepine receptors for anticonvulsant and sedative actions: implications for the treatment of temporal lobe epilepsy. **1983**, 7, 637-40

7

2012	Abortive amygdaloid kindled seizures following microinjection of gamma-vinyl-GABA in the vicinity of substantia nigra in rats. <b>1983</b> , 36, 69-74	116
2011	The effects of doxapram, diazepam, phenobarbital and pentylenetetrazol on suprathreshold and threshold stimulations in amygdaloid kindled rats. <b>1983</b> , 22, 245-8	12
2010	Ketamine-induced changes in kindled amygdaloid seizures. <b>1983</b> , 22, 887-94	29
2009	Profound suppression of kindled seizures by cysteamine: possible role of somatostatin to kindled seizures. <b>1983</b> , 288, 359-62	74
2008	Binding of [3H]flunitrazepam and [3H]Ro5-4864 to crude homogenates of amygdala-kindled rat brain: two months post-seizure. <b>1983</b> , 279, 359-62	22
2007	Biochemical and immunohistochemical correlates of kindling-induced epilepsy: role of calcium binding protein. <b>1983</b> , 278, 322-6	94
2006	Chemical kindling by muscarinic amygdaloid stimulation in the rat. <b>1983</b> , 271, 311-23	67
2005	Amygdala and pyriform cortex kindling in vasopressin deficient rats (Brattleboro strain). <b>1983</b> , 271, 375-8	18
2004	The kindled amygdala model of epilepsy: anticonvulsant action of amino acid antagonists. <b>1983</b> , 275, 169-72	161
2003	A benzodiazepine antagonist is an anticonvulsant in an animal model for limbic epilepsy. <b>1983</b> , 270, 380-2	56
2002	Long-term potentiation phenomena in the rat limbic forebrain. <b>1983</b> , 260, 217-31	485
2001	Bidirectional transfer of electrical and carbachol kindling. <b>1983</b> , 260, 135-8	66
2000	Facilitation of neocortical kindling by depletion of forebrain noradrenaline. <b>1983</b> , 270, 174-7	58
1999	The effects of kindling on GABA-mediated inhibition in the dentate gyrus of the rat. I. Paired-pulse depression. <b>1983</b> , 277, 79-90	296
1998	Changes of immunoreactive somatostatin and beta-endorphin content in rat brain after amygdaloid kindling. <b>1983</b> , 32, 2415-22	112
1997	Decreased benzodiazepine receptor binding in amygdala-kindled rat brains. <b>1983</b> , 33, 425-30	17
1996	Increased seizure susceptibility of the immature brain. <b>1983</b> , 283, 81-5	185
1995	Effects of phenytoin, carbamazepine, and clonazepam on cortex- and amygdala-evoked potentials. <b>1983</b> , 81, 308-19	2

1994	Aminophylline and kindled seizures. <b>1983</b> , 81, 703-13	48
1993	Role of the amygdala in development of hippocampal kindling in the rat. <b>1983</b> , 82, 447-55	31
1992	Two types of interictal transients of reversed polarity in rat hippocampus during kindling. <i>Electroencephalography and Clinical Neurophysiology</i> , <b>1983</b> , 55, 314-9	37
1991	Changes in simple and complex behaviors following kindled seizures in rats: opioid and nonopioid medication. <b>1983</b> , 24, 539-47	18
1990	On the sacred disease: the neurochemistry of epilepsy. <b>1983</b> , 24, 93-180	58
1989	Amygdala kindling in the classical conditioning paradigm. <b>1983</b> , 24, 275-83	11
1988	Facilitation of kindled seizures in rats fed choline-supplemented diets. <b>1983</b> , 10, 47-9	5
1987	Suppression of kindling behavior. <b>1984</b> , 118, 113-25	2
1986	Benzodiazepine receptor binding following amygdala-kindled convulsions: differing results in washed and unwashed brain membranes. <b>1984</b> , 43, 1732-6	31
1985	Opioid-induced epileptogenic phenomena: anatomical, behavioral, and electroencephalographic features. <b>1984</b> , 15, 361-8	49
1984	Kindling: an animal model of complex partial epilepsy. <b>1984</b> , 16 Suppl, S72-6	154
1983	Hippocampal kindling in the rat: intrastructural differences. <b>1984</b> , 12, 101-11	18
1982	Influences of bilateral hippocampal lesions upon kindled amygdaloid convulsive seizure in rats. <b>1984</b> , 32, 123-6	25
1981	Liposome-Entrapped GABA Modifies Kindling-Induced Seizures in Rats. <b>1984</b> , 38, 201-202	
1980	Profound Suppression of Kindled Seizures by Cysteamine: Possible Role of Somatostatin to Kindled Seizures. <b>1984</b> , 38, 203-205	
1979	Reduction of amygdaloid kindled seizures by an analog of ACTH/MSH. <b>1984</b> , 5, 1061-5	6
1978	Maturation of kainic acid seizure-brain damage syndrome in the rat. I. Clinical, electrographic and metabolic observations. <b>1984</b> , 13, 1051-72	188
1977	Depletion of noradrenaline fails to affect kindled seizures. <b>1984</b> , 84, 237-40	55

1976	Evolution of wet dog shakes during kindling in rats: comparison between hippocampal and amygdala kindling. <b>1984</b> , 83, 1-12	31
1975	An analysis of the actions of progabide, a specific GABA receptor agonist, on kindling and kindled seizures. <b>1984</b> , 83, 144-54	33
1974	Lateral entorhinal cortical kindling can be established without potentiation of the entorhinal-granule cell synapse. <b>1984</b> , 86, 483-92	17
1973	Reversible motor paralysis in rats after repeated electroconvulsive shock. <b>1984</b> , 85, 87-96	1
1972	The effects of disconnection on two phases of kindled frontal-cingulate motor seizures. <b>1984</b> , 86, 240-60	2
1971	Brain state and kindled seizures. <b>1984</b> , 84, 596-605	8
1970	Adenosine modulation of amygdala kindling. <b>1984</b> , 84, 654-65	85
1969	The effect of progesterone on kindling: a developmental study. <b>1984</b> , 318, 45-53	67
1968	Relationship of endocrine function to inhibition of kindling. <b>1984</b> , 318, 55-9	13
1967	Infantile status epilepticus and future seizure susceptibility in the rat. <b>1984</b> , 317, 177-83	59
1966	The effect of a glycine derivative (CP 1552-S) on kindled seizures in rats. <b>1984</b> , 23, 967-70	6
1965	Metabolic and behavioral consequences of lidocaine-kindled seizures. <b>1984</b> , 324, 295-303	64
1964	Reduced kainic acid binding in rat hippocampal formation after limbic kindling. <b>1984</b> , 323, 128-31	50
1963	Activating endogenous opioid systems by electroconvulsive shock or footshock stress inhibits recurrent kindled seizures in rats. <b>1984</b> , 305, 203-7	38
1962	Reversible suppression of amygdaloid kindled convulsion following unilateral gabaculine injection into the substantia innominata. <b>1984</b> , 305, 389-92	26
1961	Hippocampal calcium-binding protein during commissural kindling-induced epileptogenesis: progressive decline and effects of anticonvulsants. <b>1984</b> , 324, 85-90	91
1960	Differential behavioral effects induced by intrathecal microinjection of opiates: comparison of convulsive and cataleptic effects produced by morphine, methadone, and D-Ala2-methionine-enkephalinamide. <b>1984</b> , 299, 31-42	43
1959	Cataleptic effects of opiates following intrathecal administration. <b>1984</b> , 299, 43-9	15



1958	Nonspecific convulsions are induced by morphine but not D-Ala <sup>2</sup> -methionine-enkephalinamide at cortical sites. <b>1984</b> , 299, 51-9	22
1957	Kindling in the cortical nucleus of the amygdala. <b>1984</b> , 295, 360-3	17
1956	The development of the interictal spike during kindling in the rat. <b>1984</b> , 322, 101-10	111
1955	A partial agonist at the anticonvulsant benzodiazepine receptor: reversal of the anticonvulsant effects of Ro 15-1788 with CGS-8216. <b>1984</b> , 291, 388-90	29
1954	Anticonvulsant action of amino acid antagonists against kindled hippocampal seizures. <b>1984</b> , 311, 176-80	63
1953	Selective and reversible increase in the number of quisqualate-sensitive glutamate binding sites on hippocampal synaptic membranes after angular bundle kindling. <b>1984</b> , 307, 332-5	38
1952	Psychobiology of opioids. <b>1984</b> , 25, 277-337	42
1951	Spectral analysis of kindled hippocampal afterdischarges in lead-treated rats. <b>1984</b> , 25, 53-60	7
1950	Kindling alters the calcium/calmodulin-dependent phosphorylation of synaptic plasma membrane proteins in rat hippocampus. <b>1984</b> , 81, 1253-7	72
1949	Electroconvulsive seizures inhibit amygdala kindling: implications for mechanisms of action in affective illness. <b>1984</b> , 25, 234-9	77
1948	Role of the amygdala in the hippocampal kindling effect of rats. <b>1985</b> , 37, 173-9	2
1947	Acute effects of lithium on hippocampal kindled seizures. <b>1985</b> , 26, 689-92	22
1946	Generalized seizure triggering threshold and serum phenobarbital levels during pregnancy in rats. <b>1985</b> , 26, 682-8	2
1945	Effect of pregnancy on development of seizures. <b>1985</b> , 26, 299-302	8
1944	Hippocampal slices of kindled rats reveal calcium involvement in epileptogenesis. <b>1985</b> , 57, 404-7	77
1943	Alterations of inhibitory processes in the dentate gyrus following kindling-induced epilepsy. <b>1985</b> , 57, 443-7	113
1942	A crucial epileptogenic site in the deep prepiriform cortex. <b>1985</b> , 317, 623-5	365
1941	Comparison of the anticonvulsant effects of two novel GABA uptake inhibitors and diazepam in amygdaloid kindled rats. <b>1985</b> , 329, 367-71	41

1940	Monoaminergic and local anesthetic components of cocaine's effects on kindled seizure expression. <b>1985</b> , 22, 427-34	20
1939	Effect of cocaine and pentyleneetetrazol on cortical kindling. <b>1985</b> , 23, 573-81	14
1938	Lifetime lead intoxication: influence on the amygdaloid kindling model of epileptogenesis. <b>1985</b> , 36, 49-60	7
1937	Acute effects of antidepressants on hippocampal seizures. <b>1985</b> , 18, 692-7	31
1936	Reduction of rat hippocampal calcium-binding protein following commissural, amygdala, septal, perforant path, and olfactory bulb kindling. <b>1985</b> , 26, 460-5	83
1935	Suppression of amygdaloid kindled seizure and regional brain GABA content. <b>1985</b> , 39, 301-4	
1934	Seizures and thyrotropin-releasing hormone (TRH) neural system in the rat brain. <b>1985</b> , 39, 309-12	
1933	Kindling. <b>1985</b> , 39, 415-426	
1932	Physiology and Chemistry. <b>1985</b> , 39, 427-450	
1931	Amygdala kindled seizure stage is related to altered benzodiazepine binding site density. <b>1985</b> , 36, 183-90	20
1930	Differential mediation of the anticonvulsant effects of carbamazepine and diazepam. <b>1985</b> , 36, 2413-9	55
1929	Long-term effect of postnatal hypoxia on the seizure susceptibility in rats. <b>1985</b> , 37, 1597-604	29
1928	Lateralized state-dependent learning produced by hippocampal kindled convulsions: effect of split-brain. <b>1985</b> , 34, 217-24	7
1927	Perinatal hypoxia and subsequent development of seizures. <b>1985</b> , 35, 819-23	29
1926	Dopaminergic supersensitivity follows ferric chloride-induced limbic seizures. <b>1985</b> , 20, 723-33	76
1925	Transfer of kindling: clinical relevance and a hypothesis of its mechanism. <b>1985</b> , 9, 467-72	8
1924	Kindling in the amygdala and susceptibility to stress ulcers. <b>1985</b> , 14, 5-8	29
1923	Absence of modifications in gamma-aminobutyric acid metabolism after repeated generalized seizures in amygdala-kindled rats. <b>1985</b> , 62, 271-6	20

1922	Adenosine antagonists. Lack of effect on the inhibition of kindled seizures in rats by carbamazepine. <b>1985</b> , 24, 635-8	9
1921	Combined treatment with muscarinic and nicotinic cholinergic antagonists slows development of kindled seizures. <b>1985</b> , 339, 386-9	21
1920	Epileptiform effects of met-enkephalin, beta-endorphin and morphine: kindling of generalized seizures and potentiation of epileptiform effects by handling. <b>1985</b> , 338, 327-36	91
1919	Regional brain levels of N-acetyl-aspartyl-glutamate: the effect of kindled seizures. <b>1985</b> , 346, 392-6	29
1918	Unidirectional interaction between flurothyl seizures and amygdala kindling. <b>1985</b> , 344, 103-8	14
1917	Kindling with rapidly recurring hippocampal seizures. <b>1985</b> , 360, 83-91	151
1916	Effect of olfactory bulb kindling on evoked potentials in the pyriform cortex. <b>1985</b> , 361, 61-9	16
1915	Locomotor behavior following kindling in three different brain sites. <b>1985</b> , 326, 71-9	58
1914	Transfer between chemical and electrical kindling in the septal-hippocampal system. <b>1985</b> , 331, 261-6	14
1913	Facilitation of kindling in adult rats following neonatal exposure to lindane. <b>1985</b> , 349, 263-6	17
1912	A single neonatal pentylenetetrazol or hyperthermia convulsion increases kindling susceptibility in the adult rat. <b>1985</b> , 354, 169-80	31
1911	Development of tolerance to the anticonvulsant effect of diazepam in amygdala-kindled rats. <b>1985</b> , 90, 373-84	51
1910	Down-regulation of alpha 2- and beta-adrenoceptor binding sites in rat cortex caused by amygdalar kindling. <b>1985</b> , 90, 108-17	29
1909	Development of kindling: whole-brain stimulation in rats. <b>1985</b> , 90, 268-71	2
1908	Modification of local neuronal interactions by amygdala kindling examined in vitro. <b>1985</b> , 88, 529-37	25
1907	Interruption of cholinergic afferent pathways to the amygdala failed to alter electrical kindling. <b>1985</b> , 88, 742-7	6
1906	Evaluation of different GABA receptor agonists in the kindled amygdala seizure model in rats. <b>1985</b> , 89, 454-60	28
1905	Dorsal hippocampal kindling and transfer in split-brain rats. <b>1985</b> , 87, 86-95	20

1904	Prolonged postictal depression in amygdala-kindled rats by the adenosine analog, L-phenylisopropyladenosine. <b>1985</b> , 90, 549-57	25
1903	Amygdala kindling in juvenile rats following neonatal administration of 6-hydroxydopamine. <b>1985</b> , 90, 588-93	10
1902	Establishment of status epilepticus by limbic system stimulation in previously unstimulated rats. <b>1985</b> , 88, 253-64	34
1901	Lack of effect of entorhinal kindling on L-[3H]glutamic acid presynaptic uptake and postsynaptic binding in hippocampus. <b>1985</b> , 89, 48-58	25
1900	Anticonvulsant properties of 3-hydroxy-2-quinoxalinecarboxylic acid, a newly found antagonist of excitatory amino acids. <b>1985</b> , 110, 31-9	21
1899	Habituation of the local cyclic GMP response during amygdaloid carbachol kindling in the rat. <b>1986</b> , 397, 345-52	3
1898	Chronic epileptogenesis induced by kindling of the entorhinal cortex: the role of the dentate gyrus. <b>1986</b> , 385, 291-9	72
1897	Relations between amygdaloid and anterior neocortical kindling. <b>1986</b> , 385, 375-8	35
1896	The effects of chronic desmethylimipramine on entorhinal cortical kindling in rats. <b>1986</b> , 398, 121-7	6
1895	Anti-seizure and anti-epileptogenic effect of gamma-vinyl gamma-aminobutyric acid in amygdaloid kindling. <b>1986</b> , 398, 370-4	81
1894	Decreased phosphorylation of synaptic glycoproteins following hippocampal kindling. <b>1986</b> , 399, 390-4	29
1893	Saving-effect of stimulating pulses at low-frequency amygdaloid kindling in cats. <b>1986</b> , 385, 201-3	8
1892	Stability of sialogangliosides in kindled hippocampus. <b>1986</b> , 91, 208-11	2
1891	Kindling antagonism: effects of norepinephrine depletion on kindled seizure suppression after concurrent, alternate stimulation in rats. <b>1986</b> , 94, 379-90	40
1890	Evidence implicating dentate granule cells in development of entorhinal kindling. <b>1986</b> , 92, 92-101	46
1889	Evidence implicating dentate granule cells in wet dog shakes produced by kindling stimulations of entorhinal cortex. <b>1986</b> , 92, 102-13	39
1888	Amygdala-kindled postictal inhibition: effect of intertrial intervals on repeated days. <b>1986</b> , 92, 197-206	14
1887	Sleep deprivation and kindled seizures. <b>1986</b> , 92, 248-60	16

1886	Power spectral analysis of electroencephalographic activity in kindled rats. <b>1986</b> , 92, 261-6	7
1885	Is amygdala kindling in rats a model for drug-resistant partial epilepsy?. <b>1986</b> , 93, 211-26	137
1884	Comparison of seizures and brain lesions produced by intracerebroventricular kainic acid and bicuculline methiodide. <b>1986</b> , 93, 621-30	31
1883	Unchanged norepinephrine turnover and concentrations in amygdala-kindled rat brain regions 2 months postseizure. <b>1986</b> , 94, 81-90	7
1882	Plasma ACTH and corticosterone responses to limbic kindling in the rat. <b>1986</b> , 92, 583-90	30
1881	Effects of carbamazepine and valproic acid on brain immunoreactive somatostatin and gamma-aminobutyric acid in amygdaloid-kindled rats. <b>1986</b> , 125, 169-75	59
1880	Kindling-like phenomenon in the isolated ileum of the guinea-pig. <b>1986</b> , 39, 1037-41	2
1879	Status epilepticus facilitated by pilocarpine in amygdala-kindled rats. <b>1986</b> , 94, 91-102	27
1878	POSTER COMMUNICATIONS. <b>1986</b> , 88, 323P-469P	2
1877	Change in brain thyrotropin-releasing hormone (TRH) mechanism of amygdaloid kindled rats. <b>1986</b> , 40, 345-7	1
1876	Amygdaloid kindling increases enkephalin-like immunoreactivity but decreases dynorphin-A-like immunoreactivity in rat hippocampus. <b>1986</b> , 71, 31-6	67
1875	Facilitation of olfactory bulb kindling after specific destruction of serotonergic terminals in the olfactory bulb of the rat. <b>1986</b> , 66, 299-304	11
1874	Kindling mechanisms: current progress on an experimental epilepsy model. <b>1986</b> , 27, 1-12	160
1873	Excitatory neurotransmission within substantia nigra pars reticulata regulates threshold for seizures produced by pilocarpine in rats: effects of intranigral 2-amino-7-phosphonoheptanoate and N-methyl-D-aspartate. <b>1986</b> , 18, 61-77	134
1872	Prevention of amygdala kindling with an inhibitor of gamma-aminobutyric acid uptake. <b>1986</b> , 69, 65-9	15
1871	Effect of opiates on the parameters of seizures in rats with full amygdaloid-kindled convulsions. <b>1986</b> , 25, 839-44	15
1870	Glycine potentiates the anticonvulsant action of diazepam and phenobarbital in kindled amygdaloid seizures of rats. <b>1986</b> , 25, 1359-63	17
1869	Effects of the benzodiazepine antagonists RO 15-1788, CGS-8216 and PK-11195 on amygdaloid kindled seizures and the anticonvulsant efficacy of diazepam. <b>1986</b> , 25, 1205-11	13

1868	Absence of side-effects in the anticonvulsant action of cortically applied antagonists of N-methyl-D-aspartate. <b>1986</b> , 373, 222-6	8
1867	Kindling enhances the stimulation of inositol phospholipid hydrolysis elicited by ibotenic acid in rat hippocampal slices. <b>1986</b> , 374, 174-8	66
1866	Unilateral peri-substantia nigra catecholaminergic lesion and amygdala kindling. <b>1986</b> , 370, 388-92	28
1865	Retardation of resynthesis of GABA-transaminase in some brain regions of amygdala-kindled rats. <b>1986</b> , 381, 77-84	16
1864	Changes in dynorphin, enkephalin and cholecystokinin content of hippocampus and substantia nigra after amygdala kindling. <b>1986</b> , 365, 185-91	105
1863	CRF-induced seizures and behavior: interaction with amygdala kindling. <b>1986</b> , 372, 345-51	134
1862	Intrastriatal N-methyl-D-aspartate prevents amygdala kindled seizures in rats. <b>1986</b> , 377, 173-6	54
1861	Effects of age on kindling and kindled seizure-induced increase of benzodiazepine receptor binding. <b>1986</b> , 362, 17-22	39
1860	Induction and suppression of seizures by cysteamine in hippocampal kindled rats. <b>1986</b> , 365, 393-6	15
1859	Decrease in number of hippocampal gamma-aminobutyric acid (GABA) immunoreactive cells in the rat kindling model of epilepsy. <b>1986</b> , 64, 491-5	57
1858	Kindling: a model for epilepsy and memory. <b>1986</b> , 109, 97-108	19
1857	Effect of aminophylline on amygdaloid-kindled postictal inhibition. <b>1986</b> , 24, 1599-603	10
1856	Effect of DSP4 on hippocampal kindling in rats. <b>1986</b> , 24, 777-9	31
1855	Paradoxical anticonvulsant activity of the excitatory amino acid N-methyl-D-aspartate in the rat caudate-putamen. <b>1987</b> , 84, 1689-93	71
1854	Differential effects of adenosine analogs on amygdala, hippocampus, and caudate nucleus kindled seizures. <b>1987</b> , 28, 658-66	41
1853	Inferior collicular interactions with limbic seizure activity. <b>1987</b> , 28, 234-41	44
1852	Long-term increase in striatal thyrotropin-releasing hormone receptor binding caused by amygdaloid kindling. <b>1987</b> , 28, 228-33	15
1851	The substantia nigra is an important site for the containment of seizure generalization in the kindling model of epilepsy. <b>1987</b> , 28, 1-10	72

1850	Grafted noradrenergic neurons suppress seizure development in kindling-induced epilepsy. <b>1987</b> , 84, 8712-5	64
1849	Motor cortical kindling in cats: a comparison of adult cats and kittens. <b>1987</b> , 28, 651-7	6
1848	Failure of neocortical transplants to alter seizure susceptibility in previously kindled rats. <b>1987</b> , 28, 242-50	7
1847	An efficient method for time course studies of antiepileptic drugs using the kindled rat seizure model. <b>1987</b> , 18, 319-25	7
1846	The development of changes in hippocampal GABA immunoreactivity in the rat kindling model of epilepsy: a light microscopic study with GABA antibodies. <b>1987</b> , 23, 433-46	42
1845	Limbic postictal events: anatomical substrates and opioid receptor involvement. <b>1987</b> , 11, 389-418	56
1844	Effects of corticosterone on shaking and seizure behavior induced by deep prepyriform cortex kindling. <b>1987</b> , 82, 337-42	3
1843	The effect of repeated seizures on anticonvulsant drug response in the kindling model. <i>Electroencephalography and Clinical Neurophysiology</i> , <b>1987</b> , 67, 171-5	19
1842	Suppression of kindled seizures by cysteamine: dependence on injection-to-kindled seizure interval. <b>1987</b> , 134, 225-8	8
1841	Anticonvulsant efficacy of clonazepam and the beta-carboline ZK 93423 during chronic treatment in amygdala-kindled rats. <b>1987</b> , 143, 403-14	61
1840	Monoaminergic correlates of kindling. <b>1987</b> , 403, 205-12	32
1839	Facilitation of kindling by prior induction of long-term potentiation in the perforant path. <b>1987</b> , 420, 109-17	92
1838	Bidirectional transfer between kindling induced by excitatory amino acids and electrical stimulation. <b>1987</b> , 425, 45-8	62
1837	Microinjection of a benzodiazepine into substantia nigra elevates kindled seizure threshold. <b>1987</b> , 423, 261-8	29
1836	Microinjections of the gamma-aminobutyrate antagonist, bicuculline methiodide, into the caudate-putamen prevent amygdala-kindled seizures in rats. <b>1987</b> , 411, 370-2	39
1835	Kindling antagonism: a role for hindbrain norepinephrine in the development of site suppression following concurrent, alternate stimulation. <b>1987</b> , 407, 212-22	25
1834	The role of substantia nigra in the development of kindling: pharmacologic and lesion studies. <b>1987</b> , 412, 311-7	39
1833	The development and decay of kindling-induced increases in paired-pulse depression in the dentate gyrus. <b>1987</b> , 412, 318-28	129

1832	Further evidence for abnormal GABAergic circuits in amygdala-kindled rats. <b>1987</b> , 420, 385-90	89
1831	Prevention of cysteamine-induced myoclonus blocks the long-term inhibition of kindled seizures. <b>1987</b> , 412, 161-4	6
1830	Direct microinjection of soman or VX into the amygdala produces repetitive limbic convulsions and neuropathology. <b>1987</b> , 435, 123-37	110
1829	Effect of locus ceruleus stimulation on the development of kindled seizures. <b>1987</b> , 95, 13-20	60
1828	Alterations in beta-adrenergic receptor binding in partially and fully amygdala-kindled juvenile and adult rats. <b>1987</b> , 95, 56-64	5
1827	Antagonism of central but not peripheral cholinergic receptors retards amygdala kindling in rats. <b>1987</b> , 95, 194-206	61
1826	Role of the corpus callosum and hippocampal commissure on transfer phenomenon in amygdala-kindled cats. <b>1987</b> , 98, 189-97	11
1825	Kindling by repeated intraperitoneal or intracerebral injection of picrotoxin transfers to electrical kindling. <b>1987</b> , 97, 243-54	34
1824	Increased susceptibility to hippocampal and amygdala kindling following intrahippocampal kainic acid. <b>1987</b> , 97, 255-69	42
1823	Modification of amygdala-kindled postictal inhibition by pentylentetrazol and diazepam. <b>1987</b> , 97, 626-34	
1822	Suppression of amygdala kindling with short interstimulus intervals: effect of norepinephrine depletion. <b>1987</b> , 95, 391-402	21
1821	Wet dog shakes in limbic versus generalized seizures. <b>1987</b> , 95, 500-5	27
1820	Amygdala kindling modifies interhemispheric dopaminergic asymmetry. <b>1987</b> , 96, 137-44	11
1819	Facilitation of secondary site kindling in the dorsal hippocampus following forebrain bisection. <b>1987</b> , 96, 569-79	14
1818	A model of status epilepticus based on electrical stimulation of hippocampal afferent pathways. <b>1987</b> , 96, 681-91	51
1817	Kindling-like convulsive activities in the isolated ileum of the guinea pig. I. Electrical stimulation. <b>1987</b> , 98, 249-63	1
1816	Kindling-induced changes in EEG recorded during stimulation from the site of stimulation. III. Direct pharmacological manipulations of the kindled amygdala. <b>1987</b> , 97, 17-34	42
1815	Effect of microinjections of gamma-vinyl GABA or isoniazid into substantia nigra on the development of amygdala kindling in rats. <b>1987</b> , 95, 622-38	58



1814	Postictal events in amygdala-kindled female rats with and without estradiol replacement. <b>1987</b> , 95, 697-713	13
1813	Transfer Phenomenon in Amygdaloid Kindling in Suckling Rats. <b>1987</b> , 41, 537-538	
1812	Changes of Cerebral Glucose Utilization in the Hippocampus during the Postictal Phase of Amygdaloid Kindling Model of Epilepsy. <b>1987</b> , 41, 542-544	
1811	Intranigral dynorphin-1-13 suppresses kindled seizures by a naloxone-insensitive mechanism. <b>1987</b> , 405, 358-63	26
1810	Only certain antiepileptic drugs prevent seizures induced by pilocarpine. <b>1987</b> , 434, 281-305	88
1809	The drug treatment of post-traumatic stress disorder. <b>1987</b> , 13, 203-13	55
1808	Effects of selective mu- and delta-opioid peptides on kindled amygdaloid seizures in rats. <b>1987</b> , 74, 227-31	26
1807	Diazepam restores the increased [3H]glutamate binding to hippocampal synaptic membranes in the amygdaloid-kindled rat. <b>1987</b> , 4, 185-94	4
1806	Presynaptic alteration of [3H]GABA transport in hippocampus by amygdala kindling. <b>1987</b> , 76, 329-34	5
1805	Differential regulation of neuropeptide and proto-oncogene mRNA content in the hippocampus following recurrent seizures. <b>1987</b> , 427, 21-9	160
1804	Relevance of kindling and related processes to human epileptogenesis. <b>1987</b> , 11, 505-25	25
1803	Diazepam restores the increased [3H]glutamate binding to hippocampal synaptic membranes in the amygdaloid-kindled rat. <b>1987</b> , 4, 185-194	
1802	Enhancement of recurrent inhibition by angular bundle kindling is retained in hippocampal slices. <b>1987</b> , 36, 153-66	12
1801	Deep prepiriform cortex kindling and amygdala interactions. <b>1987</b> , 1, 94-101	16
1800	Anticonvulsant effects of GABA elevation in the deep prepiriform cortex. <b>1987</b> , 1, 102-6	30
1799	The anticonvulsant action of AHR-11748 on kindled amygdaloid seizures in rats. <b>1987</b> , 1, 126-33	6
1798	Pregnancy decreases the frequency of spontaneous recurrent seizures in rats with kainic acid lesions of the hippocampus. <b>1987</b> , 1, 142-4	18
1797	Effects of aminophylline and enprofylline on the protective activity of phenobarbital against amygdala-kindled seizures in rats. <b>1987</b> , 1, 234-8	29

1796	Mutual interactions between repeated flurothyl convulsions and electrical kindling. <b>1987</b> , 1, 159-64	9
1795	Prophylaxis of amygdala kindling-induced epileptogenesis: comparison of a GABA uptake inhibitor and diazepam. <b>1987</b> , 1, 63-9	28
1794	Acquisition of amygdala-kindled seizures in female rats: relationship between the effect of estradiol and intra-amygdaloid electrode location. <b>1987</b> , 28, 291-7	15
1793	Effect of pentylenetetrazol-induced convulsions on the development and expression of limbic kindled seizures. <b>1987</b> , 26, 159-65	7
1792	NMDA receptors of dentate gyrus granule cells participate in synaptic transmission following kindling. <b>1987</b> , 326, 701-4	368
1791	Anxiolytic properties of amygdaloid kindling unrelated to benzodiazepine receptors. <b>1988</b> , 96, 296-301	24
1790	Unchanged regional norepinephrine glycol metabolite levels in rat brain two months after amygdala kindling. <b>1988</b> , 2, 72-8	2
1789	Effects of kynurenic acid on amygdaloid kindling in the rat. <b>1988</b> , 2, 302-8	21
1788	Response properties of rapidly recurring hippocampal seizures in rats. <b>1988</b> , 2, 356-66	39
1787	Which animal models should be used in the search for new antiepileptic drugs? A proposal based on experimental and clinical considerations. <b>1988</b> , 2, 145-81	675
1786	Anatomical analysis of frontal cortex sites at which carbachol induces motor seizures in the rat. <b>1988</b> , 30, 129-36	12
1785	Formamidine pesticides enhance susceptibility to kindled seizures in amygdala and hippocampus of the rat. <b>1988</b> , 10, 221-7	21
1784	Marked increase in anticonvulsant activity but decrease in wet-dog shake behaviour during short-term treatment of amygdala-kindled rats with valproic acid. <b>1988</b> , 150, 221-32	28
1783	Evaluation of CPP, a selective NMDA antagonist, in various rodent models of epilepsy. Comparison with other NMDA antagonists, and with diazepam and phenobarbital. <b>1988</b> , 152, 9-17	71
1782	Kindling does not cause persistent changes in firing rates or transmitter sensitivities of substantia nigra pars reticulata neurons. <b>1988</b> , 455, 115-22	12
1781	Abnormal hyperexcitability of hippocampal slices from kindled rats is transient. <b>1988</b> , 453, 257-64	15
1780	Premotor cortical kindling interferes with subsequent hippocampal kindling. <b>1988</b> , 475, 182-6	5
1779	Anterior neocortical kindling in vasopressin-deficient rats. <b>1988</b> , 463, 390-3	1

1778	Anticonvulsant action of a non-competitive antagonist of NMDA receptors (MK-801) in the kindling model of epilepsy. <b>1988</b> , 463, 12-20	184
1777	The NMDA-receptor antagonist, MK-801, suppresses limbic kindling and kindled seizures. <b>1988</b> , 463, 90-9	137
1776	Differential effects of non-steroidal anti-inflammatory drugs on seizures produced by pilocarpine in rats. <b>1988</b> , 462, 275-85	28
1775	Chronic seizures and collateral sprouting of dentate mossy fibers after kainic acid treatment in rats. <b>1988</b> , 474, 181-4	308
1774	The effects of various lesions and knife-cuts on septal and amygdala kindling in the rat. <b>1988</b> , 454, 264-74	61
1773	Mesolimbic dopamine receptor increases two weeks following hippocampal kindling. <b>1988</b> , 449, 357-60	42
1772	Bifunctional roles of catecholamines in the development of amygdala kindling demonstrated by continuous intra-amygdala infusion of 6-hydroxydopamine. <b>1988</b> , 448, 162-6	7
1771	Endurance of the kindling effect is independent of the degree of generalization. <b>1988</b> , 447, 404-6	4
1770	Inhibitory effects of acute exposure to low-intensity 60-Hz magnetic fields on electrically kindled seizures in rats. <b>1988</b> , 442, 255-60	45
1769	Effects of chronic cortical seizures on GABA and benzodiazepine receptors within seizure pathways. <b>1988</b> , 442, 261-9	4
1768	Long-term enhancement of K <sup>+</sup> -evoked release of L-glutamate in entorhinal kindled rats. <b>1988</b> , 442, 368-72	64
1767	Kindling in the deep prepyriform cortex of the rat. <b>1988</b> , 100, 203-9	19
1766	Amygdaloid kindling with bicuculline methiodide in rats. <b>1988</b> , 102, 346-53	24
1765	Intrastriatal dendrotoxin injection: behavioral and neurochemical effects. <b>1988</b> , 26, 1009-15	18
1764	Effect of various calcium channel blockers on three different models of limbic seizures in rats. <b>1988</b> , 27, 451-8	47
1763	Regional brain concentrations of neurotensin following amygdaloid kindled and cortical suprathreshold stimulation-induced seizures in the rat. <b>1988</b> , 11, 77-81	6
1762	Progression and generalization of seizure discharge: anatomical and neurochemical substrates. <b>1988</b> , 29 Suppl 2, S15-34	175
1761	Facilitation and antagonism of lidocaine-kindled seizures: the behavioral feature. <b>1988</b> , 42, 83-5	10

1760	Electrical self-stimulation in the medial and lateral septum as compared to the lateral hypothalamus: differential intervention of reward and learning processes?. <b>1988</b> , 44, 53-9	19
1759	Mesolimbic dopaminergic supersensitivity following electrical kindling of the amygdala. <b>1988</b> , 23, 285-94	46
1758	Intraventricular injection of antiserum to nerve growth factor delays the development of amygdaloid kindling. <b>1988</b> , 458, 132-6	58
1757	Inhibition of the development of electrical kindling of the prepiriform cortex by daily focal injections of excitatory amino acid antagonists. <b>1988</b> , 152, 29-38	90
1756	Pursuit of the mechanisms of kindling. <b>1988</b> , 11, 33-6	82
1755	Lasting increase in excitatory amino acid receptor-mediated phosphoinositide hydrolysis in the amygdala/pyriform cortex of amygdaloid kindled rats. <b>1988</b> , 42, 620-1	
1754	POSTER COMMUNICATIONS. <b>1988</b> , 93, 148P-306P	1
1753	Atropine slows olfactory bulb kindling while diminished cholinergic innervation does not. <b>1988</b> , 20, 203-9	10
1752	Role of the N-methyl-D-aspartate-type receptors in the development and maintenance of hippocampal kindling in rats. <b>1988</b> , 87, 63-8	115
1751	Stimulation-produced analgesia (SPA) from brain-stem and diencephalic sites in the rat: relationships between analgesia, aversion, seizures and catalepsy. <b>1988</b> , 33, 109-121	18
1750	Focal hippocampal lesions induce seizures and long-lasting changes in mossy fiber enkephalin and CCK immunoreactivity. <b>1988</b> , 9 Suppl 1, 79-84	28
1749	Protective effects of mossy fiber lesions against kainic acid-induced seizures and neuronal degeneration. <b>1988</b> , 26, 763-81	53
1748	Dextromethorphan, a common antitussive, reduces kindled amygdala seizures in the rat. <b>1988</b> , 86, 340-5	39
1747	Epileptogenesis and muscular hypertonic postictal phenomena induced by naloxone in intact cats. <b>1988</b> , 29, 374-8	6
1746	Cerebral transplants for seizures: preliminary results. <b>1988</b> , 29, 731-7	22
1745	gamma-Vinyl GABA in endopiriform area suppresses kindled amygdala seizures. <b>1988</b> , 29, 404-11	54
1744	Deep prepiriform cortex lesion and development of amygdala kindling. <b>1988</b> , 29, 401-3	15
1743	Intracerebral grafting of fetal noradrenergic locus coeruleus neurons: evidence for seizure suppression in the kindling model of epilepsy. <b>1988</b> , 78, 79-86	10

1742	GABA in epilepsy: the pharmacologic basis. <b>1989</b> , 30 Suppl 3, S1-11	105
1741	Tolerance to anticonvulsant effects of diazepam, clonazepam, and clobazam in amygdala-kindled rats. <b>1989</b> , 30, 276-85	45
1740	Limbic seizures increase neuronal production of messenger RNA for nerve growth factor. <b>1989</b> , 245, 758-61	585
1739	Effect of cocaine and lidocaine on the development of kindled seizures. <b>1989</b> , 32, 463-8	14
1738	Transfer following rapid kindling in the prepubescent rat. <b>1989</b> , 3, 222-6	5
1737	Low frequency stimulation induces an increase in after-discharge thresholds in hippocampal and amygdaloid kindling. <b>1989</b> , 3, 232-5	22
1736	A comparison of the anticonvulsant effects of 1,4- and 1,5-benzodiazepines in the amygdala-kindled rat and their effects on motor function. <b>1989</b> , 3, 31-40	25
1735	Does the pentylenetetrazole (PTZ) cue reflect PTZ-induced kindling or PTZ-induced angiogenesis?. <b>1989</b> , 16, 247-256	14
1734	Novel approach to studying N-methyl-D-aspartate receptor function in the kindling model of epilepsy. <b>1989</b> , 17, 321-330	4
1733	The effect of MK-801 on kindled seizures: implications for use and limitations as an antiepileptic drug. <b>1989</b> , 26, 85-90	38
1732	Intravenous phenytoin is an effective anticonvulsant in the kindling model. <b>1989</b> , 26, 675-8	40
1731	Estradiol replacement facilitates the acquisition of seizures kindled from the anterior neocortex in female rats. <b>1989</b> , 4, 207-15	43
1730	Evidence for a chronic loss of inhibition in the hippocampus after kindling: electrophysiological studies. <b>1989</b> , 4, 90-9	65
1729	Chemical kindling with Met-enkephalin and transfer between chemical and electrical kindling. <b>1989</b> , 3, 214-21	7
1728	Self-sustaining limbic status epilepticus induced by 'continuous' hippocampal stimulation: electrographic and behavioral characteristics. <b>1989</b> , 3, 107-19	272
1727	Recovery of decreased glutamate decarboxylase immunoreactivity after rat hippocampal kindling. <b>1989</b> , 3, 18-30	24
1726	Seizure-triggering mechanisms in the kindling model of epilepsy: Collapse of GABA-mediated inhibition and activation of NMDA receptors. <b>1989</b> , 13, 253-260	58
1725	Excitatory neurotransmitters in kindling: Excitatory amino acid, cholinergic, and opiate mechanisms. <b>1989</b> , 13, 269-276	37

1724	Pyriform cortex involvement in kindling. <b>1989</b> , 13, 277-280	68
1723	Stepwise progression of kindling: Perspectives from the kindling antagonism model. <b>1989</b> , 13, 289-299	65
1722	Enhanced susceptibility to kindling by chlordimeform may be mediated by a local anesthetic action. <b>1989</b> , 99, 163-7	18
1721	Decrease in GABA immunoreactivity and alteration of GABA metabolism after kindling in the rat hippocampus. <b>1989</b> , 74, 375-86	43
1720	Review: cholinergic mechanisms and epileptogenesis. The seizures induced by pilocarpine: a novel experimental model of intractable epilepsy. <b>1989</b> , 3, 154-71	547
1719	Changes in polyamine concentrations in amygdaloid-kindled rats. <b>1989</b> , 53, 986-8	23
1718	Two-stage model of memory trace formation: a role for "noisy" brain states. <b>1989</b> , 31, 551-70	1283
1717	Amygdaloid kindling of rats increases preprosomatostatin mRNA and somatostatin without affecting glutamic acid decarboxylase (GAD) mRNA or GAD. <b>1989</b> , 5, 243-6	43
1716	Neuronal activity in the subcortically denervated hippocampus: a chronic model for epilepsy. <b>1989</b> , 28, 527-38	105
1715	Changes of proenkephalin and prodynorphin mRNAs and related peptides in rat brain during the development of deep prepyriform cortex kindling. <b>1989</b> , 6, 263-73	41
1714	Twenty-four-hour post-seizure inhibition during limbic kindling requires seizure generalization. <b>1989</b> , 99, 208-13	19
1713	Are there morphological changes in presynaptic terminals of kindled rats?. <b>1989</b> , 107, 179-83	11
1712	Noradrenaline and 5-hydroxytryptamine release in the hippocampus during seizures induced by hippocampal kindling stimulation: an in vivo microdialysis study. <b>1989</b> , 32, 647-56	43
1711	The effect of amygdala kindled seizures on locus coeruleus activity. <b>1989</b> , 22, 751-8	14
1710	Transient increase of cytoplasmic calcium concentration in the rat hippocampus after kindling-induced seizures. An ultrastructural study with the oxalate-pyro-antimonate technique. <b>1989</b> , 29, 667-74	14
1709	Changes in spontaneous EEG- paroxysms and behaviour in female rats under the influence of interoceptive stimuli. <b>1989</b> , 7, 336-337	
1708	Effect of cysteamine on somatostatin-like immunoreactivity in the amygdala-kindled rat brain. <b>1989</b> , 14, 11-6	7
1707	Amygdala-kindling as a model for chronic efficacy studies on antiepileptic drugs: experiments with carbamazepine. <b>1989</b> , 28, 599-610	44

1706	Role of TRH in Seizure Modulation. <b>1989</b> , 553, 286-303	40
1705	Comparison of the anticonvulsant efficacy of primidone and phenobarbital during chronic treatment of amygdala-kindled rats. <b>1989</b> , 162, 309-22	35
1704	Anticonvulsant and proconvulsant effects of inhibitors of GABA degradation in the amygdala-kindling model. <b>1989</b> , 163, 1-14	72
1703	Noradrenergic mechanisms in hippocampal kindling with rapidly recurring seizures. <b>1989</b> , 491, 398-402	47
1702	Seizures decrease regional enzymatic hydrolysis of N-acetyl-aspartylglutamate in rat brain. <b>1989</b> , 505, 130-4	20
1701	Spontaneous epileptiform activity and alteration of GABA- and of NMDA-mediated neurotransmission in amygdala neurons kindled in vivo. <b>1989</b> , 494, 177-81	87
1700	Continuities between outer nuclear membrane and the rough endoplasmic reticulum increase in hippocampal neurons during seizure-induced protein synthesis. <b>1989</b> , 497, 387-92	13
1699	Bidirectional transfer between kindling induced either by L-glutamate or L-aspartate and electrical stimulation in rats. <b>1989</b> , 498, 163-6	14
1698	Inositol 1-phosphate formation in long-term potentiation and kindling. <b>1989</b> , 490, 41-7	13
1697	Hippocampal kindling enhances excitatory amino acid receptor-mediated polyphosphoinositide hydrolysis in the hippocampus and amygdala/pyriform cortex. <b>1989</b> , 490, 126-32	30
1696	Local cerebral glucose utilization in the postictal phase of amygdaloid kindled rats. <b>1989</b> , 486, 221-7	17
1695	Transient elevation of locus coeruleus alpha 2-adrenergic receptor binding during the early stages of amygdala kindling. <b>1989</b> , 485, 363-70	12
1694	Lasting increase in excitatory amino acid receptor-mediated polyphosphoinositide hydrolysis in the amygdala/pyriform cortex of amygdala-kindled rats. <b>1989</b> , 485, 95-101	38
1693	Serotonin-dependent (Na <sup>+</sup> ,K <sup>+</sup> )ATPase in kindled rats: a study in various brain regions. <b>1989</b> , 480, 403-6	13
1692	Limbic seizures without brain damage after injection of low doses of kainic acid into the amygdala of freely moving rats. <b>1989</b> , 489, 261-72	24
1691	Chemical kindling induced by cAMP and transfer to electrical kindling. <b>1989</b> , 492, 158-62	30
1690	Kindling of full limbic seizures by repeated microinjections of excitatory amino acids into the rat amygdala. <b>1989</b> , 501, 58-65	71
1689	Autoradiographic analysis of benzodiazepine binding in entorhinal-kindled rat brains. <b>1989</b> , 498, 315-22	43

1688	N-methyl-D-aspartate receptor autoradiography in rat brain after angular bundle kindling. <b>1989</b> , 482, 359-64	64
1687	Kindling in spontaneous hypertensive rats. <b>1989</b> , 495, 58-65	24
1686	Deep prepyriform cortex kindling differentially alters the levels of prodynorphin mRNA in rat hippocampus and striatum. <b>1989</b> , 495, 156-60	32
1685	Down-regulation of norepinephrine sensitivity after induction of long-term neuronal plasticity (kindling) in the rat dentate gyrus. <b>1989</b> , 476, 367-72	17
1684	Kindling induced changes in parvalbumin immunoreactivity in rat hippocampus and its relation to long-term decrease in GABA-immunoreactivity. <b>1989</b> , 479, 23-34	85
1683	Kindling-based status epilepticus: effect of norepinephrine depletion with 6-hydroxydopamine. <b>1989</b> , 104, 10-4	13
1682	Restriction of enhanced [2-14C]deoxyglucose utilization to rhinencephalic structures in immature amygdala-kindled rats. <b>1989</b> , 104, 73-81	21
1681	Effects of the NMDA receptor antagonist MK-801 against amygdaloid-kindled seizures in the rat. <b>1989</b> , 103, 199-202	15
1680	Seizures evoked from area tempestas are subject to control by GABA and glutamate receptors in substantia nigra. <b>1989</b> , 105, 184-8	64
1679	Effects of amygdaloid kindling on NMDA receptor function and regulation. <b>1989</b> , 106, 52-60	16
1678	Modification of amygdala kindling by intracerebroventricularly administered gangliosides in rats. <b>1989</b> , 106, 61-9	4
1677	Normal extracellular calcium levels block kindled seizures. <b>1989</b> , 106, 99-101	8
1676	The grafted hippocampus: an epileptic focus. <b>1989</b> , 105, 10-22	63
1675	Neuroexcitotoxic action of db-cAMP: lesioning of neuronal cell bodies while sparing fibers of passage. <b>1989</b> , 43, 561-2	
1674	Long-term enhancement of excitatory amino acid receptor-mediated polyphosphoinositide hydrolysis in the hippocampus and amygdala/pyriform cortex of hippocampal kindled rats. <b>1989</b> , 43, 565-6	
1673	Developmental study of status epilepticus in rats. <b>1989</b> , 43, 569-70	
1672	Controllability of prestimulation of the medial prefrontal cortex determines the facilitation of self-stimulation and kindled seizures. <b>1989</b> , 46, 239-45	3
1671	Kindling facilitates acquisition of discriminative responding but disrupts reversal learning of the rabbit nictitating membrane response. <b>1989</b> , 31, 279-83	48



1670	Intermittent flumazenil and benzodiazepine tolerance: discouraging findings in rats. <b>1989</b> , 1, 1386-7	14
1669	Antiepileptic drug development program: a cooperative effort of government and industry. <b>1989</b> , 30 Suppl 1, S51-6; discussion S64-8	102
1668	Development of new pharmacological agents for epilepsy: lessons from the kindling model. <b>1989</b> , 30 Suppl 1, S13-8; discussion S64-8	64
1667	Developmental study of hippocampal kindling. <b>1989</b> , 30, 266-70	19
1666	Bidirectional transhemispheric interaction between amygdaloid kindling induced by excitatory amino acids and electrical stimulation. <b>1989</b> , 30, 271-5	11
1665	N-methyl-D-aspartate receptor plasticity in kindling: quantitative and qualitative alterations in the N-methyl-D-aspartate receptor-channel complex. <b>1989</b> , 86, 8157-60	95
1664	Multiple withdrawals from chronic ethanol "kindles" inferior collicular seizure activity: evidence for kindling of seizures associated with alcoholism. <b>1990</b> , 14, 394-9	127
1663	Seizures, neuropeptide regulation, and mRNA expression in the hippocampus. <b>1990</b> , 83, 371-90	129
1662	Locus coeruleus grafts in hippocampal kindling epilepsy: noradrenaline release, receptor specificity and influence on seizure development. <b>1990</b> , 82, 339-46	9
1661	Induction of c-fos mRNA expression by afterdischarge in the hippocampus of naive and kindled rats. <b>1990</b> , 55, 1050-5	142
1660	High doses of memantine (1-amino-3,5-dimethyladamantane) induce seizures in kindled but not in non-kindled rats. <b>1990</b> , 341, 476-81	39
1659	The competitive NMDA receptor antagonists CGP 37849 and CGP 39551 are potent, orally-active anticonvulsants in rodents. <b>1990</b> , 342, 61-6	123
1658	Acute cocaine toxicity: antagonism by agents interacting with adrenoceptors. <b>1990</b> , 36, 225-31	33
1657	Electroshock- and pentylenetetrazol-induced seizures in genetically epilepsy-prone rats (GEPRs): differences in threshold and pattern. <b>1990</b> , 6, 1-11	65
1656	Catecholaminergic systems and amygdala kindling development. Effects of bilateral lesions of substantia nigra dopaminergic or locus coeruleus noradrenergic neurones. <b>1990</b> , 5, 92-102	14
1655	Electroencephalographic and behavioural correlates of seizure development in rats in response to hyperbaric exposure. <b>1990</b> , 7, 65-71	1
1654	Dopamine control of seizure propagation: intranigral dopamine D1 agonist SKF-38393 enhances susceptibility to seizures. <b>1990</b> , 5, 113-9	81
1653	Spontaneous recurrent seizures in rats: an experimental model of partial epilepsy. <b>1990</b> , 14, 511-7	204

1652	Seizure suppression in kindling epilepsy by intrahippocampal locus coeruleus grafts: evidence for an alpha-2-adrenoreceptor mediated mechanism. <b>1990</b> , 81, 433-7	36
1651	The hippocampus in experimental chronic epilepsy: a morphometric analysis. <b>1990</b> , 27, 43-8	109
1650	Alterations in glutamine synthetase activity by FeCl <sub>2</sub> -induced focal and kindled amygdaloid seizures. <b>1990</b> , 25, 223-8	16
1649	An evaluation of the anticonvulsant effects of vitamin E. <b>1990</b> , 6, 12-7	34
1648	Reduced GABA-mediated chloride flux in entorhinal cortex-kindled rat brains. <b>1990</b> , 6, 18-22	18
1647	The effect of interstimulation interval on the assessment of anticonvulsant drug potency in fully kindled rats. <b>1990</b> , 7, 182-96	19
1646	Transient elevation of amygdala alpha 2 adrenergic receptor binding sites during the early stages of amygdala kindling. <b>1990</b> , 5, 85-91	8
1645	An analysis of anticonvulsant actions of GABA agonists (progabide and baclofen) in the kindling model of epilepsy. <b>1990</b> , 5, 117-24	21
1644	Adenosine involvement in postictal events in amygdala-kindled rats. <b>1990</b> , 6, 171-9	45
1643	Regional brain [3H]muscimol binding in kindled rat brain: a quantitative autoradiographic examination. <b>1990</b> , 6, 102-9	35
1642	Recurrent spontaneous hippocampal seizures in the rat as a chronic sequela to limbic status epilepticus. <b>1990</b> , 6, 110-8	149
1641	Time-dependent pro- and anticonvulsant effects of cysteamine on the development and expression of amygdaloid kindled seizures. <b>1990</b> , 7, 86-94	3
1640	Amygdaloid kindling and kindled seizures in rats receiving chronic ethanol administration. <b>1990</b> , 7, 95-104	12
1639	Effects of dextromethorphan, a nonopioid antitussive, on development and expression of amygdaloid kindled seizures. <b>1990</b> , 31, 496-502	19
1638	Effect of septal kindling on glutamate binding and calcium/calmodulin-dependent phosphorylation in a postsynaptic density fraction isolated from rat cerebral cortex. <b>1990</b> , 87, 5298-302	43
1637	Levels of mRNA for a putative kainate receptor are affected by seizures. <b>1990</b> , 87, 7643-7	72
1636	7-Chlorokynurenic acid, a strychnine-insensitive glycine receptor antagonist, inhibits limbic seizure kindling. <b>1990</b> , 118, 29-32	33
1635	Alterations in acetylcholine-induced stimulation of inositol phospholipid hydrolysis in the dorsal hippocampus of kindled rats. <b>1990</b> , 118, 57-60	3

1634	Dopamine D1 receptor modulation of pilocarpine-induced convulsions. <b>1990</b> , 34, 209-17	40
1633	Increased somatostatin and enkephalin-like immunoreactivity in the rat hippocampus following hippocampal kindling. <b>1990</b> , 118, 33-6	47
1632	Evidence that superior colliculi are involved in the control of amygdala-kindled seizures. <b>1990</b> , 120, 38-41	7
1631	Kainate and quisqualate receptor autoradiography in rat brain after angular bundle kindling. <b>1990</b> , 37, 135-42	37
1630	Kindling in developing animals: expression of severe seizures and enhanced development of bilateral foci. <b>1990</b> , 56, 275-80	101
1629	Amygdala kindling and associated changes of entorhinal responses in suckling rats. <b>1990</b> , 51, 241-8	8
1628	Kindled seizures elevate blood pressure and induce cardiac arrhythmias. <b>1990</b> , 31, 489-95	40
1627	Antikindling effects of locus coeruleus stimulation: mediation by ascending noradrenergic projections. <b>1990</b> , 108, 136-40	54
1626	Secondary generalization in non-kindled rats following acute administration of GABA-complex and adenosine antagonists. <i>Electroencephalography and Clinical Neurophysiology</i> , <b>1990</b> , 75, 444-51	4
1625	Kindling: basic mechanisms and clinical validity. <i>Electroencephalography and Clinical Neurophysiology</i> , <b>1990</b> , 76, 459-72	265
1624	Kindling in the posterior cingulate cortex: electrographic and behavioral characteristics. <i>Electroencephalography and Clinical Neurophysiology</i> , <b>1990</b> , 76, 177-86	5
1623	Development of tolerance to clobazam in fully kindled rats: effects of intermittent flumazenil administration. <b>1990</b> , 180, 255-71	17
1622	Evidence for a role of glycine in area tempestas for triggering convulsive seizures. <b>1990</b> , 187, 59-66	21
1621	Effect of selective bilateral destruction of the substantia nigra on antiepileptic drug actions in kindled rats. <b>1990</b> , 186, 157-67	15
1620	Anticonvulsive properties of F1933 (dulozafone) on kindled seizures in the rat. <b>1990</b> , 182, 161-6	
1619	Effects of kainic acid-induced seizures and ischemia on c-fos-like proteins in rat brain. <b>1990</b> , 536, 183-94	167
1618	The NMDA antagonist, MK-801, suppresses long-term potentiation, kindling, and kindling-induced potentiation in the perforant path of the unanesthetized rat. <b>1990</b> , 519, 89-96	122
1617	Comparison between substantia innominata and amygdala kindling in rats. <b>1990</b> , 534, 329-31	1

1616	Kindling increases the K(+)-evoked Ca <sup>2+</sup> (+)-dependent release of endogenous GABA in area CA1 of rat hippocampus. <b>1990</b> , 511, 63-70	51
1615	Autoradiographical analysis of excitatory amino acid binding sites in rat hippocampus during the development of hippocampal kindling. <b>1990</b> , 526, 113-21	25
1614	Common epileptic pathway in amygdaloid bicuculline and electrical kindling demonstrated by transferability. <b>1990</b> , 537, 315-7	13
1613	Entorhinal kindling permanently enhances Ca <sup>2+</sup> (+)-dependent L-glutamate release in regio inferior of rat hippocampus. <b>1990</b> , 508, 188-93	69
1612	Spontaneous hippocampal interictal spikes following local kindling: time-course of change and relation to behavioral seizures. <b>1990</b> , 513, 308-14	45
1611	Kindling with stimulation of the dentate gyrus. I. Characterization of electrographic and behavioral events. <b>1990</b> , 509, 249-56	16
1610	A biphasic change of afterdischarge threshold during the kindling process. <b>1990</b> , 509, 355-7	6
1609	Medial preoptic area kindling induces sexual behavior in sexually inactive male rats. <b>1990</b> , 515, 20-6	40
1608	Effects of prenatal protein malnutrition on perforant path kindling in the rat. <b>1990</b> , 515, 45-50	47
1607	Kindling-induced epilepsy alters calcium currents in granule cells of rat hippocampal slices. <b>1990</b> , 531, 88-94	57
1606	Hippocampal kindling alters the concentration of glial fibrillary acidic protein and other marker proteins in rat brain. <b>1990</b> , 531, 307-11	48
1605	Transplantation of serotonergic neurons into the 5,7-DHT-lesioned rat olfactory bulb restores the parameters of kindling. <b>1990</b> , 518, 23-30	15
1604	Involvement of multiple opiate receptors in opioid kindling. <b>1990</b> , 517, 236-44	21
1603	Long-term changes in sensitivity to GABA in dorsal raphe neurons following amygdala kindling. <b>1990</b> , 517, 294-300	22
1602	Progressive neuronal loss induced by kindling: a possible mechanism for mossy fiber synaptic reorganization and hippocampal sclerosis. <b>1990</b> , 527, 1-6	328
1601	Stimulation-induced status epilepticus: role of the hippocampal mossy fibers in the seizures and associated neuropathology. <b>1990</b> , 512, 70-4	11
1600	The N-methyl-D-aspartate antagonists aminophosphonovalerate and carboxypiperazinephosphonate retard the development and expression of kindled seizures. <b>1990</b> , 506, 227-35	118
1599	NMDA receptor blockade inhibits glutamate-induced kindling of the rat amygdala. <b>1990</b> , 506, 349-52	49

1598	Elevated TRH levels in pyriform cortex after partial and fully generalized kindled seizures. <b>1990</b> , 525, 144-8	28
1597	Evidence for long-term reduction of noradrenaline release after kindling in the rat hippocampus. <b>1990</b> , 535, 353-7	9
1596	Selective stimulation of kainate but not quisqualate or NMDA receptors in substantia nigra evokes limbic motor seizures. <b>1990</b> , 528, 223-30	22
1595	Substantia nigra regulates action of antiepileptic drugs. <b>1990</b> , 520, 232-9	35
1594	Selected Papers. <b>1990</b> , 44, 343-465	
1593	Drug discrimination models in anxiety and depression. <b>1990</b> , 47, 267-80	25
1592	Radial maze performance following hippocampal kindling. <b>1990</b> , 40, 119-29	57
1591	Effects of systemic glucose injection on the development of amygdala kindling in rats. <b>1991</b> , 56, 314-8	5
1590	Effects of bilateral clamping of carotid arteries on hippocampal kindling in rats. <b>1991</b> , 49, 667-71	19
1589	Long-lasting enhancement of the membrane-associated protein kinase C activity in the hippocampal kindled rat. <b>1991</b> , 45, 297-301	2
1588	Kindling-induced changes of [3H]GTP binding in the cerebral cortical membrane. <b>1991</b> , 45, 303-7	1
1587	Effects of intraamygdaloid injection of taurine and valyltaurine on amygdaloid kindled seizure in rats. <b>1991</b> , 45, 383-5	2
1586	An important role of non-NMDA receptors in the expression of kindled amygdaloid seizure in rats. <b>1991</b> , 45, 386-7	
1585	A long-lasting decrease in the inhibitory effect of GABA on glutamate responses of hippocampal pyramidal neurons induced by kindling epileptogenesis. <b>1991</b> , 41, 425-31	62
1584	Calcium binding protein (calbindin-D28k) and glutamate decarboxylase gene expression after kindling induced seizures. <b>1991</b> , 9, 179-90	54
1583	Effects of amygdala kindling and electroconvulsive seizures on the expression of corticotropin-releasing hormone in the rat brain. <b>1991</b> , 2, 103-16	27
1582	GABAergic regulation of striatal opioid gene expression. <b>1991</b> , 10, 49-54	23
1581	Suppression of kindled seizure following intraamygdaloid injection of pertussis toxin in rats. <b>1991</b> , 130, 199-202	7

1580	Alterations in somatostatin and proenkephalin mRNA in response to a single amygdaloid stimulation versus kindling. <b>1991</b> , 11, 221-6	38
1579	Sensitization of mesolimbic brain stimulation reward after electrical kindling of the amygdala. <b>1991</b> , 27, 791-6	13
1578	Expression of the proto-oncogene c-fos following electrical kindling in the rat. <b>1991</b> , 11, 1-10	45
1577	Effect of amygdaloid kindling on the high- and low-affinity [3H]TCP binding sites of the rat CNS. <b>1991</b> , 131, 263-6	7
1576	Increased preproenkephalin Y mRNA in the rat hippocampus during the development of hippocampal kindling: comparison with the expression of preprosomatostatin mRNA. <b>1991</b> , 132, 175-8	35
1575	Regional GABA-stimulated chloride uptake in amygdala kindled rats. <b>1991</b> , 123, 269-72	12
1574	Kainic acid-induced seizures stimulate increased expression of nerve growth factor mRNA in rat hippocampus. <b>1991</b> , 9, 113-23	260
1573	Buthionine Sulfoximine Delays N-Methyl D-Aspartate-Induced Seizure Symptoms. <b>1991</b> , 3, 360-364	
1572	Contingent tolerance to carbamazepine: a peripheral-type benzodiazepine mechanism. <b>1991</b> , 193, 159-63	24
1571	Tolerance to anticonvulsant effects of the partial benzodiazepine receptor agonist abecarnil in kindled rats involves learning. <b>1991</b> , 202, 303-10	17
1570	Host regulation of noradrenaline release from grafts of seizure-suppressant locus coeruleus neurons. <b>1991</b> , 111, 49-54	26
1569	Estradiol replacement to female rats facilitates dorsal hippocampal but not ventral hippocampal kindled seizure acquisition. <b>1991</b> , 111, 55-64	52
1568	Effects of prenatal protein malnutrition on kindling-induced alterations in dentate granule cell excitability. I. Synaptic transmission measures. <b>1991</b> , 112, 206-15	52
1567	Effects of prenatal protein malnutrition on kindling-induced alterations in dentate granule cell excitability. II. Paired-pulse measures. <b>1991</b> , 112, 216-23	56
1566	Contingent tolerance to carbamazepine is associated with lowering of amygdala-kindled seizure thresholds. <b>1991</b> , 114, 300-6	9
1565	Loss of dendritic synapses in the medial amygdala associated with kindling. <b>1991</b> , 552, 351-5	22
1564	Changes in pre- and postsynaptic components of noradrenergic transmission in hippocampal kindling in rats. <b>1991</b> , 557, 210-6	5
1563	Increased activity of superoxide dismutase in kindled brain and suppression of kindled seizure following intra-amygdaloid injection of superoxide dismutase in rats. <b>1991</b> , 557, 313-5	27

1562	Hippocampal grafts into the intact brain induce epileptic patterns. <b>1991</b> , 554, 30-7	31
1561	Kindling-induced potentiation in the piriform cortex. <b>1991</b> , 556, 218-25	53
1560	Activation of the NMDA receptor: a correlate in the dentate gyrus field potential and its relationship to long-term potentiation and kindling. <b>1991</b> , 556, 226-39	23
1559	Decrease of GABA-immunoreactive neurons in the amygdala after electrical kindling in the rat. <b>1991</b> , 555, 335-9	58
1558	Amygdala kindling elevates plasma vasopressin. <b>1991</b> , 538, 9-14	19
1557	The effects of amphetamine preexposure on electrical kindling of the hippocampus and related transfer phenomena. <b>1991</b> , 550, 161-4	7
1556	Kindling from stimulation of a highly sensitive locus in the posterior part of the piriform cortex. Comparison with amygdala kindling and effects of antiepileptic drugs. <b>1991</b> , 538, 196-202	43
1555	Extracellular concentrations of amino acid transmitters in ventral hippocampus during and after the development of kindling. <b>1991</b> , 540, 315-8	47
1554	Lack of proconvulsant action of GABA depletion in substantia nigra in several seizure models. <b>1991</b> , 547, 1-6	22
1553	Transection of the superior cerebellar peduncle interferes with the onset and duration of generalized seizures induced by amygdaloid kindling. <b>1991</b> , 558, 90-2	12
1552	Two types of neuroplasticities in the kindling phenomenon. <b>1991</b> , 561, 162-4	8
1551	Anticonvulsant effects of ipsilateral but not contralateral microinjections of the dopamine D2 agonist LY 171555 into the nucleus accumbens of amygdala-kindled rats. <b>1991</b> , 553, 181-7	36
1550	Changes in inhibitory processes in the hippocampus following recurrent seizures induced by systemic administration of kainic acid. <b>1991</b> , 551, 236-46	66
1549	Norepinephrine-stimulated phosphatidylinositol metabolism in genetically epilepsy-prone and kindled rats. <b>1991</b> , 551, 315-8	16
1548	Intraventricular injection of vasoactive intestinal polypeptide facilitates the development of amygdaloid kindling. <b>1991</b> , 541, 110-4	1
1547	Kindling-induced potentiation of excitatory and inhibitory inputs to hippocampal dentate granule cells. I. Effects on linear and non-linear response characteristics. <b>1991</b> , 562, 17-25	27
1546	Effects of intra-amygdaloid injections of alpha-difluoromethylornithine and putrescine on the development of electrical kindling in rats. <b>1991</b> , 560, 181-5	6
1545	Development of changes in endogenous GABA release during kindling epileptogenesis in rat hippocampus. <b>1991</b> , 545, 33-40	45

1544	Activation of substantia nigra pars reticulata neurons: role in the initiation and behavioral expression of kindled seizures. <b>1991</b> , 545, 41-8	36
1543	Long-lasting change in the membrane-associated protein kinase C activity in the hippocampal kindled rat. <b>1991</b> , 545, 131-6	36
1542	Potentiation of inhibition with perforant path kindling: an NMDA-receptor dependent process. <b>1991</b> , 564, 109-16	32
1541	Maximal dentate activation is produced by amygdala stimulation in unanesthetized rats. <b>1991</b> , 542, 336-42	25
1540	An ontogenetic study of kindling using rapidly recurring hippocampal seizures. <b>1991</b> , 61, 79-85	29
1539	BDNF mRNA expression is increased in adult rat forebrain after limbic seizures: temporal patterns of induction distinct from NGF. <b>1991</b> , 6, 937-48	618
1538	Diazepam alters brain-stimulation reward thresholds in seizure-prone sites. <b>1991</b> , 46, 167-73	9
1537	Functional anatomy of hippocampal seizures. <b>1991</b> , 37, 1-82	295
1536	Ca <sup>2+</sup> /calmodulin-dependent protein phosphorylation is not altered by amygdaloid kindling. <b>1991</b> , 26, 455-9	4
1535	Regional expression of c-fos mRNA in rat brain during the evolution of amygdala kindled seizures. <b>1991</b> , 11, 55-64	96
1534	Amphetamine sensitization and amygdala kindling: pharmacological evaluation of catecholaminergic and cholinergic mechanisms. <b>1991</b> , 26, 357-64	11
1533	Increased levels of messenger RNAs for neurotrophic factors in the brain during kindling epileptogenesis. <b>1991</b> , 7, 165-76	564
1532	The effect of tricyclic antidepressants on cortex- and amygdala-kindled seizures in the rat. <b>1991</b> , 18, 132-6	9
1531	Anticonvulsant profiles of the potent and orally active GABA uptake inhibitors SK&F 89976-A and SK&F 100330-A and four prototype antiepileptic drugs in mice and rats. <b>1991</b> , 32, 569-77	23
1530	Chronic, habitual cocaine abuse and kindling-induced epilepsy: a case report. <b>1991</b> , 32, 890-4	16
1529	Development and reversal of contingent inefficacy and tolerance to the anticonvulsant effects of carbamazepine. <b>1991</b> , 32, 140-5	46
1528	Changes of hippocampal glucose utilization subsequent to amygdaloid-kindled generalized seizures. <b>1991</b> , 32, 27-32	90
1527	Kindling susceptibility and genetic seizure predisposition in inbred mice. <b>1991</b> , 32, 22-6	31



1526	Effects of chronic naloxone pretreatment on amygdaloid kindling in rats. <b>1991</b> , 10, 103-10	21
1525	Seizure interactions between the inferior collicular cortex and the deep prepiriform cortex. <b>1991</b> , 8, 21-9	18
1524	AHR-12245: a potential anti-absence drug. <b>1991</b> , 8, 64-70	1
1523	Effects of competitive and noncompetitive NMDA receptor antagonists on kindling and LTP. <b>1991</b> , 40, 893-9	53
1522	Toxicokinetics of Ro 5-4864, lindane and picrotoxin compared. <b>1991</b> , 38, 235-42	15
1521	Time course of interictal EEG patterns induced by a penicillin injection into the olfactory cortex. <b>1991</b> , 40, 351-7	7
1520	Hippocampal kindling in the rat is associated with time-dependent increases in the concentration of glial fibrillary acidic protein. <b>1991</b> , 57, 1716-20	23
1519	Antiepileptogenic effects of conventional anticonvulsants in the kindling model of epilepsy. <b>1991</b> , 29, 356-63	159
1518	Anticonvulsive effect of dapsone (4,4'-diaminodiphenyl sulfone) on amygdala-kindled seizures in rats and cats. <b>1991</b> , 10, 93-102	19
1517	Distribution of [ <sup>14</sup> C]2-deoxyglucose after various forms and durations of status epilepticus induced by stimulation of a kindled amygdala focus in rats. <b>1991</b> , 10, 119-33	44
1516	Evidence for the interaction of brainstem systems mediating seizure expression in kindling and electroconvulsive shock seizure models. <b>1991</b> , 10, 142-7	31
1515	Decreased susceptibility to seizures induced by bicuculline after transient bilateral clamping of the carotid arteries in rats. <b>1991</b> , 83, 127-37	21
1514	Paradoxical anticonvulsant activity of the gamma-aminobutyrate antagonist bicuculline methiodide in the rat striatum. <b>1991</b> , 7, 14-20	24
1513	Rapid alteration of synaptic number and postsynaptic thickening length by NMDA: an electron microscopic study in the occipital cortex of postnatal rats. <b>1991</b> , 8, 41-8	35
1512	Alterations of GABA metabolism and seizure susceptibility in the substantia nigra of the kindled rat acclimating to changes in osmotic state. <b>1991</b> , 16, 269-78	6
1511	Convulsions and wet-dog shakes produced by systemic or intrahippocampal administration of ruthenium red in the rat. <b>1991</b> , 86, 633-40	10
1510	Damage of substantia nigra pars reticulata during pilocarpine-induced status epilepticus in the rat: immunohistochemical study of neurons, astrocytes and serum-protein extravasation. <b>1991</b> , 86, 125-40	24
1509	Calbindin-D28K (CaBP) levels and calcium currents in acutely dissociated epileptic neurons. <b>1991</b> , 85, 543-51	97

1508	Unilateral up-regulation of glutamate receptors in limbic regions of amygdaloid-kindled rats. <b>1991</b> , 85, 650-8	30
1507	Long-term effects of pilocarpine in rats: structural damage of the brain triggers kindling and spontaneous recurrent seizures. <b>1991</b> , 32, 778-82	508
1506	A neuropharmacological evaluation of felbamate as a novel anticonvulsant. <b>1992</b> , 33, 564-72	128
1505	Anticonvulsant effect of DN-1417, a derivative of thyrotropin-releasing hormone, and liposome-entrapped DN-1417, on amygdaloid-kindled rats. <b>1992</b> , 33, 994-1000	21
1504	N-methyl-D-aspartate injection into the massa intermedia facilitates development of limbic kindling in rats. <b>1992</b> , 33, 965-70	44
1503	Effect of unilateral dentate nucleus lesions on amygdaloid kindling in rats. <b>1992</b> , 33, 213-21	13
1502	Hierarchy of seizure states in the electrogenic limbic status epilepticus model: behavioral and electrographic observations of initial states and temporal progression. <b>1992</b> , 33, 589-600	16
1501	Enhancement of calcium currents in rat hippocampal CA1 neurons induced by kindling epileptogenesis. <b>1992</b> , 49, 373-81	69
1500	Hippocampal kindling leads to different changes in paired-pulse depression of local evoked field potentials in CA1 area and in fascia dentata. <b>1992</b> , 141, 101-5	45
1499	Alterations in mRNA of enkephalin, dynorphin and thyrotropin releasing hormone during amygdala kindling: an in situ hybridization study. <b>1992</b> , 15, 247-55	91
1498	Anticonvulsant Effect of Systemically Administered $\gamma$ -Aminobutyric Acid (GABA)-Containing Liposomes in Rats Induced to Seizure by Amygdaloid Electrical Stimulation. <b>1992</b> , 2, 49-55	3
1497	Transient reduction of cerebral blood flow leads to longlasting increase in GABA content in vulnerable structures and decreased susceptibility to bicuculline induced seizures. <b>1992</b> , 88, 87-94	23
1496	Bilateral interhemispheric synchrony and amygdaloid kindling in congenitally acallosal and corpus callosum bisected mice. <b>1992</b> , 46, 498-500	
1495	Increase of pertussis toxin-catalyzed ADP-ribosylation in amygdaloid kindling model of epilepsy. <b>1992</b> , 46, 504-6	
1494	Alteration in specific [3H]GTP binding in hippocampus of amygdaloid kindled rats. <b>1992</b> , 46, 518-20	
1493	The role of cholinergic neurons in stress-induced increase of interictal discharges in hippocampal-kindled rats. <b>1992</b> , 46, 947-55	
1492	Synaptosomal membrane fluidity, lipid peroxidation and superoxide dismutase activity in the brain of amygdala-kindled rats. <b>1992</b> , 46, 957-66	
1491	Kindling and its consequences on learning in rats. <b>1992</b> , 57, 37-43	102

1490	A characterization of chemical kindling with the pesticide endosulfan. <b>1992</b> , 14, 151-8	25
1489	Effect of different agonistic experiences on behavioural seizures in fully amygdala kindled rats. <b>1992</b> , 141, 1-4	7
1488	Limbic seizures induce a differential regulation of the expression of nerve growth factor, brain-derived neurotrophic factor and neurotrophin-3, in the rat hippocampus. <b>1992</b> , 13, 27-33	138
1487	Somatostatin release is enhanced in the hippocampus of partially and fully kindled rats. <b>1992</b> , 51, 41-6	43
1486	Kindling and electrode effects on the benzodiazepine receptors density of olfactory bulb and hippocampus after olfactory bulb kindling. <b>1992</b> , 143, 74-8	12
1485	Apparent disappearance of postseizure inhibitions and intensity of seizures during the development of rapid kindling in rabbits. <b>1992</b> , 135, 163-6	2
1484	Role of GABA in the genesis of chemoconvulsant seizures. <b>1992</b> , 64-65 Spec No, 417-28	35
1483	Bilateral maximal dentate activation is critical for the appearance of an afterdischarge in the dentate gyrus. <b>1992</b> , 46, 309-14	54
1482	Induction of constitutive heat shock protein 73 mRNA in the dentate gyrus by seizures. <b>1992</b> , 13, 19-25	28
1481	Hippocampal kindling increases the expression of glutamate receptor-A Flip and -B Flip mRNA in dentate granule cells. <b>1992</b> , 148, 51-4	65
1480	Alterations in medial perforant path and mossy fiber induced field potentials in amygdala and beta-carboline (FG 7142) kindled rats. <b>1992</b> , 146, 65-8	15
1479	Pentylentetrazol kindling and factors of glutamate transmitter metabolism in rat hippocampus. <b>1992</b> , 49, 365-71	27
1478	Activation of hippocampal metabotropic excitatory amino acid receptors leads to seizures and neuronal damage. <b>1992</b> , 139, 77-82	178
1477	Basic fibroblast growth factor mRNA increases in specific brain regions following convulsive seizures. <b>1992</b> , 15, 311-8	91
1476	Dorsal tegmentum kindling in rats. <b>1992</b> , 134, 284-7	14
1475	The A2-selective adenosine analog, CGS 21680, depresses locomotor activity but does not block amygdala kindled seizures in rats. <b>1992</b> , 141, 247-50	29
1474	Kainic acid seizures in the developing brain: status epilepticus and spontaneous recurrent seizures. <b>1992</b> , 65, 227-36	264
1473	Kindling in developing animals: interactions between ipsilateral foci. <b>1992</b> , 68, 140-3	29

1472	New insights into behavioral evaluation of audiogenic seizures. A comparison of two ethological methods. <b>1992</b> , 48, 49-56	51
1471	Functional dissociation of acute and persistent cognitive deficits accompanying amygdala-kindled seizures. <b>1992</b> , 48, 65-76	24
1470	Sexual behavior enhances postictal behavioral depression in kindled rats: opioid involvement. <b>1992</b> , 52, 175-82	17
1469	Limbic seizures, but not kindling, reversibly impair place learning in the Morris water maze. <b>1992</b> , 50, 167-75	45
1468	Reversal learning of the rabbit nictitating membrane response following kindling-induced potentiation within the hippocampal dentate gyrus. <b>1992</b> , 50, 185-92	6
1467	Amygdala kindling increased fear-response, but did not impair spatial memory in rats. <b>1992</b> , 51, 845-9	57
1466	Altered sensitivity to NMDA following developmental lead exposure in rats. <b>1992</b> , 52, 687-93	27
1465	Development of long-term subsensitivity to GABA in dorsal raphe neurons of amygdala-kindled rats. <b>1992</b> , 582, 221-5	14
1464	Intra-amygdaloid infusions of clonidine retard kindling. <b>1992</b> , 598, 51-8	14
1463	Delta opiate receptors mediate tail-shock induced antinociception at supraspinal levels. <b>1992</b> , 582, 10-21	24
1462	Long-lasting enhancement of metabotropic excitatory amino acid receptor-mediated polyphosphoinositide hydrolysis in the amygdala/pyriform cortex of deep prepiriform cortical kindled rats. <b>1992</b> , 569, 71-7	43
1461	Kindling of the massa intermedia of the thalamus in rats. <b>1992</b> , 575, 148-50	8
1460	Anticonvulsant effect of liposome-entrapped superoxide dismutase in amygdaloid-kindled rats. <b>1992</b> , 572, 273-5	9
1459	Autoradiographic analysis of [35S]TBPS binding in entorhinal cortex-kindled rat brains. <b>1992</b> , 570, 167-72	12
1458	In vivo microdialysis of amino acid neurotransmitters in the hippocampus in amygdaloid kindled rat. <b>1992</b> , 573, 345-8	86
1457	Effect of amygdala kindling on the in vivo release of GABA and 5-HT in the dorsal raphe nucleus in freely moving rats. <b>1992</b> , 584, 36-44	26
1456	Amygdala stimulation produces two types of hippocampal afterdischarges in the urethane-anesthetized rat. <b>1992</b> , 591, 103-8	4
1455	Amygdala kindling does not alter the N-methyl-D-aspartate receptor-channel complex which modulates dopamine release in the rat striatum and amygdala. <b>1992</b> , 587, 257-62	9

1454	The infusion of an NMDA antagonist into perirhinal cortex suppresses amygdala-kindled seizures. <b>1992</b> , 587, 285-90	41
1453	Widespread increase of nerve growth factor protein in the rat forebrain after kindling-induced seizures. <b>1992</b> , 587, 338-42	81
1452	Pulse jitter retards kindling without affecting brain-stimulation reward. <b>1992</b> , 590, 285-90	1
1451	Gamma-glutamyltaurine has potent and long-lasting antiepileptic action as demonstrated by intra-amygdaloid injection in amygdala-kindled rats. <b>1992</b> , 594, 347-50	11
1450	Two types of neuroplasticities in the kindling phenomenon: effects of chronic MK-801 and methamphetamine. <b>1992</b> , 585, 237-42	7
1449	Enduring increase in membrane-associated protein kinase C activity in the hippocampal-kindled rat. <b>1992</b> , 593, 82-8	18
1448	Brain Na <sup>+</sup> /K <sup>(+)</sup> -ATPase regulation by serotonin and norepinephrine in normal and kindled rats. <b>1992</b> , 593, 239-44	14
1447	Ionotropic excitatory amino acid receptors in discrete brain regions of kindled rats. <b>1992</b> , 587, 73-82	22
1446	Vasopressin-induced motor effects: localization of a sensitive site in the amygdala. <b>1992</b> , 596, 58-64	24
1445	In vivo kindling does not alter afterhyperpolarizations (AHPs) following action potential firing in vitro in basolateral amygdala neurons. <b>1992</b> , 588, 329-34	15
1444	Effect of amygdaloid kindling on [3H]dopamine and [14C]acetylcholine release from rat prefrontal cortex and striatal slices. <b>1992</b> , 592, 115-21	11
1443	Kindling causes changes in the composition of the astrocytic cytoskeleton. <b>1992</b> , 592, 338-42	40
1442	ACTH: a structure-activity study on pilocarpine-induced epilepsy. <b>1992</b> , 229, 211-6	20
1441	Development of tolerance to the anticonvulsant effect of vigabatrin in amygdala-kindled rats. <b>1992</b> , 213, 351-66	28
1440	Reverberatory seizure discharges in hippocampal-parahippocampal circuits. <b>1992</b> , 116, 198-203	74
1439	Fetal brain tissue grafts modulate neuronal excitability in a chronic model of epilepsy. <b>1992</b> , 8, 271-81	1
1438	Behavioral effects of neural transplantation. <b>1992</b> , 1, 401-27	17
1437	Kindling is associated with the formation of novel mossy fibre synapses in the CA3 region. <b>1992</b> , 92, 69-78	117

1436	Competitive NMDA receptor antagonists raise electrically kindled generalized seizure thresholds. <b>1992</b> , 17, 409-13	31
1435	Regional Forebrain Noradrenalin Release in Response to Focal and Generalized Seizures Induced by Hippocampal Kindling Stimulation. <b>1992</b> , 4, 278-288	15
1434	Involvement of putrescine in the development of kindled seizure in rats. <b>1992</b> , 58, 562-6	20
1433	Amygdala kindling potentiates seizure-stimulated immediate-early gene expression in rat cerebral cortex. <b>1992</b> , 59, 1753-60	16
1432	Amygdala kindling alters protein kinase C activity in dentate gyrus. <b>1992</b> , 59, 1761-9	28
1431	Effects of fluoroquinolone antimicrobials alone and in conjunction with theophylline on seizures in amygdaloid kindled rats. Mechanistic and pharmacokinetic study. <b>1992</b> , 13, 59-71	8
1430	In vivo studies on the mechanism of action of the broad spectrum anticonvulsant loreclezole. <b>1992</b> , 11, 27-36	28
1429	Characteristics of dorsal and ventral striatal kindling in rats. <b>1992</b> , 11, 131-9	7
1428	Rapid and reliable induction of partial status epilepticus in naive rats by low-frequency (3-Hz) stimulation of the amygdala. <b>1992</b> , 12, 51-5	8
1427	Pharmacokinetics, anticonvulsant efficacy, and adverse effects of trans-2-en-valproate after acute and chronic administration in amygdala-kindled rats. <b>1992</b> , 345, 187-96	9
1426	Prophylactic and therapeutic efficacy of memantine against seizures produced by soman in the rat. <b>1992</b> , 112, 95-103	72
1425	Tolerance to the anticonvulsant effects of carbamazepine, diazepam, and sodium valproate in kindled rats. <b>1992</b> , 41, 109-13	18
1424	Tolerance to the anticonvulsant effects of phenobarbital, trimethadione, and clonazepam in kindled rats: cross tolerance to carbamazepine. <b>1992</b> , 41, 115-20	8
1423	Contingent tolerance to the anticonvulsant effects of carbamazepine, diazepam, and sodium valproate in kindled rats. <b>1992</b> , 41, 121-6	26
1422	Bidirectional contingent cross tolerance between the anticonvulsant effects of pentobarbital and ethanol. <b>1992</b> , 41, 127-32	4
1421	Proconvulsant activity of endosulfan in amygdala kindling. <b>1992</b> , 14, 143-9	14
1420	Convulsive behaviour during alcohol dependence: discrimination between the role of intoxication and withdrawal. <b>1992</b> , 107, 97-102	28
1419	An examination of the anticonvulsant properties of voltage-sensitive calcium channel inhibitors in amygdala kindled seizures. <b>1992</b> , 106, 365-9	10

1418	Ornithine decarboxylase induction and polyamine synthesis in the kindling of seizures: the effect of alpha-difluoromethylornithine. <b>1992</b> , 11, 3-7	9
1417	Properties of the convulsive threshold determined by direct cortical stimulation in rats. <b>1992</b> , 12, 111-20	33
1416	Reinforcing and punishing consequences of kindling. <b>1992</b> , 13, 179-86	11
1415	Blockade of GABAB receptors accelerates amygdala kindling development. <b>1992</b> , 48, 748-51	16
1414	Effects of postnatal electroshock convulsions on epileptogenesis of the amygdala and hippocampus in adult rats. <b>1992</b> , 85, 128-31	2
1413	Comparing the anticonvulsive effects of dapsone on amygdala-kindled seizures and hippocampal-kindled seizures in rats. <b>1992</b> , 85, 132-5	17
1412	Amygdala kindling-induced seizures selectively impair spatial memory. 1. Behavioral characteristics and effects on hippocampal neuronal protein kinase C isoforms. <b>1992</b> , 2, 397-409	44
1411	Amygdala kindling-induced seizures selectively impair spatial memory. 2. Effects on hippocampal neuronal and glial muscarinic acetylcholine receptor. <b>1992</b> , 2, 411-9	21
1410	Thyrotropin-releasing hormone gene expression and receptors are differentially modified in limbic foci by seizures. <b>1993</b> , 33, 70-6	58
1409	Chronic theophylline prolongs the refractory period in amygdala-kindled rats. <b>1993</b> , 29, 287-291	4
1408	An examination of the relations between hippocampal long-term potentiation, kindling, afterdischarge, and place learning in the water maze. <b>1993</b> , 3, 153-63	104
1407	Epilepsy induced collateral sprouting of hippocampal mossy fibers: does it induce the development of ectopic synapses with granule cell dendrites?. <b>1993</b> , 3, 257-68	153
1406	Antiepileptic effect of antiepilepsirine in pentylenetetrazol and amygdala kindled rats. <b>1993</b> , 15, 1-5	9
1405	Electrogenic status epilepticus induced from numerous limbic sites. <b>1993</b> , 15, 21-6	14
1404	New model of cortical epileptic foci in freely moving developing rats. <b>1993</b> , 15, 27-33	19
1403	Characterization of the anticonvulsant properties of F-721. <b>1993</b> , 15, 35-45	13
1402	Cross-tolerance between carbamazepine and valproate on amygdala-kindled seizures. <b>1993</b> , 16, 37-44	17
1401	Differential effects of kindled and electrically induced seizures on a glutamate receptor (GluR1) gene expression. <b>1993</b> , 14, 221-7	40

1400	Mechanisms of kindling: an evaluation of single trial seizure induction procedures for use as controls. <b>1993</b> , 15, 201-5	3
1399	Social conflict situations in rats differentially affect the development of amygdala kindling. <b>1993</b> , 14, 31-40	6
1398	Are differences in dorsal hippocampal kindling related to amygdala-piriform area excitability?. <b>1993</b> , 14, 49-61	32
1397	The anticonvulsant activity of D-cycloserine is specific for tonic convulsions. <b>1993</b> , 15, 141-8	26
1396	A neural network model for kindling of focal epilepsy: basic mechanism. <b>1993</b> , 68, 335-40	13
1395	Pharmacological modulation of soman-induced seizures. <b>1993</b> , 17, 203-15	176
1394	Electrical kindling of the hippocampus is associated with functional activation of neuropeptide Y-containing neurons. <b>1993</b> , 5, 1534-8	65
1393	Increased expression of GAP-43, somatostatin and neuropeptide Y mRNA in the hippocampus during development of hippocampal kindling in rats. <b>1993</b> , 5, 1312-20	60
1392	Propagation of epileptiform activity during development of amygdala kindling in rats: linear and non-linear association between ipsi- and contralateral sites. <b>1993</b> , 5, 944-54	14
1391	Role of superoxide dismutase in a kindling model of epilepsy. <b>1993</b> , 104, 373-376	4
1390	Contingent tolerance to carbamazepine is not affected by calcium-channel or NMDA receptor blockers. <b>1993</b> , 45, 439-43	4
1389	Effects of indeloxazine HCl on kindled amygdaloid seizures in rats: comparison with the effects of phenytoin, diazepam, ethanol, and imipramine. <b>1993</b> , 45, 445-50	2
1388	Effect of an adenosine A1 agonist injected into substantia nigra on kindling of epileptic seizures and convulsion duration. <b>1993</b> , 44, 113-7	10
1387	Antiepileptogenic action of 7-chlorokynurenic acid on amygdala kindling of rats. <b>1993</b> , 46, 275-81	18
1386	Effects of scopolamine on the rewarding and seizure-inducing properties of amygdaloid stimulation. <b>1993</b> , 44, 425-8	10
1385	Picrotoxin-induced behavioral tolerance and altered susceptibility to seizures: effects of naloxone. <b>1993</b> , 45, 619-22	2
1384	Alterations in t-butylbicyclophosphorothionate binding in the brains of lidocaine-kindled rats. <b>1993</b> , 8, 235-44	3
1383	Rapid kindling with recurrent hippocampal seizures. <b>1993</b> , 14, 209-20	57



1382	Seizure threshold to lidocaine is decreased following repeated ECS (electroconvulsive shock). <b>1993</b> , 111, 495-8	5
1381	Effect of destruction of dentate granule cells on kindling induced by stimulation of the perforant path. <b>1993</b> , 53, 45-9	6
1380	The effects of lesions of the posterior piriform cortex on amygdala kindling in the rat. <b>1993</b> , 615, 295-303	30
1379	Increased spontaneous unit discharge rates following electrical kindling in the rat. <b>1993</b> , 624, 11-8	30
1378	Long-lasting changes in the origin of spontaneous discharges from amygdala-kindled rats: piriform vs. perirhinal cortex in vitro. <b>1993</b> , 624, 268-76	44
1377	Anti-somatostatin antibody enhances the rate of hippocampal kindling in rats. <b>1993</b> , 602, 148-52	45
1376	The role of wet-dog shakes during amygdaloid electrical and methionine-enkephalin kindling in the rat. <b>1993</b> , 604, 149-53	4
1375	Effect of ceruletide on epileptogenesis in amygdaloid kindled rats. <b>1993</b> , 630, 353-6	5
1374	Brain cytochrome oxidase activity after kindled seizures: a quantitative histochemical mapping study. <b>1993</b> , 622, 113-8	5
1373	The ontogeny of seizures in a rat model of limbic epilepsy: evidence for a kindling process in the development of chronic spontaneous seizures. <b>1993</b> , 625, 295-300	74
1372	Infusions of alpha-2 noradrenergic agonists and antagonists into the amygdala: effects on kindling. <b>1993</b> , 632, 29-35	29
1371	Blockade of GABA receptors in superior colliculus protects against focally evoked limbic motor seizures. <b>1993</b> , 603, 279-83	42
1370	Effect of embryonic hippocampal transplantation in amygdaloid kindled rat. <b>1993</b> , 603, 143-7	15
1369	Effects of long-stimulus intervals and scopolamine administration on hippocampal kindling. <b>1993</b> , 600, 322-6	3
1368	The effect of brainstem bisection prior to the amygdala kindling in rats. <b>1993</b> , 610, 354-7	4
1367	The effect of adrenalectomy on the circadian variation in the rate of kindled seizure development. <b>1993</b> , 612, 354-6	21
1366	The sigma receptor ligand 1,3-di(2-tolyl)guanidine is anticonvulsant in the rat prepiriform cortex. <b>1993</b> , 236, 327-31	6
1365	Profile of ucb L059, a novel anticonvulsant drug, in models of partial and generalized epilepsy in mice and rats. <b>1993</b> , 232, 147-58	213

- 1364 Differences in anticonvulsant potency and adverse effects between dextromethorphan and dextrorphan in amygdala-kindled and non-kindled rats. **1993**, 238, 191-200 30
- 1363 Increase of kainate receptor mRNA in the hippocampal CA3 of amygdala-kindled rats detected by in situ hybridization. **1993**, 53, 857-64 20
- 1362 Sequential change of glutamate release in bilateral hippocampi in the amygdaloid kindling rat. **1993**, 47, 225-8
- 1361 Alterations of receptors in the hippocampus of kindling rats: in vitro macroautoradiographic investigation. **1993**, 47, 229-32
- 1360 Mossy fiber sprouting in amygdala and perforant path kindled rats. **1993**, 47, 385-6
- 1359 Changes of pertussis toxin-catalyzed ADP-ribosylation involved in the long-lasting epileptogenesis in the kindling model. **1993**, 47, 387-9
- 1358 Neurobehavioral methods used in neurotoxicological research. **1993**, 68, 231-40 23
- 1357 Relationship between hippocampal opioid peptides and seizures. **1993**, 40, 507-28 59
- 1356 Regulation of brain-derived neurotrophic factor messenger RNA and protein at the cellular level in pentylentetrazol-induced epileptic seizures. **1993**, 53, 909-18 121
- 1355 Differential regulation of N-methyl-D-aspartate receptor subunit messenger RNAs in kindling-induced epileptogenesis. **1993**, 57, 307-18 84
- 1354 The effects of amygdaloid stimulation on amphetamine-elicited locomotor sensitization. **1993**, 32, 561-5 14
- 1353 Persistence of reorganized synaptic connectivity in the amygdala of kindled rats. **1993**, 31, 631-5 15
- 1352 Long-term increase in protein kinase C-gamma and muscarinic acetylcholine receptor expression in the cerebral cortex of amygdala-kindled rats—a quantitative immunocytochemical study. **1993**, 55, 965-73 12
- 1351 Amygdala kindling rate is altered in rats with a deficit in the responsiveness of the hypothalamo-pituitary-adrenal axis. **1993**, 157, 91-4 19
- 1350 Clozapine inhibits limbic system kindling: implications for antipsychotic action. **1993**, 30, 597-605 19
- 1349 Regulation of neurotrophin and trkA, trkB and trkC tyrosine kinase receptor messenger RNA expression in kindling. **1993**, 53, 433-46 183
- 1348 Electroconvulsive shock (ECS) does not facilitate the development of kindling. **1993**, 17, 985-9 2
- 1347 Differential effects of dentate kindling on working and reference spatial memory in the rat. **1993**, 151, 25-8 35

1346	Circuit mechanisms of seizures in the pilocarpine model of chronic epilepsy: cell loss and mossy fiber sprouting. <b>1993</b> , 34, 985-95	564
1345	Kindling produces long-lasting and selective changes in gene expression of hippocampal neurons. <b>1993</b> , 90, 1741-5	44
1344	Rapid cessation of focally induced generalized seizures in rats through microinfusion of lidocaine hydrochloride into the focus. <b>1993</b> , 34, 43-53	29
1343	Convulsions induced by methyl beta-carboline-3-carboxylate in mice: effects of preceding saline injections. <b>1993</b> , 34, 1003-6	2
1342	Olfactory bulb kindling in mice susceptible and resistant to ethanol withdrawal. <b>1993</b> , 34, 416-9	2
1341	The pharmacology and function of central GABAB receptors. <b>1994</b> , 36, 97-223	190
1340	Chronic pretreatment with naloxone modifies benzodiazepine receptor binding in amygdaloid kindled rats. <b>1994</b> , 17, 135-43	21
1339	The competitive NMDA receptor antagonist CGP 40116 protects against status epilepticus-induced neuronal damage. <b>1994</b> , 17, 207-19	93
1338	A new, non-pharmacologic model of convulsive status epilepticus induced by electrical stimulation: behavioral/electroencephalographic observations and response to phenytoin and phenobarbital. <b>1994</b> , 19, 15-25	8
1337	Hippocampal epileptogenesis produced by electrolytic iron deposition in the rat dentate gyrus. <b>1994</b> , 19, 27-36	23
1336	Baclofen prevents rapid amygdala kindling in adult rats. <b>1994</b> , 50, 475-8	18
1335	Binding of <sup>3</sup> H-diazepam in rat brain eleven months after termination of corazole kindling. <b>1994</b> , 117, 134-136	3
1334	Seizure suppression in kindling epilepsy by intracerebral implants of GABA- but not by noradrenaline-releasing polymer matrices. <b>1994</b> , 100, 385-94	61
1333	A dual-immunocytochemical method to localize c-fos protein in specific neurons based on their content of neuropeptides and connectivity. <b>1994</b> , 101, 245-51	29
1332	Effect of amygdaloid kindling on rat striatal dopamine D1- and D2-receptors. <b>1994</b> , 19, 827-31	6
1331	Transient decrease in calbindin immunoreactivity of the rat fascia dentata granule cells after repeated electroconvulsive shocks. <b>1994</b> , 4, 79-83	20
1330	Ultrastructural plasticity of the dentate gyrus granule cells following recurrent limbic seizures: I. Increase in somatic spines. <b>1994</b> , 4, 601-10	37
1329	Ultrastructural plasticity of the dentate gyrus granule cells following recurrent limbic seizures: II. Alterations in somatic synapses. <b>1994</b> , 4, 611-22	20

1328	Long-lasting effects of partial hippocampal kindling on hippocampal physiology and function. <b>1994</b> , 4, 696-704	51
1327	The NMDA antagonist MK-801 suppresses behavioral seizures, augments afterdischarges, but does not block development of perforant path kindling. <b>1994</b> , 17, 145-56	24
1326	The effect of the non-NMDA receptor antagonist GYKI 52466 and NBQX and the competitive NMDA receptor antagonist D-CPPene on the development of amygdala kindling and on amygdala-kindled seizures. <b>1994</b> , 17, 167-74	96
1325	Bilateral seizure-related changes of extracellular glutamate concentration in hippocampi during development of amygdaloid kindling. <b>1994</b> , 18, 85-8	56
1324	Inhibition of NO synthase increases the severity of kainic acid-induced seizures in rodents. <b>1994</b> , 18, 177-84	102
1323	The effect of thyrotropin-releasing hormone (TRH) on limbic status epilepticus in rats. <b>1994</b> , 18, 217-25	1
1322	Persistent increases in dopamine D2 receptor mRNA expression in basal ganglia following kindling. <b>1994</b> , 17, 23-9	22
1321	Kindled epileptic seizures, postictal refractoriness, status epilepticus, and electrical self-stimulation. <b>1994</b> , 18, 411-20	7
1320	Dissipation of contingent tolerance to the anticonvulsant effect of diazepam: effect of the criterion response. <b>1994</b> , 49, 1113-7	9
1319	Decreased voluntary ethanol selection in amygdala-kindled rats. <b>1994</b> , 48, 31-6	2
1318	Differential changes in the activities of multiple protein kinase C subspecies in the hippocampal-kindled rat. <b>1994</b> , 660, 27-33	23
1317	Enhanced neuropeptide Y release in the hippocampus is associated with chronic seizure susceptibility in kainic acid treated rats. <b>1994</b> , 660, 138-43	63
1316	Sensitization to cocaine's motor activating properties produced by electrical kindling of the medial prefrontal cortex but not of the hippocampus. <b>1994</b> , 659, 17-22	64
1315	Brain insults in rats induce increased expression of the BDNF gene through differential use of multiple promoters. <b>1994</b> , 6, 587-96	105
1314	Low doses of the glycine/NMDA receptor antagonist R-(+)-HA-966 but not D-cycloserine induce paroxysmal activity in limbic brain regions of kindled rats. <b>1994</b> , 6, 1710-9	19
1313	Rat hippocampal kindling induces changes in the glutamate receptor mRNA expression patterns in dentate granule neurons. <b>1994</b> , 6, 1119-27	91
1312	Stimulation-dependent effect of antiepileptic drugs in amygdala kindled rats on both seizure score and duration of afterdischarges. <b>1994</b> , 75, 54-61	9
1311	Electrical stimulation of the mammillary nuclei increases seizure threshold to pentylentetrazol in rats. <b>1994</b> , 35, 1309-16	187

1310	Facilitation of amygdala kindling development and kindled seizures by metaphit. <b>1994</b> , 35, 927-32	6
1309	Prenatal ethanol exposure: susceptibility to convulsions and ethanol's anticonvulsant effect in amygdala-kindled rats. <b>1994</b> , 18, 1506-14	12
1308	Vasopressin mRNA changes during kindling: the effects of kindling site and stage. <b>1994</b> , 26, 286-92	7
1307	Analysis of the hippocampal GABAA receptor system in kindled rats by autoradiographic and in situ hybridization techniques: contingent tolerance to carbamazepine. <b>1994</b> , 26, 309-19	54
1306	Kindled seizures induce a long-term increase in vasopressin mRNA. <b>1994</b> , 24, 20-6	11
1305	Attenuation of hippocampal kainic acid-induced seizures by substance P treatment. <b>1994</b> , 15, 425-7	7
1304	Anticonvulsant activities of 4-bromobenzaldehyde semicarbazone. <b>1994</b> , 35, 648-55	37
1303	Evaluation of the hypothesis that hippocampal interictal spikes are caused by long-term potentiation. <b>1994</b> , 35, 785-94	11
1302	Kindled amygdaloid seizures in rats cause immediate and transient increase in protein kinase C activity followed by transient suppression of the activity. <b>1994</b> , 35, 850-4	21
1301	Amygdaloid kindling elicits persistent changes in pertussis toxin-catalyzed ADP-ribosylation. <b>1994</b> , 35, 855-60	6
1300	TRH gene products are implicated in the antidepressant mechanisms of seizures. <b>1994</b> , 739, 135-53	28
1299	Kindling-induced long-lasting enhancement of calcium current in hippocampal CA1 area of the rat: relation to calcium-dependent inactivation. <b>1994</b> , 59, 105-14	60
1298	The effects of perinatal anoxia or hypoxia on hippocampal kindling development in rats. <b>1994</b> , 35, 167-70	11
1297	The glycine/NMDA receptor partial agonist D-cycloserine blocks kainate-induced seizures in rats. Comparison with MK-801 and diazepam. <b>1994</b> , 652, 195-200	34
1296	Posterior piriform and perirhinal cortex relay seizures evoked from the area tempestas: role of excitatory and inhibitory amino acid receptors. <b>1994</b> , 652, 145-8	52
1295	Anticonvulsant activity of antagonists and partial agonists for the NMDA receptor-associated glycine site in the kindling model of epilepsy. <b>1994</b> , 653, 125-30	29
1294	Antiepileptogenic and anticonvulsant effects of NBQX, a selective AMPA receptor antagonist, in the rat kindling model of epilepsy. <b>1994</b> , 638, 36-44	94
1293	Sex differences in the anticonvulsant efficacy of phenytoin in amygdala-kindled rats. <b>1994</b> , 638, 45-52	22

1292	Contingent tolerance to carbamazepine: alterations in TRH mRNA and TRH receptor binding in limbic structures. <b>1994</b> , 651, 252-60	31
1291	Formalin induced FOS-like immunoreactive neurons in the trigeminal spinal caudal subnucleus project to contralateral parabrachial nucleus in the rat. <b>1994</b> , 649, 62-70	20
1290	Immunosuppressants and calcineurin inhibitors, cyclosporin A and FK506, reversibly inhibit epileptogenesis in amygdaloid kindled rat. <b>1994</b> , 648, 337-41	52
1289	Transfer kindling between sites in the entorhinal cortex-perforant path-dentate gyrus system. <b>1994</b> , 635, 130-8	10
1288	The effect of kindling beyond the 'stage 5' criterion on paired-pulse depression and hilar cell counts in the dentate gyrus. <b>1994</b> , 635, 139-47	32
1287	Hippocampal kindling protects several structures from the neuronal damage resulting from kainic acid-induced status epilepticus. <b>1994</b> , 634, 245-56	124
1286	Adenosine A1 receptors in the rat brain in the kindling model of epilepsy. <b>1994</b> , 265, 121-4	23
1285	Kindling reduces sensitivity of CA3 hippocampal pyramidal cells to competitive NMDA receptor antagonists. <b>1994</b> , 33, 147-53	31
1284	Anticonvulsant tolerance to clonazepam in amygdala kindled rats: clonazepam concentrations and benzodiazepine receptor binding. <b>1994</b> , 33, 869-74	8
1283	Modulation of endogenous ADP-ribosylation in the kindling model of epilepsy. <b>1994</b> , 48, 287-92	1
1282	Excitatory changes of rat perirhinal cortex by amygdala-kindling: a study with in vitro slice technique. <b>1994</b> , 48, 293-8	
1281	Selected Papers. <b>1994</b> , 48, 299-445	
1280	Valproic acid inhibits the depolarizing rectification in neurons of rat amygdala. <b>1994</b> , 33, 1131-8	18
1279	Short- and long-term induction of basic fibroblast growth factor gene expression in rat central nervous system following kainate injection. <b>1994</b> , 59, 55-65	58
1278	Amygdala kindling activates the phosphorylation of Ca <sup>2+</sup> /calmodulin-dependent protein kinase II in rat hippocampus. <b>1994</b> , 171, 45-8	12
1277	Comparison of effects of bilateral injections of bicuculline and muscimol into the caudate-putamen of amygdaloid-kindled rats. <b>1994</b> , 169, 129-32	3
1276	Biphasic differential changes of GABAA receptor subunit mRNA levels in dentate gyrus granule cells following recurrent kindling-induced seizures. <b>1994</b> , 23, 323-32	68
1275	Effects of an N-methyl-D-aspartate antagonist and a GABAergic antagonist on entorhinal tetanic responses during the early stages of amygdala kindling in rats. <b>1994</b> , 19, 397-405	7

1274	Hippocampal plasticity following epileptiform bursting produced by GABAA antagonists. <b>1994</b> , 59, 259-73	28
1273	Magnesium sulfate versus phenytoin for seizure prevention in amygdala-kindled rats. <b>1994</b> , 171, 948-51	5
1272	Kindling induces time-dependent and regional specific changes in the [3H]muscimol binding in the rat hippocampus: a quantitative autoradiographic study. <b>1994</b> , 59, 817-26	70
1271	Lasting potentiation of inhibition is associated with an increased number of gamma-aminobutyric acid type A receptors activated during miniature inhibitory postsynaptic currents. <b>1994</b> , 91, 7698-702	210
1270	A nerve growth factor peptide retards seizure development and inhibits neuronal sprouting in a rat model of epilepsy. <b>1995</b> , 92, 9495-9	68
1269	Decreased Incidence of Limbic Motor Seizures Following Twenty Pairings of Subclinical Lithium-Pilocarpine Injections and a Complex Burst-Firing Magnetic Field. <b>1995</b> , 14, 1-6	10
1268	Impairment of synaptic vesicle clustering and of synaptic transmission, and increased seizure propensity, in synapsin I-deficient mice. <b>1995</b> , 92, 9235-9	304
1267	Limbic epilepsy in transgenic mice carrying a Ca <sup>2+</sup> /calmodulin-dependent kinase II alpha-subunit mutation. <b>1995</b> , 92, 6852-5	120
1266	Differential impairments of spatial memory and social behavior in two models of limbic epilepsy. <b>1995</b> , 36, 973-82	53
1265	Neuroprotective effect of ketamine administered after status epilepticus onset. <b>1995</b> , 36, 186-95	188
1264	Kindling of the interpeduncular nucleus and its influence on subsequent amygdala kindling in rats. <b>1995</b> , 36, 410-5	11
1263	Effects of pentobarbital on entorhinal tetanic responses and the progression of afterdischarges during the early course of amygdala kindling in rats. <b>1995</b> , 36, 757-62	1
1262	Kindling increases the sensitivity of rats to adverse effects of certain antiepileptic drugs. <b>1995</b> , 36, 763-71	65
1261	Increase in GAP-43 and GFAP immunoreactivity in the rat hippocampus subsequent to perforant path kindling. <b>1995</b> , 41, 613-9	27
1260	Hippocampal mossy fiber sprouting and synapse formation after status epilepticus in rats: visualization after retrograde transport of biocytin. <b>1995</b> , 352, 515-34	284
1259	Simultaneous monitoring of the seizure-related changes in extracellular glutamate and gamma-aminobutyric acid concentration in bilateral hippocampi following development of amygdaloid kindling. <b>1995</b> , 20, 213-9	74
1258	Further characterization of kindling antagonism. <b>1995</b> , 21, 115-24	5
1257	Effect of superoxide dismutase on convulsive seizures in rat models of epilepsy. <b>1995</b> , 120, 665-667	4

1256	Chemoconvulsant seizures: advantages of focally-evoked seizure models. <b>1995</b> , 16, 17-25	18
1255	The pilocarpine model of epilepsy. <b>1995</b> , 16, 33-7	236
1254	An experimental model of progressive epilepsy: the development of kindling of the hippocampus of the rat. <b>1995</b> , 16, 45-57	31
1253	The genetically epilepsy-prone rat (GEPR). <b>1995</b> , 16, 91-9	45
1252	Developmental seizure models. <b>1995</b> , 16, 127-33	28
1251	Nitric oxide synthesis, epileptic seizures and kindling. <b>1995</b> , 119, 115-23	37
1250	Gliosis and axonal sprouting in the hippocampus of epileptic rats are associated with an increase of tenascin-C immunoreactivity. <b>1995</b> , 24, 611-24	55
1249	Epileptic seizures caused by inactivation of a novel gene, jerky, related to centromere binding protein-B in transgenic mice. <b>1995</b> , 11, 71-5	79
1248	Development and pharmacological suppression of secondary afterdischarges in the hippocampus of amygdala-kindled rats. <b>1995</b> , 7, 732-41	37
1247	Alternative splicing at the C-terminal but not at the N-terminal domain of the NMDA receptor NR1 is altered in the kindled hippocampus. <b>1995</b> , 7, 2513-7	31
1246	BDNF protein measured by a novel enzyme immunoassay in normal brain and after seizure: partial disagreement with mRNA levels. <b>1995</b> , 7, 1527-35	297
1245	Sustained increase of methylguanidine in rats after amygdala or hippocampal kindling. <b>1995</b> , 21, 11-7	7
1244	Morphological changes in the hippocampus in amygdaloid kindled mouse. <b>1995</b> , 20, 11-20	16
1243	The effect of amygdaloid kindling on heart period and heart period variability. <b>1995</b> , 21, 109-14	6
1242	Persistence of kindling: effect of partial kindling, retention interval, kindling site, and stimulation parameters. <b>1995</b> , 21, 171-82	46
1241	Fyn tyrosine kinase is required for normal amygdala kindling. <b>1995</b> , 22, 107-14	46
1240	Anticonvulsant Effects of Magnesium Sulfate in Hippocampal-Kindled Rats. <b>1995</b> , 2, 57-62	5
1239	Suppression of cortical epileptic afterdischarges by ketamine is not stable during ontogenesis in rats. <b>1995</b> , 52, 489-92	10



1238	Contingent drug tolerance: differential tolerance to the anticonvulsant, hypothermic, and ataxic effects of ethanol. <b>1995</b> , 52, 531-9	4
1237	Tolerance to the anticonvulsant and ataxic effects of pentobarbital: effect of an ascending-dose regimen. <b>1995</b> , 52, 825-9	4
1236	Repeated exposure to lindane leads to behavioral sensitization and facilitates electrical kindling. <b>1995</b> , 17, 131-41	37
1235	Seizure thresholds in kindled animals are reduced by the pesticides lindane and endosulfan. <b>1995</b> , 17, 143-50	22
1234	Development of spontaneous seizures over extended electrical kindling. II. Persistence of dentate inhibitory suppression. <b>1995</b> , 670, 112-20	38
1233	Spatiotemporal alterations of central alpha 1-adrenergic receptor binding sites following amygdaloid kindling seizures in the rat: autoradiographic studies using [3H]prazosin. <b>1995</b> , 672, 214-27	20
1232	Evolution of afterdischarge and seizure characteristics during electrical kindling of the guinea-pig. <b>1995</b> , 672, 137-47	12
1231	Strong induction of c-fos in the piriform cortex during focal seizures evoked from different limbic brain sites. <b>1995</b> , 671, 338-44	52
1230	Inhibition of nitric oxide synthase dramatically potentiates seizures induced by kainic acid and pilocarpine in rats. <b>1995</b> , 679, 184-7	62
1229	Long-lasting increase in protein kinase C activity in the hippocampus of amygdala-kindled rat. <b>1995</b> , 679, 212-20	31
1228	Changes in TRH and its degrading enzyme pyroglutamyl peptidase II, during the development of amygdaloid kindling. <b>1995</b> , 679, 144-50	29
1227	Effects of an every other day rapid kindling procedure in prenatally protein malnourished rats. <b>1995</b> , 682, 35-40	7
1226	Amygdala kindling in rats with brainstem bisection. <b>1995</b> , 682, 50-4	11
1225	Different effect of hippocampal granule cell destruction on amygdaloid kindling in Sprague-Dawley and Wistar rats. <b>1995</b> , 691, 18-24	8
1224	Alpha 2-adrenoceptor agonist, dexmedetomidine, protects against kainic acid-induced convulsions and neuronal damage. <b>1995</b> , 693, 217-24	59
1223	Blockade of both epileptogenesis and glutamate release by (1S,3S)-ACPD, a presynaptic glutamate receptor agonist. <b>1995</b> , 698, 155-62	59
1222	Priming of experimental anxiety by repeated subthreshold GABA blockade in the rat amygdala. <b>1995</b> , 699, 250-9	61
1221	Isozyme specific changes in the expression of protein kinase C isozyme (alpha-zeta) genes in the hippocampus of rats induced by kindling epileptogenesis. <b>1995</b> , 702, 94-100	25

1220	Post-activation potentiation in the neocortex. III. Kindling-induced potentiation in the chronic preparation. <b>1995</b> , 702, 77-86	35
1219	Expression of GABAA receptor subunit mRNAs in hippocampal pyramidal and granular neurons in the kindling model of epileptogenesis: an in situ hybridization study. <b>1995</b> , 31, 33-47	83
1218	NMDA receptor blockade prevents kainate induction of protein F1/GAP-43 mRNA in hippocampal granule cells and subsequent mossy fiber sprouting in the rat. <b>1995</b> , 33, 22-8	83
1217	Expression of agrin mRNA is altered following seizures in adult rat brain. <b>1995</b> , 33, 277-87	26
1216	Adrenalectomy reduces FGF-1 and FGF-2 gene expression in specific rat brain regions and differently affects their induction by seizures. <b>1995</b> , 34, 190-6	25
1215	Glutamate, GABA and epilepsy. <b>1995</b> , 47, 477-511	354
1214	Electrical kindling is associated with a lasting increase in the extracellular levels of kynurenic acid in the rat hippocampus. <b>1995</b> , 198, 91-4	15
1213	Anticonvulsant activity of a novel NMDA/glycine site antagonist, MDL 104,653, against kindled and sound-induced seizures. <b>1995</b> , 274, 83-8	27
1212	Effect of alpha 2-adrenergic drugs dexmedetomidine and atipamezole on extracellular amino acid levels in vivo. <b>1995</b> , 285, 239-46	8
1211	Systemic administration of kainate induces marked increases of endogenous kynurenic acid in various brain regions and plasma of rats. <b>1995</b> , 286, 167-75	29
1210	Amygdaloid kindling by repeated focal N-methyl-D-aspartate administration: comparison with electrical kindling. <b>1995</b> , 286, 265-71	30
1209	Amygdala kindling and immediate-early genes. <b>1995</b> , 29, 191-9	30
1208	Early-onset epilepsy and postnatal lethality associated with an editing-deficient GluR-B allele in mice. <b>1995</b> , 270, 1677-80	476
1207	Differences in mossy fibre sprouting during conventional and rapid amygdala kindling of the rat. <b>1995</b> , 190, 199-202	26
1206	Cell-specific modulation of basal and seizure-induced neurotrophin expression by adrenalectomy. <b>1995</b> , 68, 363-78	34
1205	Does prolonged implantation of depth electrodes predispose the brain to kindling?. <b>1995</b> , 697, 197-204	53
1204	Analyses of the molecular basis of kindling development. <b>1995</b> , 49, S175-8	28
1203	Molecular changes of NMDA receptor subunit mRNA in amygdala-kindled rat. <b>1995</b> , 49, S217-8	1

1202	In vivo microdialysis monitoring for extracellular glutamate and GABA in the ventral hippocampus of the awake rat during kainate-induced seizures. <b>1995</b> , 49, S275-7	12
1201	Early changes in prodynorphin mRNA and ir-dynorphin A levels after kindled seizures in the rat. <b>1995</b> , 7, 1850-6	22
1200	Post-traumatic epilepsy and recovery of function from experimental brain damage: a review. <b>1995</b> , 4, 163-7	
1199	N-methyl-D-aspartate and kainate receptor gene expression in hippocampal pyramidal and granular neurons in the kindling model of epileptogenesis. <b>1995</b> , 67, 551-9	45
1198	Long-term and regional specific changes in [3H]flunitrazepam binding in kindled rat hippocampus. <b>1995</b> , 68, 399-406	23
1197	Relation of the enhancement of entorhinal tetanic responses by 50-Hz amygdala stimulation to the progression of kindling in the rat. <b>1995</b> , 23, 249-55	3
1196	Correlation between seizure intensity and stress protein expression after limbic epilepsy in the rat brain. <b>1995</b> , 65, 27-36	75
1195	Somatostatin, neuropeptide Y, neurokinin B and cholecystokinin immunoreactivity in two chronic models of temporal lobe epilepsy. <b>1995</b> , 69, 831-45	146
1194	Long-term effects of amygdaloid kindling on striatal dopaminergic terminals. <b>1995</b> , 36, 235-9	13
1193	Susceptibility of different cell layers of the anterior and posterior part of the piriform cortex to electrical stimulation and kindling: comparison with the basolateral amygdala and "area tempestas". <b>1995</b> , 66, 265-76	65
1192	Increase in synapsin I phosphorylation implicates a presynaptic component in septal kindling. <b>1995</b> , 64, 1-4	36
1191	Autoradiographic analysis of [35S]t-butylbicyclophosphorothionate binding in kindled rat hippocampus shows different changes in CA1 area and fascia dentata. <b>1995</b> , 66, 547-54	13
1190	Potassium currents in isolated CA1 neurons of the rat after kindling epileptogenesis. <b>1995</b> , 66, 805-13	17
1189	Immunolesioning of basal forebrain cholinergic neurons facilitates hippocampal kindling and perturbs neurotrophin messenger RNA regulation. <b>1996</b> , 70, 313-27	52
1188	Immunosuppressant FK506 prevents mossy fiber sprouting induced by kindling stimulation. <b>1996</b> , 25, 191-4	20
1187	POSTER COMMUNICATIONS. <b>1996</b> , 117, 130P-343P	6
1186	Anticonvulsant action of metabotropic glutamate receptor agonists in kindled amygdala of rats. <b>1996</b> , 204, 41-4	34
1185	Biphasic action of the histamine precursor L-histidine in the rat kindling model of epilepsy. <b>1996</b> , 204, 205-8	20

1184	Lack of Fos-like immunoreactivity after spontaneous seizures or reinduction of status epilepticus by pilocarpine in rats. <b>1996</b> , 208, 133-7	29
1183	Corticotropin-releasing factor induction in rat piriform cortex following kainate-elicited seizures. <b>1996</b> , 209, 45-8	11
1182	Spread of low Mg <sup>2+</sup> induced epileptiform activity from the rat entorhinal cortex to the hippocampus after kindling studied in vitro. <b>1996</b> , 216, 41-4	33
1181	Microglial activation by epileptic activities through the propagation pathway of kainic acid-induced hippocampal seizures in the rat. <b>1996</b> , 217, 29-32	28
1180	Centrally acting histamine H1 antagonists promote the development of amygdala kindling in rats. <b>1996</b> , 217, 194-196	44
1179	Oxytocin and vasopressin mRNA expression in rat hypothalamus following kainic acid-induced seizures. <b>1996</b> , 71, 543-54	25
1178	Long-term expression of the 35,000 mol. wt fos-related antigen in rat brain after kainic acid treatment. <b>1996</b> , 73, 1159-74	38
1177	Amygdala kindling in the rat: anxiogenic-like consequences. <b>1996</b> , 73, 971-8	79
1176	Calcium currents in pyramidal CA1 neurons in vitro after kindling epileptogenesis in the hippocampus of the rat. <b>1996</b> , 75, 57-67	80
1175	Seizure-induced differential expression of messenger RNAs for neurotrophins and their receptors in genetically fast and slow kindling rats. <b>1996</b> , 75, 197-207	43
1174	Status of somatostatin receptor messenger RNAs and binding sites in rat brain during kindling epileptogenesis. <b>1996</b> , 75, 857-68	18
1173	Changes in cholecystokinin mRNA expression after amygdala kindled seizures: an in situ hybridization study. <b>1996</b> , 35, 278-84	24
1172	Distinctions between hippocampus of mouse and rat: protein F1/GAP-43 gene expression, promoter activity, and spatial memory. <b>1996</b> , 40, 177-87	52
1171	Regulation of alternative splicing of NMDAR1 in the kindling model. <b>1996</b> , 41, 97-104	22
1170	Effects of chronic substance P treatment and intracranial fetal grafts on learning after hippocampal kainic acid lesions. <b>1996</b> , 17, 275-85	16
1169	Failure of carbamazepine to prevent behavioural and histopathological sequels of experimentally induced status epilepticus. <b>1996</b> , 297, 213-8	9
1168	Tiagabine prevents seizures, neuronal damage and memory impairment in experimental status epilepticus. <b>1996</b> , 299, 69-81	58
1167	Anticonvulsant profile of the imidazoquinazolines NNC 14-0185 and NNC 14-0189 in rats and mice. <b>1996</b> , 308, 21-30	14

1166	Anti- and proconvulsive actions of levcromakalim, an opener of ATP-sensitive K <sup>+</sup> channel, in the model of hippocampus-generating partial seizures in rats. <b>1996</b> , 311, 37-44	14
1165	Attenuation of cocaine kindling by 7-nitroindazole, an inhibitor of brain nitric oxide synthase. <b>1996</b> , 35, 1065-73	43
1164	Anticonvulsant activity of novel derivatives of 2- and 3-piperidinecarboxylic acid in mice and rats. <b>1996</b> , 35, 1721-35	10
1163	Potential effects in the dentate gyrus of pentylenetetrazol-kindled rats. <b>1996</b> , 60, 455-62	29
1162	The role of the piriform cortex in kindling. <b>1996</b> , 50, 427-81	239
1161	Dynorphin and epilepsy. <b>1996</b> , 50, 557-83	74
1160	Altered expression of group I metabotropic glutamate receptors in the hippocampus of amygdala-kindled rats. <b>1996</b> , 43, 105-16	64
1159	Increases in thyrotropin-releasing hormone messenger RNA expression induced by a model of human temporal lobe epilepsy: effect of partial and complete kindling. <b>1997</b> , 76, 85-95	22
1158	Changes in thyrotropin-releasing hormone levels in hippocampal subregions induced by a model of human temporal lobe epilepsy: effect of partial and complete kindling. <b>1997</b> , 76, 97-104	14
1157	The kindling-activated neuronal network: recruitment of somatostatin-synthesizing neurons. <b>1996</b> , 41, 237-47	2
1156	Kindling of hippocampal field CA1 impairs spatial learning and retention in the Morris water maze. <b>1996</b> , 82, 57-66	40
1155	Electrographic seizures and new recurrent excitatory circuits in the dentate gyrus of hippocampal slices from kainate-treated epileptic rats. <b>1996</b> , 16, 4438-48	310
1154	Does Early Anti-Epileptic Drug Treatment Alter the Prognosis for Remission of the Epilepsies?. <b>1996</b> , 89, 245-248	8
1153	NMDA receptor dependence of kindling and mossy fiber sprouting: evidence that the NMDA receptor regulates patterning of hippocampal circuits in the adult brain. <b>1996</b> , 16, 7398-406	117
1152	Null mutation of c-fos impairs structural and functional plasticities in the kindling model of epilepsy. <b>1996</b> , 16, 3827-36	125
1151	Developmental psychobiology of cyclic affective illness: Implications for early therapeutic intervention. <b>1996</b> , 8, 273-305	43
1150	Cortical induction of c-fos by intrastriatal endothelin-1 is mediated via NMDA receptors. <b>1996</b> , 8, 211-6	6
1149	Long-lasting reduction of inhibitory function and gamma-aminobutyric acid type A receptor subunit mRNA expression in a model of temporal lobe epilepsy. <b>1996</b> , 93, 9665-9	97

1148	Potent and long-lasting anticonvulsant effects of 1-naphthylacetyl spermine, an analogue of Joro spider toxin, against amygdaloid kindled seizures in rats. <b>1996</b> , 706, 173-6	26
1147	Delayed kindling development after rapidly recurring seizures: relation to mossy fiber sprouting and neurotrophin, GAP-43 and dynorphin gene expression. <b>1996</b> , 712, 19-34	69
1146	Effects of in vivo perforant path kindling on 0-Mg(2+)-induced CA1 burst activity in rat hippocampal slices. <b>1996</b> , 723, 196-8	4
1145	Changes in dentate granule cell field potentials during afterdischarge initiation triggered by 5 Hz perforant path stimulation. <b>1996</b> , 722, 39-49	7
1144	The temporal evolution of neuronal damage from pilocarpine-induced status epilepticus. <b>1996</b> , 725, 11-22	220
1143	Kindling induces a lasting, regionally selective increase of kynurenic acid in the nucleus accumbens. <b>1996</b> , 725, 252-6	17
1142	Kindling antagonism: interactions of the amygdala with the piriform, perirhinal, and insular cortices. <b>1996</b> , 733, 211-8	17
1141	Neuropeptide Y inhibits hippocampal seizures and wet dog shakes. <b>1996</b> , 737, 162-8	115
1140	Amygdala kindling does not change emotional responding as measured by the acoustic startle response in the rat. <b>1996</b> , 733, 193-202	12
1139	Vigabatrin and carbamazepine have different efficacies in the prevention of status epilepticus induced neuronal damage in the hippocampus and amygdala. <b>1996</b> , 24, 29-45	40
1138	Synaptic degeneration and remodelling after fast kindling of the olfactory bulb. <b>1996</b> , 21, 585-93	5
1137	Evidence for membrane remodeling in ipsilateral thalamus and amygdala following left amygdala-kindled seizures in awake rats. <b>1996</b> , 743, 131-40	7
1136	Characterization of epileptiform field potentials recorded in the in vitro perirhinal cortex of amygdala-kindled epileptogenesis. <b>1996</b> , 741, 44-51	13
1135	Effects of generalized convulsive seizures on corticotropin-releasing factor neuronal systems. <b>1996</b> , 743, 63-9	17
1134	The anti-epileptic effect of 3-aminopropylarsonate on electrically-kindled and N-methyl-D-aspartate-kindled amygdala. <b>1996</b> , 742, 305-12	5
1133	Amygdala kindling of forebrain seizures and the occurrence of brainstem seizures in genetically epilepsy-prone rats. <b>1996</b> , 37, 188-97	42
1132	Regional increases in brain-derived neurotrophic factor and nerve growth factor mRNAs during amygdaloid kindling, but not in acidic and basist growth factor mRNAs. <b>1996</b> , 37, 6-14	55
1131	Relative concentrations and seizure-induced changes in mRNAs encoding three AMPA receptor subunits in hippocampus and cortex. <b>1996</b> , 365, 541-55	41

1130	Rapid induction by kainic acid of both axonal growth and F1/GAP-43 protein in the adult rat hippocampal granule cells. <b>1996</b> , 366, 303-19	62
1129	Brain region-specific and time-dependent decreases of G alpha i2 in amygdala-kindled rats. <b>1996</b> , 22, 226-31	3
1128	Differential sensitivity of various temporal lobe structures in the rat to kindling and status epilepticus induction. <b>1996</b> , 23, 179-87	48
1127	Repetitive transcranial magnetic stimulations of the rat. Effect of acute and chronic stimulations on pentylentetrazole-induced clonic seizures. <b>1996</b> , 23, 115-22	36
1126	Effects of chronic morphine pretreatment on amygdaloid kindling development, postictal seizure and suppression and benzodiazepine receptor binding in rats. <b>1996</b> , 23, 225-33	19
1125	Topiramate: a potent anticonvulsant in the amygdala-kindled rat. <b>1996</b> , 24, 73-7	87
1124	Competitive NMDA receptor antagonists do not block cholinergic kindling with carbachol. <b>1996</b> , 24, 9-18	5
1123	Modification of kainate-induced behavioral and electrographic seizures following inhibition of nitric oxide synthase in mice. <b>1996</b> , 24, 79-90	23
1122	Arrest of seizure progression during electrical kindling in guinea-pigs with prior pentylentetrazol-induced convulsions. <b>1996</b> , 24, 101-7	6
1121	Sensitization induced by kindling and kindling-related phenomena as a model for multiple chemical sensitivity. <b>1996</b> , 111, 87-100	30
1120	Spontaneous seizures preferentially injure interneurons in the pilocarpine model of chronic spontaneous seizures. <b>1996</b> , 26, 123-9	53
1119	Neuroethological and morphological (Neo-Timm staining) correlates of limbic recruitment during the development of audiogenic kindling in seizure susceptible Wistar rats. <b>1996</b> , 26, 177-92	118
1118	Bilateral hippocampal interictal spiking and kindling expression in rabbits. <b>1996</b> , 25, 149-59	9
1117	Perirhinal cortex involvement in limbic kindled seizures. <b>1996</b> , 26, 233-43	71
1116	Functional changes in somatostatin and neuropeptide Y containing neurons in the rat hippocampus in chronic models of limbic seizures. <b>1996</b> , 26, 267-79	58
1115	Suppression of cortical epileptic afterdischarges in developing rats by anticonvulsants increasing GABAergic inhibition. <b>1996</b> , 25, 177-84	15
1114	Kindled seizure-induced c-fos and prodynorphin mRNA expressions are unrelated in the rat brain. <b>1996</b> , 8, 2064-7	15
1113	Status epilepticus causes selective regional damage and loss of GABAergic neurons in the rat amygdaloid complex. <b>1996</b> , 8, 2711-25	60

1112	Mossy fibre sprouting: evidence against a facilitatory role in epileptogenesis. <b>1997</b> , 8, 1193-6	49
1111	Chronic ethanol retards kindling of hippocampal area CA3. <b>1997</b> , 8, 1903-6	12
1110	Apoptosis and proliferation of dentate gyrus neurons after single and intermittent limbic seizures. <b>1997</b> , 94, 10432-7	678
1109	Anticonvulsant effects by combined treatment with a glycineB receptor antagonist and a polyamine site antagonist in amygdala-kindled rats. <b>1997</b> , 322, 179-84	21
1108	The protective effect of 2-chloroadenosine against the development of amygdala kindling and on amygdala-kindled seizures. <b>1997</b> , 326, 7-14	23
1107	Non-NMDA receptor antagonist GYKI 52466 suppresses cortical afterdischarges in immature rats. <b>1997</b> , 333, 17-26	11
1106	BW1003C87, phenytoin and carbamazepine elevate seizure threshold in the rat amygdala-kindling model of epilepsy. <b>1997</b> , 339, 11-5	17
1105	Development of an experimental model of epilepsy in rats exposed to ozone. <b>1997</b> , 93, 103-7	10
1104	Seizure-induced damage to somatostatin-immunoreactive neurons in the rat hippocampus is regulated by fimbria-fornix transection. <b>1997</b> , 145, 141-53	18
1103	Suppressed kindling epileptogenesis and perturbed BDNF and TrkB gene regulation in NT-3 mutant mice. <b>1997</b> , 145, 93-103	48
1102	NADPH-diaphorase-stained neurons after experimental epilepsy in rats. <b>1997</b> , 1, 484-93	11
1101	Piracetam prevents pentylenetetrazol kindling-induced neuronal loss and learning deficits. <b>1997</b> , 6, 467-74	61
1100	Apoptotic and necrotic cell death following kindling induced seizures. <b>1997</b> , 99, 71-9	42
1099	The effects of focal N-methyl-D-aspartate pretreatment on the parameters of amygdaloid electrical kindling. <b>1997</b> , 319, 207-13	10
1098	Changes in emotional behavior produced by long-term amygdala kindling in rats. <b>1997</b> , 41, 438-51	82
1097	Preventing post-traumatic epilepsy after brain injury: weighing the costs and benefits of anticonvulsant prophylaxis. <b>1997</b> , 18, 59-62	38
1096	Effects of extended electrical kindling on exploratory behavior and spatial learning. <b>1997</b> , 89, 179-90	30
1095	Changes in voltage-dependent calcium channel alpha1-subunit mRNA levels in the kindling model of epileptogenesis. <b>1997</b> , 50, 257-66	39



1094	Animal models of intractable epilepsy. <b>1997</b> , 53, 239-58	216
1093	Putative roles for the inducible transcription factor c-fos in the central nervous system: studies with antisense oligonucleotides. <b>1997</b> , 31, 459-75	27
1092	Selective facilitation of kindled seizures from the amygdala after hippocampal lesions induced by perforant path stimulation. <b>1997</b> , 224, 165-8	3
1091	The effect of electrolytic lesioning of the midbrain prior to amygdala kindling in rats. <b>1997</b> , 227, 83-6	6
1090	Tiagabine exerts an anti-epileptogenic effect in amygdala kindling epileptogenesis in the rat. <b>1997</b> , 229, 135-7	25
1089	Enhanced population responses in the basolateral amygdala of kainate-treated, epileptic rats in vitro. <b>1997</b> , 222, 1-4	22
1088	Persistent elevation of corticotrophin releasing factor and vasopressin but not oxytocin mRNA in the rat after kindled seizures. <b>1997</b> , 224, 66-70	25
1087	The amygdala is critical for seizure propagation from brainstem to forebrain. <b>1997</b> , 77, 975-84	82
1086	Expression of glial glutamate transporters GLT-1 and GLAST is unchanged in the hippocampus in fully kindled rats. <b>1997</b> , 78, 351-9	50
1085	Effects of cholinergic denervation on seizure development and neurotrophin messenger RNA regulation in rapid hippocampal kindling. <b>1997</b> , 80, 389-99	42
1084	Comparison of NADPH diaphorase histochemistry, somatostatin immunohistochemistry, and silver impregnation in detecting structural and functional impairment in experimental status epilepticus. <b>1997</b> , 80, 105-17	16
1083	Temporal pattern of AP-1 DNA-binding activity in the rat hippocampus following a kindled seizure. <b>1997</b> , 80, 753-61	10
1082	Increased levels of mRNA for beta- but not alpha-subunit of calmodulin kinase II following kindled seizures. <b>1997</b> , 43, 375-80	12
1081	Regional excitatory and inhibitory amino acid concentrations in pentylenetetrazol kindling and kindled rat brain. <b>1997</b> , 19, 171-5	69
1080	Repeated generalized seizures induce time-dependent changes in the behavioral seizure response independent of continued seizure induction. <b>1997</b> , 17, 5581-90	44
1079	Epileptogenesis in vivo enhances the sensitivity of inhibitory presynaptic metabotropic glutamate receptors in basolateral amygdala neurons in vitro. <b>1997</b> , 17, 983-95	82
1078	Nerve growth factor accelerates seizure development, enhances mossy fiber sprouting, and attenuates seizure-induced decreases in neuronal density in the kindling model of epilepsy. <b>1997</b> , 17, 5288-96	107
1077	Kindling and Quenching: Conceptual Links to rTMS. <b>1997</b> , 2, 32-35,65-68	9

1076	Differential and time-dependent changes in gene expression for type II calcium/calmodulin-dependent protein kinase, 67 kDa glutamic acid decarboxylase, and glutamate receptor subunits in tetanus toxin-induced focal epilepsy. <b>1997</b> , 17, 2168-80	37
1075	Genetic determinants of susceptibility to excitotoxic cell death: implications for gene targeting approaches. <b>1997</b> , 94, 4103-8	452
1074	Network properties of the dentate gyrus in epileptic rats with hilar neuron loss and granule cell axon reorganization. <b>1997</b> , 77, 2685-96	153
1073	Anticonvulsant and proconvulsant roles of nitric oxide in experimental epilepsy models. <b>1997</b> , 30, 971-9	58
1072	Differential epilepsy-associated alterations in postsynaptic GABA(A) receptor function in dentate granule and CA1 neurons. <b>1997</b> , 77, 1924-38	217
1071	Termination of epileptic afterdischarge in the hippocampus. <b>1997</b> , 17, 2567-79	103
1070	Gradation of kainic acid-induced rat limbic seizures and expression of hippocampal heat shock protein-70. <b>1997</b> , 9, 760-9	75
1069	Anticonvulsant activity of felbamate in amygdala kindling model of temporal lobe epilepsy in rats. <b>1997</b> , 38, 1167-72	8
1068	Ketogenic diet: effects on expression of kindled seizures and behavior in adult rats. <b>1997</b> , 38, 750-8	115
1067	Antiepileptic effects of tiagabine, a selective GABA uptake inhibitor, in the rat kindling model of temporal lobe epilepsy. <b>1997</b> , 38, 966-74	48
1066	Pharmacology of the AMPA antagonist 2,3-dihydroxy-6-nitro-7-sulfamoylbenzo-(F)-quinoxaline. <b>1997</b> , 825, 394-402	7
1065	Status epilepticus induced by pilocarpine and picrotoxin. <b>1997</b> , 28, 73-82	23
1064	Anticonvulsant properties of two GABA uptake inhibitors NNC 05-2045 and NNC 05-2090, not acting preferentially on GAT-1. <b>1997</b> , 28, 51-61	44
1063	Anticonvulsant effect of anterior thalamic high frequency electrical stimulation in the rat. <b>1997</b> , 28, 89-100	354
1062	Bradycardia induced from stimulation of the left versus right central nucleus of the amygdala. <b>1997</b> , 28, 101-4	16
1061	Spectral analysis of a thalamus-to-cortex seizure pathway. <b>1997</b> , 44, 657-64	24
1060	Metabolic and pathological effects of temporal lobe epilepsy in rat brain detected by proton spectroscopy and imaging. <b>1997</b> , 744, 57-67	42
1059	The contribution of endogenous mono-ADP-ribosylation to kindling-induced epileptogenesis. <b>1997</b> , 745, 109-13	3

1058	Role of serotonin receptor subtypes in the development of amygdaloid kindling in rats. <b>1997</b> , 747, 338-42	58
1057	Effect of intraperitoneal and intrahippocampal (CA1) 2-chloroadenosine in amygdaloid kindled rats. <b>1997</b> , 751, 259-64	19
1056	The vital dye Evans blue mimics limbic seizures induced by kainate or pilocarpine. <b>1997</b> , 753, 283-90	4
1055	Proconvulsive effect of vasopressin; mediation by a putative V2 receptor subtype in the central nervous system. <b>1997</b> , 759, 18-23	30
1054	Delayed development of spontaneous seizures and prolonged convulsive state in rats after massed stimulation of the anterior piriform cortex. <b>1997</b> , 754, 227-38	13
1053	Anti-epileptogenic and anticonvulsant activity of L-2-amino-4-phosphonobutyrate, a presynaptic glutamate receptor agonist. <b>1997</b> , 755, 202-12	60
1052	Effects of the 5-HT <sub>3</sub> receptor agonist 1-(m-chlorophenyl)-biguanide in the rat kindling model of epilepsy. <b>1997</b> , 759, 313-6	26
1051	Intra-amygdala infusion of 2-chloroadenosine suppresses amygdala-kindled seizures. <b>1997</b> , 775, 37-42	20
1050	Transfer between atropine-induced spiking in the perirhinal cortex and electrical kindling of the amygdala. <b>1997</b> , 771, 63-70	3
1049	Transfer of epileptogenesis between perirhinal cortex and amygdala induced by electrical kindling. <b>1997</b> , 771, 71-9	13
1048	Seizure patterns in kindling and cortical stimulation models of experimental epilepsy. <b>1997</b> , 770, 221-7	20
1047	Zif268 and Fos-like immunoreactivity in tetanus toxin-induced epilepsy: reciprocal changes in the epileptic focus and the surround. <b>1997</b> , 778, 281-92	15
1046	Long-term potentiation trains induce mossy fiber sprouting. <b>1997</b> , 775, 193-7	64
1045	The effects of fimbria/fornix transections on perforant path kindling and mossy fiber sprouting. <b>1997</b> , 778, 186-93	16
1044	Spontaneous epileptiform seizures but increased resistance to kindled seizures in a mutant Sprague-Dawley rat (mf/mf). <b>1997</b> , 58, 993-1001	1
1043	Dextromethorphan blocks opioid peptide gene expression in the rat hippocampus induced by kainic acid. <b>1997</b> , 31, 105-12	17
1042	Decrease in somatostatin-immunoreactive neurons in the rat amygdaloid complex in a kindling model of temporal lobe epilepsy. <b>1997</b> , 26, 315-27	40
1041	Effects of acute treatment and long-term treatment with MK-801 against amygdaloid kindled seizures in rats. <b>1997</b> , 26, 407-13	9

1040	Effects of single and repeated administration of sulthiame on amygdaloid kindled seizures in rats. <b>1997</b> , 27, 81-7	4
1039	Comparison of the preclinical anticonvulsant profiles of tiagabine, lamotrigine, gabapentin and vigabatrin. <b>1997</b> , 28, 63-72	96
1038	Synaptic vesicle size and shape profile in the kindling model of epileptogenesis. <b>1997</b> , 28, 225-31	8
1037	Effects of a subconvulsant dose of kainic acid on afterdischarges elicited by cortical stimulation in rats. <b>1997</b> , 29, 25-33	16
1036	Anxiogenic-like consequences in animal models of complex partial seizures. <b>1997</b> , 21, 767-74	56
1035	Reversible, reproducible reduction of brain water apparent diffusion coefficient by cortical electroshocks. <b>1997</b> , 37, 1-6	59
1034	Neuron loss, granule cell axon reorganization, and functional changes in the dentate gyrus of epileptic kainate-treated rats. <b>1997</b> , 385, 385-404	417
1033	Piriform cortex efferents to the entorhinal cortex in vivo: kindling-induced potentiation and the enhancement of long-term potentiation by low-frequency piriform cortex or medial septal stimulation. <b>1997</b> , 7, 257-70	22
1032	Selective changes in single cell GABA(A) receptor subunit expression and function in temporal lobe epilepsy. <b>1998</b> , 4, 1166-72	626
1031	Effect of complete and partial bilateral lesions of the deep cerebellar nuclei on amygdaloid kindling in rats. <b>1998</b> , 39, 692-9	7
1030	Brain thyrotropin-releasing hormone content varies through amygdaloid kindling development according to afterdischarge frequency and propagation. <b>1998</b> , 39, 897-903	5
1029	NER rat strain: a new type of genetic model in epilepsy research. <b>1998</b> , 39, 99-107	38
1028	Characterization of phenytoin-resistant kindled rats, a new model of drug-resistant partial epilepsy: comparison of inbred strains. <b>1998</b> , 39, 1046-53	28
1027	Sleep-wakefulness alterations in amygdala-kindled rats. <b>1998</b> , 39, 1133-7	22
1026	Selection of phenytoin responders and nonresponders in male and female amygdala-kindled Sprague-Dawley rats. <b>1998</b> , 39, 1138-47	22
1025	Status epilepticus causes long-term NMDA receptor-dependent behavioral changes and cognitive deficits. <b>1998</b> , 39, 1148-57	83
1024	LU 73068, a new non-NMDA and glycine/NMDA receptor antagonist: pharmacological characterization and comparison with NBQX and L-701,324 in the kindling model of epilepsy. <b>1998</b> , 125, 1258-66	21
1023	Electroencephalographic and histological characteristics of a model of limbic status epilepticus permitting direct control over seizure duration. <b>1998</b> , 29, 221-32	11

1022	Acute heat stress model of seizures in weanling rats: influence of prototypic anti-seizure compounds. <b>1998</b> , 30, 203-17	11
1021	Frontal versus transcorneal stimulation to induce maximal electroshock seizures or kindling in mice and rats. <b>1998</b> , 30, 219-29	24
1020	Long-term kindling and interictal emotionality in rats: effect of stimulation site. <b>1998</b> , 779, 149-57	52
1019	Dissociation between mossy fiber sprouting and rapid kindling with low-frequency stimulation of the amygdala. <b>1998</b> , 781, 37-44	26
1018	Increased corticotropin-releasing factor immunoreactivity in select brain sites following kainate elicited seizures. <b>1998</b> , 781, 100-13	37
1017	NMDA receptor activation during status epilepticus is required for the development of epilepsy. <b>1998</b> , 782, 240-7	149
1016	Epileptogenesis induced by rapidly recurring seizures in genetically fast- but not slow-kindling rats. <b>1998</b> , 789, 111-7	25
1015	Specific group II metabotropic glutamate receptor activation inhibits the development of kindled epilepsy in rats. <b>1998</b> , 787, 286-91	49
1014	Development of spontaneous seizures over extended electrical kindling. I. Electrographic, behavioral, and transfer kindling correlates. <b>1998</b> , 793, 197-211	57
1013	Pentylentetrazole (PTZ)-induced c-fos expression in the hippocampus of kindled rats is suppressed by concomitant treatment with naloxone. <b>1998</b> , 792, 299-308	36
1012	Time course for kindling-induced changes in the hilar area of the dentate gyrus: reactive gliosis as a potential mechanism. <b>1998</b> , 804, 331-6	38
1011	Self-sustaining status epilepticus after brief electrical stimulation of the perforant path. <b>1998</b> , 801, 251-3	87
1010	Decreased central histamine in the amygdaloid kindling rats. <b>1998</b> , 802, 241-6	14
1009	Anticonvulsant and glutamate release-inhibiting properties of the highly potent metabotropic glutamate receptor agonist (2S,2'R, 3'R)-2-(2',3'-dicarboxycyclopropyl)glycine (DCG-IV). <b>1998</b> , 805, 138-43	61
1008	Behavioral changes and expression of heat shock protein hsp-70 mRNA, brain-derived neurotrophic factor mRNA, and cyclooxygenase-2 mRNA in rat brain following seizures induced by systemic administration of kainic acid. <b>1998</b> , 804, 212-23	46
1007	Seizure induced synthesis of fibronectin is rapid and age dependent: implications for long-term potentiation and sprouting. <b>1998</b> , 812, 209-15	42
1006	Role of the subthalamo-nigral input in the control of amygdala-kindled seizures in the rat. <b>1998</b> , 807, 78-83	55
1005	Amygdala-kindled and electroconvulsive seizures alter hippocampal expression of the m1 and m3 muscarinic cholinergic receptor genes. <b>1998</b> , 810, 9-15	24

1004	A behavioral and immunohistochemical study on the development of perirhinal cortical kindling: a comparison with other types of limbic kindling. <b>1998</b> , 811, 122-32	41
1003	Activation of NMDA receptors stimulates extracellular proteolysis of cell adhesion molecules in hippocampus. <b>1998</b> , 811, 152-5	41
1002	Hippocampal damage after injection of kainic acid into the rat entorhinal cortex. <b>1998</b> , 813, 9-17	25
1001	Effect of low-intensity 50-Hz magnetic fields on kindling acquisition and fully kindled seizures in rats. <b>1998</b> , 809, 269-76	18
1000	Decreased seizure threshold and more rapid rate of kindling in rats with cortical malformation induced by prenatal treatment with methylazoxymethanol. <b>1998</b> , 812, 252-5	48
999	Time-dependent decrease in the effectiveness of antiepileptic drugs during the course of self-sustaining status epilepticus. <b>1998</b> , 814, 179-85	197
998	Effects of repeated seizure induction on seizure activity, post-ictal and interictal behavior. <b>1998</b> , 814, 199-208	7
997	Electrical but not chemical kindling increases sensitivity to some phencyclidine-like behavioral effects induced by the competitive NMDA receptor antagonist D-CPPene in rats. <b>1998</b> , 353, 177-89	10
996	The effects of kainic acid in rats with spontaneous recurrent seizures. <b>1998</b> , 31, 447-9	2
995	Seizure suppression in kindling epilepsy by grafts of fetal GABAergic neurons in rat substantia nigra. <b>1998</b> , 51, 196-209	99
994	Acute effects of various GABA receptor agonists and glutamate antagonists on focal hippocampal seizures in freely moving rats elicited by low-frequency stimulation. <b>1998</b> , 28, 103-9	16
993	Acute and chronic administration of clozapine produces greater proconvulsant actions than haloperidol on focal hippocampal seizures in freely moving rats. <b>1998</b> , 29, 272-8	10
992	Amygdala-kindling induces a lasting reduction of GABA-immunoreactive neurons in a discrete area of the ipsilateral piriform cortex. <b>1998</b> , 29, 299-309	39
991	Synthesis, characterization, and anticonvulsant activity of enaminones. Part 5: investigations on 3-carboalkoxy-2-methyl-2,3-dihydro-1H-phenothizin-4[10H]-one derivatives. <b>1998</b> , 6, 2289-99	20
990	Suppression of kindling epileptogenesis in rats by intrahippocampal cholinergic grafts. <b>1998</b> , 10, 213-20	36
989	Blockade of neuropsin, a serine protease, ameliorates kindling epilepsy. <b>1998</b> , 10, 760-4	63
988	Different patterns of induction of FGF-2, FGF-1 and BDNF mRNAs during kindling epileptogenesis in the rat. <b>1998</b> , 10, 955-63	29
987	Attenuation of kindling-induced decreases in NT-3 mRNA by thyroid hormone depletion. <b>1998</b> , 29, 211-20	15

986	Decreased brainstem seizure thresholds and facilitated seizure propagation in mice exposed to repeated flurothyl-induced generalized forebrain seizures. <b>1998</b> , 30, 49-62	26
985	Anticonvulsant effect of fosphenytoin in amygdala-kindled rats: comparison with phenytoin. <b>1998</b> , 30, 69-76	22
984	Effect of physical exercise on kindling development. <b>1998</b> , 30, 127-32	80
983	Recurrent spontaneous motor seizures after repeated low-dose systemic treatment with kainate: assessment of a rat model of temporal lobe epilepsy. <b>1998</b> , 31, 73-84	303
982	Effects of lamotrigine and conventional antiepileptic drugs on amygdala- and hippocampal-kindled seizures in rats. <b>1998</b> , 31, 101-12	60
981	Antiepileptic effects of topiramate on amygdaloid kindling in rats. <b>1998</b> , 31, 123-8	37
980	Limbic epileptogenesis alters the anticonvulsant efficacy of phenytoin in Sprague-Dawley rats. <b>1998</b> , 31, 175-86	14
979	Supragranular mossy fiber sprouting is not necessary for spontaneous seizures in the intrahippocampal kainate model of epilepsy in the rat. <b>1998</b> , 32, 172-82	114
978	Pharmacology of glutamate receptor antagonists in the kindling model of epilepsy. <b>1998</b> , 54, 721-41	148
977	Time-dependent and regional expression of GABA transporter mRNAs following amygdala-kindled seizures in rats. <b>1998</b> , 54, 49-55	34
976	Transcript-specific effects of adrenalectomy on seizure-induced BDNF expression in rat hippocampus. <b>1998</b> , 55, 81-91	28
975	Localization and seizure-regulation of integrin beta 1 mRNA in adult rat brain. <b>1998</b> , 55, 265-76	62
974	Intra-amygdala infusion of an end-capped antisense oligodeoxynucleotide to c-fos accelerates amygdala kindling. <b>1998</b> , 57, 248-56	14
973	Measurement of NMDA receptor protein subunits in discrete hippocampal regions of kindled animals. <b>1998</b> , 61, 114-20	11
972	In vivo administration of c-Fos antisense oligonucleotides accelerates amygdala kindling. <b>1998</b> , 241, 111-4	11
971	Increased dentate granule cell neurogenesis following amygdala kindling in the adult rat. <b>1998</b> , 247, 9-12	207
970	Hilar somatostatin-mRNA containing neurons are preserved after perforant path kindling in the rat. <b>1998</b> , 255, 45-8	18
969	Anticonvulsant effects of melatonin in amygdala-kindled rats. <b>1998</b> , 257, 13-6	86

968	Kindling and associated mossy fibre sprouting are not affected in mice deficient of NGFI-A/NGFI-B genes. <b>1998</b> , 83, 251-8	23
967	Dynamic changes of brain-derived neurotrophic factor protein levels in the rat forebrain after single and recurring kindling-induced seizures. <b>1998</b> , 83, 351-62	96
966	Regional analysis of the spatial patterns of Fos induction in brain following flurothyl kindling. <b>1998</b> , 84, 1209-22	21
965	Behavioural, physiological and morphological analysis of a line of apolipoprotein E knockout mouse. <b>1998</b> , 85, 93-110	106
964	Persistence of the interictal emotionality produced by long-term amygdala kindling in rats. <b>1998</b> , 85, 1311-9	61
963	Sodium currents in isolated rat CA1 neurons after kindling epileptogenesis. <b>1998</b> , 86, 99-107	53
962	Time-dependent changes in neurotrophic factor mRNA expression after kindling and long-term potentiation in rats. <b>1998</b> , 45, 599-605	56
961	The effects of histamine H3-receptor antagonists on amygdaloid kindled seizures in rats. <b>1998</b> , 46, 461-5	42
960	Increases in mRNA levels for synapsin I but not synapsin II in the hippocampus of the rat kindling model of epilepsy. <b>1998</b> , 7, 229-35	16
959	A role for the bilateral involvement of perirhinal cortex in generalized kindled seizure expression. <b>1998</b> , 151, 124-37	31
958	Metabolic compromise with systemic 3-nitropropionic acid produces striatal apoptosis in Sprague-Dawley rats but not in BALB/c ByJ mice. <b>1998</b> , 153, 74-93	57
957	Amygdalar injection of FeCl <sub>3</sub> causes spontaneous recurrent seizures. <b>1998</b> , 153, 123-7	43
956	Global increases in seizure susceptibility in mice lacking 5-HT <sub>2C</sub> receptors: a behavioral analysis. <b>1998</b> , 154, 522-30	77
955	Quenching revisited: low level direct current inhibits amygdala-kindled seizures. <b>1998</b> , 154, 185-92	74
954	Differences in kindling development in seven outbred and inbred rat strains. <b>1998</b> , 154, 551-9	45
953	Weak anticonvulsant effects of two novel glycineB receptor antagonists in the amygdala-kindling model in rats. <b>1998</b> , 342, 39-46	12
952	Effect of acute administration of various 5-HT receptor agonists on focal hippocampal seizures in freely moving rats. <b>1998</b> , 350, 181-8	29
951	KID-1, a protein kinase induced by depolarization in brain. <b>1998</b> , 273, 16535-43	81



950	The effect of 2-amino-3-arsenopropionate and 2-amino-4-arsenobutyrate on the development and maintenance of amygdala kindled seizures. <b>1998</b> , 96, 255-67	1
949	Anticonvulsant properties of 1,4-benzodiazepine derivatives in amygdaloid-kindled seizures and their chemical structure-related anticonvulsant action. <b>1998</b> , 57, 233-41	16
948	Patterns of status epilepticus-induced neuronal injury during development and long-term consequences. <b>1998</b> , 18, 8382-93	347
947	Nonobligate role of early or sustained expression of immediate-early gene proteins c-fos, c-jun, and Zif/268 in hippocampal mossy fiber sprouting. <b>1998</b> , 18, 9245-55	37
946	A point mutation (D79N) of the alpha2A adrenergic receptor abolishes the antiepileptogenic action of endogenous norepinephrine. <b>1998</b> , 18, 2004-8	53
945	Enhanced propagation of epileptiform activity through the kindled dentate gyrus. <b>1998</b> , 79, 1726-32	105
944	Physiological unmasking of new glutamatergic pathways in the dentate gyrus of hippocampal slices from kainate-induced epileptic rats. <b>1998</b> , 79, 418-29	125
943	Chronic changes in synaptic responses of entorhinal and hippocampal neurons after amino-oxyacetic acid (AOAA)-induced entorhinal cortical neuron loss. <b>1998</b> , 80, 3031-46	58
942	Galanin modulation of seizures and seizure modulation of hippocampal galanin in animal models of status epilepticus. <b>1998</b> , 18, 10070-7	155
941	Anticonvulsant effects of dipotassium clorazepate on hippocampal kindled seizures in rats. <b>1998</b> , 52, 459-62	1
940	Mechanisms underlying the enhancement of excitatory synaptic transmission in basolateral amygdala neurons of the kindling rat. <b>1998</b> , 80, 638-46	17
939	Mediodorsal thalamus plays a critical role in the development of limbic motor seizures. <b>1998</b> , 18, 9002-9	118
938	p75 neurotrophin receptor expression is induced in apoptotic neurons after seizure. <b>1999</b> , 19, 6887-96	194
937	Miniature inhibitory postsynaptic currents in CA1 pyramidal neurons after kindling epileptogenesis. <b>1999</b> , 82, 1352-62	35
936	Persistent increased DNA-binding and expression of serum response factor occur with epilepsy-associated long-term plasticity changes. <b>1999</b> , 19, 8234-43	35
935	Differential effects of metabotropic glutamate receptor antagonists on bursting activity in the amygdala. <b>1999</b> , 81, 2056-65	26
934	In vivo intracellular analysis of granule cell axon reorganization in epileptic rats. <b>1999</b> , 81, 712-21	152
933	Mossy fiber-granule cell synapses in the normal and epileptic rat dentate gyrus studied with minimal laser photostimulation. <b>1999</b> , 82, 1883-94	102

932	Long-term depression of excitatory synaptic transmission in the rat amygdala. <b>1999</b> , 19, 10656-63	66
931	Recurrent mossy fiber pathway in rat dentate gyrus: synaptic currents evoked in presence and absence of seizure-induced growth. <b>1999</b> , 81, 1645-60	115
930	Selective inhibition of kindling development by intraventricular administration of TrkB receptor body. <b>1999</b> , 19, 1424-36	139
929	Assessment of inhibition and epileptiform activity in the septal dentate gyrus of freely behaving rats during the first week after kainate treatment. <b>1999</b> , 19, 10053-64	75
928	Actions of brain-derived neurotrophic factor in slices from rats with spontaneous seizures and mossy fiber sprouting in the dentate gyrus. <b>1999</b> , 19, 5619-31	101
927	Facilitation of seizures in limbic epileptic rats by complex 1 microTesla magnetic fields. <b>1999</b> , 89, 486-92	14
926	Substance P is expressed in hippocampal principal neurons during status epilepticus and plays a critical role in the maintenance of status epilepticus. <b>1999</b> , 96, 5286-91	101
925	Role of the Y5 neuropeptide Y receptor in limbic seizures. <b>1999</b> , 96, 13518-23	124
924	Dissociation of mossy fiber sprouting and electrically-induced seizure sensitivity: rapid kindling versus adaptation. <b>1999</b> , 33, 99-115	14
923	Anticonvulsant and neurotoxic effects of intracerebroventricular injection of phenytoin, phenobarbital and carbamazepine in an amygdala-kindling model of epilepsy in the rat. <b>1999</b> , 33, 159-67	24
922	Characterization of phenytoin-resistant kindled rats, a new model of drug-resistant partial epilepsy: influence of experimental and environmental factors. <b>1999</b> , 33, 199-215	14
921	Characterization of phenytoin-resistant kindled rats, a new model of drug-resistant partial epilepsy: influence of genetic factors. <b>1999</b> , 33, 217-26	33
920	Alternate-site kindling in the guinea-pig results in accelerated seizure progression and generalization. <b>1999</b> , 34, 151-9	11
919	Spontaneous motor seizures of rats with kainate-induced epilepsy: effect of time of day and activity state. <b>1999</b> , 35, 47-57	86
918	FAST and SLOW amygdala kindling rat strains: comparison of amygdala, hippocampal, piriform and perirhinal cortex kindling. <b>1999</b> , 35, 197-209	87
917	Anticonvulsant action of 2-chloroadenosine injected focally into the perirhinal cortex in amygdaloid kindled rats. <b>1999</b> , 37, 37-43	14
916	Chronic electrode implantation entails epileptiform field potentials in rat hippocampal slices, similarly to amygdala kindling. <b>1999</b> , 36, 69-74	15
915	Effect of depth electrode implantation with or without subsequent kindling on GABA turnover in various rat brain regions. <b>1999</b> , 37, 95-108	18

914	Effect of pirenzepine, a muscarinic M1 receptor antagonist, on amygdala kindling in rat. <b>1999</b> , 37, 133-40	7
913	Effect of long-term spontaneous recurrent seizures or reinduction of status epilepticus on the development of supragranular mossy fiber sprouting. <b>1999</b> , 36, 233-41	29
912	In vivo hippocampal kindling occludes the development of in vitro kindling-like state in CA1 area of rat hippocampal slices. <b>2000</b> , 38, 75-85	5
911	A new pyrrolyl-quinoxalinedione series of non-NMDA glutamate receptor antagonists: pharmacological characterization and comparison with NBQX and valproate in the kindling model of epilepsy. <b>1999</b> , 11, 250-62	40
910	Episodic corticosterone treatment accelerates kindling epileptogenesis and triggers long-term changes in hippocampal CA1 cells, in the fully kindled state. <b>1999</b> , 11, 889-98	79
909	Suppression of epileptogenesis by modification of N-methyl-D-aspartate receptor subunit composition. <b>1999</b> , 11, 916-22	21
908	GDNF family ligands and receptors are differentially regulated after brain insults in the rat. <b>1999</b> , 11, 1202-16	92
907	Lithium-pilocarpine-induced status epilepticus produces necrotic neurons with internucleosomal DNA fragmentation in adult rats. <b>1999</b> , 11, 1605-14	83
906	Brain somatostatin: a candidate inhibitory role in seizures and epileptogenesis. <b>1999</b> , 11, 3767-76	113
905	Neuroprotective effect of remacemide hydrochloride in a perforant pathway stimulation model of status epilepticus in the rat. <b>1999</b> , 34, 251-69	20
904	Development of kindling-prone and kindling-resistant rats: selective breeding and electrophysiological studies. <b>1999</b> , 35, 183-95	114
903	Halothane as a neuroprotectant during constant stimulation of the perforant path. <b>1999</b> , 40, 359-64	41
902	Electrophysiologic analysis of a chronic seizure model after unilateral hippocampal KA injection. <b>1999</b> , 40, 1210-21	233
901	Acute cellular alterations in the hippocampus after status epilepticus. <b>1999</b> , 40 Suppl 1, S9-20; discussion S21-2	46
900	Forced normalization: clinical and therapeutic relevance. <b>1999</b> , 40 Suppl 10, S57-64	83
899	Increased sensitivity to seizures in mice lacking cellular prion protein. <b>1999</b> , 40, 1679-82	160
898	Hypothalamic neuronal loss and altered circadian rhythm of temperature in a rat model of mesial temporal lobe epilepsy. <b>1999</b> , 40, 1688-96	39
897	Limbic seizures alter reproductive function in the female rat. <b>1999</b> , 40, 1370-7	59

896	Modulation of sodium currents in rat CA1 neurons by carbamazepine and valproate after kindling epileptogenesis. <b>1999</b> , 40, 1512-22	80
895	Anticonvulsant activity of PNU-151774E in the amygdala kindled model of complex partial seizures. <b>1999</b> , 40, 1523-8	18
894	Hippocampal and entorhinal cortex high-frequency oscillations (100--500 Hz) in human epileptic brain and in kainic acid--treated rats with chronic seizures. <b>1999</b> , 40, 127-37	554
893	A ketogenic diet increases the resistance to pentylenetetrazole-induced seizures in the rat. <b>1999</b> , 40, 138-43	130
892	Bidirectional transfer between electrical and flurothyl kindling in mice: evidence for common processes in epileptogenesis. <b>1999</b> , 40, 144-52	19
891	Consequences of cortical dysplasia during development in rats. <b>1999</b> , 40, 537-44	52
890	Repeated Ethanol Withdrawal Delays Development of Focal Seizures in Hippocampal Kindling. <b>1999</b> , 23, 1145-1150	23
889	Correlation between hypermetabolism and neuronal damage during status epilepticus induced by lithium and pilocarpine in immature and adult rats. <b>1999</b> , 19, 195-209	89
888	Region-specific changes in prodynorphin mRNA and ir-dynorphin A levels after kindled seizures. <b>1999</b> , 13, 69-75	9
887	Hippocampal dysplasia in rats exposed to cocaine in utero. <b>1999</b> , 117, 213-7	18
886	Altered expression levels of G protein subclass mRNAs in various seizure stages of the kindling model. <b>1999</b> , 818, 570-4	10
885	Analysing metabotropic glutamate group III receptor mediated modulation of synaptic transmission in the amygdala-kindled dentate gyrus of the rat. <b>1999</b> , 821, 117-23	18
884	Dextromethorphan modulates the AP-1 DNA-binding activity induced by kainic acid. <b>1999</b> , 824, 125-32	36
883	Long-lasting c-fos and NGF mRNA expressions and loss of perikaryal parvalbumin immunoreactivity in the development of epileptogenesis after ethacrynic acid-induced seizure. <b>1999</b> , 834, 89-102	13
882	Steroid hormones affect limbic afterdischarge thresholds and kindling rates in adult female rats. <b>1999</b> , 838, 136-50	128
881	Self-sustaining status epilepticus after a brief electrical stimulation of the perforant path: a 2-deoxyglucose study. <b>1999</b> , 838, 110-8	26
880	Formation of free hydroxyl radicals after pentylenetetrazol-induced seizure and kindling. <b>1999</b> , 847, 347-51	104
879	Ifenprodil and arcaïne alter amygdala-kindling development. <b>1999</b> , 371, 147-52	16

878	Effects of YM90K, a selective AMPA receptor antagonist, on amygdala-kindling and long-term hippocampal potentiation in the rat. <b>1999</b> , 374, 11-9	34
877	Influence of LY 300164, an antagonist of AMPA/kainate receptors, on the anticonvulsant activity of clonazepam. <b>1999</b> , 380, 67-72	16
876	Effect of dipotassium clorazepate on amygdaloid-kindling and comparison between amygdaloid- and hippocampal-kindled seizures in rats. <b>1999</b> , 385, 111-7	3
875	Neuronal sparing and behavioral effects of the antiapoptotic drug, (-)deprenyl, following kainic acid administration. <b>1999</b> , 62, 255-62	22
874	Effects of cypermethrin on the electroencephalographic activity of the rat: a model of chemically induced seizures. <b>1999</b> , 21, 293-8	12
873	Morphometry of a peptidergic transmitter system: dynorphin B-like immunoreactivity in the rat hippocampal mossy fiber pathway before and after seizures. <b>1999</b> , 9, 255-76	92
872	Loss of NADPH diaphorase-positive neurons in the hippocampal formation of chronic pilocarpine-epileptic rats. <b>1999</b> , 9, 303-13	17
871	Anticonvulsant activities of 4-(4?-fluorophenoxy) benzaldehyde semicarbazone. <b>1999</b> , 46, 112-125	9
870	Newly formed excitatory pathways provide a substrate for hyperexcitability in experimental temporal lobe epilepsy. <b>1999</b> , 408, 449-60	207
869	Animal Models of Epilepsy and Epileptic Seizures. <b>1999</b> , 19-62	45
868	Time course of transient expression of GDNF protein in rat granule cells of the bilateral dentate gyri after unilateral intrahippocampal kainic acid injection. <b>1999</b> , 262, 215-8	12
867	Characterization of benzodiazepine receptor binding following kainic acid administration: an autoradiography study in rats. <b>1999</b> , 262, 211-4	23
866	N-methyl-D-aspartate receptor antagonists abolish the maintenance phase of self-sustaining status epilepticus in rat. <b>1999</b> , 265, 187-90	133
865	Increased NR1-NR2A/B coassembly as a mechanism for rat chronic hippocampal epilepsy. <b>1999</b> , 267, 165-8	16
864	Kindling induces an asymmetric enhancement of N-type Ca <sup>2+</sup> channel density in the dendritic fields of the rat hippocampus. <b>1999</b> , 268, 155-8	12
863	Kainic acid seizure suppression by neuropeptide Y is not correlated to immediate early gene mRNA levels in rats. <b>1999</b> , 271, 21-4	4
862	Altered seizure susceptibility after high-frequency transcranial magnetic stimulation in rats. <b>1999</b> , 273, 155-8	44
861	Opioid peptide pharmacology and immunocytochemistry in an animal model of self-sustaining status epilepticus. <b>1999</b> , 89, 167-73	44

860	Brain-derived neurotrophic factor immunoreactivity in the limbic system of rats after acute seizures and during spontaneous convulsions: temporal evolution of changes as compared to neuropeptide Y. <b>1999</b> , 90, 1445-61	92
859	Cortical spreading depression reversibly disrupts convulsive motor seizure expression in amygdala-kindled rats. <b>1999</b> , 91, 305-13	29
858	Brain-derived neurotrophic factor infusion delays amygdala and perforant path kindling without affecting paired-pulse measures of neuronal inhibition in adult rats. <b>1999</b> , 92, 1367-75	50
857	Changes in hippocampal and cortical B1 bradykinin receptor biological activity in two experimental models of epilepsy. <b>1999</b> , 92, 1043-9	29
856	5'-Nucleotidase activity of mossy fibers in the dentate gyrus of normal and epileptic rats. <b>1999</b> , 93, 519-26	33
855	Brain-derived neurotrophic factor transgenic mice exhibit passive avoidance deficits, increased seizure severity and in vitro hyperexcitability in the hippocampus and entorhinal cortex. <b>1999</b> , 93, 1491-506	252
854	Kindling induces a long-term enhancement in the density of N-type calcium channels in the rat hippocampus. <b>1999</b> , 94, 1083-95	17
853	The long lasting effects of electrical stimulation of the medial preoptic area and medial amygdala on maternal behavior in female rats. <b>1999</b> , 99, 61-73	63
852	Differential regulation of mRNAs for neuropeptide Y and its receptor subtypes in widespread areas of the rat limbic system during kindling epileptogenesis. <b>1999</b> , 72, 17-29	59
851	Prolonged exposure to cigarette smoke blocks the neurotoxicity induced by kainic acid in rats. <b>2000</b> , 66, 317-26	13
850	Anticonvulsant effects of eliprodil alone or combined with the glycineB receptor antagonist L-701,324 or the competitive NMDA antagonist CGP 40116 in the amygdala kindling model in rats. <b>1999</b> , 38, 243-51	13
849	Decreased sensitivity to Group III mGluR agonists in the lateral perforant path following kindling. <b>1999</b> , 38, 927-33	31
848	Effects of nifedipine, an antagonist of L-type voltage-dependent calcium channels, on kindling development, kindling-induced learning deficits and hippocampal potentiation phenomena. <b>1999</b> , 38, 1841-50	13
847	Control of motor seizures by brotizolam with maintenance of stable refractory periods for self-stimulation. <b>1999</b> , 67, 235-41	3
846	Effect of precollicular transection on audiogenic seizures in genetically epilepsy-prone rats. <b>1999</b> , 155, 295-301	37
845	Differential regulation of cytokine expression following pilocarpine-induced seizure. <b>1999</b> , 159, 333-46	42
844	Immunohistochemical evidence of seizure-induced activation of trk receptors in the mossy fiber pathway of adult rat hippocampus. <b>1999</b> , 19, 4616-26	123
843	Immunohistochemical analysis on the role of adenosine A1 receptors in epilepsy. <b>1999</b> , 10, 3535-41	28

842	Limbic seizures increase pronociceptin mRNA levels in the thalamic reticular nucleus. <b>1999</b> , 10, 541-6	15
841	Participation of GABAergic and histaminergic systems in inhibiting amygdaloid kindled seizures. <b>2000</b> , 82, 48-53	10
840	Kindled seizure-evoked somatostatin release in the hippocampus: inhibition by MK-801. <b>2000</b> , 11, 3209-12	3
839	Increment of synapsin I immunoreactivity in the hippocampus of the rat kindling model of epilepsy. <b>2000</b> , 11, 1319-22	22
838	Time course of c-FOS expression in status epilepticus induced by amygdaloid stimulation. <b>2000</b> , 11, 571-4	10
837	Status epilepticus-induced hilar basal dendrites on rodent granule cells contribute to recurrent excitatory circuitry. <b>2000</b> , 428, 240-53	205
836	Differential regulation of primary protein kinase C substrate (MARCKS, MLP, GAP-43, RC3) mRNAs in the hippocampus during kainic acid-induced seizures and synaptic reorganization. <b>2000</b> , 62, 416-26	23
835	Epileptogenesis after status epilepticus reflects age- and model-dependent plasticity. <b>2000</b> , 48, 580-589	113
834	Kainic acid-induced mossy fiber sprouting and synapse formation in the dentate gyrus of rats. <b>2000</b> , 10, 244-60	96
833	Kainic acid induction of mossy fiber sprouting: dependence on mouse strain. <b>2000</b> , 10, 269-73	36
832	Functional downregulation of GluR2 in piriform cortex of kindled animals. <b>2000</b> , 38, 489-98	26
831	Functional significance of stimulatory GTP-binding protein in hippocampus is associated with kindling-elicited epileptogenesis. <b>2000</b> , 54, 191-7	4
830	Seizures induce widespread upregulation of cystatin B, the gene mutated in progressive myoclonus epilepsy, in rat forebrain neurons. <b>2000</b> , 12, 1687-95	32
829	Basal forebrain neurons suppress amygdala kindling via cortical but not hippocampal cholinergic projections in rats. <b>2000</b> , 12, 2107-16	23
828	Long-term consequences of early postnatal seizures on hippocampal learning and plasticity. <b>2000</b> , 12, 2252-64	147
827	Inflammatory cytokines and related genes are induced in the rat hippocampus by limbic status epilepticus. <b>2000</b> , 12, 2623-33	378
826	Overexpression of neuropeptide Y induced by brain-derived neurotrophic factor in the rat hippocampus is long lasting. <b>2000</b> , 12, 595-605	67
825	Novel phosphinic and phosphonic acid analogues of the anticonvulsant valproic acid. <b>2000</b> , 10, 2547-8	7

824	Audiogenic kindling in the Wistar rat: a potential model for recruitment of limbic structures. <b>2000</b> , 39, 251-9	98
823	Anticonvulsant efficacy of gabapentin and levetiracetam in phenytoin-resistant kindled rats. <b>2000</b> , 40, 63-77	60
822	Lack of substantial effect of the H(3)-antagonist thioperamide and of the non-selective mixed H(3)-antagonist/H(1)-agonist betahistine on amygdaloid kindled seizures. <b>2000</b> , 40, 141-5	7
821	Temporal profile of CRE DNA-binding activity in the rat hippocampus following a kindling stimulation. <b>2000</b> , 40, 171-7	6
820	Electroshocks delay seizures and subsequent epileptogenesis but do not prevent neuronal damage in the lithium-pilocarpine model of epilepsy. <b>2000</b> , 42, 7-22	32
819	Effects of lesions of the perirhinal cortex on amygdala kindling in rats. <b>2000</b> , 42, 33-41	8
818	Hippocampal kindled seizures impair spatial cognition in the Morris water maze. <b>2000</b> , 38, 115-25	34
817	A new model of chronic temporal lobe epilepsy induced by electrical stimulation of the amygdala in rat. <b>2000</b> , 38, 177-205	230
816	Proconvulsant effect of aminophylline on cortical epileptic afterdischarges varies during ontogeny. <b>2000</b> , 39, 183-90	14
815	Dorsal hippocampal kindling produces long-lasting changes in the origin of spontaneous discharges in the piriform versus perirhinal cortex in vitro. <b>2000</b> , 39, 191-200	10
814	Seizures and neuronal damage in mice lacking vesicular zinc. <b>2000</b> , 39, 153-69	191
813	Sequential changes in glutamate transporter protein levels during Fe(3+)-induced epileptogenesis. <b>2000</b> , 39, 201-9	40
812	Introduction to the special issue on kindling and behavior. <b>2000</b> , 24, 687-9	4
811	Long-term amygdala kindling in rats as a model for the study of interictal emotionality in temporal lobe epilepsy. <b>2000</b> , 24, 691-704	118
810	Neuroplasticity in specific limbic system circuits may mediate specific kindling induced changes in animal affect-implications for understanding anxiety associated with epilepsy. <b>2000</b> , 24, 705-23	78
809	The mnemonic effects of kindling. <b>2000</b> , 24, 725-51	58
808	Behaviors induced or disrupted by complex partial seizures. <b>2000</b> , 24, 763-75	48
807	Anticonvulsant and proconvulsant effects of tramadol, its enantiomers and its M1 metabolite in the rat kindling model of epilepsy. <b>2000</b> , 131, 203-12	57



806	Kindling alters the anticonvulsant efficacy of phenytoin in Wistar rats. <b>2000</b> , 39, 211-20	19
805	Appearance and alteration of TUNEL positive cells through epileptogenesis in amygdaloid kindled rat. <b>2000</b> , 42, 97-103	15
804	Focal microinjection of carbachol into the periaqueductal gray induces seizures in the forebrain of the rat. <b>2000</b> , 42, 169-81	19
803	Can a generalized kindling seizure induce a reward state?. <b>2000</b> , 38, 249-57	14
802	High susceptibility of the anterior and posterior piriform cortex to induction of convulsions by bicuculline. <b>2000</b> , 12, 4195-4205	1
801	Effects of vigabatrin on sleep-wakefulness cycle in amygdala-kindled rats. <b>2000</b> , 41, 128-31	13
800	Anticonvulsant efficacy of topiramate in phenytoin-resistant kindled rats. <b>2000</b> , 41, 372-9	22
799	Effects of circadian regulation and rest-activity state on spontaneous seizures in a rat model of limbic epilepsy. <b>2000</b> , 41, 502-9	76
798	Repeated acute testing of anticonvulsant drugs in amygdala kindled rats: increase in anticonvulsant but decrease in adverse effect potential. <b>2000</b> , 41, 516-28	10
797	Claustral lesions delay amygdaloid kindling in the rat. <b>2000</b> , 41, 1095-101	15
796	7-nitroindazole differentially affects the anticonvulsant activity of antiepileptic drugs against amygdala-kindled seizures in rats. <b>2000</b> , 41, 1112-8	8
795	Enhancement of progenitor cell division in the dentate gyrus triggered by initial limbic seizures in rat models of epilepsy. <b>2000</b> , 41, 10-8	157
794	Association between the density of mossy fiber sprouting and seizure frequency in experimental and human temporal lobe epilepsy. <b>2000</b> , 41 Suppl 6, S24-9	53
793	Glutamate receptor activation in the kindled dentate gyrus. <b>2000</b> , 41 Suppl 6, S100-3	13
792	Plastic changes in neuropeptide Y receptor subtypes in experimental models of limbic seizures. <b>2000</b> , 41 Suppl 6, S115-21	41
791	Different patterns of induction of fibroblast growth factor-2 and brain-derived neurotrophic factor messenger RNAs during kindling epileptogenesis, and development of a herpes simplex vector for fibroblast growth factor-2 gene transfer in vivo. <b>2000</b> , 41 Suppl 6, S122-6	15
790	Nifedipine Alleviates Alterations in Hippocampal Kindling After Repeated Ethanol Withdrawal. <b>2000</b> , 24, 484-491	15
789	Clostridium perfringens epsilon toxin causes excessive release of glutamate in the mouse hippocampus. <b>2000</b> , 189, 109-13	71

788	Hypothermia inhibits pentylenetetrazol kindling and prevents kindling-induced deficit in shuttle-box avoidance. <b>2000</b> , 65, 23-30	11
787	Age-specific effects of noradrenergic alpha-2 agonist clonidine on the development of amygdaloid kindling in developing rats. <b>2000</b> , 119, 283-8	9
786	Phenobarbital administration directed against kindled seizures delays functional recovery following brain insult. <b>2000</b> , 860, 29-40	13
785	Kindling induces a transient suppression of afterhyperpolarization in rat subicular neurons. <b>2000</b> , 867, 259-64	25
784	The importance of free hydroxyl radicals to hypoxia preconditioning. <b>2000</b> , 868, 147-9	66
783	Nitric oxide synthase immunoreactivity in the rat hippocampus after status epilepticus induced by perforant pathway stimulation. <b>2000</b> , 871, 303-10	19
782	Phenidone prevents kainate-induced neurotoxicity via antioxidant mechanisms. <b>2000</b> , 874, 15-23	63
781	Distinctive amygdala kindled seizures differentially affect neurobehavioral recovery and lesion-induced basic fibroblast growth factor (bFGF) expression. <b>2000</b> , 880, 38-50	5
780	Seizure-induced neuronal death is associated with induction of c-Jun N-terminal kinase and is dependent on genetic background. <b>2000</b> , 884, 116-28	70
779	Changes of hippocampal Cu/Zn-superoxide dismutase after kainate treatment in the rat. <b>2000</b> , 853, 215-26	49
778	Development of kindling and spontaneous seizures after massed stimulation of different loci in the rat piriform cortex. <b>2000</b> , 855, 252-9	4
777	Intraperitoneal and intraamygdala N(6)-cyclohexyladenosine suppress hippocampal kindled seizures in rats. <b>2000</b> , 858, 48-54	14
776	The effect of the acute administration of various selective 5-HT receptor antagonists on focal hippocampal seizures in freely-moving rats. <b>2000</b> , 398, 239-46	34
775	Altered ATP hydrolysis induced by pentylenetetrazol kindling in rat brain synaptosomes. <b>2000</b> , 25, 775-9	35
774	Kindling phenomena induced by the repeated short-term high potassium stimuli in the ventral hippocampus of rats: on-line monitoring of extracellular glutamate overflow. <b>2000</b> , 135, 199-203	23
773	Modulation of hippocampal excitability and seizures by galanin. <b>2000</b> , 20, 6276-81	185
772	Granule-like neurons at the hilar/CA3 border after status epilepticus and their synchrony with area CA3 pyramidal cells: functional implications of seizure-induced neurogenesis. <b>2000</b> , 20, 6144-58	503
771	9-16 Hz oscillation precedes secondary generalization of seizures in the rat tetanus toxin model of epilepsy. <b>2000</b> , 83, 2217-26	46

770	Cocaine and kindling alter the sensitivity of group II and III metabotropic glutamate receptors in the central amygdala. <b>2000</b> , 84, 759-70	67
769	Epileptogenesis up-regulates metabotropic glutamate receptor activation of sodium-calcium exchange current in the amygdala. <b>2000</b> , 83, 2458-62	28
768	Modest increase in extracellular potassium unmasks effect of recurrent mossy fiber growth. <b>2000</b> , 84, 2380-9	47
767	Changes in activating protein 1 (AP-1) composition correspond with the biphasic profile of nerve growth factor mRNA expression in rat hippocampus after hilus lesion-induced seizures. <b>2000</b> , 20, 2142-9	22
766	Presenilin-1 regulates the neuronal threshold to excitotoxicity both physiologically and pathologically. <b>2000</b> , 97, 12822-7	38
765	Cytokine responses to LTP induction in the rat hippocampus: a comparison of in vitro and in vivo techniques. <b>2000</b> , 7, 400-12	73
764	Development and persistence of kindling epilepsy are impaired in mice lacking glial cell line-derived neurotrophic factor family receptor alpha 2. <b>2000</b> , 97, 12312-7	35
763	Temporal lobe epilepsy associated up-regulation of metabotropic glutamate receptors: correlated changes in mGluR1 mRNA and protein expression in experimental animals and human patients. <b>2000</b> , 59, 1-10	78
762	Absence of negative impact of levetiracetam on cognitive function and memory in normal and amygdala-kindled rats. <b>2000</b> , 1, 333-42	44
761	Genetic dissection of the signals that induce synaptic reorganization. <b>2000</b> , 161, 139-52	49
760	The MCT ketogenic diet: effects on animal seizure models. <b>2000</b> , 161, 696-703	56
759	Tolerance to the anticonvulsant effects of lamotrigine on amygdala kindled seizures: cross-tolerance to carbamazepine but not valproate or diazepam. <b>2000</b> , 162, 278-89	30
758	Inhibition of hippocampal kindling by metabotropic glutamate receptor antisense oligonucleotides. <b>2000</b> , 16, 233-43	17
757	An immunocytochemical study of mitochondrial manganese-superoxide dismutase in the rat hippocampus after kainate administration. <b>2000</b> , 281, 65-8	41
756	Differential progression of Dark Neuron and Fluoro-Jade labelling in the rat hippocampus following pilocarpine-induced status epilepticus. <b>2000</b> , 97, 59-68	98
755	Similar increases in extracellular lactic acid in the limbic system during epileptic and/or olfactory stimulation. <b>2000</b> , 97, 447-58	20
754	Kainic acid-induced seizures produce necrotic, not apoptotic, neurons with internucleosomal DNA cleavage: implications for programmed cell death mechanisms. <b>2000</b> , 98, 41-53	168
753	Decreased levels of neuropeptide Y(5) receptor binding sites in two experimental models of epilepsy. <b>2000</b> , 98, 697-703	27

752	Kindling causes persistent in vivo changes in firing rates and glutamate sensitivity of central piriform cortex neurons in rats. <b>2000</b> , 99, 217-27	21
751	The lesional and epileptogenic consequences of lithium-pilocarpine-induced status epilepticus are affected by previous exposure to isolated seizures: effects of amygdala kindling and maximal electroshocks. <b>2000</b> , 99, 469-81	53
750	Brain-derived neurotrophic factor delays hippocampal kindling in the rat. <b>2000</b> , 100, 777-88	74
749	Bilateral lesions of the central but not anterior or posterior parts of the piriform cortex retard amygdala kindling in rats. <b>2000</b> , 101, 513-21	29
748	Mice transgenic for the human Huntington's disease mutation have reduced sensitivity to kainic acid toxicity. <b>2000</b> , 52, 51-9	59
747	Chronic DeltaFosB expression and increased AP-1 transcription factor binding are associated with the long term plasticity changes in epilepsy. <b>2000</b> , 79, 138-49	44
746	Expression of connexin genes in hippocampus of kainate-treated and kindled rats under conditions of experimental epilepsy. <b>2000</b> , 83, 44-51	69
745	Sequential changes in glutamate transporter mRNA levels during Fe(3+)-induced epileptogenesis. <b>2000</b> , 75, 105-12	25
744	Kindling modulates the IL-1beta system, TNF-alpha, TGF-beta1, and neuropeptide mRNAs in specific brain regions. <b>2000</b> , 75, 248-58	163
743	Seizure models: anticonvulsant effects of ECT and rTMS. <b>2000</b> , 24, 1251-73	13
742	Effects of kindling in wheat germ agglutinin-horseradish peroxidase [corrected] labeling in neurons of the interamygdaloid pathway in rats. <b>2000</b> , 281, 135-8	3
741	Up-regulation of type II adenylyl cyclase mRNA in kindling model of epilepsy in rats. <b>2000</b> , 282, 173-6	15
740	Strong olfactory stimulation reduces seizure susceptibility in amygdala-kindled rats. <b>2000</b> , 287, 199-202	26
739	The new antiepileptic drugs lamotrigine and felbamate are effective in phenytoin-resistant kindled rats. <b>2000</b> , 39, 1893-903	25
738	Cocaine-induced kindling is associated with elevated NMDA receptor binding in discrete mouse brain regions. <b>2000</b> , 39, 32-9	25
737	N(6)-2-(4-aminophenyl)ethyl-adenosine enhances the anticonvulsive action of conventional antiepileptic drugs in the kindling model of epilepsy in rats. <b>2000</b> , 10, 237-43	7
736	Glutamate receptor antagonists differentially affect the protective activity of conventional antiepileptics against amygdala-kindled seizures in rats. <b>2001</b> , 11, 61-8	17
735	Overview of the Current Animal Models for Human Seizure and Epileptic Disorders. <b>2001</b> , 2, 201-216	136

734	Nonconvulsive Seizures Result in Behavioral but Not Electrophysiological Changes in Developing Rats. <b>2001</b> , 2, 473-480	6
733	Relationship between neuronal loss and interictal glucose metabolism during the chronic phase of the lithium-pilocarpine model of epilepsy in the immature and adult rat. <b>2001</b> , 167, 227-41	110
732	Enhanced excitability induced by ionizing radiation in the kindled rat. <b>2001</b> , 169, 96-104	8
731	Ketamine Prevents Learning Impairment When Administered Immediately after Status Epilepticus Onset. <b>2001</b> , 2, 585-591	31
730	Effects of dextromethorphan on the seizures induced by kainate and the calcium channel agonist BAY k-8644: comparison with the effects of dexrorphan. <b>2001</b> , 120, 169-75	20
729	A gain-of-function mutation in the sodium channel gene Scn2a results in seizures and behavioral abnormalities. <b>2001</b> , 102, 307-17	194
728	Septal cholinergic neurons suppress seizure development in hippocampal kindling in rats: comparison with noradrenergic neurons. <b>2001</b> , 102, 819-32	41
727	The Neurobehavioral Consequences of Kindling. <b>1998</b> , 361-376	2
726	Protective Effects of Brain-Derived Neurotrophic Factor in Hippocampal Kindling. <b>1998</b> , 409-420	1
725	The Syndrome of Mesial Temporal Lobe Epilepsy. <b>1998</b> , 469-483	5
724	Contributions of Kindling to Clinical Epileptology. <b>1998</b> , 485-494	2
723	Role of the Dentate Gyrus in the Spread of Seizures within the Hippocampal-Parahippocampal Circuit. <b>1998</b> , 89-99	2
722	Quenching. <b>1998</b> , 101-119	6
721	Central Stimulants. <b>1981</b> , 1-65	9
720	Progressive Changes in Behavior and Seizures Following Chronic Cocaine Administration: Relationship to Kindling and Psychosis. <b>1977</b> , 353-372	26
719	Brain Metabolism and Pathophysiology of Human Epilepsy. <b>1988</b> , 1-15	5
718	Mechanisms of Kindling: A Speculative Hypothesis. <b>1988</b> , 85-99	2
717	Anatomical and Neurochemical Substrates of Clonic and Tonic Seizures. <b>1988</b> , 111-152	12

716	Contingent Tolerance to the Anticonvulsant Effects of Drugs on Kindled Convulsions. <b>1990</b> , 283-297	5
715	Pharmacological Dissociation between the Mechanisms of Kindling and Long-Term Potentiation by APV and Urethane Anesthesia. <b>1990</b> , 343-355	1
714	Genetic Contributions to Kindling: An Experimental Approach. <b>1990</b> , 113-126	3
713	Animal Models of Generalized Convulsive Seizures: Some Neuroanatomical Differentiation of Seizure Types. <b>1990</b> , 329-343	13
712	Relationship of glutamic acid and zinc to kindling of the rat amygdala: afferent transmitter systems and excitability in a model of epilepsy. <b>1986</b> , 203, 611-23	8
711	Kainic acid seizures and neuronal cell death: insights from studies of selective lesions and drugs. <b>1986</b> , 203, 673-86	17
710	The Role of Seizures in Kainic Acid Induced Brain Damage. <b>1983</b> , 184-198	3
709	Synaptic Change in the Limbic System; Evidence from Studies Using Electrical Stimulation with and without Seizure Activity. <b>1978</b> , 355-368	4
708	Normal and Abnormal Limbic System Mechanisms of Emotive Biasing. <b>1978</b> , 405-455	19
707	A Further Investigation into the Mechanisms Underlying the Kindling Phenomenon. <b>1978</b> , 457-493	17
706	Cortical and Limbic Kindling: Similarities and Differences. <b>1978</b> , 507-519	15
705	The Epilepsies. <b>1985</b> , 339-419	3
704	Signal Processing of EEG: Evidence for Chaos or Noise. An Application to Seizure Activity in Epilepsy. <b>1996</b> , 21-31	3
703	Forebrain Commissures and Limbic Kindling. <b>1995</b> , 79-89	4
702	The Role of Neurotransmitters in Electroshock Seizure Models. <b>1987</b> , 277-320	5
701	Biochemical and Pharmacologic Studies of Neurotransmitters in the Kindling Model. <b>1987</b> , 115-160	2
700	Video-EEG monitoring methods for characterizing rodent models of tuberous sclerosis and epilepsy. <b>2012</b> , 821, 373-91	6
699	Nonlinear Dynamical Systems with Chaos and Big Data: A Case Study of Epileptic Seizure Prediction and Control. <b>2018</b> , 329-369	4

698	Pathophysiology of the Subcortically Deafferented Hippocampus: Improvement and Deterioration of Function by Fetal Grafts. <b>1989</b> , 103-119	1
697	Epileptogenesis: Biochemical Aspects. <b>1999</b> , 87-121	1
696	Altered Noradrenergic Modulation of Dentate Granule Cell Firing and N-Methyl-D-Aspartate (NMDA) Receptors After Kindlung. <b>1988</b> , 184-186	1
695	Psychotropic and neurotropic activity. <b>1997</b> , 204-316	9
694	Highly polysialylated neural cell adhesion molecule (PSA-NCAM) positive cells are increased and change localization in rat hippocampus by exposure to repeated kindled seizures. <b>2003</b> , 86, 575-9	10
693	Extraoperative electrical mapping. <b>2011</b> , 91-100	3
692	The kainic acid model of human temporal lobe epilepsy: The superiority of intra-amygdaloid injection versus other application routes. <b>1990</b> , 455-464	2
691	The role of peripheral interleukin-6 in the development of acute seizures following virus encephalitis. <b>2017</b> , 23, 696-703	10
690	Pro-inflammatory cytokines, but not brain- and extracellular matrix-derived proteins, are increased in the plasma following electrically induced kindling of seizures. <b>2021</b> , 73, 506-515	3
689	DRUG DISCRIMINATION MODELS IN ANXIOLYTIC AND ANTIDEPRESSANT RESEARCH. <b>1991</b> , 107-130	1
688	Autoradiographic determination of local cerebral glucose metabolism: physiological and pathological studies. <b>1983</b> , 10, 67-133	6
687	Seizure-Induced Alterations of Opioid Peptide and Zinc Metabolism in the Hippocampus of Rats. <b>1988</b> , 271-287	2
686	Withdrawal Seizures. <b>2017</b> , 911-931	1
685	Noradrenergic modulation of excitability in acute and chronic model epilepsies. <b>1992</b> , 8, 321-34	3
684	Modeling Epilepsy and Seizures in Developing Zebrafish Larvae. <b>2006</b> , 189-198	4
683	MODELS   Kindling: A Phenomenon of Seizure-Induced Plasticity and a Model of Focal and Limbic Epilepsy. <b>2009</b> , 762-767	1
682	Animal Models of Epilepsy. <b>2011</b> , 659-665	1
681	Effects of immunization with heat-killed <i>Mycobacterium vaccae</i> on autism spectrum disorder-like behavior and epileptogenesis in a rat model of comorbid autism and epilepsy. <b>2020</b> , 88, 763-780	4

680	Therapeutic effects of scoparone on pilocarpine (Pilo)-induced seizures in mice. <b>2018</b> , 97, 1501-1513	11
679	Acute symptomatic seizures following intracerebral hemorrhage in the rat collagenase model. <b>2020</b> , 164, 106364	3
678	Chaihu-Longgu-Muli decoction relieves epileptic symptoms by improving autophagy in hippocampal neurons. <b>2020</b> , 259, 112990	4
677	Seizures Alter Cortical Representations for Complex Movements. <b>2020</b> , 449, 134-146	2
676	The Anticonvulsant Effects of Vitamin E: A Further Evaluation. <b>1992</b> , 19, 201-203	33
675	High susceptibility of the anterior and posterior piriform cortex to induction of convulsions by bicuculline. <b>2000</b> , 12, 4195-4205	3
674	The Cortical Neuron. <b>1995</b> ,	11
673	Thirty Years Among Cortical Neurons. <b>1995</b> , 3-24	2
672	Cortical Synaptic Transmission: An Overview. <b>1995</b> , 27-32	1
671	The Cortical Neuron as an Electrophysiological Unit. <b>1995</b> , 33-51	12
670	Structure and Function of Ligand-Gated Channels. <b>1995</b> , 67-79	1
669	Synaptic Plasticity in Hippocampus and Neocortex: A Comparison. <b>1995</b> , 98-108	4
668	Overview: Basic Elements of the Cortical Network. <b>1995</b> , 111-122	11
667	Functions of Local Circuits in Neocortex: Synchrony and Laminae. <b>1995</b> , 123-140	19
666	Inhibition in the Cortical Network. <b>1995</b> , 141-155	5
665	Thalamocortical Interactions. <b>1995</b> , 156-173	1
664	Neurotransmitter Signaling Before the Birth of Neurons. <b>1995</b> , 197-209	4
663	Gene Control of Cortical Excitability. <b>1995</b> , 210-229	1



662	Development of Cortical Excitation and Inhibition. <b>1995</b> , 230-246	4
661	Measurement of Cortical Neurotransmitter Receptors with Radioligand Binding: Insights into the Mechanisms of Kindling-Induced Epilepsy. <b>1995</b> , 264-275	3
660	Pathophysiology of Cortical Synapses and Circuits. <b>1995</b> , 276-292	1
659	Knockout of Transient Receptor Potential Melastatin 4 Channel Mitigates Cerebral Edema and Neuronal Injury After Status Epilepticus in Mice. <b>2020</b> , 79, 1354-1364	5
658	Blood Genomic Expression Profile for Neuronal Injury. <b>2003</b> , 310-319	30
657	Lapatinib protects against epileptic seizures via halting glutathione peroxidase 4-dependent ferroptosis.	1
656	Postsynaptic Pannexin-1 Facilitates Anandamide Uptake to Modulate Glutamate Release and Enhance Network Excitability.	2
655	Distinctions among electroconvulsion- and proconvulsant-induced seizure discharges and native motor patterns during flight and grooming: Quantitative spike pattern analysis in <i>Drosophila</i> flight muscles.	1
654	Seizures cause sustained microvascular constriction associated with astrocytic and vascular smooth muscle Ca <sup>2+</sup> recruitment.	1
653	Role of TRH in Seizure Modulation. <b>1989</b> , 553, 286-303	43
652	Seizures elevate gliovascular unit Ca <sup>2+</sup> and cause sustained vasoconstriction. <b>2020</b> , 5,	7
651	TMEM25 modulates neuronal excitability and NMDA receptor subunit NR2B degradation. <b>2019</b> , 129, 3864-3876	9
650	Small-molecule activator of glutamate transporter EAAT2 translation provides neuroprotection. <b>2014</b> , 124, 1255-67	94
649	Sudden unexpected death in a mouse model of Dravet syndrome. <b>2013</b> , 123, 1798-808	182
648	Changes in neural network homeostasis trigger neuropsychiatric symptoms. <b>2014</b> , 124, 696-711	55
647	Molecular isoforms of high-mobility group box 1 are mechanistic biomarkers for epilepsy. <b>2017</b> , 127, 2118-2132	60
646	The Phenomenology of Limbic Kindling. <b>1994</b> , 10, 343-358	14
645	Wwox deficiency leads to neurodevelopmental and degenerative neuropathies and glycogen synthase kinase 3β-mediated epileptic seizure activity in mice. <b>2020</b> , 8, 6	13

644	The Kindling Model of Temporal Lobe Epilepsy. <b>1998</b> ,	1
643	Rapid Kindling. <b>1998</b> ,	1
642	Experimental Models of Status Epilepticus. <b>1998</b> ,	4
641	Circadian Regulation of Neural Excitability in Temporal Lobe Epilepsy. <b>2016</b> , 313-330	1
640	Anticonvulsant and Neuroprotective Effects of Dexmedetomidine on Pilocarpine-Induced Status Epilepticus in Rats Using a Metabolomics Approach. <b>2019</b> , 25, 2066-2078	6
639	Levetiracetam Protects Against Cognitive Impairment of Subthreshold Convulsant Discharge Model Rats by Activating Protein Kinase C (PKC)-Growth-Associated Protein 43 (GAP-43)-Calmodulin-Dependent Protein Kinase (CaMK) Signal Transduction Pathway. <b>2019</b> , 25, 4627-4638	7
638	Longitudinal variations of brain functional connectivity: A case report study based on a mouse model of epilepsy. <b>2015</b> , 4, 144	3
637	Treadmill exercise prevents GABAergic neuronal loss with suppression of neuronal activation in the pilocarpine-induced epileptic rats. <b>2015</b> , 11, 80-6	19
636	Neuronal Hyperactivity Disturbs ATP Microgradients, Impairs Microglial Motility, and Reduces Phagocytic Receptor Expression Triggering Apoptosis/Microglial Phagocytosis Uncoupling. <b>2016</b> , 14, e1002466	89
635	Epilepsy-associated gene Nedd4-2 mediates neuronal activity and seizure susceptibility through AMPA receptors. <b>2017</b> , 13, e1006634	27
634	A role for calcium-permeable AMPA receptors in synaptic plasticity and learning. <b>2010</b> , 5, e12818	78
633	Pumilio-2 function in the mouse nervous system. <b>2011</b> , 6, e25932	52
632	Acute alterations of somatodendritic action potential dynamics in hippocampal CA1 pyramidal cells after kainate-induced status epilepticus in mice. <b>2011</b> , 6, e26664	7
631	Repeated PTZ treatment at 25-day intervals leads to a highly efficient accumulation of doublecortin in the dorsal hippocampus of rats. <b>2012</b> , 7, e39302	26
630	Systemic injection of kainic acid differently affects LTP magnitude depending on its epileptogenic efficiency. <b>2012</b> , 7, e48128	29
629	Late maturation of adult-born neurons in the temporal dentate gyrus. <b>2012</b> , 7, e48757	73
628	Changes in microRNA expression in the whole hippocampus and hippocampal synaptoneurosome fraction following pilocarpine induced status epilepticus. <b>2013</b> , 8, e53464	71
627	Seizures induced by pentylenetetrazole in the adult zebrafish: a detailed behavioral characterization. <b>2013</b> , 8, e54515	73

626	Enduring Effects of Early Life Stress on Firing Patterns of Hippocampal and Thalamocortical Neurons in Rats: Implications for Limbic Epilepsy. <b>2013</b> , 8, e66962	19
625	Mutation of <i>Elfn1</i> in mice causes seizures and hyperactivity. <b>2013</b> , 8, e80491	21
624	Influence of neuropathology on convection-enhanced delivery in the rat hippocampus. <b>2013</b> , 8, e80606	3
623	Unique behavioral characteristics and microRNA signatures in a drug resistant epilepsy model. <b>2014</b> , 9, e85617	30
622	Seizure control of current shunt on rats with temporal lobe epilepsy and neocortical epilepsy. <b>2014</b> , 9, e86477	1
621	Advantages of repeated low dose against single high dose of kainate in C57BL/6J mouse model of status epilepticus: behavioral and electroencephalographic studies. <b>2014</b> , 9, e96622	48
620	Identification of endogenous reference genes for the analysis of microRNA expression in the hippocampus of the pilocarpine-induced model of mesial temporal lobe epilepsy. <b>2014</b> , 9, e100529	7
619	Neuroprotective and anti-inflammatory roles of the phosphatase and tensin homolog deleted on chromosome Ten (PTEN) Inhibition in a Mouse Model of Temporal Lobe Epilepsy. <b>2014</b> , 9, e114554	14
618	Status Epilepticus Induced Spontaneous Dentate Gyrus Spikes: In Vivo Current Source Density Analysis. <b>2015</b> , 10, e0132630	4
617	Olfactory Bulbectomy Leads to the Development of Epilepsy in Mice. <b>2015</b> , 10, e0138178	6
616	Diurnal Variation Has Effect on Differential Gene Expression Analysis in the Hippocampus of the Pilocarpine-Induced Model of Mesial Temporal Lobe Epilepsy. <b>2015</b> , 10, e0141121	9
615	A Low Mortality, High Morbidity Reduced Intensity Status Epilepticus (RISE) Model of Epilepsy and Epileptogenesis in the Rat. <b>2016</b> , 11, e0147265	15
614	Evidence for Status Epilepticus and Pro-Inflammatory Changes after Intranasal Kainic Acid Administration in Mice. <b>2016</b> , 11, e0150793	14
613	The Spatiotemporal Dynamics of Phase Synchronization during Epileptogenesis in Amygdala-Kindling Mice. <b>2016</b> , 11, e0153897	9
612	Using Postmortem hippocampi tissue can interfere with differential gene expression analysis of the epileptogenic process. <b>2017</b> , 12, e0182765	9
611	Anticonvulsant Effects of $\beta$ -Hydroxybutyrate in Mice. <b>2012</b> , 2, 29-32	11
610	Anti-Oxidant and Anti-Apoptotic Effects of Berberine in Pentylentetrazole-Induced Kindling Model in Rat. <b>2018</b> , 8, 66-73	12
609	Evaluation of GAD67 immunoreactivity in the region of substantia nigra pars reticulata in resistance to development of convulsive seizure in genetic absence epilepsy rats. <b>2016</b> , 3, 161-167	2

608	CA3 Synaptic Silencing Attenuates Kainic Acid-Induced Seizures and Hippocampal Network Oscillations. <b>2016</b> , 3,	14
607	Electroconvulsive Shock Enhances Responsive Motility and Purinergic Currents in Microglia in the Mouse Hippocampus. <b>2019</b> , 6,	4
606	Hippocampal TNF $\alpha$ Signaling Contributes to Seizure Generation in an Infection-Induced Mouse Model of Limbic Epilepsy. <b>2017</b> , 4,	56
605	Targeting Microglia Using Cx3cr1-Cre Lines: Revisiting the Specificity. <b>2019</b> , 6,	32
604	Optogenetically-Induced Population Discharge Threshold as a Sensitive Measure of Network Excitability. <b>2019</b> , 6,	4
603	Functional Neuroplasticity in the Nucleus Tractus Solitarius and Increased Risk of Sudden Death in Mice with Acquired Temporal Lobe Epilepsy. <b>2017</b> , 4,	8
602	Wortmannin Attenuates Seizure-Induced Hyperactive PI3K/Akt/mTOR Signaling, Impaired Memory, and Spine Dysmorphology in Rats. <b>2017</b> , 4,	11
601	Excitatory Synaptic Input to Hilar Mossy Cells under Basal and Hyperexcitable Conditions. <b>2017</b> , 4,	7
600	Rapid seizure-induced reduction of benzodiazepine and Zn <sup>2+</sup> sensitivity of hippocampal dentate granule cell GABA <sub>A</sub> receptors. <b>1997</b> , 17, 7532-40	317
599	Plasticity of GABA(B) receptor-mediated heterosynaptic interactions at mossy fibers after status epilepticus. <b>2003</b> , 23, 11382-91	50
598	PROTEASE-ACTIVATED RECEPTOR 1 INHIBITION DOES NOT AFFECT THE SOCIAL BEHAVIOR AFTER STATUS EPILEPTICUS IN RAT. <b>2018</b> , 64, 17-22	3
597	PHARMACOLOGICAL BLOCKADE OF PROTEASE-ACTIVATED RECEPTORS 1 NORMALIZES BEHAVIORAL HYPEREXCITABILITY OF RATS IN THE LATENT STAGE OF THE EXPERIMENTAL MODEL OF TEMPORAL LOBE EPILEPSY. <b>2019</b> , 65, 7-11	2
596	Traumatic Brain Injury Causes a Tacrolimus-Sensitive Increase in Non-Convulsive Seizures in a Rat Model of Post-Traumatic Epilepsy. <b>2014</b> , 1, 1-11	25
595	Improvement in hippocampal kindling analysis through computational processing data. <b>2009</b> , 67, 677-83	2
594	Convulsive effects of some isolated venom fractions of the Tityus serrulatus scorpion: behavioral, electroencephalographic, and neuropathological aspects. <b>2000</b> , 6, 238-260	11
593	Anterior thalamic nucleus stimulation protects hippocampal neurons by activating autophagy in epileptic monkeys. <b>2020</b> , 12, 6324-6339	4
592	Nitrobenzylthioinosine mimics adenosine to attenuate the epileptiform discharge of hippocampal neurons from epileptic rats. <b>2017</b> , 8, 35573-35582	5
591	DL-3n-butylphthalide reduces epileptiform activity through GluA2-lacking calcium-permeable AMPARs in epilepsy models. <b>2017</b> , 8, 98242-98257	2

590	Effects of Hydroalcoholic Extract of Soy on Learning, Memory and Synaptic Plasticity Deficits Induced by Seizure in Ovariectomized Rats. <b>2017</b> , 8, 395-403	3
589	Involvement of cyclin-dependent kinase 5/p35(nck5a) in the synaptic reorganization of rat hippocampus during kindling progression. <b>2000</b> , 50, 525-32	5
588	MicroRNA-451 Aggravates Kainic Acid-induced Seizure and Neuronal Apoptosis by Targeting GDNF. <b>2020</b> , 17, 50-57	5
587	Spontaneous Recurrent Seizures Mediated Cardiac Dysfunction via mTOR Pathway Upregulation: A Putative Target for SUDEP Management. <b>2019</b> , 18, 555-565	7
586	The Repeated Flurothyl Seizure Model in Mice. <b>2017</b> , 7,	10
585	Blockade of p75 Neurotrophin Receptor Reverses Irritability and Anxiety-Related Behaviors in a Rat Model of Status Epilepticus. <b>2018</b> , 22, 264-74	1
584	Online analysis of local field potentials for seizure detection in freely moving rats. <b>2020</b> , 23, 173-177	2
583	Interaction of Sodium Valproate With Low-Frequency Electrical Stimulation During Kindling. <b>2020</b> , 11, 831-839	0
582	Anticonvulsant effect of piperine ameliorates memory impairment, inflammation and oxidative stress in a rat model of pilocarpine-induced epilepsy. <b>2017</b> , 13, 695-700	13
581	Antiepileptic effects of exogenous $\gamma$ -hydroxybutyrate on kainic acid-induced epilepsy. <b>2020</b> , 20, 177	2
580	CB2R orchestrates neuronal autophagy through regulation of the mTOR signaling pathway in the hippocampus of developing rats with status epilepticus. <b>2020</b> , 45, 475-484	5
579	Carbenoxolone pretreatment and treatment of posttraumatic epilepsy. <b>2013</b> , 8, 169-76	6
578	Status epilepticus increases mature granule cells in the molecular layer of the dentate gyrus in rats. <b>2013</b> , 8, 609-15	3
577	Anti-epileptic effects of neuropeptide Y gene transfection into the rat brain. <b>2013</b> , 8, 1307-15	5
576	Inhibition of CD38/Cyclic ADP-ribose Pathway Protects Rats against Ropivacaine-induced Convulsion. <b>2017</b> , 130, 2354-2360	4
575	Effect of Naringenin (A naturally occurring flavanone) Against Pilocarpine-induced Status Epilepticus and Oxidative Stress in Mice. <b>2017</b> , 13, S154-S160	29
574	Overexpression of C-terminal fragment of glutamate receptor 6 prevents neuronal injury in kainate-induced seizure via disassembly of GluR6-PSD-95-MLK3 signaling module. <b>2014</b> , 9, 2059-65	4
573	Anticonvulsant effect of ferula assa-foetida oleo gum resin on chemical and amygdala-kindled rats. <b>2014</b> , 6, 408-12	24

572	High- and Low-Rearing Rats Differ in the Brain Excitability Controlled by the Allosteric Benzodiazepine Site in the GABA <sub>A</sub> Receptor. <b>2012</b> , 02, 315-325	9
571	The effect of the destruction of the caudate-putamen on the development of amygdaloid kindling and kindled seizures. <b>2002</b> , 48, 39-50	1
570	Effect of Green Tea ( <i>Camellia sinensis</i> ) on Epileptic Seizures Induced by Pentylentetrazol (PTZ) in Rats. <b>2011</b> , 2, 362-368	1
569	Protective Effect of Quinine on Chemical Kindling and Passive Avoidance Test in Rats. <b>2016</b> , 18, e25490	8
568	Antiepileptic Effect of Vitamin E on Kainic Acid-induced Temporal Lobe Epilepsy in Rats. <b>2012</b> , 1, 27-9	2
567	Morphometrical study of polysialylated neural cell adhesion molecule positive cells in rat pups hippocampus following induction of seizure during pregnancy. <b>2011</b> , 15, 157-63	15
566	Effect of the cyclooxygenase-2 inhibitor tenoxicam on pentylentetrazole-induced epileptic seizures in rats. <b>2017</b> , 39, 652-658	1
565	Mouse models of human PIK3CA-related brain overgrowth have acutely treatable epilepsy. <b>2015</b> , 4,	55
564	Acute inhibition of neurosteroid estrogen synthesis suppresses status epilepticus in an animal model. <b>2016</b> , 5,	35
563	Protein arginine methylation facilitates KCNQ channel-PIP2 interaction leading to seizure suppression. <b>2016</b> , 5,	25
562	Postictal behavioural impairments are due to a severe prolonged hypoperfusion/hypoxia event that is COX-2 dependent. <b>2016</b> , 5,	62
561	The impact of pathological high-frequency oscillations on hippocampal network activity in rats with chronic epilepsy. <b>2019</b> , 8,	26
560	Hippocampal low-frequency stimulation prevents seizure generation in a mouse model of mesial temporal lobe epilepsy. <b>2020</b> , 9,	11
559	Microglial calcium signaling is attuned to neuronal activity in awake mice. <b>2020</b> , 9,	42
558	Roles of matrix metalloproteinases and their targets in epileptogenesis and seizures. <b>2013</b> , 11, 45-52	22
557	The Deletion of GluK2 Alters Cholinergic Control of Neuronal Excitability. <b>2021</b> ,	0
556	Inhibition of GABA-Transaminase and GABA-Transporters in the Brain by Vigabatrin and Tiagabine Prevents Seizure Development in Rats Breathing Hyperbaric Oxygen. <b>2021</b> , 57, 1101-1109	0
555	In vitro and in vivo anti-epileptic efficacy of eslicarbazepine acetate in a mouse model of KCNQ2-related self-limited epilepsy. <b>2021</b> ,	1

554	Inhibition of Glutamate Release, but Not of Glutamine Recycling to Glutamate, Is Involved in Delaying the Onset of Initial Lithium-Pilocarpine-Induced Seizures in Young Rats by a Non-Convulsive MSO Dose. <b>2021</b> , 22,	0
553	The cerebellum contributes to tonic-clonic seizures by altering neuronal activity in the ventral posteromedial nucleus (VPM) of the thalamus.	0
552	The effect of medical ozone on oxidative stress and neuroinflammation in the early stage after experimental status epilepticus. 1	
551	HOP protein expression in the hippocampal dentate gyrus is acutely downregulated in a status epilepticus mouse model. <b>2021</b> , 11, 183-193	
550	Trimetazidine Modulates Mitochondrial Redox Status and Disrupted Glutamate Homeostasis in a Rat Model of Epilepsy. <b>2021</b> , 12, 735165	2
549	Differential Impact of Severity and Duration of , Medical Countermeasures, and a Disease-Modifier, Saracatinib, on Brain Regions in the Rat Diisopropylfluorophosphate Model. <b>2021</b> , 15, 772868	3
548	Deficits in Behavioral and Neuronal Pattern Separation in Temporal Lobe Epilepsy. <b>2021</b> , 41, 9669-9686	3
547	Combination of antiseizure medications phenobarbital, ketamine, and midazolam reduces soman-induced epileptogenesis and brain pathology in rats. <b>2021</b> , 6, 757-769	3
546	OV329, a novel highly potent $\epsilon$ -aminobutyric acid aminotransferase inactivator, induces pronounced anticonvulsant effects in the pentylenetetrazole seizure threshold test and in amygdala-kindled rats. <b>2021</b> , 62, 3091-3104	1
545	Reduced hippocampal inhibition and enhanced autism-epilepsy comorbidity in mice lacking neuropilin 2. <b>2021</b> , 11, 537	4
544	Joint single-cell measurements of nuclear proteins and RNA in vivo. <b>2021</b> , 18, 1204-1212	9
543	Vezatin regulates seizures by controlling AMPAR-mediated synaptic activity. <b>2021</b> , 12, 936	0
542	G-alpha interacting protein interacting protein, C terminus 1 regulates epileptogenesis by increasing the expression of metabotropic glutamate receptor 7. <b>2021</b> ,	1
541	Tagging active neurons by soma-targeted Cal-Light.	1
540	The Neuroprotective and Antiepileptogenic Effects of the Ketogenic Diet. <b>2004</b> , 289-301	
539	The Effects of Atypical Neuroleptics on Amygdala Kindling in Rats. <b>2004</b> , 22, 108-115	
538	The Effect of Topiramate on Hippocampal Neuronal Death and Expression of Glutamate Receptor in Kainate-induced Status Epilepticus Model. <b>2005</b> , 15, 505-512	
537	An Animal Model of Rasmussen's Encephalitis11This work was supported by a grant (NS 36808) from the National Institute of Neurological Disease and Stroke.. <b>2006</b> , 535-537	

- 536 An animal model of status epilepticus induced by massed electrical stimulations to the deep prepiriform cortex. **2007**, 119, 41-47
- 535 The Kindling/Sensitization Model: Implications for the Pathophysiology of Bipolar Disorder. **2007**, 297-323
- 534 MODELS | Temporal Lobel Epilepsy in Humans: Searching for Answers through the Pilocarpine Model. **2009**, 798-803
- 533 Deterministic Finite Automata in the Detection of EEG Spikes and Seizures. **2010**, 103-113 3
- 532 Pathophysiology of Status Epilepticus: Experimental Data. **2010**, 273-282
- 531 Effects of N(2-propylpentanoyl)urea on hippocampal amino acid neurotransmitters in spontaneous recurrent seizure rats. **2010**, 4, 271-279
- 530 Posttraumatic Epilepsy and Neurorehabilitation. **2010**, 29-61 1
- 529 Acute Cardiovascular Response during Kindled Seizures. **2010**,
- 528 Intracerebral Microdialysis in the Study of Limbic Seizure Mechanisms and Antiepileptic Drug Action Using Freely Moving Rats. **2013**, 321-337
- 527 Study of Sedation, Pre-Anesthetic and Anti-Anxiety Effects of Celandine Extract Compared with Diazepam in Rats. **2012**, 11, 2143-2147 0
- 526 Comparative Study of Sedation, Pre-Anesthetic and Anti-Anxiety Effects of Hemp Seed Extract and Diazepam in Rats. **2012**, 11, 2148-2151
- 525 Physical Exercise as a Strategy to Reduce Seizure Susceptibility. **2013**, 307-320 1
- 524 Mechanisms of Illness Progression in the Recurrent Affective Disorders. **2013**, 35-50
- 523 Experimental Models to Study Pharmacoresistance in Epilepsy. **2013**, 185-197
- 522 Analysis and Classification of Epilepsy Stages with Genetic Programming. **2013**, 57-70 1
- 521 Progressive Obesity in Female Rats from Synergistic Interactions between Drugs and Whole Body Application of Weak, Physiologically Patterned Magnetic Fields. **2014**, 04, 268-283
- 520 Pregnancy: Protection of the Hyperactive Brain, or a Risk Factor?. **2014**, 04, 334-341
- 519 Synaptic Changes Induced by Optic Chiasm Low Intensity Repetitive Electrical Stimulation (The Kindling Effect). **1981**, 331-343



- 518 Neurobiology of  $\beta$ -Endorphin and Related Peptides. **1981**, 203-291 1
- 517 The Role of Forebrain Commissures in Kindled Seizure Development. **1985**, 207-233
- 516 Laminar Profiles of  $[K^+]_O$  and  $[Ca^{2+}]_O$  in Region CA1 of the Hippocampus of Kindled Rats. **1985**, 221-228 1
- 515 Kindling and Free Radicals— New Direction in the Search for Mechanisms. **1986**, 257-262
- 514 Single Cell Recordings of the Nucleus Amygdalae in Conscious Cats. A Contribution to Research into Focal Epilepsy. **1987**, 170-176
- 513 Long-term inhibition of kindled seizures by chemical and electrophysiological techniques: insights into the kindling process?. **1987**, 221, 357-65
- 512 Activation of NMDA Receptors in the Dentate Gyrus Following Kindling-Induced Epilepsy. **1988**, 176-179
- 511 Does Electrical and Excitatory Amino Acid Kindling Share a Common Neurobiological Mechanism?. **1990**, 209-225
- 510 Double-Label Quantitative Autoradiographic Studies of Anaerobic Glucose Metabolism in Limbic Seizures. **1990**, 61-73
- 509 Cortico-Cortical Transfer During Initial Phases of Kindling in the Rat: A Developmental Study. **1991**, 163-166
- 508 Kindling increases brain levels of NAAG and seizures reduce activity of a NAAG-hydrolyzing enzyme, NAALADase. **1992**, 8, 297-305 2
- 507 GABA bei Epilepsie: Pharmakologische Grundlagen. **1994**, 31-49
- 506 Glutamate Receptors and Neuronal Death: A Beginning. **1995**, 261-263
- 505 Signal Transduction and Protein Phosphorylation. **1995**, 52-66
- 504 Determination of Cellular Phenotype and the Fundamental Organization of Cortical Layering: An Overview. **1995**, 193-196
- 503 Cortical Epileptogenesis in the Developing Human Brain. **1995**, 247-258
- 502 Synaptic Actions of Amino Acid Neurotransmitters. **1995**, 80-97 1
- 501 Clinical Strategies for Neuronal Protection. **1995**, 306-314

500 Models of Cortical Networks. **1995**, 174-190

499 Pathophysiology of Cortical Areas from Human Epileptics. **1995**, 293-305

498 Pharmacological Effects of Antisense Oligonucleotide Inhibition of Immediate-Early Response Genes in the CNS. **1998**, 309-339

497 Facilitation of Kindling and Long Term Potentiation by Hippocampal Lesions. **1998**, 501-511

496 Activities of Protein Kinase C in the Kindling Model of Epilepsy. **1998**, 255-265

495 Electroshock. **1998**,

1

494 Anti-Epileptic Activity. **2015**, 1-112

493 Kindling. **2015**, 32-35

492 Gene Therapy for Epilepsies. **2015**, 229-264

491 Longitudinal variations of brain functional connectivity: A case report study based on a mouse model of epilepsy. **2015**, 4, 144

3

490 Anti-Epileptic Activity. **2016**, 1215-1306

489 Aggressive Behavior. **2016**, 99-116

488 EPILAB: A MATLAB® Platform for Multifeature and Multialgorithm Seizure Prediction. **2016**, 441-452

487 Expression of TRPV1 Receptors Increased in Hippocampus Following Pentylentetrazole-Induced Kindling in Male Rats. **2016**, 3,

0

486 Antimuscarinic-induced convulsions in fasted mice after food intake: no evidence of spontaneous seizures, behavioral changes or neuronal damage. **2017**, 77, 373-381

485 Dravet and GEFS+ Syndromes. **2017**, 777-795

484 Neonatal Zika virus infection causes epileptic seizures, viral persistence and long-term behavioral impairment.

483 Role of Pre-Synaptic NMDA Receptors in the Modulation of Inhibitory Synaptic Transmission in Sensory-Motor and Visual Cortical Pyramidal Neurons in Brain Slices of Young Epileptic Mice. **2018**, 25, 27-39

- 482 Rbfox1 mediates cell-type-specific splicing in cortical interneurons.
- 481 Altered Fecal Microbiota and Urine Metabolome as Signatures of Soman Poisoning.
- 480 A predictive epilepsy index based on probabilistic classification of interictal spike waveforms.
- 479 Deneysel epilepsi modelinde b̄brekte bulunan aquaporin4 ve aquaporin2 kanallarının gen ekspresyonları
- 478 Non-genetic in vivo experimental models of epilepsy and vagus nerve stimulation. **2018**, 5, 36-44 1
- 477 SGK1.1 activation causes early seizure termination via effects on M-current.
- 476 Differential expression of the c-fos protein and synaptophysin in zebrin II positive and zebrin II negative cerebellar cortical areas in 4-aminopyridine seizures. **2019**, 79, 239-251 1
- 475 Mood Disorders: Protection of the Hyper-Excited Brain, or a Risk Factor?. **2019**, 09, 54-65 1
- 474 Pharmacologically induced absence seizures kindling in Wistar rats. **2020**, 7, 25-34 1
- 473 Post-ictal neuronal network remodeling and Wnt pathway dysregulation in the intra-hippocampal kainate mouse model of temporal lobe epilepsy.
- 472 Optogenetically-Induced Population Discharge Threshold as a Sensitive Measure of Network Excitability.
- 471 Investigation of anti-epileptic mechanisms of 5HT1A receptor with pentylentetrazole induced epilepsy model in rats.
- 470 LncRNA-UCA1 inhibits the astrocyte activation in the temporal lobe epilepsy via regulating JAK/STAT signaling pathway.
- 469 Stimulation of Vagus By Phenylephrine Increases the Efficiency and Safety of Antidepressants and Anti-Epileptics. **2019**, 1-9
- 468 A Systems Approach Identifies Enhancer of Zeste Homolog 2 (EZH2) as a Protective Factor in Epilepsy.
- 467 Microglial Calcium Signaling is Attuned to Neuronal Activity.
- 466 Late adolescence mortality in mice with brain-specific deletion of the volume-regulated anion channel subunit LRRC8A.
- 465 A physiologically-validated rat model of term birth asphyxia with seizure generation after, not during, brain hypoxia.

- 464 Impaired state-dependent potentiation of GABAergic synaptic currents triggers seizures in an idiopathic generalized epilepsy model.
- 463 Low-frequency Stimulation Decreases Hyperexcitability Through Adenosine A1 Receptors in the Hippocampus of Kindled Rats. **2020**, 11, 333-347
- 462 Post-ictal generalized EEG suppression and seizure-induced mortality are reduced by enhancing dorsal raphe serotonergic neurotransmission. 0
- 461 Novel 3-Substituted-2, 3-Dihydro-2-Thioxoquinazolin-4-(1H)-one derivative as Anticonvulsants: Synthesis, Molecular Docking and Pharmacological Screening. **2020**, 17, 757-771 1
- 460 Effects of Ketogenic Diet on Corneal Kindling Mouse Model. **2020**, 47, 7-11
- 459 Pentilentetrazol Epilepsi Modelinde Racine Skorlama Sistemine Yeni Bir Bakış 306-310
- 458 A functional observational battery for evaluation of neurological outcomes in a rat model of acute bacterial meningitis. **2020**, 8, 40 2
- 457 Induction of the Nrf2 Pathway by Sulforaphane Is Neuroprotective in a Rat Temporal Lobe Epilepsy Model. **2021**, 10, 1
- 456 Increased susceptibility to quinolinic acid-induced seizures and long-term changes in brain oscillations in an animal model of glutaric acidemia type I. **2021**,
- 455 Optogenetic low-frequency stimulation of dentate granule cells prevents seizure generation in experimental epilepsy.
- 454 Ursodeoksikolik Asit'in Farelerde Pentilentetrazol ile Oluşturulan Akut Epileptik Nöbetler Üzerine Etkisinin Araştırılması
- 453 Pharmacological characterisation of anticonvulsant effects elicited by erythartine. **2021**, 73, 93-97
- 452 Neuroprotective effects of 1,8-cineole on inhibition of apoptosis and Bcl-2/Caspase-3 mRNA expression in the hippocampus of Pilocarpine model epileptic rats. **2022**, 30, 1-9
- 451 Spinal cord injury and its underlying mechanism in rats with temporal lobe epilepsy. **2020**, 19, 2103-2112 2
- 450 Novel 3-{4-[2-Amino-4-(Substitutedphenyl)-2H-[1, 3] Oxazin/Thiazin-6-Yl]-2-Phenyl-3H-Quinazolin-4-One Derivatives as Enhancer of GABA Mediated Inhibition: Synthesis, Molecular Modeling and Pharmacological Studies. **2020**, 17, 199-213 0
- 449 Deficits in Behavioral and Neuronal Pattern Separation in Temporal Lobe Epilepsy. 0
- 448 Deletion of calcineurin from astrocytes reproduces proteome signature of Alzheimer's disease and epilepsy and predisposes to seizures.
- 447 Severe and multifaceted systemic immunosuppression caused by experimental cancers of the central nervous system requires release of non-steroid soluble mediators.

446	Closed-loop stimulation of the medial septum terminates epileptic seizures.	0
445	Hyperexcitability and brain morphological differences in mice lacking the cystine/glutamate antiporter, system x. <b>2021</b> ,	1
444	TPPU Pre-Treatment Rescues Dendritic Spine Loss and Alleviates Depressive Behaviours during the Latent Period in the Lithium Chloride-Pilocarpine-Induced Status Epilepticus Rat Model. <b>2021</b> , 11,	2
443	Sex differences in the developing brain impact stress-induced epileptogenicity following hyperthermia-induced seizures. <b>2021</b> , 161, 105546	0
442	Three dimensional microelectrodes enable high signal and spatial resolution for neural seizure recordings in brain slices and freely behaving animals. <b>2021</b> , 11, 21952	0
441	Differential glutamate receptor expression and function in the hippocampus, anterior temporal lobe and neocortex in a pilocarpine model of temporal lobe epilepsy. <b>2022</b> , 347, 113916	3
440	Substantial outcome improvement using a refined pilocarpine mouse model of temporal lobe epilepsy. <b>2021</b> , 161, 105547	1
439	Screening of prototype antiseizure and anti-inflammatory compounds in the Theiler's murine encephalomyelitis virus model of epilepsy. <b>2021</b> ,	1
438	Increased expression of Rho-associated protein kinase 2 confers astroglial Stat3 pathway activation during epileptogenesis. <b>2021</b> ,	0
437	Less efficacy of valproic acid monotherapy may be caused by neural excitatory rebound in focal seizures.	
436	Regulation of NRG-1-ErbB4 signaling and neuroprotection by exogenous neuregulin-1 in a mouse model of epilepsy. <b>2021</b> , 161, 105545	
435	ALG-2 interacting protein-X (Alix) is required for activity-dependent bulk endocytosis at brain synapses.	
434	Phosphorylation of PRAS40 contributes to the activation of the PI3K/AKT/mTOR signaling pathway and the inhibition of autophagy following status epilepticus in rats. <b>2020</b> , 20, 3625-3632	2
433	Induction of B1 Bradykinin Receptors in the Kindled Brain. <b>2005</b> , 209-217	
432	Conditional Deletion of TrkB Prevents Epileptogenesis in the Kindling Model. <b>2005</b> , 241-247	
431	Heterozygous deletion of SYNGAP enzymatic domains in rats causes selective learning, social and seizure phenotypes.	0
430	Limb-clasping, cognitive deficit and increased vulnerability to kainic acid - induced seizures in neuronal GPI anchor deficiency mouse models.	
429	Optogenetic activation of CA1 pyramidal neurons in vivo induces hypersynchronous and low voltage fast seizures.	

428	THE EFFECT OF PROTEASE-ACTIVATED RECEPTORS 1 INHIBITION ON DEPRESSIVE-LIKE BEHAVIOR IN THE LATENT STAGE OF FORMATION OF TEMPORAL LOBE EPILEPSY. <b>2020</b> , 66, 17-22	
427	Effect of eugenol on lithium-pilocarpine model of epilepsy: behavioral, histological, and molecular changes. <b>2017</b> , 20, 745-752	7
426	Higher seizure susceptibility and enhanced tyrosine phosphorylation of N-methyl-D-aspartate receptor subunit 2B in fyn transgenic mice. <b>1998</b> , 5, 429-45	38
425	Activity-dependent activation of TrkB neurotrophin receptors in the adult CNS. <b>1999</b> , 6, 216-31	27
424	Expression in brain of amyloid precursor protein mutated in the alpha-secretase site causes disturbed behavior, neuronal degeneration and premature death in transgenic mice. <b>1996</b> , 15, 1265-74	50
423	Does early anti-epileptic drug treatment alter the prognosis for remission of the epilepsies?. <b>1996</b> , 89, 245-8	
422	Anti-epileptic properties of sodium valproate in rat amygdaloid kindling [proceedings]. <b>1980</b> , 68, 134P	8
421	Experimental models of chronic focal epilepsy: a critical review of four models. <b>1987</b> , 60, 255-72	11
420	Seizing an opportunity: broader definitions of epilepsy may lead to better treatments. <b>2010</b> , 2010, 18	
419	Acute Seizures in Old Age Leads to a Greater Loss of CA1 Pyramidal Neurons, an Increased Propensity for Developing Chronic TLE and a Severe Cognitive Dysfunction. <b>2011</b> , 2, 1-17	38
418	m1 Acetylcholine Receptor Expression is Decreased in Hippocampal CA1 region of Aged Epileptic Animals. <b>2011</b> , 2, 301-7	5
417	Seizure-induced Increased Neurogenesis Occurs in the Dentate Gyrus of Aged Sprague-Dawley Rats. <b>2011</b> , 2, 286-93	6
416	Aging-induced Seizure-related Changes to the Hippocampal Mossy Fiber Pathway in Forebrain Specific BDNF Overexpressing Mice. <b>2011</b> , 2, 308-17	6
415	Effects of the Aqueous Extract of Anethum graveolens Leaves on Seizure Induced by Pentylentetrazole in Mice. <b>2013</b> , 20, 23-30	12
414	The effect of paxilline on early alterations of electrophysiological properties of dentate gyrus granule cells in pilocarpine-treated rats. <b>2014</b> , 13, 125-32	10
413	The therapeutic effect of the aqueous extract of boswellia serrata on the learning deficit in kindled rats. <b>2014</b> , 5, 563-8	15
412	Low-frequency repetitive transcranial magnetic simulation prevents chronic epileptic seizure. <b>2013</b> , 8, 2566-72	2
411	A Possible Non-genomic Epileptogenic Properties of Estradiol Attenuated by MK801 and DNQX in Amygdala Kindled Rats. <b>2014</b> , 13, 987-93	

410	Amygdala Kindling Alters Estrus Cycle and Ovarian Morphology in the Rat. <b>2013</b> , 2, 12-21	2
409	Comparing the anticonvulsant effects of low frequency stimulation of different brain sites on the amygdala kindling acquisition in rats. <b>2013</b> , 4, 250-6	13
408	Ameliorating effect of quercetin on acute pentylentetrazole induced seizures in rats. <b>2014</b> , 7, 2471-7	15
407	Aberrant neuronal synaptic connectivity in CA1 area of the hippocampus from pilocarpine-induced epileptic rats observed by fluorogold. <b>2014</b> , 7, 2687-95	4
406	Therapeutic effect of low frequency electric stimulation on the epileptogenic focus in amygdala-kindled rats. <b>2014</b> , 7, 4091-8	
405	Ketamine could aggravate central nervous toxicity of lidocaine in rats convulsive model. <b>2014</b> , 7, 5104-10	3
404	The effects of aqueous extract of Boswellia Serrata on hippocampal region CA1 and learning deficit in kindled rats. <b>2014</b> , 9, 351-8	26
403	Anticonvulsant effect of Cicer arietinum seed in animal models of epilepsy: introduction of an active molecule with novel chemical structure. <b>2015</b> , 19, 45-50	4
402	Propofol effectively inhibits lithium-pilocarpine- induced status epilepticus in rats via downregulation of N-methyl-D-aspartate receptor 2B subunit expression. <b>2012</b> , 7, 827-32	4
401	8-hydroxy-dipropylaminotetralin promotes neural plasticity in epileptic rats with depression. <b>2012</b> , 7, 565-71	2
400	Scorpion ethanol extract and valproic acid effects on hippocampal glial fibrillary acidic protein expression in a rat model of chronic-kindling epilepsy induced by lithium chloride-pilocarpine. <b>2012</b> , 7, 426-33	
399	Protein expression of phospho-lim kinase-1 in patients and an experimental rat model with intractable temporal lobe epilepsy. <b>2015</b> , 8, 625-33	1
398	Blocking of rat hippocampal Cx36 by quinine accelerates kindling epileptogenesis. <b>2013</b> , 12, 251-9	3
397	Assessment of the Optimal Stimulus Pattern to Achieve Rapid Dorsal Hippocampal Kindling in Rats. <b>2015</b> , 6, 107-12	1
396	A new comorbidity model and the common pathological mechanisms of migraine and epilepsy. <b>2017</b> , 9, 2286-2295	5
395	Effect of Microwave Wi-Fi Radiation at Frequency of 2.4 GHz on Epileptic Behavior of Rats. <b>2018</b> , 8, 185-192	
394	Ketamine and its combinations with valproate and carbamazepine are ineffective against convulsions induced by atropine treatment and food intake in fasted mice. <b>2019</b> , 22, 310-314	
393	[Vildagliptin suppresses temporal lobe epilepsy by up-regulating glucagon-like peptide-1]. <b>2017</b> , 37, 36-43	

- 392 Role of endoplasmic reticulum stress-associated gene TRIB3 in rats following kainic acid-induced seizures. **2019**, 12, 599-605 0
- 391 [Changes in the expression of EphA5/ephrinA5 in the CA3 region of the hippocampus in rats with epilepsy and their role in the pathogenesis of temporal lobe epilepsy]. **2017**, 19, 1272-1277
- 390 [Protective effect of succinic acid on cerebellar Purkinje cells of neonatal rats with convulsion]. **2016**, 18, 85-93
- 389 [Effects of cyclooxygenase-2 selective inhibitor celecoxib on the expression of major vault protein in rats with status epilepticus]. **2016**, 18, 440-5 1
- 388 Long-noncoding RNA Peg13 alleviates epilepsy progression in mice via the miR-490-3p/Psmid11 axis to inactivate the Wnt/ $\beta$ -catenin pathway. **2020**, 12, 7968-7981 4
- 387 Effect of orally-administrated thymoquinone during pregnancy on litter size, pentylenetetrazol-induced seizure, and body weight in rat offspring. **2021**, 24, 30-37 2
- 386 Improved Stage Categorization of PTZ-Induced Kindling and Late Enhanced Neurogenesis in PTZ Kindled Mice. **2019**, 8, e1511
- 385 Neuroprotective Effects of Exogenous Irisin in Kainic Acid-Induced Status Epilepticus. **2021**, 15, 738533
- 384 Activity-Dependent Activation of TrkB Neurotrophin Receptors in the Adult CNS. **1999**, 6, 216-231 69
- 383 Higher Seizure Susceptibility and Enhanced Tyrosine Phosphorylation of N-Methyl-d-Aspartate Receptor Subunit 2B in fyn Transgenic Mice. **1998**, 5, 429-445 63
- 382 Pediatric traumatic brain injury and a subsequent transient immune challenge independently influenced chronic outcomes in male mice. **2021**, 100, 29-47 1
- 381 The Use of Fourier Transform Infrared Microspectroscopy for the Determination of Biochemical Anomalies of the Hippocampal Formation Characteristic for the Kindling Model of Seizures. **2021**, 0
- 380 Anticonvulsant effects of Cymbopogon giganteus extracts with possible effects on fully kindled seizures and anxiety in experimental rodent model of mesio-temporal epilepsy induced by pilocarpine. **2021**, 286, 114863 1
- 379 Milk Exosomes Cross the Blood-Brain Barrier in Murine Cerebral Cortex Endothelial Cells and Promote Dendritic Complexity in the Hippocampus and Brain Function in C57BL/6J Mice.
- 378 Choice of anesthesia and data analysis method strongly increases sensitivity of 18F-FDG PET imaging during experimental epileptogenesis. **2021**, 16, e0260482 0
- 377 Distinct regulation of tonic GABAergic inhibition by NMDA receptor subtypes. **2021**, 37, 109960 0
- 376 Propofol and Sevoflurane Anesthesia in Early Childhood Do Not Influence Seizure Threshold in Adult Rats. **2021**, 18,
- 375 Antagonism of the ghrelin receptor type 1a in the rat brain induces status epilepticus in an electrical kindling model of epilepsy. **2021**, 1 2



374	Clustering of Spontaneous Recurrent Seizures in a Mouse Model of Extended Hippocampal Kindling.. <b>2021</b> , 12, 738986	0
373	Apoptosis in the Dentate Nucleus Following Kindling-induced Seizures in Rats. <b>2021</b> ,	0
372	Intravenous kainic acid induces status epilepticus and late onset seizures in mice. <b>2021</b> , 178, 106816	0
371	Investigation of the effects of <i>Satureja edmondi</i> on memory impairment caused by chemical kindling in adult male rats. <b>2021</b> , 10, 194	
370	Sleep slow-wave oscillations trigger seizures in a genetic epilepsy model of Dravet syndrome.	
369	Disruption of the IL-33-ST2-AKT signaling axis impairs neurodevelopment by inhibiting microglial metabolic adaptation and phagocytic function.. <b>2021</b> ,	3
368	Optogenetic stimulus-triggered acquisition of seizure resistance.. <b>2021</b> , 163, 105602	1
367	Effect of repeated seizures on spatial exploration and immediate early gene expression in the hippocampus and dentate gyrus.. <b>2022</b> , 12, 73-80	
366	Effect of ramosetron, a 5-HT receptor antagonist on the severity of seizures and memory impairment in electrical amygdala kindled rats.. <b>2022</b> , 72, 1	0
365	Myo-Inositol Limits Kainic Acid-Induced Epileptogenesis in Rats.. <b>2022</b> , 23,	0
364	A flurothyl-induced seizure does not disrupt hippocampal memory reconsolidation in C57BL/6J mice.. <b>2022</b> , 181, 106867	
363	Inflammatory monocytes and microglia play independent roles in inflammatory ictogenesis.. <b>2022</b> , 19, 22	1
362	Long-term in vivo application of a potassium channel-based optogenetic silencer in the healthy and epileptic mouse hippocampus.. <b>2022</b> , 20, 18	0
361	Hippocampal disinhibition reduces contextual and elemental fear conditioning while sparing the acquisition of latent inhibition.. <b>2022</b> ,	
360	Molecular Mechanisms of Epileptic Encephalopathy Caused by KCNMA1 Loss-of-Function Mutations.. <b>2021</b> , 12, 775328	2
359	Role of Stat3 in NLRP3/caspase-1-mediated hippocampal neuronal pyroptosis in epileptic mice.. <b>2021</b> ,	2
358	Deep brain stimulation of the anterior nuclei of the thalamus can alleviate seizure severity and induce hippocampal GABAergic neuronal changes in a pilocarpine-induced epileptic mouse brain.. <b>2022</b> ,	
357	Inhibition of Gasdermin D-Mediated Pyroptosis Attenuates the Severity of Seizures and Astroglial Damage in Kainic Acid-Induced Epileptic Mice.. <b>2021</b> , 12, 751644	1

- 356 Disruption of KCC2 in Parvalbumin-Positive Interneurons Is Associated With a Decreased Seizure Threshold and a Progressive Loss of Parvalbumin-Positive Interneurons.. **2021**, 14, 807090 0
- 355 Klotho alleviates NLRP3 inflammasome-mediated neuroinflammation in a temporal lobe epilepsy rat model by activating the Nrf2 signaling pathway.. **2022**, 128, 108509 1
- 354 Glucocorticoid receptors participate in epilepsy in FCDII patients and MP model rats: A potential therapeutic target for epilepsy in patients with focal cortical dysplasia II (FCDII).. **2022**, 1-16
- 353 Increased TRPV1 Channels and FosB Protein Expression Are Associated with Chronic Epileptic Seizures and Anxiogenic-like Behaviors in a Preclinical Model of Temporal Lobe Epilepsy.. **2022**, 10, 1 1
- 352 Enhanced excitability of the hippocampal CA2 region and its contribution to seizure generation in a mouse model of temporal lobe epilepsy. 0
- 351 Nesfatin-1 ameliorates oxidative brain damage and memory impairment in rats induced with a single acute epileptic seizure.. **2022**, 294, 120376 0
- 350 Involvement of Glutamine Synthetase in the Development of Hyperbaric Oxygen Seizures. **2022**, 58, 158-166 0
- 349 Epileptic seizures and link to memory processes.. **2022**, 9, 114-127
- 348 [F]DPA-714 PET imaging for the quantitative evaluation of early spatiotemporal changes of neuroinflammation in rat brain following status epilepticus.. **2022**, 1 0
- 347 Selenium Nanoparticles with Prodigiosin Rescue Hippocampal Damage Associated with Epileptic Seizures Induced by Pentylentetrazole in Rats.. **2022**, 11, 1 1
- 346 Adenosine Kinase Isoforms in the Developing Rat Hippocampus after LiCl/Pilocarpine Status Epilepticus.. **2022**, 23,
- 345 Intranasal Niosomal in situ Gel as a Novel Strategy for Improving Citicoline Efficacy and Brain Delivery in Treatment of Epilepsy: In vitro and ex vivo characterization and in vivo pharmacodynamics investigation.. **2022**, 2 2
- 344 Inhibition of TRPC3 channels by a novel pyrazole compound confers antiseizure effects.. **2022**, 1 1
- 343 Adaptive mossy cell circuit plasticity after status epilepticus.. **2022**, 0 0
- 342 Pentylentetrazole-induced kindling rat model: miR-182 and miR-27b-3p mediated neuroprotective effect of thymoquinone in the hippocampus.. **2022**, 1-12
- 341 Neuronal mechanism of a BK channelopathy in absence epilepsy and dyskinesia.. **2022**, 119, e2200140119 1 1
- 340 Unraveling the Effects of GSK-3 $\beta$  Isoform Modulation against Limbic Seizures and in the 6 Hz Electrical Kindling Model for Epileptogenesis.. **2022**,
- 339 Pre- and post-synaptic A-type K channels regulate glutamatergic transmission and switch of the network into epileptiform oscillations.. **2022**,

338	Brivaracetam Modulates Short-Term Synaptic Activity and Low-Frequency Spontaneous Brain Activity by Delaying Synaptic Vesicle Recycling in Two Distinct Rodent Models of Epileptic Seizures.. <b>2022</b> , 72, 1058	
337	Changes in Metabotropic Glutamate Receptor Gene Expression in Rat Brain in a Lithium-Pilocarpine Model of Temporal Lobe Epilepsy.. <b>2022</b> , 23,	0
336	Altered hippocampal expression and function of cytosolic phospholipase A2 (cPLA2) in temporal lobe epilepsy (TLE).. <b>2022</b> , 1-6	0
335	Sudden unexpected death in epilepsy is prevented by blocking postictal hypoxia.	
334	Genetic Inhibition of P1ppr5 Aggravates Hypoxic-Ischemie-Induced Cortical Damage and Excitotoxic Phenotype.. <b>2022</b> , 16, 751489	0
333	Blockade of TASK-1 Channel Improves the Efficacy of Levetiracetam in Chronically Epileptic Rats.. <b>2022</b> , 10,	0
332	Expression of Circ_Satb1 Is Decreased in Mesial Temporal Lobe Epilepsy and Regulates Dendritic Spine Morphology.. <b>2022</b> , 15, 832133	0
331	Hippocampus RNA Sequencing of Pentylenetetrazole-Kindled Rats and Upon Treatment of Novel Chemical Q808.. <b>2022</b> , 13, 820508	0
330	Anti-Epileptic Effect of Crocin on Experimental Temporal Lobe Epilepsy in Mice.. <b>2022</b> , 13, 757729	1
329	Characterization of Cortical Glial Scars in the Diisopropylfluorophosphate (DFP) Rat Model of Epilepsy.. <b>2022</b> , 10, 867949	1
328	Paradoxical effects of posterior intralaminar thalamic calretinin neurons on hippocampal seizure via distinct downstream circuits.. <b>2022</b> , 25, 104218	0
327	FKN/CX3CR1 axis facilitates migraine-Like behaviour by activating thalamic-cortical network microglia in status epilepticus model rats.. <b>2022</b> , 23, 42	2
326	Differences in Evolution of Epileptic Seizures and Topographical Distribution of Tissue Damage in Selected Limbic Structures Between Male and Female Rats Submitted to the Pilocarpine Model.. <b>2022</b> , 13, 802587	0
325	Neferine, an Alkaloid from Lotus Seed Embryos, Exerts Antiseizure and Neuroprotective Effects in a Kainic Acid-Induced Seizure Model in Rats.. <b>2022</b> , 23,	0
324	An aqueous extract of Lantana camara attenuates seizures, memory impairment, and anxiety in kainate-treated mice: Evidence of GABA level, oxidative stress, immune and neuronal loss modulation.. <b>2022</b> , 129, 108611	2
323	Modafinil exerts anticonvulsive effects against lithium-pilocarpine-induced status epilepticus in rats: A role for tumor necrosis factor- $\alpha$ and nitric oxide signaling.. <b>2022</b> , 130, 108649	0
322	Ceiba pentandra (L.) Gaertn hydroethanolic leaf extract exhibits anticonvulsant properties in mouse models. <b>2022</b> , 2, 100263	1
321	Adjudin prevents neuronal damage and neuroinflammation via inhibiting mTOR activation against pilocarpine-induced status epilepticus.. <b>2022</b> ,	1

- 320 Anti-inflammatory and neuroprotective effects of insulin-like growth factor-1 overexpression in pentylenetetrazole (PTZ)-induced mouse model of chronic epilepsy.. **2022**, 147881
- 319 Characterising seizure development, behavioural comorbidities and neuroinflammation in a self-sustained electrical status epilepticus model of mesial temporal lobe epilepsy in C57BL/6J mice.. **2022**, 105688
- 318 Neuroprotective Effects of Exogenous Irisin in Kainic Acid-Induced Status Epilepticus. **2021**, 15, 738533 0
- 317 Impact of Berberine on Some Epigenetic, Transcription Regulation and Inflammatory Biomarkers in a Mice Model of Epilepsy.. **2021**, 10, 362-372
- 316 Theta and gamma hippocampal/neoocortical oscillations during the episodic-like memory test: impairment in epileptogenic rats. 0
- 315 The Potential Role of Previous Physical Exercise Program to Reduce Seizure Susceptibility: A Systematic Review and Meta-Analysis of Animal Studies.. **2021**, 12, 771123
- 314 Peripheral Infection after Traumatic Brain Injury Augments Excitability in the Perilesional Cortex and Dentate Gyrus.. **2021**, 9, 2
- 313 C-type lectin receptor DCIR contributes to hippocampal injury in acute neurotropic virus infection. **2021**, 11, 23819 1
- 312 Saracatinib, a Src Tyrosine Kinase Inhibitor, as a Disease Modifier in the Rat DFP Model: Sex Differences, Neurobehavior, Gliosis, Neurodegeneration, and Nitro-Oxidative Stress.. **2021**, 11, 2
- 311 Altered Expression of Par3, aPKC- $\delta$  and Lgl1 in Hippocampus in Kainic Acid-Induced Status Epilepticus Rat Model.. **2021**, 12, 780042 1
- 310 Chronic Seizures Worsen Cognitive Function with Loss of Presenilin 2 Function in a Sex-Related Manner.
- 309 Human Stem Cell-Derived GABAergic Interneurons Establish Efferent Synapses onto Host Neurons in Rat Epileptic Hippocampus and Inhibit Spontaneous Recurrent Seizures.. **2021**, 22, 1
- 308 The role of the glutamatergic system in the mechanism of development of hyperbaric oxygen seizures. **2022**, 8, 56-60
- 307 Maternal Hypoxia Increases the Excitability of Neurons in the Entorhinal Cortex and Dorsal Hippocampus of Rat Offspring.. **2022**, 16, 867120 0
- 306 A python-based package for long-lasting video acquisition and semi-automated detection of convulsive seizures in rodents.
- 305 Neuroplastic alterations in cannabinoid receptors type 1 (CB1) in animal models of epileptic seizures.. **2022**, 104675 0
- 304 The Role of the Negative Regulation of Microglia-Mediated Neuroinflammation in Improving Emotional Behavior After Epileptic Seizures.. **2022**, 13, 823908
- 303 Piperine Provides Neuroprotection against Kainic Acid-Induced Neurotoxicity via Maintaining NGF Signalling Pathway.. **2022**, 27, 1

302 Data\_Sheet\_1.docx. **2020,**

301 Table\_1.xlsx. **2020,**

300 Table\_2.xlsx. **2020,**

299 Table\_3.xlsx. **2020,**

298 Image\_1.PDF. **2017,**

297 Image\_1.JPEG. **2020,**

296 Image\_2.JPEG. **2020,**

295 Image\_3.JPEG. **2020,**

294 Image\_4.JPEG. **2020,**

293 Table\_1.XLSX. **2020,**

292 Image\_1.TIFF. **2020,**

291 Image\_2.TIFF. **2020,**

290 Table\_1.DOCX. **2020,**

289 Table\_2.DOCX. **2020,**

288 Image\_1.tif. **2020,**

287 Data\_Sheet\_1.PDF. **2020,**

286 Image\_1.tif. **2020,**

285 Table\_1.docx. **2020,**

284 Image\_1.JPEG. 2020,

283 Image\_2.JPEG. 2020,

282 Image\_3.JPEG. 2020,

281 Image\_4.JPEG. 2020,

280 Image\_5.JPEG. 2020,

279 Image\_6.JPEG. 2020,

278 Image\_7.JPEG. 2020,

277 Image\_8.JPEG. 2020,

276 Image\_9.JPEG. 2020,

275 Table\_1.XLSX. 2020,

274 Table\_2.XLSX. 2020,

273 Table\_3.XLSX. 2020,

272 Table\_4.XLSX. 2020,

271 Image\_1.JPEG. 2018,

270 Data\_Sheet\_1.pdf. 2018,

269 Image\_1.TIFF. 2018,

268 Image\_1.tiff. 2020,

267 Image\_2.tiff. 2020,

266 Table\_1.docx. **2020**,

265 Table\_1.pdf. **2019**,

264 Image\_1.TIF. **2018**,

263 Video\_1.MP4. **2018**,

262 Video\_2.MP4. **2018**,

261 Video\_3.MP4. **2018**,

260 Video\_4.MP4. **2018**,

259 Image\_1.TIF. **2019**,

258 Image\_1.tif. **2019**,

257 Image\_1.tif. **2019**,

256 Image\_2.tif. **2019**,

255 Image\_3.tiff. **2019**,

254 Image\_4.tif. **2019**,

253 Image\_5.tif. **2019**,

252 Table\_1.docx. **2019**,

251 video1.mp4. **2020**,

250 video2.mp4. **2020**,

249 video3.mp4. **2020**,

248	video4.mp4. <b>2020</b> ,	
247	video5.mp4. <b>2020</b> ,	
246	Data_Sheet_1.PDF. <b>2018</b> ,	
245	Aspartame and seizures. <b>1993</b> , 4, 197-235	7
244	Epileptiform GluN2B-driven excitation in hippocampus as a therapeutic target against temporal lobe epilepsy.. <b>2022</b> , 114087	0
243	Mesenchymal Stem Cell Therapy for Focal Epilepsy: A Systematic Review of Preclinical Models and Clinical Studies.. <b>2022</b> ,	1
242	Protective Effect of <i>Tilia americana</i> var. <i>mexicana</i> Against Kainic Acid-induced Damage in Brain, Liver, and Kidney: Behavioral and Biochemical Changes. <b>2022</b> , In Press,	
241	Pathway-specific inhibition of critical projections from the mediodorsal thalamus to the frontal cortex controls kindled seizures.. <b>2022</b> , 102286	1
240	DFP-Induced Status Epilepticus Severity in Mixed-Sex Cohorts of Adult Rats Housed in the Same Room: Behavioral and EEG Comparisons. <b>2022</b> , 10,	0
239	SAPAP3 regulates epileptic seizures involving GluN2A in post-synaptic densities.. <b>2022</b> , 13, 437	0
238	Eslicarbazepine, but Not Lamotrigine or Ranolazine, Shows Anticonvulsant Efficacy in Carbamazepine-Resistant Rats Developed by Window-Pentylene-tetrazole Kindling. <b>2022</b> , 12, 629	0
237	Anticonvulsive and Neuroprotective Effects of Eupafolin in Rats Are Associated with the Inhibition of Glutamate Overexcitation and Upregulation of the Wnt/ $\beta$ Catenin Signaling Pathway.. <b>2022</b> ,	0
236	Molecular Mechanisms in the Genesis of Seizures and Epilepsy Associated With Viral Infection. <b>2022</b> , 15,	0
235	Small Extracellular Vesicles in Milk Cross the Blood-Brain Barrier in Murine Cerebral Cortex Endothelial Cells and Promote Dendritic Complexity in the Hippocampus and Brain Function in C57BL/6J Mice. <b>2022</b> , 9,	1
234	Critical involvement of lysyl oxidase in seizure-induced neuronal damage through ERK-Alox5-dependent ferroptosis and its therapeutic implications. <b>2022</b> ,	0
233	Ameliorating effect of ketogenic diet on acute status epilepticus: Insights into biochemical and histological changes in rat hippocampus.. <b>2022</b> , e14217	
232	Temporal and spatial changes in synaptic vesicle glycoprotein 2A (SV2A) under kainic acid induced epileptogenesis: An autoradiographic study.. <b>2022</b> , 183, 106926	0
231	Theta and gamma hippocampal-neocortical oscillations during the episodic-like memory test: Impairment in epileptogenic rats.. <b>2022</b> , 114110	0



230	Life-span characterization of epilepsy and comorbidities in Dravet syndrome mice carrying a targeted deletion of exon 1 of the Scn1a gene.. <b>2022</b> , 354, 114090	0
229	Seizure Susceptibility and Sleep Disturbance as Biomarkers of Epileptogenesis after Experimental TBI. <b>2022</b> , 10, 1138	0
228	Neuroprotective Effect of Palmitoylethanolamide in the Lithium-Pilocarpine Model of Temporal Lobe Epilepsy. <b>2022</b> , 58, 448-456	
227	GPR120 modulates epileptic seizure and neuroinflammation mediated by NLRP3 inflammasome. <b>2022</b> , 19,	0
226	Seizures in PPT1 Knock-In Mice Are Associated with Inflammatory Activation of Microglia. <b>2022</b> , 23, 5586	0
225	Impact of Raptor and Rictor Deletion on Hippocampal Pathology Following Status Epilepticus.	0
224	A Comparison of Epileptogenic Effect of Status Epilepticus Treated With Diazepam, Midazolam, and Pentobarbital in the Mouse Pilocarpine Model of Epilepsy. <b>2022</b> , 13,	0
223	Anticonvulsant activity of the histamine H3 receptor inverse agonist pitolisant in an electrical kindling model of epilepsy. <b>2022</b> , 782, 136685	1
222	Phenotypic differences based on lateralization of intrahippocampal kainic acid injection in female mice. <b>2022</b> , 355, 114118	1
221	An Efficient Hybrid Model for Patient-Independent Seizure Prediction Using Deep Learning. <b>2022</b> , 12, 5516	0
220	Enriched environment rescues impaired sleep-wake architecture and abnormal neural dynamics in chronic epileptic rats. <b>2022</b> ,	
219	HAP1 interacts with 14B-3 to regulate epileptic seizure via GABAAR-mediated inhibitory synaptic transmission in pentylentetrazole rat model. <b>2022</b> ,	
218	Cattle Bile Arisaema Aqueous Extracts Protect Against Febrile Seizures in Rats Through Regulating Neurotransmitters and Suppressing Neuroinflammation. 13,	
217	Electroacupuncture Promotes Autophagy by Regulating the AKT/mTOR Signaling Pathway in Temporal Lobe Epilepsy.	0
216	Alix is required for activity-dependent bulk endocytosis at brain synapses. <b>2022</b> , 20, e3001659	0
215	Reversal of synapse loss in Alzheimer mouse models by targeting mGluR5 to prevent synaptic tagging by C1Q. <b>2022</b> , 14,	3
214	Respiratory dysfunction in two rodent models of chronic epilepsy and acute seizures and its link with the brainstem serotonin system. <b>2022</b> , 12,	1
213	Blocking ERK-DAPK1 Axis Attenuates Glutamate Excitotoxicity in Epilepsy. <b>2022</b> , 23, 6370	1

- 212 Anticonvulsant Effect of Turmeric and Resveratrol in Lithium/Pilocarpine-Induced Status Epilepticus in Wistar Rats. **2022**, 27, 3835 ○
- 211 miR-146a/KLF4 axis in epileptic mice: a novel regulator of synaptic plasticity involving STAT3 signaling. **2022**, 147988
- 210 Cerebral cavernous malformation development in chronic mouse models driven by dual recombinases induced gene deletion in brain endothelial cells. 0271678X2211059 ○
- 209 Differential effects of levetiracetam on hippocampal CA1 synaptic plasticity and molecular changes in the dentate gyrus in epileptic rats. **2022**, 105378
- 208 Dogs as a Natural Animal Model of Epilepsy. 9, 1
- 207 Deep brain stimulation of the anterior thalamus attenuates PTZ kindling with concomitant reduction of adenosine kinase expression in rats. **2022**, 15, 892-901
- 206 Removal of KCNQ2 from parvalbumin-expressing interneurons improves anti-seizure efficacy of retigabine. **2022**, 355, 114141 ○
- 205 Stereospecific antiseizure activity in mouse and rat epilepsy models by a pyridinium inhibitor of TNF $\alpha$ /NF $\kappa$ B signaling. **2022**, 6, 100065
- 204 The Reference Gene Validation in the Brain of Rats during Antioxidant and Anti-Inflammatory Treatment in the Lithium-Pilocarpine Model of Temporal Epilepsy. **2022**, 58, 930-940
- 203 Topiramate in an Experimental Model of Epilepsy - Similarity between Generic, Similar and Reference Drugs. **2022**, 12, 1-5
- 202 The Neuroprotective Effects of Natural Food Products Cinnamon and Curcumin in Lithium-Pilocarpine Induced Status Epilepticus Model. **2022**, 16, 181-189
- 201 The protective effect of vitamin U on pentylenetetrazole-induced brain damage in rats. 1
- 200 Blockage of TRPV4 Downregulates the Nuclear Factor-Kappa B Signaling Pathway to Inhibit Inflammatory Responses and Neuronal Death in Mice with Pilocarpine-Induced Status Epilepticus.
- 199 miRNA-let-7i modulates status epilepticus via the TLR4 pathway. **2022**, 4,
- 198 Low-cost platform for multi-animal chronic local field potential video monitoring with graphical user interface (GUI) for seizure detection and behavioral scoring.
- 197 Levetiracetam Suppresses the Infiltration of Neutrophils and Monocytes and Downregulates Many Inflammatory Cytokines during Epileptogenesis in Pilocarpine-Induced Status Epilepticus Mice. **2022**, 23, 7671 ○
- 196 Anti-Seizure and Neuronal Protective Effects of Irisin in Kainic Acid-Induced Chronic Epilepsy Model with Spontaneous Seizures. ○
- 195 Dynamics of neurodegeneration in the hippocampus of Krushinsky-Molodkina rats correlates with the progression of limbic seizures. **2022**, 134, 108846 ○

194	The anticonvulsant effect of chronic treatment with topiramate after pilocarpine-induced status epilepticus is accompanied by a suppression of comorbid behavioral impairments and robust neuroprotection in limbic regions in rats. <b>2022</b> , 134, 108802	1
193	Beclin1 Deficiency Suppresses Epileptic Seizures. 15,	0
192	Brain-implanted conductors amplify radiofrequency fields in rodents: advantages and risks.	0
191	Histopathological modeling of status epilepticus-induced brain damage based on in vivo diffusion tensor imaging in rats. 16,	0
190	Pentylentetrazole preconditioning attenuates severity of status epilepticus induced by lithium-pilocarpine in male rats: evaluation of opioid/NMDA receptors and nitric oxide pathway. <b>2022</b> , 74, 602-613	0
189	Enhanced excitability of the hippocampal CA2 region and its contribution to seizure activity in a mouse model of temporal lobe epilepsy. <b>2022</b> ,	2
188	Functionalized PEG-PLA nanoparticles for brain targeted delivery of ketoconazole contribute to Prgnane X receptor overexpressing in drug-resistant epilepsy. <b>2022</b> , 107000	
187	The Prevention and Reversal of a Phenytoin-Resistant Model by N-acetylcysteine Therapy Involves the Nrf2/P-Glycoprotein Pathway at the BloodBrain Barrier.	
186	Galanin analogs prevent mortality from seizure-induced respiratory arrest in mice. 16,	0
185	An aqueous extract of Syzygium cumini protects against kainate-induced status epilepticus and amnesia: evidence for antioxidant and anti-inflammatory intervention.	1
184	Discrete subicular circuits control generalization of hippocampal seizures. <b>2022</b> , 13,	1
183	Multi-omic Analysis of the Gut Microbiome in Rats with Lithium-Pilocarpine-Induced Temporal Lobe Epilepsy.	
182	Up-and-coming anti-epileptic effect of aloesone in Aloe vera: Evidenced by integrating network pharmacological analysis, in vitro, and in vivo models. 13,	1
181	Spatial, temporal, and cell-type-specific expression of NADPH Oxidase isoforms following seizure models in rats. <b>2022</b> , 190, 158-168	0
180	mTOR and HDAC2 are simultaneously activated during electrically induced kindling of seizures. <b>2022</b> , 185, 106991	0
179	Modification of post-traumatic epilepsy by fecal microbiota transfer. <b>2022</b> , 134, 108860	1
178	The role of interleukin-17 in epilepsy. <b>2022</b> , 186, 107001	
177	Anti-epileptogenic effects of synaptic vesicle protein 2A modulation in a mouse model of Alzheimer's disease. <b>2022</b> , 186, 106994	0

- 176 Activating toll-like receptor 4 after traumatic brain injury inhibits neuroinflammation and the accelerated development of seizures in rats. **2022**, 357, 114202 1
- 175 Activation of metabotropic glutamate receptor 1 regulates hippocampal CA1 region excitability in rats with status epilepticus by suppressing the HCN1 channel. **2023**, 18, 594
- 174 Aerobic exercise, alone or combined with an anti-inflammatory drug, reduces the severity of epileptic seizures and levels of central pro-inflammatory cytokines in an animal model of epileptic seizures. **2022**, 186, 107018 0
- 173 MicroRNAs as potential biomarkers in temporal lobe epilepsy and mesial temporal lobe epilepsy. **2023**, 18, 716 1
- 172 Design of self-assembling anti-epileptic drug for long-acting drug delivery in vivo. 0
- 171 Rutin prevents seizures in kainic acid-treated rats: evidence of glutamate levels, inflammation and neuronal loss modulation. 0
- 170 Comparison of intranasal and intraperitoneal administration of *Eugenia caryophyllata* (clove) essential oil on spatial memory, anxiety-like behavior and locomotor activity in a pilocarpine-induced status epilepticus rat model. **2022**, 22, 0
- 169 Neuropilin-2 Signaling Modulates Mossy Fiber Sprouting by Regulating Axon Collateral Formation Through CRMP2 in a Rat Model of Epilepsy. **2022**, 59, 6817-6833 1
- 168 Modulating the gut microbiota ameliorates spontaneous seizures and cognitive deficits in rats with kainic acid-induced status epilepticus by inhibiting inflammation and oxidative stress. 9, 2
- 167 The Gelatinase Inhibitor ACT-03 Reduces Gliosis in the Rapid Kindling Rat Model of Epilepsy, and Attenuates Inflammation and Loss of Barrier Integrity In Vitro. **2022**, 10, 2117 0
- 166 Adenosine A2A receptors control synaptic remodeling in the adult brain. **2022**, 12, 1
- 165 The Neuroprotective Effect Associated with *Echinops spinosus* in an Acute Seizure Model Induced by Pentylentetrazole. 1
- 164 Targeting firing rate neuronal homeostasis can prevent seizures. 1
- 163 Sp1-Mediated Prdx6 Upregulation Leads to Clasmotodendrosis by Increasing Its aiPLA2 Activity in the CA1 Astrocytes in Chronic Epilepsy Rats. **2022**, 11, 1883 0
- 162 Low-dose 7,8-Dihydroxyflavone Administration After Status Epilepticus Prevents Epilepsy Development. 1
- 161 Investigation of MicroRNA-134 as a Target against Seizures and SUDEP in a Mouse Model of Dravet Syndrome. **2022**, 9, ENEURO.0112-22.2022 1
- 160 Lacosamide decreases neonatal seizures without increasing apoptosis. 0
- 159 Ccr2 gene ablation does not influence seizure susceptibility, tissue damage or cellular inflammation after murine pediatric traumatic brain injury. 0

- 158 MRI-Guided Electrode Implantation for Chronic Intracerebral Recordings in a Rat Model of Post-Traumatic Epilepsy—Challenges and Gains. **2022**, 10, 2295 ○
- 157 MicroRNA-335-5p suppresses voltage-gated sodium channel expression and may be a target for seizure control. ○
- 156 Functional Source Separation-Identified Epileptic Network: Analysis Pipeline. **2022**, 12, 1179 ○
- 155 11βHSD1 participates in epileptogenesis and the associated cognitive impairment by inhibiting apoptosis in mice. **2022**, 20, ○
- 154 Ketogenic Diet Alleviates Hippocampal Neurodegeneration Possibly via ASIC1a and the Mitochondria-Mediated Apoptotic Pathway in a Rat Model of Temporal Lobe Epilepsy. Volume 18, 2181-2198 ○
- 153 Midazolam Prevents the Adverse Outcome of Neonatal Asphyxia. ○
- 152 Investigation into Antiepileptic Effect of Ganoderic Acid A and Its Mechanism in Seizure Rats Induced by Pentylentetrazole. **2022**, 2022, 1-14 ○
- 151 Photobiomodulation upregulates neuroligin-3 and improves the synapses and cognitive function and ameliorates epileptic seizure. ○
- 150 Neuroprotective Effect of Exogenous Galectin-1 in Status Epilepticus. ○
- 149 Low-intensity exercise combined with sodium valproate attenuates kainic acid-induced seizures and associated co-morbidities by inhibiting NF- $\kappa$ B signaling in mice. 13, ○
- 148 PET Imaging and Neurohistochemistry Reveal that Curcumin Attenuates Brain Hypometabolism and Hippocampal Damage induced by Status Epilepticus in Rats. ○
- 147 Synergistic Effects of the Galanin Analog 810-2 with the Antiseizure Medication Levetiracetam in Rodent Seizure Models. ○
- 146 Modeling and assaying seizure activity in zebrafish (&i>Danio rerio&/i>). **2022**, 20, 193-199 ○
- 145 C-type natriuretic peptide preserves central neurological function by maintaining blood-brain barrier integrity. 15, ○
- 144 Cannabidiol attenuates generalized tonic-clonic and suppresses limbic seizures in the genetically epilepsy-prone rats (GEPR-3) strain. ○
- 143 Metabolic modulation of synaptic failure and thalamocortical hypersynchronization with preserved consciousness in Glut1 deficiency. **2022**, 14, 1 ○
- 142 Efficacy of the FDA-approved cannabidiol on the development and persistence of temporal lobe epilepsy and complex focal onset seizures. **2022**, 114240 ○
- 141 Anatomical and molecular features of the amygdalohippocampal transition area and its role in social and emotional behavior processes. **2022**, 142, 104893 ○

- 140 Investigation of Neurogenesis in Kindled Wistar and Genetic Absence Epilepsy Rats. ○
- 139 Modulatory Efficiency of LP/LF Nano-Combination on Neurochemical and Behavioural Retardations in the Brain of Induced-Epileptic Rats. **2022**, 25, 929-937 ○
- 138 Downregulatory effect of miR-342-3p on epileptogenesis in the PTZ-kindling model. 1
- 137 Preclinical efficacy of cannabidiol for the treatment of early-life seizures. **2022**, 74, 1092-1098 ○
- 136 Downregulation of GABAAR $\beta$  Aggravates Comorbidity of Epilepsy and Migraine via the TLR4 Signaling Pathway. **2022**, 12, 1436 ○
- 135 Stem bark chloroform extract of *Bombax costatum* Pellegr. & Vuillet exhibit anticonvulsant and neuroprotective effects in pentylenetetrazole-induced seizures in rats. **2022**, ○
- 134 Aqueous extract of *Parkia biglobosa* (Jacq.) R. Br. (Fabaceae) exerts antiepileptogenic, anti-amnesic, and anxiolytic-like effects in mice via mechanisms involving antioxidant and anti-inflammatory pathways. 13, ○
- 133 3BDO Alleviates Seizures and Improves Cognitive Function by Regulating Autophagy in Pentylenetetrazol (PTZ)-Kindled Epileptic Mice Model. ○
- 132 Susceptibilidad del PTZ en ratones viejos y jóvenes. Diferencias entre un protocolo kindling convulsivo y subconvulsivo. **2022**, ○
- 131 Pre- and Post-Endurance Training Mitigates the Rat Pilocarpine-Induced Status Epilepticus and Epileptogenesis-Associated Deleterious Consequences. **2022**, 23, 13188 ○
- 130 Dynamics of Changes in Acetylcholinesterase Activity in the Brain and Blood of Rats During Pharmacological Correction of Seizures Caused by Carbamate. **2022**, 18, 27-31 ○
- 129 Loss of Rai1 enhances hippocampal excitability and epileptogenesis in mouse models of Smith-Magenis syndrome. **2022**, 119, ○
- 128 Febrile Seizures Cause Depression and Anxiogenic Behaviors in Rats. **2022**, 11, 3228 ○
- 127 Synthetic cannabinoid JWH-073 alters both acute behavior and in vivo/vitro electrophysiological responses in mice. 13, ○
- 126 Gut dysbiosis following organophosphate, diisopropylfluorophosphate (DFP), intoxication and saracatinib oral administration. 1, ○
- 125 Transcriptome Profiling of the Hippocampal Seizure Network Implicates a Role for Wnt Signaling during Epileptogenesis in a Mouse Model of Temporal Lobe Epilepsy. **2022**, 23, 12030 ○
- 124 Pentylenetetrazol-induced seizures are followed by a reduction in the multiunitary activity of hippocampal CA1 pyramidal neurons in adult rats. **2022**, 137, 108922 ○
- 123 Therapeutic targets and future directions. **2023**, 169-181 ○

- 122 Glycolysis regulates neuronal excitability via lactate receptor, HCA1R. ○
- 121 Reduced cholecystokinin-expressing interneuron input contributes to disinhibition of the hippocampal CA2 region in a mouse model of temporal lobe epilepsy. ○
- 120 Nrf2 is predominantly expressed in hippocampal neurons in a rat model of temporal lobe epilepsy. ○
- 119 Development of Charybdotoxin Q18F Variant as a Selective Peptide Blocker of Neuronal BK<sub>Ca</sub> Channel for the Treatment of Epileptic Seizures. ○
- 118 Neuroprotection of cannabidiol in epileptic rats: Gut microbiome and metabolome sequencing. 9, ○
- 117 The Role of Decreased Levels of Neuronal Autophagy in Increased Susceptibility to Post-traumatic Epilepsy. ○
- 116 LncRNA H19 Regulates P-glycoprotein Expression Through the NF- $\kappa$ B Signaling Pathway in the Model of Status Epilepticus. ○
- 115 Gentiopicroside alleviated epileptogenesis in immature rats through inactivation of NLRP3 inflammasome by inhibiting P2X7R expression. ○
- 114 Differential Levels of TryptophanKynurenine Pathway Metabolites in the Hippocampus, Anterior Temporal Lobe, and Neocortex in an Animal Model of Temporal Lobe Epilepsy. **2022**, 11, 3560 ○
- 113 Attenuated iron stress and oxidative stress may participate in anti-seizure and neuroprotective roles of xenon in pentylentetrazole-induced epileptogenesis. 16, ○
- 112 Overexpression of Homer1b/c induces valproic acid resistance in epilepsy. ○
- 111 Chaihu Longgu Muli Decoction relieving temporal lobe epilepsy in rats by inhibiting TLR4 signaling pathway through miR-146a-3p and miR-146a-5p. **2022**, 5, 317-325 ○
- 110 Attenuation of epileptogenesis and cognitive deficits by a selective and potent Kv7 channel opener in rodent models of seizures. JPET-AR-2022-001328 ○
- 109 Modeling the link between traumatic brain injury and epileptiform activity in rats. **2023**, 253-263 ○
- 108 The vasodilator naftidrofuryl attenuates short-term brain glucose hypometabolism in the lithium-pilocarpine rat model of status epilepticus without providing neuroprotection. **2023**, 939, 175453 ○
- 107 Down regulation of the hippocampal ghrelin receptor type-1a during electrical kindling-induced epileptogenesis. **2023**, 189, 107064 ○
- 106 Isobolographic analysis of adjunct antiseizure activity of the FDA-approved cannabidiol with neurosteroids and benzodiazepines in adult refractory focal onset epilepsy. **2023**, 360, 114294 ○
- 105 Silencing of the GluN1-NMDA Glutamate Receptor Subunit by Intranasal siRNA Increases the Latency Time for Seizures in the Pilocarpine Rodent Model of Epilepsy. **2022**, 15, 1470 1

- 104 Local brain environment changes associated with epileptogenesis. ○
- 103 Anticonvulsant and antioxidant effects of lamotrigine on pilocarpine-induced status epilepticus in mice. **2023**, 34, 61-66 ○
- 102 Inflammatory mechanisms of Ginkgo Biloba extract in improving memory functions through lncRNA-COX2 / NF- $\kappa$ B pathway in mice with status epilepticus. ○
- 101 Involvement of dopamine D<sub>2</sub>-like receptors in the antiepileptogenic effects of deep brain stimulation during kindling in rats. ○
- 100 Predicted molecules and signaling pathways for regulating seizures in the hippocampus in lithium-pilocarpine induced acute epileptic rats: A proteomics study. 16, ○
- 99 Sleep slow-wave oscillations trigger seizures in a genetic epilepsy model of Dravet syndrome. ○
- 98 Scorpion venom peptide HsTx2 suppressed PTZ-induced seizures in mice via the circ\_0001293/miR-8114/TGF- $\beta$  axis. **2022**, 19, 1
- 97 Tagging active neurons by soma-targeted Cal-Light. **2022**, 13, ○
- 96 Long-term intervention at high altitudes can inhibit the expression of IBA-1 in the hippocampus of rats and reduce seizure susceptibility. ○
- 95 Tetrapleura tetraptera curtails oxidative and proinflammatory biochemical events in lithium-pilocarpine model of status epilepticus. ○
- 94 Specific inhibition of NADPH oxidase 2 modifies chronic epilepsy. **2022**, 58, 102549 1
- 93 A companion to the preclinical common data elements for phenotyping seizures and epilepsy in rodent models. A report of the TASK3-WG1C : Phenotyping working group of the ILAE / AES joint translational task force. ○
- 92 Nucleus accumbens shell modulates seizure propagation in a mouse temporal lobe epilepsy model. 10, 1
- 91 Synapse-specific changes in Arc and BDNF in rat hippocampus following chronic temporal lobe epilepsy. **2022**, ○
- 90 PGC-1 $\beta$  Affects Epileptic Seizures by Regulating Mitochondrial Fusion in Epileptic Rats. ○
- 89 Closed-loop direct control of seizure focus in a rodent model of temporal lobe epilepsy via localized electric fields applied sequentially. **2022**, 13, ○
- 88 Interictal-period-activated neuronal ensemble in piriform cortex retards further seizure development. **2022**, 41, 111798 ○
- 87 Effect of fermentation on the bioactivities of the aqueous extract of Viburnum coriaceum Blume □ positive as well as negative inferences on experimental basis. ○



86	Downregulation of the Astroglial Connexin Expression and Neurodegeneration after Pilocarpine-Induced Status Epilepticus. <b>2023</b> , 24, 23	2
85	Geniposide and asperuloside alter the COX-2 and GluN2B receptor expression after pilocarpine-induced seizures in mice.	0
84	Microglial activation and over pruning involved in developmental epilepsy.	0
83	Selective activation of the hypothalamic orexinergic but not melanin-concentrating hormone neurons following pilocarpine-induced seizures in rats. 16,	0
82	CUX1-related neurodevelopmental disorder: Deep insights into phenotype-genotype spectrum and underlying pathology.	0
81	Transcriptome sequencing of ceRNA network constructing in status epilepticus mice treated by low-frequency repetitive transcranial magnetic stimulation.	0
80	Design and evaluation of chrysin-loaded nanoemulsion against lithium/pilocarpine-induced status epilepticus in rats; emphasis on formulation, neuronal excitotoxicity, oxidative stress, microglia polarization, and AMPK/SIRT-1/PGC-1 $\beta$ pathway. 1-16	0
79	Alcohol withdrawal produces changes in excitability, population discharge probability, and seizure threshold.	0
78	Convulsive behaviors of spontaneous recurrent seizures in a mouse model of extended hippocampal kindling. 16,	0
77	Photobiomodulation improves the synapses and cognitive function and ameliorates epileptic seizure by inhibiting downregulation of Nlgn3. <b>2023</b> , 13,	0
76	Preface. <b>1995</b> , vii-viii	0
75	Copyright Page. <b>1995</b> , iv-iv	0
74	Contributors. <b>1995</b> , xiii-xvi	0
73	Dedication. <b>1995</b> , v-vi	0
72	Responsiveness of Status Epilepticus to Treatment with Diazepam Decreases Rapidly as Seizure Duration Increases. <b>2003</b> , 3, 11-12	0
71	Neuronal activity-driven O-GlcNAcylation promotes mitochondrial plasticity.	0
70	Cell-specific switch for epileptiform activity: critical role of interneurons in the mouse subicular network.	0
69	Nrf2 is predominantly expressed in hippocampal neurons in a rat model of temporal lobe epilepsy. <b>2023</b> , 13,	1

- 68 Translational Considerations in the Development of Intranasal Treatments for Epilepsy. **2023**, 15, 233 ○
- 67 Green Synthesized Selenium Nanoparticles Using *Syzygium aromaticum* (Clove) Extract Reduce Pentylentetrazol-Induced Epilepsy and Associated Cortical Damage in Rats. **2023**, 13, 1050 ○
- 66 The loop diuretic torasemide but not azosemide potentiates the anti-seizure and disease-modifying effects of midazolam in a rat model of birth asphyxia. **2023**, 139, 109057 ○
- 65 Chronic seizures induce sex-specific cognitive deficits with loss of presenilin 2 function. **2023**, 361, 114321 1
- 64 Electron microscopic GABA evaluation in hippocampal mossy terminals of genetic absence epilepsy rats receiving kindling stimulations. **2022**, 12, 981-987 ○
- 63 Dapsone Protects Against Lithium-Pilocarpine-Induced Status Epilepticus in Rats through Targeting Tumor Necrosis Factor- $\alpha$  and Nitrergic Pathway. **2022**, 12, 39-47 ○
- 62 Subcellular analysis of blood-brain barrier function by micro-impalement of vessels in acute brain slices. **2023**, 14, ○
- 61 Rutin-loaded selenium nanoparticles modulated the redox status, inflammatory, and apoptotic pathways associated with pentylentetrazole-induced epilepsy in mice. **2023**, 12, ○
- 60 Male Stressed Mice Having Behavioral Control Exhibit Escalations in Dorsal Dentate Adult-Born Neurons and Spatial Memory. **2023**, 24, 1983 ○
- 59 Long-term ANT-DBS effects in pilocarpine-induced epileptic rats: A combined 9. 4T MRI and histological study. ○
- 58 Rescue of neuropsychiatric phenotypes in a mouse model of 16p11.2 duplication syndrome by genetic correction of an epilepsy network hub. **2023**, 14, ○
- 57 Activation of PPAR $\alpha$  prevents ferroptosis-induced damage through Nrf2/Gpx4 signaling pathway in rat hippocampus following epilepsy. **2023**, 34, 368-374 ○
- 56 Microglia play beneficial roles in multiple experimental seizure models. ○
- 55 Deep brain stimulation suppresses epileptic seizures in rats via inhibition of adenosine kinase and activation of adenosine A1 receptors. ○
- 54 Silencing of dentate gyrus inhibits mossy fiber sprouting and prevents epileptogenesis through NDR2 kinase in pentylentetrazole kindling rat model of TLE. **2023**, 18, e0284359 ○
- 53 miR-9a-5p expression is decreased in the hippocampus of rats resistant to lamotrigine: A behavioural, molecular and bioinformatics assessment. **2023**, 227, 109425 ○
- 52 Protective effect of *Nardostachys jatamansi* extract against lithium-pilocarpine-induced spontaneous recurrent seizures and associated cardiac irregularities in a rat model. **2023**, 308, 116280 ○
- 51 The serine hydrolase ABHD6 controls survival and thermally induced seizures in a mouse model of Dravet syndrome. **2023**, 180, 106099 ○

- 50 Bumetanide potentiates the anti-seizure and disease-modifying effects of midazolam in a noninvasive rat model of term birth asphyxia. **2023**, 142, 109189 ○
- 49 Sudden unexpected death in epilepsy is prevented by blocking postictal hypoxia. **2023**, 231, 109513 ○
- 48 MBD5 regulates NMDA receptor expression and seizures by inhibiting Stat1 transcription. **2023**, 181, 106103 ○
- 47 GSDMD knockdown exacerbates hippocampal damage and seizure susceptibility by crosstalk between pyroptosis and apoptosis in kainic acid-induced temporal lobe epilepsy. **2023**, 1869, 166687 ○
- 46 Syntaxin 7 modulates seizure activity in epilepsy. **2023**, 181, 106118 ○
- 45 Lamotrigine rescues neuronal alterations and prevents seizure-induced memory decline in an Alzheimer's disease mouse model. **2023**, 181, 106106 ○
- 44 Properties of REM sleep alterations with epilepsy. ○
- 43 PK2/PKR pathway is involved in the protective effect of artemisinin against trimethyltin chloride-induced hippocampal injury. **2023**, 486, 153432 ○
- 42 Hippocampal glucocorticoid receptors modulate status epilepticus severity. **2023**, 178, 106014 ○
- 41 Mitochondrial transplantation ameliorates hippocampal damage following status epilepticus. **2023**, 6, 41-50 ○
- 40 RGS14 is neuroprotective against seizure-induced mitochondrial oxidative stress and pathology in hippocampus. ○
- 39 Microglia PKM2 Mediates Neuroinflammation and Neuron Loss in Mice Epilepsy through the Astrocyte C3-Neuron C3R Signaling Pathway. **2023**, 13, 262 ○
- 38 Epileptiform discharges triggered with direct electrical stimulation for treatment-resistant depression: Factors that modulate risk and treatment considerations. **2023**, 16, 462-465 ○
- 37 Immunosuppressant Tacrolimus Treatment Delays Acute Seizure Occurrence, Reduces Elevated Oxidative Stress, and Reverses PGF<sub>2</sub>Burst in the Brain of PTZ-Treated Rats. **2023**, 48, 1971-1980 ○
- 36 Alpha-Asarone Ameliorates Neurological Dysfunction of Subarachnoid Hemorrhagic Rats in Both Acute and Recovery Phases via Regulating the CaMKII-Dependent Pathways. ○
- 35 MicroRNAs in mouse and rat models of experimental epilepsy and potential therapeutic targets. **2023**, 18, 2108 ○
- 34 Attenuation of initial pilocarpine-induced electrographic seizures by methionine sulfoximine pretreatment tightly correlates with the reduction of extracellular taurine in the hippocampus. ○
- 33 Upregulation of SLITRK5 in patients with epilepsy and in a rat model. ○

- 32 Hidden behavioral fingerprints in epilepsy. **2023**, ○
- 31 Alpha-Pinene Exerts Antiseizure Effects by Preventing Oxidative Stress and Apoptosis in the Hippocampus in a Rat Model of Temporal Lobe Epilepsy Induced by Kainate. ○
- 30 Anticonvulsant Effects of Royal Jelly in Kainic Acid-Induced Animal Model of Temporal Lobe Epilepsy Through Antioxidant Activity. ○
- 29 The role of thrombin in early-onset seizures. 17, ○
- 28 Inherited pain hypersensitivity and increased anxiety-like behaviors are associated with genetic epilepsy in Wistar Audiogenic Rats: Short- and long-term effects of acute and chronic seizures on nociception and anxiety. **2023**, 141, 109160 ○
- 27 The effects of kindling during pregnancy on long-term potentiation (LTP) induction and M1 muscarinic acetylcholine receptors in male rat offspring. **2023**, 18, 326 ○
- 26 Developmental Characterization of Neuronal Migration Anomalies and Axon Proliferation in mTOR pathway-associated Malformations of Cortical Development. ○
- 25 Transcranial focused ultrasound-mediated unbinding of phenytoin from plasma proteins for suppression of chronic temporal lobe epilepsy in a rodent model. **2023**, 13, ○
- 24 A Minimally Invasive Method of Wireless Electroencephalogram Recording in Rats in a Lithium-Pilocarpine Model of Epilepsy. **2023**, 59, 302-312 ○
- 23 Deregulation of Astroglial TASK-1 K<sup>+</sup> Channel Decreases the Responsiveness to Perampanel-Induced AMPA Receptor Inhibition in Chronic Epilepsy Rats. **2023**, 24, 5491 ○
- 22 Developmental changes in brain activity of heterozygous Scn1a knockout rats. 14, ○
- 21 1400 W, a selective inducible nitric oxide synthase inhibitor, mitigates early neuroinflammation and nitrooxidative stress in diisopropylfluorophosphate-induced short-term neurotoxicity rat model. 16, ○
- 20 Coupling of Slack and NaV1.6 sensitizes Slack to quinidine blockade and guides anti-seizure strategy development. ○
- 19 Knockdown SIK3 in hippocampal CA1 decreases seizure susceptibility in mice. ○
- 18 Microglia play beneficial roles in multiple experimental seizure models. ○
- 17 Lipid-accumulated reactive astrocytes promote disease progression in epilepsy. **2023**, 26, 542-554 ○
- 16 Alterations in the Properties of the Rat Hippocampus Glutamatergic System in the Lithium-Pilocarpine Model of Temporal Lobe Epilepsy. **2023**, 88, 353-363 ○
- 15 The toxic natural product tutin causes epileptic seizures in mice by activating calcineurin. **2023**, 8, ○

- 14 Thalidomide Attenuates Epileptogenesis and Seizures by Decreasing Brain Inflammation in Lithium Pilocarpine Rat Model. **2023**, 24, 6488 ○
- 13 Combined transcriptomics and proteomics forecast analysis for potential biomarker in the acute phase of temporal lobe epilepsy. 17, ○
- 12 Expression of Cytokines and Neurodegeneration in the Rat Hippocampus and Cortex in the Lithium-Pilocarpine Model of Status Epilepticus and the Role of Modulation of Endocannabinoid System. **2023**, 24, 6509 ○
- 11 CRISPR -based KCC2 upregulation attenuates drug-resistant seizure in mouse models of epilepsy. ○
- 10 Microbleeds Due to Reperfusion Enhance Early Seizures after Carotid Ligation in a Rat Ischemic Model. **2023**, ○
- 9 Combinatorial gene therapy for epilepsy: Gene sequence positioning and AAV serotype influence expression and inhibitory effect on seizures. ○
- 8 Evaluation of the anticonvulsant properties of flurbiprofen in pilocarpine-induced convulsions in mice. ○
- 7 Anticonvulsant Effect of Xingnaojing Injection on Acute Seizure Models in Mice. **2023**, 100091 ○
- 6 RGS14 limits seizure-induced mitochondrial oxidative stress and pathology in hippocampus. **2023**, 181, 106128 ○
- 5 N-acetyl cysteine: A new look at its effect on PTZ-induced convulsions. **2023**, 107144 ○
- 4 The rearrangement of actin cytoskeleton in mossy fiber synapses in a model of experimental febrile seizures. 14, ○
- 3 Control of a hippocampal recurrent excitatory circuit by cannabinoid receptor-interacting protein Gap43. **2023**, 14, ○
- 2 Dopamine D2 receptors in mossy cells reduce excitatory transmission and are essential for hippocampal function. ○
- 1 Intrahippocampal transplantation of dental pulp stem cells improved memory function and reduced neuroinflammation-induced cell death in the rat model of seizure. ○