# Equilibrium constants from a modified Redlich-Kwong

Citation Report

| # | ARTICLE | IF | CITATIONS |
|---|---------|----|-----------|
| 7 | On the calculation of vapour–liquid equilibria by means of a modified Redlich–Kwong equation of state. Chemical Engineering Science, 1973, 28, 2267-2268. | 1.9 | 0 |
| 9 | é«˜åœ§æ°—æ¶²å¹³è¡¡. Chemical Engineering, 1973, 37, 1000-1006. | 0.0 | 0 |
| 10 | Redlich-Kwong equation of state: review for chemical engineering calculations. Chemical Engineering Science, 1974, 29, 1334-1340. | 1.9 | 31 |
| 11 | THE EQUILIBRIUM PHASE PROPERTIES OF THE i-BUTANE-HYDROGEN SULFIDE SYSTEM. Journal of Chemical Engineering of Japan, 1975, 8, 11-15. | 0.3 | 9 |
| 12 | Limits of superheat and explosive boiling of light hydrocarbons, halocarbons, and hydrocarbon mixtures. AIChE Journal, 1975, 21, 560-566. | 1.8 | 61 |
| 13 | Perturbed hard-chain theory: An equation of state for fluids containing small or large molecules. AIChE Journal, 1975, 21, 1123-1132. | 1.8 | 294 |
| 14 | Vapor pressures of high–boilings complex hydrocarbons. Canadian Journal of Chemical Engineering, 1976, 54, 337-343. | 0.9 | 14 |
| 15 | Modified parameters for the Redlich–Kwong equation of state. Canadian Journal of Chemical Engineering, 1976, 54, 441-445. | 0.9 | 11 |
| 16 | Two and three phase equilibrium calculations for systems containing water. Canadian Journal of Chemical Engineering, 1976, 54, 595-599. | 0.9 | 118 |
| 17 | Two and three phase equilibrium calculations for systems containing water. Canadian Journal of Chemical Engineering, 1976, 54, 595-599. | 0.9 | 74 |
| 18 | A comparison of enthalpy prediction methods. AIChE Journal, 1976, 22, 409-411. | 1.8 | 12 |
| 19 | Use of the Soave equation of state and of the stability conditions for calculating the critical points of binary mixtures. Chemical Engineering Science, 1976, 31, 837-839. | 1.9 | 10 |
| 20 | A modified Redlich–Kwong equation of state for accurately representing pure components data. Chemical Engineering Science, 1976, 31, 37-43. | 1.9 | 13 |
| 21 | A one parameter family of equations of state. Chemical Engineering Science, 1976, 31, 1077-1084. | 1.9 | 31 |
| 22 | Calculation of thermodynamic properties from a modified Redlich-Kwong equation of state. The Chemical Engineering Journal, 1976, 11, 183-190. | 0.4 | 34 |
| 23 | Die Thermodynamik von Mehrstoffsystemen als Grundlage für physikalisch–chemische Trennverfahren. Zeitschrift Fur Elektrotechnik Und Elektrochemie, 1977, 81, 950-959. | 0.9 | 5 |
| 24 | Measurement and prediction of the enthalpy of mixtures of methane + ethane + nitrogen + carbon dioxide. Journal of Chemical Thermodynamics, 1977, 9, 1027-1033. | 1.0 | 1 |
| 25 | High pressure vapour-liquid equilibrium. II. Fluid Phase Equilibria, 1977, 1, 225-245. | 1.4 | 6 |

| # | Article | IF | Citations |
|---|---------|-----|-----------|
| 26 | Vapour-liquid equilibrium and critical locus curve calculations with the soave equation for hydrocarbon systems with carbon dioxide and hydrogen sulphide. Fluid Phase Equilibria, 1977, 1, 247-265. | 1.4 | 43 |
| 27 | A simple three-parameter equation of state with critical compressibility-factor correlation. Canadian Journal of Chemical Engineering, 1977, 55, 450-456. | 0.9 | 11 |
| 28 | A generalized one-parameter redlich-kwong equation for vapor-liquid equilibrium calculations. Canadian Journal of Chemical Engineering, 1977, 55, 701-706. | 0.9 | 1 |
| 29 | Applicability of the redlich-kwong equation of state and its modifications to polar gases. Chemical Engineering Science, 1977, 32, 1103-1107. | 1.9 | 16 |
| 30 | A cubic equation of state for the prediction of N2-Ar-O2 phase equilibrium. Cryogenics, 1977, 17, 519-522. | 0.9 | 37 |
| 31 | A rigorous method for predicting the critical properties of multicomponent systems from an equation of state. AIChE Journal, 1977, 23, 137-144. | 1.8 | 180 |
| 32 | Distillation with secondary reflux and vaporization: A comparative evaluation. AIChE Journal, 1977, 23, 651-658. | 1.8 | 186 |
| 33 | Methoden zur Berechnung von Phasengleichgewichten und Enthalpien mit Hilfe von Zustandsgleichungen. Chemie-Ingenieur-Technik, 1977, 49, 955-965. | 0.4 | 16 |
| 34 | A further evaluation of the clausius equation of state in thermodynamic property calculations. The Chemical Engineering Journal, 1978, 15, 121-129. | 0.4 | 1 |
| 35 | High pressure vapour-liquid equilibrium. IV. Fluid Phase Equilibria, 1978, 2, 59-78. | 1.4 | 10 |
| 36 | Qualities of models for evaluation, representation and prediction of fluid phase equilibrium data. Fluid Phase Equilibria, 1978, 2, 101-118. | 1.4 | 6 |
| 37 | Phase equilibria calculations with a modified redlich-kwong equation of state. Canadian Journal of Chemical Engineering, 1978, 56, 251-256. | 0.9 | 2 |
| 38 | Une équation d'état de clausius modifiée représentant l'éatat liquide. Canadian Journal of Chemical Engineering, 1978, 56, 375-381. | 0.9 | 9 |
| 39 | Multistage multicomponent separation calculations using thermodynamic properties evaluated by the srk/pr equation of state. Canadian Journal of Chemical Engineering, 1978, 56, 478-486. | 0.9 | 12 |
| 40 | Decompression wave velocities in natural gases in pipe lines. Canadian Journal of Chemical Engineering, 1978, 56, 664-668. | 0.9 | 18 |
| 41 | Two-dimensional mobile films of gases on solids: Adaptation of three-dimensional equations of state to physical adsorption of single gases on homogeneous surfaces. The Chemical Engineering Journal, 1978, 15, 147-157. | 0.4 | 8 |
| 42 | Calculation of phase equilibria in systems containing water and supercritical components. Chemical Engineering Science, 1978, 33, 683-687. | 1.9 | 7 |
| 43 | Mixing rules and excess properties in cubic equations of state. Chemical Engineering Science, 1978, 33, 787-791. | 1.9 | 146 |

| # | ARTICLE | IF | CITATIONS |
|---|---------|----|-----------| 
| 44 | Calculation of thermodynamic properties and vapor-liquid equilibria of refrigerants. Chemical Engineering Science, 1978, 33, 1269-1276. | 1.9 | 30 |
| 45 | Vapor-liquid equilibrium behavior for the propane-acetone system at elevated pressures. Chemical Engineering Science, 1978, 33, 1589-1595. | 1.9 | 10 |
| 46 | Vapor-liquid equilibrium measurements for the propane-ethanol system at elevated pressures. AICHE Journal, 1978, 24, 672-678. | 1.8 | 36 |
| 47 | Part II. A performance evaluation based on the simulation of a natural gas liquefaction process. AICHE Journal, 1978, 24, 839-848. | 1.8 | 9 |
| 48 | Application of the redlich-kwong-soave equation of state to solid-liquid equilibria calculations. Chemical Engineering Science, 1979, 34, 225-229. | 1.9 | 24 |
| 49 | The effect of composition on the boiling rates of liquefied natural gas for confined spills on water. International Journal of Heat and Mass Transfer, 1979, 22, 831-838. | 2.5 | 22 |
| 50 | A new correlation for saturated densities of liquids and their mixtures. AICHE Journal, 1979, 25, 653-663. | 1.8 | 283 |
| 51 | An equation of state for polyatomic fluids. AICHE Journal, 1979, 25, 701-708. | 1.8 | 5 |
| 52 | New mixing rules in simple equations of state for representing vapour-liquid equilibria of strongly non-ideal mixtures. Fluid Phase Equilibria, 1979, 3, 255-271. | 1.4 | 878 |
| 53 | A versatile algorithm for calculating vapour–liquid equilibria. Fluid Phase Equilibria, 1979, 3, 273-290. | 1.4 | 65 |
| 54 | Naphtali-Sandholm distillation calculations for NGL mixtures near the critical region. Computers and Chemical Engineering, 1979, 3, 535-542. | 2.0 | 10 |
| 55 | The Origins Of Low Interfacial Tensions For Enhanced Oil Recovery. , 1980, , . | | 15 |
| 56 | Anwendung der Mischphasen-Thermodynamik auf die Berechnung von thermischen Stofftrennverfahren. Chemie-Ingenieur-Technik, 1980, 52, 209-218. | 0.4 | 5 |
| 57 | A modified van der Waals type equation of state. Chemical Engineering Science, 1980, 35, 1503-1512. | 1.9 | 248 |
| 58 | Rigorous and simplified procedures for determining the pure-component parameters in the Redlich–Kwong–soave equation of state. Chemical Engineering Science, 1980, 35, 1725-1730. | 1.9 | 61 |
| 59 | Correlation of K-factors for mixtures of hydrogen and heavy hydrocarbons. Chemical Engineering Science, 1980, 35, 1765-1768. | 1.9 | 21 |
| 60 | A modified Redlich-Kwong equation of state for vapour-liquid equilibrium calculations. Chemical Engineering Science, 1980, 35, 1269-1275. | 1.9 | 11 |
| 61 | A cubic perturbed, hard sphere equation of state for thermodynamic properties and vapor-liquid equilibrium calculations. AICHE Journal, 1980, 26, 372-378. | 1.8 | 41 |

| # | Article | IF | Citations |
|---|---------|-----|-----------|
| 62 | The calculation of critical points. AICHE Journal, 1980, 26, 769-779. | 1.8 | 382 |
| 63 | Calculation of phase envelopes and critical points for multicomponent mixtures. Fluid Phase Equilibria, 1980, 4, 1-10. | 1.4 | 199 |
| 64 | Thermodynamic properties from corresponding states theory. Fluid Phase Equilibria, 1980, 4, 11-34. | 1.4 | 22 |
| 65 | RECENT PROGRESS IN THE COMPUTATION OF EQUILIBRIUM RATIOS. Chemical Engineering Communications, 1980, 4, 485-500. | 1.5 | 6 |
| 66 | Compositional Variations Within A Hydrocarbon Column Due To Gravity. , 1980, , . | | 127 |
| 67 | Compositional Modeling With an Equation of State. Society of Petroleum Engineers Journal, 1981, 21, 687-698. | 0.9 | 77 |
| 68 | THE APPLICATIONS OF A GENERALIZED EQUATION OF STATE TO THE CORRELATION AND PREDICTION OF PHASE EQUILIBRIAâ€". Chemical Engineering Communications, 1981, 13, 39-53. | 1.5 | 15 |
| 69 | Measurement and correlation of high pressure vapor-liquid equilibria for the systems ethylene-1-butene and ethylene-propylene.. Journal of Chemical Engineering of Japan, 1981, 14, 1-6. | 0.3 | 27 |
| 70 | Calculation of critical points from cubic two-constant equations of state. AICHE Journal, 1981, 27, 521-523. | 1.8 | 110 |
| 71 | Solubilities of carbon dioxide, hydrogen sulfide and nitrogen mixtures in methanol. AICHE Journal, 1981, 27, 605-613. | 1.8 | 19 |
| 72 | Employment of vapor pressure data in the description of vapor-liquid equilibrium with direct method. AICHE Journal, 1981, 27, 673-679. | 1.8 | 4 |
| 73 | Eine thermische Zustandsgleichung zur Berechnung der Taupunkte in Erdgasen bei Anwesenheit hÃ¶hermolekularer Kohlenwasserstoffe. Chemie-Ingenieur-Technik, 1981, 53, 883-883. | 0.4 | 1 |
| 74 | Extraction with supercritical gases. Chemical Engineering Science, 1981, 36, 1769-1788. | 1.9 | 230 |
| 75 | A new semiempirical equation of state for fluidsâ€"I. Chemical Engineering Science, 1981, 36, 1139-1146. | 1.9 | 98 |
| 76 | Calculation of thermodynamic properties with generalized equations of state for mixed refrigerant cycles. International Journal of Refrigeration, 1981, 4, 87-90. | 1.8 | 0 |
| 77 | Rapid computation of binary interaction coefficients of an equation of state for vaporâ€"liquid equilibrium calculations. Application to the Redlichâ€"Kwongâ€"Soave equation of state. Fluid Phase Equilibria, 1981, 6, 141-148. | 1.4 | 25 |
| 78 | Vapour-liquid equilibria in the ethane-n-butane system at high pressures. Fluid Phase Equilibria, 1981, 6, 229-235. | 1.4 | 39 |
| 79 | Vapourâ€"liquid equilibria in the propaneâ€"n-butane system at high pressures. Fluid Phase Equilibria, 1981, 6, 279-282. | 1.4 | 39 |

| # | Article | IF | Citations |
|---|---------|-----|-----------|
| 80 | A note on excess Gibbs energy models, equations of state and the local composition concept. Fluid Phase Equilibria, 1981, 7, 121-138. | 1.4 | 111 |
| 81 | Estimation of critical data by equation of state. Canadian Journal of Chemical Engineering, 1981, 59, 527-531. | 0.9 | 6 |
| 82 | Mathematical Simulation of Natural Gas Condensation Processes Using the Peng-Robinson Equation of State. , 1982, , . | | 12 |
| 83 | T METHOD FOR DISTILLATION COLUMNS*. Chemical Engineering Communications, 1982, 14, 1-22. | 1.5 | 1 |
| 84 | CALCULATION OF THERMODYNAMIC PROPERTIES OF FLUID MIXTURES WITH A NEW EQUATION OF STATE â€. Chemical Engineering Communications, 1982, 17, 57-66. | 1.5 | 0 |
| 85 | Problems Associated with the Development of Gas Extraction and Similar Processes. Separation Science and Technology, 1982, 17, 119-150. | 1.3 | 11 |
| 86 | High Pressure Phase Equilibria for Vapour Phase Extraction Processes. Separation Science and Technology, 1982, 17, 235-260. | 1.3 | 2 |
| 87 | SEPARATION OF ETHYLBENZENE-XYLENES MIXTURES BY DISTILLATION: A POSSIBLE APPLICATION OF VAPOUR RECOMPRESSION CONCEPT. Chemical Engineering Communications, 1982, 19, 157-165. | 1.5 | 7 |
| 88 | Atomization and combustion properties of flashing injectors. , 1982, , . | | 3 |
| 89 | Vapourâ€liquid equilibrium measurements for arctic gas plant design. Canadian Journal of Chemical Engineering, 1982, 60, 324-330. | 0.9 | 0 |
| 90 | A new cubic equation of state for fluids and fluid mixtures. Chemical Engineering Science, 1982, 37, 463-473. | 1.9 | 827 |
| 91 | Solve separation units by combining sure and fast models. Computers and Chemical Engineering, 1982, 6, 39-49. | 2.0 | 2 |
| 92 | Numerical aspects of the implementation of cubic equations of state in flash calculation routines. Computers and Chemical Engineering, 1982, 6, 245-255. | 2.0 | 36 |
| 93 | A consistent correction for Redlich-Kwong-Soave volumes. Fluid Phase Equilibria, 1982, 8, 7-23. | 1.4 | 1,138 |
| 94 | Pure component vapour pressure from a Carnahan-Starling equation of state: theoretically based temperature law for the attractive parameter. Fluid Phase Equilibria, 1982, 9, 105-117. | 1.4 | 5 |
| 95 | Equations of state for strongly nonideal fluid mixtures: Application of local compositions toward density-dependent mixing rules. Fluid Phase Equilibria, 1982, 9, 119-147. | 1.4 | 109 |
| 96 | Calculation of vapour-liquid equilibrium of associated systems by an equation of state. Fluid Phase Equilibria, 1982, 9, 225-266. | 1.4 | 47 |
| 97 | Isothermal vapor-liquid equilibria for the binary systems propylene-carbon dioxide, propylene-ethylene and propylene-ethane at high pressure. Fluid Phase Equilibria, 1982, 8, 113-122. | 1.4 | 30 |

| # | Article | IF | Citations |
|---|---------|----|-----------|
| 98 | The successive reduction of data subsets: A new method for estimating parameters of thermodynamic models. Fluid Phase Equilibria, 1982, 8, 251-269. | 1.4 | 3 |
| 99 | The isothermal flash problem. Part I. Stability. Fluid Phase Equilibria, 1982, 9, 1-19. | 1.4 | 1,024 |
| 100 | The isothermal flash problem. Part II. Phase-split calculation. Fluid Phase Equilibria, 1982, 9, 21-40. | 1.4 | 681 |
| 101 | A modification of the martin equation of state for calculating vapour-liquid equilibria. Fluid Phase Equilibria, 1982, 9, 79-97. | 1.4 | 61 |
| 102 | AZEOTROPE OF 2-METHYL-1.3 BUTADIENE-N-PENTANE SYSTEM AT DIFFERENT PRESSURES. Chemical Engineering Communications, 1983, 22, 139-149. | 1.5 | 0 |
| 103 | Modified Redlichâ€"Kwong equation of state for saturated vapourâ€"liquid equilibrium. Chemical Engineering Science, 1983, 38, 1293-1301. | 1.9 | 21 |
| 104 | Corrected flowrates estimation by using ? convergence promoter for distillation columns. AICHE Journal, 1983, 29, 113-123. | 1.8 | 1 |
| 105 | A predictive model for rollover in stratified LNG tanks. AICHE Journal, 1983, 29, 199-207. | 1.8 | 43 |
| 106 | PVT analysis of a new cubic-perturbed, hard-sphere equation of state. AICHE Journal, 1983, 29, 369-372. | 1.8 | 2 |
| 107 | Chain-of-rotators equation of state. AICHE Journal, 1983, 29, 560-571. | 1.8 | 104 |
| 108 | Prediction of the solubility of hydrogen in hydrocarbon solvents through cubic equations of state. Chemical Engineering Science, 1983, 38, 1085-1092. | 1.9 | 55 |
| 109 | Vapor-liquid equilibria calculations by means of an equation of state. Chemical Engineering Science, 1983, 38, 1281-1291. | 1.9 | 13 |
| 110 | VLE data for CO2-CF2Cl2, N2-CO2, N2-CF2Cl2 and N2-CO2-CF2Cl. Cryogenics, 1983, 23, 29-35. | 0.9 | 16 |
| 111 | Vapour-liquid equilibria calculations for normal fluid systems using a new cubic equation of state. Fluid Phase Equilibria, 1983, 15, 33-66. | 1.4 | 8 |
| 112 | Thermodynamic calculation of supercritical-fluid equilibria: New mixing rules for equations of state. Fluid Phase Equilibria, 1983, 10, 191-210. | 1.4 | 23 |
| 113 | A simple method for constructing phase envelopes for multicomponent mixtures. Fluid Phase Equilibria, 1983, 11, 127-135. | 1.4 | 19 |
| 114 | Equations of state - reworking the old forms. Fluid Phase Equilibria, 1983, 13, 15-33. | 1.4 | 39 |
| 115 | Industrial applications of cubic equations of state for VLE calculations, with emphasis on H2 systems. Fluid Phase Equilibria, 1983, 13, 59-76. | 1.4 | 22 |

| # | Article | IF | Citations |
|---|---------|-----|-----------|
| 116 | Extension of the Peng-Robinson equation of state to complex mixtures: Evaluation of the various forms of the local composition concept. Fluid Phase Equilibria, 1983, 13, 91-108. | 1.4 | 597 |
| 117 | Three-parameter equations of state. Fluid Phase Equilibria, 1983, 13, 133-142. | 1.4 | 33 |
| 118 | Cubic chain-of-rotators equation of state and vle calculations. Fluid Phase Equilibria, 1983, 13, 143-152. | 1.4 | 44 |
| 119 | New parameters for the Lee-Kesler correlation improve liquid density predictions. Fluid Phase Equilibria, 1983, 13, 171-178. | 1.4 | 16 |
| 120 | Experience in Norsk Hydro with cubic equations of state. Fluid Phase Equilibria, 1983, 13, 179-188. | 1.4 | 11 |
| 121 | Boiling point as a third parameter for use in a generalized equation of state. Fluid Phase Equilibria, 1983, 13, 189-194. | 1.4 | 4 |
| 122 | Prediction of gas solubilities by a modified UNIFAC equation. Fluid Phase Equilibria, 1983, 13, 381-392. | 1.4 | 25 |
| 123 | Supercritical fluid extraction with carbon dioxide and ethylene. Fluid Phase Equilibria, 1983, 14, 147-156. | 1.4 | 221 |
| 124 | The use of partial molal volume data to evaluate equations of state for supercritical fluid mixtures. Fluid Phase Equilibria, 1983, 14, 167-175. | 1.4 | 115 |
| 125 | SRK-EOS calculation for crude oils. Fluid Phase Equilibria, 1983, 14, 209-218. | 1.4 | 40 |
| 126 | The calculation of critical points of fluid mixtures-effect of improved pure component critical point representation. Fluid Phase Equilibria, 1983, 14, 265-272. | 1.4 | 6 |
| 127 | Correlation of thermodynamic properties of mixtures using a random-mixture reference state. Fluid Phase Equilibria, 1983, 15, 189-207. | 1.4 | 42 |
| 128 | A four-parameter equation of state. Fluid Phase Equilibria, 1983, 11, 29-48. | 1.4 | 80 |
| 129 | Otto Redlich, 1896â€"1978: In memory and appreciation. Fluid Phase Equilibria, 1983, 12, 1-9. | 1.4 | 1 |
| 130 | The application of a modified damped newton method for the simulation of vapor-liquid stagewise processes. Computers and Chemical Engineering, 1983, 7, 93-103. | 2.0 | 5 |
| 131 | Dynamic characteristic of binary srv distillation systems. Computers and Chemical Engineering, 1983, 7, 105-122. | 2.0 | 21 |
| 132 | Estimation and application of thermodynamic properties for a non-azeotropic refrigerant mixture. International Journal of Refrigeration, 1983, 6, 203-208. | 1.8 | 6 |
| 133 | Chemical process calculations using the MINIâˆ—DES programs. Advances in Engineering Software (1978), 1983, 5, 76-80. | 0.1 | 0 |

| # | ARTICLE | IF | CITATIONS |
|---|---------|-----|-----------|
| 134 | The enthalpies of 2,6-dimethylpyridine and m-cresol between 314 and 669 K and at pressures to 10.3 MPa. Journal of Chemical Thermodynamics, 1983, 15, 425-436. | 1.0 | 18 |
| 135 | The enthalpy of thiophene between 326 and 664 K and at pressures to 10.3 MPa. Journal of Chemical Thermodynamics, 1983, 15, 437-443. | 1.0 | 7 |
| 136 | Adsorption, structure, and stress in binary interfaces. Journal of Chemical Physics, 1983, 78, 7300-7317. | 1.2 | 50 |
| 137 | Chemical Process Calculations Using the MINI*DES Programs. , 1983, , 171-185. | | 0 |
| 138 | Predicting Phase Behavior of Mixtures of Reservoir Fluids With Carbon Dioxide. , 1983, , . | | 8 |
| 139 | Prediction of Gas Solubilities by a Modified UNIFACâ€Equation. Zeitschrift Fur Elektrotechnik Und Elektrochemie, 1983, 87, 17-23. | 0.9 | 25 |
| 140 | A Robust Iterative Method for Flash Calculations Using the Soave-Redlich-Kwong or the Peng-Robinson Equation of State. Society of Petroleum Engineers Journal, 1983, 23, 521-530. | 0.9 | 71 |
| 141 | Vapor-liquid equilibria of the ethylene-propylene system under high pressure.. Journal of Chemical Engineering of Japan, 1983, 16, 99-103. | 0.3 | 16 |
| 142 | Effect of C7+ Properties on Equation-of-State Predictions. Society of Petroleum Engineers Journal, 1984, 24, 685-696. | 0.9 | 56 |
| 143 | Prediction of High Pressure Vapor-Liquid Equilibria with a Mixing Rule Using the Asog Group Contribution Method. , 1984, , 997-1004. | | 7 |
| 144 | Gas solubility calculations. II. Application of a new group-contribution equation of state. Fluid Phase Equilibria, 1984, 16, 317-351. | 1.4 | 202 |
| 145 | An equation of state for hydrochloric acid solutions. Fluid Phase Equilibria, 1984, 18, 61-68. | 1.4 | 27 |
| 146 | Critical evaluation of methane-hydrocarbon high-pressure experimental vapour-liquid equilibrium data using equations of state. Fluid Phase Equilibria, 1984, 17, 323-350. | 1.4 | 9 |
| 147 | Avoiding convergence problems in VLE predictions using an equation of state. Fluid Phase Equilibria, 1984, 16, 41-55. | 1.4 | 8 |
| 148 | Calculation of critical points and phase boundaries in the critical region. Fluid Phase Equilibria, 1984, 16, 57-76. | 1.4 | 81 |
| 149 | An internally consistent correlation for predicting the critical properties and molecular weights of petroleum and coal-tar liquids. Fluid Phase Equilibria, 1984, 16, 137-150. | 1.4 | 328 |
| 150 | Molecular thermodynamics of fluid mixtures containing molecules differing in size and potential energy. Fluid Phase Equilibria, 1984, 17, 217-241. | 1.4 | 46 |
| 151 | Vapourâ€"liquid equilibrium data for some alkane + sulphur compound systems. Thermochimica Acta, 1984, 76, 399-401. | 1.2 | 1 |

| # | ARTICLE | IF | CITATIONS |
|---|---------|----|-----------| 
| 152 | A generalized computer program for analysis of mixture refrigeration cycles. International Journal of Refrigeration, 1984, 7, 167-172. | 1.8 | 4 |
| 153 | The molar volume and fugacity of liquid dibenzofuran at high temperatures and high pressures. Journal of Chemical Thermodynamics, 1984, 16, 199-205. | 1.0 | 3 |
| 154 | Errors associated with the measurement of dewâ€point loci for wide boiling mixtures. Canadian Journal of Chemical Engineering, 1984, 62, 434-436. | 0.9 | 0 |
| 155 | Correlation of adsorption isotherms of hydrocarbon gases on activated carbon. Carbon, 1984, 22, 493-495. | 5.4 | 11 |
| 156 | Improvement of the Van Der Waals equation of state. Chemical Engineering Science, 1984, 39, 357-369. | 1.9 | 141 |
| 157 | Algorithm for fluid phase equilibria calculations by means of a multiconstant equation of state. Chemical Engineering Science, 1984, 39, 1779-1784. | 1.9 | 6 |
| 158 | Effective utilization of equations of state for thermodynamic properties in process simulation. AICHE Journal, 1984, 30, 182-186. | 1.8 | 41 |
| 159 | Simplest equation of state for vapor-liquid equilibrium calculation: A modification of the van der waals equation. AICHE Journal, 1984, 30, 991-993. | 1.8 | 39 |
| 160 | Extraktion von Naturstoffen mit verdichteten Gasen. Die Naturwissenschaften, 1984, 71, 181-191. | 0.6 | 9 |
| 161 | Pure and mixed gas sorption of carbon dioxide and ethylene in poly(methyl methacrylate). Journal of Membrane Science, 1984, 18, 53-74. | 4.1 | 74 |
| 162 | ON THE FLEXIBILITY AND LIMITATIONS OF CUBIC EQUATIONS OF STATE. Chemical Engineering Communications, 1984, 26, 311-318. | 1.5 | 9 |
| 163 | Influence of Temperature and Pressure on Asphaltene Flocculation. Society of Petroleum Engineers Journal, 1984, 24, 283-293. | 0.9 | 587 |
| 164 | An algorithm for finding composition, molar volume and isochors of $CO_2$-$CH_4$ fluid inclusions from Th and Tfm (for Th < Tfm). Geochimica Et Cosmochimica Acta, 1984, 48, 1581-1587. | 1.6 | 12 |
| 165 | Solubility of Solids in Supercritical Solvents I. General Principles (Invited Lecture). Zeitschrift Fur Elektrotechnik Und Elektrochemie, 1984, 88, 848-855. | 0.9 | 12 |
| 166 | Phase Equilibria and Density Calculations for Mixtures in the Critical Range with Simple Equations of State (Invited Lecture). Zeitschrift Fur Elektrotechnik Und Elektrochemie, 1984, 88, 784-791. | 0.9 | 16 |
| 167 | GENERALIZED METHOD FOR CALCULATING LATENT HEAT OF VAPORIZATION. Chemical Engineering Communications, 1984, 29, 337-351. | 1.5 | 3 |
| 168 | A Laboratory and Computer Model Evaluation of Immiscible $CO_2$ Flooding in a Low-Temperature Reservoir. , 1984, , . |  | 11 |
| 169 | Decoupling and distrubance rejection control of a binary distillation column with pressure variation.. Journal of Chemical Engineering of Japan, 1984, 17, 262-269. | 0.3 | 8 |

| # | Article | IF | Citations |
|---|---------|----|-----------|
| 170 | Supercritical-Fluid Extraction Calculations for High-Boiling Petroleum Fractions Using Propane. Application of Continuous Thermodynamics. Zeitschrift Fur Elektrotechnik Und Elektrochemie, 1984, 88, 796-801. | 0.9 | 12 |
| 171 | Evaluation of cubic equation of state.. Journal of Chemical Engineering of Japan, 1984, 17, 624-631. | 0.3 | 7 |
| 172 | High-Pressure Phase Equilibria for Octadecane-CO<SUB>2</SUB> and Octadecane-Ethane Systems at 25Â°C and 40Â°C. Kagaku Kogaku Ronbunshu, 1984, 10, 372-376. | 0.1 | 7 |
| 173 | Development of van der Waals type of equation of state.. Journal of Chemical Engineering of Japan, 1985, 18, 20-26. | 0.3 | 13 |
| 174 | Four-Parameter Modification of the Lawal-Lake-Silberberg Equation of State for Calculating Gas-Condensate Phase Equilibria. , 1985, , . | | 13 |
| 175 | Thermodynamic Modeling of Phase and Tension Behavior of CO2/Hydrocarbon Systems. Society of Petroleum Engineers Journal, 1985, 25, 235-254. | 0.9 | 44 |
| 176 | HIGH-PRESSURE VAPOR-LIQUID EQUILIBRIUM CALCULATIONS BY USE OF THE CORRESPONDING-STATES PRINCIPLE. Journal of Chemical Engineering of Japan, 1985, 18, 277-279. | 0.3 | 2 |
| 177 | A data bank for high pressure vapourâ€"liquid equilibria. Chemical Engineering and Processing: Process Intensification, 1985, 19, 205-210. | 1.8 | 0 |
| 180 | Effects of mixing rules on phase equilibrium calculations. Fluid Phase Equilibria, 1985, 24, 353-362. | 1.4 | 16 |
| 181 | Correlation of gas solubilities in water and methanol at high pressure. Fluid Phase Equilibria, 1985, 22, 139-154. | 1.4 | 18 |
| 182 | Three-dimensional PTx phase diagrams through interactive computer graphics. Fluid Phase Equilibria, 1985, 23, 59-78. | 1.4 | 8 |
| 183 | A generalized technique to obtain pure component parameters for two-parameter equations of state. Fluid Phase Equilibria, 1985, 22, 77-88. | 1.4 | 18 |
| 184 | The generalized van der waals partition function. I. basic theory. Fluid Phase Equilibria, 1985, 19, 238-257. | 1.4 | 110 |
| 185 | From Redlich-Kwong to the present. Fluid Phase Equilibria, 1985, 24, 1-23. | 1.4 | 41 |
| 186 | The development of the Peng - Robinson equation and its application to phase equilibrium in a system containing methanol. Fluid Phase Equilibria, 1985, 24, 25-41. | 1.4 | 140 |
| 187 | Cubic chain-of-rotators equation of state for polar fluids. Fluid Phase Equilibria, 1985, 24, 43-61. | 1.4 | 9 |
| 188 | N R T L: An empirical equation or an inspiring model for fluids mixtures properties?. Fluid Phase Equilibria, 1985, 24, 87-114. | 1.4 | 18 |
| 189 | Solubilities of carbon dioxide in methanol and methanol-water at high pressures: experimental data and modeling. Fluid Phase Equilibria, 1985, 23, 243-258. | 1.4 | 66 |

| # | ARTICLE | IF | CITATIONS |
|---|---------|-----|-----------|
| 190 | The excess enthalpies of (carbon dioxide + hexane) at 470.15, 510.15, and 573.15 K from 7.50 to 12.50 MPa. Journal of Chemical Thermodynamics, 1985, 17, 183-192. | 1.0 | 26 |
| 191 | Phase equilibria of (methane + n-hexadecane) and (p, Vm, T) of n-hexadecane. Journal of Chemical Thermodynamics, 1985, 17, 803-815. | 1.0 | 92 |
| 192 | The enthalpy of trans-decalin between 360 and 700 K and at pressures to 10.3 MPa. Journal of Chemical Thermodynamics, 1985, 17, 855-864. | 1.0 | 7 |
| 193 | The excess enthalpies of (carbon dioxide + pyridine) at 470.15 and 573.15 K from 7.50 to 12.50 MPa. Journal of Chemical Thermodynamics, 1985, 17, 785-795. | 1.0 | 11 |
| 194 | The excess enthalpies of (propane+dichlorodifluoromethane) from 353.15 to 398.15 K at 4.45 MPa. Journal of Chemical Thermodynamics, 1985, 17, 335-348. | 1.0 | 15 |
| 195 | Development of an expert system for physical property predictions. Computers and Chemical Engineering, 1985, 9, 127-142. | 2.0 | 40 |
| 196 | Local thermodynamic models for high pressure process calculations. Computers and Chemical Engineering, 1985, 9, 195-200. | 2.0 | 4 |
| 197 | Interaction parameter, $k_{12}$, for non-azeotropic refrigerant mixtures. International Journal of Refrigeration, 1985, 8, 270-274. | 1.8 | 6 |
| 198 | Calculation of thermodynamic properties of refrigerants by the Redlich-Kwong-Soave equation of state. International Journal of Refrigeration, 1985, 8, 147-151. | 1.8 | 13 |
| 199 | Effect of substanceâ€dependent $Î©_{ac}$ on vaporâ€liquid equilibrium calculations. Canadian Journal of Chemical Engineering, 1985, 63, 490-496. | 0.9 | 3 |
| 200 | The controlling quantity in cubic equations of state for phase equilibrium calculations. Canadian Journal of Chemical Engineering, 1985, 63, 497-503. | 0.9 | 16 |
| 201 | A perturbed hard core equation of state for oxide nuclear fuels. Journal of Nuclear Materials, 1985, 135, 95-104. | 1.3 | 7 |
| 202 | High-temperature mutual solubilities of hydrocarbons and water. Part II: Ethylbenzene, ethylcyclohexane, and n-octane. AICHE Journal, 1985, 31, 376-384. | 1.8 | 165 |
| 203 | Vapor pressure measurement for light hydrocarbon mixtures by bubble point method.. Sekiyu Gakkaishi (Journal of the Japan Petroleum Institute), 1985, 28, 77-82. | 0.1 | 9 |
| 204 | Stateâ€ofâ€theâ€art on the supercritical extraction of organics from hazardous wastes. Critical Reviews in Environmental Control, 1985, 15, 237-274. | 0.7 | 26 |
| 205 | A note on the accuracy of departure function predictions. Chemical Engineering Science, 1985, 40, 1793-1797. | 1.9 | 9 |
| 206 | GENERALIZED SEMI-EMPIRICAL NON CUBIC EQUATION OF STATE FOR THE REPRESENTATION OF PROPERTIES OF PURE SUBSTANCES. Chemical Engineering Communications, 1985, 39, 23-42. | 1.5 | 1 |
| 207 | Thermodynamics of petroleum mixtures containing heavy hydrocarbons. 3. Efficient flash calculation procedures using the SRK equation of state. Industrial & Engineering Chemistry Process Design and Development, 1985, 24, 948-954. | 0.6 | 88 |

| # | Article | IF | Citations |
|---|---------|----|-----------| 
| 208 | Simplified flash calculations for Cubic Equations of State. Industrial & Engineering Chemistry Process Design and Development, 1986, 25, 184-188. | 0.6 | 133 |
| 209 | High-pressure vapor-liquid equilibria with cubic equations of state. Fluid Phase Equilibria, 1986, 29, 391-414. | 1.4 | 68 |
| 210 | Optimal Temperature-Dependent Parameters for the Redlich-Kwong Equation of State. ACS Symposium Series, 1986, , 389-405. | 0.5 | 10 |
| 211 | A New Three-Parameter Pseudo-Cubic Equation of State. , 1986, , 1169-1179. | | 20 |
| 212 | RATIONAL CONSTRUCTION OF AN AUGMENTED HARD CORE EQUATION OF STATE FOR PURE COMPOUNDS AND STUDY OF ITS APPLICATION TO MIXTURES. Chemical Engineering Communications, 1986, 44, 95-106. | 1.5 | 6 |
| 213 | EFFECT OF EQUATION OF STATE ON PREDICTION OF TRICKLE BED REACTOR MODEL PERFORMANCE. Chemical Engineering Communications, 1986, 49, 133-143. | 1.5 | 3 |
| 214 | New Mixing Rule for Cubic Equations of State for Highly Polar, Asymmetric Systems. ACS Symposium Series, 1986, , 571-582. | 0.5 | 134 |
| 215 | High pressure vapor-liquid equilibria for binary systems of carbon dioxide -pentane, -isoprene, -1-pentene and -2-pentene.. Sekiyu Gakkaishi (Journal of the Japan Petroleum Institute), 1986, 29, 228-233. | 0.1 | 6 |
| 216 | Vapor pressures of n-butane-ethane, isobutane-ethane, and n-butane-isobutane-propane-ethane systems.. Sekiyu Gakkaishi (Journal of the Japan Petroleum Institute), 1986, 29, 32-37. | 0.1 | 6 |
| 217 | Design procedure for a plate-to-plate heat-integrated distillation column.. Kagaku Kogaku Ronbunshu, 1986, 12, 535-541. | 0.1 | 13 |
| 218 | Investigation of Phase Behavior Predictions With a Chemical-Association Equation of State. , 1986, , . | | 4 |
| 219 | Phase Behavior Calculations Near the Critical Point. , 1986, , . | | 5 |
| 220 | Studies of Gas Injection Into Oil Reservoirs by a Cell-to-Cell Simulation Model. , 1986, , . | | 24 |
| 221 | A Versatile Phase Equilibrium Package for Compositional Simulation. , 1986, , . | | 7 |
| 222 | Chemical equilibria in methanol synthesis. Chemical Engineering Science, 1986, 41, 2883-2890. | 1.9 | 327 |
| 223 | Representation of hydrogen—hydrocarbon vapour—liquid equilibria and saturated densities at high pressures and temperatures. Chemical Engineering Science, 1986, 41, 2407-2417. | 1.9 | 3 |
| 224 | Prediction of phase behaviour of gas-containing systems with cubic equations of state. Chemical Engineering Science, 1986, 41, 2069-2074. | 1.9 | 48 |
| 225 | Partial derivatives of thermodynamic properties. AICHE Journal, 1986, 32, 1389-1392. | 1.8 | 20 |

| # | Article | IF | Citations |
|---|---------|----|-----------|
| 226 | Molecular thermodynamics for fluids at low and high densities. Part I: Pure fluids containing small or large molecules. AICHE Journal, 1986, 32, 1787-1798. | 1.8 | 221 |
| 227 | Computational aspects of equations of state: Fact and fiction. AICHE Journal, 1986, 32, 2087-2090. | 1.8 | 10 |
| 228 | Comparison of methods of prediction of vapor-liquid equilibria and enthalpy in a distillation simulation program. Computers and Chemical Engineering, 1986, 10, 169-180. | 2.0 | 1 |
| 229 | Bubble pressures and saturated liquid molar volumes of difluoromonochloromethaneâ€"fluorochloroethane binary mixtures: experimental data and modelling. International Journal of Refrigeration, 1986, 9, 282-289. | 1.8 | 41 |
| 230 | Vaporâ€"liquid equilibrium of hydrochloric acid solutions with the PRSV equation of state. Fluid Phase Equilibria, 1986, 25, 279-290. | 1.4 | 40 |
| 231 | Calculations of excess enthalpies from equations of state for binary liquid mixtures of an n-alkane with a hexane isomer. Fluid Phase Equilibria, 1986, 25, 161-169. | 1.4 | 2 |
| 232 | Some aspects of multiphase calculations. Fluid Phase Equilibria, 1986, 30, 15-29. | 1.4 | 18 |
| 233 | Adiabatic flash calculations for continuous or semicontinuous mixtures using an equation of state. Fluid Phase Equilibria, 1986, 30, 75-82. | 1.4 | 48 |
| 234 | Hybrid method for phase equilibrium flash calculations. Fluid Phase Equilibria, 1986, 26, 15-36. | 1.4 | 8 |
| 235 | A review of thermophysical properties in process simulation. Fluid Phase Equilibria, 1986, 29, 23-45. | 1.4 | 4 |
| 236 | Exact determination of process sensitivity to physical properties. Fluid Phase Equilibria, 1986, 29, 59-67. | 1.4 | 19 |
| 237 | Process design needs in oil and gas offshore industry. Fluid Phase Equilibria, 1986, 29, 77-92. | 1.4 | 1 |
| 238 | Measurement of vapor-liquid equilibria at elevated temperatures and pressures using a flow type apparatus. Fluid Phase Equilibria, 1986, 29, 225-232. | 1.4 | 28 |
| 239 | A cubic equation of state for polar and other complex mixtures. Fluid Phase Equilibria, 1986, 29, 431-438. | 1.4 | 41 |
| 240 | A practical extension of equations of state to polar systems. Fluid Phase Equilibria, 1986, 29, 457-464. | 1.4 | 0 |
| 241 | Accuracy and consistency comparisons of ten cubic equations of state for polar and non-polar compounds. Fluid Phase Equilibria, 1986, 29, 465-474. | 1.4 | 66 |
| 242 | Phase equilibria for supercritical extraction of lemon flavors and palm oils with carbon dioxide. Fluid Phase Equilibria, 1986, 29, 545-554. | 1.4 | 25 |
| 243 | Prediction of properties of petroleum mixtures : improvement in reliability and validity of tuned parameters. Fluid Phase Equilibria, 1986, 29, 575-582. | 1.4 | 5 |

| # | ARTICLE | IF | CITATIONS |
|---|---------|-----|-----------|
| 244 | An equation of state for the description of phase equilibria and caloric quantities on the basis of the â€œchemical theoryâ€. Fluid Phase Equilibria, 1986, 25, 1-29. | 1.4 | 37 |
| 245 | Development of a five-parameter cubic equation of state. Fluid Phase Equilibria, 1986, 28, 119-136. | 1.4 | 23 |
| 246 | Extension of UNIFAC to high pressure VLE using Vidal mixing rules. Fluid Phase Equilibria, 1986, 28, 155-170. | 1.4 | 12 |
| 247 | An approach for extending van der waals equations of state for polar, hydrogen bonding fluids applied to the soave equation of state. Fluid Phase Equilibria, 1986, 31, 273-282. | 1.4 | 3 |
| 248 | Prediction of vapor pressures and saturated volumes with a simple cubic equation of state: Part I. A reliable data base. Fluid Phase Equilibria, 1986, 27, 15-34. | 1.4 | 29 |
| 249 | Prediction of vapor pressures and saturated molar volumes with a simple cubic equation of state: Part II: The Van der Waals - 711 EOS. Fluid Phase Equilibria, 1986, 27, 35-52. | 1.4 | 62 |
| 250 | Dilute solutions of gases in liquids. Fluid Phase Equilibria, 1986, 27, 233-261. | 1.4 | 26 |
| 251 | The excess enthalpies of (carbon dioxide + pentane) at 348.15, 373.15, 413.15, 470.15, and 573.15 K from 7.58 to 12.45 MPa. Journal of Chemical Thermodynamics, 1986, 18, 1053-1064. | 1.0 | 18 |
| 252 | The excess enthalpies of (carbon dioxide + decane) from 293.15 to 573.15 K at 12.50 MPa. Journal of Chemical Thermodynamics, 1986, 18, 53-61. | 1.0 | 15 |
| 253 | The excess enthalpies of (carbon dioxide + toluene) at 308.15, 358.15, and 573.15 K from 6.98 to 16.63 MPa. Journal of Chemical Thermodynamics, 1986, 18, 647-656. | 1.0 | 16 |
| 254 | The enthalpy of acetone. Journal of Chemical Thermodynamics, 1986, 18, 371-379. | 1.0 | 20 |
| 255 | The enthalpy of methanol. Journal of Chemical Thermodynamics, 1986, 18, 719-726. | 1.0 | 31 |
| 256 | The excess enthalpies of (propane + chlorotrifluoromethane) from 293.15 to 383.15 K at 4.45 MPa. Journal of Chemical Thermodynamics, 1986, 18, 581-590. | 1.0 | 16 |
| 257 | Vapor/liquid equilibrium calculations by constrained free-energy minimization. International Journal of Thermophysics, 1986, 7, 407-419. | 1.0 | 5 |
| 258 | Dew- and bubble-point measurements for the mixtures of dichlorodifluoromethane and bromotrifluoromethane. International Journal of Thermophysics, 1986, 7, 721-730. | 1.0 | 4 |
| 259 | Measurements of the vapor-liquid coexistence curve and the critical locus for several refrigerant mixtures. International Journal of Thermophysics, 1986, 7, 29-40. | 1.0 | 17 |
| 260 | Importance of thermophysical data in process simulation. International Journal of Thermophysics, 1986, 7, 987-1002. | 1.0 | 2 |
| 261 | Sorption of $CO_2$, $C_2H_4$, $N_2O$ and their binary mixtures in poly(methyl methacrylate). Journal of Polymer Science, Part B: Polymer Physics, 1986, 24, 175-188. | 2.4 | 56 |

| # | Article | IF | Citations |
|---|---------|-----|-----------|
| 262 | A quartic hard chain equation of state for normal fluids. Fluid Phase Equilibria, 1986, 31, 35-56. | 1.4 | 17 |
| 263 | Application of the Quartic Hard Chain equation of state to polymer mixtures. Fluid Phase Equilibria, 1986, 31, 57-69. | 1.4 | 3 |
| 264 | PRSV: An improved peng–Robinson equation of state for pure compounds and mixtures. Canadian Journal of Chemical Engineering, 1986, 64, 323-333. | 0.9 | 807 |
| 265 | Prediction of Vapor and Liquid Viscosities From the Lawal-Lake-Silberberg Equation of State. , 1986, , . | | 14 |
| 266 | Multicomponent CO2/Water/Hydrocarbon Phase Behavior Modeling: A Comparative Study. SPE Reservoir Engineering, 1986, 1, 61-72. | 0.5 | 10 |
| 267 | Simulation of Compositional Processes: The Use of Pseudocomponents in Equation-of-State Calculations. SPE Reservoir Engineering, 1986, 1, 441-452. | 0.5 | 17 |
| 268 | Application of a Regression-Based EOS PVT Program to Laboratory Data. SPE Reservoir Engineering, 1986, 1, 277-299. | 0.5 | 181 |
| 269 | Development of an Efficient Algorithm for the Calculation of Two-Phase Flash Equilibria. SPE Reservoir Engineering, 1987, 2, 695-702. | 0.5 | 18 |
| 270 | Four-Phase Flash Equilibrium Calculations Using the Peng-Robinson Equation of State and a Mixing Rule for Asymmetric Systems. SPE Reservoir Engineering, 1987, 2, 687-694. | 0.5 | 14 |
| 271 | Application of Gradient Theory of Inhomogeneous Fluid to Prediction of Low Interfacial Tensions in CO2/Hydrocarbon Systems. SPE Reservoir Engineering, 1987, 2, 528-530. | 0.5 | 23 |
| 272 | Water Content of CO2 in Equilibrium With Liquid Water and/or Hydrates. SPE Formation Evaluation, 1987, 2, 500-508. | 0.5 | 108 |
| 273 | Comparisons of Computational Efficiencies of Different Equations of State and Transport Property Correlations in a Compositional Simulator. , 1987, , . | | 0 |
| 274 | Derivative method to develop a cohesion parameter of a cubic equation of state.. Journal of Chemical Engineering of Japan, 1987, 20, 424-426. | 0.3 | 3 |
| 275 | A Comparison of Two Approaches to Compositional and Black Oil Simulation. , 1987, , . | | 13 |
| 276 | Determination of Interaction Coefficients and Critical Properties of Heavy Fractions for Equation of State Computations: An Automated Algorithmic Approach. , 1987, , . | | 4 |
| 277 | Representation of the vapor-liquid equilibrium of the ternary system carbon dioxide - propane - methanol and its binaries with a cubic equation of state : a new mixing rule. Fluid Phase Equilibria, 1987, 38, 217-226. | 1.4 | 39 |
| 278 | Vapor liquid equilibria for CO 2 /hydrocarbon mixtures at elevated temperatures and pressures. Fluid Phase Equilibria, 1987, 36, 107-119. | 1.4 | 31 |
| 279 | Multiphase isenthalpic and isentropic flash algorithms. Fluid Phase Equilibria, 1987, 33, 13-27. | 1.4 | 76 |

| # | Article | IF | Citations |
|---|---------|-----|-----------|
| 280 | Vapor–liquid equilibrium measurements for the n-pentane–methanol system at 372.7, 397.7 and 422.6 K. Fluid Phase Equilibria, 1987, 33, 157-171. | 1.4 | 46 |
| 281 | On the choice of a third (and fourth) generalizing parameter for equations of state. Chemical Engineering Science, 1987, 42, 2957-2961. | 1.9 | 14 |
| 282 | Prediction of the critical locus of binary mixtures of fluorocompounds with hydrocarbons. Journal of Fluorine Chemistry, 1987, 37, 103-112. | 0.9 | 0 |
| 283 | A new density-dependent mixing rule for the SRK equation of state. Journal of Solution Chemistry, 1987, 16, 641-648. | 0.6 | 1 |
| 284 | Stofftrennung mit überkritischen Gasen (Gasextraktion). Chemie-Ingenieur-Technik, 1987, 59, 12-22. | 0.4 | 22 |
| 285 | Phase equilibrium calculations for continuous and semicontinuous mixtures. Chemical Engineering Science, 1987, 42, 1977-1988. | 1.9 | 82 |
| 286 | Application of a new cubic equation of state to hydrogen sulfide mixtures. Chemical Engineering Science, 1987, 42, 2935-2940. | 1.9 | 11 |
| 287 | Vapour-liquid equilibria in the ternary mixtures $N_2-CH_4-C_2H_6$ and $N_2-C_2H_6-C_3H_8$. Cryogenics, 1987, 27, 696-716. | 0.9 | 17 |
| 288 | Gas - liquid equilibrium of aqueous salted solutions under high pressure and temperature. Desalination, 1987, 65, 101-112. | 4.0 | 0 |
| 289 | Toward a molecular equation of state for real materials. AICHE Journal, 1987, 33, 729-740. | 1.8 | 16 |
| 290 | The isothermal flash problem: New methods for phase split calculations. AICHE Journal, 1987, 33, 926-939. | 1.8 | 50 |
| 291 | Equilibrium properties of liquids containing supercritical substances. AICHE Journal, 1987, 33, 2057-2066. | 1.8 | 30 |
| 292 | An algorithm for flash calculations using an equation of state. Computers and Chemical Engineering, 1987, 11, 489-496. | 2.0 | 4 |
| 293 | Use of modified martin equation for unsaturated vapour and liquid states. Thermochimica Acta, 1987, 118, 17-23. | 1.2 | 0 |
| 294 | Application of modified redlich-kwong equation for unsaturated vapour and liquid states. Thermochimica Acta, 1987, 116, 209-215. | 1.2 | 3 |
| 295 | The excess enthalpies of (carbon dioxide + cyclohexane) at 470.15, 553.15, and 573.15 K from 7.50 to 12.50 MPa. Journal of Chemical Thermodynamics, 1987, 19, 47-56. | 1.0 | 8 |
| 296 | Calculation of the thermodynamic sound velocity in two-phase multicomponent fluids. International Journal of Multiphase Flow, 1987, 13, 295-308. | 1.6 | 36 |
| 297 | Development of a new four-parameter cubic equation of state. Fluid Phase Equilibria, 1987, 35, 1-18. | 1.4 | 206 |

| # | Article | IF | Citations |
|---|---------|----|-----------|
| 298 | Relative volatilities from mixture liquid densities for the n-butane/1,3-butadiene system. Fluid Phase Equilibria, 1987, 35, 117-126. | 1.4 | 5 |
| 299 | The generalized van der waals partition function—IV. Local composition models for mixtures of unequal-size molecules. Fluid Phase Equilibria, 1987, 34, 113-147. | 1.4 | 58 |
| 300 | Flash calculations for polydisperse fluids: a variational approach. Fluid Phase Equilibria, 1987, 34, 149-169. | 1.4 | 13 |
| 301 | Effect of cubic equations of state on enthalpy departure calculations. Fluid Phase Equilibria, 1987, 34, 203-218. | 1.4 | 4 |
| 302 | Measurements and calculations of phase equilibria of binary mixtures of ethane + eicosane. Part I: vapour + liquid equilibria. Fluid Phase Equilibria, 1987, 34, 287-308. | 1.4 | 86 |
| 303 | Simultaneous calculations of VLE and saturated liquid and vapor volumes by means of a 3P1T cubic EOS. Fluid Phase Equilibria, 1987, 37, 207-222. | 1.4 | 45 |
| 304 | Thermodynamic properties of polar fluids from a perturbed-dipolar-hard-sphere equation of state. Fluid Phase Equilibria, 1987, 38, 201-216. | 1.4 | 19 |
| 305 | Saturated liquid density of 1,1 difluoroethane(R 152a) and thermodynamic properties along the vapor liquid coexistence curve. Fluid Phase Equilibria, 1987, 36, 167-181. | 1.4 | 31 |
| 306 | A three-parameter cubic equation of state for asymmetric mixture density calculations. Fluid Phase Equilibria, 1987, 34, 1-19. | 1.4 | 89 |
| 307 | Fluid phase stability and equations of state. Fluid Phase Equilibria, 1987, 34, 101-110. | 1.4 | 8 |
| 308 | High pressure phase behavior in systems containing $CO_2$ and heavier compounds with similar vapor pressures. Fluid Phase Equilibria, 1987, 32, 295-317. | 1.4 | 62 |
| 309 | Vapour—liquid equilibria calculations for polar mixtures with mixing rule using ASOG group-contribution method. Fluid Phase Equilibria, 1987, 33, 1-12. | 1.4 | 8 |
| 310 | High-pressure vapour—liquid equilibrium in systems containing carbon dioxide, 1-hexene, and n-hexane. Fluid Phase Equilibria, 1987, 33, 109-123. | 1.4 | 89 |
| 311 | Heats of mixing in the critical region. Fluid Phase Equilibria, 1987, 38, 163-193. | 1.4 | 21 |
| 312 | Sound velocity and isentropic exponents for gases with different acentric factors by using the Redlich-Kwong-Soave equation of state. Acta Mechanica, 1987, 66, 177-189. | 1.1 | 8 |
| 313 | Phase equilibria of continuous fossil fuel process oils. AICHE Journal, 1988, 34, 574-582. | 1.8 | 7 |
| 314 | Augmented back equation of state for polar fluids. AICHE Journal, 1988, 34, 825-833. | 1.8 | 31 |
| 315 | A thermodynamic model for predicting wax formation in crude oils. AICHE Journal, 1988, 34, 1937-1942. | 1.8 | 140 |

| # | Article | IF | Citations |
|---|---------|----|-----------|
| 316 | Computations of the formation of gas hydrates. Chemical Engineering Science, 1988, 43, 2661-2672. | 1.9 | 171 |
| 317 | Kinetics of low-pressure methanol synthesis. Chemical Engineering Science, 1988, 43, 3185-3195. | 1.9 | 416 |
| 318 | Group contribution methods for coal-derived liquids: hydrogen solubilities using a UNIFAC approach. Fuel, 1988, 67, 1609-1614. | 3.4 | 13 |
| 319 | Vapour-liquid equilibria in the ternary mixtures N2î—ᴗCH4î—ᴗC3H8 and CH4î—ᴗC2H6î—ᴗC3H8. Cryogenics, 1988, 28, 398-405. | 0.9 | 2 |
| 320 | A simple and accurate technique to obtain pure component parameters for three-parameter equations of state. Fluid Phase Equilibria, 1988, 39, 75-87. | 1.4 | 1 |
| 321 | Extension of the Trebble-Bishnoi equation of state to fluid mixtures. Fluid Phase Equilibria, 1988, 40, 1-21. | 1.4 | 89 |
| 322 | Prediction of ternary vapor-liquid equilibria by mixing rule containing regular solution and residual excess free energy terms. Fluid Phase Equilibria, 1988, 42, 105-115. | 1.4 | 5 |
| 323 | Solubilities of carbon dioxide and hydrogen sulfide in propylene carbonate, N-methylpyrrolidone and sulfolane. Fluid Phase Equilibria, 1988, 44, 105-115. | 1.4 | 121 |
| 324 | Solubility of methane, ethane, and carbon dioxide in a Mobil Fischerâ€"Tropsch wax and in n-paraffins. The Chemical Engineering Journal, 1988, 38, 41-46. | 0.4 | 7 |
| 325 | One-fluid mixing rules for cubic equations of state: I. Solubility of pure solids in supercritical fluids. Korean Journal of Chemical Engineering, 1988, 5, 76-82. | 1.2 | 7 |
| 326 | One-fluid mixing rules for cubic equations of state: II. Solubility of solid mixtures in supercritical fluids. Korean Journal of Chemical Engineering, 1988, 5, 116-122. | 1.2 | 4 |
| 327 | On the dangers of â€œtuningâ€•equation of state parameters. Chemical Engineering Science, 1988, 43, 269-278. | 1.9 | 36 |
| 328 | Vapor-liquid equilibrium of molecular fluid mixtures by equation of state. Chemical Engineering Science, 1988, 43, 2327-2367. | 1.9 | 49 |
| 329 | Kinetics of the three phase methanol synthesis. Chemical Engineering Science, 1988, 43, 2161-2168. | 1.9 | 84 |
| 330 | New method to determine the BWR coefficients in saturated regions. Cryogenics, 1988, 28, 521-526. | 0.9 | 7 |
| 331 | Calculation of tri-critical points. Fluid Phase Equilibria, 1988, 39, 53-74. | 1.4 | 29 |
| 332 | High pressure polar compounds phase equilibria calculation : Mixing rules and excess properties. Fluid Phase Equilibria, 1988, 42, 1-19. | 1.4 | 15 |
| 333 | A new three-parameter cubic equation of state for polar fluids and fluid mixtures. Fluid Phase Equilibria, 1988, 42, 21-41. | 1.4 | 51 |

| # | Article | IF | Citations |
|---|---|---|---|
| 334 | Generalization of the binary interaction parameter of the Peng-Robinson equation of state by component family. Fluid Phase Equilibria, 1988, 42, 43-62. | 1.4 | 78 |
| 335 | Vapor - liquid equilibria with the vdW - 711 equation of state. Fluid Phase Equilibria, 1988, 42, 63-83. | 1.4 | 15 |
| 336 | Gas solubility data bank for further development of phase equilibrium models. Fluid Phase Equilibria, 1988, 42, 185-194. | 1.4 | 0 |
| 337 | Phase equilibria for four binary systems containing propylene. Fluid Phase Equilibria, 1988, 43, 105-113. | 1.4 | 25 |
| 338 | Prediction of mixed gas solubility at high pressure. Fluid Phase Equilibria, 1988, 44, 125-144. | 1.4 | 4 |
| 339 | Thermodynamic property predictions with the trebble-bishnoi equation of state. Fluid Phase Equilibria, 1988, 39, 111-128. | 1.4 | 14 |
| 340 | Generalized interaction parameters in cubic equations of state for $CO_2$—n-alkane mixtures. Fluid Phase Equilibria, 1988, 40, 217-233. | 1.4 | 25 |
| 341 | Heavy component and fraction properties at low reduced temperatures for petroleum mixtures. The Chemical Engineering Journal, 1988, 38, 195-204. | 0.4 | 7 |
| 342 | Computer generation of thermodynamic property charts for mixtures. Computers and Chemical Engineering, 1988, 12, 123-126. | 2.0 | 0 |
| 343 | Simulation of multicomponent batch distillation processes. Computers and Chemical Engineering, 1988, 12, 281-288. | 2.0 | 25 |
| 344 | A correlation of the isentropic exponents of real gases. International Journal of Heat and Fluid Flow, 1988, 9, 410-414. | 1.1 | 5 |
| 345 | Correlation of thermodynamic properties of fluids by means of equations of state. Thermochimica Acta, 1988, 137, 21-38. | 1.2 | 1 |
| 346 | The excess enthalpies of (carbon dioxide + ethanol) at 308.15, 325.15, 373.15, 413.15, and 473.15 K from 5.00 to 14.91 MPa. Journal of Chemical Thermodynamics, 1988, 20, 655-663. | 1.0 | 13 |
| 347 | The excess enthalpies of (carbon dioxide + toluene) at 390.15, 413.15, 470.15, and 508.15 K from 7.60 to 17.50 MPa. Journal of Chemical Thermodynamics, 1988, 20, 877-888. | 1.0 | 13 |
| 348 | Enthalpy of (quinoline + 1,2,3,4-tetrahydronaphthalene) between 291 and 655 K at pressures to 10342 kPa. Journal of Chemical Thermodynamics, 1988, 20, 257-266. | 1.0 | 3 |
| 349 | Enthalpy of (m-cresol + 1,2,3,4-tetrahydronaphthalene) between 291 and 655 K at pressures to 10342 kPa. Journal of Chemical Thermodynamics, 1988, 20, 169-183. | 1.0 | 5 |
| 350 | Enthalpy of quinoline between 291 and 655 K at pressures to 10342 kPa. Journal of Chemical Thermodynamics, 1988, 20, 109-117. | 1.0 | 12 |
| 351 | Solubilities of naphthalene and indole in supercritical fluids. Journal of Supercritical Fluids, 1988, 1, 1-6. | 1.6 | 45 |

| # | Article | IF | Citations |
|---|---------|----|-----------|
| 352 | Mean-field lattice-gas modelling of supercritical phase behavior. Journal of Supercritical Fluids, 1988, 1, 23-30. | 1.6 | 3 |
| 353 | The importance of real–fluid behavior and nonisentropic effects in modeling decompression characteristics of pipeline fluids for application in ductile fracture propagation analysis. Canadian Journal of Chemical Engineering, 1988, 66, 3-12. | 0.9 | 47 |
| 354 | Vapor-liquid equilibria for m-cresol/tetralin and tetralin/quinoline at temperatures between 523 and 598 K. Journal of Chemical &amp; Engineering Data, 1988, 33, 253-258. | 1.0 | 14 |
| 355 | IMPROVED LIQUID DENSITIES WITH MODIFIED PENG–ROBINSON EQUATION. Chemical Engineering Communications, 1988, 73, 205-215. | 1.5 | 8 |
| 356 | Prediction of the Minimum Miscibility Pressure of a Vaporizing Gas Drive. SPE Reservoir Engineering, 1988, 3, 182-198. | 0.5 | 7 |
| 357 | Compositional Gradients in the Anschutz Ranch East Field. SPE Reservoir Engineering, 1988, 3, 1025-1032. | 0.5 | 25 |
| 358 | EOS Predictions of Compressibility and Phase Behavior in Systems Containing Water, Hydrocarbons, and CO2. SPE Reservoir Engineering, 1988, 3, 673-684. | 0.5 | 18 |
| 359 | Comparative Study of Eight Equations of State for Predicting Hydrocarbon Volumetric Phase Behavior. SPE Reservoir Engineering, 1988, 3, 337-348. | 0.5 | 31 |
| 360 | High pressure vapor-liquid equilibria of four binary systems containing carbon dioxide.. Journal of Chemical Engineering of Japan, 1988, 21, 25-29. | 0.3 | 15 |
| 361 | Chapter 4: Phase Behaviour. Developments in Petroleum Science, 1988, 23, 49-67. | 0.2 | 0 |
| 362 | Entrainer effect of H2O and ethanol on .ALPHA.-Tocopherol extraction by compressed CO2.. Kagaku Kogaku Ronbunshu, 1988, 14, 342-346. | 0.1 | 7 |
| 363 | Correlation of the Critical Curve for Binary Refrigerant Mixtures. The JSME International Journal, Series 2: Fluids Engineering, Heat Transfer, Power, Combustionrmophysical Properties, 1988, 31, 573-580. | 0.1 | 1 |
| 364 | Analysis of Computational Procedures for Multicomponent Flow in Pipelines. , 1988, , . | | 2 |
| 365 | The Study on Phase Behaviour of the Flowing Fluid in Tubing and its Application. , 1988, , . | | 0 |
| 366 | KINETICS OF THE THREE PHASE METHANOL SYNTHESIS. , 1988, , 2161-2168. | | 6 |
| 367 | Minimum reflux ratio and possibility of energy saving on a plate-to-plate heat-integrated distillation column.. Sekiyu Gakkaishi (Journal of the Japan Petroleum Institute), 1988, 31, 81-86. | 0.1 | 4 |
| 368 | Asphaltene Deposition: A Comprehensive Description of Problem Manifestations and Modeling Approaches. , 1989, , . | | 95 |
| 369 | Implicit Compositional Simulation of Single-Porosity and Dual-Porosity Reservoirs. , 1989, , . | | 149 |

| # | Article | IF | Citations |
|---|---------|-----|-----------|
| 370 | A Systematic and Consistent Approach to Determine Binary Interaction Coefficients for the Peng-Robinson Equation of State. SPE Reservoir Engineering, 1989, 4, 488-494. | 0.5 | 23 |
| 371 | THE EFFECT OF NON-IDEALITY OF REACTING MIXTURE ON SIMULATING THE METHANOL REACTOR. Chemical Engineering Communications, 1989, 76, 207-214. | 1.5 | 0 |
| 372 | The negative flash. Fluid Phase Equilibria, 1989, 53, 51-71. | 1.4 | 227 |
| 373 | A new pseudocubic perturbed hard-sphere equation of state. Fluid Phase Equilibria, 1989, 47, 171-187. | 1.4 | 6 |
| 374 | Thermophysical properties of pure polar and nonpolar compounds with a modified VdW-711 equation of state. Fluid Phase Equilibria, 1989, 45, 135-163. | 1.4 | 31 |
| 375 | On the application of cubic equations of state: Analytical expression for $\hat{I}\pm$/Tr and improved liquid density calculations. Fluid Phase Equilibria, 1989, 50, 1-20. | 1.4 | 14 |
| 376 | Cubic equations of state for reservoir engineering and chemical process design. Fluid Phase Equilibria, 1989, 52, 15-30. | 1.4 | 7 |
| 377 | A three-parameter cubic equation of state for reservoir fluids. Fluid Phase Equilibria, 1989, 52, 47-57. | 1.4 | 26 |
| 378 | Development of a perturbed hard sphere equation of state for non-polar and for polar/associating fluids. Fluid Phase Equilibria, 1989, 52, 67-74. | 1.4 | 9 |
| 379 | Fluid phase equilibrium and volumetric properties from the Chain-of-Rotators group contribution equation of state. Fluid Phase Equilibria, 1989, 51, 147-159. | 1.4 | 15 |
| 380 | Vapor-liquid equilibria in the nitrogen + carbon dioxide + ethane system. Fluid Phase Equilibria, 1989, 51, 299-313. | 1.4 | 50 |
| 381 | Ãœber die reduzierten Isentropenexponenten des Wasserdampfes. Forschung Im Ingenieurwesen/Engineering Research, 1989, 55, 192-195. | 1.0 | 0 |
| 382 | One-fluid mixing rules for cubic equations of state : III. Solubility of pure solids in supercritical mixed solvents. Korean Journal of Chemical Engineering, 1989, 6, 131-137. | 1.2 | 5 |
| 383 | A phenomenological correction to an equation of state for the critical region. AICHE Journal, 1989, 35, 1487-1496. | 1.8 | 80 |
| 384 | Method of calculation of fugacity coefficient from cubic equations of state. Chemical Engineering Science, 1989, 44, 1489-1494. | 1.9 | 14 |
| 385 | Calculation of simultaneous chemical and phase equilibria in nonideal systems. Chemical Engineering Science, 1989, 44, 237-248. | 1.9 | 75 |
| 386 | Chain-of-rotators group contribution equation of state. Chemical Engineering Science, 1989, 44, 2553-2564. | 1.9 | 44 |
| 387 | Group contribution methods for coal liquids: vapour pressures. Fuel, 1989, 68, 480-484. | 3.4 | 7 |

| # | Article | IF | Citations |
|---|---------|-----|-----------|
| 388 | Vapour-liquid equilibria of hydrogen/coal liquid and methane/coal liquid systems at elevated temperatures and pressures. Chemical Engineering and Technology, 1989, 12, 280-288. | 0.9 | 6 |
| 389 | A cubic equation of state for high-pressure phase equilibria of mixtures containing polymers and volatile fluids. Journal of Applied Polymer Science, 1989, 38, 1839-1858. | 1.3 | 106 |
| 390 | Solubilities of indole, skatole, and 5-Methoxyindole in supercritical fluids. Journal of Supercritical Fluids, 1989, 2, 3-8. | 1.6 | 16 |
| 391 | Solubilities of Indole Derivatives in Supercritical fluids. Journal of Supercritical Fluids, 1989, 2, 9-14. | 1.6 | 16 |
| 392 | Extraction of phenol from water with supercritical carbon dioxide. Journal of Supercritical Fluids, 1989, 2, 51-56. | 1.6 | 34 |
| 393 | New equation of state based on the significant structure model. Fluid Phase Equilibria, 1989, 47, 17-38. | 1.4 | 8 |
| 394 | A density correction for the Peng–Robinson equation of state. Fluid Phase Equilibria, 1989, 47, 77-87. | 1.4 | 124 |
| 395 | Combined phase and reaction equilibria calculations using the uniwaals equation of state. Fluid Phase Equilibria, 1989, 53, 89-96. | 1.4 | 3 |
| 396 | Phase equilibrium calculations and three-dimensional computer graphics representation. Fluid Phase Equilibria, 1989, 53, 105-112. | 1.4 | 6 |
| 397 | A preliminary evaluation of two and three phase flash initiation procedures. Fluid Phase Equilibria, 1989, 53, 113-122. | 1.4 | 13 |
| 398 | Monte Carlo simulations of the chemical potential of model benzene fluids. Fluid Phase Equilibria, 1989, 53, 143-150. | 1.4 | 5 |
| 399 | Phase behavior of reservoir fluids: Supercritical carbon dioxide and cold lake Bitumen. Fluid Phase Equilibria, 1989, 53, 429-438. | 1.4 | 44 |
| 400 | Excess functions and equations of state. Fluid Phase Equilibria, 1989, 47, 115-132. | 1.4 | 85 |
| 401 | Thermodynamics of liquid mixtures of xenon and methyl fluoride. Fluid Phase Equilibria, 1989, 47, 249-263. | 1.4 | 23 |
| 402 | Calculation of constants in the Trebble-Bishnoi equation of state with an extended corresponding states approach. Fluid Phase Equilibria, 1989, 45, 165-172. | 1.4 | 6 |
| 403 | Isothermal vapour-liquid equilibrium data of the benzene-propylene system at 25°C. Fluid Phase Equilibria, 1989, 46, 53-58. | 1.4 | 8 |
| 404 | Application of a maximum likelihood method using implicit constraints to determine equation of state parameters from binary phase behavior data. Fluid Phase Equilibria, 1989, 50, 249-266. | 1.4 | 25 |
| 405 | Calculation of critical loci with an equation of state based on the significant structure model. Fluid Phase Equilibria, 1989, 52, 103-110. | 1.4 | 5 |

| # | ARTICLE | IF | CITATIONS |
|---|---------|----|-----------|
| 406 | Correlation of solubilities of gases and hydrocarbons in water. Fluid Phase Equilibria, 1989, 51, 257-268. | 1.4 | 9 |
| 407 | Calculation of HmE for binary mixtures: some consequences of the conversion of cubic equations of state to hard-sphere versions. Thermochimica Acta, 1989, 154, 107-117. | 1.2 | 2 |
| 408 | Use of F-function in van der waals-type two-constant cubic equation of state. Thermochimica Acta, 1989, 140, 77-85. | 1.2 | 4 |
| 409 | Extension of dynamic models of distillation columns to steady-state simulation. Computers and Chemical Engineering, 1989, 13, 271-280. | 2.0 | 11 |
| 410 | Simultaneous steady state and dynamic simulation of chemical processes. Computers and Chemical Engineering, 1989, 13, 563-570. | 2.0 | 0 |
| 411 | A computer program for the dynamic simulation of a semi-batch supercritical fluid extraction process. Computers and Chemical Engineering, 1989, 13, 1175-1181. | 2.0 | 10 |
| 412 | Development of rectifying circuit with mixed refrigerants. International Journal of Refrigeration, 1989, 12, 182-187. | 1.8 | 2 |
| 413 | Enthalpy of 1-methylnaphthalene between 291 and 669 K at pressures to 3240 kPa. Journal of Chemical Thermodynamics, 1989, 21, 751-757. | 1.0 | 0 |
| 414 | (Vapor + liquid) equilibria and coexisting densities of (carbon dioxide + n-butane) at 311 to 395 K. Journal of Chemical Thermodynamics, 1989, 21, 915-923. | 1.0 | 68 |
| 415 | (p, Vm, T, x) and virial coefficients of {xCO2 + (1 â' x)CO}. Journal of Chemical Thermodynamics, 1989, 21, 989-996. | 1.0 | 15 |
| 416 | The Dortmund Data Bank: A computerized system for retrieval, correlation, and prediction of thermodynamic properties of mixtures. International Journal of Thermophysics, 1989, 10, 739-747. | 1.0 | 52 |
| 417 | Correlation for the second virial coefficient for nonpolar compounds using cubic equation of state. Industrial &amp; Engineering Chemistry Research, 1989, 28, 127-130. | 1.8 | 5 |
| 418 | Application of the PFGC-MES equation of state to refrigerants. Industrial &amp; Engineering Chemistry Research, 1989, 28, 1913-1917. | 1.8 | 2 |
| 419 | Generalized temperature-dependent parameters for the Peng-Robinson equation of state for n-alkanes. Industrial &amp; Engineering Chemistry Research, 1989, 28, 1103-1106. | 1.8 | 7 |
| 420 | Calculation of Thermodynamic Properties of Binary Fluid Mixtures to High Temperatures and High Pressures. Zeitschrift Fur Elektrotechnik Und Elektrochemie, 1989, 93, 898-905. | 0.9 | 52 |
| 421 | Phase Transition and Equilibrium. Journal of Chemical Engineering of Japan, 1989, 22, 215-228. | 0.3 | 6 |
| 422 | Correlation of sulubilities in supercritical fluids and entrainer effect using equation of state - Examination of mixing rules.. Kagaku Kogaku Ronbunshu, 1989, 15, 676-681. | 0.1 | 9 |
| 423 | On the functional form of the equation of state for prediction of mixture critical properties.. Journal of Chemical Engineering of Japan, 1989, 22, 695-698. | 0.3 | 0 |

| # | Article | IF | Citations |
|---|---------|----|-----------|
| 424 | Heat Transfer to Single Drops of a Nonazeotropic Fluorocarbon Mixture Evaporating in Water. The JSME International Journal, Series 2: Fluids Engineering, Heat Transfer, Power, Combustionrmophysical Properties, 1989, 32, 630-638. | 0.1 | 0 |
| 425 | A Robust Algorithm For Determining Hydrocarbon PVT Properties Using A Generalized Eos. , 1990, , . | | 1 |
| 426 | An Evaluation of Cubic Equations of State for Phase Behavior Calculations Near Miscibility Conditions. , 1990, , . | | 7 |
| 427 | Vapor-liquid equilibria of non-azeotropic halogenated hydrocarbon mixtures under high pressure.. Journal of Chemical Engineering of Japan, 1990, 23, 155-159. | 0.3 | 8 |
| 428 | p-Vlm-x,y relations for azeotropic mixture of 1,1-difluoroethane and propylene.. Journal of Chemical Engineering of Japan, 1990, 23, 763-764. | 0.3 | 5 |
| 429 | Calculation of equilibria between solid and fluid phases and three-dimensional phase diagrams for binary systems of naphthalene and supercritical fluids.. Kagaku Kogaku Ronbunshu, 1990, 16, 732-738. | 0.1 | 3 |
| 430 | A generalized Patel-Teja equation of state for polar and nonpolar fluids and their mixtures.. Journal of Chemical Engineering of Japan, 1990, 23, 87-91. | 0.3 | 253 |
| 431 | On the representation of pureâ€compound saturated ($Z_V - Z_L$) values. Canadian Journal of Chemical Engineering, 1990, 68, 171-173. | 0.9 | 1 |
| 432 | A threeâ€parameter cubic equation of state for fluids and fluid mixtures. Canadian Journal of Chemical Engineering, 1990, 68, 479-486. | 0.9 | 3 |
| 433 | An evaluation of multiple binary interaction parameters in cubic equations of state. Canadian Journal of Chemical Engineering, 1990, 68, 487-492. | 0.9 | 4 |
| 434 | Taking advantage of available cubic equations of state. Canadian Journal of Chemical Engineering, 1990, 68, 639-644. | 0.9 | 3 |
| 435 | An investigation of the thermodynamic constraints in higher alcohol synthesis over Cs-Promoted ZnCr-oxide catalyst*1. Journal of Catalysis, 1990, 124, 376-390. | 3.1 | 32 |
| 436 | Phase equilibria of essential oil components and supercritical carbon dioxide. Fluid Phase Equilibria, 1990, 59, 135-145. | 1.4 | 10 |
| 437 | A modified volume-translated Peng-Robinson equation with temperature dependent parameters. Fluid Phase Equilibria, 1990, 56, 71-80. | 1.4 | 14 |
| 438 | VLE correlation for binary 1-alkanol + n-alkane mixtures. Fluid Phase Equilibria, 1990, 56, 105-118. | 1.4 | 9 |
| 439 | Evaluation of the simplified perturbed hard chain theory (SPHCT) for prediction of phase behavior of n-paraffins and mixtures of n-paraffins with ethane. Fluid Phase Equilibria, 1990, 58, 13-33. | 1.4 | 35 |
| 440 | A simple perturbation term for the Carnahan-Starling equation of state. Fluid Phase Equilibria, 1990, 61, 53-69. | 1.4 | 35 |
| 441 | The effect of pressure on the constant-pressure heat capacity of trifluorochloromethane (CClF3). Fluid Phase Equilibria, 1990, 61, 71-80. | 1.4 | 2 |

| # | Article | IF | Citations |
|---|---------|----|-----------|
| 442 | Equation-of-state methods for the modelling of phase equilibria. Fluid Phase Equilibria, 1990, 61, 145-225. | 1.4 | 94 |
| 443 | Chemical equilibria in methanol synthesis from methyl formate. Korean Journal of Chemical Engineering, 1990, 7, 259-268. | 1.2 | 5 |
| 444 | Densities of tetramethylsilane, tetraethylsilane, and tetraethoxysilane under high pressures. International Journal of Thermophysics, 1990, 11, 477-486. | 1.0 | 12 |
| 445 | High-pressure phase equilibria of the system CO2â€"waterâ€"acetone measured with a new apparatus. Chemical Engineering Science, 1990, 45, 751-758. | 1.9 | 59 |
| 446 | Binary interaction parameters in cubic equations of state for hydrogenâ€"hydrocarbon mixtures. Chemical Engineering Science, 1990, 45, 49-54. | 1.9 | 21 |
| 447 | Methanol synthesis from CO2 and H2: dependence of equilibrium conversions and exit equilibrium concentrations of components on the main process variables. Chemical Engineering Science, 1990, 45, 89-96. | 1.9 | 56 |
| 448 | Excess molar volume prediction for some hydrocarbons and related mixtures by means of simple cubic equations of state. Fluid Phase Equilibria, 1990, 57, 47-65. | 1.4 | 15 |
| 449 | Vaporâ€"liquid equilibria for synthetic alcohols process. Fluid Phase Equilibria, 1990, 59, 115-134. | 1.4 | 4 |
| 450 | Temperature-dependent interaction parameters in cubic equations of state for nitrogen-containing mixtures. Fluid Phase Equilibria, 1990, 59, 195-205. | 1.4 | 10 |
| 451 | A method for incorporating excess Gibbs energy models in equations of state. Fluid Phase Equilibria, 1990, 60, 47-58. | 1.4 | 184 |
| 452 | Phase behavior of reservoir fluids II: Supercritical carbon dioxide and bitumen fractions. Fluid Phase Equilibria, 1990, 60, 81-98. | 1.4 | 26 |
| 453 | A modified Huron-Vidal mixing rule for cubic equations of state. Fluid Phase Equilibria, 1990, 60, 213-219. | 1.4 | 419 |
| 454 | Vaporâ€"liquid equilibria in ternary mixtures containing nitrogen, methane, ethane and carbondioxide at low temperatures and high pressures. Fluid Phase Equilibria, 1990, 54, 1-18. | 1.4 | 22 |
| 455 | Vapourâ€"liquid equilibrium in the sulphur hexafluoride â€" n-pentane system at high pressure. Fluid Phase Equilibria, 1990, 54, 35-45. | 1.4 | 8 |
| 456 | Isothermal vapour liquid equilibrium data for the system n-pentane/n-propanol. Fluid Phase Equilibria, 1990, 56, 303-312. | 1.4 | 11 |
| 457 | From the virial to the cubic equation of state. Fluid Phase Equilibria, 1990, 57, 261-276. | 1.4 | 48 |
| 458 | The significant structure model equation of state extended to mixtures. Fluid Phase Equilibria, 1990, 58, 239-264. | 1.4 | 2 |
| 459 | A new mixing rule for the Patel-Teja equation of state. study of vapor-liquid equilibria. Fluid Phase Equilibria, 1990, 58, 93-115. | 1.4 | 11 |

| # | ARTICLE | IF | CITATIONS |
|---|---------|----|-----------|
| 460 | Investigation and improvement of the horvÃ¡thâ€"lin equation of state. Journal of Chromatography A, 1990, 499, 463-467. | 1.8 | 0 |
| 461 | Critical locus, (vapor + liquid) equilibria, and coexisting densities of (carbon dioxide + propane) at temperatures from 311 K to 361 K. Journal of Chemical Thermodynamics, 1990, 22, 777-795. | 1.0 | 95 |
| 462 | Compression factors and second virial coefficients of H2, CH4, {xCO2 + (1 â^' x)H2}, and {xCO2 + (1 â^') Tj ETQq0 0 0 rgBT /Overlock 10 | 1.0 | 23 |
| 463 | Modelling the Rheological Behaviour of Dense Media for Coal Processing. Coal Preparation, 1990, 8, 167-183. | 0.5 | 4 |
| 464 | AN EMPIRICAL VIRIAL-LIKE CUBIC EQUATION OF STATE FOR PHASE EQUILIBRIUM CALCULATIONS. Chemical Engineering Communications, 1990, 90, 35-45. | 1.5 | 1 |
| 465 | EQUATION OF STATE FOR POLAR AND NONPOLAR SUBSTANCES FROM CORRELATIONS OF PURE COMPONENT PROPERTIES. Chemical Engineering Communications, 1990, 92, 153-167. | 1.5 | 2 |
| 466 | Generalized Thermodynamic and Transport Properties Evaluation for Nonpolar Fluids. Heat Transfer Engineering, 1990, 11, 60-72. | 1.2 | 2 |
| 467 | Correlation and predication of physical properties of hydrocarbons with the modified Peng-Robinson equation of state. 2. Representation of the vapor pressures and of the molar volumes. Industrial &amp; Engineering Chemistry Research, 1990, 29, 659-666. | 1.8 | 11 |
| 468 | Development of a detailed model of petroleum formation, destruction, and expulsion from lacustrine and marine source rocks. Organic Geochemistry, 1990, 16, 27-39. | 0.9 | 139 |
| 469 | Mathematical Simulation of Nonequilibrium Separation in Gas Production Equipment. , 1991, , . |  | 0 |
| 470 | Simplified GERG Virial Equation for Field Use. SPE Production Engineering, 1991, 6, 350-356. | 0.3 | 10 |
| 471 | Phase Behavior Modeling of Gas-Condensate Fluids Using an Equation of State. , 1991, , . |  | 17 |
| 472 | A Simplified Method for Computing Phase Behavior of Carbon Dioxide/Hydrocarbon Mixtures in Compositional Simulation. , 1991, , . |  | 1 |
| 473 | Application of the Du-Guo and SRK Equations of State To Predict the Phase Behavior of Chinese Reservoir Fluids. SPE Reservoir Engineering, 1991, 6, 379-388. | 0.5 | 5 |
| 474 | A Correlation of Dew- and Bubble-point Curves for Binary Refrigerant Mixtures.. 880-02 Nihon Kikai Gakkai RonbunshÅ« Transactions of the Japan Society of Mechanical Engineers Series B B-hen, 1991, 57, 4167-4173. | 0.2 | 0 |
| 475 | Phase equilibrium study of extraction and concentration of furfural produced in reactor using supercritical carbon dioxide.. Journal of Chemical Engineering of Japan, 1991, 24, 449-455. | 0.3 | 81 |
| 476 | Debindering from alumina green body by supercritical carbon dioxide.. Kagaku Kogaku Ronbunshu, 1991, 17, 243-252. | 0.1 | 4 |
| 477 | Debindering from Alumina Green Body by Combined Use of the Supercritical Fluid Extraction Technique and Activated Carbon.. Kagaku Kogaku Ronbunshu, 1991, 17, 716-724. | 0.1 | 8 |

| # | ARTICLE | IF | CITATIONS |
|---|---------|-----|-----------|
| 478 | Sound velocity and isentropic exponents of real air on its compressibility chart. International Journal of Heat and Fluid Flow, 1991, 12, 137-141. | 1.1 | 3 |
| 479 | Thermodynamic tuning in separation process simulation and design. Computers and Chemical Engineering, 1991, 15, 471-479. | 2.0 | 10 |
| 480 | A simple set of equations of state for process calculations and its application to R134a and R152a. International Journal of Refrigeration, 1991, 14, 217-222. | 1.8 | 6 |
| 481 | Equations of state from generalized perturbation theory. Part 1. The hard-core Lennard-Jones fluid. Fluid Phase Equilibria, 1991, 63, 1-25. | 1.4 | 13 |
| 482 | Vapour–liquid equilibrium of the non-azeotropic refrigerant mixture formed by chlorofluoromethane and 1,1,1,2-tetrafluoroethane. Fluid Phase Equilibria, 1991, 63, 151-156. | 1.4 | 13 |
| 483 | Comparative study of cubic equations of state for predicting phase behaviour and volumetric properties of injection gas-reservoir oil systems. Fluid Phase Equilibria, 1991, 63, 259-278. | 1.4 | 84 |
| 484 | Simple and predictive approach for calculating the high pressure and temperature vapour–liquid equilibria of binary mixtures by applying a UNIFAC equation of state method. Fluid Phase Equilibria, 1991, 63, 329-340. | 1.4 | 3 |
| 485 | Phase behavior of reservoir fluids V: SAFT model of CO2 and bitumen systems. Fluid Phase Equilibria, 1991, 70, 33-54. | 1.4 | 39 |
| 486 | Calculation of heats of vaporization of halogenated hydrocarbons from saturated vapour pressure data. Fluid Phase Equilibria, 1991, 68, 13-34. | 1.4 | 17 |
| 487 | Group-contribution equation of state for correlating and predicting thermodynamic properties of weakly polar and non-associating mixtures. Fluid Phase Equilibria, 1991, 68, 47-102. | 1.4 | 89 |
| 488 | PSRK: A Group Contribution Equation of State Based on UNIFAC. Fluid Phase Equilibria, 1991, 70, 251-265. | 1.4 | 603 |
| 489 | Phase behavior of reservoir fluids III: Molecular lumping and characterization. Fluid Phase Equilibria, 1991, 66, 1-21. | 1.4 | 18 |
| 490 | Near-critical-region equilibria of the CH4-CO2-H2S system. Fluid Phase Equilibria, 1991, 66, 291-308. | 1.4 | 9 |
| 491 | Study of ternary liquid–liquid equilibria and of multiphase equilibria. Fluid Phase Equilibria, 1991, 65, 181-207. | 1.4 | 3 |
| 492 | A cubic equation of state with a new alpha function and a new mixing rule. Fluid Phase Equilibria, 1991, 69, 33-50. | 1.4 | 213 |
| 493 | Practical equation of state and activity coefficient models based on the exp-6 fluid. Fluid Phase Equilibria, 1991, 69, 99-139. | 1.4 | 3 |
| 494 | The effect of pressure on the constant-pressure heat capacity of CF4-CHF3 and N2-CF4-CHF3 mixtures. Fluid Phase Equilibria, 1991, 69, 235-250. | 1.4 | 1 |
| 495 | Equation-of-State mixing rules for multicomponent mixtures: the problem of invariance. Fluid Phase Equilibria, 1991, 67, 31-44. | 1.4 | 180 |

| # | ARTICLE | IF | CITATIONS |
|---|---------|----|-----------|
| 496 | Liquid volumetric behavior and phase equilibrium calculations by a hard-sphere three-parameter equation of state. Fluid Phase Equilibria, 1991, 67, 173-195. | 1.4 | 10 |
| 497 | Enthalpy of (m-cresol + quinoline + 1,2,3,4-tetrahydronaphthalene) at temperatures between 291 K and 670 K and at pressures to 10342 kPa. Journal of Chemical Thermodynamics, 1991, 23, 1001-1012. | 1.0 | 0 |
| 498 | Enthalpy of (m-cresol + quinoline) at temperatures between 291 K and 655 K and at pressures to 10342 kPa. Journal of Chemical Thermodynamics, 1991, 23, 745-757. | 1.0 | 2 |
| 499 | The MHV2 model: a UNIFAC-based equation of state model for prediction of gas solubility and vapor-liquid equilibria at low and high pressures. Industrial &amp; Engineering Chemistry Research, 1991, 30, 1936-1945. | 1.8 | 169 |
| 500 | Thermal equilibrium between vanadyloctaethylporphyrin and hydrogenated porphyrin during the hydrodemetallation process. Reaction Kinetics and Catalysis Letters, 1991, 45, 191-198. | 0.6 | 12 |
| 501 | A new four-parameter cubic equation of state for fluids. Canadian Journal of Chemical Engineering, 1991, 69, 992-996. | 0.9 | 12 |
| 502 | A high pressure solubility apparatus for gases of high solubility. Canadian Journal of Chemical Engineering, 1991, 69, 1193-1199. | 0.9 | 4 |
| 503 | Correlation of high-pressure phase equilibria in the retrograde region with three common equations of state. Canadian Journal of Chemical Engineering, 1991, 69, 1200-1205. | 0.9 | 2 |
| 504 | An improved SRK-equation for the estimation of concentrations by inferential measurements. Chemical Engineering and Technology, 1991, 14, 20-28. | 0.9 | 1 |
| 505 | Infinite-dilution activity coefficients of organic solutes in methyl phenyl ether, butyl ether and methyliso-butyl ketone. Chemical Engineering and Technology, 1991, 14, 376-378. | 0.9 | 3 |
| 506 | Saturated liquid densities and bubble-point pressures of the binary HCFC 22 + HFC 152a system. Fluid Phase Equilibria, 1991, 61, 263-273. | 1.4 | 20 |
| 507 | Supercritical phase behaviour: Description of the solubility of binary solid mixtures in a supercritical solvent with a lattice gas model. Fluid Phase Equilibria, 1991, 62, 225-238. | 1.4 | 12 |
| 508 | A PY-type pseudocubic perturbed hard-sphere equation of state. Fluid Phase Equilibria, 1991, 63, 43-48. | 1.4 | 0 |
| 509 | Analysis of gas solubilities in alkanes using a hard sphere equation of state. Fluid Phase Equilibria, 1991, 63, 91-99. | 1.4 | 0 |
| 510 | The influence of gas phase fugacity and solubility on correlation of gas-hydrate formation pressure. Fluid Phase Equilibria, 1991, 70, 199-213. | 1.4 | 34 |
| 511 | Predictions of Co2 solubility and CO2 saturated liquid density of heavy oils and bitumens using a cubic equation of state. Fluid Phase Equilibria, 1991, 64, 33-48. | 1.4 | 22 |
| 512 | Correlation of thermophysical properties of halogenated refrigerants. Fluid Phase Equilibria, 1991, 67, 111-125. | 1.4 | 5 |
| 513 | Optimization of ethane extraction plants from natural gas containing carbon dioxide. Separation and Purification Technology, 1991, 5, 229-234. | 0.3 | 9 |

| # | ARTICLE | IF | CITATIONS |
|---|---------|----|-----------|
| 514 | Quality control of binary distillation columns via nonlinear aggregated models. Automatica, 1991, 27, 463-480. | 3.0 | 101 |
| 515 | Multicomponent fugacity coefficients and residual properties from pressure-explicit equations of state. Chemical Engineering Science, 1991, 46, 2019-2029. | 1.9 | 1 |
| 516 | Compressibility charts for gases with different acentric factors and evaluation of the Redlich-Kwong-Soave equation of state. Forschung Im Ingenieurwesen/Engineering Research, 1991, 57, 158-161. | 1.0 | 2 |
| 517 | Saturated liquid densities and bubble-point pressures of the binary HFC 152a+HCFC 142b system. International Journal of Thermophysics, 1991, 12, 1029-1038. | 1.0 | 4 |
| 518 | A Practical Equation of State. SPE Reservoir Engineering, 1991, 6, 137-146. | 0.5 | 9 |
| 519 | Development and Applications of an Improved Cubic Equation of State. , 1991, , . | | 0 |
| 520 | BINARY AND MULTICOMPONENT VAPOR-LIQUID EQUILIBRIA OF SYNTHESIS GAS COMPONENTS, METHANOL AND WATER WITH TETRA ETHYLENE GLYCOL DIMETHYL ETHER (TETRAGLYME). Chemical Engineering Communications, 1991, 102, 35-46. | 1.5 | 11 |
| 521 | SIMULATION OF A THREE PHASE REACTOR FOR THE SOLVENT METHANOL PROCESS. Chemical Engineering Communications, 1991, 105, 155-170. | 1.5 | 5 |
| 522 | Development of Thermodynamic Models with a View to the Synthesis and Design of Separation Processes. , 1991, , 1-14. | | 5 |
| 524 | Expert system for selection of phase equilibrium models. International Journal of Systems Science, 1992, 23, 885-902. | 3.7 | 0 |
| 525 | Automatic Fitting of Equations of State for Phase Behavior Matching. , 1992, , . | | 3 |
| 526 | Applicability of the Perturbed Hard Chain Equation of State for Simulation of Distillation Processes in the Oleochemical Industry. Part I: Separation of Fatty Acids. Separation Science and Technology, 1992, 27, 955-974. | 1.3 | 8 |
| 527 | High pressure vle in petroleum fluids: Acoustical and visual experimental determination. comparison with data deduced from a number of E.O.S.. High Pressure Research, 1992, 8, 423-426. | 0.4 | 3 |
| 528 | A New Method to Estimate Compressibility Factors for CO2 Hydrocarbon Mixtures. , 1992, , . | | 1 |
| 529 | A Substitute for Test Separators. , 1992, , . | | 1 |
| 530 | Equation of State Characterization and Miscibility Development in a Multiple Phase Hydrocarbon System. , 1992, , . | | 11 |
| 531 | Mathematical Simulation of Phase Behavior of Natural Multicomponent Systems at High Pressures With an Equation of State. SPE Reservoir Engineering, 1992, 7, 117-122. | 0.5 | 89 |
| 532 | A New Method for Petroleum Fractions and Crude oil Characterization. SPE Reservoir Engineering, 1992, 7, 265-270. | 0.5 | 21 |

| # | Article | IF | Citations |
|---|---------|-----|-----------|
| 533 | MODELS FOR HIGH PRESSURE MULTICOMPONENT EQUILIBRIA. , 1992, , 25-68. | | 2 |
| 534 | Area method for prediction of fluid-phase equilibria. Industrial &amp; Engineering Chemistry Research, 1992, 31, 942-949. | 1.8 | 52 |
| 535 | Interpretation of Gas Condensate Well Tests With Field Examples. , 1992, , . | | 24 |
| 536 | An equation of state for the CH4-CO2-H2O system: II. Mixtures from 50 to 1000Â°C and 0 to 1000 bar. Geochimica Et Cosmochimica Acta, 1992, 56, 2619-2631. | 1.6 | 247 |
| 537 | Thermodynamic property predictions for refrigerant mixtures. Industrial &amp; Engineering Chemistry Research, 1992, 31, 1212-1216. | 1.8 | 18 |
| 538 | Design and analysis of chemical processes through DYNSIM. Industrial &amp; Engineering Chemistry Research, 1992, 31, 244-254. | 1.8 | 25 |
| 539 | Vapor-liquid equilibrium for binary systems containing a heavy liquid and a dense fluid. Industrial &amp; Engineering Chemistry Research, 1992, 31, 2769-2773. | 1.8 | 11 |
| 540 | PMOD: a flexible model of oil and gas generation, cracking, and expulsion. Organic Geochemistry, 1992, 19, 161-172. | 0.9 | 104 |
| 541 | Thermodynamic properties of unsaturated vapour and liquid states from a cubic equation of state: saturated and subcritical regions. Thermochimica Acta, 1992, 196, 415-435. | 1.2 | 8 |
| 542 | Use of F-function of two-parameter cubic equation of state in P-V-T calculations of binary mixtures. Thermochimica Acta, 1992, 208, 305-322. | 1.2 | 3 |
| 543 | Thermodynamic properties of unsaturated vapour and liquid states from a cubic equation of state: Supercritical and compressed liquid regions. Thermochimica Acta, 1992, 197, 131-146. | 1.2 | 5 |
| 544 | Bubble pressure and saturated liquid molar volumes of the propane (1)-dichlorotetrafluoroethane(2)-trichlorotrifluoroethane(3) ternary system and of the three corresponding binaries. International Journal of Refrigeration, 1992, 15, 186-191. | 1.8 | 3 |
| 545 | Investigation of the influence of oil injection upon the screw compressor working process. International Journal of Refrigeration, 1992, 15, 206-220. | 1.8 | 65 |
| 546 | Phase behavior prediction for binary volatile-nonvolatile mixtures of N-paraffins. Journal of Supercritical Fluids, 1992, 5, 151-156. | 1.6 | 3 |
| 547 | Calculation of interaction parameters for binary solid-SCF equilibria using several EOS and mixing rules. Journal of Supercritical Fluids, 1992, 5, 283-295. | 1.6 | 30 |
| 548 | General correlations for pure-component parameters of two-parameter equations-of-state. Journal of Supercritical Fluids, 1992, 5, 81-90. | 1.6 | 12 |
| 549 | Multiphase equilibria of binary and ternary mixtures involving solid phase(s) at supercritical-fluid conditions. Journal of Supercritical Fluids, 1992, 5, 91-100. | 1.6 | 16 |
| 550 | The MHV2 model: Prediction of phase equilibria at sub- and supercritical conditions. Journal of Supercritical Fluids, 1992, 5, 42-47. | 1.6 | 26 |

| # | Article | IF | Citations |
|---|---------|-----|-----------|
| 551 | Chemical equilibria and catalytic reaction of gas-phase methanol synthesis from methyl formate. Applied Catalysis A: General, 1992, 83, 15-30. | 2.2 | 25 |
| 552 | Studies on diffusion and natural convection of two-component gases. Nuclear Engineering and Design, 1992, 135, 341-354. | 0.8 | 30 |
| 553 | Phase equilibria in the binary system carbon disulfide-carbon dioxide. Fluid Phase Equilibria, 1992, 73, 323-338. | 1.4 | 12 |
| 554 | A group contribution equation of state for polar and non-polar compounds. Fluid Phase Equilibria, 1992, 72, 111-130. | 1.4 | 26 |
| 555 | The equilibrium phase properties of the methanol-hydrogen sulfide binary system. Fluid Phase Equilibria, 1992, 72, 163-172. | 1.4 | 25 |
| 556 | Experimental vapor-liquid equilibria in the systems R 22-R 23, R 22-Co2, Cs2-R 22, R 23-Co2, Cs2-R 23 and their correlation by equations of state. Fluid Phase Equilibria, 1992, 73, 147-166. | 1.4 | 31 |
| 557 | Comparison with experimental data of ultrasound velocity in pure hydrocarbons calculated from equations of state. Fluid Phase Equilibria, 1992, 74, 157-175. | 1.4 | 14 |
| 558 | Vapor-liquid equilibria in the binary system dimethyl ether + n-butane from 282.9 to 414.5 k at pressures to 4.82 MPa. Fluid Phase Equilibria, 1992, 74, 289-302. | 1.4 | 21 |
| 559 | Calculation of phase diagrams of gas-hydrates. Fluid Phase Equilibria, 1992, 76, 141-149. | 1.4 | 42 |
| 560 | Peng-Robinson predictions for hydrocarbons, CO2, N2, and H2 S with pure water and NaCI brine. Fluid Phase Equilibria, 1992, 77, 217-240. | 1.4 | 262 |
| 561 | Critical point calculations for oil reservoir fluid systems using the SPHCT equation of state. Fluid Phase Equilibria, 1992, 81, 39-84. | 1.4 | 17 |
| 562 | Tricritical lines and multiphase equilibria in quaternary mixtures. Fluid Phase Equilibria, 1992, 75, 11-22. | 1.4 | 19 |
| 563 | A new cubic equation of state. Fluid Phase Equilibria, 1992, 75, 65-79. | 1.4 | 33 |
| 564 | New applications of Kahl's VLE analysis to engineering phase behavior calculations. Fluid Phase Equilibria, 1992, 78, 157-190. | 1.4 | 8 |
| 565 | Solubilities of carbon dioxide in alkylaromatic solvents at low pressure. Fluid Phase Equilibria, 1992, 78, 335-344. | 1.4 | 6 |
| 566 | Prediction of refrigerant thermodynamic properties by equations of state: vapor liquid equilibrium behavior of binary mixtures. Fluid Phase Equilibria, 1992, 80, 33-44. | 1.4 | 15 |
| 567 | Sampling Gas-Condensate Wells. SPE Reservoir Engineering, 1992, 7, 358-362. | 0.5 | 41 |
| 568 | A new four€parameter cubic equation of state for mixtures. Vapor€"liquid equilibrium calculations. Canadian Journal of Chemical Engineering, 1992, 70, 320-329. | 0.9 | 5 |

| # | Article | IF | Citations |
|---|---------|----|-----------|
| 569 | A molecular thermodynamic approach to the prediction of phase equilibria in reservoir simulation. Canadian Journal of Chemical Engineering, 1992, 70, 559-568. | 0.9 | 3 |
| 570 | The experimental determination and modelling of VLE for binary subsystems of the quaterhary system N2 + CH4 + C4H10 + C14H30 UP to 1000 bar and 440 K. Fluid Phase Equilibria, 1992, 73, 285-321. | 1.4 | 44 |
| 571 | Speed of sound in binary mixtures as a function of temperature and pressure. Fluid Phase Equilibria, 1992, 74, 177-202. | 1.4 | 27 |
| 572 | Application of the modified Kumar-Starling equation of state to predict the phase behavior of mixtures in the near-critical region. Fluid Phase Equilibria, 1992, 81, 17-38. | 1.4 | 0 |
| 573 | A new method to construct equations of state and some examples. Fluid Phase Equilibria, 1992, 81, 153-164. | 1.4 | 3 |
| 574 | Parameters for the PR and SRK equations of state. Fluid Phase Equilibria, 1992, 78, 331-334. | 1.4 | 7 |
| 575 | Sensitivity to phase equilibrium data in the simulation of a hydrogen purifying column. Chemical Engineering and Technology, 1992, 15, 265-268. | 0.9 | 0 |
| 576 | Comparison of generalized equations of state to predict gas-phase heat capacity. AICHE Journal, 1992, 38, 302-307. | 1.8 | 10 |
| 577 | Phase equilibria in the system water-methyldiethanolamine-propane. AICHE Journal, 1992, 38, 511-520. | 1.8 | 19 |
| 578 | A modified Redlich-Kwong equation for phase equilibrium and enthalpy calculations. AICHE Journal, 1992, 38, 1299-1301. | 1.8 | 2 |
| 579 | Comparison between a noncubic equation of state particularly suitable for polar fluids and the Soave equation of state. Chemical Engineering Science, 1993, 48, 3096-3100. | 1.9 | 1 |
| 580 | Measurement of induction times for the formation of methane and ethane gas hydrates. Chemical Engineering Science, 1993, 48, 445-453. | 1.9 | 149 |
| 581 | Modification of the soave equation of state suggested by using computer simulation. Chemical Engineering Science, 1993, 48, 513-519. | 1.9 | 12 |
| 582 | Vaporâ€"liquid equilibria calculations with a cubic equation of state: group contributions for heavy hydrocarbons containing mixtures. Chemical Engineering Science, 1993, 48, 1185-1200. | 1.9 | 4 |
| 583 | Correlation and prediction of gas solubility in heavy complex liquids. Chemical Engineering and Technology, 1993, 16, 399-404. | 0.9 | 5 |
| 584 | Computation of tricritical points in ternary systems. AICHE Journal, 1993, 39, 1242-1256. | 1.8 | 15 |
| 585 | The limiting behaviour of the simplified-perturbed-hard-chain theory at high temperatures. Fluid Phase Equilibria, 1993, 90, 45-56. | 1.4 | 6 |
| 586 | High pressure vapour-liquid equilibrium in the carbon dioxide â€" Î±-pinene system. Fluid Phase Equilibria, 1993, 90, 125-133. | 1.4 | 21 |

| # | Article | IF | Citations |
|---|---------|-----|-----------|
| 587 | Simultaneous determination of vapor-liquid equilibrium and molar volumes for coexisting phases up to the critical temperature with a static method. Fluid Phase Equilibria, 1993, 90, 177-187. | 1.4 | 57 |
| 588 | A consistent procedure for the estimation of properties associated to lumped systems. Fluid Phase Equilibria, 1993, 87, 189-197. | 1.4 | 51 |
| 589 | A simple generalization of the binary temperature-dependent interaction parameters in the Soave-Redlich-Kwong and Peng-Robinson equations of state for helium-mixtures. Fluid Phase Equilibria, 1993, 87, 199-211. | 1.4 | 13 |
| 590 | Phase equilibria of the mixtures methane + n-hexane + n-hexatriacontane, methane + toluene + naphthalene, and methane + n-hexane + naphthalene. Fluid Phase Equilibria, 1993, 87, 255-272. | 1.4 | 15 |
| 591 | A modified clausius equation of state for calculation of multicomponent refrigerant vapor-liquid equilibria. Fluid Phase Equilibria, 1993, 90, 219-249. | 1.4 | 8 |
| 592 | On statistical mechanical equations of state for simple fluids. Fluid Phase Equilibria, 1993, 90, 307-332. | 1.4 | 9 |
| 593 | Estimation of high-pressure fugacity coefficients of pure gaseous fluids by a modified SRK equation of state. Fluid Phase Equilibria, 1993, 91, 87-100. | 1.4 | 29 |
| 594 | The constant pressure heat capacity of supercritical carbon dioxide-methanol and carbon dioxide-ethanol co-solvent mixtures. Fluid Phase Equilibria, 1993, 91, 159-176. | 1.4 | 8 |
| 595 | Calculation of heats of vaporization of selected groups of organic compounds containing oxygen, sulphur or nitrogen by using saturated vapour pressure data. Fluid Phase Equilibria, 1993, 89, 253-289. | 1.4 | 11 |
| 596 | Variant and invariant properties from cubic equations of state. Fluid Phase Equilibria, 1993, 84, 1-8. | 1.4 | 16 |
| 597 | An application of the UNIFAC-RKS method to a reactive system. Fluid Phase Equilibria, 1993, 84, 111-122. | 1.4 | 4 |
| 598 | Measurement and prediction of vapor-liquid equilibria for a reactive system: application to ethylene oxide + nonyl phenol. Fluid Phase Equilibria, 1993, 82, 79-92. | 1.4 | 11 |
| 599 | Measurements, correlation and prediction of Henry's constants of light alkanes in model heavy hydrocarbons and petroleum fractions. Fluid Phase Equilibria, 1993, 82, 141-148. | 1.4 | 9 |
| 600 | A comprehensive comparison of mixing rules for calculation of phase equilibria in complex systems. Fluid Phase Equilibria, 1993, 82, 361-368. | 1.4 | 32 |
| 601 | Use of the binary interaction parameter Lij(T,P,xi) function for van der Waals-type equations of state in vapor-liquid equilibrium calculations. Thermochimica Acta, 1993, 224, 1-12. | 1.2 | 0 |
| 602 | Molecular simulation of the enthalpies of argon (1) + methane (2) at different temperatures and pressures. Thermochimica Acta, 1993, 221, 163-170. | 1.2 | 4 |
| 603 | The use of the F-function of the two-parameter cubic equation of state in vapour–liquid equilibrium calculations of binary mixtures. Thermochimica Acta, 1993, 217, 285-299. | 1.2 | 2 |
| 604 | Iterated linear programming strategies for non-smooth simulation: A penalty based method for vapor–liquid equilibrium applications. Computers and Chemical Engineering, 1993, 17, 95-109. | 2.0 | 30 |

| # | ARTICLE | IF | CITATIONS |
|---|---------|----|-----------|
| 605 | Model simplification and reduction for simulation and optimization of chemical processes. Computers and Chemical Engineering, 1993, 17, 465-483. | 2.0 | 15 |
| 606 | Equations of state and spinodal lines — a review. Nuclear Engineering and Design, 1993, 141, 269-287. | 0.8 | 24 |
| 607 | A study on the minimum miscibility pressure for miscible flooding systems. Journal of Petroleum Science and Engineering, 1993, 8, 315-328. | 2.1 | 57 |
| 608 | A generalized process for phase equilibrium calculation with cubic equations of state. International Journal of Thermophysics, 1993, 14, 1101-1108. | 1.0 | 7 |
| 609 | Equation-of-state calculations of chemical reaction equilibrium in nonideal systems. International Journal of Thermophysics, 1993, 14, 199-213. | 1.0 | 3 |
| 610 | A cubic simplified perturbed hard—chain equation of state for fluids with chainlike molecules. Canadian Journal of Chemical Engineering, 1993, 71, 591-604. | 0.9 | 14 |
| 611 | Prediction of ethane and $CO_2$ solubilities in heavy norma paraffins using generalized-parameter soave and peng-robinson equations of state. Canadian Journal of Chemical Engineering, 1993, 71, 805-816. | 0.9 | 31 |
| 612 | Solubility of hydrogen sulfide in isooctane, n-decane, n-tridecane, n-hexadecane and squalane at temperatures from 323 to 523 K and pressures up to 1.6 MPa. Fluid Phase Equilibria, 1993, 85, 257-269. | 1.4 | 17 |
| 613 | Vapour-liquid equilibrium in the carbon dioxide — p-cymene system at high pressure. Fluid Phase Equilibria, 1993, 90, 135-141. | 1.4 | 8 |
| 614 | The fractal response of robust solution techniques to the stationary point problem. Fluid Phase Equilibria, 1993, 84, 49-78. | 1.4 | 22 |
| 615 | Improving the treatment of heavy hydrocarbons by the SRK EOS. Fluid Phase Equilibria, 1993, 84, 339-342. | 1.4 | 43 |
| 616 | High pressure liquid-liquid equilibria in ternary systems containing water, benzene, toluene, n-hexane and n-hexadecane. Fluid Phase Equilibria, 1993, 82, 165-172. | 1.4 | 21 |
| 617 | A combined soave-redlich-kwong and NRTL equation for calculating the distribution of methanol between water and hydrocarbon phases. Fluid Phase Equilibria, 1993, 82, 199-206. | 1.4 | 19 |
| 618 | 20 years of Redlich-Kwong equation of state. Fluid Phase Equilibria, 1993, 82, 345-359. | 1.4 | 47 |
| 619 | An equation of state for carboxylic acids. Fluid Phase Equilibria, 1993, 82, 379-388. | 1.4 | 17 |
| 620 | An equation of state for hydrogen fluoride. Fluid Phase Equilibria, 1993, 86, 47-62. | 1.4 | 17 |
| 621 | Vapor-liquid equilibria for carbon dioxide and 1-methylnaphthalene: experiment and correlation. Fluid Phase Equilibria, 1993, 86, 211-223. | 1.4 | 11 |
| 622 | Near-critical and supercritical fluid densities of CO2-SF6 mixtures. Fluid Phase Equilibria, 1993, 86, 275-292. | 1.4 | 6 |

| # | Article | IF | Citations |
|---|---------|----|-----------|
| 623 | Modelling of a semibatch polypropylene slurry reactor. Polymer, 1993, 34, 4417-4426. | 1.8 | 13 |
| 624 | Continuous thermodynamics of phase equilibria using the beta distribution function and an equation of state. Korean Journal of Chemical Engineering, 1993, 10, 71-77. | 1.2 | 3 |
| 625 | High pressure droplet vaporization; effects of liquid-phase gas solubility. International Journal of Heat and Mass Transfer, 1993, 36, 4419-4431. | 2.5 | 79 |
| 626 | High-pressure phase equilibria for carbon dioxide-methanol-water system: experimental data and critical evaluation of mixing rules. Industrial &amp; Engineering Chemistry Research, 1993, 32, 2881-2887. | 1.8 | 44 |
| 627 | THERMODYNAMIC PERFORMANCE PREDICTION FOR NON-CFC MIXTURES. Chemical Engineering Communications, 1993, 126, 205-220. | 1.5 | 2 |
| 628 | Prediction of vapor-liquid equilibria at high pressures using activity coefficient parameters obtained from low-pressure data: a comparison of two equation of state mixing rules. Industrial &amp; Engineering Chemistry Research, 1993, 32, 1498-1503. | 1.8 | 51 |
| 629 | Calculation of vapor-liquid equilibria from infinite-dilution excess enthalpy data using the Wilson or NRTL equation. Industrial &amp; Engineering Chemistry Research, 1993, 32, 3150-3161. | 1.8 | 108 |
| 630 | Modeling of multiphase transport of multicomponent organic contaminants and heat in the subsurface: Numerical model formulation. Water Resources Research, 1993, 29, 3727-3740. | 1.7 | 75 |
| 631 | Salt Effect on Vapor-Liquid Equilibria: A Review of Correlations and Predictive Models. Separation Science and Technology, 1993, 28, 1799-1818. | 1.3 | 13 |
| 632 | An Explicit Phase-Behavior Model for Pseudocompositional Reservoir Simulation. SPE Advanced Technology Series, 1993, 1, 17-26. | 0.2 | 9 |
| 633 | Schmidt-Wenzel and Peng-Robinson Equations of State for CO2/Hydrocarbon Mixtures: Binary Interaction Parameters and Volume Translation Factors. SPE Advanced Technology Series, 1993, 1, 142-151. | 0.2 | 5 |
| 634 | Simultaneous Measurement of Fuel Vapor Concentration and Droplets Density in an Evaporating Diesel Spray with Laser Light Absorption and Scattering. 3rd Report. Analysis of Entrainment Characteristics of Ambient Gas into an Evaporating Diesel Spray.. 880-02 Nihon Kikai Gakkai RonbunshÅ« Transactions of the Japan Society of Mechanical Engineers Series B B-hen, 1993, 59, 2334-2340. | 0.2 | 0 |
| 635 | Prediction of the Critical Point and the Dew- and Bubble-Point Curves of Natural Gases.. 880-02 Nihon Kikai Gakkai RonbunshÅ« Transactions of the Japan Society of Mechanical Engineers Series B B-hen, 1993, 59, 529-534. | 0.2 | 2 |
| 636 | Prediction of vapor-liquid equilibria by using equations of state with zero-pressure excess gibbs energy mixing rules. The rku2 model for moderate temperatures.. Journal of Chemical Engineering of Japan, 1993, 26, 166-172. | 0.3 | 4 |
| 637 | High-pressure vapor-liquid equilibria for the system HFC134a+HFC143a.. Journal of Chemical Engineering of Japan, 1993, 26, 320-322. | 0.3 | 13 |
| 638 | Correlation of solubilities of light gases in heavy hydrocarbons.. Journal of Chemical Engineering of Japan, 1993, 26, 325-328. | 0.3 | 1 |
| 639 | The Simulation of Enhanced Oil Recovery Processes Using a Vapor/Liquid Equilibrium Model Based on Critical Scaling Theory. , 1993, , . | | 0 |
| 640 | Petroleum Engineering Nineties Style: Caroline Major Sour Gas Condensate Project. , 1993, , . | | 3 |

| # | ARTICLE | IF | CITATIONS |
|---|---------|-----|-----------|
| 641 | Successful Prediction of Condensate Wellbore Behaviour Using an EOS Generated From Black Oil Data. , 1993, , . | | 2 |
| 642 | Design Information and Data. , 1993, , 269-315. | | 0 |
| 643 | Solubility Measurement in Crossover Region of Supercritical CO2-Naphthalene-Phenanthrene System.. Sekiyu Gakkaishi (Journal of the Japan Petroleum Institute), 1994, 37, 321-327. | 0.1 | 8 |
| 645 | The Classical Theory of Critical Points. , 1994, , 39-64. | | 6 |
| 646 | COMPARISON OF FIFTEEN GENERALIZED EQUATIONS OF STATE TO PREDICT GAS-PHASE ENTHALPY. Chemical Engineering Communications, 1994, 130, 1-9. | 1.5 | 3 |
| 647 | Development of the Trilateral Flash Cycle System Part 2: Increasing Power Output with Working Fluid Mixtures. Proceedings of the Institution of Mechanical Engineers, Part A: Journal of Power and Energy, 1994, 208, 135-144. | 0.8 | 29 |
| 648 | Foams for Well Stimulation. Advances in Chemistry Series, 1994, , 355-404. | 0.6 | 10 |
| 649 | A GENERALIZED EQUATION OF STATE FOR POLAR AND NON-POLAR FLUIDS BASED ON FOUR-PARAMETER CORRESPONDING STATES THEOREM. Chemical Engineering Communications, 1994, 130, 105-126. | 1.5 | 3 |
| 650 | Application of the GF-D equation of state to fluid phase equilibrium calculations: Pure fluids of low molecular weight compounds to polymer molecules. Fluid Phase Equilibria, 1994, 101, 3-26. | 1.4 | 3 |
| 651 | A unified m(Ï‰) relation for cubic equations of state. Fluid Phase Equilibria, 1994, 101, 1-2. | 1.4 | 7 |
| 652 | Solubility and volumetric behavior of methane and carbon dioxide plus C7+ pseudocomponents of an oil. Fluid Phase Equilibria, 1994, 95, 267-280. | 1.4 | 3 |
| 653 | A simple method for calculation of approximate phase boundaries. Fluid Phase Equilibria, 1994, 98, 1-11. | 1.4 | 15 |
| 654 | Modelling the influence of pressure on the phase behavior of systems containing water oil and nonionic surfactants. Fluid Phase Equilibria, 1994, 93, 55-74. | 1.4 | 27 |
| 655 | Generalization of a polar-fluid Soave-Redlich-Kwong equation of state. Fluid Phase Equilibria, 1994, 93, 377-383. | 1.4 | 2 |
| 656 | Prediction of VL and VLL equilibria of mixtures containing petroleum reservoir fluids and methanol with a cubic EoS. Fluid Phase Equilibria, 1994, 94, 181-216. | 1.4 | 132 |
| 657 | High pressure three-phase equilibria for the carbon dioxide-ethanol-water system. Fluid Phase Equilibria, 1994, 102, 287-292. | 1.4 | 22 |
| 658 | Binary interaction parameters for nonpolar systems with cubic equations of state: a theoretical approach 1. CO2/hydrocarbons using SRK equation of state. Fluid Phase Equilibria, 1994, 102, 31-60. | 1.4 | 86 |
| 659 | Measurement and prediction of ultrasonic speed under high pressure in natural gases. International Journal of Thermophysics, 1994, 15, 803-819. | 1.0 | 17 |

| # | Article | IF | Citations |
|---|---------|-----|-----------|
| 660 | High-pressure phase equilibria for carbon dioxide-2-methyl-2-propanol and carbon dioxide-2-methyl-2-propanolâ€"water: Measurement and prediction. Fluid Phase Equilibria, 1994, 101, 237-245. | 1.4 | 14 |
| 662 | Process for production of pure 4-methyl-1-pentene. Chemical Engineering and Technology, 1994, 17, 354-357. | 0.9 | 1 |
| 663 | Coexistence curve predicted by the soave-redlich-kwong equation in the critical limit. Chemical Engineering Science, 1994, 49, 3787-3789. | 1.9 | 3 |
| 664 | Equation of state for mixtures containing polar compounds. Chemical Engineering Science, 1994, 49, 517-522. | 1.9 | 2 |
| 665 | Chlorofluorohydrocarbonâ€"alcohol mixtures: bubble pressures and saturated liquid molar volumes (experimental data and modeling). Chemical Engineering Science, 1994, 49, 2135-2144. | 1.9 | 3 |
| 666 | Effects of multiple droplet interaction on droplet vaporization in subcritical and supercritical pressure environments. Combustion and Flame, 1994, 97, 17-34. | 2.8 | 27 |
| 667 | Generalized quartic equation of state for pure nonpolar fluids. AICHE Journal, 1994, 40, 152-159. | 1.8 | 22 |
| 668 | Calculating critical transitions of fluid mixtures: Theory vs. experiment. AICHE Journal, 1994, 40, 1376-1403. | 1.8 | 81 |
| 669 | Correlation and prediction of critical and supercritical excess enthalpies using equations of state. Journal of Supercritical Fluids, 1994, 7, 31-41. | 1.6 | 5 |
| 670 | Role of weighting in parameter estimation from solid-fluid supercritical equilibrium data. Fluid Phase Equilibria, 1994, 100, 171-190. | 1.4 | 2 |
| 671 | Equations of state for chainlike polar fluids: a comparison of reference terms. Fluid Phase Equilibria, 1994, 99, 87-103. | 1.4 | 6 |
| 672 | Improved models for the prediction of activity coefficients in nearly athermal mixtures. Fluid Phase Equilibria, 1994, 92, 35-66. | 1.4 | 40 |
| 673 | Vapor-liquid equilibria of binary refrigerant mixtures containing propylene or R134a. Fluid Phase Equilibria, 1994, 92, 149-194. | 1.4 | 80 |
| 674 | Vapor-liquid equilibrium for carbon dioxide/alcohol systems. Fluid Phase Equilibria, 1994, 92, 215-231. | 1.4 | 33 |
| 675 | Effect of translation on the prediction of saturated densities of binary mixtures with a peng-robinson equation of state. Fluid Phase Equilibria, 1994, 96, 51-63. | 1.4 | 11 |
| 676 | Application of the van der Waals equation of state to polymers. Fluid Phase Equilibria, 1994, 96, 65-92. | 1.4 | 64 |
| 677 | A note on a modified Huron-Vidai mixing rule consistent with the second virial coefficient condition. Fluid Phase Equilibria, 1994, 96, 215-221. | 1.4 | 28 |
| 678 | Comments on: hydrate dissociation enthalpy and guest size. Fluid Phase Equilibria, 1994, 96, 223-231. | 1.4 | 37 |

| # | ARTICLE | IF | CITATIONS |
|---|---------|----|-----------| 
| 679 | Representation of vapor-liquid equilibria using selected equations of state. Fluid Phase Equilibria, 1994, 98, 55-69. | 1.4 | 10 |
| 680 | Liquid-liquid equilibria with an equation of state based on the significant structure model. Fluid Phase Equilibria, 1994, 97, 29-41. | 1.4 | 1 |
| 681 | Vapour-liquid equilibrium in the carbon dioxideâ€"ethyl acetate system at high pressure. Fluid Phase Equilibria, 1994, 97, 119-126. | 1.4 | 33 |
| 682 | Prediction/correlation of vapor-liquid equilibria in synthetic gas and oil systems. Fluid Phase Equilibria, 1994, 93, 23-54. | 1.4 | 12 |
| 683 | Modelling of solid phases in thermodynamic calculations via translation of a cubic equation of state at the triple point. Fluid Phase Equilibria, 1994, 93, 75-99. | 1.4 | 20 |
| 684 | Bubble pressures and saturated liquid molar volumes of binary and ternary mixtures of chlorofluorocarbons and hydrochlorofluorocarbons. Fluid Phase Equilibria, 1994, 93, 297-316. | 1.4 | 9 |
| 685 | Calculation of helium solubilities using Henry's constants from cubic equations of state with generalized correlations for the interaction parameters. Fluid Phase Equilibria, 1994, 94, 301-312. | 1.4 | 4 |
| 686 | Calculation of multiphase equilibrium. Computers and Chemical Engineering, 1994, 18, 545-550. | 2.0 | 115 |
| 687 | Application of LM modification of a cubic equation of state for vapor-liquid equilibrium calculations of binary mixtures. Thermochimica Acta, 1994, 231, 297-306. | 1.2 | 0 |
| 688 | Nearâ€critical phase behavior of mixtures using equations of state. Canadian Journal of Chemical Engineering, 1994, 72, 134-141. | 0.9 | 8 |
| 689 | Calculation of excess molar volumes with different cubic equations of state and different mixing rules. Canadian Journal of Chemical Engineering, 1994, 72, 171-176. | 0.9 | 7 |
| 690 | <i>Inâ€situ</i> extraction and purification of ethanol using commercial oleic acid. Canadian Journal of Chemical Engineering, 1994, 72, 822-827. | 0.9 | 20 |
| 691 | Comparison of processes for the supercritical carbon dioxide extraction of oil from soybean seeds. JAOCS, Journal of the American Oil Chemists' Society, 1994, 71, 1007-1012. | 0.8 | 48 |
| 692 | A Perturbed Hard-Sphere-Chain Equation of State for Normal Fluids and Polymers. Industrial &amp; Engineering Chemistry Research, 1994, 33, 1047-1057. | 1.8 | 185 |
| 693 | Phase equilibria modelling applied to fluid inclusions: Liquid-vapour equilibria and calculation of the molar volume in the $CO_2$—$CH_4$—$N_2$ system. Geochimica Et Cosmochimica Acta, 1994, 58, 1073-1082. | 1.6 | 105 |
| 695 | Equation-of-State Group Contributions from Infinite-Dilution Activity Coefficients. Industrial &amp; Engineering Chemistry Research, 1994, 33, 975-980. | 1.8 | 27 |
| 696 | Salinity of multivolatile fluid inclusions determined from clathrate hydrate stability. Geochimica Et Cosmochimica Acta, 1994, 58, 19-41. | 1.6 | 88 |
| 697 | Statisticalâ€mechanical equation of state for nonpolar fluids: Prediction of phase boundaries. Journal of Chemical Physics, 1994, 100, 9075-9087. | 1.2 | 62 |

| # | Article | IF | Citations |
|---|---------|-----|-----------|
| 698 | CALCULATION OF VAPOR-LIQUID EQUILIBRIA AND SATURATED LIQUID VOLUMES FOR WATER-AMMONIA MIXTURES. Chemical Engineering Communications, 1994, 129, 99-108. | 1.5 | 4 |
| 699 | High-Pressure Vapor-Liquid Equilibria for Mixtures Containing a Supercritical Fluid. Industrial &amp; Engineering Chemistry Research, 1994, 33, 1955-1961. | 1.8 | 39 |
| 701 | Correlation of Dew- and Bubble-Point Curves for Binary Refrigerant Mixtures.. JSME International Journal Series B, 1994, 37, 132-138. | 0.3 | 0 |
| 702 | Determination of the binary cross virial coefficient in the Wong-Sandler mixing rule for cubic equations of state.. Journal of Chemical Engineering of Japan, 1994, 27, 460-465. | 0.3 | 5 |
| 703 | Kimetic studies on liquid-phase hydrogenation of 1-methylnaphthalene using an improved basket reactor.. Journal of Chemical Engineering of Japan, 1994, 27, 309-313. | 0.3 | 11 |
| 704 | Local Thermodynamic Models for Dynamic Process Simulation. IFAC Postprint Volumes IPPV / International Federation of Automatic Control, 1994, 27, 255-260. | 0.4 | 1 |
| 705 | Properties of liquids at the boiling point: Equation of state, internal pressure and vaporization entropy. Zeitschrift Fur Elektrotechnik Und Elektrochemie, 1994, 98, 1590-1595. | 0.9 | 15 |
| 706 | Vapor-liquid equilibrium properties of carbon dioxide + ethanol mixture at high pressures.. Journal of Chemical Engineering of Japan, 1995, 28, 263-266. | 0.3 | 51 |
| 707 | Comparison of three-phase kinetic measurements between a coiled tubular flow reactor and an improved basket type batch reactor.. Journal of Chemical Engineering of Japan, 1995, 28, 329-333. | 0.3 | 2 |
| 708 | Correlation of solubilities for CO2 and NH3 in H2O using soave-redlich-kwong equation of state with MHV2 mixing rule.. Journal of Chemical Engineering of Japan, 1995, 28, 144-147. | 0.3 | 0 |
| 709 | Analytical Method for Stirling Engines and Coolers.. 880-02 Nihon Kikai Gakkai RonbunshÅ« Transactions of the Japan Society of Mechanical Engineers Series B B-hen, 1995, 61, 2312-2319. | 0.2 | 4 |
| 710 | Prediction of VLE Using Asog and Zero Pressure GE Mixing Rule Consistent the Second Virial Coefficient Condition.. Journal of Chemical Engineering of Japan, 1995, 28, 621-622. | 0.3 | 5 |
| 711 | Simplifying the Task of Grouping Fluid Components in Compositional Reservoir Simulation. SPE Computer Applications, 1995, 7, 38-43. | 0.2 | 5 |
| 712 | Prediction of Bottomhole Flowing Pressures in Multiphase Systems Using a Thermodynamic Equation of State. , 1995, , . | | 7 |
| 713 | Avoiding the use of critical constants in cubic equations of state. AICHE Journal, 1995, 41, 1964-1971. | 1.8 | 13 |
| 714 | A new generalized alpha function for a cubic equation of state Part 1. Peng-Robinson equation. Fluid Phase Equilibria, 1995, 105, 49-59. | 1.4 | 170 |
| 715 | A new generalized alpha function for a cubic equation of state Part 2. Redlich-Kwong equation. Fluid Phase Equilibria, 1995, 105, 61-69. | 1.4 | 91 |
| 716 | Measurement and prediction of the bubble/dew point locus in the near-critical region and of the compressed fluid densities of the methaneî—¸carbon dioxide-n-butane ternary system. Fluid Phase Equilibria, 1995, 105, 259-271. | 1.4 | 8 |

| # | Article | IF | Citations |
|---|---------|-----|-----------|
| 717 | Generalised van der Waals theory of fluids. Vapour-liquid equilibria in simple binary mixtures. Fluid Phase Equilibria, 1995, 109, 183-204. | 1.4 | 11 |
| 718 | Further development, status and results of the PSRK method for the prediction of vapor-liquid equilibria and gas solubilities. Fluid Phase Equilibria, 1995, 112, 1-22. | 1.4 | 61 |
| 719 | An implicit type EOS-GE(VP) model employing vapor pressure standard state I. Prediction of high-pressure vapor-liquid equilibria based on low temperature data. Fluid Phase Equilibria, 1995, 113, 27-43. | 1.4 | 3 |
| 720 | An implicit type EOS-GE(VP) model employing vapor pressure standard state. II. Prediction of excess enthalpy using the EOS-GE model. Fluid Phase Equilibria, 1995, 113, 45-60. | 1.4 | 4 |
| 721 | Thermodynamic properties of 1,1-difluoroethane (R152a) in the critical region. Journal of Supercritical Fluids, 1995, 8, 81-99. | 1.6 | 30 |
| 722 | Predictions of three-phase regions in CO2-oil mixtures. Journal of Petroleum Science and Engineering, 1995, 12, 201-208. | 2.1 | 16 |
| 723 | Experimental studies and discrete thermodynamic modeling on supercritical CO2 extractions of a hexadecane and crude oil. Korean Journal of Chemical Engineering, 1995, 12, 244-250. | 1.2 | 5 |
| 724 | Unified equation of state based on the lattice fluid theory for phase equilibria of complex mixtures part I. Molecular thermodynamic framework. Korean Journal of Chemical Engineering, 1995, 12, 277-288. | 1.2 | 12 |
| 725 | Correlation of the vapor-liquid equilibria of CFC, HCFC and fc mixtures: Critical evaluation of mixing rules. Korean Journal of Chemical Engineering, 1995, 12, 535-539. | 1.2 | 1 |
| 726 | Vapor-liquid equilibrium, coexistence curve, and critical locus for binary HFC-32/HFC-134a mixture. International Journal of Thermophysics, 1995, 16, 1175-1184. | 1.0 | 39 |
| 727 | An approach for the extension of a 3-parameter cubic equation of state to heavy hydrocarbons. Fluid Phase Equilibria, 1995, 104, 83-96. | 1.4 | 9 |
| 728 | Isothermal vapour-liquid equilibrium data for the systems n-pentane with n-hexane, n-octane and n-decane. Fluid Phase Equilibria, 1995, 107, 257-267. | 1.4 | 21 |
| 729 | An enthalpy-based cubic equation of state mixing rule for cross-prediction of excess thermodynamic properties of hydrocarbon and halogenated refrigerant mixtures. Fluid Phase Equilibria, 1995, 108, 79-102. | 1.4 | 3 |
| 730 | Phase equilibria for enzyme-catalyzed reactions in supercritical carbon dioxide. Fluid Phase Equilibria, 1995, 108, 1-14. | 1.4 | 47 |
| 731 | From UNIFAC to modified UNIFAC to PSRK with the help of DDB. Fluid Phase Equilibria, 1995, 107, 1-29. | 1.4 | 45 |
| 732 | High-temperature vapor-liquid equilibria of helium + 1-methylnaphthalene and helium + n-hexadecane. Fluid Phase Equilibria, 1995, 111, 89-99. | 1.4 | 5 |
| 733 | A new equation of state based on nonrandom two-fluid lattice theory for complex mixtures. Fluid Phase Equilibria, 1995, 111, 175-201. | 1.4 | 12 |
| 734 | Improving predictions of equation of state by modifying its parameters for super critical components of hydrocarbon reservoir fluids. Fluid Phase Equilibria, 1995, 112, 45-61. | 1.4 | 27 |

| # | ARTICLE | IF | CITATIONS |
|---|---------|----|-----------|
| 735 | Vapour-liquid equilibrium in the carbon dioxideî—¸ethyl propanoate system at pressures from 2 to 9 MPa and temperatures from 303 to 323 K. Fluid Phase Equilibria, 1995, 112, 125-129. | 1.4 | 11 |
| 736 | Prediction of liquid density of LNG, N2, H2S and CO2 multicomponent systems by the CORGC equation of state. Fluid Phase Equilibria, 1995, 112, 89-99. | 1.4 | 5 |
| 737 | Accuracy of the volumetric predictions of some important equations of state for hydrocarbons, including a modified version of the Lee-Kesler method. Fluid Phase Equilibria, 1995, 106, 81-109. | 1.4 | 21 |
| 738 | Computation and thermodynamic interpretation of high-pressure vapourâ€"liquid equilibriumâ€"a review. The Chemical Engineering Journal and the Biochemical Engineering Journal, 1995, 60, 1-29. | 0.1 | 5 |
| 739 | A generalized equation of state approach to the prediction of phase behavior in CO2-Bitumen systems. Journal of Supercritical Fluids, 1995, 8, 6-14. | 1.6 | 2 |
| 740 | Prediction of the critical points of natural gas mixtures by rigorous and semi-empirical methods. Journal of Petroleum Science and Engineering, 1995, 13, 233-245. | 2.1 | 5 |
| 741 | Kinetics of the gas-slurry methanol-higher alcohol synthesis from CO/CO2/H2 over a Csî—¸Cu/ZnO/Al2O3 catalyst, including simultaneous formation of methyl esters and hydrocarbons. Catalysis Today, 1995, 24, 5-14. | 2.2 | 29 |
| 742 | Automatic Differentiation applications to computer aided process engineering. Computers and Chemical Engineering, 1995, 19, 779-784. | 2.0 | 0 |
| 743 | Vapour-liquid equilibrium of ternary mixtures of the refrigerants R32, R125 and R134a. International Journal of Refrigeration, 1995, 18, 534-543. | 1.8 | 72 |
| 744 | A method for the prediction of vapour-liquid equilibria of refrigerant mixtures at low and moderate pressure. International Journal of Refrigeration, 1995, 18, 550-556. | 1.8 | 10 |
| 745 | Molecular simulations of enthalpies for CH4î—¸C2H6î—¸CO2 mixtures at saturation conditions. Thermochimica Acta, 1995, 254, 55-62. | 1.2 | 2 |
| 746 | Chemical Kinetic Model of Hydrocarbon Generation, Expulsion, and Destruction Applied to the Maracaibo Basin, Venezuela. AAPG Bulletin, 1995, 79, . | 0.7 | 6 |
| 747 | Steady State Simulation of a Multi-Bed Adiabatic Reactor for Methanol Production. Journal of King Saud University, Engineering Sciences, 1995, 7, 101-132. | 1.2 | 3 |
| 748 | Thermodynamic Testing of Equations of State of Dense Simple Liquids. Zeitschrift Fur Elektrotechnik Und Elektrochemie, 1995, 99, 1179-1186. | 0.9 | 24 |
| 749 | A new procedure for determining Lennard-Jones interaction parameters. International Reviews in Physical Chemistry, 1995, 14, 205-213. | 0.9 | 18 |
| 750 | The solubility and the phase equilibria of essential oil with carbon dioxide calculated using a cubic equation of state. Developments in Food Science, 1995, 37, 331-354. | 0.0 | 2 |
| 751 | A Fast, Accurate Real Gas Equation of State for Fluid Dynamic Analysis Applications. Journal of Fluids Engineering, Transactions of the ASME, 1995, 117, 277-281. | 0.8 | 111 |
| 752 | High-Temperature Phase Equilibria for Asymmetric Mixtures of Helium + m-Xylene and Nitrogen + m-Xylene. Industrial &amp; Engineering Chemistry Research, 1995, 34, 4524-4530. | 1.8 | 6 |

| # | ARTICLE | IF | CITATIONS |
|---|---------|-----|-----------|
| 753 | Modelling of vapour-liquid-liquid equilibria of CO2-crude oil mixtures. Geological Society Special Publication, 1995, 84, 89-97. | 0.8 | 2 |
| 754 | Compositional and Black Oil Reservoir Simulation. , 1995, , . | | 39 |
| 755 | Correlation and Prediction of Phase Equilibria of Mixtures with Supercritical Compounds for a Class of Equations of State. ACS Symposium Series, 1995, , 140-153. | 0.5 | 3 |
| 756 | Estimation of Chemical Equilibria In High-Pressure Gaseous Systems by a Modified Redlich-Kwong-Soave Equation of State. Industrial &amp; Engineering Chemistry Research, 1995, 34, 3159-3165. | 1.8 | 13 |
| 757 | From calorimetry to equations of state. Chemical Society Reviews, 1995, 24, 359. | 18.7 | 20 |
| 758 | Prediction of Cloud Point Temperatures and Amount of Wax Precipitation. SPE Production and Operations, 1995, 10, 46-49. | 0.6 | 63 |
| 759 | Nonequilibrium Lattice Fluids:Â A Predictive Model for the Solubility in Glassy Polymers. Macromolecules, 1996, 29, 7885-7896. | 2.2 | 237 |
| 760 | An Annular Resonator Used To Measure the Speed of Sound in Gaseous Fluoroalkanes:Â Trifluoromethane and Hexafluoroethane. Journal of Chemical &amp; Engineering Data, 1996, 41, 222-230. | 1.0 | 6 |
| 761 | Vaporâˆ'Liquid Equilibrium for Methanol + 1,1-Dimethylpropyl Methyl Ether at (288.15, 308.15, and 328.15) K. Journal of Chemical &amp; Engineering Data, 1996, 41, 537-542. | 1.0 | 19 |
| 762 | Solubilities of Hydrogen in Aromatic Hydrocarbons from 323 to 433 K and Pressures to 21.7 MPa. Journal of Chemical &amp; Engineering Data, 1996, 41, 70-73. | 1.0 | 42 |
| 763 | Phase Equilibrium Measurements on Nine Binary Mixtures. Journal of Chemical &amp; Engineering Data, 1996, 41, 1239-1251. | 1.0 | 38 |
| 764 | High-Pressure Vaporâˆ'Liquid Equilibria for Ethylene + 4-Methyl-1-pentene and 1-Butene + 1-Hexene. Journal of Chemical &amp; Engineering Data, 1996, 41, 282-284. | 1.0 | 15 |
| 765 | Self-Diffusion Coefficients of Methane or Ethane Mixtures with Hydrocarbons at High Pressure by NMR. Journal of Chemical &amp; Engineering Data, 1996, 41, 598-603. | 1.0 | 74 |
| 766 | Efficient Implementation of Wertheim's Theory for Multicomponent Mixtures of Polysegmented Species. Industrial &amp; Engineering Chemistry Research, 1996, 35, 1624-1629. | 1.8 | 14 |
| 767 | Cubic Equation of State for Pure Compound Vapor Pressures from the Triple Point to the Critical Point. Industrial &amp; Engineering Chemistry Research, 1996, 35, 829-836. | 1.8 | 27 |
| 768 | Improvements in clathrate modelling: I. The H2O-CO2 system with various salts. Geochimica Et Cosmochimica Acta, 1996, 60, 1657-1681. | 1.6 | 90 |
| 769 | Predicting the High-Pressure Phase Equilibria of Water +n-Alkanes Using a Simplified SAFT Theory with Transferable Intermolecular Interaction Parameters. The Journal of Physical Chemistry, 1996, 100, 6781-6792. | 2.9 | 142 |
| 770 | Vaporâˆ'Liquid Equilibrium for Carbon Dioxide + 1-Butanol at High Pressure. Journal of Chemical &amp; Engineering Data, 1996, 41, 324-325. | 1.0 | 40 |

| # | ARTICLE | IF | CITATIONS |
|---|---------|----|-----------|
| 771 | A Practical Model for the Effect of Salinity on Gas Hydrate Formation. , 1996, , . | | 13 |
| 772 | An Approach for the Application of a Cubic Equation of State to Hydrogenâˆ̃Hydrocarbon Systems. Industrial &amp; Engineering Chemistry Research, 1996, 35, 905-910. | 1.8 | 27 |
| 773 | Phase Equilibrium Measurements on Twelve Binary Mixtures. Journal of Chemical &amp; Engineering Data, 1996, 41, 1223-1238. | 1.0 | 56 |
| 774 | Solution of the multiphase equilibrium problem for pure component, binary and ternary systems using the area method. Journal of the Chemical Society, Faraday Transactions, 1996, 92, 4419. | 1.7 | 7 |
| 775 | Equations of State. , 1996, , 165-186. | | 0 |
| 776 | High Pressure Vapor-Liquid Equilibria and Density Behaviors for Carbon Dioxide+Methanol System at 313.15 K.. Netsu Bussei, 1996, 10, 16-20. | 0.1 | 31 |
| 777 | Solubility of solids in supercritical fluids using equations of state â€" excess Gibbs free energy models. Process Technol, 1996, 12, 351-355. | 0.1 | 1 |
| 778 | New Invariant Asymmetric Mixing Rules.. Journal of Chemical Engineering of Japan, 1996, 29, 12-19. | 0.3 | 0 |
| 779 | Calculation of Surface Tensions of Polar Mixtures with a Simplified Gradient Theory Model.. Journal of Chemical Engineering of Japan, 1996, 29, 159-165. | 0.3 | 36 |
| 780 | Mixing rules for accurate prediction of vapor-liquid equilibria of gas/large alkane systems using SRK equation of state combined with unifac.. Journal of Chemical Engineering of Japan, 1996, 29, 315-322. | 0.3 | 22 |
| 781 | A new mixing rule for accurate prediction of high pressure vapor-liquid equilibria of Gas/Large n-alkane systems. Process Technol, 1996, 12, 235-240. | 0.1 | 0 |
| 782 | Modeling solubility of biological compounds in supercritical fluids. Process Technol, 1996, 12, 265-270. | 0.1 | 3 |
| 783 | Partitioning of carbohydrates in the three-phase region of systems containing carbon dioxide, water and a modifier at high pressure. Process Technol, 1996, , 277-282. | 0.1 | 3 |
| 784 | Measurement and Correlation of Solubility of Limonene and Linalool in High Pressure Carbon Dioxide.. Kagaku Kogaku Ronbunshu, 1996, 22, 195-200. | 0.1 | 3 |
| 785 | Prediction of the azeotropic behavior of binary mixtures from gasâ€"Liquid Pâ€Tâ€x critical data with cubic equations of state. Canadian Journal of Chemical Engineering, 1996, 74, 967-976. | 0.9 | 5 |
| 786 | Further development, status and results of the PSRK method for the prediction of vapor-liquid equilibria and gas solubilities. Fluid Phase Equilibria, 1996, 121, 185-206. | 1.4 | 138 |
| 787 | Some characteristics of pure fluid properties that challenge equation-of-state models. Fluid Phase Equilibria, 1996, 116, 94-101. | 1.4 | 39 |
| 788 | Influence of the mixing rule on the liquid-liquid equilibrium calculation. Fluid Phase Equilibria, 1996, 116, 503-509. | 1.4 | 6 |

| # | Article | IF | Citations |
|---|---------|----|-----------|
| 789 | Equations of state for hydrogen bonding systems. Fluid Phase Equilibria, 1996, 116, 518-529. | 1.4 | 44 |
| 790 | Prediction of vapor-liquid equilibrium for polymer solutions by a group-contribution Redlich-Kwong-Soave equation of state. Fluid Phase Equilibria, 1996, 117, 18-25. | 1.4 | 19 |
| 791 | Prediction of vapor-liquid equilibria in polymer solutions using EOS-group contribution model consistent with the second virial coefficient condition. Fluid Phase Equilibria, 1996, 117, 55-60. | 1.4 | 10 |
| 792 | Prediction of vapor-liquid equilibria at high pressures using activity coefficients at infinite dilution. Fluid Phase Equilibria, 1996, 120, 1-10. | 1.4 | 23 |
| 793 | Matching equation of state mixing rules to activity coefficient model expressions. Fluid Phase Equilibria, 1996, 121, 15-26. | 1.4 | 10 |
| 794 | Ultrasonic velocity in a hyperbaric reservoir fluid. Ultrasonics, 1996, 34, 447-449. | 2.1 | 9 |
| 795 | A comparative study of numerical methods for calculating phase equilibrai in fluid mixtures from an equation of state. Chemical Engineering Science, 1996, 51, 3763-3771. | 1.9 | 9 |
| 796 | Determination of Lennard-Jones interaction parameters using a new procedure. Molecular Engineering, 1996, 6, 319-325. | 0.2 | 115 |
| 797 | Improvements of the Patel-Teja equation of state. International Journal of Thermophysics, 1996, 17, 673-682. | 1.0 | 37 |
| 798 | Asphalt flocculation and deposition: I. The onset of precipitation. AICHE Journal, 1996, 42, 10-22. | 1.8 | 234 |
| 799 | Thermodynamics of wax precipitation in petroleum mixtures. AICHE Journal, 1996, 42, 239-248. | 1.8 | 231 |
| 800 | Extension of a generalized quartic equation of state to pure polar fluids. AICHE Journal, 1996, 42, 562-570. | 1.8 | 5 |
| 801 | CEOS/AE mixing rules constrained by vdW mixing rule and second virial coefficient. AICHE Journal, 1996, 42, 3212-3222. | 1.8 | 24 |
| 802 | Critical parameters of {xCO2+ (1 â^'x)CHF3} forx= (1.0000, 0.7496, 0.5013, and 0.2522). Journal of Chemical Thermodynamics, 1996, 28, 1153-1164. | 1.0 | 59 |
| 803 | Comparison of methods for characterization of complex mixtures. Chemical Engineering and Technology, 1996, 19, 103-112. | 0.9 | 6 |
| 804 | The transition points in the liquid state and their molecular modeling. Thermochimica Acta, 1996, 280-281, 417-447. | 1.2 | 7 |
| 805 | Effect of computation techniques for equation of state binary interaction parameters on the prediction of binary VLE data. Computers and Chemical Engineering, 1996, 20, 79-91. | 2.0 | 25 |
| 806 | How do the inaccuracies of enthalpy and vapour-liquid equilibrium calculations influence baseload LNG plant design?. Computers and Chemical Engineering, 1996, 20, 1-11. | 2.0 | 7 |

| # | ARTICLE | IF | CITATIONS |
|---|---|---|---|
| 807 | A modified Kurihara mixing rule and a comparison of density-independent mixing rules. The Chemical Engineering Journal and the Biochemical Engineering Journal, 1996, 61, 213-225. | 0.1 | 0 |
| 808 | Hydrogenolysis reactions in a batch reactor effect of mass balance inaccuracies on the kinetic parameters. Applied Catalysis A: General, 1996, 135, 317-328. | 2.2 | 10 |
| 809 | Supercritical droplet vaporization and combustion studies. Progress in Energy and Combustion Science, 1996, 22, 1-28. | 15.8 | 141 |
| 810 | Application of the van der Waals equation of state to polymers IV. Correlation and prediction of lower critical solution temperatures for polymer solutions. Fluid Phase Equilibria, 1996, 115, 73-93. | 1.4 | 27 |
| 811 | A new cubic simplified perturbed hard-body equation of state. Fluid Phase Equilibria, 1996, 118, 201-219. | 1.4 | 5 |
| 812 | Modelling of the three phase LLV region for ternary hydrocarbon mixtures with the Soave-Redlich-Kwong equation of state. Fluid Phase Equilibria, 1996, 118, 121-132. | 1.4 | 18 |
| 813 | Prediction of critical points in multicomponent systems using the PSRK group contribution equation of state. Fluid Phase Equilibria, 1996, 118, 175-200. | 1.4 | 54 |
| 814 | A generalized quartic equation of state. Fluid Phase Equilibria, 1996, 116, 87-93. | 1.4 | 3 |
| 815 | Calorimetric measurements for modeling thermodynamic properties of pure fluids and fluid mixtures. Fluid Phase Equilibria, 1996, 116, 373-384. | 1.4 | 2 |
| 816 | Comprehensive comparison and evaluation of the mixing rules of WS, MHV2, and Twu et al.. Fluid Phase Equilibria, 1996, 116, 488-494. | 1.4 | 7 |
| 817 | Prediction of supercritical fluid-liquid equilibria for carbon dioxide and fish oil related compounds through the equation of state â€" excess function (EOS-gE) approach. Fluid Phase Equilibria, 1996, 116, 510-517. | 1.4 | 11 |
| 818 | A consistent procedure for pseudo-component delumping. Fluid Phase Equilibria, 1996, 117, 225-232. | 1.4 | 33 |
| 819 | An internally consistent approach for determining the properties of lumped components using a cubic equation of state. Fluid Phase Equilibria, 1996, 117, 233-240. | 1.4 | 3 |
| 820 | A new algorithm for enhanced oil recovery calculations. Fluid Phase Equilibria, 1996, 117, 265-272. | 1.4 | 34 |
| 821 | Computation of the attractive energy parameter of normal fluids in cubic equations of state. Fluid Phase Equilibria, 1996, 122, 27-34. | 1.4 | 5 |
| 822 | Improved modelling of vapour-liquid equilibria up to the critical region. Application to the $CO_2$—$CH_4$—$N_2$ system. Fluid Phase Equilibria, 1996, 121, 111-123. | 1.4 | 6 |
| 823 | Solubility of organic solid mixture in supercritical fluids. Journal of Supercritical Fluids, 1996, 9, 152-160. | 1.6 | 42 |
| 824 | Discrimination of thermodynamic models applied to supercritical-fluid extraction. Journal of Supercritical Fluids, 1996, 9, 6-11. | 1.6 | 6 |

| # | ARTICLE | IF | CITATIONS |
|---|---------|----|-----------| 
| 825 | Prediction of high-pressure multicomponent phase equilibria using a perturbed hard chain equation of state. Journal of Supercritical Fluids, 1996, 9, 207-215. | 1.6 | 0 |
| 826 | Prediction of phase behavior, Henry's constants, and infinite dilution partial molar volumes for carbon dioxide and carbon monoxide in n-paraffins. Journal of Supercritical Fluids, 1996, 9, 244-262. | 1.6 | 6 |
| 827 | Excess molar enthalpies of (ethane + ethene), (ethane + chloromethane), (propane + chloromethane), and (butane + chloromethane) calculated from cubic equations of state and the principle of corresponding statesâ€"a comparison with experimental results. Fluid Phase Equilibria, 1996, 124, 81-98. | 1.4 | 4 |
| 828 | Phase equilibrium calculation with a local composition model based on Lennard-Jones potential. Fluid Phase Equilibria, 1996, 125, 13-20. | 1.4 | 2 |
| 829 | Prediction of Henry's constants for polymer-containing systems using the SRK equation of state coupled with a new modified UNIFAC model. Fluid Phase Equilibria, 1996, 126, 1-12. | 1.4 | 15 |
| 830 | Phase equilibrium calculations for unprocessed well streams containing hydrate inhibitors. Fluid Phase Equilibria, 1996, 126, 13-28. | 1.4 | 51 |
| 831 | A new mixing rule for cubic equations of state and its application to vapor-liquid equilibria of polymer solutions. Fluid Phase Equilibria, 1996, 123, 59-69. | 1.4 | 42 |
| 832 | Reservoir storage and containment of greenhouse gases. Transport in Porous Media, 1996, 23, 37. | 1.2 | 55 |
| 833 | Henry constants in polymer solutions with the van der waals equation of state. Polymer Engineering and Science, 1996, 36, 254-261. | 1.5 | 5 |
| 834 | Comparison of two-phase and three-phase methanol synthesis processes. Chemical Engineering and Processing: Process Intensification, 1996, 35, 413-427. | 1.8 | 31 |
| 835 | Measurement and correlation of vapor-liquid-liquid equilibria in the glucose + acetone + water + carbon dioxide system. Fluid Phase Equilibria, 1996, 124, 221-233. | 1.4 | 27 |
| 836 | Excess volumes and saturation pressures for the system methane + n-tetracosane at 374 K. Representation by improved EOS mixing rules. Fluid Phase Equilibria, 1996, 124, 177-207. | 1.4 | 21 |
| 837 | Production Engineering. , 1996, , 363-983. | | 4 |
| 838 | Thermodynamics of fluids obtained by mapping the collision properties. Physical Review E, 1996, 53, 2326-2336. | 0.8 | 25 |
| 839 | Thermodynamic Properties of Mixtures Based on van der Waals Equation of State: R-32/125 Binary System. HVAC and R Research, 1996, 2, 284-310. | 0.9 | 6 |
| 840 | Extensions of the quasi-Gaussian entropy theory. Journal of Chemical Physics, 1997, 106, 1893-1912. | 1.2 | 29 |
| 841 | Characteristics of energy savings in an ideal heat-integrated distillation column (HIDiC). , 0, , . | | 0 |
| 842 | High-Pressure Carbon Dioxide Removal in Supercritical Water Gasification of Biomass. , 1997, , 864-877. | | 9 |

| # | ARTICLE | IF | CITATIONS |
|---|---------|-----|-----------|
| 843 | Development of Liquefaction Process for Natural Gas.. Journal of Chemical Engineering of Japan, 1997, 30, 625-630. | 0.3 | 20 |
| 844 | PARA-Based (Paraffin-Aromatic-Resin-Asphaltene) Reservoir Oil Characterizations. , 1997, , . | | 15 |
| 845 | Vapor-liquid equilibria calculation in gas/large alkane systems using group contribution equation of state.. Journal of Chemical Engineering of Japan, 1997, 30, 1133-1137. | 0.3 | 2 |
| 846 | Kinetics of Supercritical-Phase Thermal Decomposition of C10â˘C14Normal Alkanes and Their Mixtures. Industrial &amp; Engineering Chemistry Research, 1997, 36, 585-591. | 1.8 | 95 |
| 847 | Phase Equilibria on Eight Binary Mixtures. Journal of Chemical &amp; Engineering Data, 1997, 42, 1067-1074. | 1.0 | 23 |
| 848 | Isothermal Vaporâ˘Liquid Equilibria of 2-Methoxy-2-methylbutane (TAME) +n-Alcohol (C1â˘C4) Mixtures at 323.15 and 333.15 K. Journal of Chemical &amp; Engineering Data, 1997, 42, 517-522. | 1.0 | 42 |
| 849 | Phase Equilibria with Supercritical Carbon Dioxide for the Enzymatic Production of an Enantiopure Pyrethroid Component. Part 2. Ternary and Five-Component Systems. Journal of Chemical &amp; Engineering Data, 1997, 42, 558-561. | 1.0 | 11 |
| 850 | Simulation of Refrigerant Phase Equilibria. Industrial &amp; Engineering Chemistry Research, 1997, 36, 2841-2848. | 1.8 | 6 |
| 851 | Phase Equilibria with Supercritical Carbon Dioxide for the Enzymatic Production of an Enantiopure Pyrethroid Component. Part 1. Binary Systems. Journal of Chemical &amp; Engineering Data, 1997, 42, 551-557. | 1.0 | 21 |
| 852 | High-Pressure Vaporâ˘Liquid Equilibria of Two Binary Systems:Â Carbon Dioxide + Cyclohexanol and Carbon Dioxide + Cyclohexanone. Journal of Chemical &amp; Engineering Data, 1997, 42, 155-159. | 1.0 | 13 |
| 853 | Vaporâ˘Liquid Equilibria for the Difluoromethane (HFC-32) + 1,1,1,2-Tetrafluoroethane (HFC-134a) System. Journal of Chemical &amp; Engineering Data, 1997, 42, 1126-1128. | 1.0 | 25 |
| 854 | An Efficient Initialization Procedure for Simulation and Optimization of Large Distillation Problems. Industrial &amp; Engineering Chemistry Research, 1997, 36, 4291-4298. | 1.8 | 18 |
| 855 | A Thermodynamic Model of Methyldiethanolamineâ˘CO2â˘H2Sâ˘Water. Industrial &amp; Engineering Chemistry Research, 1997, 36, 3944-3953. | 1.8 | 113 |
| 856 | Thermal Decomposition of C10â˘C14Normal Alkanes in Near-Critical and Supercritical Regions:Â Product Distributions and Reaction Mechanisms. Industrial &amp; Engineering Chemistry Research, 1997, 36, 574-584. | 1.8 | 122 |
| 857 | Field-Scale CO2-Flood Simulations and Their Impact on the Performance of the Wasson Denver Unit. SPE Reservoir Engineering, 1997, 12, 4-11. | 0.5 | 31 |
| 858 | Well Testing for Radially Heterogeneous Reservoirs Under Single and Multiphase Flow Conditions. SPE Formation Evaluation, 1997, 12, 57-64. | 0.5 | 53 |
| 859 | The Solubility of Gases in Liquids. Physics and Chemistry of Liquids, 1997, 34, 125-153. | 0.4 | 8 |
| 860 | Gas exsolution during fluid migration and its relation to overpressure and petroleum accumulation. Marine and Petroleum Geology, 1997, 14, 221-229. | 1.5 | 28 |

| # | ARTICLE | IF | CITATIONS |
|---|---------|----|-----------|
| 861 | Supercritical CO2 regeneration of activated carbon loaded with organic adsorbates. Water Science and Technology, 1997, 35, 261-268. | 1.2 | 16 |
| 862 | Prédiction des propriétés volumétriques des hydrocarbures par une translation de volume améliorée. Oil & Gas Science & Technology, 1997, 52, 609-623. | 0.2 | 27 |
| 863 | Application of Soave-Redlich-Kwong Equation of State in Combination with Wilson Parameters Having Controlled Influence by Temperature to Estimation of Vapor-Liquid Equilibrium.. Sekiyu Gakkaishi (Journal of the Japan Petroleum Institute), 1997, 40, 71-77. | 0.1 | 0 |
| 864 | Thermodynamics of semicontinuous mixtures using equations of state with group contributions. Fluid Phase Equilibria, 1997, 127, 29-44. | 1.4 | 6 |
| 865 | Phase equilibria in mixtures of triglycerides with low-molecular weight alkanes. Fluid Phase Equilibria, 1997, 128, 221-227. | 1.4 | 20 |
| 866 | Vapor-liquid equilibria for benzyl alcohol with carbon dioxide, ethane, or nitrogen at elevated pressures. Fluid Phase Equilibria, 1997, 130, 231-242. | 1.4 | 11 |
| 867 | Prediction of the solubility and gas-liquid equilibria for gas-water and light hydrocarbonî—¸water systems at high temperatures and pressures with a group contribution equation of state. Fluid Phase Equilibria, 1997, 131, 107-118. | 1.4 | 35 |
| 868 | Isobaric vapor-liquid equilibria of 3-methyl-1-butanol with methanol and vinyl acetate at 101.3 kPa. Fluid Phase Equilibria, 1997, 132, 205-213. | 1.4 | 12 |
| 869 | Phase equilibria modelling for binary systems that contain CO2. Fluid Phase Equilibria, 1997, 134, 63-75. | 1.4 | 9 |
| 870 | A lattice fluid approach to complex mixtures: natural gas and crude oil. Fluid Phase Equilibria, 1997, 137, 33-52. | 1.4 | 6 |
| 871 | Evaluation of vapor—liquid equilibrium of CO2 binary systems using UNIQUAC-based Huron—Vidal mixing rules. Fluid Phase Equilibria, 1997, 140, 107-126. | 1.4 | 27 |
| 872 | Viscosity model based on equations of state for hydrocarbon liquids and gases. Fluid Phase Equilibria, 1997, 139, 405-421. | 1.4 | 70 |
| 873 | Modeling of gas condensates properties using continuous distribution functions for the characterisation of the heavy fraction. Fluid Phase Equilibria, 1997, 139, 255-276. | 1.4 | 22 |
| 874 | Joule-Thomson expansion of high-pressure-high-temperature gas condensates. Fluid Phase Equilibria, 1997, 139, 205-218. | 1.4 | 34 |
| 875 | Impact of the reproduction accuracy of the fluid properties on formulations of the homogeneous equilibrium critical mass flow rate model. Journal of Loss Prevention in the Process Industries, 1997, 10, 43-53. | 1.7 | 8 |
| 876 | Critical constants and acentric factors for long-chain alkanes suitable for corresponding states applications. A critical review. Chemical Engineering Journal, 1997, 66, 35-49. | 6.6 | 42 |
| 877 | Correlation of vapor-liquid equilibrium for systems of carbon dioxide + hydrocarbon by the corresponding-states principle. Chemical Engineering Journal, 1997, 66, 217-221. | 6.6 | 6 |
| 878 | Clathrates: Computer programs to calculate fluid inclusion V-X properties using clathrate melting temperatures. Computers and Geosciences, 1997, 23, 1-18. | 2.0 | 167 |

| # | Article | IF | Citations |
|---|---------|----|-----------|
| 879 | A computational approach to predicting the formation of iron sulfide species using stability diagrams. Computers and Geosciences, 1997, 23, 647-658. | 2.0 | 46 |
| 880 | A MODIFIED PENG-ROBINSON EQUATION OF STATE. Chemical Engineering Communications, 1997, 156, 215-225. | 1.5 | 10 |
| 881 | Optimization of fractionation operation in the benzene-toluene-xylene plant. Korean Journal of Chemical Engineering, 1997, 14, 325-333. | 1.2 | 4 |
| 882 | A hard-sphere volume-translated van der Waals equation of state for supercritical process modeling 1. Pure components. Fluid Phase Equilibria, 1997, 128, 149-171. | 1.4 | 22 |
| 883 | Rigorous implementation of continuous thermodynamics using orthonormal polynomials. Fluid Phase Equilibria, 1997, 129, 113-127. | 1.4 | 8 |
| 884 | Calculation of interfacial tensions with gradient theory. Fluid Phase Equilibria, 1997, 132, 139-158. | 1.4 | 64 |
| 885 | Correlation of liquid-liquid equilibria for mixtures using the CPA equation of state. Fluid Phase Equilibria, 1997, 132, 61-75. | 1.4 | 68 |
| 886 | Experimental and modeling studies on the solubility of $CO_2$, $CHC1F_2$, $CHF_3$, $C_2H_2F_4$ and $C_2H_4F_2$ in water and aqueous NaCl solutions under low pressures. Fluid Phase Equilibria, 1997, 129, 197-209. | 1.4 | 83 |
| 887 | Vapor-liquid equilibria of the binary systems formed by methanol, acetone and methyl vinyl ketone at 100.0 Â± 0.2 kPa. Fluid Phase Equilibria, 1997, 129, 129-137. | 1.4 | 8 |
| 888 | Density improvement of the SRK equation of state. Fluid Phase Equilibria, 1997, 130, 49-63. | 1.4 | 65 |
| 889 | Effect of 1,2-propanediol on the vapor-liquid equilibria of the ethyl acetate + ethanol system at 101.3 kPa. Fluid Phase Equilibria, 1997, 130, 243-252. | 1.4 | 22 |
| 890 | Vapor-liquid equilibria of the ternary system methanol + acetone + methyl vinyl ketone at atmospheric pressure. Fluid Phase Equilibria, 1997, 131, 181-188. | 1.4 | 2 |
| 891 | On the suitability of the virial equation for modeling the solubility of solids in supercritical fluids. Fluid Phase Equilibria, 1997, 130, 87-100. | 1.4 | 14 |
| 892 | Vapor-liquid equilibria and saturation densities in the ternary system heliumî—¸nitrogenî—¸methane. Fluid Phase Equilibria, 1997, 134, 213-224. | 1.4 | 6 |
| 893 | Phase and critical behavior in type III phase diagrams. Fluid Phase Equilibria, 1997, 134, 103-112. | 1.4 | 26 |
| 894 | Vapor-liquid equilibrium of the methanolî—¸[1,1-dimethylethyl methyl ether (MTBE) or 1,1-dimethylpropyl methy ether (TAME)] systems. Fluid Phase Equilibria, 1997, 133, 89-103. | 1.4 | 19 |
| 895 | Vapour-liquid equilibrium of (ethers + hydrocarbons or methanol or water) for motor gasoline modelling. Fluid Phase Equilibria, 1997, 133, 239-246. | 1.4 | 12 |
| 896 | Analytical equation of state based on the Ornstein-Zernike equation. Fluid Phase Equilibria, 1997, 134, 21-42. | 1.4 | 93 |

| # | ARTICLE | IF | CITATIONS |
|---|---------|----|-----------|
| 897 | Isobaric vapor-liquid equilibria of the methanol, methyl acetate and methyl acrylate system at atmospheric pressure. Fluid Phase Equilibria, 1997, 135, 97-108. | 1.4 | 33 |
| 898 | Vapour-liquid equilibrium data for synthetic hydrocarbon mixtures. Application to modelling of migration from source to reservoir rocks. Fluid Phase Equilibria, 1997, 135, 63-82. | 1.4 | 11 |
| 899 | Evaluation of series coefficients for classical equations of state. Fluid Phase Equilibria, 1997, 137, 99-109. | 1.4 | 2 |
| 900 | Isothermal vapor-liquid equilibria for mixtures of methyl tert-butyl ether, methyl acetate, and ethyl acetate. Fluid Phase Equilibria, 1997, 137, 193-207. | 1.4 | 14 |
| 901 | Compilation of group-contribution prediction of VLE and excess enthalpy. Fluid Phase Equilibria, 1997, 136, 63-77. | 1.4 | 3 |
| 902 | Predicting fluid viscosity by entropy production. Fluid Phase Equilibria, 1997, 136, 363-371. | 1.4 | 4 |
| 903 | High-pressure vapour-liquid equilibria in the systems carbon dioxide + 2-butanol, + 2-butyl acetate, + vinyl acetate and calculations with three EOS methods. Fluid Phase Equilibria, 1997, 138, 159-178. | 1.4 | 29 |
| 904 | Thermodynamic modeling for petroleum fluids I. Equation of state and group contribution for the estimation of thermodynamic parameters of heavy hydrocarbons. Fluid Phase Equilibria, 1997, 139, 155-170. | 1.4 | 59 |
| 905 | Equations of state using an extended Twu-Coon mixing rule incorporating UNIFAC for high temperature and high pressure phase equilibrium predictions. Fluid Phase Equilibria, 1997, 139, 1-13. | 1.4 | 13 |
| 906 | Thermodynamic modeling for petroleum fluids II. Prediction of PVT properties of oils and gases by fitting one or two parameters to the saturation pressures of reservoir fluids. Fluid Phase Equilibria, 1997, 139, 171-203. | 1.4 | 20 |
| 907 | Binary interaction parameters of EOS for heavy hydrocarbons from a group contribution method and Henry's constants. Fluid Phase Equilibria, 1997, 139, 125-136. | 1.4 | 6 |
| 908 | On volume translations in equations of state. Fluid Phase Equilibria, 1997, 140, 87-95. | 1.4 | 20 |
| 909 | Correlation of liquid densities of some halogenated organic compounds. Fluid Phase Equilibria, 1997, 141, 1-11. | 1.4 | 9 |
| 910 | Generalized calculation of phase equilibria by using cubic equations of state. Fluid Phase Equilibria, 1997, 141, 63-85. | 1.4 | 15 |
| 911 | Data driven temperature dependence of EOS parameters. Fluid Phase Equilibria, 1997, 140, 97-105. | 1.4 | 1 |
| 912 | Two- and three-phase equilibria in systems containing benzene derivatives, carbon dioxide, and water at 373.15 K and 10â€"30 MPa. Fluid Phase Equilibria, 1997, 141, 179-206. | 1.4 | 24 |
| 913 | Supercritical fluid extraction and fractionation of essential oils and related products. Journal of Supercritical Fluids, 1997, 10, 1-37. | 1.6 | 608 |
| 914 | A new apparatus to measure the vapour-liquid equilibria of low-volatility compounds with near-critical carbon dioxide. Experimental and modelling results for carbon dioxide+n-butanol, +2-butanol, +2-butyl acetate and +vinyl acetate systems. Journal of Supercritical Fluids, 1997, 11, 1-14. | 1.6 | 26 |

| # | ARTICLE | IF | CITATIONS |
|---|---------|-----|-----------|
| 915 | Energy savings in heat-integrated distillation columns. Energy, 1997, 22, 621-625. | 4.5 | 41 |
| 916 | Calculation of pure saturation properties using cubic equations of state. Computers and Chemical Engineering, 1997, 21, 1339-1347. | 2.0 | 12 |
| 917 | Phase equilibrium dominant parameter matrix of multicomponent distillation trains. Computers and Chemical Engineering, 1997, 21, S733-S738. | 2.0 | 1 |
| 918 | Determination of thermodynamic properties of some engineering fluids using two-constant equations of state. Thermochimica Acta, 1997, 303, 137-143. | 1.2 | 1 |
| 919 | Modelling and simulation of countercurrent fractional extraction with supercritical solvents. International Journal of Thermal Sciences, 1997, 36, 93-98. | 0.2 | 1 |
| 920 | A modified Carnahan-Starling-de Santis equation of state to compute thermodynamic properties of refrigerants. International Journal of Refrigeration, 1997, 20, 38-48. | 1.8 | 4 |
| 921 | Flow calorimeter for enthalpy increment measurements on condensed gases. International Journal of Refrigeration, 1997, 20, 32-37. | 1.8 | 0 |
| 922 | A new three-parameter cubic equation of state for refrigeration engineering calculations. International Journal of Refrigeration, 1997, 20, 421-440. | 1.8 | 6 |
| 923 | Mutual solubilities of hydrocarbons and water: III. 1-hexene; 1-octene; C10ï£¿C12 hydrocarbons. AICHE Journal, 1997, 43, 535-546. | 1.8 | 85 |
| 924 | Thermodynamic consistency of vapor-liquid equilibrium data at high pressure. AICHE Journal, 1997, 43, 547-554. | 1.8 | 44 |
| 925 | Modeling and optimization of a semiregenerative catalytic naphtha reformer. AICHE Journal, 1997, 43, 740-753. | 1.8 | 96 |
| 926 | Analytical description of the Lennard-Jones fluid and its application. AICHE Journal, 1997, 43, 2215-2226. | 1.8 | 60 |
| 927 | Solubility study for the purification of hydrogen from high pressure hydrocracker offâ€gas by an absorptionâ€stripping process. Canadian Journal of Chemical Engineering, 1997, 75, 535-543. | 0.9 | 26 |
| 928 | Prediction of solubility for <i>HFC</i> working fluids in model substances for compressor oils. Canadian Journal of Chemical Engineering, 1997, 75, 551-561. | 0.9 | 9 |
| 929 | Correspondingâ€states and parachor models for the calculation of interfacial tensions. Canadian Journal of Chemical Engineering, 1997, 75, 1130-1137. | 0.9 | 93 |
| 930 | Enthalpy increment measurements on nitrogen between the temperatures 160 K and 260 K, at the pressures â‰ˆ(0.3, 3.0, 5.0, and 15.0) MPa. Journal of Chemical Thermodynamics, 1997, 29, 37-42. | 1.0 | 4 |
| 931 | Phase equilibria for {2,3-epoxypropanol (Glycidol) + carbon dioxide} fromT= 292 K toT= 343 K at pressures up to 27 MPa. Journal of Chemical Thermodynamics, 1997, 29, 197-209. | 1.0 | 6 |
| 932 | A vapour pressure model for non-polar fluids based on a perturbative approach. Chemical Engineering Science, 1997, 52, 3213-3218. | 1.9 | 3 |

| # | Article | IF | Citations |
|---|---------|----|-----------|
| 933 | Isobaric heat capacities of multicomponent gases between 323 and 423 K and at pressures up to 25 MPa: comparison with some equations of state. Chemical Engineering Science, 1997, 52, 3593-3597. | 1.9 | 0 |
| 934 | Prediction of the Joule–Thomson inversion curve of air from cubic equations of state. Cryogenics, 1998, 38, 721-728. | 0.9 | 11 |
| 935 | Application of cubic equations of state to the fit of vapor pressures of pure components. Chemical Engineering Science, 1998, 53, 743-751. | 1.9 | 31 |
| 936 | Kinetic Studies of the Enantioselective Hydrogenation of Ethyl Pyruvate Catalyzed by a Cinchona Modified Pt/Al2O3Catalyst. Journal of Catalysis, 1998, 173, 282-294. | 3.1 | 93 |
| 937 | Modeling the solubility of ethylene and propylene in a typical polymerization diluent: some selected situations. European Polymer Journal, 1998, 34, 1511-1520. | 2.6 | 66 |
| 938 | Present status of group-contribution methods for the synthesis and design of chemical processes. Fluid Phase Equilibria, 1998, 144, 37-47. | 1.4 | 56 |
| 939 | Development and extension of PSRK/UNIQUAC model to methane and nitrogen gases. Fluid Phase Equilibria, 1998, 145, 225-237. | 1.4 | 5 |
| 940 | Cubic crossover equation of state. Fluid Phase Equilibria, 1998, 147, 7-23. | 1.4 | 145 |
| 941 | Unification of the two-parameter equation of state and the principle of corresponding states. Fluid Phase Equilibria, 1998, 148, 1-19. | 1.4 | 7 |
| 942 | A systematic study of cubic three-parameter equations of state for deriving a structurally optimized PVT relation. Fluid Phase Equilibria, 1998, 147, 85-103. | 1.4 | 16 |
| 943 | Solubility of carbon dioxide in eicosane, docosane, tetracosane, and octacosane at temperatures from 323 to 473 K and pressures up to 40 MPa. Fluid Phase Equilibria, 1998, 147, 181-193. | 1.4 | 36 |
| 944 | Vapor–liquid equilibria of systems containing acetic acid and gaseous components. Measurements and calculations by a cubic equation of state. Fluid Phase Equilibria, 1998, 152, 67-94. | 1.4 | 29 |
| 945 | Isobaric enthalpy increment and isenthalpic Joule–Thomson effect measurements on synthetic gas containing binary, or ternary mixtures of methane, ethane, propane, and nitrogen. Journal of Chemical Thermodynamics, 1998, 30, 1011-1027. | 1.0 | 7 |
| 946 | Modeling infinite dilution activity coefficients of organic–aqueous systems using a modified regular solution equation and cubic equations–of–state. Canadian Journal of Chemical Engineering, 1998, 76, 94-103. | 0.9 | 4 |
| 947 | Use of velocity of sound in predicting thermodynamic properties of dense fluids from cubic equations of state. Canadian Journal of Chemical Engineering, 1998, 76, 281-289. | 0.9 | 8 |
| 948 | Reconstruction of isopentane tower for sharper separation. Chemistry and Technology of Fuels and Oils, 1998, 34, 363-366. | 0.2 | 0 |
| 949 | Thermodynamic properties for the alternative refrigerants. International Journal of Refrigeration, 1998, 21, 322-338. | 1.8 | 33 |
| 950 | Efficient flash calculations for chemical process design – extension of the Boston–Britt "Inside–out" flash algorithm to extreme conditions and new flash types. Computers and Chemical Engineering, 1998, 22, 1371-1380. | 2.0 | 9 |

| # | Article | IF | Citations |
|---|---------|-----|-----------|
| 951 | Chain transfer reaction by trialkylaluminum (AlR3) in the stereospecific polymerization of propylene with metallocene â€" AlR3/Ph3CB(C6F5)4. Polymer, 1998, 39, 5059-5067. | 1.8 | 65 |
| 952 | Guidelines for publication of equations of stateâ€"I. Pure fluids. Chemical Engineering Journal, 1998, 69, 69-81. | 6.6 | 19 |
| 953 | A gradient theory approach to line tension of liquidâ€"liquidâ€"fluid systems. Colloids and Surfaces A: Physicochemical and Engineering Aspects, 1998, 144, 275-285. | 2.3 | 6 |
| 954 | Stability calculations of semicontinuous mixtures based on equations of state. Fluid Phase Equilibria, 1998, 142, 149-162. | 1.4 | 10 |
| 955 | An algorithm for calculating critical points in multicomponent mixtures which can easily be implemented in existing programs to calculate phase equilibria. Fluid Phase Equilibria, 1998, 145, 43-52. | 1.4 | 77 |
| 956 | Prediction of Henry's constants for supercritical fluids using a van der Waals equation of state. Fluid Phase Equilibria, 1998, 142, 101-114. | 1.4 | 1 |
| 957 | Phase equilibrium properties of ethane+methanol system at 298.15 K. Fluid Phase Equilibria, 1998, 144, 131-136. | 1.4 | 33 |
| 958 | Estimation of the critical constants of heavy hydrocarbons for their treatment by the Soaveâ€"Redlichâ€"Kwong equation of state. Fluid Phase Equilibria, 1998, 143, 29-39. | 1.4 | 23 |
| 959 | Speeding up the two-phase PT-flash, with applications for calculation of miscible displacement. Fluid Phase Equilibria, 1998, 143, 1-12. | 1.4 | 32 |
| 960 | Vaporâ€"liquid equilibria for the systems propane+m-cresol, propane+p-cresol, and propane+m-cresol+p-cresol at high pressures. Fluid Phase Equilibria, 1998, 143, 125-141. | 1.4 | 7 |
| 961 | Application of a volume-translated Peng-Robinson equation of state on vapor-liquid equilibrium calculations. Fluid Phase Equilibria, 1998, 145, 193-215. | 1.4 | 70 |
| 962 | A generalized method for estimation of critical constants. Fluid Phase Equilibria, 1998, 147, 1-6. | 1.4 | 26 |
| 963 | New applications of equations of state in molecular models of complex fluid mixtures. Fluid Phase Equilibria, 1998, 150-151, 161-171. | 1.4 | 6 |
| 964 | A zero-pressure cubic equation of state mixing rule for predicting high pressure phase equilibria using infinite dilution activity coefficients at low temperature. Fluid Phase Equilibria, 1998, 150-151, 181-189. | 1.4 | 8 |
| 965 | Pressureâ€"volumeâ€"temperature behavior of binary mixtures of hydrogen fluoride with HCFC-22, HFC-32 and HFC-134a. Fluid Phase Equilibria, 1998, 150-151, 323-332. | 1.4 | 1 |
| 966 | A recirculation apparatus for vaporâ€"liquid equilibrium measurements of refrigerants. Binary mixtures of R600a, R134a and R236fa. Fluid Phase Equilibria, 1998, 150-151, 343-352. | 1.4 | 60 |
| 967 | Phase equilibria of R22 (CHClF2) hydrate system in the presence of sucrose, glucose and lactic acid. Fluid Phase Equilibria, 1998, 150-151, 361-370. | 1.4 | 23 |
| 968 | Solidâ€"fluid equilibria in natural gas systems. Fluid Phase Equilibria, 1998, 150-151, 393-402. | 1.4 | 9 |

| # | ARTICLE | IF | CITATIONS |
|---|---------|-----|-----------|
| 969 | High-pressure phase equilibria for the carbon dioxideâ€"2-pentanol and carbon dioxideâ€"waterâ€"2-pentanol systems. Fluid Phase Equilibria, 1998, 150-151, 695-701. | 1.4 | 16 |
| 970 | Connection between zero-pressure mixing rules and infinite-pressure mixing rules. Fluid Phase Equilibria, 1998, 153, 29-44. | 1.4 | 7 |
| 971 | Development of a new form for the alpha function of the Redlichâ€"Kwong cubic equation of state. Fluid Phase Equilibria, 1998, 153, 73-80. | 1.4 | 18 |
| 972 | A saturated liquid density equation in conjunction with the Predictive-Soaveâ€"Redlichâ€"Kwong equation of state for pure refrigerants and LNG multicomponent systems. Fluid Phase Equilibria, 1998, 153, 231-242. | 1.4 | 35 |
| 973 | Petroleum characterization from ultrasonic measurement. Journal of Petroleum Science and Engineering, 1998, 19, 281-293. | 2.1 | 19 |
| 974 | PVT and phase behaviour analysis in petroleum exploration. Organic Geochemistry, 1998, 29, 207-222. | 0.9 | 72 |
| 975 | Phase fractionation at South Eugene Island Block 330. Organic Geochemistry, 1998, 29, 223-239. | 0.9 | 85 |
| 976 | Prediction of Interfacial Tensions of Reservoir Crude Oil and Gas Condensate Systems. SPE Journal, 1998, 3, 134-145. | 1.7 | 30 |
| 977 | The Pengâ€™Robinson Sequel. An Analysis of the Particulars of the Second and Third Generations. Industrial &amp; Engineering Chemistry Research, 1998, 37, 1591-1597. | 1.8 | 19 |
| 978 | Analysis of Thermodynamic Model Equations:Â Mixing Rules in Cubic Equations of State. Industrial &amp; Engineering Chemistry Research, 1998, 37, 2908-2916. | 1.8 | 5 |
| 979 | Measurement and Correlation of Vaporâ€™Liquid Equilibria for Asymmetric Mixtures of Helium and Polar Compounds. Industrial &amp; Engineering Chemistry Research, 1998, 37, 3508-3514. | 1.8 | 5 |
| 980 | Group-Contribution Equation of State for the Prediction of Vaporâ€™Liquid Equilibria of Mixtures Containing Hydrofluorocarbons and Alkanes. Industrial &amp; Engineering Chemistry Research, 1998, 37, 3105-3111. | 1.8 | 5 |
| 981 | Improved Modeling of the Phase Behavior of Asymmetric Hydrocarbon Mixtures with the Pengâ€™Robinson Equation of State Using a Different Temperature Dependency of the Parametera. Industrial &amp; Engineering Chemistry Research, 1998, 37, 1651-1662. | 1.8 | 36 |
| 982 | An Examination of the Cloud Curves of Liquidâ€™Liquid Immiscibility in Aqueous Solutions of Alkyl Polyoxyethylene Surfactants Using the SAFT-HS Approach with Transferable Parameters. Journal of the American Chemical Society, 1998, 120, 4191-4199. | 6.6 | 77 |
| 983 | 1. Comparison of 12 Equations of State with Respect to Gas-Extraction Processes:Â Reproduction of Pure-Component Properties When Enforcing the Correct Critical Temperature and Pressure. Industrial &amp; Engineering Chemistry Research, 1998, 37, 2957-2965. | 1.8 | 25 |
| 984 | Thermal Decomposition of Jet Fuel Model Compounds under Near-Critical and Supercritical Conditions. 1.n-Butylbenzene andn-Butylcyclohexane. Industrial &amp; Engineering Chemistry Research, 1998, 37, 4591-4600. | 1.8 | 40 |
| 985 | Vaporâ€™Liquid Equilibrium in Binary Systems Ethanol + C4 and C5 Hydrocarbons. Journal of Chemical &amp; Engineering Data, 1998, 43, 949-953. | 1.0 | 16 |
| 986 | Vaporâ€™Liquid and Solidâ€™Fluid Equilibrium Calculations Using a Lennard-Jones Equation of State. Industrial &amp; Engineering Chemistry Research, 1998, 37, 3151-3158. | 1.8 | 14 |

| # | Article | IF | Citations |
|---|---------|----|-----------|
| 987 | Vaporâ˜Liquid Equilibria for the 1,1,1,2-Tetrafluoroethane +m-Cresol and +p-Cresol and 1,1,1,2-Tetrafluoroethane +m-Cresol +p-Cresol Systems. Journal of Chemical &amp; Engineering Data, 1998, 43, 354-357. | 1.0 | 4 |
| 988 | Correlation of Phase Equilibria of Liquid Fatty Acids and Their Esters in Supercritical Carbon Dioxide. Industrial &amp; Engineering Chemistry Research, 1998, 37, 1586-1590. | 1.8 | 9 |
| 989 | Excess Molar Enthalpies of Nitrous Oxide/Hexane Mixtures in the Liquid and Supercritical Regions. Industrial &amp; Engineering Chemistry Research, 1998, 37, 3036-3042. | 1.8 | 6 |
| 990 | Thermal Decomposition of Jet Fuel Model Compounds under Near-Critical and Supercritical Conditions. 2. Decalin and Tetralin. Industrial &amp; Engineering Chemistry Research, 1998, 37, 4601-4608. | 1.8 | 69 |
| 991 | Properties of an Ethanolâ˜Diethyl Etherâ˜Water Fuel Mixture for Cold-Start Assistance of an Ethanol-Fueled Vehicle. Industrial &amp; Engineering Chemistry Research, 1998, 37, 3366-3374. | 1.8 | 44 |
| 992 | Solubility of Methane in Cyclohexane and intrans-Decalin at Temperatures from 323 to 423 K at Pressures to 9.6 MPa. Journal of Chemical &amp; Engineering Data, 1998, 43, 238-240. | 1.0 | 13 |
| 993 | A Simple Method of Estimating the Enthalpy of Petroleum Fractions. Industrial &amp; Engineering Chemistry Research, 1998, 37, 4898-4902. | 1.8 | 7 |
| 994 | Vaporâ˜Liquid Equilibria of Binary and Ternary Mixtures of 2-Propanol, 1-Chlorobutane, and Acetonitrile at 101.3 kPa. Journal of Chemical &amp; Engineering Data, 1998, 43, 259-263. | 1.0 | 11 |
| 995 | Thermodynamic Properties of the Ternary Mixture Acetone + Methanol + Ethanol at 298.15 K. Journal of Chemical &amp; Engineering Data, 1998, 43, 776-780. | 1.0 | 21 |
| 996 | Equation of State Modeling of Phase Equilibrium in the Low-Density Polyethylene Process:Â The Sanchezâ˜Lacombe, Statistical Associating Fluid Theory, and Polymer-Soaveâ˜Redlichâ˜Kwong Equations of State. Industrial &amp; Engineering Chemistry Research, 1998, 37, 4481-4491. | 1.8 | 47 |
| 997 | Rapid and Robust Phase Equilibrium Calculation to Model Fluids in Reservoir and Surface Processing. Chemical Engineering Research and Design, 1998, 76, 594-603. | 2.7 | 6 |
| 998 | IMPROVING CUBIC EQUATIONS OF STATE FOR HEAVY RESERVOIR FLUIDS AND CRITICAL REGION. Chemical Engineering Communications, 1998, 167, 147-166. | 1.5 | 26 |
| 999 | Equations of State. Developments in Petroleum Science, 1998, , 129-166. | 0.2 | 1 |
| 1000 | Predicting the high-pressure phase equilibria of binary aqueous solutions of 1-butanol, n-butoxyethanol and n-decylpentaoxyethylene ether (C10E5) using the SAFT-HS approach. Molecular Physics, 1998, 93, 57-72. | 0.8 | 31 |
| 1001 | Prediction of Vaporâ˜Liquid Equilibria at Low and High Pressures from UNIFAC Activity Coefficients at Infinite Dilution. Industrial &amp; Engineering Chemistry Research, 1998, 37, 1173-1180. | 1.8 | 24 |
| 1002 | Correlations for Direct Calculation of Vapor Pressures from Cubic Equations of State. Industrial &amp; Engineering Chemistry Research, 1998, 37, 1673-1678. | 1.8 | 2 |
| 1003 | Applications of Complex Domain in Vaporâ˜Liquid Equilibrium Calculations Using a Cubic Equation of State. Industrial &amp; Engineering Chemistry Research, 1998, 37, 1625-1633. | 1.8 | 12 |
| 1004 | Synthesis of Distillation Processes Using Thermodynamic Models and the Dortmund Data Bank. Industrial &amp; Engineering Chemistry Research, 1998, 37, 3112-3123. | 1.8 | 106 |

| # | Article | IF | Citations |
|---|---------|-----|-----------|
| 1005 | A New Model of Thermal Diffusion Coefficients in Binary Hydrocarbon Mixtures. Industrial &amp; Engineering Chemistry Research, 1998, 37, 3331-3342. | 1.8 | 122 |
| 1006 | Comparison of the Pengâ˜Robinson and Soaveâ˜Redlichâ˜Kwong Equations of State Using a New Zero-Pressure-Based Mixing Rule for the Prediction of High-Pressure and High-Temperature Phase Equilibria. Industrial &amp; Engineering Chemistry Research, 1998, 37, 1580-1585. | 1.8 | 21 |
| 1007 | Compositional and Black Oil Reservoir Simulation. SPE Reservoir Evaluation and Engineering, 1998, 1, 372-379. | 1.1 | 56 |
| 1008 | Improvements in clathrate modelling II: the $H_2$O-$CO_2$-$CH_4$-$N_2$-$C_2H_6$ fluid system. Geological Society Special Publication, 1998, 137, 75-105. | 0.8 | 16 |
| 1009 | Improvement of the Calculation Performance for Liquid-Phase Densities by Cubic Equation of State.. Kagaku Kogaku Ronbunshu, 1998, 24, 806-809. | 0.1 | 1 |
| 1010 | Analytical Method for Stirling Engines and Coolers.. JSME International Journal Series B, 1998, 41, 632-640. | 0.3 | 1 |
| 1011 | Partial Molar Volumes of Methanol and Ethanol at Infinite Dilution in Supercritical Carbon Dioxide.. Netsu Bussei, 1998, 12, 186-190. | 0.1 | 3 |
| 1012 | EFFECT OF PVT PROPERTIES VARIATION WITH DEPTH IN HYDROCARBON RESERVOIRS. Petroleum Science and Technology, 1999, 17, 81-98. | 0.7 | 4 |
| 1013 | Tracing coexistence lines in multicomponent fluid mixtures by molecular simulation. Journal of Chemical Physics, 1999, 110, 11999-12010. | 1.2 | 36 |
| 1014 | Chemical potential of model benzene fluids using expanded ensemble Monte Carlo simulations. Journal of Chemical Physics, 1999, 110, 3063-3069. | 1.2 | 18 |
| 1015 | Phase and chemical equilibrium calculations by direct search optimization. Computers and Chemical Engineering, 1999, 23, 1183-1191. | 2.0 | 37 |
| 1016 | A numerical blowdown simulation incorporating cubic equations of state. Computers and Chemical Engineering, 1999, 23, 1309-1317. | 2.0 | 39 |
| 1017 | Modelling emergency relief for processes at near critical conditions. Computers and Chemical Engineering, 1999, 23, S399-S402. | 2.0 | 2 |
| 1018 | Spreadsheet based teaching aids in chemical engineering education. Computers and Chemical Engineering, 1999, 23, S629-S632. | 2.0 | 4 |
| 1019 | A chemical theory based equation of state for self-associating compounds. Thermochimica Acta, 1999, 328, 65-71. | 1.2 | 3 |
| 1020 | Volumetric properties prediction by cubic EOS for non-ideal mixtures: application to the ternary system acetone+methanol+n-hexane. Thermochimica Acta, 1999, 328, 265-275. | 1.2 | 11 |
| 1021 | Line tension of simple liquidâ€"liquidâ€"fluid systems. Colloids and Surfaces A: Physicochemical and Engineering Aspects, 1999, 156, 123-135. | 2.3 | 9 |
| 1022 | Vapor-phase kinetics and its contribution to global three-phase reaction rate in hydrogenation of 1-methylnaphthalene. Catalysis Today, 1999, 48, 31-40. | 2.2 | 6 |

| # | Article | IF | Citations |
|---|---------|----|-----------|
| 1023 | Liquid-phase methanol synthesis in apolar (squalane) and polar (tetraethylene glycol dimethylether) solvents. Catalysis Today, 1999, 48, 93-100. | 2.2 | 17 |
| 1024 | Olefins oligomerization: thermodynamics and kinetics over a mesoporous silica–alumina. Catalysis Today, 1999, 52, 271-277. | 2.2 | 45 |
| 1025 | Thermophysical properties of petroleum distillation fractions up to 150 MPa. Comparative analysis of some equations of state. Physica B: Condensed Matter, 1999, 265, 282-286. | 1.3 | 0 |
| 1026 | Thermodynamic properties of the mixture benzene+cyclohexane+2-methyl-2-butanol at the temperature 298.15 K: excess molar volumes prediction by application of cubic equations of state. Fluid Phase Equilibria, 1999, 154, 123-138. | 1.4 | 35 |
| 1027 | Evaluation of an improved volume translation for the prediction of hydrocarbon volumetric properties. Fluid Phase Equilibria, 1999, 154, 193-204. | 1.4 | 47 |
| 1028 | Vapor–liquid equilibria of the binary mixtures formed by nitromethane with five alkyl alkanoates at 101.3 kPa. Fluid Phase Equilibria, 1999, 155, 287-296. | 1.4 | 7 |
| 1029 | Guidelines for publication of equations of state. Fluid Phase Equilibria, 1999, 161, 205-219. | 1.4 | 37 |
| 1030 | High-pressure phase equilibria for the carbon dioxide–2-methyl-1-butanol, carbon dioxide–2-methyl-2-butanol, carbon dioxide–2-methyl-1-butanol–water, and carbon dioxide–2-methyl-2-butanol–water systems. Fluid Phase Equilibria, 1999, 157, 81-91. | 1.4 | 6 |
| 1031 | Molecular simulations on volumetric properties of natural gas. Fluid Phase Equilibria, 1999, 161, 45-62. | 1.4 | 18 |
| 1032 | Evaluation of saturated liquid density prediction methods for pure refrigerants. Fluid Phase Equilibria, 1999, 158-160, 437-445. | 1.4 | 27 |
| 1033 | Modeling of fluid multiphase equilibria in ternary systems of carbon dioxide as the near-critical solvent and two low-volatile solutes. Fluid Phase Equilibria, 1999, 158-160, 133-141. | 1.4 | 14 |
| 1034 | A unified framework for calculating solid deposition from petroleum fluids including waxes, asphaltenes, hydrates and scales. Fluid Phase Equilibria, 1999, 158-160, 481-489. | 1.4 | 20 |
| 1035 | Prediction of excess enthalpies at low and high pressures using a modified MHV1 mixing rule. Fluid Phase Equilibria, 1999, 158-160, 283-291. | 1.4 | 2 |
| 1036 | Lipschitz optimization for phase stability analysis: application to Soave–Redlich–Kwong equation of state. Fluid Phase Equilibria, 1999, 162, 19-29. | 1.4 | 21 |
| 1037 | Cubic crossover equation of state for mixtures. Fluid Phase Equilibria, 1999, 162, 51-82. | 1.4 | 93 |
| 1038 | Calculation of the stability and of the phase equilibrium in the system polystyrene+cyclohexane+carbon dioxide based on equations of state. Fluid Phase Equilibria, 1999, 163, 43-60. | 1.4 | 15 |
| 1039 | Modelling of high-pressure phase equilibria using the Sako–Wu–Prausnitz equation of state. Fluid Phase Equilibria, 1999, 163, 61-77. | 1.4 | 14 |
| 1040 | Experimental determination and modeling of structure II hydrates in mixtures of methane+water+1,4-dioxane. Fluid Phase Equilibria, 1999, 165, 209-223. | 1.4 | 79 |

| # | ARTICLE | IF | CITATIONS |
|---|---------|----|-----------|
| 1041 | Phase equilibria in complex systems of palm oil deodorizer condensates and supercritical carbon dioxide: experiments and correlation. Journal of Supercritical Fluids, 1999, 14, 181-195. | 1.6 | 24 |
| 1042 | Solubility of the antibiotic Penicillin G in supercritical carbon dioxide. Journal of Supercritical Fluids, 1999, 15, 183-190. | 1.6 | 154 |
| 1043 | Solubility study of methane, carbon dioxide and nitrogen in ethylene glycol at elevated temperatures and pressures. Fluid Phase Equilibria, 1999, 155, 277-286. | 1.4 | 65 |
| 1044 | Phase equilibria in systems containing o-cresol, p-cresol, carbon dioxide, and ethanol at 323.15â€"473.15 K and 10â€"35 MPa. Fluid Phase Equilibria, 1999, 157, 53-79. | 1.4 | 65 |
| 1045 | A new method for the prediction of VLE and thermodynamic properties. Preliminary results with alkaneâ€"etherâ€"alkanol systems. Fluid Phase Equilibria, 1999, 156, 35-50. | 1.4 | 11 |
| 1046 | CEOS/AE mixing rules from infinite pressure to zero pressure and then to no reference pressure. Fluid Phase Equilibria, 1999, 158-160, 271-281. | 1.4 | 29 |
| 1047 | Vaporâ€"liquid equilibria for binary mixtures of carbon dioxide with 1,2-dimethoxybenzene, 2-methoxyphenol, or p-cresol at elevated pressures. Fluid Phase Equilibria, 1999, 162, 211-224. | 1.4 | 17 |
| 1048 | Prediction of the critical locus in binary mixtures using equation of state. Fluid Phase Equilibria, 1999, 164, 13-47. | 1.4 | 40 |
| 1049 | New equipment using a static analytic method for the study of vapourâ€"liquid equilibria at temperatures down to 77 K. Fluid Phase Equilibria, 1999, 166, 225-236. | 1.4 | 26 |
| 1050 | Improvement of the SRK equation of state for representing volumetric properties of petroleum fluids using Dortmund Data Bank. Chemical Engineering Science, 1999, 54, 3885-3892. | 1.9 | 29 |
| 1051 | Correlation for gasâ€"liquid equilibrium prediction in Fischerâ€"Tropsch synthesis. Fuel, 1999, 78, 911-917. | 3.4 | 26 |
| 1052 | Solubility of hydrogen in Athabasca bitumen. Fuel, 1999, 78, 1437-1441. | 3.4 | 44 |
| 1053 | Measurement and Calculation of Heat Capacity of Heavy Distillation Cuts Under Pressure up to 40 MPa. Magyar AprÃ³vad KÃ¶zlemÃ©nyek, 1999, 58, 39-49. | 1.4 | 11 |
| 1054 | Vaporâ€"Liquid Equilibrium of HFC-32/134a And HFC-125/134a Systems. International Journal of Thermophysics, 1999, 20, 519-530. | 1.0 | 14 |
| 1055 | Aqueous solubility of m-phthalic acid, o-phthalic acid and p-phthalic acid from 298 to 483 K. Separation and Purification Technology, 1999, 16, 175-180. | 3.9 | 32 |
| 1056 | Unusual chemical thermodynamics. Journal of Chemical Thermodynamics, 1999, 31, 3-25. | 1.0 | 24 |
| 1057 | Critical (p , Ï•, T) properties of CH2F2, {xCO2+(1â̂'x) SF6}, {xSF6+(1â̂'x) CH2F2}, and {xCHF3+(1â̂'x) CH2F2}. Journal of Chemical Thermodynamics, 1999, 31, 905-919. | 1.0 | 21 |
| 1058 | Improvement of SRK equation of state for vapor-liquid equilibria of petroleum fluids. AICHE Journal, 1999, 45, 1125-1134. | 1.8 | 18 |

| # | Article | IF | Citations |
|---|---------|----|-----------| 
| 1059 | Simple equation of state for hard-sphere chains. AICHE Journal, 1999, 45, 2454-2457. | 1.8 | 14 |
| 1060 | Prediction of Vapor-Liquid Equilibria Using Peng-Robinson and Soave-Redlich-Kwong Equations of State. Chemical Engineering and Technology, 1999, 22, 379-399. | 0.9 | 38 |
| 1061 | Enzymatic catalysis in cosolvent modified pressurized organic solvents. Biotechnology and Bioengineering, 1999, 65, 258-264. | 1.7 | 9 |
| 1062 | Ethylene/1-hexene copolymerizations by syndioselective metallocenes: Direct comparison of Me2C(Cp)(Flu)ZrMe2 with Et(Cp)(Flu)ZrMe2. Journal of Polymer Science Part A, 1999, 37, 2763-2772. | 2.5 | 10 |
| 1063 | Metallocenes for Ethene/Propene Copolymerizations with High Product of Reactivity Ratios. Macromolecules, 1999, 32, 7968-7976. | 2.2 | 39 |
| 1064 | Solubilities of Nitrogen in Heavy Normal Paraffins from 323 to 423 K at Pressures to 18.0 MPa. Journal of Chemical &amp; Engineering Data, 1999, 44, 784-787. | 1.0 | 37 |
| 1065 | Regression to Experimental PVT Data. Journal of Canadian Petroleum Technology, 1999, 38, . | 2.3 | 29 |
| 1066 | Representing Vaporâ�’Liquid Equilibrium for an Aqueous MEAâ�’CO2System Using the Electrolyte Nonrandom-Two-Liquid Model. Industrial &amp; Engineering Chemistry Research, 1999, 38, 2080-2090. | 1.8 | 152 |
| 1067 | Adaptation of the Bowers and Helgeson (1983) equation of state to the H2Oâ€"CO2â€"CH4â€"N2â€"NaCl system. Chemical Geology, 1999, 154, 225-236. | 1.4 | 142 |
| 1068 | Crossover SAFT Equation of State:Â Application for Normal Alkanes. Industrial &amp; Engineering Chemistry Research, 1999, 38, 4993-5004. | 1.8 | 119 |
| 1069 | Application of hard sphere equations of state to the Weeksâ€"Chandlerâ€"Andersen reference system. Journal of Chemical Physics, 1999, 111, 4186-4190. | 1.2 | 15 |
| 1070 | Modified Local Composition and Floryâ�’Huggins Equations for Nonelectrolyte Solutions. Industrial &amp; Engineering Chemistry Research, 1999, 38, 4092-4099. | 1.8 | 12 |
| 1071 | The Group Contribution Concept:Â A Useful Tool To Correlate Binary Systems and To Predict the Phase Behavior of Multicomponent Systems Involving Supercritical CO2and Fatty Acids. Industrial &amp; Engineering Chemistry Research, 1999, 38, 5011-5018. | 1.8 | 51 |
| 1072 | High-Pressure Solubilities of Hydrogen, Nitrogen, and Carbon Monoxide in Dodecane from 344 to 410 K at Pressures to 13.2 MPa. Journal of Chemical &amp; Engineering Data, 1999, 44, 130-132. | 1.0 | 51 |
| 1073 | Organic Vapor Separation:Â Process Design with Regards to High-Flux Membranes and the Dependence on Real Gas Behavior at High Pressure Applications. Industrial &amp; Engineering Chemistry Research, 1999, 38, 3754-3760. | 1.8 | 24 |
| 1074 | From the Correlation of Binary Systems Involving Supercritical CO2and Fatty Acid Esters to the Prediction of (CO2â˜’Fish Oils) Phase Behavior. Industrial &amp; Engineering Chemistry Research, 1999, 38, 3162-3171. | 1.8 | 55 |
| 1075 | High-Pressure Phase Equilibria for the Carbon Dioxide + 3-Pentanol and Carbon Dioxide + 3-Pentanol + Water Systems. Journal of Chemical &amp; Engineering Data, 1999, 44, 524-527. | 1.0 | 7 |
| 1076 | Vaporâ˜’Liquid Equilibria of Binary Mixtures Containing Nitroethane with Five Alkyl Esters at 101.3 kPa. Journal of Chemical &amp; Engineering Data, 1999, 44, 271-273. | 1.0 | 7 |

| # | Article | IF | Citations |
|---|---------|-----|-----------|
| 1077 | Phase Equilibria of Carbon Dioxide Hydrate System in the Presence of Sucrose, Glucose, and Fructose. Journal of Chemical &amp; Engineering Data, 1999, 44, 1081-1084. | 1.0 | 20 |
| 1078 | Calorimetry in the near-critical and supercritical regions. Nitrous oxide + hydrocarbon mixtures. Pure and Applied Chemistry, 1999, 71, 1197-1205. | 0.9 | 2 |
| 1079 | Quantitative Evaluation of Produced Hydrocarbon Compositions And Injectant Reproduction In Gas-miscible Floods. Journal of Canadian Petroleum Technology, 1999, 38, . | 2.3 | 0 |
| 1080 | Unusual chemical thermodynamics. Pure and Applied Chemistry, 1999, 71, 1167-1181. | 0.9 | 7 |
| 1083 | Study on Heat-Energy Exchange Media of Kalina Cycle. High-Pressure and High-Temperature Vapor-Liquid Equilibria for the Binary Mixtures Containing Perfluorobenzene.. Kagaku Kogaku Ronbunshu, 2000, 26, 112-115. | 0.1 | 1 |
| 1086 | Guidelines for Choosing Compositional and Black-Oil Models for Volatile Oil and Gas-Condensate Reservoirs. , 2000, , . | | 50 |
| 1087 | Phase Stability Analysis in Binary Systems. Physics and Chemistry of Liquids, 2000, 38, 277-331. | 0.4 | 12 |
| 1088 | Producing Rich-Gas-Condensate Reservoirs--Case History and Comparison Between Compositional and Modified Black-Oil Approaches. , 2000, , . | | 23 |
| 1089 | Thermodynamic properties of the system (acetone + methanol+n -heptane) atT= 298.15 K. Journal of Chemical Thermodynamics, 2000, 32, 483-497. | 1.0 | 18 |
| 1090 | V.l.e. measurements at high pressures and high temperatures on (methane+ -hexane). Journal of Chemical Thermodynamics, 2000, 32, 1265-1284. | 1.0 | 8 |
| 1091 | Equations of state for the calculation of fluid-phase equilibria. AICHE Journal, 2000, 46, 169-196. | 1.8 | 344 |
| 1092 | Phase stability with cubic equations of state: Global optimization approach. AICHE Journal, 2000, 46, 1422-1440. | 1.8 | 65 |
| 1093 | Molecular and macroscopic modeling of phase separation. AICHE Journal, 2000, 46, 2086-2096. | 1.8 | 13 |
| 1094 | Phase equilibria for chain-fluid mixtures near to and far from the critical region. AICHE Journal, 2000, 46, 2525-2536. | 1.8 | 39 |
| 1095 | Global stability analysis and phase equilibrium calculations at high pressures using the enhanced simulated annealing algorithm. Chemical Engineering Science, 2000, 55, 3451-3459. | 1.9 | 53 |
| 1096 | A theoretical revision of the derivation of liquid property expressions from an equation of state and its application. Chemical Engineering Science, 2000, 55, 4913-4923. | 1.9 | 8 |
| 1097 | Structural transitions in methane+ethane gas hydrates â€" Part II: modeling beyond incipient conditions. Chemical Engineering Science, 2000, 55, 5773-5782. | 1.9 | 66 |
| 1098 | A novel approach for defining parameters in a four-parameter EOS. Chemical Engineering Science, 2000, 55, 5705-5720. | 1.9 | 25 |

| # | Article | IF | Citations |
|---|---------|----|-----------|
| 1099 | The application of the Deiters equation of state to the calculations of the vapour–liquid phase equilibria in systems containing halogenhydrocarbons. Cryogenics, 2000, 40, 221-227. | 0.9 | 4 |
| 1100 | Supercritical-phase thermal decomposition of binary mixtures of jet fuel model compounds. Fuel, 2000, 79, 759-768. | 3.4 | 37 |
| 1101 | CVP-based optimal control of an industrial depropanizer column. Computers and Chemical Engineering, 2000, 24, 909-915. | 2.0 | 9 |
| 1104 | Application of the sCPA equation of state for polymer solutions. Computational and Theoretical Polymer Science, 2000, 10, 501-506. | 1.1 | 12 |
| 1105 | Critical temperatures and pressures for hydrocarbon mixtures from an equation of state with renormalization-group theory corrections. Fluid Phase Equilibria, 2000, 169, 127-147. | 1.4 | 42 |
| 1106 | Phase equilibria of fluid mixtures using a modified perturbed hard-sphere-chain equation of state. Fluid Phase Equilibria, 2000, 168, 201-216. | 1.4 | 17 |
| 1107 | Physical and chemical solubility of carbon dioxide in aqueous methyldiethanolamine. Fluid Phase Equilibria, 2000, 168, 241-258. | 1.4 | 52 |
| 1108 | The friction theory (f-theory) for viscosity modeling. Fluid Phase Equilibria, 2000, 169, 249-276. | 1.4 | 233 |
| 1109 | Mixing properties of benzene+2-methyl-2-butanol+1-pentanol at 298.15 K. Experimental results and comparison between ERAS model and cubic EOS estimations for excess molar volumes. Fluid Phase Equilibria, 2000, 170, 151-163. | 1.4 | 14 |
| 1110 | Prediction of the critical locus in binary mixtures using equation of state. Fluid Phase Equilibria, 2000, 172, 1-26. | 1.4 | 46 |
| 1111 | Influence of water-insoluble organic components on the gas hydrate equilibrium conditions of methane. Fluid Phase Equilibria, 2000, 172, 73-91. | 1.4 | 83 |
| 1112 | Thermodynamic properties of pure fluids using the GEOS3C equation of state. Fluid Phase Equilibria, 2000, 174, 51-68. | 1.4 | 29 |
| 1113 | High pressure phase equilibrium data for the systems carbon dioxide/ethyl acetate and carbon dioxide/isoamyl acetate at 295.2, 303.2 and 313.2 K. Fluid Phase Equilibria, 2000, 175, 19-33. | 1.4 | 26 |
| 1114 | Vapor–liquid equilibria for binary mixtures of nitroethane with aliphatic alcohols (C1–C4) at 101.3 kPa. Fluid Phase Equilibria, 2000, 175, 139-152. | 1.4 | 15 |
| 1115 | High-pressure phase equilibria and thermodynamic modelling for the binary systems CO2+lemon oil and C2H6+lemon oil. Fluid Phase Equilibria, 2000, 175, 45-52. | 1.4 | 13 |
| 1116 | Representation of solid-supercritical fluid phase equilibria using cubic equations of state. Fluid Phase Equilibria, 2000, 167, 41-61. | 1.4 | 68 |
| 1117 | Prediction of solid–fluid phase diagrams of light gases–heavy paraffin systems up to 200 MPa using an equation of state–GE model. Fluid Phase Equilibria, 2000, 167, 145-159. | 1.4 | 67 |
| 1118 | Evaluation of vapor–liquid equilibrium of ethane binary systems using UNIQUAC-based mixing rules and its extension to multicomponent systems. Fluid Phase Equilibria, 2000, 169, 31-47. | 1.4 | 2 |

| # | ARTICLE | IF | CITATIONS |
|---|---------|-----|-----------|
| 1119 | Vaporâ€"liquid equilibria at elevated pressures of binary mixtures of carbon dioxide with methyl salicylate, eugenol, and diethyl phthalate. Journal of Supercritical Fluids, 2000, 18, 87-99. | 1.6 | 36 |
| 1120 | A simple model for the supercritical extraction of solids. Journal of Supercritical Fluids, 2000, 19, 19-24. | 1.6 | 13 |
| 1121 | Use of supercritical fluids for different processes including new developmentsâ€"a review. Chemical Engineering and Processing: Process Intensification, 2000, 39, 19-28. | 1.8 | 163 |
| 1122 | Equation of state associated with activity coefficient models to predict low and high pressure vaporâ€"liquid equilibria. Chemical Engineering Journal, 2000, 79, 87-101. | 6.6 | 8 |
| 1123 | Mathematical modeling of internal mass transport limitations in methanol synthesis. Chemical Engineering Science, 2000, 55, 5589-5598. | 1.9 | 76 |
| 1124 | An interpretation of the behavior of EoS/GE models for asymmetric systems. Chemical Engineering Science, 2000, 55, 2351-2358. | 1.9 | 32 |
| 1125 | High-pressure phase equilibria of binary and ternary mixtures containing the methyl-substituted butanols. Fluid Phase Equilibria, 2000, 167, 131-144. | 1.4 | 9 |
| 1126 | Equations of state for hard spheres and hard-sphere chains. Fluid Phase Equilibria, 2000, 167, 187-206. | 1.4 | 13 |
| 1127 | Generalized saturated liquid density prediction method for pure compounds and multi-component mixtures. Fluid Phase Equilibria, 2000, 168, 71-90. | 1.4 | 16 |
| 1128 | A process simulation of the NEDOL coal liquefaction process. Fuel Processing Technology, 2000, 64, 253-269. | 3.7 | 15 |
| 1129 | Crossover SAFT Equation of State and Thermodynamic Properties of Propan-1-ol. International Journal of Thermophysics, 2000, 21, 1373-1405. | 1.0 | 37 |
| 1130 | Design and Analysis of Separation by Distillation. Chemical Engineering Research and Design, 2000, 78, 217-230. | 2.7 | 4 |
| 1131 | Molecular thermodynamic models for the vapor-liquid equilibrium of nonpolar fluids. Journal of Phase Equilibria and Diffusion, 2000, 21, 364-370. | 0.3 | 24 |
| 1132 | Fluid inclusions as metamorphic process indicators in the Southern Aravalli Mountain Belt (India). Contributions To Mineralogy and Petrology, 2000, 139, 163-179. | 1.2 | 22 |
| 1133 | Hydrate phase equilibria for gas mixtures containing carbon dioxide: A proof-of-concept to carbon dioxide recovery from multicomponent gas stream. Korean Journal of Chemical Engineering, 2000, 17, 659-667. | 1.2 | 73 |
| 1134 | Thermodynamic investigation of methanol and dimethyl ether synthesis from CO2 Hydrogenation. Korean Journal of Chemical Engineering, 2000, 17, 210-216. | 1.2 | 130 |
| 1135 | Calculation of spinodal line and critical point of a mixture. Theoretical Foundations of Chemical Engineering, 2000, 34, 51-58. | 0.2 | 10 |
| 1136 | Liquid Volumes from Generalized Cubic Equations of State: Take It with Care. Oil and Gas Science and Technology, 2000, 55, 523-531. | 1.4 | 25 |

| # | Article | IF | Citations |
|---|---------|----|-----------|
| 1137 | Cycle-Model Assessment of Working Fluids for a Low-Pressure CO2 Climate Control System. , 0, , . | | 4 |
| 1138 | Effective Viscosity and Thermal Conductivity of Slurry in a Preheater of the 150 ton/day NEDOL Coal Liquefaction Pilot Plant.. Nihon Enerugi Gakkaishi/Journal of the Japan Institute of Energy, 2000, 79, 69-83. | 0.2 | 0 |
| 1140 | 4 Cubic and generalized van der waals equations. Experimental Thermodynamics, 2000, 5, 75-126. | 0.1 | 28 |
| 1141 | A computer aided tool for heavy oil thermal cracking process simulation. Computer Aided Chemical Engineering, 2000, , 325-330. | 0.3 | 0 |
| 1142 | 9 Mixing and combining rules. Experimental Thermodynamics, 2000, 5, 321-357. | 0.1 | 10 |
| 1143 | 8 The corresponding-states principle. Experimental Thermodynamics, 2000, 5, 289-320. | 0.1 | 6 |
| 1144 | High pressure measurement of n-dodecane heat capacity up to 100 MPa. Calculation from equations of state. High Pressure Research, 2000, 18, 279-284. | 0.4 | 22 |
| 1145 | DAEPACK:Â An Open Modeling Environment for Legacy Models. Industrial &amp; Engineering Chemistry Research, 2000, 39, 1826-1839. | 1.8 | 86 |
| 1146 | Molecular model for the VLE $p- T-x$ relationships of binary mixtures. Phase Transitions, 2000, 72, 309-329. | 0.6 | 6 |
| 1147 | Modeling of Structure H Hydrates Using a Langmuir Adsorption Model. Industrial &amp; Engineering Chemistry Research, 2000, 39, 1111-1114. | 1.8 | 14 |
| 1148 | Determination of the composition and molar volume of H2O-CO2 fluid inclusions by microthermometry. Geochimica Et Cosmochimica Acta, 2000, 64, 1753-1764. | 1.6 | 54 |
| 1149 | Internally Consistent Prediction of Vapor Pressure and Related Properties. Industrial &amp; Engineering Chemistry Research, 2000, 39, 813-820. | 1.8 | 33 |
| 1150 | A Modified Equation of State for Gas-Condensate Systems. , 2000, , . | | 4 |
| 1151 | Phase Equilibria of R22 (CHClF2) Hydrate Systems in the Presence of NaCl, KCl, and MgCl2. Journal of Chemical &amp; Engineering Data, 2000, 45, 1150-1153. | 1.0 | 22 |
| 1152 | Thermodynamic Calculations in the Modeling of Multiphase Processes and Reactors. Industrial &amp; Engineering Chemistry Research, 2000, 39, 1453-1472. | 1.8 | 42 |
| 1153 | Phase Equilibria on Seven Binary Mixtures. Journal of Chemical &amp; Engineering Data, 2000, 45, 146-153. | 1.0 | 39 |
| 1154 | Estimation of Thermophysical Properties of Heavy Hydrocarbons through a Group Contribution Based Equation of State. Industrial &amp; Engineering Chemistry Research, 2000, 39, 5037-5048. | 1.8 | 18 |
| 1155 | Solubilities of Essential Oil Components of Orange in Supercritical Carbon Dioxide. Journal of Chemical &amp; Engineering Data, 2000, 45, 724-727. | 1.0 | 30 |

| # | ARTICLE | IF | CITATIONS |
|---|---------|----|-----------|
| 1156 | Vapour pressure of non-polar fluids and their repulsive and attractive contributions. Phase Transitions, 2000, 71, 57-72. | 0.6 | 10 |
| 1157 | Thermodynamic Study of the N2O + CO2 and N2O + CO2 + Cyclohexane Systems in the Near-Critical and Supercritical Regions. Industrial &amp; Engineering Chemistry Research, 2000, 39, 3566-3575. | 1.8 | 16 |
| 1158 | On Density Microheterogeneities in Dilute Supercritical Solutions. Journal of Physical Chemistry B, 2000, 104, 2540-2545. | 1.2 | 17 |
| 1159 | The Zeno (Z= 1) Behavior of Equations of State:Â An Interpretation across Scales from Macroscopic to Molecular. Journal of Physical Chemistry B, 2000, 104, 9513-9525. | 1.2 | 62 |
| 1160 | Convergence of the Continuous Fluidˆ˜Solid Phase Equilibrium Problem Using Quadrature Compositional Characterizations. Industrial &amp; Engineering Chemistry Research, 2000, 39, 790-796. | 1.8 | 2 |
| 1161 | Measurement of Phase Boundaries of Hydrocarbon Mixtures Using Fiber Optical Detection Techniques. Industrial &amp; Engineering Chemistry Research, 2000, 39, 2586-2591. | 1.8 | 3 |
| 1162 | Use of a Predictive Cubic Equation of State To Model New Equilibrium Data of Binary Systems Involving Fatty Acid Esters and Supercritical Carbon Dioxide. Industrial &amp; Engineering Chemistry Research, 2000, 39, 2623-2626. | 1.8 | 12 |
| 1163 | A Theoretical Model to Simulate Supercritical Fluid Extraction:â€‰ Application to the Extraction of Terpenes by Supercritical Carbon Dioxide. Industrial &amp; Engineering Chemistry Research, 2000, 39, 4991-5002. | 1.8 | 6 |
| 1164 | Vapor Liquid Equilibrium for the Binary Systems of 2-Methylpropane + Ethanenitrile and 2-Methylpropene + Ethanenitrile at 358 K. Journal of Chemical &amp; Engineering Data, 2000, 45, 116-119. | 1.0 | 4 |
| 1165 | Vaporˆ˜Liquid Equilibria for the Difluoromethane (HFC-32) + 1,1,1-Trifluoroethane (HFC-143a) System. Journal of Chemical &amp; Engineering Data, 2000, 45, 34-37. | 1.0 | 17 |
| 1166 | A Proposal for Parametrizing the Sanchezˆ˜Lacombe Equation of State. Industrial &amp; Engineering Chemistry Research, 2000, 39, 1115-1117. | 1.8 | 37 |
| 1168 | 14 Equations of state for polymer systems. Experimental Thermodynamics, 2000, , 523-588. | 0.1 | 6 |
| 1169 | Accuracy of vapourÂ-Âliquid critical points computed from cubic equations of state. High Temperatures - High Pressures, 2000, 32, 449-459. | 0.3 | 3 |
| 1170 | Reliable Computation of High-Pressure Solidˆ˜Fluid Equilibrium. Industrial &amp; Engineering Chemistry Research, 2000, 39, 1624-1636. | 1.8 | 51 |
| 1171 | New Apparatus for the Fast Determination of High-Pressure Vaporˆ˜Liquid Equilibria of Mixtures and of Accurate Critical Pressures. Journal of Chemical &amp; Engineering Data, 2000, 45, 265-271. | 1.0 | 137 |
| 1172 | Chapter 21 Wax Precipitation from Petroleum Fluids: A Review. Developments in Petroleum Science, 2000, , 557-608. | 0.2 | 25 |
| 1173 | Modeling Asphaltene Precipitation in Reservoir Simulation. Industrial &amp; Engineering Chemistry Research, 2000, 39, 2644-2654. | 1.8 | 67 |
| 1174 | Economics of High Pressure Processes. Industrial Chemistry Library, 2001, 9, 437-471. | 0.1 | 3 |

| # | ARTICLE | IF | CITATIONS |
|---|---------|-----|-----------|
| 1175 | Viscosity Modeling of Light Gases at Supercritical Conditions Using the Friction Theory. Industrial &amp; Engineering Chemistry Research, 2001, 40, 3848-3854. | 1.8 | 30 |
| 1176 | Temperature Dependence of Binary Mixing Properties for Acetone, Methanol, and Linear Aliphatic Alkanes (C6â~C8). Journal of Chemical &amp; Engineering Data, 2001, 46, 728-734. | 1.0 | 35 |
| 1177 | Prediction of Liquidâ~Liquidâ~Vapor Equilibria in Asymmetric Hydrocarbon Mixtures. Industrial &amp; Engineering Chemistry Research, 2001, 40, 444-451. | 1.8 | 11 |
| 1178 | Vaporâ~Liquid Equilibrium for the Binary Systems of Methanol + 2,4,4-Trimethyl-1-pentene at 331 K and 101 kPa and Methanol + 2-Methoxy-2,4,4-trimethylpentane at 333 K. Journal of Chemical &amp; Engineering Data, 2001, 46, 1244-1248. | 1.0 | 17 |
| 1179 | Solubilities of Hydrogen in Hexane and of Carbon Monoxide in Cyclohexane at Temperatures from 344.3 to 410.9 K and Pressures to 15 MPa. Journal of Chemical &amp; Engineering Data, 2001, 46, 609-612. | 1.0 | 24 |
| 1180 | Equations of state for hard spheres. A review of accuracy and applications. Physical Chemistry Chemical Physics, 2001, 3, 4991-4999. | 1.3 | 63 |
| 1181 | COMPARISON OF FOURTEEN GENERALIZED EQUATIONS OF STATE TO PREDICT GAS-PHASE FUGACITY. Chemical Engineering Communications, 2001, 187, 149-159. | 1.5 | 1 |
| 1182 | Application of Cryogenic Turboexpanders. , 2001, , 42-84. | | 3 |
| 1183 | Interfacial Tension of (Methane + Nitrogen) + Water and (Carbon Dioxide + Nitrogen) + Water Systems. Journal of Chemical &amp; Engineering Data, 2001, 46, 1544-1548. | 1.0 | 132 |
| 1184 | Thermodynamic Properties at High Pressure. Industrial Chemistry Library, 2001, 9, 17-63. | 0.1 | 2 |
| 1185 | Vapor Liquid Equilibrium for the Binary Systems of 2-Methyl-2-propanol + 2,4,4-Trimethyl-1-pentene at 333 K and 348 K and 2-Butanol + 2,4,4-Trimethyl-1-pentene at 360 K. Journal of Chemical &amp; Engineering Data, 2001, 46, 686-691. | 1.0 | 11 |
| 1186 | Isothermal Vaporâ~Liquid Equilibria for Binary Mixtures of Carbon Dioxide with Hexyl Acetate, Cyclohexyl Acetate, or Phenyl Acetate at Elevated Pressures. Journal of Chemical &amp; Engineering Data, 2001, 46, 1410-1414. | 1.0 | 6 |
| 1187 | Cubic Equation of State and Local Composition Mixing Rules:â€‰ Correlations and Predictions. Application to the Solubility of Solids in Supercritical Solvents. Industrial &amp; Engineering Chemistry Research, 2001, 40, 2544-2549. | 1.8 | 10 |
| 1188 | High Pressure Phase Equilibrium for Ethane + 1-Propanol at 314.15 K. Journal of Chemical &amp; Engineering Data, 2001, 46, 1280-1282. | 1.0 | 11 |
| 1189 | Continuous-Phase Equilibrium Problem:Â Quadrature Compositional Characterization and Asymptotic Convergence. Industrial &amp; Engineering Chemistry Research, 2001, 40, 6213-6220. | 1.8 | 1 |
| 1190 | Henry's Constant Analysis for Water and Nonpolar Solvents from Experimental Data, Macroscopic Models, and Molecular Simulation. Journal of Physical Chemistry B, 2001, 105, 7792-7798. | 1.2 | 36 |
| 1191 | Vaporâ~Liquid Equilibrium for the Binary Systems of 3-Methylpentane + 2-Methyl-2-propanol at 331 K and + 2-Butanol at 331 K. Journal of Chemical &amp; Engineering Data, 2001, 46, 754-758. | 1.0 | 36 |
| 1192 | Efficient, Robust, and Reliable Single-Stage Vaporâ~Liquid Flash Calculations. Industrial &amp; Engineering Chemistry Research, 2001, 40, 3792-3800. | 1.8 | 1 |

| # | Article | IF | Citations |
|---|---------|-----|-----------|
| 1193 | High Pressure Solubility Data of the System Limonene + Linalool + CO2. Journal of Chemical &amp; Engineering Data, 2001, 46, 1145-1148. | 1.0 | 20 |
| 1194 | Vaporâˆ’Liquid Equilibria for the Difluoromethane (HFC-32) + Pentafluoroethane (HFC-125) System. Journal of Chemical &amp; Engineering Data, 2001, 46, 750-753. | 1.0 | 14 |
| 1195 | Viscosity Prediction of Hydrogen + Natural Gas Mixtures (Hythane). Industrial &amp; Engineering Chemistry Research, 2001, 40, 2966-2970. | 1.8 | 23 |
| 1196 | Solidâˆ’Liquidâˆ’Vapor Phase Boundary of a North Sea Waxy Crude:â€‰ Measurement and Modeling. Energy &amp; Fuels, 2001, 15, 730-735. | 2.5 | 63 |
| 1197 | Vaporâˆ’Liquid Equilibria of Methanol, Ethanol, Propan-2-ol, and 2-Methylpropan-2-ol with a Five-Component Hydrocarbon Mixture at 101.3 kPa. Journal of Chemical &amp; Engineering Data, 2001, 46, 1239-1243. | 1.0 | 9 |
| 1198 | Methanol Synthesis under Supercritical Conditions:Â Calculations of Equilibrium Conversions by Using the Soaveâˆ’Redlichâˆ’Kwong Equation of State. Industrial &amp; Engineering Chemistry Research, 2001, 40, 3801-3805. | 1.8 | 23 |
| 1199 | Simulator for Coal Liquefaction Based on the NEDOL Process. Industrial &amp; Engineering Chemistry Research, 2001, 40, 210-217. | 1.8 | 10 |
| 1200 | Use of the Refractive Index in the Estimation of Thermophysical Properties of Hydrocarbons and Petroleum Mixtures. Industrial &amp; Engineering Chemistry Research, 2001, 40, 1975-1984. | 1.8 | 56 |
| 1201 | Two-Parameter Equations of State for ARPCS Applications. , 0, , . | | 0 |
| 1202 | Modification des Ã©quations d'Ã©tat pour une meilleure prÃ©diction des propriÃ©tÃ©s thermodynamiques des pÃ©troles bruts. Oil and Gas Science and Technology, 2001, 56, 357-364. | 1.4 | 2 |
| 1203 | Characterization of the Plus Fraction and Prediction of the Dewpoint Pressure for Gas Condensate Reservoirs. , 2001, , . | | 18 |
| 1204 | Regression analysis and $C_{7+}$ description for accurate PVT data calculations with equations of state. Petroleum Geoscience, 2001, 7, 181-189. | 0.9 | 6 |
| 1205 | Experimental and Theoretical Assessment of Using Propane to Remediate Liquid Buildup in Condensate Reservoirs. , 2001, , . | | 23 |
| 1206 | Exergy simulation and optimization of adiabatic and diabatic binary distillation. Energy, 2001, 26, 561-593. | 4.5 | 51 |
| 1207 | One parameter friction theory models for viscosity. Fluid Phase Equilibria, 2001, 178, 1-16. | 1.4 | 124 |
| 1208 | Infinite-dilution activity coefficients for several solutes in hexadecane and in n-methyl-2-pyrrolidone (NMP): experimental measurements and UNIFAC predictions. Fluid Phase Equilibria, 2001, 179, 117-129. | 1.4 | 27 |
| 1209 | Improved correlations for heavy n-paraffin physical properties. Fluid Phase Equilibria, 2001, 179, 207-216. | 1.4 | 36 |
| 1210 | Thermodynamic properties for model compounds of coal-liquids and their mixtures â€" measurements and calculations. Fluid Phase Equilibria, 2001, 179, 285-296. | 1.4 | 5 |

| # | Article | IF | Citations |
|---|---------|-----|-----------|
| 1211 | The modification and generalization of BWR equation. Fluid Phase Equilibria, 2001, 181, 71-82. | 1.4 | 6 |
| 1212 | The application of the equations of state incorporated with mixing rules for viscosity estimations of binary mixtures. Fluid Phase Equilibria, 2001, 181, 47-58. | 1.4 | 35 |
| 1213 | Isothermal vaporâ€"liquid equilibria and excess molar volumes for 2-methyl pyrazine (2MP) containing binary mixtures. Fluid Phase Equilibria, 2001, 180, 361-373. | 1.4 | 42 |
| 1214 | Entrainer effect in supercritical mixtures. Fluid Phase Equilibria, 2001, 180, 345-359. | 1.4 | 46 |
| 1215 | Mapping of theoretical equations of state for molecular fluids on a biquadratic equation. Fluid Phase Equilibria, 2001, 182, 27-36. | 1.4 | 6 |
| 1216 | Critical properties (pc, Tc, and Ïc) and phase equilibria of binary mixtures of CO2, CHF3, CH2F2, and SF6. Fluid Phase Equilibria, 2001, 182, 121-131. | 1.4 | 24 |
| 1217 | Vaporâ€"liquid equilibria near critical point and critical points for the CO2+1-butanol and CO2+2-butanol systems at temperatures from 324 to 432 K. Fluid Phase Equilibria, 2001, 182, 145-156. | 1.4 | 40 |
| 1218 | Vaporâ€"liquid equilibria of carbon dioxide with diethyl oxalate, ethyl laurate, and dibutyl phthalate binary mixtures at elevated pressures. Fluid Phase Equilibria, 2001, 181, 1-16. | 1.4 | 46 |
| 1219 | Liquid activity coefficient model for CEOS/AE mixing rules. Fluid Phase Equilibria, 2001, 183-184, 65-74. | 1.4 | 8 |
| 1220 | Pseudo-retrograde hydrate phenomena at low pressures. Fluid Phase Equilibria, 2001, 185, 77-87. | 1.4 | 19 |
| 1221 | The effect of pressure on methane hydration in pure water and sodium chloride solutions. Fluid Phase Equilibria, 2001, 185, 89-99. | 1.4 | 153 |
| 1222 | Isothermal VLE measurements for the binary mixtures HFC-134a + HFC-245fa and HC-600a + HFC-245fa. Fluid Phase Equilibria, 2001, 185, 255-264. | 1.4 | 38 |
| 1223 | A modified temperature dependence for the Pengâ€"Robinson equation of state. Fluid Phase Equilibria, 2001, 181, 113-125. | 1.4 | 165 |
| 1224 | Measurement and prediction of temperature and pressure effect on wax content in a partially frozen paraffinic system. Fluid Phase Equilibria, 2001, 187-188, 71-82. | 1.4 | 41 |
| 1225 | Estimation of VLE phase compositions of binary systems containing gaseous components, from the feed composition and the cell volume. Fluid Phase Equilibria, 2001, 187-188, 373-389. | 1.4 | 3 |
| 1226 | Mutual solubility of water and a reservoir fluid at high temperatures and pressures. Fluid Phase Equilibria, 2001, 189, 85-97. | 1.4 | 53 |
| 1227 | A simplified CEOS/AE mixing rule and its applications for vaporâ€"liquid and liquidâ€"liquid equilibrium predictions. Fluid Phase Equilibria, 2001, 191, 1-14. | 1.4 | 2 |
| 1228 | A new cubic equation of state for simple fluids: pure and mixture. Fluid Phase Equilibria, 2001, 190, 73-88. | 1.4 | 38 |

| # | Article | IF | Citations |
|---|---------|-----|-----------|
| 1229 | Solubility of Î±-tetralol in pure carbon dioxide and in a mixed solvent formed by ethanol and carbon dioxide. Fluid Phase Equilibria, 2001, 191, 59-69. | 1.4 | 7 |
| 1230 | Development of an universal group contribution equation of state. Fluid Phase Equilibria, 2001, 191, 177-188. | 1.4 | 152 |
| 1231 | A modified PSRK model for the prediction of the vaporâ€"liquid equilibria of asymmetric systems. Fluid Phase Equilibria, 2001, 192, 103-120. | 1.4 | 9 |
| 1232 | Vaporâ€"liquid equilibria of the binary mixtures of tetrahydrofuran with 2,2,4-trimethylpentane, methylcyclohexane and n-heptane at 101.3 kPa. Fluid Phase Equilibria, 2001, 192, 71-83. | 1.4 | 14 |
| 1233 | A crude distillation unit model suitable for online applications. Fuel Processing Technology, 2001, 73, 1-21. | 3.7 | 25 |
| 1234 | High-pressure solubility data of the system resveratrol (3)+ethanol (2)+CO2 (1). Journal of Supercritical Fluids, 2001, 19, 133-139. | 1.6 | 42 |
| 1235 | Measurement and modeling of the solubility of CO2 and N2 in a model resin system based on resin from spruce wood (Picea abies (L.)). Journal of Supercritical Fluids, 2001, 19, 239-250. | 1.6 | 4 |
| 1236 | Phase equilibria measurements and modeling of EPA and DHA ethyl esters in supercritical carbon dioxide. Journal of Supercritical Fluids, 2001, 20, 145-155. | 1.6 | 56 |
| 1237 | High-pressure solubility data of system ethanol (1)+catechin (2)+CO2 (3). Journal of Supercritical Fluids, 2001, 20, 157-162. | 1.6 | 69 |
| 1238 | Vaporâ€"liquid equilibria of carbon dioxide with ethyl benzoate, diethyl succinate and isoamyl acetate binary mixtures at elevated pressures. Journal of Supercritical Fluids, 2001, 21, 111-121. | 1.6 | 23 |
| 1239 | Measurement of phase equilibria of supercritical ethane and paraffins. Journal of Supercritical Fluids, 2001, 21, 181-193. | 1.6 | 27 |
| 1240 | Copolymerization of ethylene and 1,5-hexadiene by stereospecific metallocenes in the presence of Al(iBu)3/[Ph3C][B(C6F5)4]. Polymer, 2001, 42, 9393-9403. | 1.8 | 25 |
| 1241 | Properties and CAPE: from present uses to future challenges. Computers and Chemical Engineering, 2001, 25, 3-14. | 2.0 | 36 |
| 1242 | A computer aided tool for heavy oil thermal cracking process simulation. Computers and Chemical Engineering, 2001, 25, 683-692. | 2.0 | 26 |
| 1243 | Grafting of poly(vinyl chloride) and polypropylene with styrene in a supercritical CO2 solvent medium: Synthesis and characterization. Polymer Engineering and Science, 2001, 41, 1923-1937. | 1.5 | 12 |
| 1244 | Excess volumes of binary mixtures of vinyl acetate and aromatic hydrocarbons. Journal of Chemical Thermodynamics, 2001, 33, 723-732. | 1.0 | 30 |
| 1245 | On the prediction of surface tension for multicomponent mixtures. Canadian Journal of Chemical Engineering, 2001, 79, 402-411. | 0.9 | 19 |
| 1246 | Mixed hydrates of methane and water-soluble hydrocarbons modeling of empirical results. AICHE Journal, 2001, 47, 693-704. | 1.8 | 111 |

| # | Article | IF | Citations |
|---|---------|-----|-----------|
| 1247 | Existence of a critical carbon number in the aging of a wax-oil gel. AICHE Journal, 2001, 47, 2111-2124. | 1.8 | 89 |
| 1248 | The Synergy Effect of Process Coupling for Dimethyl Ether Synthesis in Slurry Reactors. Chemical Engineering and Technology, 2001, 24, 507. | 0.9 | 41 |
| 1249 | Solubilities and diffusion coefficients of high boiling compounds in supercritical carbon dioxide. Chemical Engineering Science, 2001, 56, 3027-3044. | 1.9 | 66 |
| 1250 | Simultaneous prediction of the critical and sub-critical phase behavior in mixtures using equation of state I. Carbon dioxide-alkanols. Chemical Engineering Science, 2001, 56, 6485-6510. | 1.9 | 68 |
| 1251 | A molecular model for representing surface tension for polar liquids. Chemical Engineering Science, 2001, 56, 6977-6987. | 1.9 | 34 |
| 1252 | Simulation of initial stage reactions in the direct coal liquefaction of sub-bituminous coals. Fuel, 2001, 80, 1325-1331. | 3.4 | 7 |
| 1253 | Oligomerization of Ethene In a Slurry Reactor Using a Nickel(II)-Exchanged Silica–Alumina Catalyst. Journal of Catalysis, 2001, 197, 49-57. | 3.1 | 59 |
| 1254 | Intrinsic Kinetics of the Alkylation of Benzene with Propylele over Î² Zeolite Catalyst. Kinetics and Catalysis, 2001, 42, 533-538. | 0.3 | 15 |
| 1255 | Solubility of Refrigerants in Various Lubricants. International Journal of Thermophysics, 2001, 22, 1057-1071. | 1.0 | 105 |
| 1256 | Title is missing!. Theoretical Foundations of Chemical Engineering, 2001, 35, 573-578. | 0.2 | 2 |
| 1257 | Thermodynamic Properties of the Mixture Acetone + Methanol + n-Octane at 25Â°C. Journal of Solution Chemistry, 2001, 30, 133-148. | 0.6 | 11 |
| 1258 | An efficient flash procedure using cubic equations of state. Chemical Engineering Journal, 2001, 84, 201-205. | 6.6 | 1 |
| 1259 | The friction theory for viscosity modeling: extension to crude oil systems. Chemical Engineering Science, 2001, 56, 7007-7015. | 1.9 | 59 |
| 1260 | Petroleum inclusions in sedimentary basins: systematics, analytical methods and applications. Lithos, 2001, 55, 195-212. | 0.6 | 209 |
| 1261 | Real gas Brayton cycles for organic working fluids. Proceedings of the Institution of Mechanical Engineers, Part A: Journal of Power and Energy, 2001, 215, 27-38. | 0.8 | 25 |
| 1262 | Simulation of Isoenthalps and Joule-Thomson Inversion Curves of Pure Fluids and Mixtures. Molecular Simulation, 2001, 26, 395-416. | 0.9 | 41 |
| 1263 | Chapter 6 Gas Reservoir Engineering. Developments in Petroleum Science, 2001, 36, 473-536. | 0.2 | 0 |
| 1264 | A Summary of the Properties of Van Der Waals Fluids. International Journal of Mechanical Engineering Education, 2001, 29, 257-277. | 0.6 | 4 |

| # | ARTICLE | IF | CITATIONS |
|---|---------|----|-----------| 
| 1265 | Theory of supercooled liquids and glasses: Energy landscape and statistical geometry perspectives. Advances in Chemical Engineering, 2001, 28, 21-79. | 0.5 | 58 |
| 1266 | Thermodynamics of Piperazine/Methyldiethanolamine/Water/Carbon Dioxide. Industrial &amp; Engineering Chemistry Research, 2002, 41, 604-612. | 1.8 | 162 |
| 1267 | The Solubility of Binary Mixed Gases by the Fluctuation Theory. Industrial &amp; Engineering Chemistry Research, 2002, 41, 6279-6283. | 1.8 | 5 |
| 1268 | Cubic Equations of State Applied to HT/HP and Highly Aromatic Fluids. , 2002, , . | | 2 |
| 1270 | Quantification of Displacement Mechanisms in Multicomponent Gasfloods. , 2002, , . | | 7 |
| 1271 | Application of Transient Multiphase Compositional Tracking for Pipeline Flow Analysis. , 2002, , . | | 6 |
| 1272 | Phase Equilibria Relevant to Acid Gas Injection, Part 1-Non-Aqueous Phase Behaviour. Journal of Canadian Petroleum Technology, 2002, 41, . | 2.3 | 9 |
| 1273 | Membrane Technology for Natural Gas Processing. , 2002, , . | | 3 |
| 1274 | Reliable Wax Predictions for Flow Assurance. , 2002, , . | | 8 |
| 1275 | Phase Equilibria Relevant to Acid Gas Injection: Part 2-Aqueous Phase Behaviour. Journal of Canadian Petroleum Technology, 2002, 41, . | 2.3 | 9 |
| 1276 | Vaporâˆ¼Liquid Equilibrium Measurements for Three Binary Mixtures:â€‰ Allyl Alcohol/Acetonitrile, 2-Butoxyethanol/Acetic Acid, and 1-Methoxy-2-Propanol/2,3-Epoxy-1-Propanol. Journal of Chemical &amp; Engineering Data, 2002, 47, 740-747. | 1.0 | 6 |
| 1277 | Estimation of PVT for Polymers and Solvent Activities in Polymer Solutions Using Simplified Parameters for the Sakoâˆ¼Wuâˆ¼Prausnitz Equation of State. Industrial &amp; Engineering Chemistry Research, 2002, 41, 1094-1097. | 1.8 | 6 |
| 1278 | High-Pressure Phase Equilibrium for Ethane + 2-Propanol at 308.15 K and 313.15 K. Journal of Chemical &amp; Engineering Data, 2002, 47, 916-918. | 1.0 | 8 |
| 1279 | Volumetric properties, viscosities and refractive indices of binary mixed solvents containing methyl benzoate. Physical Chemistry Chemical Physics, 2002, 4, 5833-5840. | 1.3 | 42 |
| 1280 | High Pressure Vaporâˆ¼Liquid Equilibrium Data for the System Carbon Dioxide + Decanal at 288.2, 303.2, and 313.2 K. Journal of Chemical &amp; Engineering Data, 2002, 47, 1171-1172. | 1.0 | 7 |
| 1281 | An Extension of CEOS/AE Zero-Pressure Mixing Rules for an Optimum Two-Parameter Cubic Equation of State. Industrial &amp; Engineering Chemistry Research, 2002, 41, 931-937. | 1.8 | 6 |
| 1282 | Vaporâˆ¼Liquid Equilibrium for the 2-Methylpentane + 2-Methyl-2-propanol and + 2-Butanol Systems at 329 K. Journal of Chemical &amp; Engineering Data, 2002, 47, 371-375. | 1.0 | 7 |
| 1283 | Thermophysical Behavior of Methylbenzoate + n-Alkanes Mixed Solvents. Application of Cubic Equations of State and Viscosity Models. Industrial &amp; Engineering Chemistry Research, 2002, 41, 4399-4408. | 1.8 | 66 |

| # | Article | IF | Citations |
|---|---------|----|-----------|
| 1284 | Extension of the Elliottâˆ'Sureshâˆ'Donohue Equation of State to Polymer Solutions. Industrial &amp; Engineering Chemistry Research, 2002, 41, 1043-1050. | 1.8 | 19 |
| 1285 | About the Relation between the Empirical and the Theoretically Based Parts of van der Waals-like Equations of State. Industrial &amp; Engineering Chemistry Research, 2002, 41, 4414-4421. | 1.8 | 11 |
| 1286 | Phase Equilibria and Static Properties. , 2002, , 71-125. | | 0 |
| 1287 | Vaporâˆ'Liquid Equilibrium Measurements on Three Binary Mixtures:â€° Difluoromethane/Hydrogen Chloride,cis-1,3-Dichloropropene/trans-1,3-Dichloropropene, and Pyrrole/Water. Journal of Chemical &amp; Engineering Data, 2002, 47, 748-756. | 1.0 | 9 |
| 1288 | Thermodynamic Modeling and Process Optimization of Supercritical Fluid Fractionation of Fish Oil Fatty Acid Ethyl Esters. Industrial &amp; Engineering Chemistry Research, 2002, 41, 1516-1527. | 1.8 | 56 |
| 1289 | Methane and Carbon Dioxide Hydrate Phase Behavior in Small Porous Silica Gels:Â Three-Phase Equilibrium Determination and Thermodynamic Modeling. Langmuir, 2002, 18, 9164-9170. | 1.6 | 140 |
| 1290 | Vaporâˆ'Liquid Equilibria for the Pentafluoroethane (HFC-125) + Propane (R-290) System. Journal of Chemical &amp; Engineering Data, 2002, 47, 818-822. | 1.0 | 24 |
| 1291 | VISCOSITY PREDICTION OF CARBON DIOXIDE + HYDROCARBON MIXTURES USING THE FRICTION THEORY. Petroleum Science and Technology, 2002, 20, 27-42. | 0.7 | 15 |
| 1292 | Vaporâˆ'Liquid Equilibrium (VLE) Data for the Carbon Dioxide (CO2) + 1,1,1,2-Tetrafluoroethane (R134a) System at Temperatures from 252.95 K to 292.95 K and Pressures up to 2 MPa. Journal of Chemical &amp; Engineering Data, 2002, 47, 59-61. | 1.0 | 34 |
| 1293 | The N-methylpyrrolidoneâ€"(C1â€"C10) alkan-1-ols solvent systemsElectronic Supplementary Information (ESI) available: Properties of pure components, densities, viscosities and refractive indices of mixtures NMP(1)â€°+â€°alkan-1-ols(2) at 298.15 K (Tables S1â€"S4). See http://www.rsc.org/suppdata/cp/b1/b109709c/. Physical Chemistry Chemical Physics, 2002, 4, 1170-1177. | 1.3 | 78 |
| 1294 | Closed loops of liquidâ€"liquid immiscibility predicted by semi-empirical cubic equations of state and classical mixing rules. Physical Chemistry Chemical Physics, 2002, 4, 879-883. | 1.3 | 15 |
| 1295 | A Compositional Model Simulating Wax Deposition in Pipeline Systems. Energy &amp; Fuels, 2002, 16, 887-891. | 2.5 | 25 |
| 1296 | Modeling of gas solubility in brine. Organic Geochemistry, 2002, 33, 635-642. | 0.9 | 47 |
| 1297 | Equations of state in exploration. Organic Geochemistry, 2002, 33, 613-634. | 0.9 | 13 |
| 1298 | High-Pressure Vaporâˆ'Liquid Equilibrium for Nitrogen + Methanol. Journal of Chemical &amp; Engineering Data, 2002, 47, 1173-1174. | 1.0 | 9 |
| 1299 | Predicting the Properties of Sour Gases and Condensates: Equations of State and Empirical Correlations. , 2002, , . | | 7 |
| 1300 | Vaporâˆ'Liquid Equilibrium in the Carbon Dioxideâˆ'Propylene Carbonate System at High Pressures. Journal of Chemical &amp; Engineering Data, 2002, 47, 282-285. | 1.0 | 17 |
| 1301 | Phase Envelope Calculations for Hydrocarbon-Water Mixtures. , 2002, , . | | 5 |

| # | ARTICLE | IF | CITATIONS |
|---|---------|-----|-----------|
| 1302 | Natural Gas Network Optimization and Sensibility Analysis. , 2002, , . | | 7 |
| 1303 | Multiphase Production Control: Application to Slug Flow. Oil and Gas Science and Technology, 2002, 57, 87-98. | 1.4 | 12 |
| 1304 | Cristallisation hydrothermale de ceramiques. Annales De Chimie: Science Des Materiaux, 2002, 27, 15-36. | 0.2 | 130 |
| 1305 | Applied thermodynamics for process modeling. AICHE Journal, 2002, 48, 194-200. | 1.8 | 150 |
| 1306 | Generalized model for predicting phase behavior of clathrate hydrate. AICHE Journal, 2002, 48, 1317-1330. | 1.8 | 42 |
| 1307 | Interpretation of ethane hydrate equilibrium data for porous media involving hydrate-ice equilibria. AICHE Journal, 2002, 48, 2324-2331. | 1.8 | 43 |
| 1308 | Diffusivity of $CO_2$, $CH_4$, $C_2H_6$ and $N_2$ in athabasca bitumen. Canadian Journal of Chemical Engineering, 2002, 80, 116-125. | 0.9 | 161 |
| 1309 | Phase equilibria and kinetic behavior of co2 hydrate in electrolyte and porous media solutions: application to ocean sequestration of CO2. Korean Journal of Chemical Engineering, 2002, 19, 673-678. | 1.2 | 51 |
| 1310 | Reaction coupling of ethylbenzene dehydrogenation with water-gas shift. Applied Catalysis A: General, 2002, 234, 179-189. | 2.2 | 75 |
| 1311 | Solutal thermodiffusion in binary mixture in the presence of g-jitter. International Journal of Thermal Sciences, 2002, 41, 899-911. | 2.6 | 29 |
| 1312 | Measurement of phase equilibria of supercritical carbon dioxide and paraffins. Journal of Supercritical Fluids, 2002, 22, 185-199. | 1.6 | 71 |
| 1313 | Phase equilibria of organic solid solutes and supercritical fluids with respect to the RESS process. Journal of Supercritical Fluids, 2002, 22, 175-184. | 1.6 | 88 |
| 1314 | High-pressure solubility data of system ethanol (1)+epicatechin (2)+CO2 (3). Journal of Supercritical Fluids, 2002, 24, 103-109. | 1.6 | 49 |
| 1315 | Thermodynamic data of CO2-rich multi-component systems: opalescence measurements versus ASPEN PLUSâ„¢ computer simulation. Journal of Supercritical Fluids, 2002, 24, 183-192. | 1.6 | 3 |
| 1316 | Universal method for equations of state (UNIFEST). Fluid Phase Equilibria, 2002, 193, 75-86. | 1.4 | 4 |
| 1317 | Correlation of the solubility of low-volatile organic compounds in near and supercritical fluids. Fluid Phase Equilibria, 2002, 194-197, 469-482. | 1.4 | 13 |
| 1318 | Phase equilibria of (methane-long chain ester cuts) systems in drilling conditions. Fluid Phase Equilibria, 2002, 194-197, 831-846. | 1.4 | 10 |
| 1319 | Thermodynamic modeling of biomass conversion processes. Fluid Phase Equilibria, 2002, 194-197, 805-815. | 1.4 | 31 |

| # | ARTICLE | IF | CITATIONS |
|---|---------|-----|-----------|
| 1320 | Concentration dependence of diffusion coefficients for supercritical carbon dioxide + naphthalene system. Fluid Phase Equilibria, 2002, 194-197, 1161-1167. | 1.4 | 4 |
| 1321 | Remarks on computing the density of dense fluids by Aalto–Keskinen model. Fluid Phase Equilibria, 2002, 194-197, 337-351. | 1.4 | 5 |
| 1322 | High pressure phase equilibrium calculations for hydrocarbon systems using an equation of state based on the lattice fluid theory. Fluid Phase Equilibria, 2002, 194-197, 599-607. | 1.4 | 3 |
| 1323 | Measurement and correlation of solubilities of azo dyes and anthraquinone in supercritical carbon dioxide. Fluid Phase Equilibria, 2002, 194-197, 895-904. | 1.4 | 46 |
| 1324 | Predicting the dew point pressure for gas condensate reservoirs: empirical models and equations of state. Fluid Phase Equilibria, 2002, 193, 147-165. | 1.4 | 82 |
| 1325 | Liquid–liquid equilibria of water–hydrocarbon systems from cubic equations of state. Fluid Phase Equilibria, 2002, 193, 261-275. | 1.4 | 22 |
| 1326 | Totally inclusive cubic equation of state with five parameters for pure fluids. Fluid Phase Equilibria, 2002, 193, 1-15. | 1.4 | 8 |
| 1327 | Vapor pressures of pure compounds using the Peng–Robinson equation of state with three different attractive terms. Fluid Phase Equilibria, 2002, 198, 195-228. | 1.4 | 33 |
| 1328 | Activity coefficients and diffusivities of solvents in polymers. Fluid Phase Equilibria, 2002, 194-197, 1179-1189. | 1.4 | 13 |
| 1329 | Viscosity modeling of associating fluids based on the friction theory: pure alcohols. Fluid Phase Equilibria, 2002, 194-197, 1191-1203. | 1.4 | 41 |
| 1330 | Phase stability analysis with cubic equations of state by using a global optimization method. Fluid Phase Equilibria, 2002, 194-197, 411-437. | 1.4 | 74 |
| 1331 | Thermophysical properties—Industrial directions. Fluid Phase Equilibria, 2002, 194-197, 15-29. | 1.4 | 45 |
| 1332 | VLE measurements and modeling for the strongly positive azeotropic R32+propane system. Fluid Phase Equilibria, 2002, 199, 175-183. | 1.4 | 31 |
| 1333 | High pressure viscosity and density modeling of two polyethers and two dialkyl carbonates. Fluid Phase Equilibria, 2002, 199, 249-263. | 1.4 | 46 |
| 1334 | Modelling of PVT for some poly alkylene glycol lubricants using Sako–Wu–Prausnitz EOS. Fluid Phase Equilibria, 2002, 199, 23-31. | 1.4 | 5 |
| 1335 | Hydrogen-bonding of HFCs with dimethyl ether: evaluation by isothermal VLE measurements. Fluid Phase Equilibria, 2002, 199, 153-160. | 1.4 | 35 |
| 1336 | The solubility of solids in mixtures composed of a supercritical fluid and an entrainer. Fluid Phase Equilibria, 2002, 200, 53-67. | 1.4 | 15 |
| 1337 | Vapor–liquid equilibria of LNG and gas condensate mixtures by the Nasrifar–Moshfeghian equation of state. Fluid Phase Equilibria, 2002, 200, 203-216. | 1.4 | 15 |

| # | Article | IF | Citations |
|---|---------|-----|-----------|
| 1338 | Modification of PSRK mixing rules and results for vaporâ€"liquid equilibria, enthalpy of mixing and activity coefficients at infinite dilution. Fluid Phase Equilibria, 2002, 200, 411-429. | 1.4 | 68 |
| 1339 | Solubilities of benzoin, propyl 4-hydroxybenzoate and mandelic acid in supercritical carbon dioxide. Fluid Phase Equilibria, 2002, 201, 79-96. | 1.4 | 50 |
| 1340 | Vapor liquid equilibrium for the binary systems 2-methylpentane + 2-butanol at 329.2 K and n-hexane + 2-butanol at 329.2 and 363.2 K with a static apparatus. Fluid Phase Equilibria, 2002, 201, 343-358. | 1.4 | 43 |
| 1341 | High pressure phase equilibrium properties for ethane+1-butanol system at 313.15 K. Fluid Phase Equilibria, 2002, 201, 401-407. | 1.4 | 10 |
| 1342 | Corresponding states correlations with potential between functional groups for thermodynamic properties of liquid n- and i-alkanes. Fluid Phase Equilibria, 2002, 201, 165-185. | 1.4 | 0 |
| 1343 | Indenyl-amido titanium and zirconium dimethyl complexes: improved synthesis and use in propylene polymerization. Journal of Organometallic Chemistry, 2002, 664, 5-26. | 0.8 | 32 |
| 1344 | Multiphase equilibria calculation by direct minimization of Gibbs free energy with a global optimization method. Computers and Chemical Engineering, 2002, 26, 1703-1724. | 2.0 | 139 |
| 1345 | Hydrogen solubility in straight run gasoil. Chemical Engineering Science, 2002, 57, 547-553. | 1.9 | 53 |
| 1346 | Modelling diffusion and reaction accompanied by capillary condensation using three-dimensional pore networks. Part 1. Fickian diffusion and pseudo-first-order reaction kinetics. Chemical Engineering Science, 2002, 57, 3033-3045. | 1.9 | 36 |
| 1347 | High pressure vaporâ€"liquid equilibrium data for the systems carbon dioxide/2-methyl-1-propanol and carbon dioxide/3-methyl-1-butanol at 288.2, 303.2 and 313.2 K. Fluid Phase Equilibria, 2002, 198, 229-237. | 1.4 | 22 |
| 1348 | Vaporâ€"liquid equilibria and critical points for the carbon dioxide +1-pentanol and carbon dioxide +2-pentanol systems at temperatures from 332 to 432 K. Fluid Phase Equilibria, 2002, 200, 161-172. | 1.4 | 46 |
| 1349 | Vaporâ€"liquid equilibrium data for the propane+1,1,1,2,3,3,3-heptafluoropropane (R227ea) system at temperatures from 293.16 to 353.18 K and pressures up to 3.4 MPa. Fluid Phase Equilibria, 2002, 202, 29-47. | 1.4 | 54 |
| 1350 | (Vapour+liquid) Equilibria of binary mixtures of CO2, CH2F2, CHF3, and SF6. Journal of Chemical Thermodynamics, 2002, 34, 1361-1375. | 1.0 | 18 |
| 1351 | Modelling diffusion and reaction accompanied by capillary condensation using three-dimensional pore networks. Part 2. Dusty gas model and general reaction kinetics. Chemical Engineering Science, 2002, 57, 3047-3059. | 1.9 | 47 |
| 1352 | Viscosity Prediction of Natural Gas Using the Friction Theory. International Journal of Thermophysics, 2002, 23, 437-454. | 1.0 | 35 |
| 1353 | Solubility of Water in Supercritical Carbon Dioxide. High Temperature, 2002, 40, 203-206. | 0.1 | 114 |
| 1354 | Reaction Coupling of Ethylbenzene Dehydrogenation with Nitrobenzene Hydrogenation. Catalysis Letters, 2002, 79, 33-37. | 1.4 | 21 |
| 1355 | Diffusion Transfer in the Course of Benzene Alkylation with Propylene over a Î²-Zeolite Catalyst. Theoretical Foundations of Chemical Engineering, 2002, 36, 259-263. | 0.2 | 6 |

| # | ARTICLE | IF | CITATIONS |
|---|---------|----|-----------|
| 1356 | Temperature dependence of volumetric behaviour for methyl tert-butylether+1-butanol system. Magyar AprÃ³vad KÃ¶zlemÃ©nyek, 2002, 70, 235-241. | 1.4 | 8 |
| 1357 | Theoretical Examination of the Global Fluid Phase Behavior and Critical Phenomena in Carbon Dioxide +n-Alkane Binary Mixtures. Journal of Physical Chemistry B, 2002, 106, 4503-4515. | 1.2 | 110 |
| 1358 | A Study of Equation-Solving and Gibbs Free Energy Minimization Methods for Phase Equilibrium Calculations. Chemical Engineering Research and Design, 2002, 80, 745-759. | 2.7 | 71 |
| 1359 | Mixing rules in cubic equations of state applied to refrigerant mixtures. Journal of Phase Equilibria and Diffusion, 2002, 23, 495-501. | 0.3 | 2 |
| 1360 | Calculating the Liquidâ€"Gas Equilibrium in the Fischerâ€"Tropsch Synthesis. Theoretical Foundations of Chemical Engineering, 2003, 37, 167-171. | 0.2 | 3 |
| 1361 | Title is missing!. Theoretical Foundations of Chemical Engineering, 2003, 37, 144-152. | 0.2 | 2 |
| 1362 | Title is missing!. International Journal of Thermophysics, 2003, 24, 1043-1060. | 1.0 | 18 |
| 1363 | The State of the Cubic Equations of State. Industrial &amp; Engineering Chemistry Research, 2003, 42, 1603-1618. | 1.8 | 463 |
| 1364 | Phase Envelope Calculations for Hydrocarbon-Water Mixtures. SPE Journal, 2003, 8, 298-303. | 1.7 | 22 |
| 1365 | Modified Soave-Redlich-Kwong equations of state applied to mixtures containing supercritical carbon dioxide. Korean Journal of Chemical Engineering, 2003, 20, 709-715. | 1.2 | 21 |
| 1366 | Simulation modeling of the phase behavior of palm oil-supercritical carbon dioxide. JAOCS, Journal of the American Oil Chemists' Society, 2003, 80, 1147-1156. | 0.8 | 22 |
| 1367 | Epigenetic Nature of the BIF-hosted Gold Mineralization at Ajjanahalli, Southern India: Evidence from Ore Petrography and Fluid Inclusion Studies. Gondwana Research, 2003, 6, 531-540. | 3.0 | 17 |
| 1368 | Viscosity model for pure liquids based on Eyring theory and cubic EOS. AICHE Journal, 2003, 49, 799-804. | 1.8 | 22 |
| 1369 | Modeling of Nitrogen and Carbon Dioxide Solubility in Alternative Fuels at High Pressures Using the Soave-Redlich-Kwong Equation of State. Chemical Engineering and Technology, 2003, 26, 992-995. | 0.9 | 0 |
| 1370 | Copolymerization of carbon dioxide and ethyl vinyl ether at subcritical and supercritical conditions. Journal of Applied Polymer Science, 2003, 89, 3167-3174. | 1.3 | 16 |
| 1371 | Simultaneous prediction of the critical and sub-critical phase behavior in mixtures using equations of state II. Carbon dioxideâ€"heavy n-alkanes. Chemical Engineering Science, 2003, 58, 2529-2550. | 1.9 | 42 |
| 1372 | Interaction second virial coefficients for (CO2+n-CmH2m+2) with (m=21 to 40) from supercritical fluid chromatography. Journal of Chemical Thermodynamics, 2003, 35, 667-675. | 1.0 | 5 |
| 1373 | Comparison of methods for calculating thermodynamic properties of binary mixtures in the sub and super critical state: Leeâ€"Kesler and cubic equations of state for binary mixtures containing either CO2 or H2S. Journal of Chemical Thermodynamics, 2003, 35, 1521-1539. | 1.0 | 12 |

| # | Article | IF | Citations |
|---|---------|-----|-----------|
| 1374 | Experimental investigation on the thermal stability of some new zero ODP refrigerants. International Journal of Refrigeration, 2003, 26, 51-58. | 1.8 | 86 |
| 1375 | Vapour–liquid equilibrium data for the difluoromethane+1,1,1,2,3,3,3-heptafluoropropane system at temperatures from 283.20 to 343.38 K and pressures up to 4.5 MPa. International Journal of Refrigeration, 2003, 26, 559-565. | 1.8 | 26 |
| 1376 | Fluid phase equilibria of the reacting mixture in the dimethyl carbonate synthesis from supercritical $CO_2$. Journal of Supercritical Fluids, 2003, 25, 19-32. | 1.6 | 44 |
| 1377 | Paraffin wax fractionation: state of the art vs. supercritical fluid fractionation. Journal of Supercritical Fluids, 2003, 27, 39-54. | 1.6 | 18 |
| 1378 | Phase equilibrium of propane and alkanes. Journal of Supercritical Fluids, 2003, 27, 133-144. | 1.6 | 57 |
| 1379 | An empirical model for estimating the saturation pressures of crude oils. Journal of Petroleum Science and Engineering, 2003, 38, 57-77. | 2.1 | 50 |
| 1380 | Process analysis using the concept of intrinsic and extrinsic exergy losses. Energy, 2003, 28, 1203-1228. | 4.5 | 13 |
| 1381 | Calculation of phase equilibria for the low-boiling-point compound + solvent binary systems by group-contribution equation of state. Fluid Phase Equilibria, 2003, 205, 103-114. | 1.4 | 4 |
| 1382 | A cubic hard-core equation of state. Fluid Phase Equilibria, 2003, 206, 27-39. | 1.4 | 47 |
| 1383 | Vapour–liquid equilibrium for the 1-butene + methanol, + ethanol, + 2-propanol, + 2-butanol and + 2-methyl-2-propanol systems at 326 K. Fluid Phase Equilibria, 2003, 206, 237-252. | 1.4 | 32 |
| 1384 | Evaluation of the performance of cubic equations of state in predicting the regularities in dense fluids. Fluid Phase Equilibria, 2003, 206, 287-311. | 1.4 | 22 |
| 1385 | Application of the CPA equation of state to glycol/hydrocarbons liquid–liquid equilibria. Fluid Phase Equilibria, 2003, 209, 163-184. | 1.4 | 85 |
| 1386 | Vapor–liquid equilibria for the ternary systems of methyl tert-butyl ether + methanol + benzene and methyl tert-butyl ether + methanol + toluene and constituent binary systems at 313.15 K. Fluid Phase Equilibria, 2003, 209, 215-228. | 1.4 | 19 |
| 1387 | Alternate equation of state combining rules and interaction parameter generalizations for asymmetric mixtures. Fluid Phase Equilibria, 2003, 213, 19-37. | 1.4 | 23 |
| 1388 | Sako–Wu–Prausnitz equation of state for modelling phase equilibria and high-pressures PVT of mixtures containing dialkyl carbonate and alkane. Fluid Phase Equilibria, 2003, 210, 77-89. | 1.4 | 2 |
| 1389 | Krichevskii parameters of heavy n-alkanes in carbon dioxide: comparison of the results from solubility measurements and from supercritical fluid chromatography. Fluid Phase Equilibria, 2003, 212, 1-9. | 1.4 | 17 |
| 1390 | Friction theory prediction of crude oil viscosity at reservoir conditions based on dead oil properties. Fluid Phase Equilibria, 2003, 212, 233-243. | 1.4 | 37 |
| 1391 | Vapour–liquid equilibrium for the cis-2-butene + methanol, + ethanol, + 2-propanol, + 2-butanol and + 2-methyl-2-propanol systems at 337 K. Fluid Phase Equilibria, 2003, 212, 129-141. | 1.4 | 18 |

| # | ARTICLE | IF | CITATIONS |
|---|---------|----|-----------|
| 1392 | Measurement and modelling of bubble and dew points in the binary systems carbon dioxide + cyclobutanone and propane + cyclobutanone. Fluid Phase Equilibria, 2003, 214, 121-136. | 1.4 | 5 |
| 1393 | Solubility of CO2 in some heavy alcohols and correlation of fluid phase equilibrium. Fluid Phase Equilibria, 2003, 213, 153-162. | 1.4 | 12 |
| 1394 | Alkylation of benzene with isopropanol on β-zeolite: influence of physical state and water concentration on catalyst performances. Journal of Molecular Catalysis A, 2003, 204-205, 571-579. | 4.8 | 17 |
| 1395 | A high-speed method for obtaining kinetic data for exothermic or endothermic catalytic reactions under non-isothermal conditions illustrated for the ammonia synthesis. Applied Catalysis A: General, 2003, 240, 95-110. | 2.2 | 12 |
| 1396 | Study on the alkylation of benzene with propylene over Hβ zeolite. Applied Catalysis A: General, 2003, 243, 175-184. | 2.2 | 28 |
| 1397 | Dynamic interfacial tension near critical point of a solvent–antisolvent mixture and laminar jet stabilization. Colloids and Surfaces A: Physicochemical and Engineering Aspects, 2003, 229, 181-199. | 2.3 | 49 |
| 1398 | Re-equilibration of fluid inclusions in diagenetic-anchizonal rocks of the Cinera-Matallana coal basin (NW Spain). Geofluids, 2003, 3, 49-68. | 0.3 | 34 |
| 1399 | Natural Gas Cleanup by Means of Membranes. Annals of the New York Academy of Sciences, 2003, 984, 306-317. | 1.8 | 16 |
| 1400 | Measurements and modeling of bubble points in binary carbon dioxide systems with tetrahydropyran and methylcyclohexane. Fluid Phase Equilibria, 2003, 204, 1-14. | 1.4 | 14 |
| 1401 | Solid–fluid phase equilibria of compositionally complex mixtures: contrast of equilibrium and process treatments. Fluid Phase Equilibria, 2003, 205, 215-232. | 1.4 | 2 |
| 1402 | Volumetric and thermodynamic properties for pure refrigerants and refrigerant mixtures from cubic equations of state. Fluid Phase Equilibria, 2003, 207, 283-300. | 1.4 | 24 |
| 1403 | Henry's constants of butane, isobutane, 1-butene and isobutene in methanol at 255–320 K. Fluid Phase Equilibria, 2003, 208, 223-238. | 1.4 | 29 |
| 1404 | Isothermal vapor–liquid equilibria for binary mixtures of carbon dioxide with diethylene glycol (diethyl, butyl, hexyl, or dibutyl) ether at elevated pressures. Fluid Phase Equilibria, 2003, 209, 131-145. | 1.4 | 9 |
| 1405 | Phase equilibria and pVT predictions for alkyl carbonate + n-alkane systems using equations of state. Fluid Phase Equilibria, 2003, 212, 111-128. | 1.4 | 14 |
| 1406 | Multiphase Equilibrium Calculations Using Gibbs Minimization Techniques. Industrial &amp; Engineering Chemistry Research, 2003, 42, 3786-3801. | 1.8 | 25 |
| 1407 | Thermophysical Behavior and Temperature Effect on the N-Methylpyrrolidone + (C1˜C10) Alkan-1-ols Mixed Solvents. Industrial &amp; Engineering Chemistry Research, 2003, 42, 920-928. | 1.8 | 15 |
| 1408 | Homogeneous bubble nucleation in liquids: The classical theory revisited. Journal of Chemical Physics, 2003, 118, 792-806. | 1.2 | 71 |
| 1409 | Generalized corresponding states model for bulk and interfacial properties in pure fluids and fluid mixtures. Journal of Chemical Physics, 2003, 119, 8645-8662. | 1.2 | 64 |

| # | Article | IF | Citations |
|---|---------|-----|-----------|
| 1410 | Measurement of the Water Solubility in the Gas Phase of the Ethane + Water Binary System near Hydrate Forming Conditions. Journal of Chemical &amp; Engineering Data, 2003, 48, 957-966. | 1.0 | 31 |
| 1411 | Fluid Phase Equilibria of Binary n-Alkane + Squalane Systems. Journal of Chemical &amp; Engineering Data, 2003, 48, 571-575. | 1.0 | 5 |
| 1412 | The Second Virial Coefficient and the Redlichâ'Kwong Equation. Industrial &amp; Engineering Chemistry Research, 2003, 42, 7037-7044. | 1.8 | 21 |
| 1413 | Estimation of the Characteristic Time Scales in the Supercritical Antisolvent Process. Industrial &amp; Engineering Chemistry Research, 2003, 42, 3156-3162. | 1.8 | 60 |
| 1414 | Vaporâ'Liquid Equilibrium Data at 343 K and Excess Molar Enthalpy Data at 298 K for the Binary Systems of Ethanol + 2,4,4-Trimethyl-1-pentene and 2-Propanol + 2,4,4-Trimethyl-1-pentene. Journal of Chemical &amp; Engineering Data, 2003, 48, 75-80. | 1.0 | 29 |
| 1415 | Gasâ'Solid Equilibrium in Mixtures Containing Supercritical $CO_2$ Using a Modified Regular Solution Model. Industrial &amp; Engineering Chemistry Research, 2003, 42, 3857-3864. | 1.8 | 11 |
| 1416 | Estimation of Liquidâ'Liquidâ'Vapor Equilibria Using Predictive EOS Models. 1. Carbon Dioxideâ'n-Alkanes. Journal of Physical Chemistry B, 2003, 107, 1864-1874. | 1.2 | 24 |
| 1417 | Preferential Solvation in Ternary Solutions Containing Methylbenzoate. A Kirkwoodâ'Buff Fluctuation Theory Study. Journal of Physical Chemistry B, 2003, 107, 13478-13486. | 1.2 | 19 |
| 1418 | Vapor Liquid Equilibria for Ethanol + 2,4,4-Trimethyl-1-pentene and 2-Propanol + 2,4,4-Trimethyl-1-pentene at 101 kPa. Journal of Chemical &amp; Engineering Data, 2003, 48, 280-285. | 1.0 | 3 |
| 1419 | Vaporâ'Liquid Equilibrium for Dimethyl Ether + Propyl Acetate. Journal of Chemical &amp; Engineering Data, 2003, 48, 266-271. | 1.0 | 9 |
| 1420 | High-Pressure Vaporâ'Liquid Equilibria in the System Carbon Dioxide and 2-Propanol at Temperatures from 293.25 K to 323.15 K. Journal of Chemical &amp; Engineering Data, 2003, 48, 1384-1386. | 1.0 | 46 |
| 1421 | Saturation Properties from Equations of State. Industrial &amp; Engineering Chemistry Research, 2003, 42, 3838-3844. | 1.8 | 12 |
| 1422 | Reaction Coupling in the New Processes for Producing Styrene from Ethylbenzene. Industrial &amp; Engineering Chemistry Research, 2003, 42, 1329-1333. | 1.8 | 38 |
| 1423 | Package FLUIDS 1. Computer programs for analysis of fluid inclusion data and for modelling bulk fluid properties. Chemical Geology, 2003, 194, 3-23. | 1.4 | 636 |
| 1424 | Simulation of Multicomponent Multistage Vaporâ'Liquid Separations. An Improved Algorithm Using the Wangâ'Henke Tridiagonal Matrix Method. Industrial &amp; Engineering Chemistry Research, 2003, 42, 175-182. | 1.8 | 5 |
| 1425 | Vaporâ'Liquid Equilibrium Data for the Azeotropic Difluoromethane + Propane System at Temperatures from 294.83 to 343.26 K and Pressures up to 5.4 MPa. Journal of Chemical &amp; Engineering Data, 2003, 48, 317-323. | 1.0 | 47 |
| 1426 | Parameters for the attractive coefficient of the patel-teja-valderrama equation of state. Chemical Engineering Communications, 2003, 190, 1411-1426. | 1.5 | 9 |
| 1427 | Unnoticed Pitfalls of Soave-Type Alpha Functions in Cubic Equations of State. Industrial &amp; Engineering Chemistry Research, 2003, 42, 5662-5673. | 1.8 | 71 |

| # | ARTICLE | IF | CITATIONS |
|---|---------|-----|-----------|
| 1428 | Submarine Mass Movements and Their Consequences. Advances in Natural and Technological Hazards Research, 2003, , . | 1.1 | 26 |
| 1429 | Expansion of Supercritical Methane/Ethylene Jets in a Quiescent Subcritical Environment. , 2003, , . | | 9 |
| 1430 | Predicting Volumetric and Transport Properties of Sour Gases and Gas Condensates Using EOSs, Corresponding State Models, and Empirical Correlations. Petroleum Science and Technology, 2003, 21, 1759-1787. | 0.7 | 22 |
| 1431 | Rigorous Approach to the Prediction of the Heat of Dissociation of Gas Hydrates. Industrial &amp; Engineering Chemistry Research, 2003, 42, 1111-1114. | 1.8 | 71 |
| 1432 | Equation of state for hard-spheres. Journal of Chemical Physics, 2003, 119, 2716-2719. | 1.2 | 27 |
| 1433 | A New Model for Calculating the Viscosity of Pure Liquids at High Pressures. Industrial &amp; Engineering Chemistry Research, 2003, 42, 3824-3830. | 1.8 | 27 |
| 1434 | Estimation of phase behavior in mixtures of $CO_2$ and C20+n-alkanes using predictive eos models. Physics and Chemistry of Liquids, 2003, 41, 623-637. | 0.4 | 4 |
| 1435 | Methane Hydrateâ~Ice Equilibria in Porous Media. Journal of Physical Chemistry B, 2003, 107, 13084-13089. | 1.2 | 16 |
| 1436 | Thermodynamics of Multicomponent Perovskite Synthesis in Hydrothermal Solution. , 2003, , 271-297. | | 4 |
| 1437 | Optimizing the Number of Components in Tuning the Peng-Robinson Equation-of-State for Trinidad's Gas Condensates. , 2003, , . | | 0 |
| 1438 | Increasing Computational Speed of Flash Calculations with Applications for Compositional, Transient Simulations. , 2003, , . | | 8 |
| 1439 | Gas Hydrate Formation for Mixtures of Methane + Helium and Ethane + Helium. Journal of Chemical &amp; Engineering Data, 2003, 48, 1283-1285. | 1.0 | 7 |
| 1440 | Simulations of Compositional Gradients in Hydrocarbon Reservoirs under the Influence of a Temperature Gradient. , 2003, , . | | 47 |
| 1441 | VLE MOLECULAR THERMODYNAMICS OF NONPOLAR FLUIDS AND THEIR MIXTURES. Reviews in Chemical Engineering, 2003, 19, . | 2.3 | 16 |
| 1442 | From Organic Geochemistry to Statistical Thermodynamics: the Development of Simulation Methods for the Petroleum Industry. Oil and Gas Science and Technology, 2003, 58, 271-297. | 1.4 | 7 |
| 1443 | Phase behaviour of organic solid solutes and supercritical fluids with respect to particle formation processes. , 2004, , 147-161. | | 2 |
| 1444 | Modelling Phase Equilibria in Systems with Organic Solid Solutions. Computer Aided Chemical Engineering, 2004, , 229-249. | 0.3 | 6 |
| 1445 | Driving force and composition for multicomponent gas hydrate nucleation from supersaturated aqueous solutions. Journal of Chemical Physics, 2004, 121, 11867-11875. | 1.2 | 42 |

| # | Article | IF | Citations |
|---|---------|-----|-----------|
| 1446 | Fuel System Suitability Considerations for Industrial Gas Turbines. Journal of Engineering for Gas Turbines and Power, 2004, 126, 119-126. | 0.5 | 9 |
| 1447 | Estimation of SARA Fraction Properties With the SRK EOS. Journal of Canadian Petroleum Technology, 2004, 43, . | 2.3 | 14 |
| 1448 | High-Pressure Vaporâˆ̃Liquid Equilibria in the System Carbon Dioxide + 1-Butanol at Temperatures from (293.15 to 324.15) K. Journal of Chemical &amp; Engineering Data, 2004, 49, 1635-1638. | 1.0 | 47 |
| 1449 | Equations of State with Emphasis on Excess Gibbs Energy Mixing Rules. Computer Aided Chemical Engineering, 2004, , 75-111. | 0.3 | 2 |
| 1450 | Production Engineering. , 2004, , 1-447. | | 2 |
| 1451 | Chapter 13: Property Models in Computation of Phase Equilibria. Computer Aided Chemical Engineering, 2004, 19, 309-337. | 0.3 | 1 |
| 1452 | Role of Properties and their Models in Process and Product Design. Computer Aided Chemical Engineering, 2004, 19, 27-41. | 0.3 | 1 |
| 1453 | Prediction of Liquefied Natural Gas Density Using Pengâ€“Robinson Equation of State. Petroleum Science and Technology, 2004, 22, 415-422. | 0.7 | 3 |
| 1454 | Experimental determination of phase equilibria and comprehensive examination of the predictive capabilities of group contribution equations of state with a view to the synthesis of supercritical extraction processes. , 2004, , 3-38. | | 2 |
| 1455 | Application of Gibbs Ensemble and NPT Monte Carlo Simulation to the Development of Improved Processes for H2S-rich Gases. Molecular Simulation, 2004, 30, 631-648. | 0.9 | 38 |
| 1456 | Correlation and prediction of high-pressure phase equilibria and related thermodynamic properties of simple fluid mixtures. , 2004, , 185-209. | | 3 |
| 1457 | Development of simplified equation of states for molecular fluids and their applications for the investigation of supercritical chain molecule solutions and mixtures.. , 2004, , 211-240. | | 1 |
| 1458 | Abiogenic Fischer?Tropsch synthesis of hydrocarbons in alkaline igneous rocks; fluid inclusion, textural and isotopic evidence from the Lovozero complex, N.W. Russia. Lithos, 2004, 75, 311-330. | 0.6 | 95 |
| 1459 | High Pressure Process Technologyâ€”Quo Vadis?. Chemical Engineering Research and Design, 2004, 82, 1541-1548. | 2.7 | 24 |
| 1460 | Development of a New Alpha Function for the Pengâ€“Robinson Equation of State: Comparative Study of Alpha Function Models for Pure Gases (Natural Gas Components) and Water-Gas Systems. International Journal of Thermophysics, 2004, 25, 133. | 1.0 | 76 |
| 1461 | Extraction of Organic Oil from Sea Buckthorn Seeds with Supercritical Carbon Dioxide. Theoretical Foundations of Chemical Engineering, 2004, 38, 274-283. | 0.2 | 3 |
| 1462 | Modeling of the Oxidation of Organic Compounds in Supercritical Water. Theoretical Foundations of Chemical Engineering, 2004, 38, 333-340. | 0.2 | 7 |
| 1463 | Efficient methods for calculations of compressibility, density and viscosity of natural gases. Fluid Phase Equilibria, 2004, 218, 1-13. | 1.4 | 85 |

| # | Article | IF | Citations |
|---|---------|----|-----------|
| 1464 | Equilibrium hydrate formation conditions for hydrotrope–water–natural gas systems. Fluid Phase Equilibria, 2004, 221, 175-187. | 1.4 | 11 |
| 1465 | Henry's constants of carbon dioxide in methanol at 250–500 K. Fluid Phase Equilibria, 2004, 221, 57-62. | 1.4 | 30 |
| 1466 | Universal equation of state for engineering application: algorithm and application to non-polar and polar fluids. Fluid Phase Equilibria, 2004, 222-223, 107-118. | 1.4 | 28 |
| 1467 | Comparative study of viscosity models on the ternary system methylcyclohexane + cis-decalin + 2,2,4,4,6,8,8-heptamethylnonane up to 100MPa. Fluid Phase Equilibria, 2004, 222-223, 135-148. | 1.4 | 13 |
| 1468 | A simplified method for calculating saturated liquid densities. Fluid Phase Equilibria, 2004, 224, 157-167. | 1.4 | 87 |
| 1469 | An extension of the Peng–Robinson equation of state for the correlation and prediction of high-pressure phase equilibrium in systems containing supercritical carbon dioxide and a salt. Fluid Phase Equilibria, 2004, 225, 85-99. | 1.4 | 13 |
| 1470 | Henry's constants and infinite dilution activity coefficients of propane, propene, butane, isobutene, 1-butene, isobutane, trans-2-butene and 1,3-butadiene in 1-propanol at T=(260 to 340) K. Journal of Chemical Thermodynamics, 2004, 36, 101-106. | 1.0 | 13 |
| 1471 | Simultaneous prediction of the critical and sub-critical phase behavior in mixtures using equations of state IV. Mixtures of chained n-alkanes. Chemical Engineering Science, 2004, 59, 633-643. | 1.9 | 6 |
| 1472 | Viscosity Modeling and Prediction of Reservoir Fluids: From Natural Gas to Heavy Oils. International Journal of Thermophysics, 2004, 25, 1353-1366. | 1.0 | 63 |
| 1473 | Phase equilibrium in binary aqueous mixtures of interest in alcoholic distillation using a modified PSRK equation of state. Journal of Phase Equilibria and Diffusion, 2004, 25, 230-236. | 0.5 | 11 |
| 1474 | Phase equilibria for biomass conversion processes in subcritical and supercritical water. Chemical Engineering Journal, 2004, 98, 105-113. | 6.6 | 48 |
| 1475 | The calculation of excess molar enthalpies of liquid mixtures at high pressures and temperatures from measurements at ambient conditions. Fluid Phase Equilibria, 2004, 215, 45-53. | 1.4 | 3 |
| 1476 | Vapor–liquid equilibrium of carbon dioxide with ethyl caproate, ethyl caprylate and ethyl caprate at elevated pressures. Journal of Supercritical Fluids, 2004, 28, 1-9. | 1.6 | 38 |
| 1477 | Phase equilibria of the ternary system methyl oleate/squalene/carbon dioxide at high pressure conditions. Journal of Supercritical Fluids, 2004, 29, 77-85. | 1.6 | 23 |
| 1478 | Phase equilibria for binary systems of methyl oleate–supercritical CO2 and α-tocopherol–supercritical CO2. Journal of Supercritical Fluids, 2004, 30, 1-16. | 1.6 | 39 |
| 1479 | PSRK method for gas hydrate equilibria: I. Simple and mixed hydrates. AICHE Journal, 2004, 50, 203-214. | 1.8 | 31 |
| 1480 | Phase equilibrium in supercritical CO2 mixtures using a modified Kwak-Mansoori mixing rule. AICHE Journal, 2004, 50, 480-488. | 1.8 | 19 |
| 1481 | Thermodynamics of fluid-phase equilibria for standard chemical engineering operations. AICHE Journal, 2004, 50, 739-761. | 1.8 | 183 |

| # | Article | IF | Citations |
|---|---------|-----|-----------|
| 1482 | Thermodynamics of methane, propane, and carbon dioxide hydrates in porous glass. AICHE Journal, 2004, 50, 1589-1598. | 1.8 | 23 |
| 1483 | Application of an improved equation of state to reservoir fluids: computation of minimum miscibility pressure. Journal of Petroleum Science and Engineering, 2004, 42, 223-234. | 2.1 | 37 |
| 1484 | Computer simulation of BTEX emission in natural gas dehydration using PR and RKS equations of state with different predictive mixing rules. Environmental Modelling and Software, 2004, 19, 957-965. | 1.9 | 22 |
| 1485 | High pressure phase equilibrium for ethylene + 1-propanol system at 283.65K. Fluid Phase Equilibria, 2004, 219, 19-23. | 1.4 | 23 |
| 1486 | Calculation of diffusion coefficients for carbon dioxide + solute system near the critical conditions by non-equilibrium molecular dynamics simulation. Fluid Phase Equilibria, 2004, 219, 55-60. | 1.4 | 4 |
| 1487 | Vapor-phase chemical equilibrium for the hydrogenation of benzene to cyclohexane from reaction-ensemble molecular simulation. Fluid Phase Equilibria, 2004, 219, 181-193. | 1.4 | 17 |
| 1488 | Determination of high-pressure liquid density for n-perfluorohexane and n-perfluorononane. Fluid Phase Equilibria, 2004, 220, 127-136. | 1.4 | 33 |
| 1489 | Solid deposition as a function of temperature in the nC10 + (nC24â€"nC25â€"nC26) system. Fluid Phase Equilibria, 2004, 224, 237-244. | 1.4 | 36 |
| 1490 | Solvent effects on higher alcohols synthesis under supercritical conditions: a thermodynamic consideration. Fuel Processing Technology, 2004, 85, 1175-1192. | 3.7 | 16 |
| 1491 | Solubility of quercetin in supercritical $CO_2$ + ethanol as a modifier: measurements and thermodynamic modelling. Journal of Supercritical Fluids, 2004, 32, 89-96. | 1.6 | 102 |
| 1492 | Phase equilibrium modeling in binary mixtures found in wine and must distillation. Journal of Food Engineering, 2004, 65, 577-583. | 2.7 | 41 |
| 1493 | Intermittent gas lift in Aghajari oil field, a mathematical study. Journal of Petroleum Science and Engineering, 2004, 42, 245-255. | 2.1 | 29 |
| 1494 | Effect of gas hydrates melting on seafloor slope instability. Marine Geology, 2004, 213, 379-401. | 0.9 | 389 |
| 1495 | Prediction of the pressure dependence on the thermodynamic properties of dialkyl carbonate + alkane mixtures using Nittaâ€"Chao model. Fluid Phase Equilibria, 2004, 217, 165-173. | 1.4 | 4 |
| 1496 | Vaporâ€"liquid equilibrium of carbon dioxide with diethyl methylmalonate, diethyl ethylmalonate and diethyl n-butylmalonate at elevated pressures. Fluid Phase Equilibria, 2004, 215, 237-244. | 1.4 | 8 |
| 1497 | Vapourâ€"liquid equilibrium measurements and correlation of the difluoromethane (R32) + propane (R290) + 1,1,1,2,3,3,3-heptafluoropropane (R227ea) ternary mixture at temperatures from 269.85 to 328.35K. Fluid Phase Equilibria, 2004, 218, 209-214. | 1.4 | 30 |
| 1498 | A robust strategy for SVL equilibrium calculations at high pressures. Fluid Phase Equilibria, 2004, 221, 113-126. | 1.4 | 30 |
| 1499 | VLLE measurements and correlation for the pentafluoroethane (R125) + n-butane (R600) system. Fluid Phase Equilibria, 2004, 222-223, 283-289. | 1.4 | 8 |

| # | Article | IF | Citations |
|---|---------|-----|-----------|
| 1500 | Generalized crossover description of the thermodynamic and transport properties in pure fluids. Fluid Phase Equilibria, 2004, 222-223, 149-159. | 1.4 | 48 |
| 1501 | Isothermal vapour + liquid equilibrium measurements and correlation for the dimethyl ether + 1,1,1,2,3,3,3-heptafluoropropane and the propane + 1,1,1,2,3,3,3-heptafluoropropane systems. Fluid Phase Equilibria, 2004, 224, 119-123. | 1.4 | 20 |
| 1502 | Isothermal vapourâ€"liquid equilibrium measurements for six binary systems of C4 hydrocarbons + 2-propanone. Fluid Phase Equilibria, 2004, 226, 173-181. | 1.4 | 17 |
| 1503 | Henry's constants of propane, propene, trans-2-butene and 1,3-butadiene in methanol at 255â€"320K. Fluid Phase Equilibria, 2004, 226, 183-187. | 1.4 | 18 |
| 1504 | Measurement and Correlation of Phase Equilibria for Water + Decane + 2-Propanol, Water + Hexane + 2-Propanol, and Water + Decane + 2-Butanol Ternary Systems at 573 and 593 K and 15.0 and 20.0 MPa. Journal of Chemical &amp; Engineering Data, 2004, 49, 301-305. | 1.0 | 9 |
| 1505 | Solubility of (S)-Boc-Piperazine and Racemic Boc-Piperazine in Supercritical Carbon Dioxide. Journal of Chemical &amp; Engineering Data, 2004, 49, 1560-1564. | 1.0 | 9 |
| 1506 | Influence of temperature on excess molar volumes for butyl acetateâ‰+â‰aromatic hydrocarbons. Physics and Chemistry of Liquids, 2004, 42, 493-520. | 0.4 | 17 |
| 1507 | Estimating Phase Equilibria of a van der Waals Fluid on the Basis of Molecular Interactions. Industrial &amp; Engineering Chemistry Research, 2004, 43, 6182-6186. | 1.8 | 3 |
| 1508 | Isothermal Vapor Liquid Equilibrium for Binary 2-Methylpropene + Methanol to Butanol Systems. Journal of Chemical &amp; Engineering Data, 2004, 49, 787-794. | 1.0 | 20 |
| 1509 | Estimation of Liquidâ̂Liquidâ̂Vapor Equilibria in Binary Mixtures of n-Alkanes. Industrial &amp; Engineering Chemistry Research, 2004, 43, 5957-5964. | 1.8 | 14 |
| 1510 | Prediction of the Natural Hydrocarbon Vapor Phase PVT Properties. Industrial &amp; Engineering Chemistry Research, 2004, 43, 638-644. | 1.8 | 1 |
| 1511 | Vaporâ̂Liquid Equilibrium for Binary Systems 2-Propanol + 2-Ethoxy-2-methylpropane and Ethyl Ethanoate + 2-Ethoxy-2-methylpropane at 333 K and 2-Propanone + 2-Ethoxy-2-methylpropane at 323 K. Journal of Chemical &amp; Engineering Data, 2004, 49, 1273-1278. | 1.0 | 4 |
| 1512 | Square-Well Potential and a New Î± Function for the Soaveâ̂Redlichâ̂Kwong Equation of State. Industrial &amp; Engineering Chemistry Research, 2004, 43, 6901-6909. | 1.8 | 35 |
| 1513 | Excess Enthalpy and Vaporâ̂Liquid Equilibrium at Atmospheric Pressure for the Binary Systems 2-Methyl-2-propanol + 2,4,4-Trimethyl-1-pentene and 2-Butanol + 2,4,4-Trimethyl-1-pentene. Journal of Chemical &amp; Engineering Data, 2004, 49, 246-250. | 1.0 | 5 |
| 1514 | Henry's Constants and Infinite Dilution Activity Coefficients of Propane, Propene, Butane, Isobutane, 1-Butene, Isobutene,trans-2-Butene, and 1,3-Butadiene in 1-Butanol and 2-Butanol from (250 to 330) K. Journal of Chemical &amp; Engineering Data, 2004, 49, 1285-1289. | 1.0 | 19 |
| 1515 | Isobaric Vapor Liquid Equilibrium for 2,3-Dimethyl-2-butene + Methanol, + Ethanol, + 2-Propanol, or + 2-Butanol at Atmospheric Pressure. Journal of Chemical &amp; Engineering Data, 2004, 49, 251-255. | 1.0 | 11 |
| 1516 | Nonideal Solution Limitations to the Use of Quadrature in Some Differential Phase Equilibrium Computations. Industrial &amp; Engineering Chemistry Research, 2004, 43, 5380-5388. | 1.8 | 3 |
| 1517 | Vaporâ̂Liquid Equilibria of Acetone, Diisopropyl Ether, Ethanol, and Methyl Ethyl Ketone with Hydrocarbon Mixtures at 101.3 kPa. Journal of Chemical &amp; Engineering Data, 2004, 49, 876-880. | 1.0 | 7 |

| # | Article | IF | Citations |
|---|---------|-----|-----------|
| 1518 | Measurements and Modeling of Thermophysical Behavior of (C1ˆ˜ C4) Alkylbenzoate/ (C1ˆ˜ C11) Alkan-1-ol Mixed Solvents. Journal of Physical Chemistry B, 2004, 108, 15841-15850. | 1.2 | 152 |
| 1519 | Vaporˆ˜Liquid Equilibrium for thetrans-2-Butene + Methanol, + Ethanol, + 2-Propanol, + 2-Butanol, and + 2-Methyl-2-propanol Systems at 332 K. Journal of Chemical &amp; Engineering Data, 2004, 49, 1168-1174. | 1.0 | 15 |
| 1520 | Assessment of thermodynamic models for dense gas dynamics. Physics of Fluids, 2004, 16, 3878-3887. | 1.6 | 42 |
| 1521 | Henry's Constants and Infinite Dilution Activity Coefficients of Propane, Propene, Butane, Isobutane, 1-Butene, Isobutene,trans-2-Butene, and 1,3-Butadiene in 2-Propanol at 250ˆ˜330 K. Journal of Chemical &amp; Engineering Data, 2004, 49, 368-371. | 1.0 | 18 |
| 1522 | Plantˆ˜Model Mismatch Analysis in Deethyleniser Simulation. 2. Application to Data-Model Selection and Tuning. Industrial &amp; Engineering Chemistry Research, 2004, 43, 7888-7899. | 1.8 | 1 |
| 1523 | Vaporˆ˜Liquid Equilibrium and Excess Enthalpy Data for the Binary Systems Propane + Dimethyl Ether and Propene + Dimethyl Ether at Temperatures from (298 to 323) K. Journal of Chemical &amp; Engineering Data, 2004, 49, 38-42. | 1.0 | 17 |
| 1524 | Comments on â€œUnnoticed Pitfalls of Soave-Type Alpha Functions in Cubic Equations of Stateâ€. Industrial &amp; Engineering Chemistry Research, 2004, 43, 1894-1894. | 1.8 | 7 |
| 1525 | New Identities for Critical-Point Constraints with Application to Cubic Equations of State. Industrial &amp; Engineering Chemistry Research, 2004, 43, 4446-4451. | 1.8 | 5 |
| 1526 | Hydrothermal synthesis of ceramic materials. , 2004, , 717-744. | | 15 |
| 1527 | pÏ„Measurements and EoS Predictions of Glycol Ethers from (283.15 to 353.15) K at Pressures up to 25 MPa. Journal of Chemical &amp; Engineering Data, 2004, 49, 1400-1405. | 1.0 | 20 |
| 1528 | High-Pressure Volumetric Properties of Three Monoethylene Glycol Alkyl Ethers. Journal of Chemical &amp; Engineering Data, 2004, 49, 1344-1349. | 1.0 | 20 |
| 1529 | PVT Characterization and Viscosity Modeling and Prediction of Crude Oils. Petroleum Science and Technology, 2004, 22, 1309-1325. | 0.7 | 27 |
| 1530 | Modeling the PVTx Behavior of the N-Methylpyrrolidinone/Water Mixed Solvent. Industrial &amp; Engineering Chemistry Research, 2004, 43, 3205-3215. | 1.8 | 34 |
| 1531 | Simple modifications of the van der Waals and Dieterici equations of state: vapourâ€"liquid equilibrium properties. Physical Chemistry Chemical Physics, 2004, 6, 5402-5409. | 1.3 | 27 |
| 1532 | Preparation of titanium dioxide in the nano-spaces of activated carbon using carbon dioxide supercritical fluid as a solvent. Journal of Materials Chemistry, 2004, 14, 3440. | 6.7 | 10 |
| 1533 | A general model for the repassivation potential as a function of multiple aqueous solution species. Corrosion Science, 2004, 46, 1583-1612. | 3.0 | 98 |
| 1534 | Dissolution rates of pure methane hydrate and carbon-dioxide hydrate in undersaturated seawater at 1000-m depth. Geochimica Et Cosmochimica Acta, 2004, 68, 285-292. | 1.6 | 123 |
| 1535 | A new cubic equation of state and its applications to the modeling of vapor-liquid equilibria and volumetric properties of natural fluids. Geochimica Et Cosmochimica Acta, 2004, 68, 2997-3009. | 1.6 | 30 |

| # | ARTICLE | IF | CITATIONS |
|---|---------|-----|-----------|
| 1536 | Quantification of Displacement Mechanisms in Multicomponent Gasfloods. SPE Journal, 2004, 9, 314-321. | 1.7 | 6 |
| 1537 | Multiphase Equilibrium Calculation Using Reduced Variables. , 2004, , . | | 5 |
| 1538 | Vaporâˆ¼Liquid Equilibrium for 1-Propanol + 1-Butene, +cis-2-Butene, + 2-Methyl-propene, +trans-2-Butene, +n-Butane, and + 2-Methyl-propane. Journal of Chemical &amp; Engineering Data, 2004, 49, 1628-1634. | 1.0 | 16 |
| 1539 | Phase Equilibrium between Gas Condensate and Brine at HT/HP Conditions. , 2004, , . | | 11 |
| 1540 | Efficient Methods for Calculations of Compressibility, Density, and Viscosity of Natural Gases. , 2004, , . | | 2 |
| 1541 | Phase Behavior Assessment of Deposition Compound (Asphaltene) in Heavy Oil. , 2004, , . | | 2 |
| 1542 | Extraction of Organic Compounds. , 2004, , . | | 2 |
| 1543 | Geological Sequestration of Carbon Dioxide in Depleted Gas Reservoirs. , 2004, , . | | 9 |
| 1544 | Cubic Equations of State Applied to HT/HP and Highly Aromatic Fluids. SPE Journal, 2004, 9, 186-192. | 1.7 | 66 |
| 1545 | Vapour pressure of $CO_2$ as well as phase envelopes and critical points for $CO_2$ and $CH_4$ mixtures calculated by Aspen Plus and Flowbat simulation software. Studies in Surface Science and Catalysis, 2004, , 393-396. | 1.5 | 0 |
| 1546 | Experimental study on isotopic fractionation in water during gas hydrate formation. Geochemical Journal, 2004, 38, 129-138. | 0.5 | 46 |
| 1547 | Critical point and phase envelope calculations â€" some practical aspects based on CO2-mixtures. Studies in Surface Science and Catalysis, 2004, 153, 369-374. | 1.5 | 0 |
| 1548 | Phase Behavior Measurement and Modeling of Gas-to-Liquids and Alaska North Slope Crude Oil Blends. Energy Sources Part A Recovery, Utilization, and Environmental Effects, 2005, 27, 709-718. | 0.5 | 2 |
| 1549 | Experimental and Numerical Studies of Gas/Oil Multicontact Miscible Displacements in Homogeneous Porous Media. , 2005, , . | | 7 |
| 1550 | Fluid Characterization for Miscible EOR Projects and CO2 Sequestration. , 2005, , . | | 3 |
| 1551 | Application of Nasrifar-Moshfeghian EoS for Prediction of Enthalpy Departures of Natural Gas and LNG Systems. , 2005, , . | | 1 |
| 1552 | The Kinetics on Hydrate Formation in Pipelines. Energy Sources Part A Recovery, Utilization, and Environmental Effects, 2005, 27, 875-885. | 0.5 | 5 |
| 1553 | Application of Generalized Pressure Perturbation Principle to Cubic Equation of State Formulation. , 2005, , . | | 0 |

| # | Article | IF | Citations |
|---|---------|----|-----------| 
| 1554 | Application of the GCA-EoS model to the supercritical processing of fatty oil derivatives. Journal of Food Engineering, 2005, 70, 579-587. | 2.7 | 27 |
| 1555 | Prediction of mineral scale formation in geothermal and oilfield operations using the extended UNIQUAC model. Geothermics, 2005, 34, 61-97. | 1.5 | 64 |
| 1556 | Excess molar volumes of the ternary mixtures chlorobenzene+n-hexane+linear aliphatic alkane (C11–C12) at 298.15 K. Journal of Molecular Liquids, 2005, 122, 87-94. | 2.3 | 11 |
| 1557 | Advanced equation of state method for modeling TEG–water for glycol gas dehydration. Fluid Phase Equilibria, 2005, 228-229, 213-221. | 1.4 | 62 |
| 1558 | Vapour–liquid equilibrium for the ethyl ethanoate+1-butene, +cis-2-butene, +trans-2-butene, +2-methylpropene, +n-butane and +2-methylpropane. Fluid Phase Equilibria, 2005, 230, 21-28. | 1.4 | 7 |
| 1559 | PSRK group contribution equation of state: comprehensive revision and extension IV, including critical constants and α-function parameters for 1000 components. Fluid Phase Equilibria, 2005, 227, 157-164. | 1.4 | 109 |
| 1560 | Calculation of critical lines of hydrocarbon/water systems by extrapolating mixing rules fitted to subcritical equilibrium data. Fluid Phase Equilibria, 2005, 227, 183-196. | 1.4 | 9 |
| 1561 | Vapor–liquid equilibrium prediction at high pressures using activity coefficients at infinite dilution from COSMO-type methods. Fluid Phase Equilibria, 2005, 231, 231-238. | 1.4 | 40 |
| 1562 | The experiments and correlations of the solubility of ethylene in toluene solvent. Fluid Phase Equilibria, 2005, 231, 221-230. | 1.4 | 68 |
| 1563 | Development and application of a three-parameter RK–PR equation of state. Fluid Phase Equilibria, 2005, 232, 74-89. | 1.4 | 152 |
| 1564 | Phase equilibria for H2+CO2+H2O system containing gas hydrates. Fluid Phase Equilibria, 2005, 233, 190-193. | 1.4 | 75 |
| 1565 | Comparison of different cubic equations of state and combination rules for predicting residual chemical potential of binary and ternary Lennard–Jones mixtures: Solid-supercritical fluid phase equilibria. Fluid Phase Equilibria, 2005, 234, 42-50. | 1.4 | 10 |
| 1566 | Solubility of a spiroindolinonaphthoxazine photochromic dye in supercritical carbon dioxide: Experimental determination and correlation. Fluid Phase Equilibria, 2005, 238, 120-128. | 1.4 | 41 |
| 1567 | Phase equilibrium measurements of Brazil nut (Bertholletia excelsa) oil in supercritical carbon dioxide. Journal of Supercritical Fluids, 2005, 34, 223-229. | 1.6 | 27 |
| 1568 | Modeling vapor–liquid interfaces with the gradient theory in combination with the CPA equation of state. Fluid Phase Equilibria, 2005, 228-229, 479-485. | 1.4 | 59 |
| 1569 | Thermodynamics of aqueous potassium carbonate, piperazine, and carbon dioxide. Fluid Phase Equilibria, 2005, 227, 197-213. | 1.4 | 129 |
| 1570 | High pressure (solid+liquid) equilibria of n-alkane mixtures: experimental results, correlation and prediction. Fluid Phase Equilibria, 2005, 230, 72-80. | 1.4 | 39 |
| 1571 | Comparison between experimental data and aqueous-phase fugacity model for hydrate prediction. Fluid Phase Equilibria, 2005, 232, 25-36. | 1.4 | 3 |

| # | Article | IF | Citations |
|---|---------|----|-----------|
| 1572 | The Sanchezâ€"Lacombe lattice fluid model for the modeling of solids in supercritical fluids. Fluid Phase Equilibria, 2005, 232, 219-229. | 1.4 | 21 |
| 1573 | Vapourâ€"liquid equilibrium for the 2-methylpropane+methanol, +ethanol, +2-propanol, +2-butanol and +2-methyl-2-propanol systems at 313.15K. Fluid Phase Equilibria, 2005, 232, 90-99. | 1.4 | 17 |
| 1574 | Monte Carlo adiabatic simulation of equilibrium reacting systems: The ammonia synthesis reaction. Fluid Phase Equilibria, 2005, 235, 50-57. | 1.4 | 15 |
| 1575 | Experimental and predicted vapourâ€"liquid equilibrium of 1,4-dioxane with cycloalkanes and benzene. Fluid Phase Equilibria, 2005, 238, 1-6. | 1.4 | 11 |
| 1576 | An accurate model for calculating C2H6 solubility in pure water and aqueous NaCl solutions. Fluid Phase Equilibria, 2005, 238, 77-86. | 1.4 | 17 |
| 1577 | A new exergy method for process analysis and optimization. Chemical Engineering Science, 2005, 60, 2771-2784. | 1.9 | 37 |
| 1578 | Analysis of the CSTR with two-phase flow under phase equilibrium conditions. Chemical Engineering Science, 2005, 60, 3199-3206. | 1.9 | 5 |
| 1579 | Density and Viscosity Modeling and Characterization of Heavy Oilsâ€. Energy &amp; Fuels, 2005, 19, 1314-1318. | 2.5 | 38 |
| 1580 | HYDROCARBON SEEPAGE AND CARBONATE MOUND FORMATION: A BASIN MODELLING STUDY FROM THE PORCUPINE BASIN (OFFSHORE IRELAND). Journal of Petroleum Geology, 2005, 28, 147-166. | 0.9 | 44 |
| 1581 | Replacement of CH4 in the hydrate by use of liquid CO2. Energy Conversion and Management, 2005, 46, 1680-1691. | 4.4 | 271 |
| 1582 | Wax precipitation modeled with many mixed solid phases. AICHE Journal, 2005, 51, 298-308. | 1.8 | 13 |
| 1583 | A comprehensive mathematical model for the Fischerâ€"Tropsch synthesis in well-mixed slurry reactors. Chemical Engineering Science, 2005, 60, 677-694. | 1.9 | 48 |
| 1584 | Calculation of critical points using a reduction method. Fluid Phase Equilibria, 2005, 228-229, 223-231. | 1.4 | 29 |
| 1585 | Methane recovery from methane hydrate using pressurized CO2. Fluid Phase Equilibria, 2005, 228-229, 553-559. | 1.4 | 196 |
| 1586 | Prediction of gas solubility in battery formulations. Fluid Phase Equilibria, 2005, 228-229, 59-66. | 1.4 | 26 |
| 1587 | Vapourâ€"liquid equilibrium measurements and correlation for the pentafluoroethane (R125)+n-butane (R600) system. Fluid Phase Equilibria, 2005, 227, 275-281. | 1.4 | 16 |
| 1588 | Vaporâ€"liquid equilibria and densities of CO2 with four unsaturated fatty acid esters at elevated pressures. Fluid Phase Equilibria, 2005, 233, 56-65. | 1.4 | 44 |
| 1589 | Vaporâ€"liquid equilibria of carbon dioxide with isopropyl acetate, diethyl carbonate and ethyl butyrate at elevated pressures. Fluid Phase Equilibria, 2005, 234, 77-83. | 1.4 | 27 |

| # | Article | IF | Citations |
|---|---------|-----|-----------|
| 1590 | Thermodynamic equilibrium of the O2–ZnSO4–H2SO4–H2O system from 25 to 250°C. Fluid Phase Equilibria, 2005, 234, 122-130. | 1.4 | 22 |
| 1591 | Influence of size and shape effects on the high-pressure solubility of n-alkanes: Experimental data, correlation and prediction. Journal of Chemical Thermodynamics, 2005, 37, 1276-1287. | 1.0 | 18 |
| 1592 | Modeling and simulation of supercritical extraction columns using computer algebra. Journal of Supercritical Fluids, 2005, 34, 203-208. | 1.6 | 5 |
| 1593 | Prediction of the chemical equilibrium constant for peracetic acid formation by hydrogen peroxide. JAOCS, Journal of the American Oil Chemists' Society, 2005, 82, 301-303. | 0.8 | 21 |
| 1594 | Calculation of binodal lines for a multicomponent mixture by the homotopy method. Theoretical Foundations of Chemical Engineering, 2005, 39, 85-91. | 0.2 | 0 |
| 1595 | Calculation of binodal lines for a multicomponent mixture by the homotopy method. Theoretical Foundations of Chemical Engineering, 2005, 39, 85-91. | 0.2 | 0 |
| 1596 | A Corresponding States Model for Generalized Engineering Equations of State. International Journal of Thermophysics, 2005, 26, 705-728. | 1.0 | 17 |
| 1597 | Effect of Temperature on the Change of Refractive Index on Mixing for Butyl Acetate + Aromatic Hydrocarbons. International Journal of Thermophysics, 2005, 26, 1437-1459. | 1.0 | 28 |
| 1598 | Experimental vapor-liquid equilibria data for binary mixtures of xylene isomers. Brazilian Journal of Chemical Engineering, 2005, 22, 453-462. | 0.7 | 16 |
| 1599 | Influence of Real-Fluid Properties in Modeling Decompression Wave Interacting with Ductile Fracture Propagation. Oil and Gas Science and Technology, 2005, 60, 711-719. | 1.4 | 12 |
| 1600 | A Two Parameters Equation of State for Phase Equilibrium Behaviour Reservoir and Liquified Natural Gas. , 2005, , . | | 0 |
| 1601 | Carbon Dioxide, a Solvent and Synthon for Green Chemistry. , 2005, , 541-552. | | 10 |
| 1602 | Hydraulics. , 2005, , 277-316. | | 15 |
| 1603 | Application of PSRK for Process Design. Chemical Engineering Communications, 2005, 192, 336-350. | 1.5 | 12 |
| 1604 | Nonclassical gasdynamic region of selected fluorocarbons. Physics of Fluids, 2005, 17, 116102. | 1.6 | 39 |
| 1605 | Vapor–Liquid Equilibrium Data for the Ethylene + Hexane System. Journal of Chemical &amp; Engineering Data, 2005, 50, 1492-1495. | 1.0 | 15 |
| 1606 | Flow Assurance. , 2005, , 169-214. | | 5 |
| 1607 | Thermodynamic Predictions of Scale Potential, pH, and Gas Solubility in Glycol-Containing Systems. , 2005, , . | | 12 |

| # | Article | IF | Citations |
|---|---------|----|-----------|
| 1608 | Thermodynamic Properties. , 2005, , 49-148. | | 5 |
| 1609 | Solubilities in supercritical fluids. Pure and Applied Chemistry, 2005, 77, 513-530. | 0.9 | 56 |
| 1610 | Predicting Natural Gas Dew Points from 15 Equations of State. Energy &amp; Fuels, 2005, 19, 561-572. | 2.5 | 62 |
| 1611 | Simultaneous Correlation of Saturated Viscosities of Pure Gases and Liquids Using the Significant Structure Theory. Industrial &amp; Engineering Chemistry Research, 2005, 44, 1960-1966. | 1.8 | 7 |
| 1612 | High-Pressure Phase Equilibrium for Ethylene + Ethanol at 283.65 K. Journal of Chemical &amp; Engineering Data, 2005, 50, 122-124. | 1.0 | 11 |
| 1613 | High-Pressure Phase Equilibrium for Ethylene + 2-Propanol at 283.65 K. Journal of Chemical &amp; Engineering Data, 2005, 50, 1902-1904. | 1.0 | 4 |
| 1614 | Entrainer Effect of Ethanol on High-Pressure Vaporâ˘ʼLiquid Equilibria for Supercritical Carbon Dioxide + Limonene + Linalool System. Journal of Chemical &amp; Engineering Data, 2005, 50, 1844-1847. | 1.0 | 6 |
| 1615 | Vaporâ˘ʼLiquid Equilibrium for the Difluoromethane (R32) +n-Butane (R600) System. Journal of Chemical &amp; Engineering Data, 2005, 50, 44-48. | 1.0 | 15 |
| 1616 | CORRECTION ON PARAMETERS OF MMM EQUATION OF STATE FOR TEMPERATURE DEPENDENCE. Chemical Engineering Communications, 2005, 192, 725-748. | 1.5 | 2 |
| 1617 | Can Dawsonite Permanently Trap CO2?. Environmental Science &amp; Technology, 2005, 39, 8281-8287. | 4.6 | 123 |
| 1618 | Predicting Mixture Phase Equilibria and Critical Behavior Using the SAFT-VRX Approach. Journal of Physical Chemistry B, 2005, 109, 9047-9058. | 1.2 | 61 |
| 1619 | Henry's Law Constants and Infinite Dilution Activity Coefficients of Propane, Propene, Butane, 2-Methylpropane, 1-Butene, 2-Methylpropene, trans-2-Butene, cis-2-Butene, 1,3-Butadiene, Dimethyl Ether, Chloroethane, and 1,1-Difluoroethane in 2-Methyl-3-buten-2-ol and 3-Methyl-3-buten-1-ol. Journal of Chemical &amp; Engineering Data, 2005, 50, 2106-2111. | 1.0 | 0 |
| 1620 | Measurement and Correlation of the Solidâ˘ʼLiquidâ˘ʼGas Equilibria for the Carbon Dioxide +S-(+)-Ibuprofen and Carbon Dioxide +RS-(Â±)-Ibuprofen Systems. Journal of Chemical &amp; Engineering Data, 2005, 50, 11-15. | 1.0 | 29 |
| 1621 | Semiempirical Model of the Vaporâ˘ʼLiquid Phase Behavior of the Hydrogen Chlorideâ˘ʼWater System. Industrial &amp; Engineering Chemistry Research, 2005, 44, 639-644. | 1.8 | 4 |
| 1622 | Thermophysical Behavior of n-Alkane + Alkylbenzoate Mixed Solvents. Measurements and Properties Modeling. Industrial &amp; Engineering Chemistry Research, 2005, 44, 7575-7583. | 1.8 | 56 |
| 1623 | High-Pressure Phase Equilibrium for Carbon Dioxide + Ethanol at 291.15 K. Journal of Chemical &amp; Engineering Data, 2005, 50, 16-17. | 1.0 | 20 |
| 1624 | Vaporâ˘ʼLiquid Equilibria for the Ternary Systems of Methyltert-Butyl Ether + Methanol + Methylcyclohexane and Methyltert-Butyl Ether + Methanol +n-Heptane and Constituent Binary Systems at 313.15 K. Journal of Chemical &amp; Engineering Data, 2005, 50, 1564-1569. | 1.0 | 12 |
| 1625 | Influence of High Pressure on the Liquidus Curve Shape in Binary Hydrocarbon Mixtures:â€‰ Experimental Data, Correlation, and Predictionâ€. Journal of Chemical &amp; Engineering Data, 2005, 50, 1073-1082. | 1.0 | 6 |

| # | ARTICLE | IF | CITATIONS |
|---|---------|----|-----------|
| 1626 | Henry's Law Constants and Infinite Dilution Activity Coefficients of Propane, Propene, Butane, 2-Methylpropane, 1-Butene, 2-Methylpropene, trans-2-Butene, cis-2-Butene, 1,3-Butadiene, Dimethyl Ether, Chloroethane, and 1,1-Difluoroethane in 2-Propen-1-ol. Journal of Chemical &amp; Engineering Data, 2005, 50, 2045-2048. | 1.0 | 5 |
| 1627 | Characterization and Preferential Solvation of the Hexane/Hexan-1-ol/Methylbenzoate Ternary Solvent. Journal of Physical Chemistry B, 2005, 109, 6375-6385. | 1.2 | 14 |
| 1628 | Prediction of Global Vaporâˆ'Liquid Equilibria for Mixtures Containing Polar and Associating Components with Improved Renormalization Group Theory. Journal of Physical Chemistry B, 2005, 109, 20546-20553. | 1.2 | 17 |
| 1629 | Simulation and Optimization for Power Plant Flue Gas $CO_2$ Absorptionâ€“Stripping Systems. Separation Science and Technology, 2005, 40, 877-909. | 1.3 | 62 |
| 1630 | Solubility of ethylene in toluene and norbornene mixture at various temperatures and pressures. Journal of the Chinese Institute of Engineers, Transactions of the Chinese Institute of Engineers,Series A/Chung-kuo Kung Ch'eng Hsuch K'an, 2005, 28, 1127-1138. | 0.6 | 2 |
| 1631 | Prediction of CH4 and CO2 hydrate phase equilibrium and cage occupancy from ab initio intermolecular potentials. Geochimica Et Cosmochimica Acta, 2005, 69, 4411-4424. | 1.6 | 168 |
| 1632 | MODELING FLUID FLOW IN OIL RESERVOIRS. Annual Review of Fluid Mechanics, 2005, 37, 211-238. | 10.8 | 211 |
| 1633 | Isothermal VLE Measurements for Difluoromethane + Dimethyl Ether and an Evaluation of Hydrogen Bonding. Journal of Chemical &amp; Engineering Data, 2005, 50, 128-132. | 1.0 | 19 |
| 1634 | Vaporâˆ'Liquid Equilibrium for Binary Systems of 2-Propanol + 1,1-Diethoxyethane at 353 K, Ethyl Ethanoate + 1,1-Diethoxyethane at 348 K, and 2-Propanone + 1,1-Diethoxyethane at 328 K. Journal of Chemical &amp; Engineering Data, 2005, 50, 364-368. | 1.0 | 4 |
| 1635 | Demixing of Polypropylene/Polystyrene Blends by Near-Critical Selective Solubilization. Industrial &amp; Engineering Chemistry Research, 2006, 45, 3393-3399. | 1.8 | 8 |
| 1636 | THE MODIFIED PGR EQUATION OF STATE: PURE-FLUID PREDICTIONS. Chemical Engineering Communications, 2006, 193, 438-459. | 1.5 | 2 |
| 1637 | PÏ‡T Measurements and Equation of State (EoS) Predictions of Ester Lubricants up to 45 MPa. Industrial &amp; Engineering Chemistry Research, 2006, 45, 1172-1182. | 1.8 | 44 |
| 1638 | A Comparative Study on the Thermodynamics of Dimethyl Ether Synthesis from CO Hydrogenation and CO2 Hydrogenation. Industrial &amp; Engineering Chemistry Research, 2006, 45, 1152-1159. | 1.8 | 85 |
| 1639 | Gasification of Model Compounds and Wood in Hot Compressed Water. Industrial &amp; Engineering Chemistry Research, 2006, 45, 4169-4177. | 1.8 | 145 |
| 1640 | Volumetric Property Improvement for the Soaveâˆ'Redlichâˆ'Kwong Equation of State. Industrial &amp; Engineering Chemistry Research, 2006, 45, 1829-1839. | 1.8 | 42 |
| 1641 | Cartesian Adaptive Properties Interpolation for Computations of Complex Fluids. , 2006, , . | | 4 |
| 1642 | Modeling of Turbulent Mixing Layer Dynamics in Ultra-High Pressure Flows. , 2006, , . | | 38 |
| 1643 | Numerical Study on Hydrothermal Oxidation in a Tube Reactor. , 2006, , . | | 1 |

| # | Article | IF | Citations |
|---|---|---|---|
| 1644 | Vaporâ^ʲLiquid Equilibria on Seven Binary Systems:â€‰ Ethylene Oxide + 2-Methylpropane; Acetophenone + Phenol;cis-1,3-Dichloropropene + 1,2-Dichloropropane; 1,5-Hexadiene + Allyl Chloride; Isopropyl Acetate + Acetonitrile; Vinyl Chloride + Methyl Chloride; and 1,4-Butanediol + Î³-Butyrolactoneâ€. Journal of Chemical &amp; Engineering Data, 2006, 51, 1954-1962. | 1.0 | 20 |
| 1645 | Isothermal Vapor Liquid Equilibrium for 2-Methylpropene + Methanol, + 1-Propanol, + 2-Propanol, + 2-Butanol, and + 2-Methyl-2-propanol Binary Systems at 364.5 K. Journal of Chemical &amp; Engineering Data, 2006, 51, 562-568. | 1.0 | 24 |
| 1646 | VOLUME-BASED THERMODYNAMICS GLOBAL PHASE STABILITY ANALYSIS. Chemical Engineering Communications, 2006, 193, 1194-1216. | 1.5 | 37 |
| 1648 | A study of Wertheim's thermodynamic perturbation theory (TPT1) for associating fluids with dispersive interactions: the importance of the association range. Molecular Physics, 2006, 104, 3551-3560. | 0.8 | 12 |
| 1649 | Experimental Gas Hydrate Dissociation Pressures for Pure Methane in Aqueous Solutions of $MgCl_2$and $CaCl_2$and for a (Methane + Ethane) Gas Mixture in an Aqueous Solution of (NaCl + $MgCl_2$). Journal of Chemical &amp; Engineering Data, 2006, 51, 1862-1867. | 1.0 | 65 |
| 1650 | Solubility of Hydrogen in Pyrolysis Gasoline. Journal of Chemical &amp; Engineering Data, 2006, 51, 972-976. | 1.0 | 31 |
| 1651 | Measurement and Correlation of Vaporâ^ʲLiquid Equilibria at$T$= 333.15 K and Excess Molar Volumes at$T$= 298.15 K for Ethanol + Dimethyl Carbonate (DMC), DMC + 1-Propanol, and DMC + 1-Butanol. Journal of Chemical &amp; Engineering Data, 2006, 51, 1852-1855. | 1.0 | 19 |
| 1652 | Vaporâ^ʲLiquid Equilibrium Data for the Ethane + Trifluoromethane System at Temperatures from (188.31) Tj ETQq1 1 0.784314 rgBT | 1.0 | 29 |
| 1653 | Penultimate Unit Effect in Ethene/Propene Copolymerization Promoted at High Temperature by Single Center Catalysts. Macromolecules, 2006, 39, 8223-8228. | 2.2 | 17 |
| 1654 | Viscosities, Densities, and Speeds of Sound of Binary Mixtures of Benzene, Toluene,o-Xylene,m-Xylene,p-Xylene, and Mesitylene with Anisole at (288.15, 293.15, 298.15, and 303.15) K. Journal of Chemical &amp; Engineering Data, 2006, 51, 2074-2082. | 1.0 | 108 |
| 1655 | Highly Selective Encaging of Carbon Dioxide Molecules in the Mixed Carbon Dioxide and Nitrogen Hydrate at Low Temperatures. Journal of Physical Chemistry B, 2006, 110, 17595-17599. | 1.2 | 16 |
| 1656 | PVTxMeasurements of theN-Methylpyrrolidone/Methanol Mixed Solvent:Â Cubic and SAFT EOS Analyses. Journal of Physical Chemistry B, 2006, 110, 6933-6942. | 1.2 | 16 |
| 1657 | Measurement and Modeling of the Solubility of Water in Supercritical Methane and Ethane from 310 to 477 K and Pressures from 3.4 to 110 MPa. Industrial &amp; Engineering Chemistry Research, 2006, 45, 6770-6777. | 1.8 | 46 |
| 1658 | Reliable Wax Predictions for Flow Assurance. Energy &amp; Fuels, 2006, 20, 1081-1088. | 2.5 | 63 |
| 1659 | Measurement and Correlation of Vaporâ^ʲLiquid Equilibria for Water + 2-Propanol, Water + 2-Butanol, and Water + 2-Pentanol Systems at High Temperatures and Pressures. Journal of Chemical &amp; Engineering Data, 2006, 51, 51-55. | 1.0 | 8 |
| 1660 | Vapor Liquid Equilibrium for Six Binary Systems of C4-Hydrocarbons + 2-Propanone. Journal of Chemical &amp; Engineering Data, 2006, 51, 554-561. | 1.0 | 15 |
| 1661 | Vaporâ^ʲLiquid Equilibrium for Binary System of 1-Propanethiol, Thiophene, and Diethyl Sulfide with Toluene at 90.03 kPa. Journal of Chemical &amp; Engineering Data, 2006, 51, 1372-1376. | 1.0 | 28 |
| 1662 | d-Pinitol Solubility in Supercritical $CO_2$: Experimental Data and Correlation. Journal of Chemical &amp; Engineering Data, 2006, 51, 612-615. | 1.0 | 6 |

| # | Article | IF | Citations |
|---|---------|----|-----------|
| 1663 | Volumetric Behavior and Saturated Pressure for Carbon Dioxide + Ethyl Acetate at a Temperature of 313.15 K. Journal of Chemical &amp; Engineering Data, 2006, 51, 1031-1034. | 1.0 | 37 |
| 1664 | Vaporâ‹ّLiquid Equilibrium for Binary System of Thiophene +n-Hexane at (338.15 and 323.15) K and Thiophene + 1-Hexene at (333.15 and 323.15) K. Journal of Chemical &amp; Engineering Data, 2006, 51, 2203-2208. | 1.0 | 46 |
| 1665 | Infinite Dilute Activity and Diffusion Coefficients in Polymers by Inverse Gas Chromatography. Journal of Chemical &amp; Engineering Data, 2006, 51, 93-98. | 1.0 | 19 |
| 1666 | Thermodynamics and Equilibrium Solubility of Carbon Dioxide in Diglycolamine/Morpholine/Water. Journal of Chemical &amp; Engineering Data, 2006, 51, 708-717. | 1.0 | 20 |
| 1667 | Phase Equilibria on Four Binary Systems:â€‰ 1,2-Dichloroethane +trans-1,2-Dichloroethylene, 1-Octene + 2-Methyl Thiophene, 2-Ethyl Thiophene + 2,2,4-Trimethylpentane, and Cyclopropanecarbonitrile + Waterâ€. Journal of Chemical &amp; Engineering Data, 2006, 51, 1973-1981. | 1.0 | 18 |
| 1668 | High-Pressure Phase Equilibrium for Ethylene + Methanol at 278.15 K and 283.65 K. Journal of Chemical &amp; Engineering Data, 2006, 51, 268-271. | 1.0 | 15 |
| 1669 | Beyond the perfect fluid hypothesis for the dark energy equation of state. Physical Review D, 2006, 73, . | 1.6 | 62 |
| 1670 | Vaporâ‹ّLiquid Equilibria on Four Binary Systems: 2-Phenylpropionaldehyde + Phenol, Propylene Glycol Monomethyl Ether + Nitroethane, Dimethyl Ether + Propylene, andN-Butyric Acid + Propionic Acidâ€. Journal of Chemical &amp; Engineering Data, 2006, 51, 1966-1972. | 1.0 | 10 |
| 1671 | A thermodynamic model for calculating methane solubility, density and gas phase composition of methane-bearing aqueous fluids from 273 to 523K and from 1 to 2000bar. Geochimica Et Cosmochimica Acta, 2006, 70, 3369-3386. | 1.6 | 401 |
| 1672 | Coupling an equation of state and Henry's Law to model the phase equilibria of gases and brines. Journal of Geochemical Exploration, 2006, 89, 331-334. | 1.5 | 9 |
| 1673 | Determination of critical conditions for the esterification of acetic acid with ethanol in the presence of carbon dioxide. Brazilian Journal of Chemical Engineering, 2006, 23, 359-364. | 0.7 | 1 |
| 1674 | A reduction method for phase equilibrium calculations with cubic equations of state. Brazilian Journal of Chemical Engineering, 2006, 23, 427-434. | 0.7 | 16 |
| 1675 | Modification of Sako-Wu-Prausnitz equation of state for fluid phase equilibria in polyethylene-ethylene systems at high pressures. Brazilian Journal of Chemical Engineering, 2006, 23, 383-394. | 0.7 | 4 |
| 1676 | Thermodynamic Modelling of Petroleum Fluids. Oil and Gas Science and Technology, 2006, 61, 303-317. | 1.4 | 18 |
| 1677 | Application to Petroleum Engineering of Statistical Thermodynamics â€“ Based Equations of State. Oil and Gas Science and Technology, 2006, 61, 363-386. | 1.4 | 49 |
| 1680 | Modeling of Large Hydrocarbon Compositional Gradient. , 2006, , . | | 15 |
| 1681 | Increasing the Computational Speed of Flash Calculations With Applications for Compositional, Transient Simulations. SPE Reservoir Evaluation and Engineering, 2006, 9, 32-38. | 1.1 | 86 |
| 1682 | Efficient Methods for Calculations of Compressibility, Density, and Viscosity of Natural Gases. Journal of Canadian Petroleum Technology, 2006, 45, . | 2.3 | 6 |

| # | Article | IF | Citations |
|---|---------|----|-----------|
| 1683 | Performance of an Internally Heat-Integrated Distillation Column (HIDiC) in Separation of Ternary Mixtures. Journal of Chemical Engineering of Japan, 2006, 39, 417-425. | 0.3 | 26 |
| 1684 | Application of Association Model for Solubilities of Alkali Metal Chloride in Water Vapor at High Temperatures and Pressures. Journal of Chemical Engineering of Japan, 2006, 39, 1029-1034. | 0.3 | 2 |
| 1685 | A Model for Systems with Soluble Hydrate Formers. Annals of the New York Academy of Sciences, 2000, 912, 917-923. | 1.8 | 1 |
| 1686 | Measurement and modeling of hydrocarbon dew points for five synthetic natural gas mixtures. Fluid Phase Equilibria, 2006, 239, 138-145. | 1.4 | 43 |
| 1687 | Phase equilibrium calculations for carbon dioxide+n-alkanes binary mixtures with the Wongâ€"Sandler mixing rules. Fluid Phase Equilibria, 2006, 239, 206-212. | 1.4 | 25 |
| 1688 | Correlation of the viscosity of pure liquids at high pressures based on an equation of state. Fluid Phase Equilibria, 2006, 240, 15-21. | 1.4 | 12 |
| 1689 | Cubic equation-of-state correlation of the solubility of some anti-inflammatory drugs in supercritical carbon dioxide. Fluid Phase Equilibria, 2006, 239, 188-199. | 1.4 | 100 |
| 1690 | Extending a classical EOS correlation to represent solidâ€"fluid phase equilibria. Fluid Phase Equilibria, 2006, 243, 151-155. | 1.4 | 15 |
| 1691 | Prediction of phase equilibria for mixtures containing water, hydrocarbons and alcohols at high temperatures and pressures by cubic equation of state with GE type mixing rule based on COSMO-RS. Fluid Phase Equilibria, 2006, 243, 183-192. | 1.4 | 30 |
| 1692 | An analytical consistent pseudo-component delumping procedure for equations of state with non-zero binary interaction parameters. Fluid Phase Equilibria, 2006, 245, 71-82. | 1.4 | 21 |
| 1693 | Multiphase equilibrium calculation using reduced variables. Fluid Phase Equilibria, 2006, 246, 15-27. | 1.4 | 45 |
| 1694 | Thermodynamic properties and phase transitions in the H2O/CO2/CH4 system. Fluid Phase Equilibria, 2006, 246, 177-184. | 1.4 | 44 |
| 1695 | Vaporâ€"liquid equilibria for binary and ternary mixtures of diisopropyl ether, ethanol, and 2,2,4-trimethylpentane at 101.3kPa. Fluid Phase Equilibria, 2006, 248, 197-205. | 1.4 | 14 |
| 1696 | Energy saving in multicomponent separation using an internally heat-integrated distillation column (HIDiC). Applied Thermal Engineering, 2006, 26, 1362-1368. | 3.0 | 129 |
| 1697 | Direct synthesis of dimethyl carbonate with supercritical carbon dioxide: Characterization of a key organotin oxide intermediate. Catalysis Today, 2006, 115, 80-87. | 2.2 | 129 |
| 1698 | Coupling activity coefficient models, Henry constant equations, and equations of state to calculate vaporâ€"liquid and solidâ€"liquid equilibrium data. Chemical Engineering and Processing: Process Intensification, 2006, 45, 773-782. | 1.8 | 7 |
| 1699 | Solubility of gases in a hydroformylation solvent. Chemical Engineering Science, 2006, 61, 3698-3704. | 1.9 | 15 |
| 1700 | A new analytical formulation for the generalized corresponding states model for thermodynamic and surface properties in pure fluids. Chemical Engineering Science, 2006, 61, 5107-5113. | 1.9 | 20 |

| # | Article | IF | Citations |
|---|---------|----|-----------|
| 1701 | Vapor–liquid equilibrium calculations of pure compounds from a hard-sphere-chain equation of state: The structure effect. Chemical Physics, 2006, 324, 405-412. | 0.9 | 0 |
| 1702 | Consistent delumping of multiphase flash results. Computers and Chemical Engineering, 2006, 30, 1026-1037. | 2.0 | 15 |
| 1703 | A new cubic equation of state for reservoir fluids. Fluid Phase Equilibria, 2006, 239, 83-90. | 1.4 | 64 |
| 1704 | Henry's law constants of propane, propene, butane, and 2-methylpropane in methanol at 374–490K. Fluid Phase Equilibria, 2006, 240, 56-62. | 1.4 | 12 |
| 1705 | Thermodynamic methods for pressure relief system design parameters. Fluid Phase Equilibria, 2006, 241, 41-50. | 1.4 | 7 |
| 1706 | Influence of fluoroalkanes on the phase behaviour of methane gas hydrate systems. Fluid Phase Equilibria, 2006, 241, 124-137. | 1.4 | 17 |
| 1707 | Chemical equilibria of multiple-reaction systems from reaction ensemble Monte Carlo simulation and a predictive equation of state: Combined hydrogenation of ethylene and propylene. Fluid Phase Equilibria, 2006, 242, 189-203. | 1.4 | 12 |
| 1708 | Prediction of methane and carbon dioxide solubility in water in the presence of hydrate. Fluid Phase Equilibria, 2006, 246, 131-136. | 1.4 | 58 |
| 1709 | Experimental determination and calculation of thermodynamic properties of CO2+octane to high temperatures and high pressures. Fluid Phase Equilibria, 2006, 246, 6-14. | 1.4 | 37 |
| 1710 | Calculation of Joule–Thomson inversion curves for two-phase mixtures. Fluid Phase Equilibria, 2006, 246, 167-176. | 1.4 | 23 |
| 1711 | Henry's law constants of 1-butene, 2-methylpropene, trans-2-butene, and 1,3-butadiene in methanol at 374–490K. Fluid Phase Equilibria, 2006, 247, 143-148. | 1.4 | 6 |
| 1712 | Prediction of mineral scale formation in geothermal and oilfield operations using the Extended UNIQUAC model. Geothermics, 2006, 35, 239-284. | 1.5 | 80 |
| 1713 | Prediction of thermodynamic properties of natural gas mixtures using 10 equations of state including a new cubic two-constant equation of state. Journal of Petroleum Science and Engineering, 2006, 51, 253-266. | 2.1 | 84 |
| 1714 | The phase-field theory applied to CO2 and CH4 hydrate. Journal of Crystal Growth, 2006, 287, 486-490. | 0.7 | 46 |
| 1715 | (p,Vm,T) and phase equilibrium measurements for a natural gas-like mixture using an automated isochoric apparatus. Journal of Chemical Thermodynamics, 2006, 38, 1489-1494. | 1.0 | 45 |
| 1716 | Are solubility parameters relevant to supercritical fluids?. Journal of Supercritical Fluids, 2006, 38, 7-12. | 1.6 | 53 |
| 1717 | Predictive models to describe VLE in ternary mixtures water+ethanol+congener for wine distillation. Thermochimica Acta, 2006, 450, 110-117. | 1.2 | 23 |
| 1718 | Generalization of the Friction Theory for Viscosity Modeling. Journal of Physical Chemistry B, 2006, 110, 12820-12834. | 1.2 | 96 |

| # | ARTICLE | IF | CITATIONS |
|---|---------|----|-----------|
| 1719 | Thermodynamic properties and phase transtions in the H2O/CO2/CH4 system. Physical Chemistry Chemical Physics, 2006, 8, 1707. | 1.3 | 29 |
| 1720 | Thermodynamic Models for Calculating Mutual Solubilities in H2Oâ€"CO2â€"CH4 Mixtures. Chemical Engineering Research and Design, 2006, 84, 781-794. | 2.7 | 80 |
| 1721 | Experimental Determination and Correlation of Artemisinin's Solubility in Supercritical Carbon Dioxide. Journal of Chemical &amp; Engineering Data, 2006, 51, 1097-1104. | 1.0 | 40 |
| 1722 | Investigation of Volumetric Properties of Some Glycol Ethers Using a Simple Equation of State. International Journal of Thermophysics, 2006, 27, 1515-1526. | 1.0 | 12 |
| 1723 | Deriving Analytical Expressions for the Ideal Curves and Using the Curves to Obtain the Temperature Dependence of Equation-of-State Parameters. International Journal of Thermophysics, 2006, 27, 1564-1589. | 1.0 | 10 |
| 1724 | An Extended Equation of State Modeling Method I. Pure Fluids. International Journal of Thermophysics, 2006, 27, 1281-1318. | 1.0 | 6 |
| 1725 | An Extended Equation of State Modeling Method II. Mixtures. International Journal of Thermophysics, 2006, 27, 1319-1353. | 1.0 | 1 |
| 1726 | Volumetric and refractive properties of binary mixtures containing 1,3-dioxolane and isomeric chlorobutanes. Journal of Thermal Analysis and Calorimetry, 2006, 83, 735-745. | 2.0 | 32 |
| 1727 | Modelling and experimental study of separators for co-solvent recovery in a supercritical extraction process. Journal of Supercritical Fluids, 2006, 38, 51-61. | 1.6 | 17 |
| 1728 | Supercritical cleaning of rollers for printing and packaging industry. Journal of Supercritical Fluids, 2006, 37, 409-416. | 1.6 | 25 |
| 1729 | Distillation control configuration selection based on product variability prediction. Control Engineering Practice, 2006, 14, 743-755. | 3.2 | 13 |
| 1730 | A new two-parameter cubic equation of state for predicting phase behavior of pure compounds and mixtures. Fluid Phase Equilibria, 2006, 242, 19-28. | 1.4 | 36 |
| 1731 | Comparative experimental and modeling studies of the viscosity behavior of ethanol+C7 hydrocarbon mixtures versus pressure and temperature. Fluid Phase Equilibria, 2006, 245, 6-19. | 1.4 | 41 |
| 1732 | Investigation of different activity coefficient models in thermodynamic modeling of wax precipitation. Fluid Phase Equilibria, 2006, 248, 7-18. | 1.4 | 26 |
| 1733 | Mathematical and numerical analysis of classes of property models. Fluid Phase Equilibria, 2006, 250, 1-32. | 1.4 | 37 |
| 1734 | A new correlation for VLE data: Application to binary mixtures containing nitrogen. Korean Journal of Chemical Engineering, 2006, 23, 650-657. | 1.2 | 4 |
| 1735 | Solvent effects in liquid-phase reactionsI. Activity and selectivity during citral hydrogenation on Pt/SiO2 and evaluation of mass transfer effects. Journal of Catalysis, 2006, 243, 108-130. | 3.1 | 149 |
| 1737 | Prediction of global VLE for mixtures with improved renormalization group theory. AICHE Journal, 2006, 52, 342-353. | 1.8 | 21 |

| # | ARTICLE | IF | CITATIONS |
|---|---------|----|-----------|
| 1738 | A new method for critical points calculation from cubic EOS. AICHE Journal, 2006, 52, 1220-1227. | 1.8 | 22 |
| 1739 | Adsorption separation of CH4/CO2 on mesocarbon microbeads: Experiment and modeling. AICHE Journal, 2006, 52, 994-1003. | 1.8 | 98 |
| 1740 | Solution technique for pure-component phase equilibria near the critical point. AICHE Journal, 2006, 52, 1594-1599. | 1.8 | 1 |
| 1741 | General friction theory viscosity model for the PC-SAFT equation of state. AICHE Journal, 2006, 52, 1600-1610. | 1.8 | 77 |
| 1742 | On-Line Monitoring Software and Diagnostic Tool for Centrifugal Compressor Performance Evaluation. , 2006, , 419. | | 1 |
| 1743 | Excess Molar Volumes at 298.15 K and Isothermal Vaporˆ”Liquid Equilibria at 333.15 K for the Binary Mixtures of Dimethyl Carbonate with Benzene, Toluene,n-Heptane, and Isooctane. Journal of Chemical &amp; Engineering Data, 2006, 51, 1868-1872. | 1.0 | 17 |
| 1744 | Gas Hydrates in Oil Systems. , 2006, , . | | 19 |
| 1745 | The multiple roles of interfacial tension in fluid phase equilibria and fluidâ€"solid interactions. Journal of Adhesion Science and Technology, 2006, 20, 125-142. | 1.4 | 6 |
| 1746 | Large-scale dynamic optimization of an integrated cryogenic process. Computer Aided Chemical Engineering, 2006, , 1477-1482. | 0.3 | 0 |
| 1747 | Coexistence properties of the Redlichâ€"Kwong model for a fluid. European Journal of Physics, 2006, 27, 1169-1178. | 0.3 | 2 |
| 1748 | Controlling VLLE Equilibrium with a Cubic EoS in Heavy Oil Modeling. , 2006, , . | | 28 |
| 1750 | Numerical simulation of multi-phase fluid flow in structurally complex reservoirs. Geological Society Special Publication, 2007, 292, 405-429. | 0.8 | 88 |
| 1751 | Methodology for Predicting the Phase Envelope of a Heavy Crude Oil and Its Asphaltene Deposition Onset. Petroleum Science and Technology, 2007, 25, 19-39. | 0.7 | 10 |
| 1752 | Examining the effect of chain length polydispersity on the phase behavior of polymer solutions with the statistical associating fluid theory (Wertheim TPT1) using discrete and continuous distributions. Journal of Chemical Physics, 2007, 127, 154906. | 1.2 | 11 |
| 1753 | Phase Equilibrium Calculation for Clathrate Hydrates Based on a Statistical Thermodynamics Model: An Attempt to Optimize the Kihara Parameters for Methane and Ethane. Japanese Journal of Applied Physics, 2007, 46, 5944-5950. | 0.8 | 3 |
| 1754 | Vaporˆ”Liquid Equilibria for the 1,1-Difluoroethane (HFC-152a) + Propane (R-290) System. Journal of Chemical &amp; Engineering Data, 2007, 52, 1203-1208. | 1.0 | 17 |
| 1755 | Master crossover behavior of parachor correlations for one-component fluids. Physical Review E, 2007, 76, 061109. | 0.8 | 9 |
| 1756 | Phase equilibrium of liquid mixtures: Experimental and modeled data using statistical associating fluid theory for potential of variable range approach. Journal of Chemical Physics, 2007, 127, 144513. | 1.2 | 11 |

| # | Article | IF | Citations |
|---|---------|----|-----------|
| 1757 | PARAMETRIC GENERATION OF SINGLE-PHASE PROPERTIES (P-T CURVES) FOR MOST CUBIC EQUATIONS OF STATE AND ANY MIXING RULES. Chemical Engineering Communications, 2007, 194, 648-655. | 1.5 | 7 |
| 1758 | Fundamentals of Supercritical Fluid Technology. , 2007, , 1-24. | | 4 |
| 1759 | Extraction and Purification of Natural Tocopherols by Supercritical CO2. , 2007, , 103-140. | | 4 |
| 1761 | PHASE EQUILIBRIA OF POLYDISPERSE HYDROCARBONS: MOMENT FREE ENERGY METHOD ANALYSIS. , 2007, , . | | 0 |
| 1762 | On Equations of State. , 2007, , . | | 1 |
| 1763 | LBC Viscosity Modeling of Gas Condensate to Heavy Oil. , 2007, , . | | 10 |
| 1764 | Application of the CPA Equation of State to Reservoir Fluids in Presence of Water and Polar Chemicals. , 2007, , . | | 1 |
| 1765 | Coupling Chemical Kinetics and Flashes in Reactive, Thermal and Compositional Reservoir Simulation. , 2007, , . | | 4 |
| 1766 | Fluid Characterization for Miscible EOR Projects and CO2 Sequestration. SPE Reservoir Evaluation and Engineering, 2007, 10, 482-488. | 1.1 | 13 |
| 1767 | PC-SAFT Equation of State Applied to Petroleum Reservoir Fluids. , 2007, , . | | 27 |
| 1768 | Fault–valve action and vein development during strike–slip faulting: An example from the Ribeira Shear Zone, Southeastern Brazil. Tectonophysics, 2007, 438, 1-32. | 0.9 | 27 |
| 1769 | Oxidation of methane at the CH4/H2O–(CO2) transition zone in the external part of the Central Alps, Switzerland: Evidence from stable isotope investigations. Chemical Geology, 2007, 237, 329-357. | 1.4 | 58 |
| 1770 | Immiscibility between carbonic fluids and granitic melts during crustal anatexis: A fluid and melt inclusion study in the enclaves of the Neogene Volcanic Province of SE Spain. Chemical Geology, 2007, 237, 433-449. | 1.4 | 58 |
| 1771 | Measuring and modelling experimental densities and ultrasonic velocities of aromatic and halogenated environmental pollutants. Chemosphere, 2007, 67, 384-395. | 4.2 | 14 |
| 1772 | Equations of State for Complex Fluids. Reviews in Mineralogy and Geochemistry, 2007, 65, 49-97. | 2.2 | 32 |
| 1773 | Fluids in Hydrocarbon Basins. Reviews in Mineralogy and Geochemistry, 2007, 65, 241-258. | 2.2 | 8 |
| 1774 | Gradient theory modeling of surface tension for pure fluids and binary mixtures. Fluid Phase Equilibria, 2007, 254, 75-90. | 1.4 | 127 |
| 1775 | Properties of 1,8-Cineole:‰ A Thermophysical and Theoretical Study. Journal of Physical Chemistry B, 2007, 111, 3167-3177. | 1.2 | 43 |

| # | ARTICLE | IF | CITATIONS |
|---|---------|----|-----------| 
| 1776 | A Fundamental Equation of State for Sulfur Hexafluoride (SF6) in Extended Equation of State Format. Journal of Physical and Chemical Reference Data, 2007, 36, 617-662. | 1.9 | 12 |
| 1777 | Evaluating Crystallization Risks in Liquefied-Natural-Gas (LNG) Production. , 2007, , . | | 0 |
| 1778 | Counterflow Diffusion Flames of General Fluids: Oxygen/Hydrogen Mixtures. , 2007, , . | | 1 |
| 1779 | A group contribution method for associating chain molecules based on the statistical associating fluid theory (SAFT-$\gamma$). Journal of Chemical Physics, 2007, 127, 234903. | 1.2 | 213 |
| 1780 | Henry's Law Constants and Infinite Dilution Activity Coefficients of Propane, Propene, Butane, 2-Methylpropane, 1-Butene, 2-Methylpropene,trans-2-Butene,cis-2-Butene, 1,3-Butadiene, Dimethyl Ether, Chloroethane, and 1,1-Difluoroethane in Benzene, Toluene,o-Xylene,m-Xylene,p-Xylene, and Styrene. Journal of Chemical &amp; Engineering Data, 2007, 52, 291-297. | 1.0 | 6 |
| 1781 | Novel Four-Parameter EOS with Temperature-Independent Parameters. Industrial &amp; Engineering Chemistry Research, 2007, 46, 9248-9256. | 1.8 | 4 |
| 1782 | Efficient Phase Equilibrium Calculation for Compositional Simulation: The Direct Reduced Flash. Petroleum Science and Technology, 2007, 25, 315-342. | 0.7 | 14 |
| 1783 | Isothermal Vapor–Liquid Equilibria of Binary Mixtures of Nitrogen with Dimethyl Sulfoxide,N-Methyl-2-pyrrolidone, and Diethylene Glycol Monobutyl Ether at Elevated Pressures. Journal of Chemical &amp; Engineering Data, 2007, 52, 511-516. | 1.0 | 5 |
| 1784 | On the Calculation of Static Bottom-Hole Pressures in Gas Wells. Petroleum Science and Technology, 2007, 25, 1099-1104. | 0.7 | 1 |
| 1785 | Phase Behavior Studies of 2-Hydroxyethyl Methacrylate and Methyl Methacrylate in High-Pressure Carbon Dioxide. Journal of Chemical &amp; Engineering Data, 2007, 52, 1970-1974. | 1.0 | 7 |
| 1786 | Determination of the Relative Permittivity and Density within the Gas Phase and Liquid Volume Fraction Formed within the Two-Phase Region for (0.4026 $CH_4$ + 0.5974) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 342 Td (C< Engineering Data, 2007, 52, 1660-1671. | 1.0 | 11 |
| 1787 | Equations of State for Fluids: Empirical Temperature Dependence of the Second Virial Coefficients. Journal of Physical Chemistry B, 2007, 111, 10970-10974. | 1.2 | 9 |
| 1788 | Vapor–Liquid Equilibrium for Binary System of Diethyl Sulfide +n-Heptane and Diethyl Sulfide + 2,2,4-Trimethylpentane at (363.15 and 353.15) K. Journal of Chemical &amp; Engineering Data, 2007, 52, 192-198. | 1.0 | 13 |
| 1789 | Henry's Law Constants and Infinite Dilution Activity Coefficients of Propane, Propene, Butane, 2-Methylpropane, 1-Butene, 2-Methylpropene, trans-2-Butene, cis-2-Butene, 1,3-Butadiene, Dimethylether, Chloroethane, 1,1-Difluoroethane, and Hexane in Tetrahydropyran. Journal of Chemical &amp; Engineering Data, 2007, 52, 2245-2249. | 1.0 | 7 |
| 1790 | Modeling of Simultaneous Chemical and Phase Equilibria in Esterification of Acetic Acid with Ethanol in High-Pressure Carbon Dioxide. Industrial &amp; Engineering Chemistry Research, 2007, 46, 5437-5445. | 1.8 | 9 |
| 1791 | Phase field modeling of CH4hydrate conversion into CO2hydrate in the presence of liquid CO2. Physical Chemistry Chemical Physics, 2007, 9, 3104-3111. | 1.3 | 34 |
| 1792 | Phase Equilibrium of Binary Mixtures of Cyclic Ethers + Chlorobutane Isomers: Experimental Measurements and SAFT-VR Modeling. Journal of Physical Chemistry B, 2007, 111, 9588-9597. | 1.2 | 16 |
| 1793 | Vapor–Liquid Equilibrium for Binary System of Diethyl Sulfide +n-Hexane at (338.15 and 323.15) K and Diethyl Sulfide + 1-Hexene at (333.15 and 323.15) K. Journal of Chemical &amp; Engineering Data, 2007, 52, 571-576. | 1.0 | 6 |

| # | Article | IF | Citations |
|---|---------|----|-----------| 
| 1794 | Study of Vaporâ˜Liquid Equilibrium for Binary Mixtures (Chloroform + 2,2,2-Trifluoroethanol) and (Î±,Î±,Î±-Trifluorotoluene + 2,2,2-Trifluoroethanol) at Pressure 102 kPa. Journal of Chemical &amp; Engineering Data, 2007, 52, 1128-1130. | 1.0 | 13 |
| 1795 | Enhancement of 1-Propanol Selectivity in Propene Hydration over Zeolites HNU-3 and HZSM-5. Industrial &amp; Engineering Chemistry Research, 2007, 46, 9000-9005. | 1.8 | 4 |
| 1796 | Measurements and Calculation of Vaporâ˜Liquid Equilibria for the Binary Mixtures of Fluorobenzene and Alkanes at a Pressure of 101.4 kPa. Journal of Chemical &amp; Engineering Data, 2007, 52, 1503-1505. | 1.0 | 3 |
| 1797 | Prediction of Molar Volumes of CO2-Expanded Liquids Using a New Generalized Method. Industrial &amp; Engineering Chemistry Research, 2007, 46, 8282-8287. | 1.8 | 6 |
| 1798 | Modified Cubic Equation of State for Prediction VLE Phase Behavior of Fluids: Pure and Mixture. Separation Science and Technology, 2007, 42, 1883-1899. | 1.3 | 9 |
| 1799 | Global phase behavior of supercritical water â€" environmentally significant organic chemicals mixtures. NATO Science Series Series II, Mathematics, Physics and Chemistry, 2007, , 269-286. | 0.1 | 0 |
| 1800 | Measurement of the Infinite Dilute Activity Coefficients and Diffusion Coefficients of Water and Straight Chain Alcohols in Cross-Linked Polyvinyl Alcohol by Inverse Gas Chromatography. Journal of Chemical &amp; Engineering Data, 2007, 52, 368-372. | 1.0 | 7 |
| 1801 | Molecular simulation applied to fluid properties in the oil and gas industry. Molecular Simulation, 2007, 33, 287-304. | 0.9 | 34 |
| 1802 | Macro and microscopic $CH_4$â€"$CO_2$ replacement in $CH_4$ hydrate under pressurized $CO_2$. AICHE Journal, 2007, 53, 2715-2721. | 1.8 | 123 |
| 1803 | A monodisperse thermodynamic model for estimating asphaltene precipitation. AICHE Journal, 2007, 53, 2940-2947. | 1.8 | 53 |
| 1804 | Excess molar enthalpies for binary mixtures related to supercritical antisolvent precipitation: Carbon dioxide+N-methyl-2-pyrrolidone. Journal of Supercritical Fluids, 2007, 42, 172-179. | 1.6 | 21 |
| 1805 | Solubilities of N-phenylacetamide, 2-methyl-N-phenylacetamide and 4-methyl-N-phenylacetamide in supercritical carbon dioxide. Journal of Supercritical Fluids, 2007, 42, 165-171. | 1.6 | 34 |
| 1806 | Supercritical CO2 extraction of turmerones from turmeric and high-pressure phase equilibrium of CO2+ turmerones. Journal of Supercritical Fluids, 2007, 43, 276-282. | 1.6 | 23 |
| 1807 | Speed of sound predictive modeling in a three-parameter corresponding states format: Application to pure and mixed haloalkanes. Experimental Thermal and Fluid Science, 2007, 31, 261-278. | 1.5 | 1 |
| 1808 | High pressure solidâ€"liquid equilibria of fatty acids. Fluid Phase Equilibria, 2007, 253, 118-123. | 1.4 | 36 |
| 1809 | Prediction of mixture vaporâ€"liquid equilibrium from the combined use of Pengâ€"Robinson equation of state and COSMO-SAC activity coefficient model through the Wongâ€"Sandler mixing rule. Fluid Phase Equilibria, 2007, 254, 28-34. | 1.4 | 42 |
| 1810 | Vapourâ€"liquid equilibrium for the systems butane+methanol, +2-propanol, +1-butanol, +2-butanol, +2-methyl-2-propanol at 364.5K. Fluid Phase Equilibria, 2007, 254, 49-59. | 1.4 | 18 |
| 1811 | New volume translation for cubic equations of state. Fluid Phase Equilibria, 2007, 259, 99-104. | 1.4 | 14 |

| # | Article | IF | Citations |
|---|---------|----|-----------|
| 1812 | Vapour–liquid equilibrium of cyclic ethers with 1-chlorohexane: Experimental results and UNIFAC predictions. Fluid Phase Equilibria, 2007, 257, 70-77. | 1.4 | 11 |
| 1813 | High-pressure phase equilibrium for ethylene+1-butanol at 283.65K and 290.80K. Fluid Phase Equilibria, 2007, 261, 99-103. | 1.4 | 6 |
| 1814 | Volume translation in equations of state as a means of accurate property estimation. Fluid Phase Equilibria, 2007, 260, 316-325. | 1.4 | 22 |
| 1815 | Viscosity modeling of several HFC refrigerants using the friction theory. Fluid Phase Equilibria, 2007, 262, 251-263. | 1.4 | 17 |
| 1816 | Association equation of state (AEOS) based on aggregate formation for pure substance. Chemical Physics, 2007, 336, 22-26. | 0.9 | 4 |
| 1817 | Construction and testing of a wet-compression absorption carbon dioxide refrigeration system for vehicle air conditioner. Applied Thermal Engineering, 2007, 27, 31-36. | 3.0 | 14 |
| 1818 | Vapor–liquid equilibrium for binary system of diethyl sulfide+cyclohexane at 353.15 and 343.15K and diethyl sulfide+2-ethoxy-2-methylpropane at 343.15 and 333.15K. Fluid Phase Equilibria, 2007, 252, 130-136. | 1.4 | 12 |
| 1819 | Thermodynamic derivative properties and densities for hyperbaric gas condensates: SRK equation of state predictions versus Monte Carlo data. Fluid Phase Equilibria, 2007, 253, 147-154. | 1.4 | 11 |
| 1820 | Modeling adsorption of binary and ternary mixtures on microporous media. Fluid Phase Equilibria, 2007, 254, 91-100. | 1.4 | 38 |
| 1821 | Application of a new cubic equation of state to computation of phase behavior of fluids and asphaltene precipitation in crude oil. Fluid Phase Equilibria, 2007, 254, 42-48. | 1.4 | 31 |
| 1822 | Generalized parameters of the Stryjek–Vera and Gibbons–Laughton cohesion functions for use with cubic EOS of the van der Waals type. Fluid Phase Equilibria, 2007, 259, 105-115. | 1.4 | 23 |
| 1823 | Modelling of associating mixtures for applications in the oil & gas and chemical industries. Fluid Phase Equilibria, 2007, 261, 205-211. | 1.4 | 36 |
| 1824 | Vapor–liquid equilibrium for binary system of thiophene+2,2,4-trimethylpentane at 343.15 and 353.15K and thiophene+2-ethoxy-2-methylpropane at 333.15 and 343.15K. Fluid Phase Equilibria, 2007, 261, 115-121. | 1.4 | 27 |
| 1825 | Calculation of the interfacial tension of the methane–water system with the linear gradient theory. Fluid Phase Equilibria, 2007, 261, 230-237. | 1.4 | 79 |
| 1826 | Prediction of adsorption from liquid mixtures in microporous media by the potential theory. Fluid Phase Equilibria, 2007, 261, 292-299. | 1.4 | 16 |
| 1827 | Azeotropy in the natural and synthetic refrigerant mixtures. International Journal of Refrigeration, 2007, 30, 831-839. | 1.8 | 21 |
| 1828 | Thermodynamic of thermochemical sulphate reduction. Journal of Petroleum Science and Engineering, 2007, 58, 413-427. | 2.1 | 63 |
| 1829 | Critical parameters and equation of state for heavy liquid metals. Journal of Nuclear Materials, 2007, 362, 227-234. | 1.3 | 11 |

| # | Article | IF | Citations |
|---|---------|-----|-----------|
| 1830 | Consistent properties reconstruction on adaptive Cartesian meshes for complex fluids computations. Journal of Computational Physics, 2007, 225, 1175-1197. | 1.9 | 25 |
| 1831 | Temperature influence on mixing properties of {ethyl tert-butyl ether (ETBE)+gasoline additives}. Journal of Chemical Thermodynamics, 2007, 39, 1557-1564. | 1.0 | 18 |
| 1832 | Storage of CO2 in natural gas hydrate reservoirs and the effect of hydrate as an extra sealing in cold aquifers. International Journal of Greenhouse Gas Control, 2007, 1, 236-246. | 2.3 | 194 |
| 1833 | A Modification of Î± in SRK Equation of State and Vapor-Liquid Equilibria Prediction. Chinese Journal of Chemical Engineering, 2007, 15, 102-109. | 1.7 | 11 |
| 1834 | Progress in the Study on the Phase Equilibria of the CO2-H2O and CO2-H2O-NaCl Systems. Chinese Journal of Chemical Engineering, 2007, 15, 439-448. | 1.7 | 42 |
| 1835 | Correlation of Vapour Liquid Equilibria of Binary Mixtures Using Artificial Neural Networks. Chinese Journal of Chemical Engineering, 2007, 15, 765-771. | 1.7 | 43 |
| 1836 | Rigorous Calculation of Critical Flow Conditions for Pressure Safety Devices. Chemical Engineering Research and Design, 2007, 85, 277-288. | 2.7 | 11 |
| 1837 | Volumetric properties of 1-iodoperfluorohexane+n-octane binary system at several temperatures. Journal of Thermal Analysis and Calorimetry, 2007, 87, 179-187. | 2.0 | 4 |
| 1838 | Liquid Saturation Density from Simple Equations of State. International Journal of Thermophysics, 2007, 28, 279-298. | 1.0 | 6 |
| 1839 | Surface tension correlation for pure polar fluids by a new molecular model and SRK equation of state. Fluid Phase Equilibria, 2007, 255, 24-30. | 1.4 | 11 |
| 1840 | Vaporâ€"liquid equilibrium measurements and correlations for the binary mixture of difluoromethane+isobutane and the ternary mixture of propane+isobutane+difluoromethane. Fluid Phase Equilibria, 2007, 261, 286-291. | 1.4 | 16 |
| 1841 | Calculation of convergence pressure/temperature and stability test limit loci of mixtures with cubic equations of state. Fluid Phase Equilibria, 2007, 261, 176-184. | 1.4 | 47 |
| 1842 | Solubility of disperse yellow 54 in supercritical carbon dioxide with or without cosolvent. Fluid Phase Equilibria, 2007, 260, 287-294. | 1.4 | 26 |
| 1843 | Generalized Pengâ€"Robinson equation of state with pair potential parameters for liquid n-alkanes. Fluid Phase Equilibria, 2007, 262, 236-243. | 1.4 | 3 |
| 1844 | Estimations of the viscosities of binary mixtures with different equations of state and mixing rules. Journal of the Taiwan Institute of Chemical Engineers, 2007, 38, 1-19. | 1.4 | 9 |
| 1845 | Dynamic modelling and optimisation of cryogenic systems. Applied Thermal Engineering, 2007, 27, 1182-1190. | 3.0 | 23 |
| 1846 | Is the Soudersâ€"Brown equation sufficient for scrubber design? An experimental investigation at elevated pressure with hydrocarbon fluids. Chemical Engineering Science, 2007, 62, 5715-5727. | 1.9 | 10 |
| 1847 | Stereoisomeric effects on dynamic viscosity versus pressure and temperature for the system cis-+trans-decalin. Chemical Physics, 2007, 336, 171-182. | 0.9 | 7 |

| # | Article | IF | Citations |
|---|---------|-----|-----------|
| 1848 | Nonlinear model predictive control of a reactive distillation column. Control Engineering Practice, 2007, 15, 231-239. | 3.2 | 51 |
| 1849 | Reservoir fluid applications of a pseudo-component delumping new analytical procedure. Journal of Petroleum Science and Engineering, 2007, 59, 59-72. | 2.1 | 26 |
| 1850 | Polymer microparticles production by supercritical assisted atomization. Journal of Supercritical Fluids, 2007, 39, 444-452. | 1.6 | 61 |
| 1851 | Global phase equilibrium calculations: Critical lines, critical end points and liquid–liquid–vapour equilibrium in binary mixtures. Journal of Supercritical Fluids, 2007, 39, 287-295. | 1.6 | 78 |
| 1852 | Pervaporation performance of crosslinked polydimethylsiloxane membranes for deep desulfurization of FCC gasoline. Journal of Membrane Science, 2008, 322, 113-121. | 4.1 | 57 |
| 1853 | A new generalized corresponding-states equation of state for the extension of the Lee–Kesler equation to fluids consisting of polar and larger nonpolar molecules. Chemical Engineering Science, 2008, 63, 1490-1496. | 1.9 | 17 |
| 1854 | Isothermal binary vapour–liquid equilibrium for butanes and butenes with dimethylsulphide. Fluid Phase Equilibria, 2008, 266, 143-153. | 1.4 | 12 |
| 1855 | High-pressure vapor–liquid and vapor–liquid–liquid equilibria in the carbon dioxide+1-heptanol system. Fluid Phase Equilibria, 2008, 270, 109-115. | 1.4 | 22 |
| 1856 | A three-parameter cubic equation of state for prediction of thermodynamic properties of fluids. Journal of Chemical Thermodynamics, 2008, 40, 84-95. | 1.0 | 28 |
| 1857 | Hydrothermal Stability of Adenine Under Controlled Fugacities of N2, CO2 and H2. Origins of Life and Evolution of Biospheres, 2008, 38, 139-148. | 0.8 | 7 |
| 1858 | Direct Prediction of Cricondentherm and Cricondenbar Coordinates of Natural Gas Mixtures using Cubic Equation of State. International Journal of Thermophysics, 2008, 29, 1954-1967. | 1.0 | 4 |
| 1859 | A New Hard Sphere Cubic Equation of State for Predicting Fluids' Properties and Vapor-Liquid Phase Equilibrium Calculations. Journal of Phase Equilibria and Diffusion, 2008, 29, 322-332. | 0.5 | 3 |
| 1860 | Bioethanol Production Optimization: A Thermodynamic Analysis. Applied Biochemistry and Biotechnology, 2008, 148, 141-149. | 1.4 | 3 |
| 1861 | Solubility Calculation of Oil-Conta-minated Drill Cuttings in Supercritical Carbon Dioxide Using Statistical Associating Fluid Theory (PC-SAFT). Chemical Engineering and Technology, 2008, 31, 66-70. | 0.9 | 10 |
| 1862 | Prediction of High-Pressure Phase Equilibria using Cubic EOS: What Can Be Learned?. Canadian Journal of Chemical Engineering, 2002, 80, 927-942. | 0.9 | 18 |
| 1863 | Convergence Promotion in the Wang–Henke Tridiagonal Matrix Method. Canadian Journal of Chemical Engineering, 2003, 81, 1092-1100. | 0.9 | 2 |
| 1864 | Correct Way of Reporting Results when Modelling Supercritical Phase Equilibria using Equations of State. Canadian Journal of Chemical Engineering, 2005, 83, 578-581. | 0.9 | 47 |
| 1865 | New Attraction Term for the Soave–Redlich–Kwong Equation of State. Canadian Journal of Chemical Engineering, 2007, 85, 854-862. | 0.9 | 2 |

| # | Article | IF | Citations |
|---|---|---|---|
| 1866 | Determination of cubic equation of state parameters for pure fluids from first principle solvation calculations. AICHE Journal, 2008, 54, 2174-2181. | 1.8 | 39 |
| 1867 | Binary hydrogen–tetrahydrofuran clathrate hydrate formation kinetics and models. AICHE Journal, 2008, 54, 3007-3016. | 1.8 | 60 |
| 1868 | pVTx Properties of Hydrothermal Systems. , 0, , 135-193. | | 4 |
| 1869 | High-pressure phase equilibrium for the binary systems of {carbon dioxide (1)+dimethyl carbonate (2)} and {carbon dioxide (1)+diethyl carbonate (2)} at temperatures of 273K, 283K, and 293K. Journal of Chemical Thermodynamics, 2008, 40, 321-329. | 1.0 | 12 |
| 1870 | Simulation of the (vapor+liquid) equilibria of binary mixtures of benzene, cyclohexane, and hydrogen. Journal of Chemical Thermodynamics, 2008, 40, 271-283. | 1.0 | 7 |
| 1871 | Phase diagrams of (vapour+liquid) equilibrium for binary mixtures of $\alpha,\alpha,\alpha$-trifluorotoluene with ethanol, or benzene, or chloroform at pressure 101.4kPa. Journal of Chemical Thermodynamics, 2008, 40, 467-470. | 1.0 | 3 |
| 1872 | Isothermal (vapour+liquid) equilibrium of (cyclic ethers+ chlorohexane) mixtures: Experimental results and SAFT modelling. Journal of Chemical Thermodynamics, 2008, 40, 1253-1260. | 1.0 | 8 |
| 1873 | Modified equation of state for pure and hard sphere mixtures in mean ionic activity coefficient calculations by mean spherical approximation model. Journal of Molecular Liquids, 2008, 142, 45-52. | 2.3 | 4 |
| 1874 | Pebax®/polyethylene glycol blend thin film composite membranes for CO2 separation: Performance with mixed gases. Separation and Purification Technology, 2008, 62, 110-117. | 3.9 | 300 |
| 1875 | Counterflow diffusion flames of general fluids: Oxygen/hydrogen mixtures. Combustion and Flame, 2008, 154, 319-330. | 2.8 | 135 |
| 1876 | Rapid and robust phase behaviour stability analysis using global optimization. Fluid Phase Equilibria, 2008, 264, 137-146. | 1.4 | 38 |
| 1877 | A new look at multiphase Rachford–Rice equations for negative flashes. Fluid Phase Equilibria, 2008, 267, 127-132. | 1.4 | 42 |
| 1878 | A modification of the alpha function ($\alpha$), and the critical compressibility factor ($\zeta_c$) in ER (Esmaeilzadeh–Roshanfekr) equation of state. Fluid Phase Equilibria, 2008, 273, 31-37. | 1.4 | 26 |
| 1879 | Excess molar enthalpies for mixtures of supercritical CO2 and linalool. Journal of Supercritical Fluids, 2008, 46, 265-271. | 1.6 | 4 |
| 1880 | Vapor–liquid phase equilibrium behavior of mixtures containing supercritical carbon dioxide near critical region. Journal of Supercritical Fluids, 2008, 44, 273-278. | 1.6 | 51 |
| 1881 | Ethane as an alternative solvent for supercritical extraction of orange peel oils. Journal of Supercritical Fluids, 2008, 45, 306-313. | 1.6 | 49 |
| 1882 | Solubility of Irgacure® 2959 photoinitiator in supercritical carbon dioxide: Experimental determination and correlation. Journal of Supercritical Fluids, 2008, 45, 272-281. | 1.6 | 48 |
| 1883 | Prediction of vapor–liquid equilibria for supercritical alcohol+fatty acid ester systems by SRK equation of state with Wong–Sandler mixing rule based on COSMO theory. Journal of Supercritical Fluids, 2008, 46, 4-9. | 1.6 | 21 |

| # | Article | IF | Citations |
|---|---|---|---|
| 1884 | Electrocarboxylation in supercritical CO2 and CO2-expanded liquids. Journal of Supercritical Fluids, 2008, 46, 156-162. | 1.6 | 15 |
| 1885 | Volumetric properties of carbon dioxide+isopropyl ethanoate mixtures at 308.15 and 313.15K. Journal of Supercritical Fluids, 2008, 47, 128-134. | 1.6 | 14 |
| 1886 | A new equation of state derived by the statistical mechanical perturbation theory. Fluid Phase Equilibria, 2008, 264, 1-11. | 1.4 | 10 |
| 1887 | Application of the simulated annealing technique to the calculation of critical points of multicomponent mixtures with cubic equations of state. Fluid Phase Equilibria, 2008, 264, 164-173. | 1.4 | 15 |
| 1888 | Measurement of the triethylene glycol solubility in supercritical methane at pressures up to 9MPa. Fluid Phase Equilibria, 2008, 264, 253-258. | 1.4 | 19 |
| 1889 | An accurate direct technique for parameterizing cubic equations of state. Fluid Phase Equilibria, 2008, 265, 66-83. | 1.4 | 10 |
| 1890 | An accurate direct technique for parameterizing cubic equations of state. Fluid Phase Equilibria, 2008, 265, 155-172. | 1.4 | 13 |
| 1891 | Some useful expressions for deriving component fugacity coefficients from mixture fugacity coefficient. Fluid Phase Equilibria, 2008, 268, 7-13. | 1.4 | 5 |
| 1892 | The simultaneous representation of dielectric constant, volume and activity coefficients using an electrolyte equation of state. Fluid Phase Equilibria, 2008, 271, 19-27. | 1.4 | 64 |
| 1893 | Experimental investigation of the performance of a large-scale scrubber operating at elevated pressure on live natural gas. Fuel, 2008, 87, 1281-1288. | 3.4 | 25 |
| 1894 | Hydrogen Sulfide Viscosity Modeling. Energy &amp; Fuels, 2008, 22, 3424-3434. | 2.5 | 26 |
| 1895 | Two equations of state assembled for basic analysis of multiphase CO2 flow and in deep sedimentary basin conditions. Computers and Geosciences, 2008, 34, 427-444. | 2.0 | 19 |
| 1896 | Alternatives for power supply to natural-gas export compressors combined with heat production evaluated with respect to exergy utilization and CO2 emissions. Energy Conversion and Management, 2008, 49, 3531-3540. | 4.4 | 5 |
| 1897 | Analyzing solubility of acid gas and light alkanes in triethylene glycol. Journal of Natural Gas Chemistry, 2008, 17, 51-58. | 1.8 | 33 |
| 1898 | Analysis and Comparison of the Alpha Functions of SRK Equation of State. Chinese Journal of Chemical Engineering, 2008, 16, 766-771. | 1.7 | 8 |
| 1899 | Vaporâ€"Liquid Equilibrium for Butane + Methanol, + Ethanol, + 2-Propanol, + 2-Butanol, and + 2-Methyl-2-Propanol (TBA) at 323 K. Journal of Chemical &amp; Engineering Data, 2008, 53, 83-88. | 1.0 | 14 |
| 1900 | Dewpoint Pressure Model for Gas Condensate Reservoirs Based on Genetic Programming. Energy &amp; Fuels, 2008, 22, 3194-3200. | 2.5 | 40 |
| 1901 | Determination of $CO_2$ Minimum Miscibility Pressure from Measured and Predicted Equilibrium Interfacial Tensions. Industrial &amp; Engineering Chemistry Research, 2008, 47, 8918-8925. | 1.8 | 86 |

| # | Article | IF | Citations |
|---|---------|-----|-----------|
| 1902 | Predictive Molecular Thermodynamic Models for Liquid Solvents, Solid Salts, Polymers, and Ionic Liquids. Chemical Reviews, 2008, 108, 1419-1455. | 23.0 | 137 |
| 1903 | Phase Envelope Construction for Mixtures with Many Components. Energy &amp; Fuels, 2008, 22, 488-495. | 2.5 | 22 |
| 1904 | Prediction of Density and Solubility Parameter of Heavy Oils and SARA Fractions Using Cubic Equations of State. Petroleum Science and Technology, 2008, 26, 1904-1912. | 0.7 | 18 |
| 1905 | Biotechnology for Fuels and Chemicals. , 2008, , . | | 1 |
| 1906 | Friction Theory Modeling of the Non-Newtonian Viscosity of Crude Oils. Energy &amp; Fuels, 2008, 22, 799-804. | 2.5 | 13 |
| 1907 | Simulation of Supercritical High Pressure Combustion for Advanced Propulsion Systems. , 2008, , . | | 2 |
| 1908 | Three-Dimensional Hybrid RANS/LES Simulations of a Supercritical Liquid Nitrogen Jet. , 2008, , . | | 22 |
| 1909 | A CFD Method for Simulation of Mixing and Combustion in High-Pressure LOX/Methane Rocket Engines. , 2008, , . | | 3 |
| 1910 | Comparison Between Real and Ideal Sub and Supercritical Combustion Simulations for LO2-CH4 LRE flames at 15MPa. , 2008, , . | | 0 |
| 1911 | Vaporâˆ’Liquid Equilibrium for the cis-2-Butene + Methanol, + 2-Propanol, + 2-Butanol, + 2-Methyl-2-propanol Systems at 364.5 K. Journal of Chemical &amp; Engineering Data, 2008, 53, 1539-1544. | 1.0 | 5 |
| 1912 | Equation of state taking into account dipolar interactions and association by hydrogen bonding. I: Application to pure water and hydrogen sulfide. Chemical Geology, 2008, 251, 58-66. | 1.4 | 20 |
| 1913 | Equation of state taking into account dipolar interactions and association by hydrogen bonding: IIâ€"Modelling liquidâ€"vapour equilibria in the H2Oâ€"H2S, H2Oâ€"CH4 AND H2Oâ€"CO2 systems. Chemical Geology, 2008, 251, 50-57. | 1.4 | 36 |
| 1914 | Efficient Phase Equilibrium Calculation in a Reduced Flash Context. Canadian Journal of Chemical Engineering, 2004, 82, 1225-1238. | 0.9 | 33 |
| 1915 | Computational Fluid Dynamics Study for Flow of Natural Gas through High-pressure Supersonic Nozzles: Part 1. Real Gas Effects and Shockwave. Petroleum Science and Technology, 2008, 26, 1757-1772. | 0.7 | 81 |
| 1916 | Low IFT Gas-Oil Gravity Drainage in Fractured Carbonate Porous Media. , 2008, , . | | 9 |
| 1917 | EOS-Based Downhole Fluid Characterization. , 2008, , . | | 17 |
| 1919 | Structure-Composition Relationships in Ternary Solvents Containing Methylbenzoate. Journal of Physical Chemistry B, 2008, 112, 3420-3431. | 1.2 | 1 |
| 1920 | Vaporâˆ’Liquid Phase Boundaries of Binary Mixtures of Carbon Dioxide with Ethanol and Acetone. Journal of Chemical &amp; Engineering Data, 2008, 53, 2393-2402. | 1.0 | 86 |

| # | ARTICLE | IF | CITATIONS |
|---|---------|----|-----------| 
| 1921 | Cubic Two-State Equation of State for Associating Fluids. Industrial &amp; Engineering Chemistry Research, 2008, 47, 5723-5733. | 1.8 | 17 |
| 1922 | Automated Generation of Phase Diagrams for Binary Systems with Azeotropic Behavior. Industrial &amp; Engineering Chemistry Research, 2008, 47, 9728-9743. | 1.8 | 30 |
| 1923 | Penultimate-Unit Effect in Ethene/4-Methyl-1-pentene Copolymerization for a â€œSequentialâ€•Distribution of Comonomers. Macromolecules, 2008, 41, 1104-1111. | 2.2 | 24 |
| 1924 | Solubility of C.I. Disperse Violet 1 in Supercritical Carbon Dioxide with or without Cosolvent. Journal of Chemical &amp; Engineering Data, 2008, 53, 2163-2169. | 1.0 | 26 |
| 1925 | Calculation of Jouleâˆ'Thomson Inversion Curves for Multiphase Systems with Waxy Solid-phase Precipitation. Energy &amp; Fuels, 2008, 22, 4012-4018. | 2.5 | 7 |
| 1926 | Solubility of Carbon Dioxide in Two Pentaerythritol Ester Oils between (283 and 333) K. Journal of Chemical &amp; Engineering Data, 2008, 53, 1854-1861. | 1.0 | 51 |
| 1927 | Vaporâ€"Liquid Equilibrium for the Systems <i>trans</i>-2-Butene + Methanol, + 1-Propanol, + 2-Propanol, + 2-Butanol, and + 2-Methyl-2-propanol at 364.5 K. Journal of Chemical &amp; Engineering Data, 2008, 53, 607-612. | 1.0 | 6 |
| 1928 | Vaporâˆ'Liquid Equilibrium for 1-Butene + Methanol, + 1-Propanol, + 2-Propanol, + 2-Butanol, and 2-Methyl-2-propanol (TBA) at 364.5 K. Journal of Chemical &amp; Engineering Data, 2008, 53, 1829-1835. | 1.0 | 7 |
| 1929 | Pseudocomponent Delumping for Multiphase Systems with Waxy Solid Phase Precipitation. Energy &amp; Fuels, 2008, 22, 775-783. | 2.5 | 8 |
| 1930 | Cubic Mixing Rules. Industrial &amp; Engineering Chemistry Research, 2008, 47, 5063-5079. | 1.8 | 16 |
| 1931 | Vaporâˆ'Liquid Equilibria Predictions for Alternative Working Fluids at Low and Moderate Pressures. Industrial &amp; Engineering Chemistry Research, 2008, 47, 7501-7508. | 1.8 | 9 |
| 1932 | Vaporâˆ'Liquid Equilibrium for 1-Butanol + 1-Butene at (318.4 and 364.5) K and Vaporâˆ'Liquid Equilibrium of 1-Butanol + 2-Methylpropane, + <i>n</i>-Butane and 1-Butene + 2-Methylpropane at 318.4 K. Journal of Chemical &amp; Engineering Data, 2008, 53, 2454-2461. | 1.0 | 4 |
| 1933 | Prediction of Cloud Points of Biodiesel. Energy &amp; Fuels, 2008, 22, 747-752. | 2.5 | 90 |
| 1934 | Vaporâˆ'Liquid Equilibrium Data of the Binary Systems in Oxidative Carbonylation of Dimethyl Ether Synthesizing Dimethyl Carbonate. Journal of Chemical &amp; Engineering Data, 2008, 53, 2095-2100. | 1.0 | 8 |
| 1935 | Dynamic Analysis of Compressor Trips in the SnoÌ¸hvit LNG Refrigerant Circuits. , 2008, , . | | 0 |
| 1936 | EQUATIONS OF STATE FOR FLUIDS: THE LIQUID-VAPOR EQUILIBRIUM (LVE). International Journal of Modern Physics B, 2008, 22, 5335-5347. | 1.0 | 6 |
| 1937 | Geologic, Geochemical, and Geochronological Constraints on the Genesis of Gold Mineralization at Poplar Mountain, Western New Brunswick, Canada. Exploration and Mining Geology, 2008, 17, 101-130. | 0.6 | 8 |
| 1938 | A New Approach to Improve the Phase Behavior of Supercritical Hydrocarbons Using PR EOS. , 2008, , . | | 0 |

| # | Article | IF | Citations |
|---|---------|-----|-----------|
| 1939 | Condensation of n-Hexane and Isopropanol Mixed with a Noncondensable Gas in a New Plate Heat Exchanger Geometry. Heat Transfer Engineering, 2008, 29, 219-231. | 1.2 | 1 |
| 1941 | Thermodynamic model for the phase equilibria of gases and brines. Example in the H2S-H2O-NaCl system. IOP Conference Series: Earth and Environmental Science, 2008, 3, 012015. | 0.2 | 0 |
| 1942 | Thermodynamics of Fluid Phase and Chemical Equilibria. , 2008, , 255-392. | | 0 |
| 1943 | Polymer solution and lattice theory applications for modeling of asphaltene precipitation in petroleum mixtures. Brazilian Journal of Chemical Engineering, 2008, 25, 523-534. | 0.7 | 17 |
| 1944 | Dewpoint Pressure Model for Gas Condensate Reservoirs Based on Genetic Programming. , 2008, , . | | 6 |
| 1945 | Compositional and PVT Analysis for Determining Liquid Dropout in Pipelines. , 2008, , . | | 0 |
| 1946 | Correlations for Optimum Separation Pressures for Sequential Field Separation System. , 2008, , . | | 1 |
| 1947 | Novel Density and Viscosity Correlations for Gases and Gas Mixtures Containing Hydrocarbon and Non-Hydrocarbon Components. Journal of Canadian Petroleum Technology, 2008, 47, . | 2.3 | 7 |
| 1948 | Vapor–Liquid Equilibrium for the Systems 2-Methylpropane + Methanol, + 2-Propanol, + 2-Butanol, and + 2-Methyl-2-propanol at 364.5 K. Journal of Chemical &amp; Engineering Data, 2008, 53, 913-918. | 1.0 | 3 |
| 1949 | Prediction of Gas Condensate Properties by a New Equation of State. , 2008, , . | | 2 |
| 1950 | Predicting the Induction Time of Hydrate Formation on a Water Droplet. Oil and Gas Science and Technology, 2008, 63, 657-667. | 1.4 | 9 |
| 1951 | Método Extendido de Estados Correspondientes para la Predicción de Densidades de Gas Natural Licuado. Informacion Tecnologica (discontinued), 2008, 19, . | 0.1 | 0 |
| 1952 | STUDY OF CAPTURING EMITTED CO2IN THE FORM OF HYDRATES IN A TUBULAR REACTOR. Chemical Engineering Communications, 2009, 196, 1348-1365. | 1.5 | 9 |
| 1953 | A PROPERTY OF THE SATURATED VAPOR PRESSURE: RESULTS FROM EQUATIONS OF STATE. Modern Physics Letters B, 2009, 23, 3091-3096. | 1.0 | 4 |
| 1954 | A Critical Review of Thermodiffusion Models: Role and Significance of the Heat of Transport and the Activation Energy of Viscous Flow. Journal of Non-Equilibrium Thermodynamics, 2009, 34, . | 2.4 | 51 |
| 1955 | Dependence of the Equation of State in Surface Tension Prediction by the Theory of Capillarity. , 2009, , . | | 0 |
| 1956 | Measurements of the Vapor–Liquid Equilibrium for the $CO_2$ + R290 Mixture. Journal of Chemical &amp; Engineering Data, 2009, 54, 1029-1033. | 1.0 | 11 |
| 1957 | Computation of Hydrate Phase Equilibria and Its Application to the Yamal-Europe Gas Pipeline. Petroleum Science and Technology, 2009, 27, 208-225. | 0.7 | 7 |

| # | Article | IF | Citations |
|---|---------|----|-----------|
| 1958 | The role of experimental data in chemical process technology. Pure and Applied Chemistry, 2009, 81, 1727-1743. | 0.9 | 6 |
| 1959 | Factual data banks and their application to the synthesis and design of chemical processes and the development and testing of thermophysical property estimation methods. Pure and Applied Chemistry, 2009, 81, 1745-1768. | 0.9 | 16 |
| 1960 | Effects of solid surfaces on hydrate kinetics and stability. Geological Society Special Publication, 2009, 319, 131-144. | 0.8 | 12 |
| 1961 | High-Pressure Vaporâ^Liquid Equilibrium for Ethylene + 2-Methyl-1-propanol. Journal of Chemical &amp; Engineering Data, 2009, 54, 1046-1048. | 1.0 | 2 |
| 1962 | Chapter 5 Tubing Well Performance, Heat Transfer and Sizing. Developments in Petroleum Science, 2009, , 247-302. | 0.2 | 2 |
| 1963 | Biomass Integrated Gasification Combined Cycle for heat and power at ethanol plants. Energy Conversion and Management, 2009, 50, 1682-1690. | 4.4 | 81 |
| 1964 | Activity Coefficient Models to Describe Vapor-Liquid Equilibrium in Ternary Hydro-Alcoholic Solutions. Chinese Journal of Chemical Engineering, 2009, 17, 259-267. | 1.7 | 12 |
| 1965 | Driving force in firstâ€order phase transitions and its application to gas hydrate nucleation from a single phase. AICHE Journal, 2009, 55, 2433-2447. | 1.8 | 6 |
| 1966 | Modified Rachfordâ€Rice equations including interfacial contributions and their application to the nucleation process. AICHE Journal, 2010, 56, 1907-1921. | 1.8 | 2 |
| 1967 | Bewertung von Zustandsgleichungen fÃ¼r Erdgase. Chemie-Ingenieur-Technik, 2009, 81, 1397-1415. | 0.4 | 0 |
| 1968 | Berechnung von Dampf/FlÃ¼ssigâ€Gleichgewichtsdaten binÃ¤rer Gemische aus Dampfdruckdaten. Chemie-Ingenieur-Technik, 2009, 81, 1999-2006. | 0.4 | 1 |
| 1969 | Case Studies of Sizing Pressure Relief Valves for Two-Phase Flow. Chemical Engineering and Technology, 2009, 32, 263-272. | 0.9 | 11 |
| 1970 | Experimental and theoretical studies on high pressure safety valves: sizing and design supported by numerical calculations (CFD). Chemical Engineering and Technology, 2009, 32, 252-262. | 0.9 | 18 |
| 1971 | A novel equation of state (EOS) for prediction of solute solubility in supercritical carbon dioxide: Experimental determination and correlation. Canadian Journal of Chemical Engineering, 2009, 87, 930-938. | 0.9 | 17 |
| 1972 | Theoretical Screening of Ionic Liquid Solvents for Carbon Capture. ChemSusChem, 2009, 2, 628-631. | 3.6 | 89 |
| 1974 | Evaluating cubic equations of state for calculation of vaporâ€"liquid equilibrium of $CO_2$ and $CO_2$-mixtures for $CO_2$ capture and storage processes. Applied Energy, 2009, 86, 826-836. | 5.1 | 175 |
| 1975 | Impacts of equations of state (EOS) and impurities on the volume calculation of $CO_2$ mixtures in the applications of $CO_2$ capture and storage (CCS) processes. Applied Energy, 2009, 86, 2760-2770. | 5.1 | 105 |
| 1976 | The Soave, Twu and Bostonâ€"Mathias alpha functions in cubic equations of state. Fluid Phase Equilibria, 2009, 276, 87-93. | 1.4 | 54 |

| # | ARTICLE | IF | CITATIONS |
|---|---------|----|-----------|
| 1977 | The Soave, Twu and Boston–Mathias alpha functions in cubic equations of state. Part II. Modeling of thermodynamic properties of pure compounds. Fluid Phase Equilibria, 2009, 276, 156-164. | 1.4 | 44 |
| 1978 | Density-and-temperature-dependent volume translation for the SRK EOS: 1. Pure fluids. Fluid Phase Equilibria, 2009, 279, 56-63. | 1.4 | 32 |
| 1979 | Phase equilibria on four binary systems containing 3-methylthiophene. Fluid Phase Equilibria, 2009, 279, 81-86. | 1.4 | 22 |
| 1980 | Liquid–liquid equilibria and vapor–liquid equilibria for the binary system of epichlorohydrin and water. Fluid Phase Equilibria, 2009, 283, 12-16. | 1.4 | 11 |
| 1981 | Statistical-Thermodynamics Modeling of Clathrate-Hydrate-Forming Systems Suitable as Working Media of a Hydrate-Based Refrigeration System. International Journal of Thermophysics, 2009, 30, 1838-1852. | 1.0 | 15 |
| 1982 | Simulation of DME synthesis from coal syngas by kinetics model. Korean Journal of Chemical Engineering, 2009, 26, 641-648. | 1.2 | 37 |
| 1983 | Visualization of the evaporation of a diesel spray using combined Mie and Rayleigh scattering techniques. Experiments in Fluids, 2009, 47, 439-449. | 1.1 | 24 |
| 1984 | Transformations of organic compounds in supercritical fluid solvents: From experiments to kinetics, thermodynamics, simulation, and practical applications. Kinetics and Catalysis, 2009, 50, 284-296. | 0.3 | 9 |
| 1985 | Solubilities of cinnamic acid, phenoxyacetic acid and 4-methoxyphenylacetic acid in supercritical carbon dioxide. Fluid Phase Equilibria, 2009, 275, 33-38. | 1.4 | 38 |
| 1986 | Solution of the isochoric–isoenergetic flash problem by direct entropy maximization. Fluid Phase Equilibria, 2009, 276, 7-17. | 1.4 | 44 |
| 1987 | Study of isobaric vapour–liquid equilibrium of some cyclic ethers with 1-chloropropane: Experimental results and SAFT-VR modelling. Fluid Phase Equilibria, 2009, 278, 62-67. | 1.4 | 16 |
| 1988 | Vapour–liquid equilibrium for Î²-myrcene and carbon dioxide and/or hydrogen and the volume expansion of Î²-myrcene or limonene in CO2 at 323.15K. Fluid Phase Equilibria, 2009, 282, 25-30. | 1.4 | 20 |
| 1989 | Effect of various types of equations of state for prediction of simple gas hydrate formation with or without the presence of kinetic inhibitors in a flow mini-loop apparatus. Fluid Phase Equilibria, 2009, 286, 33-42. | 1.4 | 19 |
| 1990 | Effect of CO2/N2 addition to supercritical methanol on reactivities and fuel qualities in biodiesel production. Fuel, 2009, 88, 1329-1332. | 3.4 | 45 |
| 1991 | Dynamic behaviour of non-isothermal compressible natural gases mixed with hydrogen in pipelines. International Journal of Hydrogen Energy, 2009, 34, 6722-6729. | 3.8 | 34 |
| 1992 | Modeling and optimization of supercritical fluid processes. Journal of Supercritical Fluids, 2009, 47, 611-618. | 1.6 | 49 |
| 1993 | Modelling of the phase behaviour for vegetable oils at supercritical conditions. Journal of Supercritical Fluids, 2009, 48, 189-194. | 1.6 | 31 |
| 1994 | Computation and modeling of tricritical phenomena in ternary and quaternary mixtures using the Perturbed Chain–Statistical Associating Fluid Theory equation of state. Journal of Supercritical Fluids, 2009, 49, 135-142. | 1.6 | 5 |

| # | ARTICLE | IF | CITATIONS |
|---|---------|----|-----------|
| 1995 | Measurement and correlation of the solid–liquid–gas equilibria for carbon dioxide + normal chain saturated aliphatic hydrocarbon systems. Journal of Supercritical Fluids, 2009, 51, 136-141. | 1.6 | 14 |
| 1996 | Modeling adsorption of liquid mixtures on porous materials. Journal of Colloid and Interface Science, 2009, 333, 310-316. | 5.0 | 16 |
| 1997 | Influence of the chain length on the dynamic viscosity at high pressure of some amines: Measurements and comparative study of some models. Journal of Chemical Thermodynamics, 2009, 41, 291-300. | 1.0 | 19 |
| 1998 | Present status and potential of group contribution methods for process development. Journal of Chemical Thermodynamics, 2009, 41, 731-747. | 1.0 | 74 |
| 1999 | Isothermal vapor–liquid equilibria for binary mixtures of hexane, heptane, octane, nonane and cyclohexane at 333.15 K, 343.15 K and 353.15 K. Journal of the Taiwan Institute of Chemical Engineers, 2009, 40, 573-579. | 2.7 | 16 |
| 2000 | Methane hydrate dissolution rates in undersaturated seawater under controlled hydrodynamic forcing. Marine Chemistry, 2009, 115, 226-234. | 0.9 | 21 |
| 2001 | Catalytic gasification of dry and wet biomass. Catalysis Today, 2009, 145, 10-18. | 2.2 | 73 |
| 2002 | Efficient location of multiple global minima for the phase stability problem. Chemical Engineering Journal, 2009, 152, 251-263. | 6.6 | 21 |
| 2003 | A simulation study on gas-to-liquid (natural gas to Fischer–Tropsch synthetic fuel) process optimization. Chemical Engineering Journal, 2009, 155, 427-432. | 6.6 | 71 |
| 2004 | Recrystallization of pharmaceuticals using the batch supercritical anti-solvent process. Chemical Engineering and Processing: Process Intensification, 2009, 48, 92-100. | 1.8 | 17 |
| 2005 | Computer aided design, analysis and experimental investigation of membrane assisted batch reaction–separation systems. Computers and Chemical Engineering, 2009, 33, 551-574. | 2.0 | 19 |
| 2006 | Dynamic simulation for internally heat-integrated distillation columns (HIDiC) for propylene–propane system. Computers and Chemical Engineering, 2009, 33, 1187-1201. | 2.0 | 24 |
| 2007 | Thermodynamic behavior of the CO2+SO2 mixture: Experimental and Monte Carlo simulation studies. Energy Procedia, 2009, 1, 1641-1647. | 1.8 | 43 |
| 2008 | Reactive transport of CO2 in saline aquifers with implicit geomechanical analysis. Energy Procedia, 2009, 1, 3267-3274. | 1.8 | 24 |
| 2009 | Application of the CPA equation of state to reservoir fluids in presence of water and polar chemicals. Fluid Phase Equilibria, 2009, 276, 75-85. | 1.4 | 50 |
| 2010 | Use of normal boiling point correlations for predicting critical parameters of paraffins for vapour–liquid equilibrium calculations with the SRK equation of state. Fluid Phase Equilibria, 2009, 276, 133-141. | 1.4 | 22 |
| 2011 | Isothermal vapor–liquid equilibria for binary mixtures of benzene, toluene, m-xylene, and N-methylformamide at 333.15K and 353.15K. Fluid Phase Equilibria, 2009, 280, 42-48. | 1.4 | 12 |
| 2012 | Can cubic equations of state be recast in the virial form?. Fluid Phase Equilibria, 2009, 282, 38-50. | 1.4 | 14 |

| # | ARTICLE | IF | CITATIONS |
|---|---------|-----|-----------|
| 2013 | Study of high-pressure adsorption from supercritical fluids by the potential theory. Fluid Phase Equilibria, 2009, 283, 56-64. | 1.4 | 51 |
| 2014 | An improved perturbed hard-sphere equation of state. Fluid Phase Equilibria, 2009, 284, 118-128. | 1.4 | 3 |
| 2015 | On the computation of the fundamental derivative of gas dynamics using equations of state. Fluid Phase Equilibria, 2009, 286, 43-54. | 1.4 | 29 |
| 2016 | Isothermal production from a supercritical gas container: A new characteristic curve. Fluid Phase Equilibria, 2009, 286, 55-61. | 1.4 | 4 |
| 2017 | Effects of H2S and process conditions in the synthesis of mixed alcohols from syngas over alkali promoted cobalt-molybdenum sulfide. Applied Catalysis A: General, 2009, 366, 29-43. | 2.2 | 108 |
| 2018 | Measurement of the Hydrocarbon Dew Point of Real and Synthetic Natural Gas Mixtures by Direct and Indirect Methods. Energy &amp; Fuels, 2009, 23, 1640-1650. | 2.5 | 10 |
| 2019 | Extension of the Elliottâ˜ Sureshâ˜ Donohue Equation of State to Dipolar Systems. Industrial &amp; Engineering Chemistry Research, 2009, 48, 5035-5045. | 1.8 | 7 |
| 2020 | A Flow Based Lumping Approach for Compositional Reservoir Simulation. , 2009, , . | | 8 |
| 2021 | Lumping and Delumping for Integrated Compositional Modeling. , 2009, , . | | 5 |
| 2022 | Phase equilibria experiments and calculations for carbon dioxide + methanol binary system. Open Chemistry, 2009, 7, 1-7. | 1.0 | 17 |
| 2023 | THE EFFECT OF VARIOUS TYPES OF EQUATIONS OF STATE ON DRIVING FORCE CALCULATION AND GAS CONSUMPTION PREDICTION IN SIMPLE AND DOUBLE HYDRATE FORMATION WITH OR WITHOUT THE PRESENCE OF KINETIC INHIBITORS IN BATCH SYSTEMS. Chemical Engineering Communications, 2009, 197, 584-605. | 1.5 | 3 |
| 2024 | Simulation of Flash Separation in Polyethylene Industrial Processing: Comparison of SRK and SL Equations of State. Industrial &amp; Engineering Chemistry Research, 2009, 48, 8613-8628. | 1.8 | 12 |
| 2025 | Thermodynamic Modeling and Simulation of Styreneâ˜ Butadiene Rubbers (SBR) Solvent Equilibrium Staged Processes. Industrial &amp; Engineering Chemistry Research, 2009, 48, 7713-7723. | 1.8 | 12 |
| 2026 | <i>Trans</i>-Cinnamic Acid Solubility Enhancement in the Presence of Ethanol As a Supercritical CO<sub>2</sub> Cosolvent. Journal of Chemical &amp; Engineering Data, 2009, 54, 2263-2268. | 1.0 | 18 |
| 2027 | Phase Behavior for the Carbon Dioxide + 2-Butanol System: Experimental Measurements and Modeling with Cubic Equations of State. Journal of Chemical &amp; Engineering Data, 2009, 54, 1493-1499. | 1.0 | 25 |
| 2028 | Solubility of 1,5-Diaminobromo-4,8-dihydroxyanthraquinone in Supercritical Carbon Dioxide with or without Cosolvent. Journal of Chemical &amp; Engineering Data, 2009, 54, 1442-1446. | 1.0 | 25 |
| 2029 | Volumetric Properties of Carbon Dioxide + Ethanol at 313.15 K. Journal of Chemical &amp; Engineering Data, 2009, 54, 2953-2956. | 1.0 | 34 |
| 2030 | Crystallization Behavior of Mixtures of Fatty Acid Ethyl Esters with Ethyl Stearate. Energy &amp; Fuels, 2009, 23, 4625-4629. | 2.5 | 43 |

| # | Article | IF | Citations |
|---|---------|-----|-----------|
| 2031 | Phase Equilibria of Mixtures Containing Glycol and n-Alkane: Experimental Study of Infinite Dilution Activity Coefficients and Modeling Using the Cubic-Plus-Association Equation of State. Industrial &amp; Engineering Chemistry Research, 2009, 48, 11202-11210. | 1.8 | 20 |
| 2032 | Modeling of the Multiphase Behavior of Nitrogen-Containing Systems at Low Temperatures with Equations of State. Journal of Chemical &amp; Engineering Data, 2009, 54, 2689-2695. | 1.0 | 6 |
| 2033 | Generalized Cubic Equation of State Adjusted to the Virial Coefficients of Real Gases and Its Prediction of Auxiliary Thermodynamic Properties. Industrial &amp; Engineering Chemistry Research, 2009, 48, 10708-10717. | 1.8 | 22 |
| 2034 | High-Pressure Phase Equilibrium and Raman Spectroscopic Studies on the Nitrous Oxide Hydrate System. Journal of Chemical &amp; Engineering Data, 2009, 54, 2301-2303. | 1.0 | 14 |
| 2035 | Vaporâˆ'Liquid Equilibrium for Tetrahydrothiophene + $n$-Butane, + $trans$-2-Butene, + 2-Methylpropane, and + 2-Methylpropene. Journal of Chemical &amp; Engineering Data, 2009, 54, 1311-1317. | 1.0 | 6 |
| 2036 | Prediction of Vaporâˆ'Liquid Equilibrium at High Pressure Using a New Excess Free Energy Mixing Rule Coupled with the Original UNIFAC Method and the SRK Equation of State. Industrial &amp; Engineering Chemistry Research, 2009, 48, 6836-6845. | 1.8 | 7 |
| 2037 | Measurements of Hydrate Dissociation Temperature of Methane, Ethane, and $CO_2$ in the Absence of Any Aqueous Phase and Prediction with the Cubic Plus Association Equation of State. Industrial &amp; Engineering Chemistry Research, 2009, 48, 4045-4050. | 1.8 | 26 |
| 2038 | First-Principles Predictions of Vaporâˆ'Liquid Equilibria for Pure and Mixture Fluids from the Combined Use of Cubic Equations of State and Solvation Calculations. Industrial &amp; Engineering Chemistry Research, 2009, 48, 3197-3205. | 1.8 | 46 |
| 2039 | A Next-Generation Parallel Reservoir Simulator for Giant Reservoirs. , 2009, , . |  | 91 |
| 2040 | Steadyâ€State and Dynamic Reactor Models for Hydrotreatment of Oil Fractions: A Review. Catalysis Reviews - Science and Engineering, 2009, 51, 485-607. | 5.7 | 58 |
| 2041 | Analysis and Simulation of Steam Distillation Mechanism during the Steam Injection Process. Energy &amp; Fuels, 2009, 23, 327-333. | 2.5 | 15 |
| 2042 | Characterization of Heavy Oils and Bitumens 2. Improving the Prediction of Vapor Pressures for Heavy Hydrocarbons at Low Reduced Temperatures Using the Pengâˆ'Robinson Equation of State. Energy &amp; Fuels, 2009, 23, 366-373. | 2.5 | 22 |
| 2043 | Tuning the Interaction Parameter for the Soaveâˆ'Redlichâˆ'Kwong Equation of State Using the Critical End Points. Industrial &amp; Engineering Chemistry Research, 2009, 48, 6877-6881. | 1.8 | 1 |
| 2044 | The Modified Sanchezâˆ'Lacombe Equation of State Applied to Polydisperse Polyethylene Solutions. Industrial &amp; Engineering Chemistry Research, 2009, 48, 10664-10681. | 1.8 | 35 |
| 2045 | Quantification of Uncertainties in Compressible Flows with Complex Thermodynamic Behavior. , 2009, , . |  | 0 |
| 2046 | Physical Chemistry in Depth. , 2009, , . |  | 15 |
| 2047 | Eyring-Theory-Based Model To Estimate Crude Oil Viscosity at Reservoir Conditions. Energy &amp; Fuels, 2009, 23, 464-470. | 2.5 | 18 |
| 2048 | Measurements and calculations of hydrocarbon mixtures liquid density by simple cubic equations of state. Physics and Chemistry of Liquids, 2009, 47, 140-147. | 0.4 | 3 |

| # | Article | IF | Citations |
|---|---------|-----|-----------|
| 2049 | Rigorously Universal Methodology of Volume Translation for Cubic Equations of State. Industrial &amp; Engineering Chemistry Research, 2009, 48, 5901-5906. | 1.8 | 12 |
| 2050 | Isochoric Phase Stability Testing for Hydrocarbon Mixtures. Petroleum Science and Technology, 2009, 27, 2177-2191. | 0.7 | 22 |
| 2051 | Organic-Inorganic $CO_2$ Selective Membranes Prepared by the Sol-Gel Process. Separation Science and Technology, 2009, 44, 3392-3411. | 1.3 | 8 |
| 2052 | Numerical study on premixed hydrothermal combustion in tube reactor. Combustion Theory and Modelling, 2009, 13, 295-318. | 1.0 | 8 |
| 2053 | Evaluating Crystallization Risks in Liquefied-Natural-Gas (LNG) Production. SPE Projects, Facilities and Construction, 2009, 4, 27-31. | 0.2 | 0 |
| 2054 | Effect of Pressure, Temperature, and Solution Gas on Oil Recovery from Surfactant Polymer Floods. , 2009, , . | | 24 |
| 2055 | Gas Injection IOR for Widely Varying Initial Compositions. , 2009, , . | | 2 |
| 2056 | Integrating Biomass to Produce Heat and Power at Ethanol Plants. Applied Engineering in Agriculture, 2009, 25, 227-244. | 0.3 | 23 |
| 2057 | Adaptive Random Search: A Promising Method for Determining the Stability of Mixtures. Computer Aided Chemical Engineering, 2009, 27, 321-326. | 0.3 | 2 |
| 2058 | Computational Aspects for Optimization of High Pressure Phase Equilibrium for Polymer Industrial Systems. Computer Aided Chemical Engineering, 2009, 27, 405-410. | 0.3 | 2 |
| 2059 | Compositional and PVT Analysis for Determining Liquid Dropout in Pipelines. SPE Projects, Facilities and Construction, 2009, 4, 132-140. | 0.2 | 0 |
| 2060 | Comparative PVT Simulation: An Application to Australasian Fluid Samples. , 2009, , . | | 2 |
| 2061 | Waxy Crude Production Management in a Deepwater Subsea Environment. , 2010, , . | | 4 |
| 2062 | Optimizing Simulation Studies for Gas Condensate Field Development and Management. , 2010, , . | | 3 |
| 2063 | Dynamic optimization of an Intensive Energetically Integrated Large-Scale Process. Computer Aided Chemical Engineering, 2010, 28, 469-474. | 0.3 | 1 |
| 2064 | Optimum Separation Pressure for Heavy Oils Sequential Separation. , 2010, , . | | 5 |
| 2065 | Equation-Of-State Modeling For Reservoir Fluid Samples Contaminated By Oil-Based Drilling Mud Using Contaminated Fluid PVT Data. , 2010, , . | | 4 |
| 2066 | CO2 and C1 Gas Injection for Enhanced Oil Recovery in Fractured Reservoirs. , 2010, , . | | 6 |

| # | ARTICLE | IF | CITATIONS |
|---|---------|----|-----------|
| 2067 | Quantification of thermodynamic uncertainties in real gas flows. International Journal of Engineering Systems Modelling and Simulation, 2010, 2, 12. | 0.2 | 12 |
| 2068 | Capturing Carbon Dioxide: The Feasibility of Re-Using Existing Pipeline Infrastructure to Transport Anthropogenic CO2. , 2010, , . | | 5 |
| 2069 | Computer-Aided Model-Based Design and Analysis of Hybrid Membrane Reaction-Separation Systems. , 2010, , 25-56. | | 1 |
| 2070 | Improvements to Rich Gas Decompression Predictions for Offshore Pipelines. , 2010, , . | | 0 |
| 2071 | Phase behavior of organic pollutants in supercritical water. Russian Journal of Physical Chemistry B, 2010, 4, 1114-1124. | 0.2 | 3 |
| 2072 | Numerical properties of equations involving high-order derivatives of pressure with respect to volume. Chemical Papers, 2010, 64, . | 1.0 | 1 |
| 2073 | Vaporâ€"liquid equilibrium for the binary systems tetrahydrothiophene+toluene and tetrahydrothiophene+o-xylene at 368.15K and 383.15K. Fluid Phase Equilibria, 2010, 296, 4-8. | 1.4 | 4 |
| 2074 | Exergy analysis on throttle reduction efficiency based on real gas equations. Energy, 2010, 35, 181-187. | 4.5 | 31 |
| 2075 | Comparison of the prediction power of 23 generalized equations of state: Part II â€" Parametric evaluation. Fluid Phase Equilibria, 2010, 291, 48-58. | 1.4 | 7 |
| 2076 | Estimation of solubility parameter by the modified ER equation of state. Fluid Phase Equilibria, 2010, 291, 141-150. | 1.4 | 39 |
| 2077 | About the physical validity of attaching the repulsive terms of analytical EOS models by temperature dependencies. Fluid Phase Equilibria, 2010, 293, 164-167. | 1.4 | 41 |
| 2078 | Relationship between the binary interaction parameters (kij) of the Pengâ€"Robinson and those of the Soaveâ€"Redlichâ€"Kwong equations of state: Application to the definition of the PR2SRK model. Fluid Phase Equilibria, 2010, 295, 26-37. | 1.4 | 138 |
| 2079 | Are safe results obtained when the PC-SAFT equation of state is applied to ordinary pure chemicals?. Fluid Phase Equilibria, 2010, 295, 76-92. | 1.4 | 126 |
| 2080 | High pressure vaporâ€"liquid equilibria for carbon dioxide+tetrahydrofuran mixtures. Fluid Phase Equilibria, 2010, 297, 168-171. | 1.4 | 12 |
| 2081 | Phase equilibrium measurements for systems containing propanenitrile with tert-butyl ethyl ether and C4-hydrocarbons. Fluid Phase Equilibria, 2010, 299, 148-160. | 1.4 | 6 |
| 2082 | High-pressure phase equilibria in the (carbon dioxide+1-hexanol) system. Journal of Chemical Thermodynamics, 2010, 42, 1286-1291. | 1.0 | 25 |
| 2083 | An empirical near-critical correction for a quasi-chemical nonrandom lattice fluid. Korean Journal of Chemical Engineering, 2010, 27, 289-298. | 1.2 | 3 |
| 2084 | Extension of the Neoclassical Theory of Capillarity to Advanced Cubic Equations of State. International Journal of Thermophysics, 2010, 31, 253-275. | 1.0 | 3 |

| # | ARTICLE | IF | CITATIONS |
|---|---------|----|-----------|
| 2085 | Soft Repulsion and the Behavior of Equations of State at High Pressures. International Journal of Thermophysics, 2010, 31, 227-252. | 1.0 | 39 |
| 2086 | Measurements of Speed of Sound in Lean and Rich Natural Gas Mixtures at Pressures up to 37ÂMPa Using a Specialized Rupture Tube. International Journal of Thermophysics, 2010, 31, 2086-2102. | 1.0 | 15 |
| 2087 | Solubility of sulphur dioxide in mixed polyethylene glycol dimethyl ethers. Canadian Journal of Chemical Engineering, 2001, 79, 946-960. | 0.9 | 13 |
| 2093 | Fallstudie zur Vorausberechnung Henryscher Koeffizienten. Chemie-Ingenieur-Technik, 2010, 82, 265-272. | 0.4 | 2 |
| 2094 | A Case Study in the Preâ€Calculation of Henry Coefficients. Chemical Engineering and Technology, 2010, 33, 251-257. | 0.9 | 16 |
| 2095 | Calculation of Vapor-Liquid Equilibrium Data of Binary Mixtures Using Vapor Pressure Data. Chemical Engineering and Technology, 2010, 33, 2089-2094. | 0.9 | 2 |
| 2096 | Novel ammonia sorbents â€œporous matrix modified by active saltâ€•for adsorptive heat transformation: 2. Calcium chloride in ACF felt. Applied Thermal Engineering, 2010, 30, 845-849. | 3.0 | 31 |
| 2097 | Extension of the new proposed association equation of state (AEOS) to associating fluid mixtures. Journal of Chemical Thermodynamics, 2010, 42, 808-816. | 1.0 | 4 |
| 2098 | Modeling vapour pressure using compound specific cohesion factor relationship. Journal of the Taiwan Institute of Chemical Engineers, 2010, 41, 570-578. | 2.7 | 13 |
| 2099 | Application of predictive equations of state in calculating natural gas phase envelopes and critical points. Journal of Natural Gas Science and Engineering, 2010, 2, 21-28. | 2.1 | 23 |
| 2100 | Thermo- and fluid-dynamical modelling of two-phase multi-component carbon dioxide mixturesâ˜†. International Journal of Greenhouse Gas Control, 2010, 4, 589-596. | 2.3 | 52 |
| 2101 | Comparative study of eleven equations of state in predicting the thermodynamic properties of hydrogen. International Journal of Hydrogen Energy, 2010, 35, 3802-3811. | 3.8 | 70 |
| 2102 | Industrial scale steam reforming of bioethanol: A conceptual study. International Journal of Hydrogen Energy, 2010, 35, 8472-8485. | 3.8 | 28 |
| 2103 | Low IFT gasâ€"oil gravity drainage in fractured carbonate porous media. Journal of Petroleum Science and Engineering, 2010, 70, 67-73. | 2.1 | 18 |
| 2104 | Production performance analysis of Sarkhoon gas condensate reservoir. Journal of Petroleum Science and Engineering, 2010, 75, 44-53. | 2.1 | 11 |
| 2105 | Application of M4 cubic equation of state for refrigerants. International Journal of Refrigeration, 2010, 33, 1350-1355. | 1.8 | 3 |
| 2106 | Influence of the chain length on the dynamic viscosity at high pressure of some 2-alkylamines: Measurements and comparative study of some models. Chemical Physics, 2010, 369, 126-137. | 0.9 | 28 |
| 2107 | A properties model of the HIâ€"I2â€"H2Oâ€"H2 system in the sulfurâ€"iodine cycle for hydrogen manufacture. Fluid Phase Equilibria, 2010, 288, 99-110. | 1.4 | 26 |

| # | Article | IF | Citations |
|---|---------|----|-----------|
| 2108 | Crossover CPA equation of state for associating fluids. Fluid Phase Equilibria, 2010, 290, 148-152. | 1.4 | 20 |
| 2109 | Boyle temperature and cubic equations of state. Fluid Phase Equilibria, 2010, 289, 94-97. | 1.4 | 14 |
| 2110 | Efficient and reliable mixture critical points calculation by global optimization. Fluid Phase Equilibria, 2010, 291, 125-140. | 1.4 | 14 |
| 2111 | Vapour–liquid equilibrium for the systems diethyl sulphide+1-butene, +cis-2-butene, +2-methylpropane, +2-methylpropene, +n-butane, +trans-2-butene. Fluid Phase Equilibria, 2010, 291, 180-187. | 1.4 | 7 |
| 2112 | Solid–liquid equilibria for binary and ternary systems with the Cubic-Plus-Association (CPA) equation of state. Fluid Phase Equilibria, 2010, 293, 121-129. | 1.4 | 5 |
| 2113 | Phase equilibria on five binary systems containing 1-butanethiol and 3-methylthiophene in hydrocarbons. Fluid Phase Equilibria, 2010, 293, 157-163. | 1.4 | 9 |
| 2114 | Isothermal vapour–liquid equilibria in the binary and ternary systems consisting of an ionic liquid, 1-propanol and CO2. Fluid Phase Equilibria, 2010, 293, 168-174. | 1.4 | 38 |
| 2115 | Vapor–liquid equilibrium for binary system of tetrahydrothiophene+2,2,4-trimethylpentane and tetrahydrothiophene+2,4,4-trimethyl-1-pentene at 358.15 and 368.15K. Fluid Phase Equilibria, 2010, 296, 159-163. | 1.4 | 0 |
| 2116 | A new three-parameter cubic equation of state for calculation physical properties and vapor–liquid equilibria. Fluid Phase Equilibria, 2010, 293, 209-218. | 1.4 | 31 |
| 2117 | Thermodynamics of aqueous solutions of methyldiethanolamine and diisopropanolamine. Fluid Phase Equilibria, 2010, 299, 51-59. | 1.4 | 22 |
| 2118 | SRK equation of state: Predicting binary interaction parameters of hydrocarbons and related compounds. Fluid Phase Equilibria, 2010, 299, 285-293. | 1.4 | 62 |
| 2119 | Measurement and prediction of CO2 solubility in sodium phosphate monobasic solutions for food treatment with high pressure carbon dioxide. Journal of Supercritical Fluids, 2010, 52, 142-150. | 1.6 | 25 |
| 2120 | Analysis of the kinetics of regeneration of bidispersed activated granular carbon, by supercritical carbon dioxide. Journal of Supercritical Fluids, 2010, 54, 178-189. | 1.6 | 22 |
| 2121 | Phase equilibria of carbon dioxide+1-nonanol system at high pressures. Journal of Supercritical Fluids, 2010, 55, 653-661. | 1.6 | 26 |
| 2122 | Volumetric properties of carbon dioxide+2-butanol mixtures at 313.15K. Journal of Supercritical Fluids, 2010, 55, 696-700. | 1.6 | 8 |
| 2123 | Measurements and modeling of high-pressure excess molar enthalpies and isothermal vapour–liquid equilibria of the carbon dioxide +N,N-dimethylformamide system. Journal of Supercritical Fluids, 2010, 55, 566-572. | 1.6 | 11 |
| 2124 | Equation of state modeling of high-pressure, high-temperature hydrocarbon density data. Journal of Supercritical Fluids, 2010, 55, 701-711. | 1.6 | 78 |
| 2125 | Measurement and prediction of high-pressure vapor–liquid equilibria for binary mixtures of carbon dioxide+n-octane, methanol, ethanol, and perfluorohexane. Journal of Supercritical Fluids, 2010, 55, 682-689. | 1.6 | 47 |

| # | ARTICLE | IF | CITATIONS |
|---|---------|----|-----------|
| 2126 | From van der Waals to VTPR: The systematic improvement of the van der Waals equation of state. Journal of Supercritical Fluids, 2010, 55, 438-447. | 1.6 | 21 |
| 2127 | The vdW EoS hundred years later, yet younger than before. Application to the phase equilibria modeling of food-type systems for a green technology. Journal of Supercritical Fluids, 2010, 55, 579-593. | 1.6 | 12 |
| 2128 | Equations of state: From the ideas of van der Waals to association theories. Journal of Supercritical Fluids, 2010, 55, 421-437. | 1.6 | 50 |
| 2129 | Supercritical phase behavior for biotransformation processing. Journal of Supercritical Fluids, 2010, 55, 635-642. | 1.6 | 11 |
| 2130 | The legacy of Johannes Diderik van der Waals, a hundred years after his Nobel Prize for physics. Journal of Supercritical Fluids, 2010, 55, 415-420. | 1.6 | 16 |
| 2131 | Physicochemical approach to nanobubble solutions. Chemical Engineering Science, 2010, 65, 1296-1300. | 1.9 | 295 |
| 2132 | The refined e-NRTL model applied to $CO_2$–$H_2O$–alkanolamine systems. Chemical Engineering Science, 2010, 65, 3638-3648. | 1.9 | 76 |
| 2133 | A cubic equation of state based on saturated vapor modeling and the application of model-based design of experiments for its validation. Chemical Engineering Science, 2010, 65, 4194-4207. | 1.9 | 7 |
| 2134 | An equation-oriented approach for handling thermodynamics based on cubic equation of state in process optimization. Computers and Chemical Engineering, 2010, 34, 2085-2096. | 2.0 | 78 |
| 2135 | A RANS flamelet–progress-variable method for computing reacting flows of real-gas mixtures. Computers and Fluids, 2010, 39, 485-498. | 1.3 | 62 |
| 2136 | Experimental measurements of vapor–liquid equilibria at low pressure: Systems containing alcohols, esters and organic acids. Fluid Phase Equilibria, 2010, 287, 141-145. | 1.4 | 15 |
| 2137 | Comparison of the prediction power of 23 generalized equations of state: Part I. Saturated thermodynamic properties of 102 pure substances. Fluid Phase Equilibria, 2010, 288, 67-82. | 1.4 | 26 |
| 2138 | Erratum to "On the computation of the fundamental derivative of gas dynamics using equations of state"•[Fluid Phase Equilibr. 286 (1) (2009) 43–54]. Fluid Phase Equilibria, 2010, 288, 162-174. | 1.4 | 4 |
| 2139 | Phase equilibria of binary systems of 3-methylthiophene with four different hydrocarbons. Fluid Phase Equilibria, 2010, 288, 155-160. | 1.4 | 12 |
| 2140 | Calculation of isentropic compressibility and sound velocity in two-phase fluids. Fluid Phase Equilibria, 2010, 291, 95-102. | 1.4 | 43 |
| 2141 | Phase equilibria for systems containing dimethyl disulfide and diethyl disulfide with hydrocarbons at 368.15K. Fluid Phase Equilibria, 2010, 293, 175-181. | 1.4 | 6 |
| 2142 | The Cubic-Two-State Equation of State: Cross-associating mixtures and Monte Carlo study of self-associating prototypes. Fluid Phase Equilibria, 2010, 297, 98-106. | 1.4 | 6 |
| 2143 | Modeling of three-phase vapor–liquid–liquid equilibria for a natural-gas system rich in nitrogen with the SRK and PC-SAFT EoS. Fluid Phase Equilibria, 2010, 298, 92-96. | 1.4 | 12 |

| # | ARTICLE | IF | CITATIONS |
|---|---------|-----|-----------|
| 2144 | Toward block copolymers from nonliving isospecific single‑site catalytic systems. Journal of Polymer Science Part A, 2010, 48, 2063-2075. | 2.5 | 10 |
| 2145 | A Compositional Representative Fuel Model for Biofuels - Application to Diesel Engine Modelling. , 2010, , . | | 6 |
| 2146 | A MultiScale Gibbs-Helmholtz Constrained Cubic Equation of State. Journal of Thermodynamics, 2010, 2010, 1-10. | 0.8 | 11 |
| 2147 | Advances in Gas Hydrate Thermodynamics and Transport Properties. Journal of Thermodynamics, 2010, 2010, 1-2. | 0.8 | 1 |
| 2148 | Prediction of Molar Volumes of the Sudanese Reservoir Fluids. Journal of Thermodynamics, 2010, 2010, 1-9. | 0.8 | 1 |
| 2149 | Applications of CFD in Natural Gas Processing and Transportation. , 2010, , . | | 1 |
| 2150 | Vapor-Liquid Phase Equilibria. , 2010, , 1096-1234. | | 3 |
| 2151 | Hydraulics. , 2010, , 349-399. | | 0 |
| 2152 | A Practical Approach for Calculating EOS Coefficients. , 2010, , . | | 3 |
| 2153 | Calculation of water content in water–methane system. Collection of Czechoslovak Chemical Communications, 2010, 75, 257-274. | 1.0 | 0 |
| 2154 | Correlating Optimum Stage Pressure for Sequential Separator Systems. SPE Projects, Facilities and Construction, 2010, 5, 13-16. | 0.2 | 13 |
| 2155 | Membranes for Recovery of Volatile Organic Compounds. , 2010, , 213-242. | | 10 |
| 2156 | Measurement of Decompression Wave Speed in Rich Gas Mixtures at High Pressures (370 bars) Using a Specialized Rupture Tube. Journal of Pressure Vessel Technology, Transactions of the ASME, 2010, 132, . | 0.4 | 13 |
| 2157 | D1 Calculation Methods for Thermophysical Properties. , 2010, , 119-152. | | 9 |
| 2158 | Chapter 13. Equations of State in Chemical Reacting Systems. , 2010, , 433-459. | | 2 |
| 2159 | Modeling the Fluid Phase Behavior of Carbon Dioxide in Aqueous Solutions of Monoethanolamine Using Transferable Parameters with the SAFT-VR Approach. Industrial &amp; Engineering Chemistry Research, 2010, 49, 1883-1899. | 1.8 | 129 |
| 2160 | Catalytic and Non-catalytic Supercritical Water Gasification of Microalgae and Glycerol. Industrial &amp; Engineering Chemistry Research, 2010, 49, 1113-1122. | 1.8 | 245 |
| 2161 | The Calculation of the Hydrocarbon Dew Point in a Gas Pipeline. Petroleum Science and Technology, 2010, 28, 1643-1652. | 0.7 | 2 |

| # | Article | IF | Citations |
|---|---------|----|-----------| 
| 2162 | Henry's Law Constants and Infinite Dilution Activity Coefficients of Propane, Propene, Butane, 2-Methylpropane, 1-Butene, 2-Methylpropene, *trans*-2-Butene, *cis*-2-Butene, 1,3-Butadiene, Dimethyl Ether, Chloroethane, and 1,1-Difluoroethane in 2-Methylphenol, 3-Methylphenol, and 4-Methylphenol. Journal of Chemical &amp; Engineering Data, 2010, 55, 4956-4960. | 1.0 | 2 |
| 2163 | Vapor–Liquid Equilibrium Measurements and Modeling of the Propyl Mercaptan + Methane + Water System. Journal of Chemical &amp; Engineering Data, 2010, 55, 842-846. | 1.0 | 17 |
| 2164 | Pure Component and Binary Vapor–Liquid Equilibrium + Modeling for Hexafluoropropylene and Hexafluoropropylene Oxide with Toluene and Hexafluoroethane. Journal of Chemical &amp; Engineering Data, 2010, 55, 411-418. | 1.0 | 18 |
| 2165 | Empirical Regularity of the Thermal Pressure Coefficient for Dense Fluids. Industrial &amp; Engineering Chemistry Research, 2010, 49, 7654-7659. | 1.8 | 5 |
| 2166 | Experimental Measurements and Thermodynamic Modeling of $CO_2$ Solubility at High Pressure in Model Apple Juices. Industrial &amp; Engineering Chemistry Research, 2010, 49, 2992-3000. | 1.8 | 39 |
| 2167 | Using an Adaptive Parameter Method for Process Simulation of Nonideal Systems. Industrial &amp; Engineering Chemistry Research, 2010, 49, 4923-4932. | 1.8 | 13 |
| 2168 | Evaluation of the Multiphase Behavior in Binaries Using a New Technique for Describing Solid Phases Based on the Soave–Redlich–Kwong Equation of State. Industrial &amp; Engineering Chemistry Research, 2010, 49, 1905-1909. | 1.8 | 0 |
| 2169 | Vapor–Liquid Equilibrium for Binary Systems of Cyclohexane + Cyclohexanone and + Cyclohexanol at Temperatures from (414.0 to 433.7) K. Journal of Chemical &amp; Engineering Data, 2010, 55, 3418-3421. | 1.0 | 7 |
| 2170 | Optimization Approach for Continuous Catalytic Regenerative Reformer Processes. Energy &amp; Fuels, 2010, 24, 1908-1916. | 2.5 | 51 |
| 2171 | Phase Behavior for the Carbon Dioxide + *N*-Pentadecane Binary System. Journal of Chemical &amp; Engineering Data, 2010, 55, 4255-4259. | 1.0 | 20 |
| 2172 | Experimental and Theoretical Study on Gas Hydrate Phase Equilibria in Seawater. Journal of Chemical &amp; Engineering Data, 2010, 55, 804-807. | 1.0 | 19 |
| 2173 | Isothermal Binary Vapor–Liquid Equilibrium for 2-Methylpropane and n-Butane with 1,2-Ethanedithiol and 2-Methyl-2-propanethiol. Journal of Chemical &amp; Engineering Data, 2010, 55, 291-296. | 1.0 | 7 |
| 2174 | Development of Compound Specific Cohesion Function Relationship for SRK Equation of State. Indian Chemical Engineer, 2010, 52, 116-127. | 0.9 | 2 |
| 2175 | Phase Behavior of Linear Mixtures in the Context of Equation of State Models. Industrial &amp; Engineering Chemistry Research, 2010, 49, 2943-2956. | 1.8 | 4 |
| 2176 | Measurement and Correlation of the Solid–Liquid–Gas Equilibria for Carbon Dioxide + Octadecanoic Acid (Stearic Acid) and Carbon Dioxide + 1-Octadecanol (Stearyl Alcohol) Systems. Journal of Chemical &amp; Engineering Data, 2010, 55, 925-929. | 1.0 | 16 |
| 2177 | Prediction of vapor–liquid equilibrium and PVTx properties of geological fluid system with SAFT-LJ EOS including multi-polar contribution. Part I: Application to $H_2O$–$CO_2$ system. Geochimica Et Cosmochimica Acta, 2010, 74, 1982-1998. | 1.6 | 48 |
| 2178 | Quartz recrystallization regimes, c-axis texture transitions and fluid inclusion reequilibration in a prograde greenschist to amphibolite facies mylonite zone (Ribeira Shear Zone, SE Brazil). Tectonophysics, 2010, 485, 193-214. | 0.9 | 69 |
| 2179 | Vapor–Liquid Equilibria Measurements of Methane + 2-Methylpropane (Isobutane) at Temperatures from (150 to 250) K and Pressures to 9 MPa. Journal of Chemical &amp; Engineering Data, 2010, 55, 2725-2731. | 1.0 | 15 |

| # | ARTICLE | IF | CITATIONS |
|---|---------|----|-----------|
| 2180 | D5 Properties of Multicomponent Fluid Mixtures. , 2010, , 513-550. | | 4 |
| 2181 | A Method To Estimate the Patel–Teja Equation of State Constants. Journal of Chemical &amp; Engineering Data, 2010, 55, 5094-5100. | 1.0 | 16 |
| 2182 | Modeling of Highly Nonideal Systems: 2. Prediction of High Pressure Phase Equilibria with the Group Contribution NRTL-PR EoS. Industrial &amp; Engineering Chemistry Research, 2010, 49, 7589-7596. | 1.8 | 12 |
| 2183 | Calculation of Pressure–Temperature Diagrams and Distance for Phase Transition in Polyethylene Solutions. Industrial &amp; Engineering Chemistry Research, 2010, 49, 12242-12253. | 1.8 | 9 |
| 2184 | Numerical Investigation of Supercritical Coolant Flow in Liquid Rocket Engine. , 2010, , . | | 14 |
| 2185 | The calculation of thermodynamic properties of molecules. Chemical Society Reviews, 2010, 39, 1764. | 18.7 | 96 |
| 2186 | Amorphous nano-structured silicas for high-performance carbon dioxide confinement. Journal of Materials Chemistry, 2010, 20, 3163. | 6.7 | 10 |
| 2187 | Robust algorithms for the calculation of phase equilibrium. Computer Aided Chemical Engineering, 2010, 28, 79-84. | 0.3 | 1 |
| 2188 | Simultaneous water desalination and $CO_2$ capturing by hydrate formation. Desalination and Water Treatment, 2011, 28, 59-64. | 1.0 | 20 |
| 2189 | Vapor–Liquid Equilibrium for Methoxymethane + Methyl Formate, Methoxymethane + Hexane, and Methyl Formate + Methanol. Journal of Chemical &amp; Engineering Data, 2011, 56, 2634-2640. | 1.0 | 11 |
| 2190 | A Study on Natural Gas Decompression Behavior. Petroleum Science and Technology, 2011, 29, 29-38. | 0.7 | 3 |
| 2191 | An Object-Oriented Approach for Structure Design of Property Calculation Programs Using Equations of State. Industrial &amp; Engineering Chemistry Research, 2011, 50, 6404-6412. | 1.8 | 1 |
| 2192 | Vapor–Liquid Equilibrium for Dimethyl Disulfide + Butane, +*trans*-But-2-ene, + 2-Methylpropane, + 2-Methylpropene, + Ethanol, and 2-Ethoxy-2-methylpropane. Journal of Chemical &amp; Engineering Data, 2011, 56, 2501-2510. | 1.0 | 8 |
| 2193 | Extraction of Kerogen from Oil Shale (Puertollano, Spain) with Supercritical Toluene and Methanol Mixtures. Industrial &amp; Engineering Chemistry Research, 2011, 50, 1730-1738. | 1.8 | 22 |
| 2194 | Vapor–Liquid Equilibrium for Thiophene + Butane, +trans-But-2-ene, + 2-Methylpropane, and + 2-Methylpropene. Journal of Chemical &amp; Engineering Data, 2011, 56, 614-621. | 1.0 | 4 |
| 2195 | On the Solubility of Three Disperse Anthraquinone Dyes in Supercritical Carbon Dioxide: New Experimental Data and Correlation. Industrial &amp; Engineering Chemistry Research, 2011, 50, 4618-4624. | 1.8 | 32 |
| 2196 | Effects of Feed Composition and Feed Impurities in the Catalytic Conversion of Syngas to Higher Alcohols over Alkali-Promoted Cobalt–Molybdenum Sulfide. Industrial &amp; Engineering Chemistry Research, 2011, 50, 7949-7963. | 1.8 | 44 |
| 2197 | Experimental Measurement of Vapor Pressures and Densities at Saturation of Pure Hexafluoropropylene Oxide: Modeling Using a Crossover Equation of State. Industrial &amp; Engineering Chemistry Research, 2011, 50, 4761-4768. | 1.8 | 22 |

| # | ARTICLE | IF | CITATIONS |
|---|---------|----|-----------| 
| 2198 | Sensitivity analysis of dense gas flow simulations to thermodynamic uncertainties. Physics of Fluids, 2011, 23, . | 1.6 | 19 |
| 2199 | $P$–$T$ Data for Hydrogen Sulfide + Propane from (263 to 363) K at Pressures up to 40 MPa. Journal of Chemical &amp; Engineering Data, 2011, 56, 84-88. | 1.0 | 3 |
| 2200 | Generalized Phase Boundary Determination Algorithm for Multicomponent Mixtures. Industrial &amp; Engineering Chemistry Research, 2011, 50, 97-101. | 1.8 | 3 |
| 2201 | Evaluation of Statistical Associating Fluid Theory (SAFT) and Perturbed Chain-SAFT Equations of State for the Calculation of Thermodynamic Derivative Properties of Fluids Related to Carbon Capture and Sequestration. Energy &amp; Fuels, 2011, 25, 3334-3343. | 2.5 | 105 |
| 2202 | On the potential of CO2â€"waterâ€"rock interactions for CO2 storage using a modified kinetic model. International Journal of Greenhouse Gas Control, 2011, 5, 1002-1015. | 2.3 | 123 |
| 2203 | Measurement and modeling of CO2 solubility in NaCl brine and CO2â€"saturated NaCl brine density. International Journal of Greenhouse Gas Control, 2011, 5, 1460-1477. | 2.3 | 175 |
| 2205 | Synthesis and characterization of hybrid organic/inorganic nanotubes of the imogolite type and their behaviour towards methane adsorption. Physical Chemistry Chemical Physics, 2011, 13, 744-750. | 1.3 | 102 |
| 2206 | Experimental Considerations. Green Energy and Technology, 2011, , 183-234. | 0.4 | 0 |
| 2207 | Measurement and Modeling of Liquid Saturated Properties (Solubility, Density, and Viscosity) of (Ethane + $n$-Tetradecane) Binary Systems. Journal of Chemical &amp; Engineering Data, 2011, 56, 3669-3672. | 1.0 | 23 |
| 2208 | A New Quartic Equation of State Based on a General Form and Its Application to Pure Fluids. Industrial &amp; Engineering Chemistry Research, 2011, 50, 13576-13584. | 1.8 | 1 |
| 2209 | Constitutive Models. , 2011, , 87-124. | | 0 |
| 2210 | Experimental and Molecular Modeling Study of the Three-Phase Behavior of ($n$-Decane + Carbon) Tj ETQq1 1 0.784314 rgBT /O | 1.2 | 33 |
| 2211 | Vaporâˆ'Liquid Equilibrium Data of the Carbon Dioxide + Ethyl Butyrate and Carbon Dioxide + Propylene Carbonate Systems at Pressures from (1.00 to 13.00) MPa and Temperatures from (313.0 to 373.0) K. Journal of Chemical &amp; Engineering Data, 2011, 56, 1148-1157. | 1.0 | 22 |
| 2212 | Measurement and Modeling of $CO_2$ Frost Points in the $CO_2$â€"Methane Systems. Journal of Chemical &amp; Engineering Data, 2011, 56, 2971-2975. | 1.0 | 48 |
| 2213 | $P$–$T$ Behavior of a Lean Synthetic Natural Gas Mixture Using Magnetic Suspension Densimeters and an Isochoric Apparatus: Part I. Journal of Chemical &amp; Engineering Data, 2011, 56, 212-221. | 1.0 | 22 |
| 2215 | Precombustion Capture of Carbon Dioxide and Hydrogen with a One-Stage Hydrate/Membrane Process in the Presence of Tetra-$n$-butylammonium Bromide (TBAB). Energy &amp; Fuels, 2011, 25, 1302-1309. | 2.5 | 91 |
| 2216 | EXCESS ENTHALPY AND VAPOR-LIQUID EQUILIBRIA WITH THE MHV2 AND SOAVE MIXING RULES. Chemical Engineering Communications, 2011, 198, 1435-1452. | 1.5 | 2 |
| 2217 | Application of a renormalization-group treatment to the statistical associating fluid theory for potentials of variable range (SAFT-VR). Journal of Chemical Physics, 2011, 134, 154102. | 1.2 | 42 |

| # | Article | IF | Citations |
|---|---------|-----|-----------|
| 2218 | Solubilities Prediction and Partial Molar Volume Calculation for 2-Butanol and $CO_2$ Binary Mixture at High Pressure. Applied Mechanics and Materials, 0, 138-139, 1032-1039. | 0.2 | 0 |
| 2219 | Detailed modeling of planar transcritical $H_2$–$O_2$–$N_2$ flames. Combustion Theory and Modelling, 2011, 15, 141-182. | 1.0 | 46 |
| 2220 | THERMOPHYSICAL PROPERTIES OF ASSOCIATING FLUIDS IN NATURAL GAS INDUSTRY USING PC-SAFT EQUATION OF STATE. Chemical Engineering Communications, 2011, 198, 1244-1262. | 1.5 | 9 |
| 2221 | Hydrogen Storage Materials. Green Energy and Technology, 2011, , . | 0.4 | 141 |
| 2222 | On the Critical Points of Thermally Cracked Hydrocarbon Fuels under High Pressure. Industrial &amp; Engineering Chemistry Research, 2011, 50, 9456-9465. | 1.8 | 30 |
| 2223 | Measurements and Modeling of High-Pressure Phase Behavior of the Carbon Dioxide + Pentan-1-ol Binary System. Journal of Chemical &amp; Engineering Data, 2011, 56, 5000-5007. | 1.0 | 22 |
| 2224 | p–Ï–TBehavior of Three Lean Synthetic Natural Gas Mixtures Using a Magnetic Suspension Densimeter and Isochoric Apparatus from (250 to 450) K with Pressures up to 150 MPa: Part II. Journal of Chemical &amp; Engineering Data, 2011, 56, 3766-3774. | 1.0 | 19 |
| 2225 | Phase Behavior of High Pressure and Temperature Gas Reservoirs: Water Solubility and Density Measurement and Modeling from (3.7 to 132) MPa and Temperatures from (422 to 478) K. Journal of Chemical &amp; Engineering Data, 2011, 56, 3839-3847. | 1.0 | 7 |
| 2226 | Vapor–Liquid Equilibria Measurements of the Methane + Pentane and Methane + Hexane Systems at Temperatures from (173 to 330) K and Pressures to 14 MPa. Journal of Chemical &amp; Engineering Data, 2011, 56, 4301-4309. | 1.0 | 22 |
| 2227 | The Prediction of the Compressibility Factor of Sour and Natural Gas by an Artificial Neural Network System. Petroleum Science and Technology, 2011, 29, 325-336. | 0.7 | 21 |
| 2228 | First-Principles Prediction of Vapor–Liquid–Liquid Equilibrium from the PR+COSMOSAC Equation of State. Industrial &amp; Engineering Chemistry Research, 2011, 50, 1496-1503. | 1.8 | 15 |
| 2229 | Modified α Function for the Peng–Robinson Equation of State To Improve the Vapor Pressure Prediction of Non-hydrocarbon and Hydrocarbon Compounds. Energy &amp; Fuels, 2011, 25, 215-223. | 2.5 | 93 |
| 2230 | Investigations of trans/supercritical jet mixing using a high-resolution numerical method. , 2011, , . | | 2 |
| 2231 | Flowfield and Heat Transfer Characteristics of Cooling Channel Flows in a Subscale Thrust Chamber. , 2011, , . | | 11 |
| 2232 | Caprock interaction with CO2: A laboratory study of reactivity of shale with supercritical CO2 and brine. Applied Geochemistry, 2011, 26, 1975-1989. | 1.4 | 154 |
| 2233 | The influence of temperature, pressure, salinity and capillary force on the formation of methane hydrate. Geoscience Frontiers, 2011, 2, 125-135. | 4.3 | 28 |
| 2234 | Thermodynamic Model for the Prediction of Equilibrium Conditions of Clathrate Hydrates of Methane + Water-Soluble or -Insoluble Hydrate Former. Industrial &amp; Engineering Chemistry Research, 2011, 50, 9437-9450. | 1.8 | 32 |
| 2235 | Artificial Neural Network Modeling of Solubilities of 21 Commonly Used Industrial Solid Compounds in Supercritical Carbon Dioxide. Industrial &amp; Engineering Chemistry Research, 2011, 50, 221-226. | 1.8 | 82 |

| # | Article | IF | Citations |
|---|---------|----|-----------|
| 2237 | Water Solubility in Supercritical Methane, Nitrogen, and Carbon Dioxide: Measurement and Modeling from 422 to 483 K and Pressures from 3.6 to 134 MPa. Industrial &amp; Engineering Chemistry Research, 2011, 50, 4029-4041. | 1.8 | 72 |
| 2238 | High-Resolution Numerical Method for Supercritical Flows with Large Density Variations. AIAA Journal, 2011, 49, 2658-2672. | 1.5 | 49 |
| 2239 | Polarizability-based equation of state: Application to CO, N2 and O2. Chemical Physics Letters, 2011, 515, 170-172. | 1.2 | 5 |
| 2240 | The Use of Fuel Gas as Stripping Medium in Atmospheric Distillation of Crude Oil. Oil and Gas Science and Technology, 2011, 66, 1017-1024. | 1.4 | 2 |
| 2241 | A New Multi-Sample EOS Model for the Gas Condensate Phase Behavior Analysis. Oil and Gas Science and Technology, 2011, 66, 1025-1033. | 1.4 | 5 |
| 2242 | Why is Dawsonite Absent in $CO_2$ Charged Reservoirs?. Oil and Gas Science and Technology, 2011, 66, 119-135. | 1.4 | 48 |
| 2243 | SENSITIVITY STUDY ON STORAGE OF CO2 IN SALINE AQUIFER FORMATION WITH FRACTURE USING REACTIVE TRANSPORT RESERVOIR SIMULATOR RCB. Journal of Porous Media, 2011, 14, 989-1004. | 1.0 | 3 |
| 2244 | Applications of Equations of State in the Oil and Gas Industry. , 2011, , . | | 13 |
| 2245 | P-wave of hydrate-bearing sand under temperature cycling. Geophysics, 2011, 76, E1-E7. | 1.4 | 11 |
| 2246 | EOS and Viscosity Modeling for Highly Undersaturated Gulf of Mexico Reservoir Fluids. , 2011, , . | | 7 |
| 2247 | Evaluation of the equations of state for air, nitrogen and oxygen on throttle reduction efficiency by using exergy analysis. International Journal of Exergy, 2011, 9, 297. | 0.2 | 4 |
| 2248 | Development of Experimental Techniques, Equipment and Thermodynamic Modelling for Investigating Systems with High CO2 Concentrations. , 2011, , . | | 0 |
| 2249 | Equation-of-State-Based Downhole Fluid Characterization. SPE Journal, 2011, 16, 115-124. | 1.7 | 16 |
| 2250 | A Practical Compositional Method for Simulation of CO2 Flooding in Porous and Fractured Petroleum Reservoirs. , 2011, , . | | 3 |
| 2251 | EoS Modeling for Two Major Kuwaiti Oil Reservoirs. , 2011, , . | | 9 |
| 2252 | Influence of Lumping and Equation of State Tuning Methods on the Sub-Salt Reservoirs Simulation. , 2011, , . | | 1 |
| 2254 | Silicaâ€"aluminas for carbon dioxide bulk removal from sour natural gas. Microporous and Mesoporous Materials, 2011, 146, 134-140. | 2.2 | 25 |
| 2255 | Development of a new semi analytical model for prediction of bubble point pressure of crude oils. Journal of Petroleum Science and Engineering, 2011, 78, 719-731. | 2.1 | 33 |

| # | Article | IF | Citations |
|---|---------|-----|-----------|
| 2256 | Solubility of Paclitaxel in Mixtures of Dichloromethane and Supercritical Carbon Dioxide. Chinese Journal of Chemical Engineering, 2011, 19, 558-564. | 1.7 | 9 |
| 2257 | Analyzing UV/Vis/NIR Spectra-Sputtered ZnO:Al Thin-Filmsâ€"II: Gas Law Dependencies. IEEE Transactions on Semiconductor Manufacturing, 2011, 24, 464-471. | 1.4 | 1 |
| 2258 | Free-energy profiles along reduction pathways of MoS2 M-edge and S-edge by dihydrogen: A first-principles study. Journal of Catalysis, 2011, 280, 178-195. | 3.1 | 117 |
| 2259 | Teaching advanced equations of state in applied thermodynamics courses using open source programs. Education for Chemical Engineers, 2011, 6, e114-e121. | 2.8 | 28 |
| 2260 | PÃ©neloux's mixing rules: 25 years ago and now. Fluid Phase Equilibria, 2011, 308, 164-167. | 1.4 | 10 |
| 2261 | Modeling and predicting solubility of n-alkanes in water. Fluid Phase Equilibria, 2011, 309, 53-61. | 1.4 | 26 |
| 2262 | Isothermal vaporâ€"liquid equilibria for methanol and 2,3-dimethyl-2-butene at 343.15K, 353.15K, 363.15K, 373.15K. Fluid Phase Equilibria, 2011, 309, 201-205. | 1.4 | 1 |
| 2263 | Effect of pressure on the solidâ€"liquid equilibria of synthetic paraffin mixtures using predictive methods. Fluid Phase Equilibria, 2011, 310, 111-119. | 1.4 | 20 |
| 2264 | Answer to â€œPÃ©neloux's mixing rules: 25 years ago and nowâ€• Fluid Phase Equilibria, 2011, 311, 93-94. | 1.4 | 0 |
| 2265 | Correlation and prediction of fluidâ€"fluid equilibria of carbon dioxideâ€"aromatics and carbon dioxideâ€"dichlorobenzoates binary mixtures. Fluid Phase Equilibria, 2011, 311, 45-53. | 1.4 | 5 |
| 2266 | Extension of the CPA equation of state with dipolar theories to improve vapourâ€"liquid-equilibria predictions. Fluid Phase Equilibria, 2011, 312, 66-78. | 1.4 | 16 |
| 2267 | Finding a suitable thermodynamic model and phase equilibria for hydrodeoxygenation reactions of methyl heptanoate. Fuel, 2011, 90, 3315-3322. | 3.4 | 13 |
| 2268 | The Least Dot Products method: A new numerical paradigm for phase stability analysis of thermodynamic mixtures. Chemical Engineering Science, 2011, 66, 5684-5702. | 1.9 | 10 |
| 2269 | An Examination of the Ternary Methane + Carbon Dioxide + Water Phase Diagram using the SAFT-VR Approach. Journal of Physical Chemistry B, 2011, 115, 9604-9617. | 1.2 | 30 |
| 2270 | Glycol Loss in a Gaseous System: Thermodynamic Assessment Test of Experimental Solubility Data. Journal of Chemical &amp; Engineering Data, 2011, 56, 4012-4016. | 1.0 | 12 |
| 2271 | Chrastil-Type Approach for Representation of Glycol Loss in Gaseous System. Industrial &amp; Engineering Chemistry Research, 2011, 50, 10373-10379. | 1.8 | 6 |
| 2272 | Improved Estimation of Bubble Point Pressure of Crude Oils: Modelling by Regression Analysis. , 2011, , . | | 3 |
| 2273 | Reaction reversibility in Î±-pinene thermal isomerization: improving the kinetic model. Russian Journal of Physical Chemistry A, 2011, 85, 1347-1357. | 0.1 | 2 |

| # | Article | IF | Citations |
|---|---------|-----|-----------|
| 2274 | Modeling and calculation of the process of rapid expansion of supercritical fluid yielding nanoparticles. Theoretical Foundations of Chemical Engineering, 2011, 45, 141-155. | 0.2 | 3 |
| 2275 | Calculating the vapor-liquid phase equilibrium for multicomponent systems using the Soave-Redlich-Kwong equation. Theoretical Foundations of Chemical Engineering, 2011, 45, 312-318. | 0.2 | 16 |
| 2276 | Prediction of solubility of Psoralea corylifolia L. Seed extract in supercritical carbon dioxide by equation of state models. Theoretical Foundations of Chemical Engineering, 2011, 45, 409-419. | 0.2 | 7 |
| 2277 | Methane storage on CPO-27-Ni pellets. Journal of Porous Materials, 2011, 18, 289-296. | 1.3 | 78 |
| 2278 | Impact of sorption phenomena on multiphase conveying processes. Heat and Mass Transfer, 2011, 47, 921-931. | 1.2 | 1 |
| 2279 | Excess molar volumes, densities and P–T–x phase equilibria for binary mixtures of benzene+toluene, benzene+N-methylformamide (NMF), heptane+octane, toluene+m-xylene and toluene+NMF at 333.15K and 353.15K. Journal of the Taiwan Institute of Chemical Engineers, 2011, 42, 441-446. | 2.7 | 3 |
| 2280 | Multiphase equilibria for mixtures containing water, isopropanol, propionic acid, and isopropyl propionate. Fluid Phase Equilibria, 2011, 305, 53-61. | 1.4 | 3 |
| 2281 | Solubility of carbon dioxide in aqueous solution of 2-amino-2-methyl-1-propanol and piperazine. Fluid Phase Equilibria, 2011, 307, 166-174. | 1.4 | 43 |
| 2282 | Uncertainty analysis applied to thermodynamic models and process design – 1. Pure components. Fluid Phase Equilibria, 2011, 307, 78-94. | 1.4 | 28 |
| 2283 | Measurement and correlation of antifungal drugs solubility in pure supercritical $CO_2$ using semiempirical models. Journal of Chemical Thermodynamics, 2011, 43, 1091-1096. | 1.0 | 45 |
| 2284 | Application of Gaussian quadrature method to characterize heavy ends of hydrocarbon fluids for modeling wax precipitation. Applied Mathematical Modelling, 2011, 35, 109-122. | 2.2 | 7 |
| 2285 | Structural phase transitions of methane+ethane mixed-gas hydrate induced by 1,1-dimethylcyclohexane. Chemical Engineering Science, 2011, 66, 2672-2676. | 1.9 | 4 |
| 2286 | A generalized reference state at constant volume for the prediction of phase equilibria from low pressure model parameters: Application to size-asymmetric systems and to the Wong–Sandler mixing rule. Chemical Engineering Science, 2011, 66, 4148-4156. | 1.9 | 7 |
| 2287 | Analysis and optimization of two-column cryogenic process for argon recovery from hydrogen-depleted ammonia purge gas. Chemical Engineering Research and Design, 2011, 89, 863-878. | 2.7 | 8 |
| 2288 | Effect of $CO_2$ concentration on the performance of different thermodynamic models for prediction of $CH_4+CO_2+H_2O$ hydrate equilibrium conditions. Korean Journal of Chemical Engineering, 2011, 28, 949-953. | 1.2 | 6 |
| 2289 | Separation of tetrahydrofuran and water using pressure swing distillation: Modeling and optimization. Korean Journal of Chemical Engineering, 2011, 28, 591-596. | 1.2 | 30 |
| 2290 | Predicting the vapor-liquid equilibrium of carbon dioxide+alkanol systems by using an artificial neural network. Korean Journal of Chemical Engineering, 2011, 28, 1286-1292. | 1.2 | 18 |
| 2291 | Decomposition kinetics and recycle of binary hydrogen–tetrahydrofuran clathrate hydrate. AICHE Journal, 2011, 57, 265-272. | 1.8 | 21 |

| # | Article | IF | Citations |
|---|---------|-----|-----------|
| 2292 | Numerical calculation and experimental validation of safety valve flows at pressures up to 600 bar. AICHE Journal, 2011, 57, 3285-3298. | 1.8 | 19 |
| 2293 | Prediction of hydrate formation conditions based on the vdWPâ€type models at high pressures. Canadian Journal of Chemical Engineering, 2011, 89, 254-263. | 0.9 | 21 |
| 2294 | Extension of a quartic equation of state to pure polar fluids. Canadian Journal of Chemical Engineering, 2011, 89, 453-459. | 0.9 | 2 |
| 2295 | Threeâ€parameter cubic equation of state for pure components of heavy oils. Canadian Journal of Chemical Engineering, 2011, 89, 869-878. | 0.9 | 8 |
| 2296 | Vapourâ€Liquid Phase Equilibria for Carbon Dioxide+Isopentanol Binary System at Elevated Pressure. Chinese Journal of Chemistry, 2011, 29, 1589-1594. | 2.6 | 0 |
| 2297 | Modeling of solidâ€"liquid equilibria for polyethylene and polypropylene solutions with equations of state. Journal of Applied Polymer Science, 2011, 121, 1832-1849. | 1.3 | 14 |
| 2298 | Evaluating the phase equilibria of liquid water+natural gas mixtures using cubic equations of state with asymmetric mixing rules. Fluid Phase Equilibria, 2011, 302, 179-189. | 1.4 | 25 |
| 2299 | Application of a new crossover treatment to a generalized cubic equation of state. Fluid Phase Equilibria, 2011, 302, 241-248. | 1.4 | 15 |
| 2300 | A new reduction method for phase equilibrium calculations. Fluid Phase Equilibria, 2011, 302, 226-233. | 1.4 | 42 |
| 2301 | Saturation points of specified entropy. Fluid Phase Equilibria, 2011, 301, 105-109. | 1.4 | 0 |
| 2302 | Vapourâ€"liquid and liquidâ€"liquid equilibrium properties of ethane+methanol system at ambient temperature. Fluid Phase Equilibria, 2011, 303, 31-34. | 1.4 | 11 |
| 2303 | On the compatibility between vapor pressure data and the critical constants: Use of the van der Waals family of cubic equations of state to study the cases of 2-methoxyethanol and 2-ethoxyethanol. Fluid Phase Equilibria, 2011, 303, 201-204. | 1.4 | 4 |
| 2304 | Simultaneous prediction of vapourâ€"liquid and liquidâ€"liquid equilibria (VLE and LLE) of aqueous mixtures with the SAFT-$\gamma$ group contribution approach. Fluid Phase Equilibria, 2011, 306, 82-96. | 1.4 | 55 |
| 2305 | A perturbed hard-sphere-chain equation of state for mixtures: Prediction from critical point constants. Fluid Phase Equilibria, 2011, 305, 169-173. | 1.4 | 3 |
| 2306 | Jouleâ€"Thomson coefficients and Jouleâ€"Thomson inversion curves for pure compounds and binary systems predicted with the group contribution equation of state VTPR. Fluid Phase Equilibria, 2011, 306, 181-189. | 1.4 | 21 |
| 2307 | Isobaric vapourâ€"liquid equilibrium for binary systems containing benzothiophene. Fluid Phase Equilibria, 2011, 307, 180-184. | 1.4 | 8 |
| 2308 | A semi-empirical Henry's law expression for carbon dioxide dissolution in ionic liquids. Fluid Phase Equilibria, 2011, 307, 208-215. | 1.4 | 26 |
| 2309 | A methodology to define the Cubic Equation of State of a simple fluid. Fluid Phase Equilibria, 2011, 307, 190-196. | 1.4 | 12 |

| # | Article | IF | Citations |
|---|---------|----|-----------|
| 2310 | Considerations on the steady-state modeling of methanol synthesis fixed-bed reactor. Chemical Engineering Science, 2011, 66, 152-162. | 1.9 | 79 |
| 2311 | Integrated solvent and process design using a SAFT-VR thermodynamic description: High-pressure separation of carbon dioxide and methane. Computers and Chemical Engineering, 2011, 35, 474-491. | 2.0 | 83 |
| 2312 | PVTxy properties of CO2 mixtures relevant for CO2 capture, transport and storage: Review of available experimental data and theoretical models. Applied Energy, 2011, 88, 3567-3579. | 5.1 | 214 |
| 2313 | Thermal integration and modelling of the chilled ammonia process. Energy Procedia, 2011, 4, 1713-1720. | 1.8 | 23 |
| 2314 | Effect of water and nitrogen impurities on CO2 pipeline transport for geological storage. Energy Procedia, 2011, 4, 2214-2221. | 1.8 | 14 |
| 2315 | Phase diagrams of CO2 and CO2â€"N2 gas mixtures and their application in compression processes. Energy Procedia, 2011, 4, 3778-3785. | 1.8 | 44 |
| 2316 | Energy saving in a CO2 capture plant by MEA scrubbing. Chemical Engineering Research and Design, 2011, 89, 1676-1683. | 2.7 | 53 |
| 2317 | An investigation on the applicability of Parachor model for the prediction of MMP using five equations of state. Chemical Engineering Research and Design, 2011, 89, 690-696. | 2.7 | 23 |
| 2318 | Exergy analysis of a steam production and distribution system including alternatives to throttling and the single pressure steam production. Energy Conversion and Management, 2011, 52, 703-712. | 4.4 | 7 |
| 2319 | Comparison between the artificial neural network system and SAFT equation in obtaining vapor pressure and liquid density of pure alcohols. Expert Systems With Applications, 2011, 38, 1738-1747. | 4.4 | 29 |
| 2320 | Parametric construction of characteristic curves. Fluid Phase Equilibria, 2011, 300, 83-88. | 1.4 | 3 |
| 2321 | Phase equilibria on binary systems containing diethyl sulfide. Fluid Phase Equilibria, 2011, 301, 200-205. | 1.4 | 8 |
| 2322 | Prediction of the thermodynamic properties of {ammonia+water} using cubic equations of state with the SOF cohesion function. Fluid Phase Equilibria, 2011, 303, 96-102. | 1.4 | 11 |
| 2323 | Solidâ€"liquid equilibrium using the SAFT-VR equation of state: Solubility of naphthalene and acetic acid in binary mixtures and calculation of phase diagrams. Fluid Phase Equilibria, 2011, 306, 137-147. | 1.4 | 8 |
| 2324 | Understanding the fluid phase behaviour of crude oil: Asphaltene precipitation. Fluid Phase Equilibria, 2011, 306, 129-136. | 1.4 | 35 |
| 2325 | Hydrate temperature depression of MEG solutions at concentrations up to 60wt%. Experimental data and simulation results. Fluid Phase Equilibria, 2011, 307, 175-179. | 1.4 | 35 |
| 2326 | Carbon capture and storage: A possible bridge to a future hydrogen infrastructure for Germany?. International Journal of Hydrogen Energy, 2011, 36, 8809-8821. | 3.8 | 13 |
| 2327 | Novel ammonia sorbents â€œporous matrix modified by active saltâ€•for adsorptive heat transformation: 4. Dynamics of quasi-isobaric ammonia sorption and desorption on BaCl2/vermiculite. Applied Thermal Engineering, 2011, 31, 566-572. | 3.0 | 30 |

| # | ARTICLE | IF | CITATIONS |
|---|---------|----|-----------|
| 2328 | Wagner liquidâ€"vapour pressure equation constants from a simple methodology. Journal of Chemical Thermodynamics, 2011, 43, 1235-1251. | 1.0 | 37 |
| 2329 | (Vapour+liquid) equilibria (VLE) of CO2 in aqueous solutions of 2-amino-2-methyl-1-propanol: New data and modelling using eNRTL-equation. Journal of Chemical Thermodynamics, 2011, 43, 1278-1285. | 1.0 | 47 |
| 2330 | (Vapor+liquid) equilibrium properties of (ethane+ethanol) system at (295, 303, and 313)K. Journal of Chemical Thermodynamics, 2011, 43, 1719-1722. | 1.0 | 9 |
| 2331 | Thermodynamic modeling of solubilities of various solid compounds in supercritical carbon dioxide: Effects of equations of state and mixing rules. Journal of Supercritical Fluids, 2011, 55, 861-875. | 1.6 | 74 |
| 2332 | Numerical study of cryogenic liquid nitrogen jets at supercritical pressures. Journal of Supercritical Fluids, 2011, 56, 152-163. | 1.6 | 71 |
| 2333 | Reforming of methanol and glycerol in supercritical water. Journal of Supercritical Fluids, 2011, 58, 99-113. | 1.6 | 77 |
| 2334 | Analysing UV/Vis/NIR spectra with the double-layer model â€" Sputtered SnS thin-films II: Gas law and plasma parameter dependencies. Thin Solid Films, 2011, 519, 6568-6578. | 0.8 | 4 |
| 2335 | Supercritical fluid extraction from vegetable materials. Reviews in Chemical Engineering, 2011, 27, . | 2.3 | 80 |
| 2336 | Ready for Gas Injection: Asphaltene Risk Evaluation by Mathematical Modeling of Asphaltene-Precipitation Envelope (APE) With Integration of All Laboratory Deliverables. SPE Projects, Facilities and Construction, 2011, 6, 71-81. | 0.2 | 19 |
| 2337 | Compositional Simulation Using the Advanced Peng-Robinson Equation of State. , 2011, , . | | 2 |
| 2338 | Combustion and Heat Transfer Modeling in Regeneratively Cooled Thrust Chambers (Multi-Injection) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5 | | 10 |
| 2339 | Numerical Simulation of Fluid Flow and Heat Transfer in a Counter-Current Reactor System for Nanomaterial Production. Chemical Product and Process Modeling, 2011, 6, . | 0.5 | 1 |
| 2340 | Excess molar volumes of the ternary mixtures chlorobenzeneâ€‰+â€‰n-Hexaneâ€‰+â€‰linear aliphatic alkane (C7-C8) at 298.15â€‰K. Physics and Chemistry of Liquids, 2011, 49, 708-719. | 0.4 | 3 |
| 2341 | Hydrates in High MEG Concentration Systems. , 2012, , 366-373. | | 8 |
| 2342 | A Review on Research on Replacement of CH4 in Natural Gas Hydrates by Use of CO2. Energies, 2012, 5, 399-419. | 1.6 | 107 |
| 2343 | Thermodynamic Properties and Applications of Modified van-der-Waals Equations of State. , 2012, , . | | 1 |
| 2344 | Theoretical study of vapor-liquid homogeneous nucleation using stability analysis of a macroscopic phase. Journal of Chemical Physics, 2012, 137, 144104. | 1.2 | 1 |
| 2345 | Modeling of a New Single-Well EOR Piloting Technique: Application to CO2 EOR. , 2012, , . | | 2 |

| # | ARTICLE | IF | CITATIONS |
|---|---------|----|-----------|
| 2346 | Flowfield and Heat Transfer Characteristics of Cooling Channel Flows in a Methane-Cooled Thrust Chamber. , 2012, , . | | 10 |
| 2347 | Combustion and Heat Transfer Modeling in Regeneratively Cooled Thrust Chambers (Optimal Solution) Tj ETQq1 1 0.784314 rgBT /Over 6 | | |
| 2349 | Thermodynamic Gas Model Effect on Gas Turbine Performance Simulations. Journal of Propulsion and Power, 2012, 28, 719-727. | 1.3 | 9 |
| 2350 | The Application of a New Association Equation of State (AEOS) for Prediction of Asphaltenes and Resins Deposition During CO2Gas Injection. Petroleum Science and Technology, 2012, 30, 1548-1561. | 0.7 | 7 |
| 2351 | The Prediction of Asphaltene Precipitation from Crude-Oils. Petroleum Science and Technology, 2012, 30, 2316-2328. | 0.7 | 2 |
| 2352 | Adsorption of water and carbon dioxide on hematite and consequences for possible hydrate formation. Physical Chemistry Chemical Physics, 2012, 14, 4410. | 1.3 | 50 |
| 2353 | Multi-Component Turbulent Droplet Evaporation of Kerosene Fuel in Hot Gas Environment. , 2012, , . | | 2 |
| 2354 | Development and Validation of an Advanced Simulation Model for ORC-Based Systems. , 2012, , . | | 3 |
| 2355 | Simulation of the Effect of Pressure and Solution Gas on Oil Recovery From Surfactant/Polymer Floods. SPE Journal, 2012, 17, 705-716. | 1.7 | 32 |
| 2356 | Four-Phase Equilibrium Calculations of CO2/Hydrocarbon/Water Systems Using a Reduced Method. , 2012, , . | | 10 |
| 2357 | Comprehensive Model for Flash Calculations of Heavy Oils Using the Soave - Redlich - Kwong Equation of State. , 2012, , . | | 8 |
| 2358 | Equation-of-State Modeling for Reservoir-Fluid Samples Contaminated By Oil-Based Drilling Mud Using Contaminated-Fluid Pressure/Volume/Temperature Data. SPE Reservoir Evaluation and Engineering, 2012, 15, 139-149. | 1.1 | 5 |
| 2359 | 1D Asphaltene Deposition Simulator for Reservoir Fluids Undergoing Gas Injection. , 2012, , . | | 7 |
| 2360 | Modeling of EOR PVT Data using PC-SAFT Equation. , 2012, , . | | 15 |
| 2361 | Waxy-Crude Production Management in a Deepwater Subsea Environment. Oil and Gas Facilities, 2012, 2, 53-64. | 0.4 | 2 |
| 2362 | A CFD Approach for Predicting Paraffin Deposition in Oilfield Installations. , 2012, , . | | 3 |
| 2363 | PVT in Liquid-Rich Shale Reservoirs. , 2012, , . | | 107 |
| 2364 | Non-linear optimization of high-pressure gas networks with respect to hydrate control / Nieliniowa optymalizacja sieci gazowej wysokiego ciÅ›nienia z uwzglÄ™dnieniem zapobieganiu hydratÃ³w. Archives of Mining Sciences, 2012, 57, 627-643. | 0.6 | 1 |

| # | Article | IF | Citations |
|---|---------|----|-----------| 
| 2365 | A Consistent Characteristic Boundary Condition for General Fluid Mixture and Its Implementation in a Preconditioning Scheme. Advances in Applied Mathematics and Mechanics, 2012, 4, 72-92. | 0.7 | 15 |
| 2367 | A thermodynamic model for predicting mineral reactivity in supercritical carbon dioxide: I. Phase behavior of carbon dioxide–water–chloride salt systems across the H2O-rich to the CO2-rich regions. Chemical Geology, 2012, 322-323, 151-171. | 1.4 | 78 |
| 2368 | Intensity Enhancement of Weak $O_2$ $a^1Î”_g$ → $X^3Î£_g^-$ Emission at 1270 nm by Collisions with Foreign Gases. Journal of Physical Chemistry A, 2012, 116, 2032-2038. | 1.1 | 9 |
| 2369 | Thirty Years with EoS/G$^E$ Models—What Have We Learned?. Industrial &amp; Engineering Chemistry Research, 2012, 51, 4119-4142. | 1.8 | 68 |
| 2370 | High pressure hydrogen sulphide adsorption on silica–aluminas. Chemical Engineering Journal, 2012, 210, 398-403. | 6.6 | 20 |
| 2371 | Monodisperse Thermodynamic Model Based on Chemical + Flory–Hüggins Polymer Solution Theories for Predicting Asphaltene Precipitation. Industrial &amp; Engineering Chemistry Research, 2012, 51, 4041-4055. | 1.8 | 43 |
| 2372 | Fluid Characterization Using an EOS for Compositional Simulation of Enhanced Heavy-Oil Recovery. , 2012, , . |  | 5 |
| 2373 | Modeling Miscible Gas Injection in the Agbami Field. , 2012, , . |  | 3 |
| 2374 | A comparison of exergy efficiency definitions with focus on low temperature processes. Energy, 2012, 44, 477-489. | 4.5 | 90 |
| 2376 | A Study on Vapour-Liquid Equilibria in Fischer-Tropsch Synthesis. Procedia Engineering, 2012, 42, 25-33. | 1.2 | 8 |
| 2377 | GEM-SELEKTOR GEOCHEMICAL MODELING PACKAGE: TSolMod LIBRARY AND DATA INTERFACE FOR MULTICOMPONENT PHASE MODELS. Canadian Mineralogist, 2012, 50, 1173-1195. | 0.3 | 375 |
| 2378 | Numerical procedures for natural gas accurate thermodynamic properties calculation. Journal of Engineering Thermophysics, 2012, 21, 213-234. | 0.6 | 31 |
| 2379 | Catalyst screening for the hydrothermal gasification of aqueous phase of bio-oil. Catalysis Today, 2012, 195, 83-92. | 2.2 | 48 |
| 2380 | Extended activity of zeolite catalysts with CO2 as reaction medium. Chemical Engineering Journal, 2012, 213, 235-244. | 6.6 | 4 |
| 2381 | Phase equilibria of CO2+N2 and CO2+CH4 clathrate hydrates: Experimental measurements and thermodynamic modelling. Chemical Engineering Science, 2012, 84, 602-611. | 1.9 | 57 |
| 2382 | Advances on modeling and simulation of alcoholic distillation. Part 1: Thermodynamic modeling. Food and Bioproducts Processing, 2012, 90, 819-831. | 1.8 | 27 |
| 2383 | Experimental and thermodynamic modeling study on (vapor+liquid) equilibria and physical properties of ternary systems (methane+n-decane+n-tetradecane). Fluid Phase Equilibria, 2012, 334, 30-36. | 1.4 | 10 |
| 2384 | Critical parameters optimized for accurate phase behavior modeling for heavy n-alkanes up to C100 using the Peng–Robinson equation of state. Fluid Phase Equilibria, 2012, 335, 46-59. | 1.4 | 26 |

| # | ARTICLE | IF | CITATIONS |
|---|---------|----|-----------|
| 2385 | Volume-translated Peng–Robinson equation of state for saturated and single-phase liquid densities. Fluid Phase Equilibria, 2012, 335, 74-87. | 1.4 | 71 |
| 2386 | Modeling of physical and chemical equilibrium for the direct synthesis of dimethyl carbonate at high pressure conditions. Fluid Phase Equilibria, 2012, 336, 41-51. | 1.4 | 19 |
| 2387 | Thermodynamic modeling of hydrate dissociation conditions for refrigerants R-134a, R-141b and R-152a. International Journal of Refrigeration, 2012, 35, 1914-1920. | 1.8 | 25 |
| 2388 | Thermodynamic and phase behaviour of fluids embedded with nanostructured materials. International Journal of Thermal Sciences, 2012, 62, 44-49. | 2.6 | 7 |
| 2389 | Simulation of CO2 Capture by MEA Scrubbing with a Rate-Based Model. Procedia Engineering, 2012, 42, 1651-1661. | 1.2 | 25 |
| 2390 | The Gibbs–Helmholtz Equation and the Thermodynamic Consistency of Chemical Absorption Data. Industrial &amp; Engineering Chemistry Research, 2012, 51, 5090-5097. | 1.8 | 63 |
| 2391 | Vapor–Liquid Phase Equilibria and Physical Properties Measurements for Ternary Systems (Methane +) Tj ETQq0 0 0 rgBT /Overlock 10 | 1.0 | 9 |
| 2392 | Phase Equilibria of $H_2$S-Hydrocarbons (Propane, $n$-Butane, and $n$-Pentane) Binary Systems at Low Temperatures. Journal of Chemical &amp; Engineering Data, 2012, 57, 1534-1543. | 1.0 | 11 |
| 2393 | Multiphase Equilibrium Calculations from Soave Equation of State with Chang-Twu/UNIFAC Mixing Rules for Mixtures Containing Water, Alcohols, and Esters. Industrial &amp; Engineering Chemistry Research, 2012, 51, 5073-5081. | 1.8 | 5 |
| 2394 | Thermodynamic Characterization of Undefined Petroleum Fractions using Group Contribution Methods. Industrial &amp; Engineering Chemistry Research, 2012, 51, 14188-14198. | 1.8 | 21 |
| 2395 | Modeling and Experimental Studies on Phase and Chemical Equilibria in High-Pressure Methanol Synthesis. Industrial &amp; Engineering Chemistry Research, 2012, 51, 12233-12243. | 1.8 | 42 |
| 2396 | Solubility Measurements and Saturated Liquid Properties of Ternary Systems (Methane + Decane +) Tj ETQq1 1 0.784314 rgBT /Overl | 1.0 | 5 |
| 2397 | Capabilities and Limitations of an Association Theory for Chemicals in Liquid or Supercritical Solvents. Industrial &amp; Engineering Chemistry Research, 2012, 51, 13496-13517. | 1.8 | 18 |
| 2398 | Approach to Improve Speed of Sound Calculation within PC-SAFT Framework. Industrial &amp; Engineering Chemistry Research, 2012, 51, 14903-14914. | 1.8 | 58 |
| 2399 | Fluid Phase Equilibria Correlation for Carbon Dioxide +1-Heptanol System with Cubic Equations of State. Industrial &amp; Engineering Chemistry Research, 2012, 51, 11284-11293. | 1.8 | 16 |
| 2400 | Effect of Surface Energy on Carbon Dioxide Hydrate Formation. Journal of Physical Chemistry B, 2012, 116, 7296-7301. | 1.2 | 11 |
| 2401 | A Note on the Analytical Solution of Cubic Equations of State in Process Simulation. Industrial &amp; Engineering Chemistry Research, 2012, 51, 6972-6976. | 1.8 | 14 |
| 2402 | Crossover Volume Translation Soave–Redlich–Kwong Equation of State for Fluids. Industrial &amp; Engineering Chemistry Research, 2012, 51, 6580-6585. | 1.8 | 17 |

| # | Article | IF | Citations |
|---|---------|-----|-----------|
| 2403 | VLL Equilibria and Critical End Points Calculation of Nitrogen-Containing LNG Systems: Application of SRK and PC-SAFT Equations of State. Industrial &amp; Engineering Chemistry Research, 2012, 51, 9409-9418. | 1.8 | 5 |
| 2404 | Dynamic Behavior of Clathrate Hydrate Growth in Gas/Liquid/Liquid System. Crystal Growth and Design, 2012, 12, 3271-3277. | 1.4 | 12 |
| 2405 | Vaporâ€"Liquid Equilibrium (*PTxy*) Measurements and Modeling for the $CO_2$â€"$C_2H_4$ Binary System. Journal of Chemical &amp; Engineering Data, 2012, 57, 2744-2749. | 1.0 | 3 |
| 2406 | Explorative catalyst screening studies on reforming of glycerol in supercritical water. Journal of Supercritical Fluids, 2012, 70, 171-181. | 1.6 | 25 |
| 2407 | A fully-coupled flow-reactive-transport formulation based on element conservation, with application to CO2 storage simulations. Advances in Water Resources, 2012, 42, 47-61. | 1.7 | 46 |
| 2408 | Modelling liquefied-natural-gas processes using highly accurate property models. Applied Energy, 2012, 97, 822-827. | 5.1 | 36 |
| 2409 | Approach for simulating gasâ€"liquid-like flows under supercritical pressures using a high-order central differencing scheme. Journal of Computational Physics, 2012, 231, 6907-6923. | 1.9 | 70 |
| 2410 | Phase equilibrium measurements and thermodynamic modeling of methane alcohol systems at ambient temperature. Journal of Chemical Thermodynamics, 2012, 54, 165-170. | 1.0 | 11 |
| 2411 | Prediction of vaporâ€"liquid equilibrium for reservoir mixtures with cubic equations of state: Binary interaction parameters for acidic gases. Fluid Phase Equilibria, 2012, 326, 45-49. | 1.4 | 16 |
| 2412 | Testing the ability of various equations of state to reproduce high-pressure isotherm crossings in the (Î±, P) plane. Fluid Phase Equilibria, 2012, 327, 45-57. | 1.4 | 8 |
| 2413 | Measurement and correlation of solubility of water in carbon dioxide-rich phase. Fluid Phase Equilibria, 2012, 328, 9-12. | 1.4 | 18 |
| 2414 | The Patelâ€"Teja and the Pengâ€"Robinson EoSs performance when Soave alpha function is replaced by an exponential function. Fluid Phase Equilibria, 2012, 332, 55-76. | 1.4 | 28 |
| 2415 | The iPRSV equation of state. Fluid Phase Equilibria, 2012, 330, 24-35. | 1.4 | 22 |
| 2416 | Equation of state modelling of systems with ionic liquids: Literature review and application with the Cubic Plus Association (CPA) model. Fluid Phase Equilibria, 2012, 332, 128-143. | 1.4 | 82 |
| 2417 | CFD analysis with fluidâ€"structure interaction of opening high-pressure safety valves. Computers and Fluids, 2012, 64, 108-116. | 1.3 | 76 |
| 2418 | Detailed kinetic modeling of methanol synthesis over a ternary copper catalyst. Chemical Engineering Journal, 2012, 203, 480-491. | 6.6 | 53 |
| 2419 | Coupling between Continuity/Momentum and Energy Equation in 1D Gas Flow. Energy Procedia, 2012, 26, 82-89. | 1.8 | 25 |
| 2420 | Preliminary Evaluation of the SPUNG Equation of State for Modelling the Thermodynamic Properties of CO2-Water Mixtures. Energy Procedia, 2012, 26, 90-97. | 1.8 | 5 |

| # | Article | IF | Citations |
|---|---------|-----|-----------|
| 2421 | On the potential for CO2mineral storage in continental flood basalts â€" PHREEQC batch- and 1D diffusionâ€"reaction simulations. Geochemical Transactions, 2012, 13, 5. | 1.8 | 58 |
| 2423 | Production of highly porous carbon sorbents for methane storage from coal, coke, and individual organic compounds. Coke and Chemistry, 2012, 55, 353-357. | 0.0 | 5 |
| 2424 | Critical Properties and Normal Boiling Temperature of Ionic Liquids. Update and a New Consistency Test. Industrial &amp; Engineering Chemistry Research, 2012, 51, 7838-7844. | 1.8 | 159 |
| 2426 | Top-cited Articles in Chemical Engineering in Science Citation Index Expanded: A Bibliometric Analysis. Chinese Journal of Chemical Engineering, 2012, 20, 478-488. | 1.7 | 164 |
| 2427 | Dynamic simulation of pipelines containing dense phase/supercritical CO2-rich mixtures for carbon capture and storage. International Journal of Greenhouse Gas Control, 2012, 9, 446-456. | 2.3 | 30 |
| 2428 | An Equation of State for thermodynamic equilibrium of gas mixtures and brines to allow simulation of the effects of impurities in subsurface CO2 storage. International Journal of Greenhouse Gas Control, 2012, 11, S21-S34. | 2.3 | 89 |
| 2429 | Toward enhanced hydrogen production in a catalytic naphtha reforming process. International Journal of Hydrogen Energy, 2012, 37, 11772-11784. | 3.8 | 14 |
| 2430 | Fluid phase equilibria of the reaction mixture during the selective hydrogenation of 2-butenal in dense carbon dioxide. Applied Catalysis A: General, 2012, 443-444, 67-75. | 2.2 | 6 |
| 2431 | A new approach to multiphase geochemical speciation modeling. Applied Geochemistry, 2012, 27, 1724-1737. | 1.4 | 6 |
| 2432 | Numerical simulation of transcritical strained laminar flames. Combustion and Flame, 2012, 159, 2829-2840. | 2.8 | 17 |
| 2433 | A rigorous approach for predicting the slope and curvature of the temperatureâ€"entropy saturation boundary of pure fluids. Energy, 2012, 45, 888-899. | 4.5 | 38 |
| 2434 | LES and RANS simulations of cryogenic liquid nitrogen jets. Journal of Supercritical Fluids, 2012, 72, 232-247. | 1.6 | 69 |
| 2435 | An improved method for calculating CO2 minimum miscibility pressure based on solubility parameter. Journal of Petroleum Science and Engineering, 2012, 98-99, 144-155. | 2.1 | 24 |
| 2436 | An improved generalized three-parameter cubic equation of state for pure fluids. Journal of Petroleum Science and Engineering, 2012, 96-97, 79-92. | 2.1 | 12 |
| 2437 | On the limitation of the van der Waals-Platteeuw-based thermodynamic models for hydrates with multiple occupancy of cavities. Molecular Physics, 2012, 110, 1213-1221. | 0.8 | 24 |
| 2438 | Distillation and Gas Absorption. , 2012, , 399-486. | | 0 |
| 2439 | Experiments and Modeling of Volumetric Properties and Phase Behavior for Condensate Gas under Ultra-High-Pressure Conditions. Industrial &amp; Engineering Chemistry Research, 2012, 51, 6916-6925. | 1.8 | 34 |
| 2440 | Profit maximization of the normal hexane recovery process through a thermal integration method. Korean Journal of Chemical Engineering, 2012, 29, 1239-1245. | 1.2 | 0 |

| # | Article | IF | Citations |
|---|---------|----|-----------|
| 2441 | A theoretical prediction of cage occupancy and heat of dissociation of THF-CH4 hydrate. Korean Journal of Chemical Engineering, 2012, 29, 1670-1673. | 1.2 | 14 |
| 2442 | Exergy Evaluation of the Arctic Snøhvit Liquefied Natural Gas Processing Plant in Northern Norwayâ€"Significance of Ambient Temperature. Energy &amp; Fuels, 2012, 26, 1259-1267. | 2.5 | 21 |
| 2443 | Carbon Dioxide Liquefaction Process for Ship Transportation. Industrial &amp; Engineering Chemistry Research, 2012, 51, 15122-15131. | 1.8 | 32 |
| 2444 | Conceptual design for a kerosene fuel-rich gas-generator of a turbopump-fed liquid rocket engine. Journal of Thermal Science, 2012, 21, 428-434. | 0.9 | 13 |
| 2445 | Flow assurance: Managing flow dynamics and production chemistry. Journal of Petroleum Science and Engineering, 2012, 100, 106-116. | 2.1 | 20 |
| 2446 | Experimental Measurement and Equation of State Modeling of Liquid Saturated Properties (Solubility,) Tj ETQq1 1 0.784314 rgBT /Overl Engineering Data, 2012, 57, 137-141. | 1.0 | 17 |
| 2447 | Methodologies for Fuel Cell Process Engineering. , 2012, , 597-644. | | 4 |
| 2448 | Quick Estimation of Absorption of Aromatics Compounds (BTEX) in TEG Dehydration Process. , 2012, , 288-294. | | 0 |
| 2449 | IGE Model: An Extension of the Ideal Gas Model to Include Chemical Composition as Part of the Equilibrium State. Journal of Thermodynamics, 2012, 2012, 1-18. | 0.8 | 1 |
| 2450 | A Survey of Equations of State for Polymers. , 0, , . | | 7 |
| 2451 | Thermodynamic Models for the Prediction of Petroleum-Fluid Phase Behaviour. , 2012, , . | | 4 |
| 2452 | Application of Chebyshev Polynomials to Calculate Density and Fugacity Using SAFT Equation of State to Predict Asphaltene Precipitation Conditions. , 0, , . | | 0 |
| 2453 | Liquid Biofuels: Fluid Properties to Optimize Feedstock Selection, Processing, Refining/Blending, Storage/Transportation, and Combustion. Energy &amp; Fuels, 2012, 26, 324-348. | 2.5 | 42 |
| 2454 | Optimized Binary Interaction Parameters for VLE Calculations of Natural Gas Mixtures via Cubic and Molecular-Based Equations of State. Industrial &amp; Engineering Chemistry Research, 2012, 51, 9687-9699. | 1.8 | 9 |
| 2455 | Seismic modeling to monitor CO<sub>2</sub> geological storage: The Atzbachâ€Schwanenstadt gas field. Journal of Geophysical Research, 2012, 117, . | 3.3 | 24 |
| 2456 | A practical equation of state for nonâ€spherical and asymmetric systems for application at high pressures. Part 1: Development of the pure component model. Canadian Journal of Chemical Engineering, 2012, 90, 584-596. | 0.9 | 2 |
| 2457 | A practical equation of state for nonâ€spherical and asymmetric systems for application at high pressures. Part 2: Extension to mixtures. Canadian Journal of Chemical Engineering, 2012, 90, 597-611. | 0.9 | 0 |
| 2458 | Comparison of the Debyeâ€"Hückel and the Mean Spherical Approximation Theories for Electrolyte Solutions. Industrial &amp; Engineering Chemistry Research, 2012, 51, 5353-5363. | 1.8 | 77 |

| # | Article | IF | Citations |
|---|---------|-----|-----------|
| 2459 | Applications of cubic equations of state for determination of the solubilities of industrial solid compounds in supercritical carbon dioxide: A comparative study. Chemical Engineering Science, 2012, 71, 283-299. | 1.9 | 30 |
| 2460 | Investigation of kinetics of methane hydrate formation during isobaric and isochoric processes in an agitated reactor. Chemical Engineering Science, 2012, 76, 58-65. | 1.9 | 48 |
| 2461 | Predictions of high pressure phase equilibria of CO2-containing mixtures with the NRCOSMO model. Fluid Phase Equilibria, 2012, 313, 203-210. | 1.4 | 1 |
| 2462 | Measurement and equation of state prediction of vaporâ€"liquid equilibrium and physical properties for the system methane+n-octadecane. Fluid Phase Equilibria, 2012, 314, 102-106. | 1.4 | 27 |
| 2463 | A vaporâ€"liquid equilibrium thermodynamic model for a Fischerâ€"Tropsch reactor. Fluid Phase Equilibria, 2012, 314, 38-45. | 1.4 | 21 |
| 2464 | Isobaric vaporâ€"liquid equilibrium for four binary systems of thiophene. Fluid Phase Equilibria, 2012, 315, 84-90. | 1.4 | 11 |
| 2465 | An analytical expression for the vapor pressure of ionic liquids based on an equation of state. Fluid Phase Equilibria, 2012, 317, 77-83. | 1.4 | 28 |
| 2466 | Prediction of volumetric properties of fluids for oil and gas applications. Fluid Phase Equilibria, 2012, 317, 52-58. | 1.4 | 10 |
| 2467 | Experimental study and phase equilibrium modeling of systems containing acid gas and glycol. Fluid Phase Equilibria, 2012, 318, 40-50. | 1.4 | 26 |
| 2468 | Prediction of hydrocarbon densities at extreme conditions using volume-translated SRK and PR equations of state fit to high temperature, high pressure PVT data. Fluid Phase Equilibria, 2012, 317, 65-76. | 1.4 | 74 |
| 2469 | An adaptive characterization scheme for the simulation of multistage separation of continuous mixtures using the quadrature method of moments. Fluid Phase Equilibria, 2012, 318, 1-12. | 1.4 | 7 |
| 2470 | The solubility of carbon dioxide and propylene oxide in polymers derived from carbon dioxide. Fluid Phase Equilibria, 2012, 318, 83-88. | 1.4 | 12 |
| 2471 | Vaporâ€"liquid equilibrium measurement and thermodynamic modeling of binary systems (methane+n-tetradecane). Fluid Phase Equilibria, 2012, 318, 96-101. | 1.4 | 22 |
| 2472 | On the range of applicability of the Carnahanâ€"Starlingâ€"Patelâ€"Teja equation of state. Fluid Phase Equilibria, 2012, 319, 16-22. | 1.4 | 2 |
| 2473 | Modeling high-pressure phase equilibria of coalbed gases/water mixtures with the Pengâ€"Robinson equation of state. Fluid Phase Equilibria, 2012, 319, 77-89. | 1.4 | 26 |
| 2474 | Isobaric vaporâ€"liquid equilibrium for four binary systems of 3-methylthiophene. Fluid Phase Equilibria, 2012, 320, 26-31. | 1.4 | 16 |
| 2475 | Correlation to predict solubility of hydrogen and carbon monoxide in heavy paraffins. Fluid Phase Equilibria, 2012, 320, 11-25. | 1.4 | 9 |
| 2476 | Development of a group contribution method for polymers within the PC-SAFT model. Fluid Phase Equilibria, 2012, 324, 70-79. | 1.4 | 45 |

| # | Article | IF | Citations |
|---|---------|----|-----------| 
| 2477 | Phase diagrams of mixtures of ethyl palmitate with fatty acid ethyl esters. Fuel, 2012, 91, 177-181. | 3.4 | 46 |
| 2478 | Regenerability of zeolites as adsorbents for natural gas sweetening: A case-study. Fuel, 2012, 93, 238-244. | 3.4 | 37 |
| 2479 | Novel ammonia sorbents â€˜â€˜porous matrix modified by active saltâ€• for adsorptive heat transformation: 6. The ways of adsorption dynamics enhancement. Applied Thermal Engineering, 2012, 37, 87-94. | 3.0 | 19 |
| 2480 | Novel ammonia sorbents â€œporous matrix modified by active saltâ€• for adsorptive heat transformation: 5. Designing the composite adsorbent for ice makers. Applied Thermal Engineering, 2012, 37, 80-86. | 3.0 | 20 |
| 2481 | Model of the expansion process for R245fa in an Organic Rankine Cycle (ORC). Applied Thermal Engineering, 2012, 40, 248-257. | 3.0 | 47 |
| 2482 | Adequacy of equation of state models for determination of adsorption of gas mixtures in a manometric set up. International Journal of Coal Geology, 2012, 89, 114-122. | 1.9 | 2 |
| 2483 | The HELD algorithm for multicomponent, multiphase equilibrium calculations with generic equations of state. Computers and Chemical Engineering, 2012, 36, 99-118. | 2.0 | 29 |
| 2484 | A multi-scale framework for multi-phase equilibrium flash. Computers and Chemical Engineering, 2012, 36, 79-98. | 2.0 | 24 |
| 2485 | Molecular geometry effects and the Gibbsâ€“Helmholtz Constrained equation of state. Computers and Chemical Engineering, 2012, 37, 1-14. | 2.0 | 10 |
| 2486 | Achieving higher accuracies for process simulations by implementing the new reference equation for natural gases. Computers and Chemical Engineering, 2012, 37, 15-21. | 2.0 | 19 |
| 2487 | Modeling, simulation and advanced control of methanol production from variable synthesis gas feed. Computers and Chemical Engineering, 2012, 40, 117-131. | 2.0 | 54 |
| 2488 | Three dimensional numerical computations on the fast filling of a hydrogen tank under different conditions. International Journal of Hydrogen Energy, 2012, 37, 7600-7611. | 3.8 | 77 |
| 2489 | Optimal cycle selection in carbon-ammonia adsorption cycles. International Journal of Refrigeration, 2012, 35, 571-580. | 1.8 | 24 |
| 2490 | Rigorous multiple utility targeting in heat exchanger networks. Energy Conversion and Management, 2012, 59, 74-85. | 4.4 | 13 |
| 2491 | Modeling the solubility of CO2 and H2S in DEAâ€“MDEA alkanolamine solutions using the electrolyteâ€“UNIQUAC model. Separation and Purification Technology, 2012, 94, 71-83. | 3.9 | 45 |
| 2492 | Supercritical pressureâ€“densityâ€“temperature measurements on CO2â€“N2, CO2â€“O2 and CO2â€“Ar binary mixtures. Journal of Supercritical Fluids, 2012, 61, 34-43. | 1.6 | 37 |
| 2493 | New super-critical cohesion parameters for Soaveâ€“Redlichâ€“Kwong equation of state by fitting to the Jouleâ€“Thomson Inversion Curve. Journal of Supercritical Fluids, 2012, 62, 65-72. | 1.6 | 18 |
| 2494 | Calculation of the apparent heat capacity in scanning calorimetry experiments on fluid phase equilibria. Journal of Supercritical Fluids, 2012, 66, 66-72. | 1.6 | 3 |

| # | ARTICLE | IF | CITATIONS |
|---|---------|-----|-----------|
| 2495 | High-pressure vaporâ€"liquid equilibria of methanol+propylene: Experimental and modeling with SAFT. Journal of Supercritical Fluids, 2012, 63, 25-30. | 1.6 | 7 |
| 2496 | High temperature-high pressure density prediction of hydrocarbon systems using an extended LJ potential-based equation of state. Journal of Supercritical Fluids, 2012, 68, 71-80. | 1.6 | 6 |
| 2497 | Supercritical fluid thermodynamics from equations of state. Physica D: Nonlinear Phenomena, 2012, 241, 649-670. | 1.3 | 20 |
| 2498 | Experimental and theoretical investigation of solubility of carbon dioxide in concentrated aqueous solution of 2-amino-2-methyl-1-propanol and piperazine. Journal of Chemical Thermodynamics, 2012, 51, 120-125. | 1.0 | 50 |
| 2499 | Determination of Henryâ€™s law constant of light hydrocarbon gases at low temperatures. Journal of Chemical Thermodynamics, 2012, 51, 8-11. | 1.0 | 43 |
| 2500 | Excess molar enthalpies for mixtures of supercritical $CO_2$ and ethyl acetate and their role in supercritical fluid applications. Journal of Chemical Thermodynamics, 2012, 51, 59-64. | 1.0 | 5 |
| 2501 | A semi-empirical molecular clustering based lattice model near to and far from the critical region. Journal of Industrial and Engineering Chemistry, 2012, 18, 785-791. | 2.9 | 0 |
| 2502 | Rigorous distillation dynamics simulations using a computer algebra. Computer Applications in Engineering Education, 2012, 20, 193-202. | 2.2 | 5 |
| 2503 | Solution and diffusion properties of cyclohexane, cyclohexanol, and cyclohexanone in poly(ethylene) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5 | 1.3 | 11 |
| 2504 | Comparative study of eight cubic equations of state for predicting thermodynamic properties of alkanes. Canadian Journal of Chemical Engineering, 2013, 91, 101-110. | 0.9 | 11 |
| 2505 | A unique approach to predict accurate heavy oil density with new three parameter cubic equation of state. Canadian Journal of Chemical Engineering, 2013, 91, 391-398. | 0.9 | 2 |
| 2506 | Modelling carbon dioxide solubility in ionic liquids. Canadian Journal of Chemical Engineering, 2013, 91, 783-789. | 0.9 | 17 |
| 2507 | Modelling and optimisation of continuous catalytic regeneration process using bee colony algorithm. Canadian Journal of Chemical Engineering, 2013, 91, 1256-1269. | 0.9 | 8 |
| 2508 | Phase behavior of reservoir fluids: Comparisons of PC-SAFT and cubic EOS simulations. Fluid Phase Equilibria, 2013, 359, 17-23. | 1.4 | 42 |
| 2509 | Economic Evaluation of Membrane Potential for Ethylene/Ethane Separation in a Retrofitted Hybrid Membrane-Distillation Plant Using Unisim Design. Industrial &amp; Engineering Chemistry Research, 2013, 52, 6524-6539. | 1.8 | 34 |
| 2510 | Influence of Gas Impurities on Thermodynamics of Amine Solutions. 2. Mercaptans. Industrial &amp; Engineering Chemistry Research, 2013, 52, 2025-2031. | 1.8 | 21 |
| 2511 | Application of Honey-Bee Mating Optimization to Naphtha Reforming Reactor. International Journal of Chemical Reactor Engineering, 2013, 11, 293-308. | 0.6 | 3 |
| 2512 | Modeling $CO_2$ and $H_2S$ solubilities in aqueous alkanolamine solutions via an extension of the Cubic-Two-State equation of state. Fluid Phase Equilibria, 2013, 344, 45-58. | 1.4 | 19 |

| # | Article | IF | Citations |
|---|---------|----|-----------| 
| 2513 | Vapour–liquid equilibrium data for the hydrogen sulphide (H2S)+carbon dioxide (CO2) system at temperatures from 258 to 313K. Fluid Phase Equilibria, 2013, 356, 223-228. | 1.4 | 37 |
| 2514 | Source terms calculation and atmospheric dispersion for a dynamic release from a $CO_2$ pipeline containing methane and water as impurities. , 2013, 3, 291-302. | | 1 |
| 2515 | Process Simulation. , 2013, , 161-250. | | 0 |
| 2516 | Physical Properties and Thermodynamic Models. Supercritical Fluid Science and Technology, 2013, 3, 57-89. | 0.5 | 3 |
| 2517 | Toward an intelligent approach for determination of saturation pressure of crude oil. Fuel Processing Technology, 2013, 115, 201-214. | 3.7 | 67 |
| 2518 | An intelligent approach for optimal prediction of gas deviation factor using particle swarm optimization and genetic algorithm. Journal of Natural Gas Science and Engineering, 2013, 14, 132-143. | 2.1 | 35 |
| 2519 | Density prediction of long chain ethers and glycol ethers using a group contribution equation. Journal of Molecular Liquids, 2013, 184, 17-23. | 2.3 | 3 |
| 2520 | Experimental Study of Single-Phase and Two-Phase Water-in-Crude-Oil Dispersed Flow Wax Deposition in a Mini Pilot-Scale Flow Loop. Energy &amp; Fuels, 2013, 27, 5036-5053. | 2.5 | 42 |
| 2521 | MATHEMATICAL MODELING OF SUPERCRITICAL MULTICOMPONENT REACTIVE FLUIDS. Mathematical Models and Methods in Applied Sciences, 2013, 23, 2193-2251. | 1.7 | 24 |
| 2522 | Toward a predictive model for estimating dew point pressure in gas condensate systems. Fuel Processing Technology, 2013, 116, 317-324. | 3.7 | 78 |
| 2523 | Modeling thermodynamic properties of natural gas mixtures using perturbed-chain statistical associating fluid theory. Russian Journal of Applied Chemistry, 2013, 86, 867-878. | 0.1 | 8 |
| 2524 | Estimation of vapor pressures, compressed liquid, and supercritical densities for sulfur dioxide using artificial neural networks. International Journal of Industrial Chemistry, 2013, 4, 14. | 3.1 | 1 |
| 2525 | D1 Berechnungsmethoden für Stoffeigenschaften. , 2013, , 137-174. | | 8 |
| 2526 | Experimental Measurements and Correlation of the Solubility of Three Primary Amides in Supercritical $CO_2$: Acetanilide, Propanamide, and Butanamide. Journal of Chemical &amp; Engineering Data, 2013, 58, 2110-2115. | 1.0 | 16 |
| 2527 | Determination of Methane–Hydrate Phase Equilibrium in the Presence of Electrolytes or Organic Inhibitors by using a Semi–Theoretical Framework. Energy Technology, 2013, 1, 519-529. | 1.8 | 21 |
| 2528 | Integrated equation of state modelling for flow assurance. Fluid Phase Equilibria, 2013, 359, 24-37. | 1.4 | 15 |
| 2529 | Modeling and simulation of asphaltene precipitation by normal pressure depletion. Journal of Petroleum Science and Engineering, 2013, 109, 123-132. | 2.1 | 11 |
| 2530 | Kinetic modelling of CO2–water–rock interactions. International Journal of Greenhouse Gas Control, 2013, 15, 3-15. | 2.3 | 101 |

| # | Article | IF | Citations |
|---|---------|-----|-----------|
| 2531 | Separation of polypropylene exhaust gas by alcohol absorption method. Fluid Phase Equilibria, 2013, 346, 1-7. | 1.4 | 5 |
| 2532 | Isobaric vaporâ€"liquid equilibrium for binary systems of toluene+o-xylene, benzene+o-xylene, nonane+benzene and nonane+heptane at 101.3kPa. Fluid Phase Equilibria, 2013, 352, 86-92. | 1.4 | 6 |
| 2533 | An analytical delumping methodology for PC-SAFT with application to reservoir fluids. Fluid Phase Equilibria, 2013, 339, 40-51. | 1.4 | 5 |
| 2534 | Experimental and modeling investigations of solubility and saturated liquid densities and viscosities for binary systems (methane+, ethane+, and carbon dioxide+2-propanol). Journal of Chemical Thermodynamics, 2013, 65, 191-197. | 1.0 | 13 |
| 2535 | Accurate statistical associating fluid theory for chain molecules formed from Mie segments. Journal of Chemical Physics, 2013, 139, 154504. | 1.2 | 382 |
| 2536 | Experimental measurement and modelling with Aspen Plus® of the phase behaviour of supercritical $CO_2$+(n-dodecane+1-decanol+3,7-dimethyl-1-octanol). Journal of Supercritical Fluids, 2013, 84, 132-145. | 1.6 | 25 |
| 2537 | A simple, reliable and fast algorithm for the simulation of multicomponent distillation columns. Chemical Engineering Research and Design, 2013, 91, 389-395. | 2.7 | 3 |
| 2538 | Volume-translated cubic EoS and PC-SAFT density models and a free volume-based viscosity model for hydrocarbons at extreme temperature and pressure conditions. Fluid Phase Equilibria, 2013, 359, 38-44. | 1.4 | 34 |
| 2539 | Solubility of spironolactone in supercritical carbon dioxide: Experimental and modeling approaches. Fluid Phase Equilibria, 2013, 355, 130-134. | 1.4 | 22 |
| 2540 | Measurements and predictions of density and carbon dioxide solubility in binary mixtures of ethanol and n-decane. Journal of Chemical Thermodynamics, 2013, 58, 377-384. | 1.0 | 10 |
| 2541 | Phase stability analysis using a reduction method. Fluid Phase Equilibria, 2013, 358, 27-39. | 1.4 | 21 |
| 2542 | A New Alpha-function for the Peng-Robinson Equation of State: Application to Natural Gas. Chinese Journal of Chemical Engineering, 2013, 21, 1155-1161. | 1.7 | 22 |
| 2543 | Ethylene Glycol and Its Mixtures with Water and Electrolytes: Thermodynamic and Transport Properties. Industrial &amp; Engineering Chemistry Research, 2013, 52, 15968-15987. | 1.8 | 51 |
| 2544 | Experimental results and thermodynamic investigation of carbon dioxide solubility in heavy liquid hydrocarbons and corresponding phase properties. Fluid Phase Equilibria, 2013, 339, 105-111. | 1.4 | 23 |
| 2545 | Capabilities and Limitations of Predictive Engineering Theories for Multicomponent Adsorption. Industrial &amp; Engineering Chemistry Research, 2013, 52, 11552-11563. | 1.8 | 39 |
| 2546 | Novel methods predict equilibrium vapor methanol content during gas hydrate inhibition. Journal of Natural Gas Science and Engineering, 2013, 15, 69-75. | 2.1 | 59 |
| 2547 | Object-oriented Modular Model Library for Distillation. Chinese Journal of Chemical Engineering, 2013, 21, 600-610. | 1.7 | 3 |
| 2548 | Theoretical Study of Gas Hydrate Decomposition Kinetics: Model Predictions. Journal of Physical Chemistry A, 2013, 117, 12184-12195. | 1.1 | 19 |

| # | Article | IF | Citations |
|---|---------|-----|-----------|
| 2549 | Generalized Fundamental Equation of State for the Normal Alkanes $$(hbox {C}_{5}{-}hbox) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 742 | 1.0 | 11 |
| 2550 | Application of the cubic-plus-association (CPA) equation of state to model the fluid phase behaviour of binary mixtures of water and tetrahydrofuran. Fluid Phase Equilibria, 2013, 356, 209-222. | 1.4 | 11 |
| 2552 | Volume-translated Peng-Robinson equation of state for liquid densities of diverse binary mixtures. Fluid Phase Equilibria, 2013, 349, 37-55. | 1.4 | 41 |
| 2553 | Improved Rate-Based Modeling of $H_2S$ and $CO_2$ Removal by Methyldiethanolamine Scrubbing. Industrial &amp; Engineering Chemistry Research, 2013, 52, 2056-2065. | 1.8 | 50 |
| 2554 | Determination of Mutual Solubility between $CO_2$ and Water by Using the Peng–Robinson Equation of State with Modified Alpha Function and Binary Interaction Parameter. Industrial &amp; Engineering Chemistry Research, 2013, 52, 13829-13838. | 1.8 | 40 |
| 2555 | Equilibrium Properties of (Carbon Dioxide + *n*-Decane *+ n*-Octadecane) Systems: Experiments and Thermodynamic Modeling. Journal of Chemical &amp; Engineering Data, 2013, 58, 1236-1243. | 1.0 | 33 |
| 2556 | Comparing Four Compound-specific Cohesion Factor Relationships for Soave–Redlich–Kwong Equation of State. Indian Chemical Engineer, 2013, 55, 1-28. | 0.9 | 8 |
| 2557 | Supercritical CO2 as a green solvent for eucalyptus and citrus essential oils processing: role of thermal effects upon mixing. RSC Advances, 2013, 3, 6065. | 1.7 | 5 |
| 2558 | Phase Equilibrium Relations and Structural Transition in the 1,1,1,2-Tetrafluoroethane Hydrate System. Journal of Chemical &amp; Engineering Data, 2013, 58, 1378-1381. | 1.0 | 2 |
| 2559 | Solubility of hydrofluorocarbons in aromatic solvents and alcohols: Experimental data and modeling with CPA EoS. Fluid Phase Equilibria, 2013, 337, 60-66. | 1.4 | 10 |
| 2560 | On the fundamental derivative of gas dynamics in the vapor–liquid critical region of single-component typical fluids. Fluid Phase Equilibria, 2013, 337, 259-273. | 1.4 | 18 |
| 2561 | Measurement and correlation of saturated liquid properties and gas solubility for decane, tetradecane and their binary mixtures saturated with carbon dioxide. Fluid Phase Equilibria, 2013, 337, 246-254. | 1.4 | 45 |
| 2562 | Phase behavior and compressibility factor of two China gas condensate samples at pressures up to 95MPa. Fluid Phase Equilibria, 2013, 337, 363-369. | 1.4 | 21 |
| 2563 | Reliability of the correlation allowing the kij to switch from an alpha function to another one in hydrogen-containing systems. Fluid Phase Equilibria, 2013, 338, 23-29. | 1.4 | 19 |
| 2564 | Mathematical modelling on rapid decompression in base natural gas mixtures under rupturing. Chemical Engineering Research and Design, 2013, 91, 63-69. | 2.7 | 8 |
| 2565 | Evaluation of the PC-SAFT, SAFT and CPA equations of state in predicting derivative properties of selected non-polar and hydrogen-bonding compounds. Fluid Phase Equilibria, 2013, 338, 1-15. | 1.4 | 78 |
| 2566 | Solubility of $CO_2$ in Ethyl Lactate and Modeling of the Phase Behavior of the $CO_2$ + Ethyl Lactate Mixture. Journal of Chemical &amp; Engineering Data, 2013, 58, 301-306. | 1.0 | 18 |
| 2568 | Calculation of Changes in Internal Energy, Enthalpy, and Entropy. , 2013, , 35-104. | | 1 |

| # | Article | IF | Citations |
|---|---------|----|-----------|
| 2569 | Strategy for simulating supercritical cryogenic jets using high-order schemes. Computers and Fluids, 2013, 85, 39-46. | 1.3 | 17 |
| 2570 | SRK and PR alpha functions for ice. Fluid Phase Equilibria, 2013, 356, 371-373. | 1.4 | 0 |
| 2571 | Prediction of sour gas compressibility factor using an intelligent approach. Fuel Processing Technology, 2013, 116, 209-216. | 3.7 | 84 |
| 2572 | Can the long-term potential for carbonatization and safe long-term CO2 storage in sedimentary formations be predicted?. Applied Geochemistry, 2013, 39, 108-118. | 1.4 | 26 |
| 2573 | The use of microplants in process development—Case study of etherification of 2-ethoxy-2-methylbutane. Chemical Engineering and Processing: Process Intensification, 2013, 74, 75-82. | 1.8 | 5 |
| 2574 | Fluid phase equilibria during propylene carbonate synthesis from propylene oxide in carbon dioxide medium. Journal of Supercritical Fluids, 2013, 82, 106-115. | 1.6 | 10 |
| 2575 | Accurate pre-calculation of limiting activity coefficients by COSMO-RS with molecular-class based parameterization. Fluid Phase Equilibria, 2013, 340, 11-14. | 1.4 | 6 |
| 2576 | Experimental measurements and modeling of CO2 solubility in sunflower, castor and rapeseed oils. Journal of Supercritical Fluids, 2013, 82, 191-199. | 1.6 | 7 |
| 2578 | Thermal stability and decomposition of diesel fuel under subcritical and supercritical conditions. Journal of Supercritical Fluids, 2013, 75, 101-111. | 1.6 | 26 |
| 2579 | Assessment, measurement and correlation of (vapour + liquid) equilibrium of (carbon dioxide+butyl,) Tj ETQq1 1 0.784314 rgBT /Over | 1.0 | 8 |
| 2580 | Thermodynamic consistency of the multi-scale Gibbs–Helmholtz constrained equation of state. Chemical Engineering Research and Design, 2013, 91, 1748-1759. | 2.7 | 6 |
| 2581 | Injecting pure N2 and CO2 to coal for enhanced coalbed methane: Experimental observations and numerical simulation. International Journal of Coal Geology, 2013, 116-117, 53-62. | 1.9 | 125 |
| 2582 | Hydrate formation and particle distributions in gas–water systems. Chemical Engineering Science, 2013, 104, 177-188. | 1.9 | 59 |
| 2583 | Thermodynamic and economic analysis of the different variants of a coal-fired, 460MW power plant using oxy-combustion technology. Energy Conversion and Management, 2013, 76, 109-120. | 4.4 | 66 |
| 2584 | Hydrogen car fill-up process modeling and simulation. International Journal of Hydrogen Energy, 2013, 38, 3401-3418. | 3.8 | 30 |
| 2585 | Modelling and simulation of CO2 (carbon dioxide) bottoming cycles for offshore oil and gas installations at design and off-design conditions. Energy, 2013, 59, 513-520. | 4.5 | 72 |
| 2586 | The high pCO2 Caprese Reservoir (Northern Apennines, Italy): Relationships between present- and paleo-fluid geochemistry and structural setting. Chemical Geology, 2013, 351, 40-56. | 1.4 | 12 |
| 2587 | Critical properties and acentric factors of ionic liquids. Korean Journal of Chemical Engineering, 2013, 30, 187-193. | 1.2 | 25 |

| # | Article | IF | Citations |
|---|---------|----|-----------|
| 2588 | A one-dimensional mathematical model of multi-component fluid flow in pipes and its application to rapid decompression in dry natural gas mixtures. International Journal of Pressure Vessels and Piping, 2013, 104, 30-36. | 1.2 | 5 |
| 2589 | Modeling of Dielectric Properties of Complex Fluids with an Equation of State. Journal of Physical Chemistry B, 2013, 117, 3389-3397. | 1.2 | 52 |
| 2590 | Development of accurate, robust liquid equations of state for multi-phase CFD simulations with a modified AUSM+-up scheme. Computers and Fluids, 2013, 77, 166-180. | 1.3 | 7 |
| 2591 | Electro-degradation and resistive switching of Fe-doped SrTiO3 single crystal. Journal of Applied Physics, 2013, 113, . | 1.1 | 45 |
| 2592 | Potential Theory of Adsorption for Associating Mixtures: Possibilities and Limitations. Industrial &amp; Engineering Chemistry Research, 2013, 52, 2672-2684. | 1.8 | 28 |
| 2593 | Screening ionic liquids as candidates for separation of acid gases: Solubility of hydrogen sulfide, methane, and ethane. AICHE Journal, 2013, 59, 2993-3005. | 1.8 | 68 |
| 2594 | Thermodynamic Modeling of Natural Gas Systems Containing Water. Industrial &amp; Engineering Chemistry Research, 2013, 52, 3499-3513. | 1.8 | 24 |
| 2595 | Prediction of hydrocarbon densities using an artificial networkâ€"group contribution method up to high temperatures and pressures. Thermochimica Acta, 2013, 556, 89-96. | 1.2 | 26 |
| 2596 | Equilibrium gasâ€"oil ratio measurements using a microfluidic technique. Lab on A Chip, 2013, 13, 2623. | 3.1 | 34 |
| 2597 | Multicomponent real gas 3-D-NSCBC for direct numerical simulation of reactive compressible viscous flows. Journal of Computational Physics, 2013, 245, 259-280. | 1.9 | 9 |
| 2598 | Evaluation of various types equations of state on prediction of rate of hydrate formation for binary gas mixtures in the presence or absence of kinetic hydrate inhibitors in a flow mini-loop apparatus. Fluid Phase Equilibria, 2013, 347, 45-53. | 1.4 | 7 |
| 2599 | Volumetric behavior of carbon dioxide+2-methyl-1-propanol and carbon dioxide+2-methyl-2-propanol mixtures at 313.15K. Fluid Phase Equilibria, 2013, 357, 57-63. | 1.4 | 9 |
| 2600 | A simple correlation to predict high pressure solubility of carbon dioxide in 27 commonly used ionic liquids. Journal of Supercritical Fluids, 2013, 77, 158-166. | 1.6 | 42 |
| 2601 | Investigating vaporâ€"liquid equilibria of binary mixtures containing supercritical or near-critical carbon dioxide and a cyclic compound using cascade neural network. Fluid Phase Equilibria, 2013, 343, 24-29. | 1.4 | 63 |
| 2602 | Density-and-temperature-dependent volume translation for the SRK EOS: 2. Mixtures. Fluid Phase Equilibria, 2013, 343, 13-23. | 1.4 | 17 |
| 2603 | A modified Patelâ€"Teja cubic equation of state: Part I â€" Generalized model for gases and hydrocarbons. Fluid Phase Equilibria, 2013, 342, 8-22. | 1.4 | 23 |
| 2604 | An empirical extension for a generalized cubic equation of state, applied to a pure substance with small molecules. Fluid Phase Equilibria, 2013, 347, 22-27. | 1.4 | 7 |
| 2605 | Measurement and calculation of gas compressibility factor for condensate gas and natural gas under pressure up to 116MPa. Journal of Chemical Thermodynamics, 2013, 63, 38-43. | 1.0 | 19 |

| # | Article | IF | Citations |
|---|---------|----|-----------| 
| 2606 | Evaluation of Cubic, SAFT, and PC-SAFT Equations of State for the Vapor–Liquid Equilibrium Modeling of $CO_2$ Mixtures with Other Gases. Industrial &amp; Engineering Chemistry Research, 2013, 52, 3933-3942. | 1.8 | 100 |
| 2607 | Phase Equilibrium Engineering in Distillation. Supercritical Fluid Science and Technology, 2013, 3, 153-177. | 0.5 | 1 |
| 2608 | Phase behavior of mixture of supercritical $CO_2$ + ionic liquid: Thermodynamic consistency test of experimental data. AICHE Journal, 2013, 59, 3892-3913. | 1.8 | 21 |
| 2609 | Solubility of R22, R23, R32, R134a, R152a, R125 and R744 refrigerants in water by using equations of state. International Journal of Refrigeration, 2013, 36, 1681-1688. | 1.8 | 21 |
| 2610 | Accurate Modeling of $CO_2$ Solubility in Ionic Liquids Using a Cubic EoS. Industrial &amp; Engineering Chemistry Research, 2013, 52, 7593-7601. | 1.8 | 25 |
| 2611 | Modified Redlichâ¿¿Kwong equation of state for supercritical carbon dioxide. Journal of Supercritical Fluids, 2013, 81, 92-98. | 1.6 | 33 |
| 2612 | An accurate generalized model for predict vapor pressure of refrigerants. International Journal of Refrigeration, 2013, 36, 1327-1332. | 1.8 | 8 |
| 2613 | Ionic Liquids for Carbon Capture: Solubility Computation Using an Implicit Solvent Model. ACS Symposium Series, 2013, , 19-30. | 0.5 | 0 |
| 2614 | Experimental measurement of phase equilibrium for gas hydrates of refrigerants, and thermodynamic modeling by SRK, VPT and CPA EOSs. Journal of Chemical Thermodynamics, 2013, 65, 213-219. | 1.0 | 22 |
| 2615 | Heat recovery from export gas compression: Analyzing power cycles with detailed heat exchanger models. Applied Thermal Engineering, 2013, 60, 1-6. | 3.0 | 14 |
| 2616 | Advances in Hydrogen Storage in Carbon Materials. , 2013, , 269-291. | | 8 |
| 2617 | Effect of Fossil Fuels on the Parameters of $CO_2$ Capture. Environmental Science &amp; Technology, 2013, 47, 130724144022003. | 4.6 | 11 |
| 2618 | Kinetic study of liquid-phase glycerol hydrogenolysis over Cu/SiO2 catalyst. Chemical Engineering Journal, 2013, 231, 103-112. | 6.6 | 81 |
| 2619 | Isobaric vapor–liquid equilibrium for systems containing sulfur compounds. Fluid Phase Equilibria, 2013, 353, 87-92. | 1.4 | 3 |
| 2620 | Comments on the modeling of hydrogen and hydrogen-containing mixtures with cubic equations of state. Fluid Phase Equilibria, 2013, 352, 93-96. | 1.4 | 11 |
| 2621 | A Neuro-fuzzy Model as a Predictive Tool for the Vapor-liquid Equilibrium of Binary Mixtures. Petroleum Science and Technology, 2013, 31, 68-79. | 0.7 | 1 |
| 2622 | Dynamic modeling of the methanol synthesis fixed-bed reactor. Computers and Chemical Engineering, 2013, 48, 325-334. | 2.0 | 57 |
| 2623 | Efficient computation paths for the systematic analysis of sensitivities. Computer Physics Communications, 2013, 184, 79-85. | 3.0 | 0 |

| # | Article | IF | Citations |
|---|---------|----|-----------|
| 2624 | Phase composition and saturated liquid properties in binary and ternary systems containing carbon dioxide, n-decane, and n-tetradecane. Journal of Chemical Thermodynamics, 2013, 57, 189-196. | 1.0 | 46 |
| 2625 | Experimental measurements and predictions of density, viscosity, and carbon dioxide solubility in methanol, ethanol, and 1-propanol. Journal of Chemical Thermodynamics, 2013, 57, 408-415. | 1.0 | 59 |
| 2626 | Development of an artificial neural network model for the prediction of hydrocarbon density at high-pressure, high-temperature conditions. Thermochimica Acta, 2013, 551, 124-130. | 1.2 | 46 |
| 2627 | Vapor–Liquid Equilibrium for Methoxymethane + Thiophene, + Diethylsulfide, + 2-Methyl-2-propanethiol and 1-Hexene, + 1-Propanethiol. Journal of Chemical &amp; Engineering Data, 2013, 58, 956-963. | 1.0 | 11 |
| 2628 | Vapor–Liquid Equilibrium for Ternary and Binary Mixtures of 2-Isopropoxypropane, 2-Propanol, and <i>N</i>,<i>N</i>-Dimethylacetamide at 101.3 kPa. Journal of Chemical &amp; Engineering Data, 2013, 58, 357-363. | 1.0 | 12 |
| 2629 | Optimal Control of Methanol Synthesis Fixed-Bed Reactor. Industrial &amp; Engineering Chemistry Research, 2013, 52, 13079-13091. | 1.8 | 11 |
| 2630 | Time Efficient Solution of Phase Equilibria in Dynamic and Distributed Systems with Differential Algebraic Equation Solvers. Industrial &amp; Engineering Chemistry Research, 2013, 52, 2130-2140. | 1.8 | 19 |
| 2631 | Can hydrate form in carbon dioxide from dissolved water?. Physical Chemistry Chemical Physics, 2013, 15, 2063-2074. | 1.3 | 40 |
| 2632 | Thermodynamics of $CO_2$/2-Methylpiperazine/Water. Industrial &amp; Engineering Chemistry Research, 2013, 52, 4229-4238. | 1.8 | 20 |
| 2633 | Liquid Carbon Dioxide Flooding in Low Temperature Oil Reservoirs. , 2013, , . |  | 4 |
| 2634 | Solubility of carbon dioxide, methane, and ethane in 1-butanol and saturated liquid densities and viscosities. Journal of Chemical Thermodynamics, 2013, 67, 227-233. | 1.0 | 15 |
| 2635 | Vapor–Liquid Equilibrium for Ternary and Binary Mixtures of Tetrahydrofuran, Cyclohexane, and 1,2-Propanediol at 101.3 kPa. Journal of Chemical &amp; Engineering Data, 2013, 58, 3054-3060. | 1.0 | 16 |
| 2636 | Influence of Gas Impurities on Thermodynamics of Amine Solutions. 1. Aromatics. Industrial &amp; Engineering Chemistry Research, 2013, 52, 2018-2024. | 1.8 | 21 |
| 2637 | Extension of the Expanded Fluid Viscosity Model to Characterized Oils. Energy &amp; Fuels, 2013, 27, 1881-1898. | 2.5 | 35 |
| 2638 | Measurement and Correlation of α-Bisabolol Solubility in Near-Critical Carbon Dioxide. Journal of Chemical &amp; Engineering Data, 2013, 58, 1151-1155. | 1.0 | 4 |
| 2639 | High Pressure Vapour-Liquid Equilibrium of Volatiles in Supercritical Carbon Dioxide. Chemical and Process Engineering - Inzynieria Chemiczna I Procesowa, 2013, 34, 387-392. | 0.7 | 5 |
| 2640 | Subgrid-Scale Models for Large-Eddy Simulation of Supercritical Combustion. , 2013, , . |  | 9 |
| 2641 | Universal Fluid Characterization Using an EOS Based on Perturbation from n-Alkanes. , 2013, , . |  | 1 |

| # | ARTICLE | IF | CITATIONS |
|---|---------|----|-----------|
| 2642 | Thermodynamic modeling of solid solubility in supercritical carbon dioxide: Comparison between mixing rules. Chemical Industry and Chemical Engineering Quarterly, 2013, 19, 389-398. | 0.4 | 5 |
| 2643 | Conjugated Combustion and Heat Transfer Modeling for Full-Scale Regeneratively Cooled Thrust Chambers. , 2013, , . | | 11 |
| 2644 | Supercritical Combustion of General Fluids in Laminar Counterflows. , 2013, , . | | 16 |
| 2645 | Modeling of Ionic Liquid Systems: Phase Equilibria and Physical Properties. , 2013, , . | | 4 |
| 2646 | Four-Phase Equilibrium Calculations of Carbon Dioxide/Hydrocarbon/Water Systems With a Reduced Method. SPE Journal, 2013, 18, 943-951. | 1.7 | 24 |
| 2647 | Theoretical and Experimental Investigations of Flat Sheet Membrane Module Types for High Capacity Gas Separation Applications. Chemie-Ingenieur-Technik, 2013, 85, 1210-1220. | 0.4 | 32 |
| 2648 | Acid Gases in CO2-rich Subsurface Geologic Environments. Reviews in Mineralogy and Geochemistry, 2013, 77, 361-398. | 2.2 | 14 |
| 2649 | Unique Characteristics of Cryogenic Nitrogen Jets Under Supercritical Pressures. Journal of Propulsion and Power, 2013, 29, 1328-1336. | 1.3 | 30 |
| 2650 | A Comparison Between PSRK and GERG-2004 Equation of State for Simulation of Non-Isothermal Compressible Natural Gases Mixed with Hydrogen in Pipelines / PorÃ³wnanie rÃ³wnaÅ„ stanu opracowanych wedÅ‚ug metody PSRK oraz GERG-2004 wykorzystanych do symulacji zachowania Å›ciÅ›liwych mieszanin gazu ziemnego i wodoru w rurociÄ…gach, w warunkach przepÅ‚ywÃ³w nie-izotermicznych. Archives of Mining Sciences, 2013, 58, 579-590. | 0.6 | 1 |
| 2651 | Comparison of ensemble filtering algorithms and null-space Monte Carlo for parameter estimation and uncertainty quantification using $CO_2$ sequestration data. Water Resources Research, 2013, 49, 8108-8127. | 1.7 | 26 |
| 2652 | High Pressure Data and Modeling Results for Phase Behavior and Asphaltene Onsets of GoM Oil Mixed with Nitrogen. , 2013, , . | | 7 |
| 2653 | Study on the Application of the Tie-Line-Table-Look-Up-Based Methods to Flash Calculations in Compositional Simulations. SPE Journal, 2013, 18, 932-942. | 1.7 | 2 |
| 2654 | An Analytical Quasi-Newton Method for EOS Calculations. , 2013, , . | | 0 |
| 2655 | Fully Compositional and Thermal Reservoir Simulations Efficiently Compare EOR Techniques. , 2013, , . | | 2 |
| 2656 | Modeling of Pressure and Solution Gas for Chemical Floods. SPE Journal, 2013, 18, 428-439. | 1.7 | 12 |
| 2657 | Adsorption/Desorption Characteristics for Methane, Nitrogen and Carbon Dioxide of Coal Samples from Southeast Qinshui Basin, China. Energy Exploration and Exploitation, 2013, 31, 645-665. | 1.1 | 35 |
| 2658 | Modeling vapor liquid equilibrium of ionic liquids + gas binary systems at high pressure with cubic equations of state. Brazilian Journal of Chemical Engineering, 2013, 30, 63-73. | 0.7 | 20 |
| 2659 | Characterization of cryogenic nitrogen jet mixings under supercritical pressures. , 2013, , . | | 3 |

| # | ARTICLE | IF | CITATIONS |
|---|---------|----|-----------|
| 2660 | Material Demands for Storage Technologies in a Hydrogen Economy. Journal of Renewable Energy, 2013, 2013, 1-16. | 2.1 | 20 |
| 2661 | 10. Acid Gases in C0<sub>2</sub>-rich Subsurface Geologic Environments. , 2013, , 361-398. | | 2 |
| 2662 | The Reactants' Phase State: A Nonnegligible Factor in Tetralin Hydrogenation Catalysts Evaluation. International Journal of Chemical Engineering, 2014, 2014, 1-8. | 1.4 | 1 |
| 2663 | Prediction of Bubble Point Pressure From Composition of Black Oils Using Artificial Neural Network. Petroleum Science and Technology, 2014, 32, 1720-1728. | 0.7 | 9 |
| 2665 | A New Correlation to Predict Dew Point Pressure in Wet Gas Reservoirs. Arabian Journal for Science and Engineering, 2014, 39, 8341-8346. | 1.1 | 1 |
| 2666 | SAFER SOLVENTS AND PROCESSES. , 2014, , 635-785. | | 2 |
| 2667 | Correlation of Pure Water Saturation Properties by Equations of State Using the Association Concept. , 2014, , . | | 0 |
| 2668 | High-Pressure Data and Modeling Results for Phase Behavior and Asphaltene Onsets of Gulf of Mexico Oil Mixed With Nitrogen. SPE Reservoir Evaluation and Engineering, 2014, 17, 384-395. | 1.1 | 9 |
| 2669 | Methane Adsorption on Shale: Insights from Experiments and a Simplified Local Density Model. Adsorption Science and Technology, 2014, 32, 535-556. | 1.5 | 14 |
| 2670 | Evaluation of CO<sub>2</sub> Uptake under Mild Accelerated Carbonation Conditions in Cement-Based and Lime-Based Mortars. Advanced Materials Research, 0, 980, 57-61. | 0.3 | 5 |
| 2672 | Numerical Simulation of Carbon Dioxide Injection in the Western Section of the Farnsworth Unit. Energy Procedia, 2014, 63, 7891-7912. | 1.8 | 42 |
| 2673 | Application of a Real-Gas-Library Multi-Fluid-Mixing Model to Supercritical Single Injector Flow. , 2014, , . | | 5 |
| 2674 | Flowfield and Heat Transfer Characteristics in the LE-X Expander Bleed Cycle Combustion Chamber. , 2014, , . | | 7 |
| 2675 | Computer Methods. , 2014, , 111-133. | | 0 |
| 2676 | Numerical Study of Cryogenic Coaxial Jet under Supercritical Condition. , 2014, , . | | 0 |
| 2677 | Numerical study on mixing characteristics of coaxial cryogenic N2/H2 injection under supercritical pressure. , 2014, , . | | 5 |
| 2678 | Crossover Equation of State for Selected Hydrocarbons (C4–C7). Chinese Journal of Chemical Engineering, 2014, 22, 1291-1297. | 1.7 | 9 |
| 2679 | Atomistic modeling toward high-efficiency carbon capture: A brief survey with a few illustrative examples. International Journal of Quantum Chemistry, 2014, 114, 163-175. | 1.0 | 14 |

| # | Article | IF | Citations |
|---|---------|-----|-----------|
| 2680 | A Parametric Methodology in Tuning the Peng-Robinson (PR) Equation of State for Gas Condensate Systems. Petroleum Science and Technology, 2014, 32, 662-672. | 0.7 | 10 |
| 2681 | Comprehensive Investigation and Comparison of Refinery Distillation Technologies. Industrial &amp; Engineering Chemistry Research, 2014, 53, 19282-19292. | 1.8 | 4 |
| 2682 | Influence of combining rules on the cavity occupancy of clathrate hydrates using van der Waalsâ€"Platteeuw-theory-based modelling. Chemical Engineering Research and Design, 2014, 92, 2992-3007. | 2.7 | 12 |
| 2683 | Simulation-based techno-economic evaluation for optimal design of CO 2 transport pipeline network. Applied Energy, 2014, 132, 610-620. | 5.1 | 63 |
| 2684 | Equation of State Based Simulation of Hybrid and Thermal Processes. , 2014, , . | | 2 |
| 2685 | Fluid Characterization and EoS Modelling of PVT Experiments. , 2014, , . | | 5 |
| 2686 | How Acid Gas Affects Asphaltene Precipitation Behavior. , 2014, , . | | 1 |
| 2687 | Hydrate phase transition kinetics from Phase Field Theory with implicit hydrodynamics and heat transport. International Journal of Greenhouse Gas Control, 2014, 29, 263-278. | 2.3 | 31 |
| 2688 | METHODS FOR THE MEASUREMENT OF SOLVENT ACTIVITY OF POLYMER SOLUTIONS. , 2014, , 167-264. | | 1 |
| 2689 | PVTx Modeling of CO2 Pipeline at Depressurization Conditions Using SPUNG Equation of State (EoS) with a Comparison to SRK. Energy Procedia, 2014, 63, 2467-2474. | 1.8 | 0 |
| 2690 | Modeling of vapor-liquid equilibrium for binary polypropylene glycol/solvent solutions using cubic equation of state models: optimization and comparison of CEoS models. Journal of Polymer Engineering, 2014, 34, 95-104. | 0.6 | 0 |
| 2691 | Investigation of Asphaltene-Asphaltene Association and Aggregation for Compositional Reservoir Simulators By Quantitative Molecular Representations. , 2014, , . | | 11 |
| 2692 | Thermodynamics of Adsorption at the Gas/Solid Interface. , 2014, , 25-56. | | 12 |
| 2693 | New method to detect asphaltene precipitation onset induced by CO2 injection. Fluid Phase Equilibria, 2014, 362, 355-364. | 1.4 | 13 |
| 2694 | CFD model performance benchmark of fast filling simulations of hydrogen tanks with pre-cooling. International Journal of Hydrogen Energy, 2014, 39, 4389-4395. | 3.8 | 70 |
| 2695 | Critical end line topologies for ternary systems. Journal of Supercritical Fluids, 2014, 89, 33-47. | 1.6 | 7 |
| 2696 | N-rich fluid inclusions in octahedrally-grown diamond. Earth and Planetary Science Letters, 2014, 393, 39-48. | 1.8 | 22 |
| 2697 | On petroleum fluid characterization with the PC-SAFT equation of state. Fluid Phase Equilibria, 2014, 375, 254-268. | 1.4 | 38 |

| # | ARTICLE | IF | CITATIONS |
|---|---------|----|-----------| 
| 2698 | Thermodynamic analysis of an upstream petroleum plant operated on a mature field. Energy, 2014, 68, 454-469. | 4.5 | 46 |
| 2699 | A new reservoir simulator for studying hydrate dynamics in reservoir. International Journal of Greenhouse Gas Control, 2014, 23, 12-21. | 2.3 | 17 |
| 2700 | The influence of impurities on the transportation safety of an anthropogenic $CO_2$ pipeline. Chemical Engineering Research and Design, 2014, 92, 80-92. | 2.7 | 22 |
| 2701 | Thermodynamic method for the prediction of solid $CO_2$ formation from multicomponent mixtures. Chemical Engineering Research and Design, 2014, 92, 70-79. | 2.7 | 59 |
| 2702 | Simulation of an industrial fixed-bed reactor with cocurrent downflow for hydrogenation of PYGAS. Catalysis Today, 2014, 220-222, 237-247. | 2.2 | 9 |
| 2703 | Evolving an accurate model based on machine learning approach for prediction of dew-point pressure in gas condensate reservoirs. Chemical Engineering Research and Design, 2014, 92, 891-902. | 2.7 | 51 |
| 2704 | New high-pressures vapor-liquid equilibrium data for the carbon dioxide + 2-methyl-1-propanol (isobutanol) binary system. Open Chemistry, 2014, 12, 953-961. | 1.0 | 6 |
| 2705 | High-pressure phase equilibrium calculations for carbon dioxide + cyclopentane binary system. Open Chemistry, 2014, 12, 918-927. | 1.0 | 2 |
| 2706 | Visual observation of the methane hydrate formation and dissociation process. Chemical Engineering Science, 2014, 109, 75-81. | 1.9 | 20 |
| 2707 | Experimental study on gas hydrate formation from natural gas mixture. Journal of Natural Gas Science and Engineering, 2014, 18, 47-52. | 2.1 | 37 |
| 2708 | Modeling and simulation of supersonic gas separations. Journal of Natural Gas Science and Engineering, 2014, 18, 304-311. | 2.1 | 49 |
| 2709 | Sensitivity analysis of the rate-based $CO_2$ absorber model using amine solutions (MEA, MDEA and AMP) in packed columns. International Journal of Greenhouse Gas Control, 2014, 25, 9-22. | 2.3 | 49 |
| 2710 | Improved rate-based modeling of carbon dioxide absorption with aqueous monoethanolamine solution. Frontiers of Chemical Science and Engineering, 2014, 8, 123-131. | 2.3 | 7 |
| 2711 | Thermodynamic modeling of vapor–liquid equilibrium for binary polyethylene glycol/solvent solutions using cubic equations of state: optimization and comparison of CEoS models. Polymer Bulletin, 2014, 71, 887-905. | 1.7 | 3 |
| 2712 | New high-pressures vapor-liquid equilibrium data for the carbon dioxide + 2-methyl-2-propanol binary system. Open Chemistry, 2014, 12, 893-900. | 1.0 | 5 |
| 2713 | Prediction of hydrate formation conditions using GE-EOS and UNIQUAC models for pure and mixed-gas systems. Fluid Phase Equilibria, 2014, 369, 1-12. | 1.4 | 25 |
| 2714 | Evaluation of various types' equations of state for prediction of rate of double gas hydrate formation based on Kashchiev model in flow loop apparatus. Journal of Natural Gas Science and Engineering, 2014, 18, 385-395. | 2.1 | 7 |
| 2715 | High pressure phase equilibrium measurements for binary systems CO2+1-pentanol and CO2+1-hexanol. Journal of Supercritical Fluids, 2014, 88, 38-45. | 1.6 | 10 |

| # | ARTICLE | IF | CITATIONS |
|---|---------|-----|-----------|
| 2716 | Modeling <mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" altimg="si0041.gif" overflow="scroll"><mml:msub><mml:mrow><mml:mi>CO</mml:mi></mml:mrow><mml:mrow><mml:mn>2</mml:mn></mml:mrow></mathvariant="normal">â€"</mml:mi><mml:mi>water</mml:mi></mml:math> mixture thermodynamics using various equations of state (EoSs) with emphasis on the potential of the SPUNG EoS. Chemical Engineering Science, 2014, 113, 22-34. | 1.9 | 12 |
| 2717 | Downhole Fluid Analysis and Asphaltene Science for Petroleum Reservoir Evaluation. Annual Review of Chemical and Biomolecular Engineering, 2014, 5, 325-345. | 3.3 | 42 |
| 2718 | Source strength and dispersion of CO2 releases from high-pressure pipelines: CFD model using real gas equation of state. Applied Energy, 2014, 126, 56-68. | 5.1 | 81 |
| 2719 | Isothermal vaporâ€"liquid equilibrium and excess molar enthalpies of the binary mixtures furfural+methyl isobutyl ketone, +2-butanol and +2-methyl-2-butanol. Fluid Phase Equilibria, 2014, 372, 85-99. | 1.4 | 11 |
| 2720 | Mutual solubilities of water and hydrocarbons from the Cubic plus Association equation of state: A new mixing rule for the correlation of observed minimum hydrocarbon solubilities. Fluid Phase Equilibria, 2014, 368, 5-13. | 1.4 | 12 |
| 2721 | Prediction of hydrogen solubility in PYGAS with equations of state. Journal of Computational Methods in Sciences and Engineering, 2014, 14, 137-153. | 0.1 | 1 |
| 2722 | Effect of cation on the solubility of carbon dioxide in three bis(fluorosulfonyl)imide low viscosity ([FSI]) ionic liquids. Fluid Phase Equilibria, 2014, 375, 324-331. | 1.4 | 18 |
| 2723 | Application of cubic equation of state models in prediction of vaporâ€"liquid equilibria for binary polyvinyl acetate/solvent solutions. Journal of Applied Polymer Science, 2014, 131, . | 1.3 | 1 |
| 2724 | Calculation of phase equilibria for multi-component mixtures using highly accurate Helmholtz energy equations of state. Fluid Phase Equilibria, 2014, 375, 209-218. | 1.4 | 63 |
| 2725 | Exergy destruction and losses on four North Sea offshore platforms: A comparative study of the oil and gas processing plants. Energy, 2014, 74, 45-58. | 4.5 | 44 |
| 2726 | The importance of liquid phase compositions in gas hydrate modeling: Carbon dioxideâ€"methaneâ€"water case study. Journal of Chemical Thermodynamics, 2014, 68, 153-160. | 1.0 | 9 |
| 2727 | Reservoir Oil Characterization for Compositional Simulation of Solvent Injection Processes. Industrial &amp; Engineering Chemistry Research, 2014, 53, 440-455. | 1.8 | 13 |
| 2728 | Modeling the Phase Behavior ofÂLNG Systems with Equations ofÂState1. , 2014, , 513-550. | | 0 |
| 2729 | Isobaric, isothermal theoretical investigation and examination of different prediction equations on some physicochemical properties in PEG liquid polymer system. Journal of Chemical Thermodynamics, 2014, 68, 205-215. | 1.0 | 16 |
| 2730 | Generation of characteristic maps of the fluid phase behavior of ternary systems. Fluid Phase Equilibria, 2014, 362, 213-226. | 1.4 | 7 |
| 2731 | Experimental and modeling study of the phase behavior of synthetic crude oil+CO2. Fluid Phase Equilibria, 2014, 365, 20-40. | 1.4 | 63 |
| 2732 | Fully compositional and thermal reservoir simulation. Computers and Chemical Engineering, 2014, 63, 51-65. | 2.0 | 49 |
| 2733 | Equations for calculating hydrogeochemical reactions of minerals and gases such as CO2 at high pressures and temperatures. Geochimica Et Cosmochimica Acta, 2014, 125, 49-67. | 1.6 | 134 |

| # | Article | IF | Citations |
|---|---------|----|-----------| 
| 2734 | A modified Patel–Teja cubic equation of state. Part II: Parameters for polar substances and its mixtures. Fluid Phase Equilibria, 2014, 364, 75-87. | 1.4 | 12 |
| 2735 | Vapor PVT and Vapor Pressure of Hydrogen Fluoride. Journal of Chemical &amp; Engineering Data, 2014, 59, 983-990. | 1.0 | 8 |
| 2736 | Modeling adsorption in binary associating solvents using the extended MPTA model. Adsorption, 2014, 20, 555-563. | 1.4 | 2 |
| 2737 | Estimation of critical properties of reaction mixtures obtained in different reaction conditions during the synthesis of biodiesel with supercritical methanol from soybean oil. Chemical Engineering Journal, 2014, 241, 418-432. | 6.6 | 25 |
| 2738 | A modified MMM EOS for high-pressure PVT calculations of heavy hydrocarbons. Journal of Petroleum Science and Engineering, 2014, 113, 97-103. | 2.1 | 4 |
| 2739 | Densities and low pressure solubilities of carbon dioxide in five promising ionic liquids. RSC Advances, 2014, 4, 7566. | 1.7 | 34 |
| 2740 | Flow Assurance. , 2014, , 179-231. | | 3 |
| 2741 | Density and phase equilibrium for ice and structure I hydrates using the Gibbs–Helmholtz constrained equation of state. Chemical Engineering Research and Design, 2014, 92, 2977-2991. | 2.7 | 15 |
| 2742 | Comparison of equations-of-state with P–ρ–T experimental data of binary mixtures rich in CO2 under the conditions of pipeline transport. Journal of Supercritical Fluids, 2014, 95, 474-490. | 1.6 | 14 |
| 2743 | Natural Gas Properties. , 2014, , 23-58. | | 9 |
| 2744 | Liquid–Liquid Equilibria at Three Temperatures (between 280.15 K and 333.15 K) of Binary, Ternary, and Quaternary Systems Involving Monoethylene Glycol, Water, Cyclohexane, para-Xylene, trans- and cis-Dimethylcyclohexane, and trans- and cis-Decahydronaphthalene. Journal of Chemical &amp; Engineering Data, 2014, 59, 3749-3755. | 1.0 | 4 |
| 2745 | Reply to "Comments on 'Isobaric (vapour + liquid) equilibria for three binary systems (toluene +) Tj ETQq1 1 0.784314 rgBT /Ov 383, 193-196. | 1.4 | 2 |
| 2746 | Numerical simulation of real gas flows in natural gas supersonic separation processing. Journal of Natural Gas Science and Engineering, 2014, 21, 829-836. | 2.1 | 45 |
| 2747 | Simulating the capture of CO2 from natural gas: New data and improved models for methane + carbon dioxide + methanol. International Journal of Greenhouse Gas Control, 2014, 31, 121-127. | 2.3 | 9 |
| 2748 | The transient behaviour of CO 2 flow with phase transition in injection wells during geological storage – Application to a case study. Journal of Petroleum Science and Engineering, 2014, 124, 7-18. | 2.1 | 39 |
| 2749 | Solubility of Disperse Red 82 and modified Disperse Yellow 119 in supercritical carbon dioxide or nitrous oxide with ethanol as a cosolvent. Journal of Supercritical Fluids, 2014, 95, 258-264. | 1.6 | 14 |
| 2750 | Consequences of $CO_2$ solubility for hydrate formation from carbon dioxide containing water and other impurities. Physical Chemistry Chemical Physics, 2014, 16, 8623-8638. | 1.3 | 22 |
| 2751 | Solubility of Hydrofluorocarbons in Halobenzene Solvents. Journal of Chemical &amp; Engineering Data, 2014, 59, 3605-3609. | 1.0 | 3 |

| # | ARTICLE | IF | CITATIONS |
|---|---------|-----|-----------|
| 2752 | Investigation of Ethane Hydrate Formation during Isobaric and Isothermal Conditions. Journal of Chemical &amp; Engineering Data, 2014, 59, 3710-3716. | 1.0 | 6 |
| 2753 | Force Fields for Coarse-Grained Molecular Simulations from a Corresponding States Correlation. Industrial &amp; Engineering Chemistry Research, 2014, 53, 4131-4141. | 1.8 | 109 |
| 2754 | Process intensification for heavy oil upgrading using supercritical water. Chemical Engineering Research and Design, 2014, 92, 1845-1863. | 2.7 | 84 |
| 2755 | Kinetics of Hydrate Formation in the $CO_2$+TBAB+$H_2O$ System at Low Mass Fractions. Industrial &amp; Engineering Chemistry Research, 2014, 53, 10249-10255. | 1.8 | 21 |
| 2756 | Vaporâ€"Liquid Equilibrium and Physical Properties for Distillation. , 2014, , 45-95. | | 3 |
| 2757 | Investigation on Liquid Density Data at the Bubble Point and Equations for the Refrigerant HFC-404A over a Wide Temperature Range. Journal of Chemical &amp; Engineering Data, 2014, 59, 2872-2878. | 1.0 | 4 |
| 2758 | Experimental Investigation and Thermodynamic Modeling of the Phase Behavior of Reservoir Fluids. Energy Sources, Part A: Recovery, Utilization and Environmental Effects, 2014, 36, 1256-1265. | 1.2 | 4 |
| 2759 | Hydrogen Bonding in Supercritical Water. Biofuels and Biorefineries, 2014, , 3-39. | 0.5 | 5 |
| 2760 | Generalised Computational Methods in Thermodynamics. Computer Aided Chemical Engineering, 2014, , 157-200. | 0.3 | 4 |
| 2761 | High pressure solidâ€"liquid equilibrium of fatty acid ethyl esters binary systems. Fluid Phase Equilibria, 2014, 382, 158-163. | 1.4 | 13 |
| 2762 | High-pressure solubility of light gases in heavy n-alkanes from a predictive equation of state: Incorporating Henry's law constant into binary interaction parameter. Fluid Phase Equilibria, 2014, 381, 95-101. | 1.4 | 8 |
| 2763 | Vaporâ€"Liquid Equilibrium for Several Compounds Relevant to the Biofuels Industry Modeled with the Wilson Equation. Journal of Chemical &amp; Engineering Data, 2014, 59, 1069-1085. | 1.0 | 12 |
| 2764 | Electrolyte CPA equation of state for very high temperature and pressure reservoir and basin applications. Geochimica Et Cosmochimica Acta, 2014, 142, 1-14. | 1.6 | 33 |
| 2765 | Thermodynamic Characterization of Heavy Petroleum Fluids Using Group Contribution Methods. Industrial &amp; Engineering Chemistry Research, 2014, 53, 5598-5607. | 1.8 | 13 |
| 2766 | Thermodynamic Properties of Supercritical Mixtures of Carbon Dioxide and Methane: A Molecular Simulation Study. Journal of Chemical &amp; Engineering Data, 2014, 59, 3041-3054. | 1.0 | 41 |
| 2767 | LNG Technology: The Weathering in Above-Ground Storage Tanks. Industrial &amp; Engineering Chemistry Research, 2014, 53, 3931-3937. | 1.8 | 48 |
| 2768 | Isothermal Vaporâ€"Liquid Equilibrium Data and Thermodynamic Modeling for Binary Systems of Perfluorobutane (R610) + (Methane or Hydrogen Sulfide) at (293, 313, and 333) K. Journal of Chemical &amp; Engineering Data, 2014, 59, 2865-2871. | 1.0 | 4 |
| 2769 | Modelling the VLE properties using van der Waals-type equation of state. Physics and Chemistry of Liquids, 2014, 52, 361-372. | 0.4 | 1 |

| # | ARTICLE | IF | CITATIONS |
|---|---------|----|-----------|
| 2770 | Modelling CO2 â€"Water Thermodynamics Using SPUNG Equation of State (EoS) Concept with Various Reference Fluids. Energy Procedia, 2014, 51, 353-362. | 1.8 | 4 |
| 2771 | A general study of counterflow diffusion flames at subcritical and supercritical conditions: Oxygen/hydrogen mixtures. Combustion and Flame, 2014, 161, 3040-3050. | 2.8 | 60 |
| 2772 | Phase Behavior of Biomass Components in Supercritical Water. Biofuels and Biorefineries, 2014, , 41-68. | 0.5 | 1 |
| 2773 | Accurate Phase Equilibrium Measurements of CO2 Mixtures. Energy Procedia, 2014, 51, 392-401. | 1.8 | 10 |
| 2774 | Incorporating Pitzer equations in a new thermodynamic model for the prediction of acid gases solubility in aqueous alkanolamine solutions. Journal of Natural Gas Science and Engineering, 2014, 20, 241-249. | 2.1 | 12 |
| 2775 | Improved Isenthalpic Multiphase Flash Calculations for Thermal Compositional Simulators. , 2014, , . | | 11 |
| 2776 | Preface to the Memorial Edition for Grant M. Wilson. Journal of Chemical &amp; Engineering Data, 2014, 59, 943-945. | 1.0 | 2 |
| 2777 | A Mass Transfer Study of Methane and Ethane During Hydrate Formation. Petroleum Science and Technology, 2014, 32, 1418-1425. | 0.7 | 9 |
| 2778 | Low temperature Stirling engines pressurised with real gas effects. Energy, 2014, 75, 225-236. | 4.5 | 4 |
| 2779 | Thermal property prediction and measurement of organic phase change materials in the liquid phase near the melting point. Applied Energy, 2014, 132, 496-506. | 5.1 | 32 |
| 2780 | Helmholtz function-based global phase stability test and its link to the isothermalâ€"isochoric flash problem. Fluid Phase Equilibria, 2014, 379, 104-111. | 1.4 | 35 |
| 2781 | On the definition of exergy efficiencies for petroleum systems: Application to offshore oil and gas processing. Energy, 2014, 73, 264-281. | 4.5 | 43 |
| 2782 | On the impact of using volume as an independent variable for the solution of P â€" T fluid-phase equilibrium with equations of state. Computers and Chemical Engineering, 2014, 71, 67-76. | 2.0 | 12 |
| 2783 | Gas hydrate formation condition: Review on experimental and modeling approaches. Fluid Phase Equilibria, 2014, 379, 72-85. | 1.4 | 72 |
| 2784 | Prediction of compressibility factor for gas condensate under a wide range of pressure conditions based on a three-parameter cubic equation of state. Journal of Natural Gas Science and Engineering, 2014, 20, 380-395. | 2.1 | 9 |
| 2786 | Modelling of the thermodynamic and solvation properties of electrolyte solutions with the statistical associating fluid theory for potentials of variable range. Molecular Physics, 2014, 112, 2339-2364. | 0.8 | 65 |
| 2787 | Hydrodesulfurization process with pre-saturation using reformate for application in a 5kW fuel cell system. Fuel Processing Technology, 2014, 127, 59-65. | 3.7 | 7 |
| 2788 | Design of Optimal Reactive Distillation Processes for ETBE Production using Rigorous Thermodynamic Models. Computer Aided Chemical Engineering, 2014, , 1591-1596. | 0.3 | 1 |

| # | Article | IF | Citations |
|---|---------|-----|-----------|
| 2789 | Isobaric vapor–liquid equilibrium for binary system of 2-ethylthiophene + n-octane at 101.33 kPa. Fluid Phase Equilibria, 2014, 378, 113-117. | 1.4 | 4 |
| 2790 | The minimum gas temperature at the inlet of regulators in natural gas pressure reduction stations (CGS) for energy saving in water bath heaters. Journal of Natural Gas Science and Engineering, 2014, 21, 230-240. | 2.1 | 44 |
| 2791 | Solubility of carbon dioxide in three [Tf2N] ionic liquids. Fluid Phase Equilibria, 2014, 380, 39-47. | 1.4 | 47 |
| 2792 | Extending Documentation–Based Models towards an Efficient Integration into Commercial Process Simulators. Chemie-Ingenieur-Technik, 2014, 86, 1117-1129. | 0.4 | 4 |
| 2794 | Validation of 1D flow model for high pressure offshore natural gas pipelines. Journal of Natural Gas Science and Engineering, 2014, 16, 44-56. | 2.1 | 31 |
| 2795 | Modelling of gas clathrate hydrate equilibria using the electrolyte non-random two-liquid (eNRTL) model. Fluid Phase Equilibria, 2014, 371, 22-40. | 1.4 | 15 |
| 2796 | Design and Analysis of a Combined Rankine Cycle for Waste Heat Recovery of a Coal Power Plant Using LNG Cryogenic Exergy. Industrial &amp; Engineering Chemistry Research, 2014, 53, 9812-9824. | 1.8 | 25 |
| 2797 | Genetic algorithm to optimize the design of main combustor and gas generator in liquid rocket engines. Journal of Thermal Science, 2014, 23, 259-268. | 0.9 | 9 |
| 2798 | Description of cyclopropane with Backone equation of state. Russian Journal of Physical Chemistry A, 2014, 88, 978-983. | 0.1 | 2 |
| 2799 | Phase equilibria of systems containing aromatic oxygenated compounds with CH4, CO2, H2, H2S, CO and NH3: Experimental data and predictions. Fluid Phase Equilibria, 2014, 382, 219-234. | 1.4 | 6 |
| 2800 | Experimental Investigation on the Solubility of Oxygen in Toluene and Acetic Acid. Industrial &amp; Engineering Chemistry Research, 2014, 53, 9932-9937. | 1.8 | 17 |
| 2801 | Process Design of Industrial Triethylene Glycol Processes Using the Cubic-Plus-Association (CPA) Equation of State. Industrial &amp; Engineering Chemistry Research, 2014, 53, 11766-11778. | 1.8 | 21 |
| 2802 | An integrated, multi-scale modelling approach for the simulation of multiphase dispersion from accidental CO2 pipeline releases in realistic terrain. International Journal of Greenhouse Gas Control, 2014, 27, 221-238. | 2.3 | 40 |
| 2803 | Phase Equilibrium of Binary Mixtures of n-Hexane + Branched Chlorobutanes: Experimental Results and Group Contribution Predictions. Journal of Chemical &amp; Engineering Data, 2014, 59, 3017-3024. | 1.0 | 4 |
| 2804 | Generalized binary interaction parameters for the Peng–Robinson equation of state. Fluid Phase Equilibria, 2014, 383, 156-173. | 1.4 | 41 |
| 2805 | Practical use of statistical learning theory for modeling freezing point depression of electrolyte solutions: LSSVM model. Journal of Natural Gas Science and Engineering, 2014, 20, 414-421. | 2.1 | 55 |
| 2806 | Calculation of vapor–liquid equilibrium and PVTx properties of geological fluid system with SAFT-LJ EOS including multi-polar contribution. Part III. Extension to water–light hydrocarbons systems. Geochimica Et Cosmochimica Acta, 2014, 125, 504-518. | 1.6 | 16 |
| 2807 | Greenhouse Gases (GHG) Emissions from Gas Field Water in Southern Gas Field, Sichuan Basin, China. Water, Air, and Soil Pollution, 2014, 225, 1. | 1.1 | 5 |

| # | Article | IF | Citations |
|---|---------|----|-----------| 
| 2808 | The RealGas and RealGasH2O options of the TOUGH+ code for the simulation of coupled fluid and heat flow in tight/shale gas systems. Computers and Geosciences, 2014, 65, 56-71. | 2.0 | 47 |
| 2809 | Force field comparison and thermodynamic property calculation of supercritical CO2 and CH4 using molecular dynamics simulations. Fluid Phase Equilibria, 2014, 368, 80-90. | 1.4 | 89 |
| 2810 | Advances and challenges in ORC systems modeling for low grade thermal energy recovery. Applied Energy, 2014, 121, 79-95. | 5.1 | 167 |
| 2811 | Effect of impurities in captured CO2 on liquidâ€"vapor equilibrium. Fluid Phase Equilibria, 2014, 363, 149-155. | 1.4 | 26 |
| 2812 | Efficient estimation of natural gas compressibility factor using aÂrigorous method. Journal of Natural Gas Science and Engineering, 2014, 16, 8-17. | 2.1 | 91 |
| 2813 | Accurately modeling benzene and alkylbenzenes using a group contribution based SAFT approach. Fluid Phase Equilibria, 2014, 362, 242-251. | 1.4 | 13 |
| 2814 | Are the reservoir fluid compositional grading data reliable?. Fluid Phase Equilibria, 2014, 363, 27-31. | 1.4 | 3 |
| 2815 | Carbon dioxide absorption studies using amine-functionalized ionic liquids. Journal of Industrial and Engineering Chemistry, 2014, 20, 2497-2509. | 2.9 | 70 |
| 2816 | Prediction of solid polycyclic aromatic hydrocarbons solubility in water, with the NRTL-PR model. Fluid Phase Equilibria, 2014, 362, 87-95. | 1.4 | 6 |
| 2817 | Suggestion of mixing rule for parameters of PRÎ¼ model for light liquid hydrocarbon mixtures. Korean Journal of Chemical Engineering, 2014, 31, 1246-1252. | 1.2 | 9 |
| 2818 | Trade-off between paraffin-based and aluminium-loaded HTPB fuels to improve performance of hybrid rocket fed with N2O. Aerospace Science and Technology, 2014, 37, 81-92. | 2.5 | 60 |
| 2819 | Source term modeling for evaluating the potential impacts to groundwater of fluids escaping from a depleted oil reservoir used for carbon sequestration. International Journal of Greenhouse Gas Control, 2014, 27, 139-145. | 2.3 | 7 |
| 2820 | Transient, thermal wellbore flow of multispecies carbon dioxide mixtures with phase transition during geological storage. International Journal of Multiphase Flow, 2014, 63, 82-92. | 1.6 | 41 |
| 2821 | Estimation of H2S solubility in ionic liquids using a rigorous method. Journal of Supercritical Fluids, 2014, 92, 60-69. | 1.6 | 59 |
| 2822 | Experimental and thermodynamic study of CO2 solubility in promising [TF2N and DCN] ionic liquids. Fluid Phase Equilibria, 2014, 376, 22-30. | 1.4 | 27 |
| 2823 | Heavy oil characterization method for PC-SAFT. Fuel, 2014, 133, 216-223. | 3.4 | 25 |
| 2824 | A new method of reconstituting the Pâ€"T conditions of fluid circulation in an accretionary prism (Shimanto, Japan) from microthermometry of methane-bearing aqueous inclusions. Geochimica Et Cosmochimica Acta, 2014, 125, 96-109. | 1.6 | 20 |
| 2825 | Simulation of supercritical waterâ€"hydrocarbon mixing in a cylindrical tee at intermediate Reynolds number: Formulation, numerical method and laminar mixing. Journal of Supercritical Fluids, 2014, 92, 31-46. | 1.6 | 19 |

| # | Article | IF | Citations |
|---|---------|----|-----------|
| 2826 | Numerical analysis of phase behavior during rapid decompression of rich natural gases. Chemical Engineering Research and Design, 2014, 92, 555-564. | 2.7 | 6 |
| 2827 | Polytropic Change of State Calculations. , 2014, , . | | 3 |
| 2828 | Numerical Analysis of Heat Exchangers Used in a Liquid Piston Compressor Using a One-Dimensional Model With an Embedded Two-Dimensional Submodel. , 2014, , . | | 4 |
| 2829 | Effects of Flow Strain Rates on Counterflow Diffusion Flames at Subcritical and Supercritical Pressures: Oxygen/Methane Mixture. , 2014, , . | | 3 |
| 2831 | Numerical Study of Real Gas Effects on Shock Tube Problems at Supercritical Conditions. Transactions of the Japan Society for Aeronautical and Space Sciences Aerospace Technology Japan, 2014, 12, Po_2_39-Po_2_44. | 0.1 | 2 |
| 2832 | Modeling the Properties of H2S - CO2 - Salt - Water Extreme Environments. , 2014, , . | | 1 |
| 2833 | Status of Equation of State Project at the NETL. , 2014, , . | | 2 |
| 2834 | An Efficient and Internally Consistent Reactive Transport Modelling Scheme for Sour Gas Injection Simulations. , 2014, , . | | 3 |
| 2835 | The Role of Counter-Current Flow in Simultaneous Water and Gas Injection Processes. , 2014, , . | | 3 |
| 2836 | Alkaline Surfactant-Polymer Formulation Evaluation in Live Oil Conditions: The Impact of Temperature, Pressure and Gas on Oil Recovery Performance. , 2014, , . | | 10 |
| 2837 | Phase Behavior and Storage in Organic Shale Nanopores: Modeling of Multicomponent Hydrocarbons in Connected Pore Systems and Implications for Fluids-in-place Estimates in Shale Oil and Gas Reservoirs. , 2014, , . | | 8 |
| 2838 | Using the Results from Automated Petroleum Engineering Calculations to Accelerate Decision Workflows. , 2014, , . | | 6 |
| 2839 | On the Development of an Enhanced Method to Predict Asphaltene Precipitation. , 2014, , . | | 25 |
| 2840 | Phase Behaviour Modeling of Complex Hydrocarbon Systems Applicable to Solvent Assisted Recovery Processes. , 2014, , . | | 1 |
| 2841 | Non-classical gas dynamics of vapour mixtures. Journal of Fluid Mechanics, 2014, 741, 681-701. | 1.4 | 9 |
| 2842 | PVT Characterization of a Wet Gas Reservoir and its Impact on Reserves Estimate. , 2015, , . | | 0 |
| 2843 | Performance assessment of several equations of state and second virial coefficients in modified Enskog theory: Results for transport properties. Russian Journal of Physical Chemistry A, 2015, 89, 2084-2091. | 0.1 | 1 |
| 2844 | EOS Tuning â€" Comparison between Several Valid Approaches and New Recommendations. , 2015, , . | | 4 |

| # | ARTICLE | IF | CITATIONS |
|---|---------|-----|-----------|
| 2845 | Gas Injection as an Enhanced Recovery Technique for Gas Condensates. A comparison of three Injection Gases. , 2015, , . | | 6 |
| 2846 | Parametric study on the energy efficiency of the stabilization column. , 2015, , . | | 0 |
| 2847 | Modeling and Simulation of WAG Injection Processes - The Role of Counter-Current Flow. , 2015, , . | | 5 |
| 2848 | A Robust Workflow for Reliably Describing Reservoir Fluid PVT Properties Using Equation of State Models. , 2015, , . | | 1 |
| 2849 | Analysis of High Temperature Sour Gas Wells to Mitigate Corrosion and Scale Formation. , 2015, , . | | 5 |
| 2850 | High-Pressure/High-Temperature Methane-Sorption Measurements on Carbonaceous Shales by the Manometric Method: Experimental and Data-Evaluation Considerations for Improved Accuracy. SPE Journal, 2015, 20, 790-809. | 1.7 | 50 |
| 2851 | Reservoir Fluid Characterization for Miscible Enhanced Oil Recovery. , 2015, , . | | 18 |
| 2852 | Corrosion and Scale Formation in High Temperature Sour Gas Wells: Chemistry and Field Practice. , 2015, , . | | 15 |
| 2853 | Regenerative Cooling Performance Analysis of the LE-X Engine Combustion Chamber. , 2015, , . | | 6 |
| 2854 | Experimental Gas Absorption in Petroleum Fluids at HPHT Conditions. , 2015, , . | | 12 |
| 2855 | Development of a Tool to Assess Hydrate-Plug-Formation Risk in Oil-Dominant Pipelines. SPE Journal, 2015, 20, 884-892. | 1.7 | 21 |
| 2856 | Theoretical Model for the Transportation of Stranded Gases As Hydrates. , 2015, , . | | 0 |
| 2857 | An unsteady model for the simulation of the rapid depressurization of vessels containing two-phase mixtures in non-equilibrium conditions. Journal of Physics: Conference Series, 2015, 655, 012031. | 0.3 | 0 |
| 2858 | A New Algorithm for Multiphase Fluid Characterization for Solvent Injection. , 2015, , . | | 1 |
| 2859 | Impact of water film thickness on kinetic rate of mixed hydrate formation during injection of $CO_2$ into $CH_4$ hydrate. AICHE Journal, 2015, 61, 3944-3957. | 1.8 | 33 |
| 2860 | Experimental Study of Methane Hydrate Decomposition Kinetics. Chemie-Ingenieur-Technik, 2015, 87, 910-921. | 0.4 | 12 |
| 2861 | $CO_2$–oil saturation pressure and onset asphaltene precipitation. Canadian Journal of Chemical Engineering, 2015, 93, 1697-1704. | 0.9 | 2 |
| 2862 | Application of the functional renormalization group method to classical free energy models. AICHE Journal, 2015, 61, 2985-2992. | 1.8 | 2 |

| # | ARTICLE | IF | CITATIONS |
|---|---------|-----|-----------|
| 2863 | The study of binary interaction parameters on VLE for alternative refrigerant mixtures. Asia-Pacific Journal of Chemical Engineering, 2015, 10, 476-482. | 0.8 | 2 |
| 2864 | Counterflow Diffusion Flames of Oxygen and N-Alkane Hydrocarbons ($CH_4$-$C_{16}H_{34}$) at Subcritical and Supercritical Conditions. Combustion Science and Technology, 2015, 187, 60-82. | 1.2 | 26 |
| 2865 | Equations of State. , 2015, , 53-58. | | 0 |
| 2867 | Prediction of the Gas Injection Effect on the Asphaltene Phase Envelope. Oil and Gas Science and Technology, 2015, 70, 1075-1086. | 1.4 | 24 |
| 2868 | A Derivative-less Approach for Generating Phase Envelopes. Oil & Gas Research, 2015, 1, . | 0.1 | 0 |
| 2869 | Development of Reactive Barrier Polymers against Corrosion for the Oil and Gas Industry: From Formulation to Qualification through the Development of Predictive Multiphysics Modeling. Oil and Gas Science and Technology, 2015, 70, 291-303. | 1.4 | 10 |
| 2870 | Measurement of Asphaltene Precipitation Onset. Recent Patents on Mechanical Engineering, 2015, 8, 3-15. | 0.2 | 1 |
| 2871 | Prediction of Mass Flow Rate in Supersonic Natural Gas Processing. Oil and Gas Science and Technology, 2015, 70, 1101-1109. | 1.4 | 21 |
| 2872 | Analysis of a New Liquefaction Combined with Desublimation System for CO2 Separation Based on N2/CO2 Phase Equilibrium. Energies, 2015, 8, 9495-9508. | 1.6 | 12 |
| 2873 | A Universal Equation of State for Hydrocarbons. Journal of Computer Chemistry Japan, 2015, 14, 10-17. | 0.0 | 2 |
| 2875 | Vaporâ€"liquid equilibrium measurement and ENRTL modeling of CO2 absorption in aqueous hexamethylenediamine. Fluid Phase Equilibria, 2015, 402, 102-112. | 1.4 | 31 |
| 2876 | q-Quadratic mixing rule for cubic equations of state. Chemical Engineering Science, 2015, 132, 150-158. | 1.9 | 2 |
| 2877 | Thermodynamic modeling of CO2 absorption in aqueous N-Methyldiethanolamine using Extended UNIQUAC model. Fuel, 2015, 144, 295-306. | 3.4 | 30 |
| 2878 | Feasibility of simultaneous $CO_2$ storage and $CH_4$ production from natural gas hydrate using mixtures of $CO_2$ and $N_2$. Canadian Journal of Chemistry, 2015, 93, 897-905. | 0.6 | 54 |
| 2879 | A Dynamic Method for Computing Thermodynamic Equilibria in Process Simulation. Computer Aided Chemical Engineering, 2015, 37, 299-304. | 0.3 | 5 |
| 2880 | Mild hydrotreatment of the light fraction of fast-pyrolysis oil produced from straw over nickel-based catalysts. Biomass and Bioenergy, 2015, 83, 525-538. | 2.9 | 47 |
| 2881 | Comparison of Optimized Isotherm Models and Error Functions for Carbon Dioxide Adsorption on Activated Carbon. Journal of Chemical &amp; Engineering Data, 2015, 60, 3148-3158. | 1.0 | 99 |
| 2882 | Complete Equation-Oriented Approach for Process Analysis and Optimization of a Cryogenic Air Separation Unit. Industrial &amp; Engineering Chemistry Research, 2015, 54, 12096-12107. | 1.8 | 28 |

| # | ARTICLE | IF | CITATIONS |
|---|---------|----|-----------|
| 2883 | On the Prediction, Prevention and Remediation of Asphaltene Deposition. , 2015, , . | | 18 |
| 2884 | Densities of the Binary Systems *n*-Hexane + *n*-Decane and *n*-Hexane + *n*-Hexadecane Up to 60 MPa and 463 K. Journal of Chemical &amp; Engineering Data, 2015, 60, 3631-3645. | 1.0 | 33 |
| 2885 | Prediction of gas compressibility factor using intelligent models. Natural Gas Industry B, 2015, 2, 283-294. | 1.4 | 47 |
| 2886 | Application of the bio-inspired Krill Herd optimization technique to phase equilibrium calculations. Computers and Chemical Engineering, 2015, 74, 75-88. | 2.0 | 22 |
| 2887 | Direct perturbation of the Peng–Robinson attraction and covolume parameters for reservoir fluid characterization. Chemical Engineering Science, 2015, 127, 293-309. | 1.9 | 23 |
| 2888 | Modelling of phase equilibria in $CH_4$–$C_2H_6$–$C_3H_8$–$nC_4H_{10}$–NaCl–$H_2O$ systems. Applied Geochemistry, 2015, 56, 23-36. | 1.4 | 14 |
| 2889 | Modelling blowdown of pressure vessels containing two-phase hydrocarbons mixtures with the partial phase equilibrium approach. Chemical Engineering Science, 2015, 126, 719-729. | 1.9 | 14 |
| 2890 | Fuels From Biomass: An Interdisciplinary Approach. Notes on Numerical Fluid Mechanics and Multidisciplinary Design, 2015, , . | 0.2 | 0 |
| 2891 | Continuous synthesis of diethyl carbonate from ethanol and $CO_2$ over Ce–Zr–O catalysts. Catalysis Science and Technology, 2015, 5, 2322-2331. | 2.1 | 59 |
| 2892 | Thermodynamic characterization of deepwater natural gas mixtures with heavy hydrocarbon content at high pressures. Journal of Chemical Thermodynamics, 2015, 82, 134-142. | 1.0 | 8 |
| 2893 | Hydrate plug formation risk with varying watercut and inhibitor concentrations. Chemical Engineering Science, 2015, 126, 711-718. | 1.9 | 79 |
| 2894 | Thermodynamic modeling of hydrogen sulfide absorption by aqueous N-methyldiethanolamine using the Extended UNIQUAC model. Fluid Phase Equilibria, 2015, 392, 24-32. | 1.4 | 19 |
| 2895 | Liquid–liquid interfacial tensions of binary water-hydrocarbons mixtures via gradient theory and CPA equation of state. Fluid Phase Equilibria, 2015, 392, 65-73. | 1.4 | 15 |
| 2896 | Analysis and prediction of the alpha-function parameters used in cubic equations of state. Chemical Engineering Science, 2015, 126, 584-603. | 1.9 | 30 |
| 2897 | Development of an Accurate Quintic Equation of State: The Necessity of the Irreducible Quadratic Polynomial in the Attractive Term. Industrial &amp; Engineering Chemistry Research, 2015, 54, 2580-2591. | 1.8 | 0 |
| 2898 | Asphaltene laboratory assessment of a heavy onshore reservoir during pressure, temperature and composition variations to predict asphaltene onset pressure. Korean Journal of Chemical Engineering, 2015, 32, 316-322. | 1.2 | 21 |
| 2899 | A study on the effect of ternary interaction parameters on the equation of state description of ternary fluid phase equilibria. Fluid Phase Equilibria, 2015, 391, 54-66. | 1.4 | 3 |
| 2900 | Improved Density Correlation for Supercritical $CO_2$. Chemical Engineering and Technology, 2015, 38, 75-84. | 0.9 | 15 |

| # | ARTICLE | IF | CITATIONS |
|---|---------|-----|-----------|
| 2901 | Fluid inclusions in Ebelyakh diamonds: Evidence of CO2 liberation in eclogite and the effect of H2O on diamond habit. Lithos, 2015, 216-217, 106-117. | 0.6 | 37 |
| 2902 | Application of Wilcoxon generalized radial basis function network for prediction of natural gas compressibility factor. Journal of the Taiwan Institute of Chemical Engineers, 2015, 50, 131-141. | 2.7 | 50 |
| 2903 | An investigation of the matrix sensitivity of refinery gas analysis using gas chromatography with flame ionisation detection. Journal of Chromatography A, 2015, 1383, 144-150. | 1.8 | 3 |
| 2904 | Understanding cubic equations of state: A search for the hidden clues of their success. AICHE Journal, 2015, 61, 2824-2831. | 1.8 | 29 |
| 2905 | Prediction carbon dioxide solubility in presence of various ionic liquids using computational intelligence approaches. Journal of Supercritical Fluids, 2015, 98, 50-64. | 1.6 | 184 |
| 2906 | Prediction of CO2 solubility in bitumen using the cubic-plus-association equation of state (CPA-EoS). Journal of Supercritical Fluids, 2015, 98, 44-49. | 1.6 | 21 |
| 2907 | Twenty-one new theoretically based cubic equations of state for athermal hard-sphere chain pure fluids and mixtures. AICHE Journal, 2015, 61, 1677-1690. | 1.8 | 2 |
| 2908 | Direct calculation of mutual diffusion coefficients of binary system using non-equilibrium molecular dynamics simulation. Fluid Phase Equilibria, 2015, 402, 83-88. | 1.4 | 4 |
| 2909 | Dynamics of a transcritical coaxial flame under a high-frequency transverse acoustic forcing: Influence of the modulation frequency on the flame response. Combustion and Flame, 2015, 162, 3482-3502. | 2.8 | 37 |
| 2910 | Study of the consequences of CO2 released from high-pressure pipelines. Atmospheric Environment, 2015, 116, 51-64. | 1.9 | 34 |
| 2911 | An extended corresponding states equation of state (EoS) for CCS industry. Chemical Engineering Science, 2015, 137, 572-582. | 1.9 | 3 |
| 2912 | Uncertainty in sour gas viscosity estimation and its impact on inflow performance and production forecasting. Journal of Natural Gas Science and Engineering, 2015, 26, 1363-1371. | 2.1 | 3 |
| 2913 | Determination of Vapor–Liquid Equilibrium Data in Microfluidic Segmented Flows at Elevated Pressures Using Raman Spectroscopy. Analytical Chemistry, 2015, 87, 8165-8172. | 3.2 | 18 |
| 2914 | Model verification and analysis of the CO2-MEA absorber–desorber system. International Journal of Greenhouse Gas Control, 2015, 39, 236-244. | 2.3 | 18 |
| 2915 | High-pressure phase equilibrium in the {carbon dioxide (1) + 1-chloropropane (2)} binary system. Journal of Chemical Thermodynamics, 2015, 91, 165-171. | 1.0 | 14 |
| 2916 | High pressure phase behaviour of the CO2+1-decanol+n-dodecane system. Fluid Phase Equilibria, 2015, 406, 1-9. | 1.4 | 15 |
| 2917 | A robust and accurate numerical method for transcritical turbulent flows at supercritical pressure with an arbitrary equation of state. Journal of Computational Physics, 2015, 300, 116-135. | 1.9 | 46 |
| 2918 | Methodology for process modelling of supercritical fluid fractionation processes illustrated for the separation of alkane/alcohol isomer mixtures using CO2. Journal of Supercritical Fluids, 2015, 104, 272-280. | 1.6 | 7 |

| # | ARTICLE | IF | CITATIONS |
|---|---------|----|-----------|
| 2919 | Cubic Plus Association Equation of State for Flow Assurance Projects. Industrial &amp; Engineering Chemistry Research, 2015, 54, 6812-6824. | 1.8 | 15 |
| 2920 | Modeling the Dynamic Viscosity of Ionic Solutions. Industrial &amp; Engineering Chemistry Research, 2015, 54, 7169-7179. | 1.8 | 11 |
| 2921 | Multiphase equilibrium calculations using a reduction method. Fluid Phase Equilibria, 2015, 401, 110-126. | 1.4 | 22 |
| 2922 | Prediction of water solubility in petroleum fractions and heavy crudes using cubic-plus-association equation of state (CPA-EoS). Fuel, 2015, 159, 894-899. | 3.4 | 37 |
| 2923 | Water-wetting surfaces as hydrate promoters during transport of carbon dioxide with impurities. Physical Chemistry Chemical Physics, 2015, 17, 12683-12697. | 1.3 | 18 |
| 2924 | Budget of shallow magma plumbing system at Asama Volcano, Japan, revealed by ground deformation and volcanic gas studies. Journal of Geophysical Research: Solid Earth, 2015, 120, 2961-2973. | 1.4 | 16 |
| 2925 | Process study for stripping components in absorption–desorption processes for CO2-removal from power plant flue gases. Chemical Engineering Research and Design, 2015, 99, 236-247. | 2.7 | 6 |
| 2926 | Pilot scale investigations of the removal of carbon dioxide from hydrocarbon gas streams using poly of Membrane Science, 2015, 489, 237-247. | 4.1 | 40 |
| 2927 | Solvation of nitrogen compounds in Titan's seas, precipitates, and atmosphere. Icarus, 2015, 256, 1-12. | 1.1 | 18 |
| 2928 | Adsorption hydrogen storage at cryogenic temperature – Material properties and hydrogen ortho-para conversion matters. International Journal of Hydrogen Energy, 2015, 40, 6606-6625. | 3.8 | 22 |
| 2929 | Isobaric (vapour+liquid) equilibria of binary systems containing butyl acetate for the separation of methoxy aromatic compounds (anisole and guaiacol) from biomass fast pyrolysis oil. Journal of Chemical Thermodynamics, 2015, 87, 141-146. | 1.0 | 13 |
| 2930 | Developing intermolecular–potential models for use with the <scp>SAFT</scp>–<scp>VR</scp><scp>M</scp>ie equation of state. AICHE Journal, 2015, 61, 2891-2912. | 1.8 | 68 |
| 2931 | Thermodynamic modeling of saturated liquid compositions and densities for asymmetric binary systems composed of carbon dioxide, alkanes and alkanols. Journal of Chemical Thermodynamics, 2015, 86, 168-179. | 1.0 | 0 |
| 2932 | Vapor-liquid equilibria of CH4, CO2 and their binary system CH4 + CO2: A comparison between the molecular simulation and equation of state. Science China Technological Sciences, 2015, 58, 650-658. | 2.0 | 9 |
| 2933 | Cubic and quartic hard-sphere and Lennard-Jones chain equations of state as foundations for complex fluid modeling. Fluid Phase Equilibria, 2015, 399, 1-15. | 1.4 | 3 |
| 2934 | Determination of pyrolysis behavior of brown coal in a pressurized drop tube reactor. Fuel, 2015, 158, 983-998. | 3.4 | 30 |
| 2935 | Fractionation of aqueous isopropanol mixtures in a countercurrent packed column using supercritical CO2. Journal of Supercritical Fluids, 2015, 101, 24-35. | 1.6 | 7 |
| 2936 | Modeling the Properties of H2S/CO2/Salt/Water Systems in Wide Ranges of Temperature and Pressure. SPE Journal, 2015, 20, 1120-1134. | 1.7 | 28 |

| # | Article | IF | Citations |
|---|---------|----|-----------| 
| 2937 | Prediction of Sanchez–Lacombe equation of state characteristic parameters for plus fractions. Canadian Journal of Chemical Engineering, 2015, 93, 1483-1489. | 0.9 | 2 |
| 2938 | A generalized Kiselev crossover approach applied to Soave–Redlich–Kwong equation of state. Fluid Phase Equilibria, 2015, 401, 16-26. | 1.4 | 17 |
| 2939 | Modeling MEA with the CPA equation of state: A parameter estimation study adding local search to PSO algorithm. Fluid Phase Equilibria, 2015, 400, 76-86. | 1.4 | 7 |
| 2940 | Carbon dioxide compressibility factor determination using a robust intelligent method. Journal of Supercritical Fluids, 2015, 101, 140-149. | 1.6 | 13 |
| 2941 | Thermodynamic modeling of gas hydrate formation conditions in the presence of organic inhibitors, salts and their mixtures using UNIQUAC model. Fluid Phase Equilibria, 2015, 394, 101-117. | 1.4 | 37 |
| 2942 | Thermodynamic modelling of asphaltene precipitation and related phenomena. Advances in Colloid and Interface Science, 2015, 217, 1-12. | 7.0 | 40 |
| 2943 | Solubility of hydrogen sulfide in aqueous solutions of N-methyldiethanolamine at high pressures. Fluid Phase Equilibria, 2015, 393, 33-39. | 1.4 | 14 |
| 2944 | A Pressure-Based Algorithm for Gaseous Hydrogen/Liquid Oxygen Jet Flame at Supercritical Pressure. Numerical Heat Transfer; Part A: Applications, 2015, 67, 547-570. | 1.2 | 18 |
| 2945 | Equations of state for fluids based on hard sphere repulsion. International Journal of Modern Physics B, 2015, 29, 1550089. | 1.0 | 1 |
| 2946 | Modeling the complex phase behavior of methane, ethane and propane in an ionic liquid up to 11MPa – A comparison between the PR EoS and the GC EoS. Journal of Supercritical Fluids, 2015, 101, 63-71. | 1.6 | 6 |
| 2947 | Improved Prediction of Vapor Pressure for Pure Liquids and Solids from the PR+COSMOSAC Equation of State. Industrial &amp; Engineering Chemistry Research, 2015, 54, 10115-10125. | 1.8 | 18 |
| 2948 | Evaluation of prediction models for the physical parameters in natural gas liquefaction processes. Journal of Natural Gas Science and Engineering, 2015, 27, 876-886. | 2.1 | 20 |
| 2949 | Energy and Economic Analysis of a New Low-Temperature Distillation Process for the Upgrading of High-$CO_2$ Content Natural Gas Streams. Industrial &amp; Engineering Chemistry Research, 2015, 54, 9770-9782. | 1.8 | 50 |
| 2950 | Refrigeration cycles in low-temperature distillation processes for the purification of natural gas. Journal of Natural Gas Science and Engineering, 2015, 27, 887-900. | 2.1 | 25 |
| 2951 | Prediction of the dew point pressure for gas condensate using a modified Peng–Robinson equation of state and a four-coefficient molar distribution function. Journal of Natural Gas Science and Engineering, 2015, 27, 967-978. | 2.1 | 14 |
| 2952 | Determination of Perturbed-Chain Statistical Association Fluid Theory Parameters for Pure Substances, Single Carbon Number Groups, and Petroleum Fractions Using Cubic Equations of State Parameters. Industrial &amp; Engineering Chemistry Research, 2015, 54, 11448-11465. | 1.8 | 14 |
| 2953 | Large-Eddy Simulation of Coaxial LN2/GH2 Injection at Trans- and Supercritical Conditions. , 2015, , . |  | 5 |
| 2954 | Bayesian quantification of thermodynamic uncertainties in dense gas flows. Reliability Engineering and System Safety, 2015, 134, 305-323. | 5.1 | 19 |

| # | Article | IF | Citations |
|---|---------|-----|-----------|
| 2955 | Group Contribution Methods for Phase Equilibrium Calculations. Annual Review of Chemical and Biomolecular Engineering, 2015, 6, 267-292. | 3.3 | 38 |
| 2956 | Evaluation of Optimal Methods for Critical Properties and Acentric Factor of Biodiesel Compounds with Their Application on Soave–Redlich–Kwong and Peng–Robinson Equations of State. Journal of Chemical &amp; Engineering Data, 2015, 60, 3358-3381. | 1.0 | 13 |
| 2957 | CO2 storage by sorption on organic matter and clay in gas shale. Journal of Unconventional Oil and Gas Resources, 2015, 12, 123-133. | 3.5 | 21 |
| 2958 | Using an artificial neural network to predict carbon dioxide compressibility factor at high pressure and temperature. Korean Journal of Chemical Engineering, 2015, 32, 2087-2096. | 1.2 | 50 |
| 2959 | Measurements of vapor–liquid equilibrium in both binary carbon dioxide–ethanol and ternary carbon dioxide–ethanol–water systems with a newly developed flow-type apparatus. Fluid Phase Equilibria, 2015, 405, 96-100. | 1.4 | 29 |
| 2960 | Modelling VLE data of CO 2 and H 2 S in aqueous solutions of N-methyldiethanolamine based on non-random mixing rules. International Journal of Greenhouse Gas Control, 2015, 42, 87-97. | 2.3 | 14 |
| 2961 | Isothermal and Isobaric Vapor–Liquid Equilibrium and Excess Molar Enthalpy of the Binary Mixtures of 2-Methoxy-2-methylpropane + 2-Methyl-2-butanol or + 2-Butanol. Journal of Chemical &amp; Engineering Data, 2015, 60, 2655-2664. | 1.0 | 2 |
| 2962 | Effects of Injector Geometry on Co-Flowing Planar Jet Mixings under Supercritical Pressures. , 2015, , . | | 0 |
| 2963 | Biogas-fed solid oxide fuel cell (SOFC) coupled to tri-reformingÂprocess: Modelling and simulation. International Journal of Hydrogen Energy, 2015, 40, 14640-14650. | 3.8 | 27 |
| 2964 | Thermodynamic and Phase Behavior of Nanofluids. Springer Proceedings in Physics, 2015, , 317-333. | 0.1 | 3 |
| 2965 | Measurement of isothermal (vapor + liquid) equilibria, (VLE) for binary (CH 4 + CO 2 ) from T = (240.35) Tj ETQq0 0 0 rgBT /Overlock 10 Gas Science and Engineering, 2015, 27, 158-167. | 2.1 | 25 |
| 2966 | Critical evaluation of empirical gas condensate correlations. Journal of Natural Gas Science and Engineering, 2015, 27, 298-305. | 2.1 | 6 |
| 2967 | A combined model for the solubility of different compounds in supercritical carbon dioxide. Chemical Engineering Research and Design, 2015, 104, 416-428. | 2.7 | 9 |
| 2968 | Isothermal Vapor–Liquid Equilibrium (VLE) and Vapor–Liquid–Liquid Equilibrium (VLLE) Data for Two Binary Systems Containing Perfluorohexane with Carbon Monoxide or Hydrogen Sulfide at (293, 313,) Tj ETQq1 1 0.784314 rgBT /Ov | 1.0 | 5 |
| 2969 | Fire risk comparison of fuel gas supply systems for LNG fuelled ships. Journal of Natural Gas Science and Engineering, 2015, 27, 1788-1795. | 2.1 | 38 |
| 2970 | A General Guidebook for the Theoretical Prediction of Physicochemical Properties of Chemicals for Regulatory Purposes. Chemical Reviews, 2015, 115, 13093-13164. | 23.0 | 116 |
| 2971 | Systematic Misprediction of <i>n</i>-Alkane + Aromatic and Naphthenic Hydrocarbon Phase Behavior Using Common Equations of State. Journal of Chemical &amp; Engineering Data, 2015, 60, 3300-3318. | 1.0 | 3 |
| 2972 | Modeling Water Saturation Points in Natural Gas Streams Containing CO<sub>2</sub> and H<sub>2</sub>S–Comparisons with Different Equations of State. Industrial &amp; Engineering Chemistry Research, 2015, 54, 743-757. | 1.8 | 5 |

| # | Article | IF | Citations |
|---|---------|----|-----------|
| 2973 | Impact of Gas Hydrate Formation/Dissociation on Water-in-Crude Oil Emulsion Properties Studied by Dielectric Measurements. Energy &amp; Fuels, 2015, 29, 43-51. | 2.5 | 8 |
| 2974 | A comparison of conventional and reduction approaches for phase equilibrium calculations. Fluid Phase Equilibria, 2015, 386, 30-46. | 1.4 | 37 |
| 2975 | PVT modeling of reservoir fluids using PC-SAFT EoS and Soave-BWR EoS. Fluid Phase Equilibria, 2015, 386, 96-124. | 1.4 | 64 |
| 2976 | Decompression wave speed in CO2 mixtures: CFD modelling with the GERG-2008 equation of state. Applied Energy, 2015, 140, 20-32. | 5.1 | 51 |
| 2977 | Modeling vapor pressure of fatty acid and fatty acid methyl esters using cubic equations of state. Asia-Pacific Journal of Chemical Engineering, 2015, 10, 170-177. | 0.8 | 4 |
| 2978 | Principles, caveats and improvements in databases for calculating hydrogeochemical reactions in saline waters from 0 to 200 Â°C and 1 to 1000 atm. Applied Geochemistry, 2015, 55, 62-71. | 1.4 | 82 |
| 2979 | A new process for fuel ethanol dehydration based on modeling the phase equilibria of the anhydrous $MgCl_2$â€‰+â€‰ethanolâ€‰+â€‰water system. AICHE Journal, 2015, 61, 664-676. | 1.8 | 20 |
| 2980 | Improved rate-based modeling of the process of CO2 capture with PZ solution. Chemical Engineering Research and Design, 2015, 93, 611-620. | 2.7 | 31 |
| 2981 | Large eddy simulations of multiple transcritical coaxial flames submitted to a high-frequency transverse acoustic modulation. Proceedings of the Combustion Institute, 2015, 35, 1461-1468. | 2.4 | 51 |
| 2982 | New Analytical Expression for the Prediction of Vapour Pressures of Ionic Liquids. Indian Chemical Engineer, 2015, 57, 154-163. | 0.9 | 6 |
| 2983 | Pure- and mixed-gas permeation of CO2 and CH4 in thermally rearranged polymers based on 3,3â€²-dihydroxy-4,4â€²-diamino-biphenyl (HAB) and 2,2â€²-bis-(3,4-dicarboxyphenyl) hexafluoropropane dianhydride (6FDA). Journal of Membrane Science, 2015, 475, 204-214. | 4.1 | 93 |
| 2984 | New group contribution estimation of solvent activity in polymer solutions. Fluid Phase Equilibria, 2015, 385, 275-289. | 1.4 | 2 |
| 2985 | On the use of departure function correlations for hydrocarbon isobaric liquid phase heat capacity calculation. Fluid Phase Equilibria, 2015, 385, 182-195. | 1.4 | 2 |
| 2986 | Supercritical water oxidation with hydrothermal flame as internal heat source: Efficient and clean energy production from waste. Journal of Supercritical Fluids, 2015, 96, 103-113. | 1.6 | 65 |
| 2987 | CO2 absorption studies in amino acid-anion based ionic liquids. Chemical Engineering Journal, 2015, 273, 268-276. | 6.6 | 169 |
| 2988 | Thermodynamic model for biomass processing in pressure intensified technologies. Journal of Supercritical Fluids, 2015, 96, 53-67. | 1.6 | 19 |
| 2989 | Hydrocarbons â€" water phase equilibria using the CPA equation of state with a group contribution method. Canadian Journal of Chemical Engineering, 2015, 93, 432-442. | 0.9 | 35 |
| 2990 | Toward a process-based molecular model of SiC membranes: III. Prediction of transport and separation of binary gaseous mixtures based on the atomistic reactive force field. Journal of Membrane Science, 2015, 473, 85-93. | 4.1 | 12 |

| # | ARTICLE | IF | CITATIONS |
|---|---------|-----|-----------|
| 2991 | A new equation of state for studying the thermodynamic properties of real gases. Physics and Chemistry of Liquids, 2015, 53, 138-145. | 0.4 | 1 |
| 2992 | Compositional Model for Estimating Asphaltene Precipitation Conditions in Live Reservoir Oil Systems. Journal of Dispersion Science and Technology, 2015, 36, 301-309. | 1.3 | 54 |
| 2993 | Modeling phase equilibria in CO2+polymer systems. Journal of Supercritical Fluids, 2015, 96, 313-323. | 1.6 | 15 |
| 2994 | Computationally Efficient Steady-State Process Simulation by Applying a Simultaneous Dynamic Method. Computer Aided Chemical Engineering, 2016, 38, 517-522. | 0.3 | 3 |
| 2995 | Measurement and Prediction of Hydrate Phase Equilibrium of Orange Juice + CO2, C2H4 or C2H6 for Orange Juice Concentration. Advance Journal of Food Science and Technology, 2016, 10, 890-893. | 0.1 | 2 |
| 2996 | Modeling the Effect of Piperazine on Carbon Steel Corrosion Rate in Carbonated Activated MDEA Solutions. International Journal of Electrochemical Science, 2016, 11, 4560-4585. | 0.5 | 6 |
| 2997 | Thermodynamic Characterization of Undefined Petroleum Fractions of Gas Condensate using Group Contribution. Oil and Gas Science and Technology, 2016, 71, 5. | 1.4 | 8 |
| 2998 | Equivalent Alkane Carbon Number of Live Crude Oil: A Predictive Model Based on Thermodynamics. Oil and Gas Science and Technology, 2016, 71, 62. | 1.4 | 13 |
| 2999 | Inclusion of thermodynamic equations for efficient steadystate process optimization. Computer Aided Chemical Engineering, 2016, 38, 613-618. | 0.3 | 0 |
| 3000 | Efficiency Improvement of CO2 Capture. Periodica Polytechnica: Chemical Engineering, 2016, , . | 0.5 | 1 |
| 3002 | Experimental and Numerical Analyses on the Rotary Vane Expander Operating Conditions in a Micro Organic Rankine Cycle System. Energies, 2016, 9, 606. | 1.6 | 38 |
| 3003 | Research on a Household Dual Heat Source Heat Pump Water Heater with Preheater Based on ASPEN PLUS. Energies, 2016, 9, 1026. | 1.6 | 17 |
| 3004 | A complementary approach to estimate the internal pressure of fission gas bubbles by SEM-SIMS-EPMA in irradiated nuclear fuels. IOP Conference Series: Materials Science and Engineering, 2016, 109, 012002. | 0.3 | 7 |
| 3005 | Helmholtz Energy Transformations of Common Cubic Equations of State for Use with Pure Fluids and Mixtures. Journal of Research of the National Institute of Standards and Technology, 2016, 121, 238. | 0.4 | 36 |
| 3006 | Computer-Aided Molecular Design and Property Prediction. Computer Aided Chemical Engineering, 2016, 39, 153-196. | 0.3 | 5 |
| 3007 | Experimental measurement and phase equilibria calculation for ternary systems of carbon dioxide+ toluene+naphthalene and carbon dioxide+ ethanol+acridine, applicable for fine particle production in GAS process. Thermochimica Acta, 2016, 638, 69-79. | 1.2 | 8 |
| 3009 | Unified Thermodynamics and Life of Field in Modelling Complex Upstream Facilities. , 2016, , . | | 0 |
| 3010 | A mathematical model for zeolite membrane module performance and its use for techno-economic evaluation of improved energy efficiency hybrid membrane-distillation processes for butane isomer separations. Journal of Membrane Science, 2016, 520, 434-449. | 4.1 | 30 |

| # | ARTICLE | IF | CITATIONS |
|---|---------|-----|-----------|
| 3011 | Chemical structure based prediction of PAN and oxidized PAN fiber density through a non-linear mathematical model. Polymer Degradation and Stability, 2016, 131, 53-61. | 2.7 | 49 |
| 3012 | The effect of lattice constant on the storage capacity of hydrogen hydrates: a Monte Carlo study. Molecular Physics, 2016, 114, 2664-2671. | 0.8 | 18 |
| 3013 | Calculation of the phase envelope of multicomponent mixtures with the bead spring method. AICHE Journal, 2016, 62, 868-879. | 1.8 | 14 |
| 3014 | Gas Turbines and Engine Simulations. Advances in Chemical Engineering, 2016, , 273-385. | 0.5 | 4 |
| 3015 | Alternative EoS-based model for predicting water content, metastable phases and hydrate formation in natural gas systems. Journal of Natural Gas Science and Engineering, 2016, 36, 550-562. | 2.1 | 6 |
| 3016 | Molecular simulation of methane adsorption in slit-like quartz pores. RSC Advances, 2016, 6, 110808-110819. | 1.7 | 67 |
| 3018 | Evaluation of effective parameters on $CO_2$injection process in a gas condensate reservoir: A case study. Energy Sources, Part A: Recovery, Utilization and Environmental Effects, 2016, 38, 3680-3686. | 1.2 | 6 |
| 3020 | Investigation of Synergistic Thermodynamic Inhibition Effect of MEG and Salt Solution on Gas Hydrate. , 2016, , . | | 1 |
| 3021 | On the cooperativity of association and reference energy scales in thermodynamic perturbation theory. Journal of Chemical Physics, 2016, 145, 204104. | 1.2 | 7 |
| 3022 | Large-eddy simulation of nitrogen injection at trans- and supercritical conditions. Physics of Fluids, 2016, 28, . | 1.6 | 102 |
| 3023 | A diffuse interface Lox/hydrogen transcritical flame model. Combustion Theory and Modelling, 2016, 20, 486-520. | 1.0 | 20 |
| 3024 | Systematic selection of amine mixtures as post-combustion $CO_2$ capture solvent candidates. Journal of Cleaner Production, 2016, 136, 159-175. | 4.6 | 29 |
| 3025 | An efficient multi-fluid-mixing model for real gas reacting flows in liquid propellant rocket engines. Combustion and Flame, 2016, 168, 98-112. | 2.8 | 45 |
| 3026 | $CO_2$ transport: Data and models â€“ A review. Applied Energy, 2016, 169, 499-523. | 5.1 | 106 |
| 3027 | Energy efficiency measures for offshore oil and gas platforms. Energy, 2016, 117, 325-340. | 4.5 | 58 |
| 3028 | Modeling viscosity of alcohols based on the CPA-EoS + Æ’-theory. Journal of Molecular Liquids, 2016, 220, 558-565. | 2.3 | 21 |
| 3029 | Comparison of 20 Alpha Functions Applied in the Pengâ€"Robinson Equation of State for Vapor Pressure Estimation. Industrial &amp; Engineering Chemistry Research, 2016, 55, 6506-6516. | 1.8 | 29 |
| 3030 | Chemical Equilibria in Methanol Synthesis Including the Waterâ€"Gas Shift Reaction: A Critical Reassessment. Industrial &amp; Engineering Chemistry Research, 2016, 55, 5854-5864. | 1.8 | 70 |

| # | Article | IF | Citations |
|---|---------|-----|-----------|
| 3031 | Equation-of-State Modeling of Solid–Liquid–Gas Equilibrium of $CO_2$ Binary Mixtures. Industrial &amp; Engineering Chemistry Research, 2016, 55, 6213-6226. | 1.8 | 15 |
| 3032 | Densities, viscosities and refractive indices of binary mixtures containing methyl ethyl ketone. Friction theory. New UNIFAC-VISCO and ASOG-VISCO parameter determination. Fluid Phase Equilibria, 2016, 417, 120-136. | 1.4 | 5 |
| 3033 | Numerical Study of Diesel Lift-Off Flame and Soot Formation under Low-Temperature Combustion. Energy &amp; Fuels, 2016, 30, 2035-2042. | 2.5 | 4 |
| 3034 | A thermodynamic study of CO2 sorption and thermal transition of PolyActiveâ„¢ under elevated pressure. Polymer, 2016, 93, 132-141. | 1.8 | 19 |
| 3035 | Evaluation of on-site hydrogen generation via steam reforming of biodiesel: Process optimization and heat integration. International Journal of Hydrogen Energy, 2016, 41, 6640-6652. | 3.8 | 9 |
| 3036 | Modelling and simulation of a marine propulsion power plant with seawater desulphurisation scrubber. Proceedings of the Institution of Mechanical Engineers Part M: Journal of Engineering for the Maritime Environment, 2016, 230, 341-353. | 0.3 | 4 |
| 3037 | A generalized cubic equation of state with application to pure CO2 injection in aquifers. Computational Geosciences, 2016, 20, 623-635. | 1.2 | 2 |
| 3038 | Exploration of combustion instability triggering using Large Eddy Simulation of a multiple injector liquid rocket engine. Combustion and Flame, 2016, 169, 129-140. | 2.8 | 156 |
| 3039 | Impact of Live Crude Oil Composition On Optimal Salinity of A Surfactant Formulation. , 2016, , . |  | 10 |
| 3040 | Densities and derived thermophysical properties of the 0.9505ÂCO2+ 0.0495ÂH2S mixture from 273ÂK to 353ÂK and pressures up to 41ÂMPa. Fluid Phase Equilibria, 2016, 423, 156-171. | 1.4 | 26 |
| 3041 | Arrest as a General Property of the Supercooled Liquid State. Journal of Physical Chemistry B, 2016, 120, 3735-3745. | 1.2 | 3 |
| 3042 | Pressure-dependent pure- and mixed-gas permeation properties of NafionÂ®. Journal of Membrane Science, 2016, 513, 140-145. | 4.1 | 23 |
| 3043 | Integrated Dual-Production Mode Modeling and Multiobjective Optimization of an Industrial Continuous Catalytic Naphtha Reforming Process. Industrial &amp; Engineering Chemistry Research, 2016, 55, 5714-5725. | 1.8 | 17 |
| 3044 | Vapor–Liquid Equilibria of Binary and Ternary Mixtures of Acetaldehyde with Versatic 9 and Veova 9. Journal of Chemical &amp; Engineering Data, 2016, 61, 2114-2119. | 1.0 | 3 |
| 3045 | Application of Highly Accurate Phase-Equilibrium Models for $CO_2$ Freezing Prediction of Natural Gas System. Industrial &amp; Engineering Chemistry Research, 2016, 55, 5780-5787. | 1.8 | 32 |
| 3046 | Some properties of the GHC equation of state. Computers and Chemical Engineering, 2016, 95, 1-9. | 2.0 | 0 |
| 3047 | Ferulic acid solubility in supercritical carbon dioxide, ethanol and water mixtures. Journal of Chemical Thermodynamics, 2016, 103, 285-291. | 1.0 | 43 |
| 3048 | Assessment of thermodynamic models for the design, analysis and optimisation of gas liquefaction systems. Applied Energy, 2016, 183, 43-60. | 5.1 | 15 |

| # | Article | IF | Citations |
|---|---------|-----|-----------|
| 3049 | Density and phase equilibrium of the binary system methaneÂ+Ân-decane under high temperatures and pressures. Fluid Phase Equilibria, 2016, 428, 48-61. | 1.4 | 24 |
| 3050 | Evidences of localized CO 2 -induced diagenesis in the Cretaceous Quantou Formation, southern Songliao Basin, China. International Journal of Greenhouse Gas Control, 2016, 52, 155-174. | 2.3 | 14 |
| 3051 | Phase behavior of simple tributylphosphine oxide (TBPO) and mixed gas (CO 2 , CH 4 and CO 2 Â+ÂCH 4 ) + TBPO semiclathrate hydrates. Journal of Chemical Thermodynamics, 2016, 102, 293-302. | 1.0 | 24 |
| 3052 | Isobaric (vapor + liquid) equilibria for 2-methylthiophene with n-heptane, 2,2,4-trimethylpentane, n-nonane and n-decane at 90.00 kPa. Journal of Molecular Liquids, 2016, 224, 125-131. | 2.3 | 4 |
| 3053 | A comprehensive study of phase equilibria in binary mixtures of carbon dioxide + alcohols: Application of a hybrid intelligent model (CSA-LSSVM). Journal of Molecular Liquids, 2016, 224, 745-756. | 2.3 | 15 |
| 3054 | Analysis of the state equations of a real gas at high pressures with the virial coefficients obtained from controlled chaotic oscillations. Chemical Engineering Science, 2016, 155, 482-503. | 1.9 | 6 |
| 3055 | A parallel function evaluation approach for solution to large-scale equation-oriented models. Computers and Chemical Engineering, 2016, 93, 309-322. | 2.0 | 6 |
| 3056 | A simple model for temperature-independent k of the PR-vdW model for mixtures containing HCs, HFCs, PFCs, HFOs, CO2, RE170 and R13I1. Fluid Phase Equilibria, 2016, 425, 374-384. | 1.4 | 24 |
| 3057 | Vaporâ€"Liquid Equilibria for Ternary Mixtures of Isopropyl Alcohol, Isopropyl Acetate, and DMSO at 101.3 kPa. Journal of Chemical &amp; Engineering Data, 2016, 61, 3013-3019. | 1.0 | 15 |
| 3058 | A new Peng-Robinson modification to enhance dew point estimations of natural gases. Journal of Natural Gas Science and Engineering, 2016, 34, 1137-1147. | 2.1 | 18 |
| 3059 | Experimental investigation of DMEâ€"waterâ€"crude oil phase behavior and PVT modeling for the application of DME-enhanced waterflooding. Fuel, 2016, 182, 188-197. | 3.4 | 53 |
| 3060 | Mutual effects of paraffin waxes and clathrate hydrates: A multiphase integrated thermodynamic model and experimental measurements. Fluid Phase Equilibria, 2016, 427, 438-459. | 1.4 | 32 |
| 3061 | Mixing of Supercritical Fluid in Shear Coaxial Injector Configuration. , 2016, , . |  | 0 |
| 3062 | Solubility Measurement and Modeling of Methane in Methanol and Ethanol Aqueous Solutions. Journal of Chemical &amp; Engineering Data, 2016, 61, 3200-3207. | 1.0 | 14 |
| 3063 | A new robust stability algorithm for three phase flash calculations in presence of water. Journal of Natural Gas Science and Engineering, 2016, 35, 382-391. | 2.1 | 11 |
| 3064 | Low temperature techniques for natural gas purification and LNG production: An energy and exergy analysis. Applied Energy, 2016, 180, 546-559. | 5.1 | 60 |
| 3065 | Modeling Growth Kinetics of Gas Hydrate in Porous Media: Experimental Validation. Energy &amp; Fuels, 2016, 30, 7656-7665. | 2.5 | 28 |
| 3066 | Volumetric properties of supercritical carbon dioxide from volume-translated and modified Peng-Robinson equations of state. Korean Journal of Chemical Engineering, 2016, 33, 3231-3244. | 1.2 | 17 |

| # | Article | IF | Citations |
|---|---------|----|-----------|
| 3067 | Equations of State and Phase Equilibria. , 2016, , 467-597. | | 5 |
| 3068 | The Riedel vapor pressure correlation and multi-property optimization. Fluid Phase Equilibria, 2016, 429, 149-165. | 1.4 | 6 |
| 3069 | A consistency test for $\alpha$-functions of cubic equations of state. Fluid Phase Equilibria, 2016, 427, 513-538. | 1.4 | 116 |
| 3070 | Highly Selective $CO_2$ Extraction from a Mixture of $CO_2$ and $H_2$ Gases Using Hydroquinone Clathrates. Energy &amp; Fuels, 2016, 30, 7604-7609. | 2.5 | 23 |
| 3071 | Solubility of Carbon Dioxide in LiF–$Li_2CO_3$ Molten Salt System. Journal of Chemical &amp; Engineering Data, 2016, 61, 3020-3026. | 1.0 | 8 |
| 3072 | Numerical simulation of shale gas flow in three-dimensional fractured porous media. Journal of Unconventional Oil and Gas Resources, 2016, 16, 90-112. | 3.5 | 11 |
| 3073 | Experimental Investigation of Pore Structure Damage in Pulverized Coal: Implications for Methane Adsorption and Diffusion Characteristics. Energy &amp; Fuels, 2016, 30, 10383-10395. | 2.5 | 99 |
| 3074 | Development of the translated-consistent tc-PR and tc-RK cubic equations of state for a safe and accurate prediction of volumetric, energetic and saturation properties of pure compounds in the sub- and super-critical domains. Fluid Phase Equilibria, 2016, 429, 301-312. | 1.4 | 107 |
| 3075 | Thermodynamics of thermally-driven adsorption compression. Sustainable Materials and Technologies, 2016, 10, 1-9. | 1.7 | 10 |
| 3076 | CO2 uptake capacity of coal fly ash: Influence of pressure and temperature on direct gas-solid carbonation. Journal of Environmental Chemical Engineering, 2016, 4, 4120-4128. | 3.3 | 50 |
| 3077 | A new correlative model for viscosity estimation of pure components, bitumens, size-asymmetric mixtures and reservoir fluids. Journal of Petroleum Science and Engineering, 2016, 147, 624-635. | 2.1 | 10 |
| 3078 | Integrable extended van der Waals model. Physica D: Nonlinear Phenomena, 2016, 333, 293-300. | 1.3 | 9 |
| 3079 | Large eddy simulation of fluid injection under transcritical and supercritical conditions. Numerical Heat Transfer; Part A: Applications, 2016, 70, 870-886. | 1.2 | 19 |
| 3080 | A simple and generalized model to represent the vapor-liquid equilibria and the liquid-molar-volume of alcohol-alkane binary mixtures. Fluid Phase Equilibria, 2016, 430, 112-134. | 1.4 | 10 |
| 3081 | Criterion for determining crossover phenomenon in volume-translated equation of states. Fluid Phase Equilibria, 2016, 430, 1-12. | 1.4 | 16 |
| 3082 | A New Thermodynamic Model for Paraffin Precipitation in Highly Asymmetric Systems at High Pressure Conditions. Industrial &amp; Engineering Chemistry Research, 2016, 55, 10208-10217. | 1.8 | 10 |
| 3083 | An analytical equation of state for ammonia at high temperatures and high pressures. Journal of Molecular Liquids, 2016, 222, 733-738. | 2.3 | 2 |
| 3084 | EOS7Cm: An improved TOUGH2 module for simulating non-isothermal multiphase and multicomponent flow in CO2–H2S–CH4–brine systems with high pressure, temperature and salinity. Computers and Geosciences, 2016, 94, 150-161. | 2.0 | 13 |

| # | Article | IF | Citations |
|---|---------|-----|-----------|
| 3085 | Thermodynamic analysis and numerical optimization of the NET Power oxy-combustion cycle. Applied Energy, 2016, 178, 505-526. | 5.1 | 132 |
| 3086 | An improved vdW-type component mixing-rule applied in CO 2 -crude system. Petroleum Exploration and Development, 2016, 43, 484-489. | 3.0 | 3 |
| 3087 | Phase behavior of the carbon dioxideÂ+ 1-dodecanol system at high pressures. Fluid Phase Equilibria, 2016, 428, 62-75. | 1.4 | 10 |
| 3088 | The NRTL-PRA group contribution EoS for the simultaneous prediction of LLE, VLE and h of hydrocarbon mixtures with associating compounds. Fluid Phase Equilibria, 2016, 427, 126-142. | 1.4 | 4 |
| 3089 | Quantitative comparison between predicted and experimental binary n-alkaneÂ+ benzene phase behaviors using cubic and PC-SAFT EOS. Fluid Phase Equilibria, 2016, 428, 4-17. | 1.4 | 5 |
| 3090 | Phase Behavior and Densities of Propylene + Hexane Binary Mixtures to 585 K and 70 MPa. Journal of Chemical &amp; Engineering Data, 2016, 61, 2818-2827. | 1.0 | 14 |
| 3091 | Multipseudopotential interaction: A consistent study of cubic equations of state in lattice Boltzmann models. Physical Review E, 2016, 93, 013303. | 0.8 | 8 |
| 3092 | Thermodynamics of Heat Pump Cycles. , 2016, , 23-95. | | 0 |
| 3093 | Managing Experimental-Data Shortfalls for Fair Screening at Concept Selection: Case Study To Estimate How Acid-Gas Injection Affects Asphaltene-Precipitation Behavior. Oil and Gas Facilities, 2016, 5, . | 0.4 | 2 |
| 3094 | Emerging Numerical Modelling Technique to Evaluate Asphaltene Inhibitor Efficiency During Entire Field Life. , 2016, , . | | 1 |
| 3095 | Flash Calculation and Phase Stability Analysis of Reservoir Gas-Water Systemâ€"Implication for Extracting Dissolved CH4 by CO2 Injection. , 2016, , . | | 1 |
| 3096 | Joule-Thomson Coefficients from Well Test Analysis Data. , 2016, , . | | 1 |
| 3097 | Phase-state identification bypass method for three-phase thermal compositional simulation. Computational Geosciences, 2016, 20, 461-474. | 1.2 | 14 |
| 3098 | Characteristics of Jet-Mixing at Supercritical Pressure: Effects of Recess Length and Post Height. Transactions of the Japan Society for Aeronautical and Space Sciences Aerospace Technology Japan, 2016, 14, Pa_45-Pa_52. | 0.1 | 2 |
| 3099 | Prediction of High-Pressure Vapor-Liquid Equilibria for Systems Containing Carbon Dioxide and Methane Using MHV1-SRK-ASOG Model. Netsu Bussei, 2016, 29, 166-172. | 0.1 | 0 |
| 3100 | Dynamische Methode zur Berechnung thermodynamischer Gleichgewichte in reaktiven Mehrphasensystemen. Chemie-Ingenieur-Technik, 2016, 88, 1617-1627. | 0.4 | 2 |
| 3101 | Modeling of a Methanol Synthesis Reactor for Storage of Renewable Energy and Conversion of $CO_2$ â€" Comparison of Two Kinetic Models. Chemical Engineering and Technology, 2016, 39, 233-245. | 0.9 | 33 |
| 3102 | Non-equilibrium simulation of CH4 production from gas hydrate reservoirs through the depressurization method. Journal of Natural Gas Science and Engineering, 2016, 35, 1544-1554. | 2.1 | 15 |

| # | Article | IF | Citations |
|---|---------|-----|-----------|
| 3103 | A New Algorithm for Multiphase-Fluid Characterization for Solvent Injection. SPE Journal, 2016, 21, 1688-1704. | 1.7 | 16 |
| 3104 | Pseudo-phase equilibrium of light and heavy crude oils for enhanced oil recovery. Journal of Petroleum Exploration and Production, 2016, 6, 419-432. | 1.2 | 8 |
| 3105 | General Approach to Characterize Reservoir Fluids Using a Large PVT Database. , 2016, , . | | 0 |
| 3106 | Turbines for Water-Heating Boilers in a Thermoelectric Plant. Russian Engineering Research, 2016, 36, 105-108. | 0.2 | 1 |
| 3107 | The Impact of Vapour-Liquid Equilibria VLE Calculations on Scale Prediction Modelling. , 2016, , . | | 1 |
| 3108 | Errors Due to Use of the AGA8 Equation of State Outside of Its Range of Validity. , 2016, , . | | 0 |
| 3109 | Impact on Oil-Based Drilling Fluid Properties from Gas Influx at HPHT Conditions. , 2016, , . | | 9 |
| 3110 | Prediction of Volumetric Data in Supercritical Reactors. Journal of Chemical &amp; Engineering Data, 2016, 61, 2669-2675. | 1.0 | 8 |
| 3111 | Solubility of flavone, 6-methoxyflavone and anthracene in supercritical $CO_2$ with/without a co-solvent of ethanol correlated by using a newly proposed entropy-based solubility parameter. Fluid Phase Equilibria, 2016, 425, 65-71. | 1.4 | 16 |
| 3112 | VLE properties of $CO_2$ â€" Based binary systems containing $N_2$, $O_2$ and Ar: Experimental measurements and modelling results with advanced cubic equations of state. Fluid Phase Equilibria, 2016, 428, 18-31. | 1.4 | 47 |
| 3113 | Thermodynamic implications of adding $N_2$ to $CO_2$ for production of $CH_4$ from hydrates. Journal of Natural Gas Science and Engineering, 2016, 35, 1594-1608. | 2.1 | 15 |
| 3114 | Coupled numerical simulation of combustion and regenerative cooling in LOX/Methane rocket engines. Applied Thermal Engineering, 2016, 106, 762-773. | 3.0 | 65 |
| 3115 | Non-equilibrium simulation of hydrate formation and dissociation from $CO_2$ in the aqueous phase. Journal of Natural Gas Science and Engineering, 2016, 35, 1555-1565. | 2.1 | 9 |
| 3116 | A multi-continuum multi-phase parallel simulator for large-scale conventional and unconventional reservoirs. Journal of Natural Gas Science and Engineering, 2016, 33, 483-496. | 2.1 | 16 |
| 3117 | Simultaneous Solution for Ultimate Recovery, Original Hydrocarbon in Place, and Permeability from Production Data Analysis with Application to the Eagle Ford Shale. , 2016, , . | | 1 |
| 3118 | Robust and Efficient Isenthalpic Flash Algorithms for Thermal Recovery of Heavy Oil. , 2016, , . | | 6 |
| 3119 | Special Equation Forms and Related Equations. , 2016, , 4-1-4-36. | | 0 |
| 3120 | Modelling $CaCO_3$ Scale in $CO_2$ Water Alternating Gas CO2-WAG Processes. , 2016, , . | | 4 |

| # | Article | IF | Citations |
|---|---------|----|-----------| 
| 3121 | Aqueous Phase Relative Permeability from a Unified Thermodynamics-Petrophysics-Geochemistry-Electrolyte Model. , 2016, , . | | 2 |
| 3122 | Modeling The Onset Of Asphaltene Precipitation In Solvent-Diluted Bitumens Using Cubic-Plus-Association Equation Of State. , 2016, , . | | 2 |
| 3123 | Energy Analysis of the New Dual-Pressure Low-Temperature Distillation Process for Natural Gas Purification Integrated with Natural Gas Liquids Recovery. Industrial &amp; Engineering Chemistry Research, 2016, 55, 7742-7767. | 1.8 | 13 |
| 3124 | EOSâ€"CG: A Helmholtz energy mixture model for humid gases and CCS mixtures. Journal of Chemical Thermodynamics, 2016, 93, 274-293. | 1.0 | 150 |
| 3125 | Design of micro radial turboexpanders for ORC power cycles: From 0D to 3D. Applied Thermal Engineering, 2016, 99, 402-410. | 3.0 | 59 |
| 3126 | Steady state, oscillations and chaotic behavior of a gas inside a cylinder with a mobile piston controlled by PI and nonlinear control. Communications in Nonlinear Science and Numerical Simulation, 2016, 36, 468-495. | 1.7 | 5 |
| 3127 | The Gibbsâ€"Helmholtz Equation in Chemical Process Technology. Industrial &amp; Engineering Chemistry Research, 2016, 55, 1076-1087. | 1.8 | 21 |
| 3128 | Hydrogen storage at low temperature and high pressure for application in automobile manufacturing. International Journal of Hydrogen Energy, 2016, 41, 1744-1758. | 3.8 | 37 |
| 3129 | A corresponding states-based method for the estimation of natural gas compressibility factors. Journal of Molecular Liquids, 2016, 216, 25-34. | 2.3 | 26 |
| 3130 | High pressures phase equilibria of (carbon dioxide + 1-undecanol) system and their potential role in carbon capture and storage. Journal of Chemical Thermodynamics, 2016, 93, 360-373. | 1.0 | 15 |
| 3131 | Hydrate â€" fluid phase equilibria modeling using PC-SAFT and Pengâ€"Robinson equations of state. Fluid Phase Equilibria, 2016, 413, 209-219. | 1.4 | 30 |
| 3132 | Prediction of carbon dioxide solubility in ionic liquids using MLP and radial basis function (RBF) neural networks. Journal of the Taiwan Institute of Chemical Engineers, 2016, 60, 151-164. | 2.7 | 58 |
| 3133 | The Role of Pore Proximity in Governing Fluid PVT Behavior and Produced Fluids Composition in Liquids-Rich Shale Reservoirs. , 2016, , 173-198. | | 0 |
| 3134 | Determination of asphaltene precipitation conditions during natural depletion of oil reservoirs: A robust compositional approach. Fluid Phase Equilibria, 2016, 412, 235-248. | 1.4 | 25 |
| 3135 | Design analysis of a liquid-piston compression chamber with application to compressed air energy storage. Applied Thermal Engineering, 2016, 101, 704-709. | 3.0 | 30 |
| 3136 | Dynamic method for computation of chemical and phase equilibria. Computers and Chemical Engineering, 2016, 89, 1-10. | 2.0 | 9 |
| 3137 | Note on the properties altered by application of a PÃ©nelouxâ€"type volume translation to an equation of state. Fluid Phase Equilibria, 2016, 419, 88-95. | 1.4 | 101 |
| 3138 | Supercritical fluid recycle for surge control of CO2 centrifugal compressors. Computers and Chemical Engineering, 2016, 91, 329-342. | 2.0 | 5 |

| # | Article | IF | Citations |
|---|---------|----|-----------|
| 3139 | A comparison of PC-SAFT and PR-Peneloux equations of state in predicting the compressibility factors of lean gas-carbon dioxide mixtures at high pressures. Journal of Natural Gas Science and Engineering, 2016, 31, 681-691. | 2.1 | 8 |
| 3140 | Phase stability testing near the stability test limit. Fluid Phase Equilibria, 2016, 426, 25-36. | 1.4 | 13 |
| 3141 | A rapid method for the separation of vitamin D and its metabolites by ultra-high performance supercritical fluid chromatographyâ€"mass spectrometry. Journal of Chromatography A, 2016, 1440, 191-200. | 1.8 | 68 |
| 3142 | Numerical Benchmark for High-Reynolds-Number Supercritical Flows with Large Density Gradients. AIAA Journal, 2016, 54, 1445-1460. | 1.5 | 58 |
| 3143 | Improving thermodynamic consistency among vapor pressure, heat of vaporization, and liquid and ideal gas isobaric heat capacities through multi-property optimization. Fluid Phase Equilibria, 2016, 418, 37-43. | 1.4 | 5 |
| 3144 | Prediction of carbon dioxide solubility in aqueous mixture of methyldiethanolamine and N-methylpyrrolidone using intelligent models. International Journal of Greenhouse Gas Control, 2016, 47, 122-136. | 2.3 | 55 |
| 3145 | Soave alpha function at supercritical temperatures. Journal of Supercritical Fluids, 2016, 112, 22-36. | 1.6 | 21 |
| 3146 | Representation and Prediction of Vaporâ€"Liquid Equilibrium Using the Pengâ€"Robinson Equation of State and UNIQUAC Activity Coefficient Model. Industrial &amp; Engineering Chemistry Research, 2016, 55, 1088-1101. | 1.8 | 9 |
| 3147 | Binary Mutual Diffusion Coefficients of Polymer/Solvent Systems Using Compressible Regular Solutions Theory and Free Volume Theory. Journal of Non-Equilibrium Thermodynamics, 2016, 41, . | 2.4 | 6 |
| 3148 | Dry pressure drop in spiral wound wire mesh pads at low and elevated pressures. Chemical Engineering Research and Design, 2016, 109, 141-149. | 2.7 | 1 |
| 3149 | Thermodynamic Limitations of the $CO_2$/$N_2$ Mixture Injected into $CH_4$ Hydrate in the Ignik Sikumi Field Trial. Journal of Chemical &amp; Engineering Data, 2016, 61, 1280-1295. | 1.0 | 78 |
| 3150 | Vaporâ€"Liquid Equilibria, Excess Enthalpy, and Density of Aqueous Î³-Valerolactone Solutions.. Journal of Chemical &amp; Engineering Data, 2016, 61, 881-890. | 1.0 | 39 |
| 3151 | Thermodynamic modeling of binary CH 4 â€"CO 2 fluid inclusions. Applied Geochemistry, 2016, 66, 65-72. | 1.4 | 9 |
| 3152 | Study on wellbore heat loss during hot water with multiple fluids injection in offshore well. Applied Thermal Engineering, 2016, 95, 247-263. | 3.0 | 25 |
| 3153 | Thermodynamic modeling of aqueous systems containing amines and amine hydrochlorides: Application to methylamine, morpholine, and morpholine derivatives. Fluid Phase Equilibria, 2016, 418, 160-174. | 1.4 | 23 |
| 3154 | Framework for clathrate hydrate flash calculations and implications on the crystal structure and final equilibrium of mixed hydrates. Fluid Phase Equilibria, 2016, 413, 184-195. | 1.4 | 12 |
| 3155 | Understanding the generation of methanol synthesis and water gas shift activity over copper-based catalysts â€" A spatially resolved experimental kinetic study using steady and non-steady state operation under CO/CO2/H2 feeds. Journal of Catalysis, 2016, 337, 208-220. | 3.1 | 57 |
| 3156 | Large-Eddy Simulation of Coaxial LN2/GH2 Injection at Trans- and Supercritical Conditions. Journal of Propulsion and Power, 2016, 32, 46-56. | 1.3 | 42 |

| # | Article | IF | Citations |
|---|---------|----|-----------| 
| 3157 | Influence of MEA and piperazine additives on the desulfurization ability of MDEA aqueous for natural gas purification. International Journal of Industrial Chemistry, 2016, 7, 297-307. | 3.1 | 12 |
| 3158 | Heavy oil recovery efficiency using SAGD, SAGD with propane co-injection and STRIP-SAGD. Computers and Chemical Engineering, 2016, 88, 115-125. | 2.0 | 26 |
| 3159 | Phase behavior of the CO2â€"H2O system at temperatures of 273â€"623ÂK and pressures of 0.1â€"200ÂMPa using Peng-Robinson-Stryjek-Vera equation of state with a modified Wong-Sandler mixing rule: An extension to the CO2â€"CH4â€"H2O system. Fluid Phase Equilibria, 2016, 417, 96-108. | 1.4 | 35 |
| 3160 | Seasonal storage of hydrogen in a depleted natural gas reservoir. International Journal of Hydrogen Energy, 2016, 41, 5549-5558. | 3.8 | 185 |
| 3161 | A 3D numerical study of LO2/GH2 supercritical combustion in the ONERA-Mascotte Test-rig configuration. Journal of Thermal Science, 2016, 25, 97-108. | 0.9 | 9 |
| 3162 | Phase-equilibrium measurements with a novel multi-purpose high-pressure view cell: CO2Â+Ân-decane and CO2Â+Âtoluene. Fluid Phase Equilibria, 2016, 419, 31-38. | 1.4 | 10 |
| 3163 | Revisiting the thermodynamic modelling of type I gasâ€"hydroquinone clathrates. Physical Chemistry Chemical Physics, 2016, 18, 10018-10027. | 1.3 | 18 |
| 3164 | Modification of the Pengâ€"Robinson equation of state for helium in low temperature regions. Physics and Chemistry of Liquids, 2016, 54, 542-551. | 0.4 | 6 |
| 3165 | Effect of piperazine on solubility of carbon dioxide using aqueous diethanolamnie. Fluid Phase Equilibria, 2016, 414, 1-13. | 1.4 | 5 |
| 3166 | Food Processing Using Supercritical Fluids. Food Engineering Series, 2016, , 413-442. | 0.3 | 5 |
| 3167 | Counterflow Analysis for Combustion at High Pressure. , 2016, , . | | 0 |
| 3168 | Numerical Simulation of Jet Mixing in a Recessed Coaxial Injector at Supercritical Pressure. , 2016, , . | | 2 |
| 3169 | Direct numerical simulation of transcritical turbulent boundary layers at supercritical pressures with strong real fluid effects. , 2016, , . | | 8 |
| 3170 | On the use of SAFT-VR Mie for assessing large-glide fluorocarbon working-fluid mixtures in organic Rankine cycles. Applied Energy, 2016, 163, 263-282. | 5.1 | 80 |
| 3171 | Modeling of the Thermodynamic Equilibrium Conditions for the Formation of TBAB and TBAC Semiclathrates Formed in the Presence of Xe, Ar, $CH_4$, $CO_2$, $N_2$, and $H_2$. Industrial &amp; Engineering Chemistry Research, 2016, 55, 777-787. | 1.8 | 19 |
| 3172 | Modeling study on CO 2 and H 2 S simultaneous removal using MDEA solution. Journal of Industrial and Engineering Chemistry, 2016, 34, 344-355. | 2.9 | 63 |
| 3173 | Experimental Measurement and Modeling of the Solubility of Methane in Methanol and Ethanol. Journal of Chemical &amp; Engineering Data, 2016, 61, 666-673. | 1.0 | 21 |
| 3174 | Developing a new model for the determination of petroleum fraction PC-SAFT parameters to model reservoir fluids. Fluid Phase Equilibria, 2016, 412, 145-157. | 1.4 | 18 |

| # | Article | IF | Citations |
|---|---------|-----|-----------|
| 3175 | Application of the SAFT-Î³ Mie group contribution equation of state to fluids of relevance to the oil and gas industry. Fluid Phase Equilibria, 2016, 416, 104-119. | 1.4 | 62 |
| 3176 | Hydrate Formation during Transport of Natural Gas Containing Water and Impurities. Journal of Chemical &amp; Engineering Data, 2016, 61, 936-949. | 1.0 | 30 |
| 3177 | An improved staticâ€"analytic apparatus for vaporâ€"liquid equilibrium ( PTxy ) measurement using modified in-situ samplers. Fluid Phase Equilibria, 2016, 409, 425-433. | 1.4 | 11 |
| 3178 | On the linear approximation of mixture internal energies of departure. Computers and Chemical Engineering, 2016, 85, 72-75. | 2.0 | 4 |
| 3180 | Prediction of surface properties of binary, sulfur containing mixtures. Fluid Phase Equilibria, 2016, 416, 94-103. | 1.4 | 9 |
| 3181 | Phase equilibria of triolein to biodiesel reactor systems. Fluid Phase Equilibria, 2016, 409, 171-192. | 1.4 | 25 |
| 3182 | Transition of diesel spray to a supercritical state under engine conditions. International Journal of Engine Research, 2016, 17, 108-119. | 1.4 | 46 |
| 3183 | Supercritical drying of aerogel: In situ analysis of concentration profiles inside the gel and derivation of the effective binary diffusion coefficient using Raman spectroscopy. Journal of Supercritical Fluids, 2016, 108, 1-12. | 1.6 | 39 |
| 3184 | Volume translation methods for real-gas computational fluid dynamics simulations. Journal of Supercritical Fluids, 2016, 107, 422-432. | 1.6 | 35 |
| 3185 | Measurement and prediction of dew points of six natural gases. Fluid Phase Equilibria, 2016, 424, 8-15. | 1.4 | 24 |
| 3186 | Phase equilibria of three binary systems containing 2,5-dimethylthiopheneÂand 2-ethylthiophene in hydrocarbons. Fluid Phase Equilibria, 2016, 409, 30-36. | 1.4 | 6 |
| 3187 | Asphaltene Precipitation Models: A Review. Journal of Dispersion Science and Technology, 2016, 37, 1027-1049. | 1.3 | 99 |
| 3188 | Crossover VTSRK equation of state for selected alkaneÂ+Âalkane and CO2Â+Âalkane binary mixtures. Fluid Phase Equilibria, 2016, 408, 180-189. | 1.4 | 14 |
| 3189 | Experimental study on the effective thermal conductivity of methane hydrate-bearing sand. International Journal of Heat and Mass Transfer, 2016, 92, 8-14. | 2.5 | 25 |
| 3190 | An evolved cubic equation of state with a new attractive term. Fluid Phase Equilibria, 2016, 408, 58-71. | 1.4 | 18 |
| 3191 | Isothermal (vapour + liquid) equilibrium data for binary systems of (n-hexane + CO2 or CHF3). Journal of Chemical Thermodynamics, 2016, 94, 31-42. | 1.0 | 15 |
| 3192 | A generalized cubic equation of state for non-polar and polar substances. Fluid Phase Equilibria, 2016, 418, 74-87. | 1.4 | 32 |
| 3193 | Phase equilibria in process design for the production of polymers derived from carbon dioxide. Fluid Phase Equilibria, 2016, 409, 369-376. | 1.4 | 5 |

| # | ARTICLE | IF | CITATIONS |
|---|---------|----|-----------| 
| 3194 | Development of a special single-sinker densimeter for cryogenic liquid mixtures and first results for a liquefied natural gas (LNG). Journal of Chemical Thermodynamics, 2016, 93, 205-221. | 1.0 | 28 |
| 3195 | A pump-free boosting system and its application to liquefied natural gas supply for large ships. Energy, 2016, 105, 70-79. | 4.5 | 16 |
| 3196 | Interfacial tensions of systems comprising water, carbon dioxide and diluent gases at high pressures: Experimental measurements and modelling with SAFT-VR Mie and square-gradient theory. Fluid Phase Equilibria, 2016, 407, 159-176. | 1.4 | 47 |
| 3197 | Comparison of SRK and CPA equations of state for phase equilibrium of binary and ternary systems containing aromatics. Fluid Phase Equilibria, 2016, 408, 38-46. | 1.4 | 1 |
| 3198 | The effect of the naphthenic ring on the VLE of (carbon dioxide + alkane) mixtures. Journal of Chemical Thermodynamics, 2016, 93, 374-385. | 1.0 | 19 |
| 3199 | High pressure viscosity modeling of pure alcohols based on classical and advanced equations of state. Journal of the Taiwan Institute of Chemical Engineers, 2016, 58, 57-70. | 2.7 | 22 |
| 3200 | Production of phenolic and glucosinolate extracts from rocket salad by supercritical fluid extraction: Process design and cost benefits analysis. Journal of Food Engineering, 2016, 168, 35-41. | 2.7 | 20 |
| 3201 | Detailed exergetic evaluation of heavy-duty gas turbine systems running on natural gas and syngas. Energy Conversion and Management, 2016, 107, 43-51. | 4.4 | 19 |
| 3202 | Numerical Investigation of a Ranqueâ€"Hilsch Vortex Tube using a Three-Equation Turbulence Model. Chemical Engineering Communications, 2017, 204, 327-336. | 1.5 | 10 |
| 3203 | Prediction of solubility of solid compounds in supercritical CO2 using a connectionist smart technique. Journal of Supercritical Fluids, 2017, 120, 181-190. | 1.6 | 21 |
| 3204 | Second derivative of alpha functions in cubic equations of state. Journal of Supercritical Fluids, 2017, 120, 191-206. | 1.6 | 17 |
| 3205 | Simultaneous Description of Activity Coefficients and Solubility with eCPA. Industrial &amp; Engineering Chemistry Research, 2017, 56, 1074-1089. | 1.8 | 17 |
| 3206 | Optimizing Thermodynamic Models: The Relevance of Molar Fraction Uncertainties. Journal of Chemical &amp; Engineering Data, 2017, 62, 825-832. | 1.0 | 9 |
| 3207 | Consistent phase-change modeling for CO2-based heat mining operation. Journal of Supercritical Fluids, 2017, 123, 58-66. | 1.6 | 2 |
| 3208 | Coupled heat transfer analysis of thrust chambers with recessed shear coaxial injectors. Acta Astronautica, 2017, 132, 150-160. | 1.7 | 17 |
| 3209 | The spinodal of single- and multi-component fluids and its role in the development of modern equations of state. Fluid Phase Equilibria, 2017, 436, 98-112. | 1.4 | 39 |
| 3210 | A new approach for modeling of multicomponent gas hydrate formation. Korean Journal of Chemical Engineering, 2017, 34, 706-716. | 1.2 | 13 |
| 3211 | Fluid behavior of gas condensate system with water vapor. Fluid Phase Equilibria, 2017, 438, 67-75. | 1.4 | 13 |

| # | Article | IF | Citations |
|---|---------|----|-----------|
| 3212 | Prediction of the surface tension of binary liquid mixtures of associating compounds using the Cubic Plus Association (CPA) equation of state. Journal of Molecular Liquids, 2017, 231, 451-461. | 2.3 | 10 |
| 3213 | Numerical framework for transcritical real-fluid reacting flow simulations using the flamelet progress variable approach. , 2017, , . | | 16 |
| 3214 | Numerical Simulation for Effects of Pressure on Cryogenic Coaxial Jet under Supercritical Pressure. , 2017, , . | | 0 |
| 3215 | Re-evaluating the CPA EoS for improving critical points and derivative properties description. Fluid Phase Equilibria, 2017, 436, 85-97. | 1.4 | 24 |
| 3216 | Evaluation of equations of state for simultaneous representation of phase equilibrium and critical phenomena. Fluid Phase Equilibria, 2017, 437, 140-154. | 1.4 | 13 |
| 3217 | Equations of State. , 2017, , 65-116. | | 2 |
| 3218 | Methane Adsorption on Carbon Models of the Organic Matter of Organic-Rich Shales. Energy &amp; Fuels, 2017, 31, 1489-1501. | 2.5 | 50 |
| 3219 | Modeling H2S and CO2 solubility in ionic liquids using the CPA equation of state through a new approach. Fluid Phase Equilibria, 2017, 437, 155-165. | 1.4 | 40 |
| 3220 | Uncertainty assessment of equations of state with application to an organic Rankine cycle. Molecular Physics, 2017, 115, 1225-1244. | 0.8 | 24 |
| 3221 | Modified sequential fully implicit scheme for compositional flow simulation. Journal of Computational Physics, 2017, 337, 98-115. | 1.9 | 31 |
| 3222 | Prediction of Gas Injection Effect on Asphaltene Precipitation Onset Using the Cubic and Cubic-Plus-Association Equations of State. Energy &amp; Fuels, 2017, 31, 3313-3328. | 2.5 | 19 |
| 3223 | Modeling Speciation and Solubility in Aqueous Systems Containing U(IV, VI), Np(IV, V, VI), Pu(III, IV, V, VI), Am(III), and Cm(III). Journal of Solution Chemistry, 2017, 46, 521-588. | 0.6 | 9 |
| 3224 | Acetophenone hydrogenation on Rh/Al 2 O 3 catalyst: Flow regime effect and trickle bed reactor modeling. Chemical Engineering Journal, 2017, 317, 42-50. | 6.6 | 10 |
| 3225 | Integration of the Ca–Cu Process in Ammonia Production Plants. Industrial &amp; Engineering Chemistry Research, 2017, 56, 2526-2539. | 1.8 | 33 |
| 3226 | Retrograde Gas Condensate. , 2017, , 333-404. | | 1 |
| 3227 | Water-Soluble Solvent as an Additive to Steam for Improved SAGD. , 2017, , . | | 13 |
| 3228 | Construction of Joule Thomson inversion curves for mixtures using equation of state. IOP Conference Series: Materials Science and Engineering, 2017, 171, 012086. | 0.3 | 1 |
| 3229 | Thermodynamic, transport and optical properties of formamide + 1,2-ethanediol, 1,3-propanediol and poly (ethylene glycol) 200 binary liquid mixtures. Journal of Molecular Liquids, 2017, 233, 222-235. | 2.3 | 17 |

| # | Article | IF | Citations |
|---|---------|-----|-----------|
| 3230 | Comparative study of vapour-liquid equilibrium and density modelling of mixtures related to carbon capture and storage with the SRK, PR, PC-SAFT and SAFT-VR Mie equations of state for industrial uses. Fluid Phase Equilibria, 2017, 440, 19-35. | 1.4 | 44 |
| 3231 | Viscosities of Pure Ionic Liquids Using Combinations of Free Volume Theory or Friction Theory with the Cubic, the Cubic Plus Association, and the Perturbed-Chain Statistical Associating Fluid Theory Equations of State at High Pressures. Industrial &amp; Engineering Chemistry Research, 2017, 56, 2247-2258. | 1.8 | 30 |
| 3232 | Introducing and energy analysis of a novel cryogenic hydrogen liquefaction process configuration. International Journal of Hydrogen Energy, 2017, 42, 6033-6050. | 3.8 | 150 |
| 3234 | Thermodynamic models to accurately describe the<mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" altimg="si1.gif" overflow="scroll"><mml:mrow><mml:mi>P</mml:mi><mml:mi>V</mml:mi><mml:mi>T</mml:mi><mml:mi>x</mml:mi><mml:mi>y</mml: of water / carbon dioxide mixtures. Fluid Phase Equilibria, 2017, 442, 125-139. | 1.4 | 39 |
| 3235 | IDDES of Supersonic Combustion of Hydrogen and Cracked Kerosene Surrogate Using Flamelet Approach. , 2017, , . | | 0 |
| 3236 | Dynamic Relative Permeability and Simulation of WAG Injection Processes. Transport in Porous Media, 2017, 117, 125-147. | 1.2 | 6 |
| 3237 | Hydrogen solubility in furfural and 2-propanol: Experiments and modeling. Journal of Chemical Thermodynamics, 2017, 112, 1-6. | 1.0 | 21 |
| 3238 | Comparison Study of Asphaltene Precipitation Models Using UTCOMP, CMG/GEM and ECLIPSE Simulators. , 2017, , . | | 3 |
| 3239 | Biodiesel production from Spirulina microalgae feedstock using direct transesterification near supercritical methanol condition. Bioresource Technology, 2017, 239, 378-386. | 4.8 | 78 |
| 3240 | Asphaltenes: What Do We Know So Far. , 2017, , . | | 2 |
| 3241 | A flamelet model for transcritical LOx/GCH4 flames. Journal of Physics: Conference Series, 2017, 821, 012010. | 0.3 | 3 |
| 3242 | Dynamic characteristics of a cryogenic nitrogen swirl injector under supercritical conditions. Aerospace Science and Technology, 2017, 67, 398-411. | 2.5 | 14 |
| 3243 | Peng-Robinson equation of state: 40 years through cubics. Fluid Phase Equilibria, 2017, 447, 39-71. | 1.4 | 251 |
| 3244 | Asphaltene Phase Behavior Modeling for Wells from the Middle East. , 2017, , . | | 2 |
| 3245 | On the imperative need to use a consistent Î±-function for the prediction of pure-compound supercritical properties with a cubic equation of state. Fluid Phase Equilibria, 2017, 445, 45-53. | 1.4 | 70 |
| 3246 | Modeling of Depressurization-Induced Superheating for Compressed Liquefied Gases. Industrial &amp; Engineering Chemistry Research, 2017, 56, 5432-5442. | 1.8 | 3 |
| 3248 | Optimal fluids for adsorptive cooling and heating. Sustainable Materials and Technologies, 2017, 12, 52-61. | 1.7 | 23 |
| 3249 | Phase behavior modeling for gas condensate fluids with PC-SAFT and an improved binary interaction coefficient model. Fluid Phase Equilibria, 2017, 444, 37-46. | 1.4 | 9 |

| # | ARTICLE | IF | CITATIONS |
|---|---------|----|-----------|
| 3250 | Stabilized density gradient theory algorithm for modeling interfacial properties of pure and mixed systems. Fluid Phase Equilibria, 2017, 435, 118-130. | 1.4 | 29 |
| 3251 | Vapor-liquid equilibrium (VLE) of $CO_2$ in aqueous solutions of benzylamine: New data and modeling using ENRTL-equation. International Journal of Greenhouse Gas Control, 2017, 56, 12-21. | 2.3 | 14 |
| 3252 | Acousto-Elastic Interactions in High-Pressure CO2 Centrifugal Compressors. Journal of Vibration and Acoustics, Transactions of the ASME, 2017, 139, . | 1.0 | 4 |
| 3253 | An improved formulation for speed of sound in two-phase systems and development of 1D model for supersonic nozzle. Fluid Phase Equilibria, 2017, 446, 18-27. | 1.4 | 22 |
| 3254 | Kerosene/GOx dynamic combustion characteristics in a mixing layer under supercritical conditions using the LES-FPV approach. Fuel, 2017, 203, 579-590. | 3.4 | 8 |
| 3255 | Determination of solubility of Aprepitant (an antiemetic drug for chemotherapy) in supercritical carbon dioxide: Empirical and thermodynamic models. Journal of Supercritical Fluids, 2017, 128, 102-111. | 1.6 | 81 |
| 3256 | Enhancing the Potential of Methane Combined Reforming for Methanol Production via Partial $CO_2$ Hydrogenation. Industrial &amp; Engineering Chemistry Research, 2017, 56, 6480-6492. | 1.8 | 15 |
| 3257 | Adsorption Behavior of Methane on Kaolinite. Industrial &amp; Engineering Chemistry Research, 2017, 56, 6229-6238. | 1.8 | 44 |
| 3258 | Risk of Hydrate Formation during the Processing and Transport of Troll Gas from the North Sea. Journal of Chemical &amp; Engineering Data, 2017, 62, 2163-2177. | 1.0 | 25 |
| 3259 | Differential Evolution with Tabu List for Global Optimization: Evaluation of Two Versions on Benchmark and Phase Stability Problems. Advances in Process Systems Engineering, 2017, , 91-127. | 0.3 | 0 |
| 3260 | Property evaluations of hydrocarbon fuels under supercritical conditions based on cubic equation of state. Modern Physics Letters B, 2017, 31, 1750164. | 1.0 | 8 |
| 3261 | Modeling of Asphaltene Precipitation in Calculation of Minimum Miscibility Pressure. Industrial &amp; Engineering Chemistry Research, 2017, 56, 7375-7383. | 1.8 | 19 |
| 3262 | Pressure-Equation-Based SLAU2 for Oscillation-Free Supercritical Flow Computations. , 2017, , . | | 1 |
| 3263 | Evaluating Cubic Plus Association Equation of State Predictive Capacities: A Study on the Transferability of the Hydroxyl Group Associative Parameters. Industrial &amp; Engineering Chemistry Research, 2017, 56, 7086-7099. | 1.8 | 15 |
| 3264 | Improved equation of CO 2 Joule–Thomson coefficient. Journal of CO2 Utilization, 2017, 19, 296-307. | 3.3 | 25 |
| 3265 | Selection of a Proper Equation of State for the Modeling of a Supercritical $CO_2$ Brayton Cycle: Consequences on the Process Design. Industrial &amp; Engineering Chemistry Research, 2017, 56, 6841-6853. | 1.8 | 24 |
| 3266 | Fast and robust phase stability testing at isothermal-isochoric conditions. Fluid Phase Equilibria, 2017, 447, 107-124. | 1.4 | 39 |
| 3267 | High pressure multi-component vapor-liquid equilibrium data and model predictions for the LNG industry. Journal of Chemical Thermodynamics, 2017, 113, 81-90. | 1.0 | 10 |

| # | Article | IF | Citations |
|---|---|---|---|
| 3268 | Group contribution methods in thermodynamic cycles: Physical properties estimation of pure working fluids. Renewable and Sustainable Energy Reviews, 2017, 79, 984-1001. | 8.2 | 31 |
| 3269 | Optimal design and operating condition of boil-off CO2 re-liquefaction process, considering seawater temperature variation and compressor discharge temperature limit. Chemical Engineering Research and Design, 2017, 124, 29-45. | 2.7 | 8 |
| 3270 | Heat capacity and Joule-Thomson coefficient of selected n -alkanes at 0.1 and 10 MPa in broad temperature ranges. Journal of Chemical Thermodynamics, 2017, 111, 250-264. | 1.0 | 21 |
| 3271 | Pressure effects on real-gas laminar counterflow. Combustion and Flame, 2017, 181, 54-70. | 2.8 | 24 |
| 3272 | Modeling the p â€“ v â€“ T behavior of furfural compounds using perturbed linear Yukawa isotherm regularity. Journal of Molecular Liquids, 2017, 236, 18-26. | 2.3 | 4 |
| 3273 | Adsorption of methane in organic-rich shale nanopores: An experimental and molecular simulation study. Fuel, 2017, 200, 299-315. | 3.4 | 182 |
| 3274 | Measured densities and derived thermodynamic properties of CO 2 -rich mixtures in gas, liquid and supercritical phases from 273 K to 423 K and pressures up to 126 MPa. Journal of Chemical Thermodynamics, 2017, 111, 157-172. | 1.0 | 28 |
| 3275 | An entropy-stable hybrid scheme for simulations of transcritical real-fluid flows. Journal of Computational Physics, 2017, 340, 330-357. | 1.9 | 128 |
| 3276 | Generation and Stability of Bulk Nanobubbles. Langmuir, 2017, 33, 3818-3823. | 1.6 | 124 |
| 3277 | A comparison between Peng-Robinson and Soave-Redlich-Kwong cubic equations of state from modification perspective. Cryogenics, 2017, 84, 13-19. | 0.9 | 29 |
| 3278 | A fast calculation method of thermodynamic properties of variable-composition natural gas mixtures in the supercritical pressure region based on implicit curve-fitting. Journal of Natural Gas Science and Engineering, 2017, 43, 96-109. | 2.1 | 2 |
| 3280 | Predicting Gas Loading Capability in Oil-Based Drilling Fluids. , 2017, , . | | 4 |
| 3281 | Computer-based optimization of acid gas removal unit using modified CO 2 absorption kinetic models. International Journal of Greenhouse Gas Control, 2017, 59, 172-183. | 2.3 | 17 |
| 3282 | Thermodynamic modelling of acid gas removal from natural gas using the Extended UNIQUAC model. Fluid Phase Equilibria, 2017, 442, 38-43. | 1.4 | 18 |
| 3283 | Thermodynamic Modeling with Equations of State: Present Challenges with Established Methods. Industrial &amp; Engineering Chemistry Research, 2017, 56, 3503-3515. | 1.8 | 95 |
| 3284 | Vaporâ€"Liquid Equilibrium Measurements for Carbon Dioxide + Cyclohexene + Squalane at High Pressures Using a Synthetic Method. Journal of Chemical &amp; Engineering Data, 2017, 62, 1456-1463. | 1.0 | 5 |
| 3285 | Dynamic simulation studies for boiler draft. Applied Thermal Engineering, 2017, 121, 255-293. | 3.0 | 1 |
| 3286 | Simulation of CO2 hydrate formation in cold aquifers: nonequilibrium approach. Arabian Journal of Geosciences, 2017, 10, 1. | 0.6 | 3 |

| # | Article | IF | Citations |
|---|---------|----|-----------|
| 3287 | The Abundance of Atmospheric $CO_2$ in Ocean Exoplanets: a Novel $CO_2$ Deposition Mechanism. Astrophysical Journal, 2017, 838, 24. | 1.6 | 23 |
| 3288 | A combined thermo-kinetic analysis of various methane reforming technologies: Comparison with dry reforming. Journal of CO2 Utilization, 2017, 17, 99-111. | 3.3 | 90 |
| 3289 | Azeotrope breaking potential of ionic liquids in separation processes. Journal of Molecular Liquids, 2017, 235, 49-52. | 2.3 | 8 |
| 3290 | The Impact of Vapor/Liquid-Equilibria Calculations on Scale-Prediction Modeling. SPE Production and Operations, 2017, 32, 64-72. | 0.4 | 2 |
| 3291 | Comparison of volume translation and co-volume functions applied in the Peng-Robinson EoS for volumetric corrections. Fluid Phase Equilibria, 2017, 435, 73-87. | 1.4 | 23 |
| 3292 | Comparison of Phase Identification Methods Used in Oil Industry Flow Simulations. Energy &amp; Fuels, 2017, 31, 3370-3379. | 2.5 | 8 |
| 3293 | Simulation of real gas effects in supersonic methane jets using a tabulated equation of state with a discontinuous Galerkin spectral element method. Computers and Fluids, 2017, 145, 167-179. | 1.3 | 17 |
| 3294 | Modified quadrupole Cubic Plus Association Equation of State (mqCPA EoS) for thermodynamic modeling of polymer-supercritical CO2 systems. Fluid Phase Equilibria, 2017, 435, 27-36. | 1.4 | 5 |
| 3295 | Interplay between Reaction and Phase Behaviour in Carbon Dioxide Hydrogenation to Methanol. ChemSusChem, 2017, 10, 1166-1174. | 3.6 | 13 |
| 3296 | Review of flowmeters for carbon dioxide transport in CCS applications. , 2017, 7, 10-28. | | 8 |
| 3297 | Vapor-liquid phase boundaries and swelling factors of C3H8-n-C4H10-CO2-heavy oil systems under reservoir conditions. Fluid Phase Equilibria, 2017, 434, 211-221. | 1.4 | 26 |
| 3298 | Flow measurement of CO 2 in a binary gaseous mixture using an averaging Pitot Tube and Coriolis mass flowmeters. Flow Measurement and Instrumentation, 2017, 54, 265-272. | 1.0 | 2 |
| 3299 | A consistent and precise alpha function for cubic equations of state. Fluid Phase Equilibria, 2017, 436, 69-84. | 1.4 | 16 |
| 3300 | Representation of phase behavior of ionic liquids and their mixtures using various forms of cubic-two-state equation of state. Fluid Phase Equilibria, 2017, 435, 15-26. | 1.4 | 3 |
| 3301 | Experimental investigation of hydrogen sulfide solubility in aqueous sulfolane solution. Journal of Chemical Thermodynamics, 2017, 106, 232-242. | 1.0 | 16 |
| 3302 | Prediction of vapor-liquid equilibrium in highly asymmetric paraffinic systems with new modified EOS-GE model. Journal of Petroleum Science and Engineering, 2017, 159, 810-817. | 2.1 | 1 |
| 3303 | Pitfalls in the characterisation of the hydrogen sorption properties of materials. International Journal of Hydrogen Energy, 2017, 42, 29320-29343. | 3.8 | 40 |
| 3304 | Reservoir Fluid Characterization Procedure for PC-SAFT Equation of State. , 2017, , . | | 3 |

| # | Article | IF | Citations |
|---|---------|----|-----------|
| 3305 | Improvement of Post-combustion Carbon Capture Process in Retrofit Case. Energy Procedia, 2017, 114, 1567-1575. | 1.8 | 6 |
| 3306 | Numerical Sensitivity Analysis for Supercritical CO 2 Radial Turbine Performance and Flow Field. Energy Procedia, 2017, 129, 1117-1124. | 1.8 | 11 |
| 3307 | A Thermodynamic Library for Simulation and Optimization of Dynamic Processes * *This project is in the IEA Annex for energy efficient process control.. IFAC-PapersOnLine, 2017, 50, 3542-3547. | 0.5 | 8 |
| 3308 | Calculation of Multiphase Chemical Equilibrium by the Modified RAND Method. Industrial &amp; Engineering Chemistry Research, 2017, 56, 11983-11995. | 1.8 | 22 |
| 3309 | Study on C–S and P–R EOS in pseudo-potential lattice Boltzmann model for two-phase flows. International Journal of Modern Physics C, 2017, 28, 1750120. | 0.8 | 8 |
| 3310 | On the improvement of computational performance of a vapor-liquid equilibria solver for mixtures. Theoretical Foundations of Chemical Engineering, 2017, 51, 483-494. | 0.2 | 2 |
| 3311 | Pressure Effect on the Stabilization Column in the Petroleum Refinery. Energy Procedia, 2017, 118, 233-237. | 1.8 | 5 |
| 3312 | Modeling of Catalytic Fixed-Bed Reactors for Fuels Production by Fischer–Tropsch Synthesis. Energy &amp; Fuels, 2017, 31, 13011-13042. | 2.5 | 15 |
| 3313 | Measurement and Correlation of High Pressure Phase Equilibria for $CO_2$ + Alkanes and $CO_2$ + Crude Oil Systems. Journal of Chemical &amp; Engineering Data, 2017, 62, 3807-3822. | 1.0 | 13 |
| 3314 | New experimental density data and derived thermophysical properties of carbon dioxide – Sulphur dioxide binary mixture (CO2 - SO2) in gas, liquid and supercritical phases from 273 K to 353 K and at pressures up to 42 MPa. Fluid Phase Equilibria, 2017, 454, 64-77. | 1.4 | 15 |
| 3315 | Prediction of the PVTx and VLE properties of natural gases with a general Helmholtz equation of state. Part I: Application to the CH4–C2H6–C3H8–CO2–N2 system. Geochimica Et Cosmochimica Acta, 2017, 219, 74-95. | 1.6 | 10 |
| 3316 | Vapour–liquid interfacial properties of n-alkanes. Journal of Molecular Liquids, 2017, 248, 253-263. | 2.3 | 2 |
| 3317 | Active subspaces for the optimal meanline design of unconventional turbomachinery. Applied Thermal Engineering, 2017, 127, 1108-1118. | 3.0 | 3 |
| 3318 | Interpretation of Tracer Experiments on Inverted Five-spot Well-patterns within the Western Half of the Farnsworth Unit Oil Field. Energy Procedia, 2017, 114, 7070-7095. | 1.8 | 11 |
| 3319 | Rare-earth elements in aqueous chloride systems: Thermodynamic modeling of binary and multicomponent systems in wide concentration ranges. Fluid Phase Equilibria, 2017, 452, 16-57. | 1.4 | 13 |
| 3320 | Calculation of complex phase equilibria of DMF/alkane and acetonitrile/alkane systems using a modified Peng-Robinson EoS and the Huron-Vidal mixing rules. Journal of Molecular Liquids, 2017, 243, 600-610. | 2.3 | 7 |
| 3321 | Extinction Analysis of a Methane-Oxygen Counterflow Flame at High Pressure. Combustion Science and Technology, 2017, 189, 2180-2194. | 1.2 | 5 |
| 3322 | A coupled, non-isothermal gas shale flow model: Application to evaluation of gas-in-place in shale with core samples. Journal of Petroleum Science and Engineering, 2017, 158, 361-379. | 2.1 | 15 |

| # | Article | IF | Citations |
|---|---------|-----|-----------|
| 3323 | Gas exchange processes of a small HCCI free piston engine â€" A computational study. Applied Thermal Engineering, 2017, 127, 1582-1597. | 3.0 | 26 |
| 3324 | Calculation of simultaneous chemical and phase equilibrium by the method of Lagrange multipliers. Chemical Engineering Science, 2017, 174, 112-126. | 1.9 | 25 |
| 3325 | Optimization of the Reduced Temperature Associated with Pengâ€"Robinson Equation of State and Soaveâ€"Redlichâ€"Kwong Equation of State To Improve Vapor Pressure Prediction for Heavy Hydrocarbon Compounds. Journal of Chemical &amp; Engineering Data, 2017, 62, 3488-3500. | 1.0 | 22 |
| 3326 | Prediction of water solubility in ill-defined hydrocarbons at high temperatures: Modeling with the CPA-EoS. Fluid Phase Equilibria, 2017, 454, 11-21. | 1.4 | 7 |
| 3327 | Process simulation of ethanol production from biomass gasification and syngas fermentation. Bioresource Technology, 2017, 245, 925-932. | 4.8 | 71 |
| 3328 | Simulation of CO2 Storage into Methane Hydrate Reservoirs, Non-equilibrium Thermodynamic Approach. Energy Procedia, 2017, 114, 5451-5459. | 1.8 | 13 |
| 3329 | Comparison of Tabulation and Correlated Dynamic Evaluation of Real Fluid Properties for Supercritical Mixing. , 2017, , . |  | 13 |
| 3330 | A new viscosity model based on Soave-Redlich-Kwong equation of state. Fluid Phase Equilibria, 2017, 451, 40-47. | 1.4 | 18 |
| 3331 | Prediction of the Boyle temperature, second virial coefficient and Zeno line using the cubic and volume â€" translated cubic equations of state. Journal of Molecular Liquids, 2017, 242, 625-639. | 2.3 | 12 |
| 3332 | Modelling the solubility of H2S and CO2 in ionic liquids using PC-SAFT equation of state. Fluid Phase Equilibria, 2017, 450, 30-41. | 1.4 | 28 |
| 3333 | Vapor-Phase (p, ï‚, T, x) Behavior and Virial Coefficients for the BinaryÂMixture (0.05 Hydrogen + 0.95) Tj ETQq0 0 0 rgBT /Overlock 10 Tf of Chemical &amp; Engineering Data, 2017, 62, 2973-2981. | 1.0 | 19 |
| 3334 | Similarity law for Widom lines and coexistence lines. Physical Review E, 2017, 95, 052120. | 0.8 | 55 |
| 3335 | Equations of state for real gases on the nuclear scale. Physical Review C, 2017, 96, . | 1.1 | 37 |
| 3336 | Direct Numerical Simulation of Heated Cryogenic Channel Flow at Supercritical Pressure. , 2017, , . |  | 1 |
| 3337 | Finding multiple stationary points of the Gibbs tangent plane distance function via the topographical global initialization. Chemical Engineering Research and Design, 2017, 124, 271-282. | 2.7 | 1 |
| 3338 | CO2 separation from the mixture of CO2/H2 using gas hydrates: Experimental and modeling. International Journal of Hydrogen Energy, 2017, 42, 19967-19976. | 3.8 | 14 |
| 3339 | A Refined Formulation for One-Dimensional Modeling of Compressible and Supersonic Reacting Flows. , 2017, , . |  | 0 |
| 3340 | Phase behavior and densities of propyleneÂ+Âtoluene and ethyleneÂ+Âtoluene systems to 580ÂK and 70ÂMPa. Fluid Phase Equilibria, 2017, 449, 138-147. | 1.4 | 7 |

| # | ARTICLE | IF | CITATIONS |
|---|---------|----|-----------|
| 3341 | Prediction of H2S solubility in aqueous NaCl solutions by molecular simulation. Journal of Petroleum Science and Engineering, 2017, 157, 94-106. | 2.1 | 10 |
| 3342 | Formulating formation mechanism of natural gas hydrates. Scientific Reports, 2017, 7, 6392. | 1.6 | 24 |
| 3343 | A small-volume PVTX system for broadband spectroscopic calibration of downhole optical sensors. Review of Scientific Instruments, 2017, 88, 073101. | 0.6 | 6 |
| 3344 | Development of empirical correlation for DME-partitioning between brine and crudes for enhanced waterflooding applications. Journal of Petroleum Science and Engineering, 2017, 157, 264-272. | 2.1 | 19 |
| 3345 | CO 2 + n -dodecane + 3,7-dimethyl-1-octanol: High pressure experimental phase equilibria data and thermodynamic modelling. Journal of Supercritical Fluids, 2017, 130, 105-117. | 1.6 | 7 |
| 3346 | Experimental and thermodynamic comparison of the separation of CO2/toluene and CO2/tetralin mixtures in the process of organogel supercritical drying for aerogels production. Journal of Sol-Gel Science and Technology, 2017, 84, 453-465. | 1.1 | 3 |
| 3347 | Identification and thermodynamic analysis of reaction pathways of methylal and OME-n formation. Energy, 2017, 138, 1221-1246. | 4.5 | 7 |
| 3348 | Preliminary design and performance analysis of a centrifugal turbine for Organic Rankine Cycle (ORC) applications. Energy, 2017, 140, 1239-1251. | 4.5 | 23 |
| 3349 | Selecting Critical Properties of Terpenes and Terpenoids through Group-Contribution Methods and Equations of State. Industrial &amp; Engineering Chemistry Research, 2017, 56, 9895-9905. | 1.8 | 9 |
| 3350 | Prediction of the CO2 Solubility in Deep Eutectic Solvents: A Comparative Study between PC-SAFT and Cubic Equations of State. , 2017, , . | | 1 |
| 3351 | New Vapor-Pressure Prediction with Improved Thermodynamic Consistency using the Riedel Equation. Industrial &amp; Engineering Chemistry Research, 2017, 56, 14678-14685. | 1.8 | 5 |
| 3352 | Emerging Numerical-Modeling Technique To Evaluate Asphaltene-Inhibitor Efficiency During Entire Field Life. SPE Production and Operations, 2017, 32, 491-499. | 0.4 | 2 |
| 3353 | Modeling of the Interaction Between Asphaltene and Water for Multiphase Reservoir Fluids by Use of Cubic-Plus-Association Equation of State. , 2017, , . | | 4 |
| 3354 | Process development and exergy cost sensitivity analysis of a novel hydrogen liquefaction process. International Journal of Hydrogen Energy, 2017, 42, 29797-29819. | 3.8 | 51 |
| 3355 | New insight into prediction of phase behavior of natural gas hydrate by different cubic equations of state coupled with various mixing rules. Petroleum Science, 2017, 14, 780-790. | 2.4 | 6 |
| 3356 | Parametric Study of the Influence of GOR and CO2 Content on the Simulation of a Pre-Salt Field Configuration. , 2017, , . | | 7 |
| 3357 | Molecular interactions in methanoate/alkanol solutions. Computation of mixing properties and characterization by FTIR/ATR spectroscopy. Journal of Molecular Liquids, 2017, 248, 725-737. | 2.3 | 0 |
| 3358 | 6. Process intensification for microdistillation using the equipment miniaturization approach. , 2017, , 213-240. | | 0 |

| # | Article | IF | Citations |
|---|---------|----|-----------| 
| 3359 | Hydrocarbon Storage Mechanism in Shale Reservoirs and Impact on Hydrocarbon Production. , 2017, , . | | 9 |
| 3360 | High pressure phase equilibrium of ternary and multicomponent alkane mixtures in the temperature range from (283 to 473) K. Fluid Phase Equilibria, 2017, 449, 186-196. | 1.4 | 6 |
| 3361 | Application of a Nonadiabatic Flamelet/Progress-Variable Approach to Large-Eddy Simulation of H2/O2 Combustion Under a Pressurized Condition. Journal of Heat Transfer, 2017, 139, . | 1.2 | 18 |
| 3362 | Interface dynamics in the transcritical flow of liquid fuels into high-pressure combustors. , 2017, , . | | 0 |
| 3363 | High-Pressure Modeling of Asphaltene Precipitation during Oil Depletion Based on the Solid Model. Energy &amp; Fuels, 2017, 31, 7911-7918. | 2.5 | 3 |
| 3364 | Investigation of methane adsorption on chlorite by grand canonical Monte Carlo simulations. Petroleum Science, 2017, 14, 37-49. | 2.4 | 26 |
| 3365 | Phase behavior of SCCO2 sequestration and enhanced natural gas recovery. Journal of Petroleum Exploration and Production, 2017, 7, 1085-1093. | 1.2 | 4 |
| 3366 | Integrated working fluid-thermodynamic cycle design of organic Rankine cycle power systems for waste heat recovery. Applied Energy, 2017, 203, 442-453. | 5.1 | 46 |
| 3367 | A parametric study of CO 2 capture from gas-fired power plants using monoethanolamine (MEA). International Journal of Greenhouse Gas Control, 2017, 63, 321-328. | 2.3 | 58 |
| 3368 | Liquid Waterâ€"Hydrateâ€"Vapor Equilibrium for Methane + Ethane Gas Mixtures: Application of Gas Hydrates for Separation. Journal of Chemical &amp; Engineering Data, 2017, 62, 2143-2148. | 1.0 | 8 |
| 3369 | Prediction of thermodynamic behavior of binary mixtures by applying the crossover approach to Soaveâ€"Redlichâ€"Kwong equation of state. Journal of the Iranian Chemical Society, 2017, 14, 1765-1775. | 1.2 | 0 |
| 3370 | Numerical Investigation of the Flow Structure of Underexpanded Jets in Quiescent Air using Real-Gas Thermodynamics. , 2017, , . | | 10 |
| 3371 | Detailed calculation of complex fluid phase equilibrium sections for ternary systems. Journal of Supercritical Fluids, 2017, 130, 399-414. | 1.6 | 1 |
| 3372 | Calculation of critical points from Helmholtz-energy-explicit mixture models. Fluid Phase Equilibria, 2017, 433, 159-173. | 1.4 | 22 |
| 3373 | Solubility of carbon monoxide in bio-oil compounds. Journal of Chemical Thermodynamics, 2017, 105, 296-311. | 1.0 | 4 |
| 3374 | Density modelling of ionic liquids using the electrolyte Soaveâ€"Redlichâ€"Kwong equation of state. Journal of Chemical Thermodynamics, 2017, 105, 414-422. | 1.0 | 3 |
| 3375 | Simplified calculation of solubility of solid solutes in supercritical carbon dioxide by EoS models. Fluid Phase Equilibria, 2017, 432, 54-61. | 1.4 | 7 |
| 3376 | Comparison of EoS-Based and K-Values-Based Methods for Three-Phase Thermal Simulation. Transport in Porous Media, 2017, 116, 663-686. | 1.2 | 17 |

| # | Article | IF | Citations |
|---|---------|----|-----------|
| 3377 | Modeling the effect of piperazine on CO2 loading in MDEA/PZ mixture. Fluid Phase Equilibria, 2017, 434, 233-243. | 1.4 | 22 |
| 3378 | Hydrate risk management with aqueous ethylene glycol and electrolyte solutions in thermodynamically under-inhibition condition. Chemical Engineering Science, 2017, 158, 172-180. | 1.9 | 28 |
| 3379 | General approach to characterizing reservoir fluids for EoS models using a large PVT database. Fluid Phase Equilibria, 2017, 433, 97-111. | 1.4 | 18 |
| 3380 | A group contribution method for predicting the solubility of mercury. Fluid Phase Equilibria, 2017, 432, 76-84. | 1.4 | 17 |
| 3381 | The implementation of ion-based ePC-SAFT EOS for calculation of the mean activity coefficient of single and mixed electrolyte solutions. Fluid Phase Equilibria, 2017, 433, 226-242. | 1.4 | 9 |
| 3382 | Study of flame response to transverse acoustic modes from the LES of a 42-injector rocket engine. Proceedings of the Combustion Institute, 2017, 36, 2633-2639. | 2.4 | 39 |
| 3383 | Review of the BACKONE equation of state and its applications. Molecular Physics, 2017, 115, 1041-1050. | 0.8 | 9 |
| 3384 | Measurement of Micro Kinetics of Hydrogenation in Liquid Phase Using Raman Spectroscopy. Chemical Engineering and Technology, 2017, 40, 56-63. | 0.9 | 0 |
| 3385 | Water content of light n‑alkanes: New measurements and cubic‑plus‑association equation of state modeling. AICHE Journal, 2017, 63, 1384-1389. | 1.8 | 10 |
| 3386 | Fully compositional multi-scale reservoir simulation of various CO 2 sequestration mechanisms. Computers and Chemical Engineering, 2017, 96, 183-195. | 2.0 | 20 |
| 3387 | Prediction of solid solute solubility in supercritical carbon dioxide with organic cosolvents from the PR+COSMOSAC equation of state. Fluid Phase Equilibria, 2017, 431, 48-57. | 1.4 | 23 |
| 3388 | Wellbore modeling for hybrid steam-solvent processes. Fuel, 2017, 188, 50-60. | 3.4 | 19 |
| 3389 | Prediction of critical temperature and critical pressure of multi-component mixtures. Fluid Phase Equilibria, 2017, 441, 2-8. | 1.4 | 10 |
| 3390 | Predicting PR EOS binary interaction parameter using readily available molecular properties. Fluid Phase Equilibria, 2017, 434, 130-140. | 1.4 | 8 |
| 3391 | Phase behavior experiments and PVT modeling of DME-brine-crude oil mixtures based on Huron-Vidal mixing rules for EOR applications. Fluid Phase Equilibria, 2017, 434, 49-62. | 1.4 | 43 |
| 3392 | Comparison of GERG-2008 and simpler EoS models in calculation of phase equilibrium and physical properties of natural gas related systems. Fluid Phase Equilibria, 2017, 434, 21-43. | 1.4 | 37 |
| 3393 | Estimation of thermodynamic properties of hydrogen isotopes and modeling of hydrogen isotope systems using Aspen Plus simulator. Journal of Industrial and Engineering Chemistry, 2017, 46, 1-8. | 2.9 | 19 |
| 3394 | Organic fluids for Organic Rankine Cycle systems. , 2017, , 91-119. | | 2 |

| # | ARTICLE | IF | CITATIONS |
|---|---------|----|-----------|
| 3395 | Methodological Support for the Selection of Simplified Equations of State for Modeling Technical Fluids. , 2017, , . | | 0 |
| 3396 | Phase Behavior and Properties of Heavy Oils. Springer Handbooks, 2017, , 273-318. | 0.3 | 3 |
| 3397 | Modeling the stabilization column in the petroleum refinery. Energy Procedia, 2017, 139, 61-66. | 1.8 | 1 |
| 3398 | Thermal and Transport Properties for the Simulation of Direct-Fired sCO2 Combustor. Journal of Engineering for Gas Turbines and Power, 2017, 139, . | 0.5 | 18 |
| 3399 | <i>Ab initio</i> molecular dynamics study of fluid H2O-CO2 mixture in broad pressure-temperature range. AIP Advances, 2017, 7, . | 0.6 | 6 |
| 3402 | Analysis of the impact of CO&lt;SUB align="right"&gt;2 content on the physical properties of the liquid phase mixtures in oil production wells. International Journal of Global Warming, 2017, 12, 261. | 0.2 | 0 |
| 3403 | 2.9 Progress in the Use of Membrane Technology to Separate Volatile Organic Compounds (VOCs). , 2017, , 226-255. | | 2 |
| 3404 | Other Flow Assurance Issues. , 2017, , 663-699. | | 1 |
| 3405 | Thermal Transport and Entropy Production Mechanisms in a Turbulent Round Jet at Supercritical Thermodynamic Conditions. Entropy, 2017, 19, 404. | 1.1 | 16 |
| 3406 | Utilizing Non-Equilibrium Thermodynamics and Reactive Transport to Model CH4 Production from the Nankai Trough Gas Hydrate Reservoir. Energies, 2017, 10, 1064. | 1.6 | 1 |
| 3407 | A one-dimensional analytical calculation method for obtaining normal shock losses in supersonic real gas flows. Journal of Physics: Conference Series, 2017, 821, 012004. | 0.3 | 6 |
| 3408 | Integrated computer-aided framework for chemical product and process application design and optimization for waste heat recovery. Computer Aided Chemical Engineering, 2017, , 1777-1782. | 0.3 | 2 |
| 3409 | Prediction of the Phase Behavior and Properties of Hydrocarbons with a One-Parameter PC-SAFT Approach Assisted by a Group Contribution Method. Industrial &amp; Engineering Chemistry Research, 2017, 56, 9227-9236. | 1.8 | 5 |
| 3410 | Applicability of DFT model in reactive distillation. Physical Sciences Reviews, 2017, 2, . | 0.8 | 0 |
| 3411 | Thermodynamic Behavior of Liquid-Supercritical CO2 Fracturing in Shale. , 2017, , . | | 6 |
| 3412 | Computational chemical product design problems under property uncertainties. Computer Aided Chemical Engineering, 2017, , 973-978. | 0.3 | 2 |
| 3413 | Using a Reactive Transport Simulator to Simulate CH4 Production from Bear Island Basin in the Barents Sea Utilizing the Depressurization Methodâ€. Energies, 2017, 10, 187. | 1.6 | 8 |
| 3414 | Calculation and Prediction of Fugacity and Activity Coefficients in Binary Mixtures, using a Self-Regulated Fretwidth Harmony Search Algorithm. Revista IngenierÃas Universidad De MedellÃn, 2017, 16, 67-96. | 0.1 | 0 |

| # | Article | IF | Citations |
|---|---------|-----|-----------|
| 3415 | Thermodynamics of the carbon dioxide plus argon (CO2Â+ Ar) system: An improved reference mixture model and measurements of vapor-liquid, vapor-solid, liquid-solid and vapor-liquid-solid phase equilibrium data at the temperatures 213â€"299ÂK and pressures up to 16ÂMPa. Fluid Phase Equilibria, 2018, 466, 48-78. | 1.4 | 13 |
| 3416 | A fast algorithm for calculating isothermal phase behavior using machine learning. Fluid Phase Equilibria, 2018, 465, 73-82. | 1.4 | 26 |
| 3417 | Equation-Oriented Approach for Handling the Perturbed-Chain SAFT Equation of State in Simulation and Optimization of Polymerization Processes. Industrial &amp; Engineering Chemistry Research, 2018, 57, 4607-4622. | 1.8 | 8 |
| 3418 | Effect of Boiling Point and Density Prediction Methods on Stochastic Reconstruction. Energy &amp; Fuels, 2018, 32, 3344-3355. | 2.5 | 9 |
| 3419 | A New Approach to Combined Sulfide- and Carbonate-Scale Predictions Applied to Different Field Scenarios. SPE Production and Operations, 2018, 33, 498-508. | 0.4 | 1 |
| 3420 | Consistent Twu Parameters for More than 2500 Pure Fluids from Critically Evaluated Experimental Data. Journal of Chemical &amp; Engineering Data, 2018, 63, 2402-2409. | 1.0 | 16 |
| 3421 | Application of adsorption potential theory to methane adsorption on organic-rich shales at above critical temperature. Environmental Earth Sciences, 2018, 77, 1. | 1.3 | 11 |
| 3422 | Well Control Simulator: Enhancing Models with Compositional PVT Models and Kinetics. , 2018, , . | | 7 |
| 3423 | Review and Thermodynamic Modeling with NRTL Model of Vaporâ€"Liquid Equilibria (VLE) of Aroma Compounds Highly Diluted in Ethanolâ€"Water Mixtures at 101.3 kPa. Industrial &amp; Engineering Chemistry Research, 2018, 57, 3443-3470. | 1.8 | 25 |
| 3424 | Modeling of asphaltene and water associations in petroleum reservoir fluids using cubicâ€plusâ€association EOS. AIChE Journal, 2018, 64, 3429-3442. | 1.8 | 19 |
| 3427 | Bubble Pressure Measurement and Prediction for n-Hexadecane and n-Eicosane + Cyclohexane, Methylcyclohexane, and Ethylcyclohexane Binary Mixtures from 303.15 to 393.15 K. Journal of Chemical &amp; Engineering Data, 2018, 63, 1797-1809. | 1.0 | 0 |
| 3428 | High pressure bubble- and dew-point data for a system containing CO2 with detergent range alkanes and alcohols. Journal of Supercritical Fluids, 2018, 141, 265-273. | 1.6 | 10 |
| 3429 | Solubility of carbon dioxide in methanol from 213.15â€K to 273.15â€K: Measurement and modeling. Fluid Phase Equilibria, 2018, 471, 40-54. | 1.4 | 8 |
| 3430 | A theoretically based departure function for multi-fluid mixture models. Fluid Phase Equilibria, 2018, 469, 56-69. | 1.4 | 12 |
| 3431 | Vapour-phase (p, Ï, T, x) behaviour and virial coefficients for the (ethaneâ€+â€carbon dioxide) system. Journal of Chemical Thermodynamics, 2018, 122, 204-213. | 1.0 | 6 |
| 3432 | Evaluating measurement uncertainty in fluid phase equilibrium calculations. Metrologia, 2018, 55, S60-S69. | 0.6 | 4 |
| 3433 | Thermodynamics of carbon dioxide-hydrocarbon systems. Applied Energy, 2018, 220, 629-642. | 5.1 | 39 |
| 3434 | Prediction of the temperature dependence of densities and vapor pressures of nonpolar hydrocarbons based on their molecular structure and refractive index data at 20â€Â°C. Fluid Phase Equilibria, 2018, 468, 29-37. | 1.4 | 13 |

| # | Article | IF | Citations |
|---|---------|-----|-----------|
| 3435 | Performance of Solvent-Assisted Thermal Drainage process and its relationship to injection parameters: A comprehensive modeling. Fuel, 2018, 225, 388-402. | 3.4 | 9 |
| 3436 | Ternary Vaporâ€"Liquid Equilibrium Measurements and Modeling of Ethylene Glycol (1) + Water (2) + Methane (3) Systems at 6 and 12.5 MPa. Journal of Chemical &amp; Engineering Data, 2018, 63, 1789-1796. | 1.0 | 16 |
| 3437 | Exploitation of heavy oil by supercritical $CO_2$: Effect analysis of supercritical $CO_2$ on $H_2O$ at superheated state in integral joint tubing and annuli. , 2018, 8, 557-569. | | 43 |
| 3438 | Numerical investigation of a high pressure hydrogen jet of 82ÂMPa with adaptive mesh refinement: Concentration and velocity distributions. International Journal of Hydrogen Energy, 2018, 43, 9094-9109. | 3.8 | 27 |
| 3439 | Vapor - liquid equilibrium of the carbon dioxide/methane mixture at three isotherms. Fluid Phase Equilibria, 2018, 462, 44-58. | 1.4 | 13 |
| 3440 | Modeling of physical properties and vapor â€" liquid equilibrium of ethylene and ethylene mixtures with equations of state. Fluid Phase Equilibria, 2018, 470, 149-163. | 1.4 | 17 |
| 3441 | An improved volume translation strategy for PR EOS without crossover issue. Fluid Phase Equilibria, 2018, 470, 164-175. | 1.4 | 19 |
| 3442 | Flow simulation of the mixture system of supercritical CO2 &amp; superheated steam in toe-point injection horizontal wellbores. Journal of Petroleum Science and Engineering, 2018, 163, 199-210. | 2.1 | 84 |
| 3443 | Rate-based simulation of a high pressure counter-current packed column for supercritical CO2 extraction of alcohol from dilute aqueous mixtures. Journal of Supercritical Fluids, 2018, 135, 168-179. | 1.6 | 10 |
| 3444 | Reservoir simulation with the cubic plus (cross-) association equation of state for water, CO2, hydrocarbons, and tracers. Advances in Water Resources, 2018, 114, 29-44. | 1.7 | 5 |
| 3445 | Modeling the solubility of CO2 in aqueous methyl diethanolamine solutions with an electrolyte model based on COSMO-RS. Fluid Phase Equilibria, 2018, 461, 39-50. | 1.4 | 9 |
| 3446 | Viscosity models for pure hydrocarbons at extreme conditions: A review and comparative study. Fuel, 2018, 218, 89-111. | 3.4 | 65 |
| 3447 | Heat and mass transfer characteristics of superheated fluid for hybrid solvent-steam process in perforated horizontal wellbores. International Journal of Heat and Mass Transfer, 2018, 122, 557-573. | 2.5 | 20 |
| 3448 | State of the Art of Conventional Reactors for Methanol Production. , 2018, , 29-51. | | 14 |
| 3449 | Hydrodynamic shrinkage of liquid CO2Taylor drops in a straight microchannel. Journal of Physics Condensed Matter, 2018, 30, 094002. | 0.7 | 8 |
| 3450 | Improvement of the Expanded Fluid Viscosity Model for Crude Oils: Effects of the Plus-Fraction Characterization Method and Density. Energy &amp; Fuels, 2018, 32, 1624-1633. | 2.5 | 10 |
| 3451 | Thermo-physicochemical investigation of molecular interactions in binary combination (dimethyl) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 | 2.0 | 7 |
| 3452 | Viscosity Modeling of Ionic Liquids Using the Friction Theory and a Simple Cubic Equation of State. Industrial &amp; Engineering Chemistry Research, 2018, 57, 1109-1120. | 1.8 | 13 |

| # | Article | IF | Citations |
|---|---------|----|-----------| 
| 3453 | CO2 + 3,7-dimethyl-1-octanol + 1-decanol: High pressure experimental phase equilibria data and thermodynamic modelling. Journal of Supercritical Fluids, 2018, 136, 82-94. | 1.6 | 3 |
| 3454 | Hydrodynamics of CO2-ethanol flow in a microchannel under elevated pressure. Chemical Engineering Science, 2018, 178, 297-311. | 1.9 | 13 |
| 3455 | Algorithm for Constructing Complete Asphaltene PT and Px Phase Diagrams. Industrial &amp; Engineering Chemistry Research, 2018, 57, 392-400. | 1.8 | 10 |
| 3456 | Thermodynamics and Thermochemistry of Process Safety. , 2018, , 49-107. | | 0 |
| 3457 | Systematic Optimization-Based Integrated Chemical Productâ€"Process Design Framework. Industrial &amp; Engineering Chemistry Research, 2018, 57, 677-688. | 1.8 | 28 |
| 3458 | Prediction of the phase behavior of BTEX and alkane hydrocarbons in the presence of Tri-Ethylene Glycol (TEG) solvent. Petroleum Science and Technology, 2018, 36, 16-22. | 0.7 | 2 |
| 3459 | Density and Compressibility of Multicomponent n-Alkane Mixtures up to 463 K and 140 MPa. Journal of Chemical &amp; Engineering Data, 2018, 63, 1072-1080. | 1.0 | 7 |
| 3460 | Phase Behavior of Liquids Embedded with Graphene Genealogic Tree Nanoparticles. Springer Proceedings in Physics, 2018, , 39-47. | 0.1 | 0 |
| 3461 | Real-Gas Effects and Phase Separation in Underexpanded Jets at Engine-Relevant Conditions. , 2018, , . | | 11 |
| 3462 | The temperature evolution in compressed gas filling processes: A review. International Journal of Hydrogen Energy, 2018, 43, 2268-2292. | 3.8 | 49 |
| 3463 | Pressure-equation-based SLAU2 for oscillation-free, supercritical flow simulations. Computers and Fluids, 2018, 163, 86-96. | 1.3 | 7 |
| 3464 | Phase Equilibria in Ternary Systems Carbon Dioxide + 1-Hexanol + n-Pentadecane and Carbon Dioxide + 1-Heptanol + n-Pentadecane: Modeling of Holes in Critical Surface and Miscibility Windows. Journal of Chemical &amp; Engineering Data, 2018, 63, 994-1005. | 1.0 | 0 |
| 3465 | Molecular Dynamics Analysis of Anti-Agglomerant Surface Adsorption in Natural Gas Hydrates. Journal of Physical Chemistry C, 2018, 122, 2673-2683. | 1.5 | 51 |
| 3466 | High pressure phase equilibria for binary mixtures of CO2â€+â€2-pentanol, vinyl butyrate, 2-pentyl butyrate or butyric acid systems. Journal of Supercritical Fluids, 2018, 135, 69-77. | 1.6 | 12 |
| 3467 | A volume-based approach to phase equilibrium calculations at pressure and temperature specifications. Fluid Phase Equilibria, 2018, 461, 70-83. | 1.4 | 12 |
| 3468 | Toward generalized models for estimating molecular weights and acentric factors of pure chemical compounds. International Journal of Hydrogen Energy, 2018, 43, 2699-2717. | 3.8 | 25 |
| 3469 | Phase Envelopes for Reservoir Fluids with Asphaltene Onset Lines: An Integral Computation Strategy for Complex Combinations of Two- and Three-Phase Behaviors. Energy &amp; Fuels, 2018, 32, 2742-2748. | 2.5 | 12 |
| 3470 | Numerical Investigation of Supercritical Combustion of $H_2$â€"$O_2$. Energy &amp; Fuels, 2018, 32, 3851-3868. | 2.5 | 2 |

| # | Article | IF | Citations |
|---|---------|----|-----------|
| 3471 | Molecular Models for the Hydrogen Age: Hydrogen, Nitrogen, Oxygen, Argon, and Water. Journal of Chemical &amp; Engineering Data, 2018, 63, 305-320. | 1.0 | 32 |
| 3472 | Power-to-gas in a smart city context â€" Influence of network restrictions and possible solutions using on-site storage and model predictive controls. International Journal of Hydrogen Energy, 2018, 43, 9483-9494. | 3.8 | 27 |
| 3473 | A viscosity model for ionic liquids based on the Eyring's theory and a cubic EoS. Journal of Molecular Liquids, 2018, 262, 161-174. | 2.3 | 17 |
| 3474 | $CO_2$-Expanded Alkyl Acetates: Physicochemical and Molecular Modeling Study and Applications in Chemical Processes. ACS Sustainable Chemistry and Engineering, 2018, 6, 7627-7637. | 3.2 | 8 |
| 3475 | Thermodynamic Principle-Based Hydrogen Partial Pressure Correction for Optimization of Refinery Hydrogen Networks. Process Integration and Optimization for Sustainability, 2018, 2, 131-139. | 1.4 | 1 |
| 3476 | Teaching arcâ€length continuation in the chemical engineering graduate program using MATLABÂ©. Computer Applications in Engineering Education, 2018, 26, 1033-1049. | 2.2 | 6 |
| 3477 | Thermodynamic modeling of VLE and VLLE for the ternary system of 2,3,3,3-tetrafluoroprop-1-ene(R1234yf)â€+â€propane (R290)â€+â€1,1,1,2-tetrafluoroethane(R134a) at 253.15â€K-313.15â€K. Chemical Engineering Science, 2018, 187, 134-147. | 1.9 | 15 |
| 3478 | A thermodynamic model to predict propane solubility in bitumen and heavy oil based on experimental fractionation and characterization. Journal of Petroleum Science and Engineering, 2018, 168, 156-177. | 2.1 | 25 |
| 3479 | Thermodynamic modeling of amino acid solutions: A new perspective on CPA EOS. Journal of Chemical Thermodynamics, 2018, 124, 21-31. | 1.0 | 5 |
| 3480 | Flow Assurance Engineering in Deepwater Offshore - Past, Present, and Future. , 2018, , . | | 10 |
| 3481 | Effect analysis of non-condensable gases on superheated steam flow in vertical single-tubing steam injection pipes based on the real gas equation of state and the transient heat transfer model in formation. Journal of Petroleum Exploration and Production, 2018, 8, 1325-1330. | 1.2 | 24 |
| 3482 | A modified supercritical Dubininâ€"Radushkevich model for the accurate estimation of high pressure methane adsorption on shales. International Journal of Coal Geology, 2018, 193, 1-15. | 1.9 | 57 |
| 3483 | Measurements and Modeling of Volumetric and Phase Behavior of Carbon Dioxide + Higher Alkanes: $CO_2$ + *n*-Pentadecane at Temperatures 313 to 410 K and Pressures up to 77 MPa. Journal of Chemical &amp; Engineering Data, 2018, 63, 1389-1396. | 1.0 | 4 |
| 3484 | Predictive method of hydrogen solubility in heavy petroleum fractions using EOS/GE and group contributions methods. Fuel, 2018, 224, 619-627. | 3.4 | 15 |
| 3485 | High-pressure phase equilibrium data for systems containing carbon dioxide, Ï‰-pentadecalactone, chloroform and water. Journal of Chemical Thermodynamics, 2018, 122, 125-132. | 1.0 | 19 |
| 3486 | Optimal heat pump integration in industrial processes. Applied Energy, 2018, 219, 68-92. | 5.1 | 69 |
| 3487 | Prediction of phase behaviour for n-alkane-CO2-water systems with consideration of mutual solubility using Peng-Robinson equation of state. Journal of Supercritical Fluids, 2018, 138, 174-186. | 1.6 | 15 |
| 3488 | Asphaltene Predictions Using Screening Methods and Equations of State. , 2018, , . | | 8 |

| # | Article | IF | Citations |
|---|---------|----|-----------|
| 3489 | Impact of Capillary Pressure and Nanopore Confinement on Phase Behaviors of Shale Gas and Oil. Energy &amp; Fuels, 2018, 32, 4705-4714. | 2.5 | 82 |
| 3490 | Vapor-liquid equilibrium of binary systems with EoS/G E models at low pressure: Revisiting the Heidemann-Kokal Mixing Rule. Fluid Phase Equilibria, 2018, 466, 89-102. | 1.4 | 5 |
| 3491 | Compressible flow at high pressure with linear equation of state. Journal of Fluid Mechanics, 2018, 843, 244-292. | 1.4 | 9 |
| 3492 | Predicting Hydrate Blockage Formation in Gas-Dominant Systems. , 2018, , . |  | 6 |
| 3493 | Experimental and predictive PC-SAFT modeling results for density and isothermal compressibility for two crude oil samples at elevated temperatures and pressures. Fuel, 2018, 218, 385-395. | 3.4 | 15 |
| 3494 | Viscosity Prediction for Petroleum Fluids Using Free Volume Theory and PC-SAFT. International Journal of Thermophysics, 2018, 39, 1. | 1.0 | 12 |
| 3495 | New unconstrained minimization methods for robust flash calculations at temperature, volume and moles specifications. Fluid Phase Equilibria, 2018, 466, 31-47. | 1.4 | 28 |
| 3496 | Assessing thermodynamic models and introducing novel method for prediction of methane hydrate formation. Journal of Petroleum Exploration and Production, 2018, 8, 1401-1412. | 1.2 | 13 |
| 3497 | Numerical investigation of the potential contamination of a shallow aquifer in producing coalbed methane. Energy Exploration and Exploitation, 2018, 36, 282-296. | 1.1 | 6 |
| 3498 | Alternative Routes to Hydrate Formation during Processing and Transport of Natural Gas with a Significant Amount of $CO_2$: Sleipner Gas as a Case Study. Journal of Chemical &amp; Engineering Data, 2018, 63, 832-844. | 1.0 | 21 |
| 3499 | Existence Analysis of a Single-Phase Flow Mixture with van der Waals Pressure. SIAM Journal on Mathematical Analysis, 2018, 50, 1367-1395. | 0.9 | 7 |
| 3500 | Combustion characteristics of hydrogen and cracked kerosene in a DLR scramjet combustor using hybrid RANS/LES method. Aerospace Science and Technology, 2018, 80, 433-444. | 2.5 | 26 |
| 3501 | Carbon capture and storage (CCS): the way forward. Energy and Environmental Science, 2018, 11, 1062-1176. | 15.6 | 2,378 |
| 3502 | Transient analysis of the steam–water direct contact condensation in the packed column. Canadian Journal of Chemical Engineering, 2018, 96, 404-413. | 0.9 | 3 |
| 3503 | A Generalized Method for the Comparable and Rigorous Calculation of the Polytropic Efficiencies of Turbocompressors. International Journal of Turbo and Jet Engines, 2018, 35, 35-47. | 0.3 | 2 |
| 3504 | Volume expansion and vapour–liquid equilibrium of toluene and ethanol with carbon dioxide at high pressures for the selection of optimum operational condition in the GAS process. Physics and Chemistry of Liquids, 2018, 56, 164-175. | 0.4 | 7 |
| 3505 | Supercritical carbon dioxide as a green media in textile dyeing: A review. Textile Reseach Journal, 2018, 88, 1184-1212. | 1.1 | 89 |
| 3506 | The Antoine equation of state: Rediscovering the potential of an almost forgotten expression for calculating volumetric properties of pure compounds. Chemical Engineering Science, 2018, 177, 89-109. | 1.9 | 10 |

| # | Article | IF | Citations |
|---|---------|-----|-----------|
| 3507 | Thermodynamic modeling of phase equilibria of clathrate hydrates formed from CH4, CO2, C2H6, N2 and C3H8, with different equations of state. Journal of Chemical Thermodynamics, 2018, 117, 180-192. | 1.0 | 32 |
| 3508 | Extension of the group contribution NRTL-PRA EoS for the modeling of mixtures containing light gases and alcohols with water and salts. Fluid Phase Equilibria, 2018, 458, 194-210. | 1.4 | 6 |
| 3509 | Experimental Investigation and Molecular-Based Modeling of Crude Oil Density at Pressures to 270ÂMPa and Temperatures to 524ÂK. Green Energy and Technology, 2018, , 141-155. | 0.4 | 0 |
| 3510 | Biogas to liquefied biomethane via cryogenic upgrading technologies. Renewable Energy, 2018, 124, 75-83. | 4.3 | 86 |
| 3511 | Specifying Carbon Dioxide Centrifugal Compressor. SPE Production and Operations, 2018, 33, 313-319. | 0.4 | 1 |
| 3512 | Numerical Study of Cryogenic Swirl Injection Under Supercritical Conditions. Journal of Propulsion and Power, 2018, 34, 428-437. | 1.3 | 5 |
| 3513 | Phase equilibria of CO 2 with components in the light naphtha cut of tyre derived oil. Journal of Supercritical Fluids, 2018, 131, 58-65. | 1.6 | 9 |
| 3514 | Thermodynamic comparison of three small-scale gas liquefaction systems. Applied Thermal Engineering, 2018, 128, 712-724. | 3.0 | 37 |
| 3515 | Calculation on the phase equilibrium and critical temperature of CH4/CO2. Chemical Engineering Research and Design, 2018, 113, 369-377. | 2.7 | 3 |
| 3516 | New association schemes for mono-ethylene glycol: Cubic-Plus-Association parameterization and uncertainty analysis. Fluid Phase Equilibria, 2018, 458, 211-233. | 1.4 | 16 |
| 3517 | Density of carbon dioxide with impurities by Coriolis flow meter, oscillation-type densitometer and equations of state. Applied Energy, 2018, 212, 162-174. | 5.1 | 10 |
| 3518 | Thermodynamic Modeling and Experimental Study of $CO_2$ Dissolution in New Absorbents for Post-Combustion $CO_2$ Capture Processes. ACS Sustainable Chemistry and Engineering, 2018, 6, 918-926. | 3.2 | 13 |
| 3519 | Simulating Hydrate Growth and Transport Behavior in Gas-Dominant Flow. Energy &amp; Fuels, 2018, 32, 1012-1023. | 2.5 | 40 |
| 3520 | System evaluation of offshore platforms with gas liquefaction processes. Energy, 2018, 144, 594-606. | 4.5 | 21 |
| 3521 | eCPA: An ion-specific approach to parametrization. Fluid Phase Equilibria, 2018, 470, 176-187. | 1.4 | 27 |
| 3522 | Transient Heat Transfer Study of Direct Contact Condensation of Steam in Spray Cooling Water. Transactions of Tianjin University, 2018, 24, 131-143. | 3.3 | 5 |
| 3523 | Thermodynamic analysis of diesel hydrotreating reactions. Fuel, 2018, 214, 314-321. | 3.4 | 12 |
| 3524 | Genetic programming based models for prediction of vapor-liquid equilibrium. Calphad: Computer Coupling of Phase Diagrams and Thermochemistry, 2018, 60, 68-80. | 0.7 | 8 |

| # | Article | IF | Citations |
|---|---------|-----|-----------|
| 3525 | Impact of non-ideal behavior on ignition delay and chemical kinetics in high-pressure shock tube reactors. Combustion and Flame, 2018, 189, 1-11. | 2.8 | 37 |
| 3526 | Volume-based phase stability testing at pressure and temperature specifications. Fluid Phase Equilibria, 2018, 458, 123-141. | 1.4 | 19 |
| 3527 | Widom line prediction by the Soaveâ€"Redlichâ€"Kwong and Pengâ€"Robinson equations of state. Journal of Supercritical Fluids, 2018, 133, 367-371. | 1.6 | 16 |
| 3528 | Computation and analysis of surfaces and lines of three-phase equilibrium in ternary systems: Application illustrated for a $CO_2$ (1) + $H_2O$(2) + 2-propanol(3) -like system. Fluid Phase Equilibria, 2018, 457, 18-37. | 1.4 | 1 |
| 3529 | Thermodynamic modeling of hydrate formation conditions using different activity coefficient models in the presence of tetrahydrofuran (THF). Chemical Engineering Research and Design, 2018, 129, 150-159. | 2.7 | 7 |
| 3530 | Saturated liquid density equation for pure refrigerants including CFCs, HCFCs, HFCs, HCs, HFOs, HFEs, PFAs and ISs based on the scaling law and the law of rectilinear diameter. International Journal of Refrigeration, 2018, 87, 65-77. | 1.8 | 8 |
| 3531 | Investigating effects of molecular structure on the behavior of saturated liquid hydrocarbons using a novel semi-empirical equation of state. Fluid Phase Equilibria, 2018, 456, 184-192. | 1.4 | 3 |
| 3532 | Exploring molecular interactions of binary mixture (dimethyl carbonate + benzyl benzoate): Measurements and correlation. Journal of Molecular Liquids, 2018, 249, 1183-1194. | 2.3 | 3 |
| 3533 | Phase equilibria of CO2Â+ 1,2-dimethoxyethane at high-pressures. Fluid Phase Equilibria, 2018, 458, 47-57. | 1.4 | 7 |
| 3534 | Prediction of dew points and liquid dropouts of gas condensate mixtures. Fluid Phase Equilibria, 2018, 457, 62-73. | 1.4 | 26 |
| 3535 | Simulation of High Pressure Separator Used in Crude Oil Processing. Processes, 2018, 6, 219. | 1.3 | 10 |
| 3536 | Numerical prediction of performance of a low-temperature-differential gamma-type Stirling engine. Numerical Heat Transfer; Part A: Applications, 2018, 74, 1770-1785. | 1.2 | 5 |
| 3541 | Carbon Dioxide Use in High-Pressure Extraction Processes. , 0, , . | | 5 |
| 3542 | A Mathematical Model of a Bladder-type Accumulator Considering Heat Conduction. Transactions of the Japan Fluid Power System Society, 2018, 49, 49-55. | 0.4 | 0 |
| 3543 | Vapor-liquid equilibrium of binary systems containing low GWP refrigerants with cubic equations of state. Energy Procedia, 2018, 148, 1246-1253. | 1.8 | 3 |
| 3545 | 11. Applicability of DFT model in reactive distillation. , 2018, , 283-308. | | 0 |
| 3546 | Mitigating Complexity: Cohesion Parameters and Related Topics. I: The Hildebrand Solubility Parameter. Journal of Solution Chemistry, 2018, 47, 1626-1709. | 0.6 | 16 |
| 3547 | Low-Pressure VLE Measurements and Thermodynamic Modeling, with PSRK and NRTL, of Binary 1-Alcohol + <i>n-</i>Alkane Systems. Journal of Chemical &amp; Engineering Data, 0, , . | 1.0 | 8 |

| # | Article | IF | Citations |
|---|---------|----|-----------|
| 3548 | Validation of classical mixing rule coupled with a van der Waalsâ€"type equation of state for supercritical mixture system of oxygen and hydrogen using molecular simulation. Mechanical Engineering Letters, 2018, 4, 18-00369-18-00369. | 0.2 | 2 |
| 3549 | Modeling Hydrofluoroolefins with the Cubic Plus Association and Perturbed-Chain Statistical Associating Fluid Theory Equations of State. Industrial &amp; Engineering Chemistry Research, 2018, 57, 17289-17300. | 1.8 | 15 |
| 3550 | Phase Equilibrium Measurement of n-Butane/Water/n-Butanol System for Development of an Energy-Saving Biobutanol Extraction Process. Journal of Advanced Chemical Engineering, 2018, 08, . | 0.1 | 0 |
| 3551 | Dynamic simulation of different transport options of renewable hydrogen to a refinery in a coupled energy system approach. International Journal of Hydrogen Energy, 2018, 43, 19600-19614. | 3.8 | 8 |
| 3552 | Extended Nobleâ€"Abel Stiffened-Gas Equation of State for Sub-and-Supercritical Liquid-Gas Systems Far from the Critical Point. Fluids, 2018, 3, 48. | 0.8 | 11 |
| 3553 | Isobaric Vapor-Liquid Equilibria in 2-Methylthiopheneâ€"Cycloalkane Mixtures at 90.00 kPa. Russian Journal of Physical Chemistry A, 2018, 92, 2118-2123. | 0.1 | 0 |
| 3554 | Research on coupled heat transfer of film cooling in LOX/GH$_2$ thrust chambers. Journal of Thermal Science and Technology, 2018, 13, JTST0035-JTST0035. | 0.6 | 6 |
| 3555 | Berechnungsmethoden fÃ¼r thermophysikalische Stoffeigenschaften. Springer Reference Technik, 2018, , 1-45. | 0.0 | 1 |
| 3556 | Fundamental of swapping phenomena in naturally occurring gas hydrates. Scientific Reports, 2018, 8, 16563. | 1.6 | 25 |
| 3557 | Effects of hydrophobic CaO and SiO2 nanoparticles on Asphaltene Precipitation Envelope (APE): an experimental and modeling approach. Oil and Gas Science and Technology, 2018, 73, 56. | 1.4 | 17 |
| 3558 | Vaca Muerta Numerical Simulation: A Warning in Compositional Modelling. , 2018, , . | | 1 |
| 3559 | Toluene/<i>n</i>-Heptane Separation by Extractive Distillation with Tricyanomethanide-Based Ionic Liquids: Experimental and CPA EoS Modeling. Industrial &amp; Engineering Chemistry Research, 2018, 57, 14242-14253. | 1.8 | 29 |
| 3560 | Dampf-FlÃ¼ssigkeits-Gleichgewichte von Mehrkomponenten-Gemischen. Springer Reference Technik, 2018, , 1-18. | 0.0 | 0 |
| 3561 | Estimating Clean Reservoir Fluid Bubblepoint and Other Properties in Real Time Using PCA Asymptote of Optical Sensor Data and Equation of State. , 2018, , . | | 0 |
| 3562 | Prediction of minimum miscibility pressure of pure CO2, carbon dioxide gas mixtures and polymer-supercritical CO2 in oil using modified quadrupole Cubic Plus Association Equation of State (mqCPAÂEoS). Fluid Phase Equilibria, 2018, 478, 114-128. | 1.4 | 9 |
| 3563 | Numerical Aspects of Phase Equilibrium Calculations with the Cubic and Association Models. Industrial &amp; Engineering Chemistry Research, 2018, 57, 14273-14285. | 1.8 | 6 |
| 3564 | A new model for predicting the decompression behavior of CO2 mixtures in various phases. Chemical Engineering Research and Design, 2018, 120, 237-247. | 2.7 | 18 |
| 3565 | Molecular Dynamics Study on the Mechanism of Nanoscale Jet Instability Reaching Supercritical Conditions. Applied Sciences (Switzerland), 2018, 8, 1714. | 1.3 | 3 |

| # | Article | IF | Citations |
|---|---------|----|-----------|
| 3568 | VAPOR-LIQUID EQUILIBRIUM CALCULATION FOR SIMULATION OF BIOETHANOL CONCENTRATION FROM SUGARCANE. Brazilian Journal of Chemical Engineering, 2018, 35, 341-352. | 0.7 | 5 |
| 3569 | Thermodynamics of Physical and Chemical Transformations. , 2018, , 9-115. | | 0 |
| 3570 | Temperature dependent apparent molar properties of trihexylammonium carboxylate based protic ionic liquids in toluene and dodecane. Journal of Molecular Liquids, 2018, 272, 1058-1069. | 2.3 | 15 |
| 3571 | THERMODYNAMIC MODELING OF AZEOTROPIC MIXTURES WITH [EMIM][TfO] WITH CUBIC-PLUS-ASSOCIATION AND CUBIC EOSs. Brazilian Journal of Chemical Engineering, 2018, 35, 363-372. | 0.7 | 2 |
| 3572 | Thermodynamic Modeling of $CO_2$-$N_2$-$O_2$-Brine-Carbonates in Conditions from Surface to High Temperature and Pressure. Energies, 2018, 11, 2627. | 1.6 | 9 |
| 3573 | Analysis of Vapor-Liquid Equilibrium Parameters of Multicomponent Hydrocarbon Mixtures Using Cubic Equations of State. , 2018, , . | | 0 |
| 3574 | Measurement and Prediction of Hydrocarbon Dew Points of Synthetic Natural Gas Mixtures. Journal of Chemical &amp; Engineering Data, 2018, 63, 4226-4233. | 1.0 | 3 |
| 3575 | Analysis of Vapor-Liquid Equilibrium Parameters of Multicomponent Hydrocarbon Mixtures Using Cubic Equations of State (Russian). , 2018, , . | | 3 |
| 3576 | Pengâ€"Robinson Equation of State Model for Polycyclic Aromatic Hydrocarbons and Long-Chain Hydrocarbons Solubilities in Supercritical Fluids. Correlations Based on Solute Molecular Properties. Journal of Chemical &amp; Engineering Data, 2018, 63, 4061-4075. | 1.0 | 7 |
| 3577 | Reverse Engineering of Working Fluid Selection for Industrial Heat Pump Based on Monte Carlo Sampling and Uncertainty Analysis. Industrial &amp; Engineering Chemistry Research, 2018, 57, 13463-13477. | 1.8 | 12 |
| 3578 | Density-based phase envelope construction. Fluid Phase Equilibria, 2018, 478, 100-113. | 1.4 | 13 |
| 3579 | The friction theory for estimating viscosity of candidate solvents for flue gas desulfurization processes. Journal of Molecular Liquids, 2018, 271, 696-703. | 2.3 | 1 |
| 3580 | SLIM-TUBE SIMULATION MODEL FOR $CO_2$ INJECTION EOR. Rudarsko Geolosko Naftni Zbornik, 2018, 33, 37-48. | 0.2 | 12 |
| 3581 | Thermal Effects of Liquid/Supercritical Carbon Dioxide Arising From Fluid Expansion in Fracturing. SPE Journal, 2018, 23, 2026-2040. | 1.7 | 26 |
| 3582 | Energy optimization of an FPSO operating in the Brazilian Pre-salt region. Energy, 2018, 164, 390-399. | 4.5 | 29 |
| 3583 | A model for predicting flash point of alkane-alkane and water-alcohol mixtures by the Cubic-Plus-Association Equation of State. Chemical Engineering Research and Design, 2018, 119, 191-197. | 2.7 | 19 |
| 3584 | A systematic review on $CO_2$ capture with ionic liquids: Current status and future prospects. Renewable and Sustainable Energy Reviews, 2018, 96, 502-525. | 8.2 | 368 |
| 3585 | Reliable modeling of constant volume depletion (CVD) behaviors in gas condensate reservoirs. Fuel, 2018, 231, 146-156. | 3.4 | 26 |

| # | Article | IF | Citations |
|---|---------|-----|-----------|
| 3586 | Accurate modeling of vapor–liquid equilibria of binary mixtures of refrigerants using intelligent models. International Journal of Refrigeration, 2018, 93, 65-78. | 1.8 | 2 |
| 3587 | Adiabatic calorimeter for isochoric specific heat capacity measurements and experimental data of compressed liquid R1234yf. Journal of Chemical Thermodynamics, 2018, 125, 86-92. | 1.0 | 29 |
| 3588 | Effect of Salt on Antiagglomerant Surface Adsorption in Natural Gas Hydrates. Journal of Physical Chemistry C, 2018, 122, 12839-12849. | 1.5 | 31 |
| 3589 | Density, sound speed and derived thermophysical properties of n-nonane at temperatures between (283.15 and 473.15) K and at pressures up to 390 MPa. Journal of Chemical Thermodynamics, 2018, 124, 107-122. | 1.0 | 22 |
| 3590 | Using clathrate hydrates for gas storage and gas-mixture separations: experimental and computational studies at multiple length scales. Molecular Physics, 2018, 116, 2041-2060. | 0.8 | 18 |
| 3591 | Simultaneous Optimization of Multistream Heat Exchangers and Processes. Computer Aided Chemical Engineering, 2018, 43, 1293-1298. | 0.3 | 0 |
| 3592 | Total and partial solubility parameters of sub- and supercritical ethanol. Journal of Chemical Thermodynamics, 2018, 126, 187-189. | 1.0 | 8 |
| 3593 | Carbonate and Sulphide Scale Prediction Modelling in Auto-Scaling Processes: Procedure for the Calculation of Reservoir Fluid Compositions and Scale Profiles in Production Systems using Topside Data. , 2018, , . |  | 2 |
| 3594 | Off-design performance prediction of radial turbines operating with ideal and real working fluids. Energy Conversion and Management, 2018, 171, 1430-1439. | 4.4 | 34 |
| 3595 | Solubility Optimal System for Supercritical Fluid Extraction Based on a New Nonlinear Temperature-Pressure Decoupling Model Constructed with Unequal-Interval Grey Optimal Models and Peng-Robinson Models. Mathematical Problems in Engineering, 2018, 2018, 1-11. | 0.6 | 2 |
| 3596 | Assessment of spurious numerical oscillations in high-order spectral difference solvers for supercritical flows. , 2018, , . |  | 1 |
| 3597 | Transient behavior near liquid-gas interface at supercritical pressure. International Journal of Heat and Mass Transfer, 2018, 126, 457-473. | 2.5 | 14 |
| 3598 | Performance evaluation of a partially admitted axial turbine using R245fa, R123 and their mixtures as working fluid for small-scale organic Rankine cycle. Energy Conversion and Management, 2018, 171, 925-935. | 4.4 | 22 |
| 3599 | Applying the Patel-Teja EoS with regular solution theory to predict the onset of asphaltene precipitation. Fluid Phase Equilibria, 2018, 473, 112-126. | 1.4 | 10 |
| 3600 | A coupled model for $CO_2$ &amp; superheated steam flow in full-length concentric dual-tube horizontal wells to predict the thermophysical properties of $CO_2$ &amp; superheated steam mixture considering condensation. Journal of Petroleum Science and Engineering, 2018, 170, 151-165. | 2.1 | 39 |
| 3601 | Integrated Stratigraphic Controls for Flow Simulation of the Wall Creek Member in the Frontier Formation: Western Powder River Basin, Wyoming. , 2018, , . |  | 2 |
| 3602 | Investigation on Vapor–Liquid Equilibrium of (Argon + Methane) at the Temperature Range of (95 to) Tj ETQq0 0 0 rgBT /Overlock 10 | 1.0 | 1 |
| 3603 | Analysis of Thermal Stratification Effects in HCCI Engines Using Large Eddy Simulations and Detailed Chemical Kinetics. , 2018, , . |  | 8 |

| # | Article | IF | Citations |
|---|---------|-----|-----------|
| 3604 | On the temperature dependence of the α function in the cubic equation of state. Chemical Engineering Science, 2018, 192, 565-575. | 1.9 | 28 |
| 3605 | Thermodynamically consistent criteria for developing reliable equation of state model for compositional simulation. Fuel, 2018, 234, 770-784. | 3.4 | 5 |
| 3606 | Computer-Aided Molecular Design: Fundamentals, Methods, and Applications. , 2018, , . | | 19 |
| 3607 | Numerical Investigation of Nozzle-Geometry Variations and Back-Pressure Changes on High Pressure Gas Injections under Application-Relevant Conditions. , 0, , . | | 4 |
| 3608 | On the efficiency of PT Flash calculations with equations of state. Computer Aided Chemical Engineering, 2018, 44, 859-864. | 0.3 | 3 |
| 3609 | Investigation of molecular interactions in binary liquid mixture: Measurements and correlation through thermo physicochemical study. Journal of Molecular Liquids, 2018, 269, 14-22. | 2.3 | 6 |
| 3610 | Gas-Lifting Characteristics of Methane-Water Mixture and Its Potential Application for Self-Eruption Production of Marine Natural Gas Hydrates. Energies, 2018, 11, 240. | 1.6 | 6 |
| 3611 | A Generalised Assessment of Working Fluids and Radial Turbines for Non-Recuperated Subcritical Organic Rankine Cycles. Energies, 2018, 11, 800. | 1.6 | 20 |
| 3612 | Influence of feedstock, catalyst, pyrolysis and hydrotreatment temperature on the composition of upgraded oils from intermediate pyrolysis. Biomass and Bioenergy, 2018, 116, 236-248. | 2.9 | 39 |
| 3613 | Thermodynamic analysis and large-eddy simulations of LOx-CH$_4$ and LOx-H$_2$ flames at high pressure. , 2018, , . | | 1 |
| 3614 | Development and Characterization of Defect-Free Matrimid® Mixed-Matrix Membranes Containing Activated Carbon Particles for Gas Separation. Polymers, 2018, 10, 51. | 2.0 | 47 |
| 3615 | Sensitivity of natural gas flow measurement to AGA8 or GERG2008 equation of state utilization. Journal of Natural Gas Science and Engineering, 2018, 57, 305-321. | 2.1 | 20 |
| 3616 | Methane surface diffusion capacity in carbon-based capillary with application to organic-rich shale gas reservoir. Chemical Engineering Journal, 2018, 352, 644-654. | 6.6 | 49 |
| 3617 | Experimental Investigation and Thermodynamic Modeling of Phase Transition and Equilibria in a Biphasic Solvent System for $CO_2$ Capture. Industrial &amp; Engineering Chemistry Research, 2018, 57, 9627-9640. | 1.8 | 16 |
| 3618 | Estimation of the virial coefficients by means of chaotic oscillations of pressure and density: Application to quantum gases with cubic equations of state. Fluid Phase Equilibria, 2018, 473, 262-285. | 1.4 | 2 |
| 3619 | Modelling of elemental mercury solubility in natural gas components. Fuel, 2018, 233, 558-564. | 3.4 | 21 |
| 3620 | Predictive Model for Pressure–Volume–Temperature Properties and Asphaltene Instability of Crude Oils under Gas Injection. Energy &amp; Fuels, 2018, 32, 8318-8328. | 2.5 | 12 |
| 3621 | Generalized binary interaction parameters for hydrogen-heavy-n-alkane systems using Peng–Robinson equation of state. Chemical Engineering Communications, 2018, 205, 1226-1238. | 1.5 | 4 |

| # | Article | IF | Citations |
|---|---------|-----|-----------|
| 3622 | Simulation of transcritical fluid jets using the PC-SAFT EoS. Journal of Computational Physics, 2018, 374, 444-468. | 1.9 | 23 |
| 3623 | Wet Gases. , 2018, , 65-85. | | 0 |
| 3624 | Parameter estimation for cubic equations of state models subject to sufficient criteria for thermodynamic stability. Chemical Engineering Science, 2018, 192, 981-992. | 1.9 | 5 |
| 3625 | Research into the Polynomial Alpha Function for the Cubic Equation of State. Industrial &amp; Engineering Chemistry Research, 2018, 57, 12602-12623. | 1.8 | 8 |
| 3626 | Equations of State with Group Contribution Binary Interaction Parameters for Calculation of Two-Phase Envelopes for Synthetic and Real Natural Gas Mixtures with Heavy Fractions. Oil and Gas Science and Technology, 2018, 73, 7. | 1.4 | 11 |
| 3627 | A combination of multi-fluid mixture models with COSMO-SAC. Fluid Phase Equilibria, 2018, 476, 147-156. | 1.4 | 13 |
| 3628 | Energy and Exergy Analyses of a Solid Oxide Fuel Cell-Gas Turbine-Organic Rankine Cycle Power Plant with Liquefied Natural Gas as Heat Sink. Entropy, 2018, 20, 484. | 1.1 | 51 |
| 3629 | Simple correlation for critical isotherm of pure compounds. Chemical Engineering Science, 2018, 192, 1036-1040. | 1.9 | 1 |
| 3630 | Multicomponent Vaporâ€"Liquid Equilibrium Measurement and Modeling of Ethylene Glycol, Water, and Natural Gas Mixtures at 6 and 12.5 MPa. Journal of Chemical &amp; Engineering Data, 2018, 63, 3628-3639. | 1.0 | 9 |
| 3631 | Effect of tip clearance gap and inducer on the transport of two-phase air-water flows by centrifugal pumps. Experimental Thermal and Fluid Science, 2018, 99, 487-509. | 1.5 | 52 |
| 3632 | Presenting a new predictive viscosity model based on virial-like equations of state for monatomic fluids. Chemical Engineering Communications, 2018, 205, 1469-1483. | 1.5 | 4 |
| 3633 | Application of the unscented transform in the uncertainty propagation of thermodynamic model parameters. Fluid Phase Equilibria, 2018, 475, 64-76. | 1.4 | 5 |
| 3634 | Determination of mutual solubility between n-alkanes/n-alkylbenzenes and water by using Peng-Robinson equation of state with modified alpha functions and generalized BIP correlations. Fluid Phase Equilibria, 2018, 477, 19-29. | 1.4 | 5 |
| 3635 | Methanol as a hydrate inhibitor and hydrate activator. Physical Chemistry Chemical Physics, 2018, 20, 21968-21987. | 1.3 | 45 |
| 3636 | Identifying Pure-Component Parameters of an Analytic Equation of State Using Experimental Surface Tension or Molecular Simulations with a Transferable Force Field. Industrial &amp; Engineering Chemistry Research, 2018, 57, 12254-12263. | 1.8 | 4 |
| 3637 | Carbon footprint reduction of acid gas enrichment units in hot climates: A techno-economic simulation study. Journal of Cleaner Production, 2018, 201, 974-987. | 4.6 | 8 |
| 3638 | Sequential fully implicit formulation for compositional simulation using natural variables. Journal of Computational Physics, 2018, 371, 690-711. | 1.9 | 29 |
| 3639 | Solidâ€"Liquidâ€"Gas Equilibrium of Methaneâ€"<i>n</i>-Alkane Binary Mixtures. Industrial &amp; Engineering Chemistry Research, 2018, 57, 8566-8583. | 1.8 | 5 |

| # | Article | IF | Citations |
|---|---------|-----|-----------|
| 3640 | A four-parameter cubic equation of state for pure compounds and mixtures. Chemical Engineering Science, 2018, 190, 173-189. | 1.9 | 20 |
| 3641 | Predicting triggering and consequence of delayed LNG RPT. Journal of Loss Prevention in the Process Industries, 2018, 55, 124-133. | 1.7 | 14 |
| 3642 | Multiphase isenthalpic flash: General approach and its adaptation to thermal recovery of heavy oil. AICHE Journal, 2019, 65, 281-293. | 1.8 | 15 |
| 3643 | Clathrate hydrate formation in NaCl and MgCl2 brines at low pressure conditions. Separation and Purification Technology, 2019, 209, 56-64. | 3.9 | 29 |
| 3644 | A study of wall boundary conditions in pseudopotential lattice Boltzmann models. Computers and Fluids, 2019, 193, 103896. | 1.3 | 9 |
| 3645 | Flameâ€"wall interaction effects on the flame root stabilization mechanisms of a doubly-transcritical LO2/LCH4 cryogenic flame. Proceedings of the Combustion Institute, 2019, 37, 5147-5154. | 2.4 | 11 |
| 3646 | Equilibrium of Methane and Carbon Dioxide Hydrates Below the Freezing Point of Water: Literature Review and Modeling. Journal of Low Temperature Physics, 2019, 194, 27-45. | 0.6 | 23 |
| 3647 | Computer-aided molecular product-process design under property uncertainties â€" A Monte Carlo based optimization strategy. Computers and Chemical Engineering, 2019, 122, 247-257. | 2.0 | 12 |
| 3648 | Laminar flame propagation in supercritical hydrogen/air and methane/air mixtures. Proceedings of the Combustion Institute, 2019, 37, 1733-1739. | 2.4 | 24 |
| 3649 | An adaptive ALE scheme for non-ideal compressible fluid dynamics over dynamic unstructured meshes. Shock Waves, 2019, 29, 73-99. | 1.0 | 11 |
| 3650 | A New Model of Displacement Efficiency of Gas Hydrate Considering the Influence of Temperature. IOP Conference Series: Earth and Environmental Science, 2019, 242, 022026. | 0.2 | 0 |
| 3651 | Molecular simulation of polymers with a SAFT-Î³ Mie approach. Molecular Simulation, 2019, 45, 1223-1241. | 0.9 | 10 |
| 3652 | Study on Heat Self-generated Mixed-gas Assisted Steam Huff-n-Puff for Enhance Heavy Oil Recovery. Energy Sources, Part A: Recovery, Utilization and Environmental Effects, 2019, , 1-11. | 1.2 | 2 |
| 3653 | Impacts of CO2 and H2S on the risk of hydrate formation during pipeline transport of natural gas. Frontiers of Chemical Science and Engineering, 2019, 13, 616-627. | 2.3 | 25 |
| 3654 | Equation of state and force fields for Feynmanâ€"Hibbs-corrected Mie fluids. I. Application to pure helium, neon, hydrogen, and deuterium. Journal of Chemical Physics, 2019, 151, . | 1.2 | 23 |
| 3655 | Integrating Adsorption and Diffusion in Nanopores Using Thermodynamics and Equations of State. Industrial &amp; Engineering Chemistry Research, 2019, 58, 16945-16962. | 1.8 | 2 |
| 3656 | Taking Another Look at the van der Waals Equation of Stateâ€"Almost 150 Years Later. Journal of Chemical &amp; Engineering Data, 2019, 64, 4619-4637. | 1.0 | 48 |
| 3657 | Emerging challenges in phase behavior modeling of reservoir fluids at high-pressure high-temperature (HPHT) conditions. Geomechanics and Geophysics for Geo-Energy and Geo-Resources, 2019, 5, 357-370. | 1.3 | 2 |

| # | Article | IF | Citations |
|---|---------|----|-----------|
| 3658 | Three-Phase Equilibrium Computations for Hydrocarbon–Water Mixtures Using a Reduced Variables Method. Industrial &amp; Engineering Chemistry Research, 2019, 58, 14954-14974. | 1.8 | 15 |
| 3659 | Impact of Accurate Working Fluid Properties on the Globally Optimal Design of an Organic Rankine Cycle. Computer Aided Chemical Engineering, 2019, , 427-432. | 0.3 | 9 |
| 3660 | Modeling of Gas Solubility Using the Electrolyte Cubic Plus Association Equation of State. Industrial &amp; Engineering Chemistry Research, 2019, 58, 17555-17567. | 1.8 | 23 |
| 3661 | Analytical Solution of Gas Flow in Rough–Walled Microfracture at In Situ Conditions. Water Resources Research, 2019, 55, 6001-6017. | 1.7 | 12 |
| 3662 | Estimation of the acentric factor of organic compounds via a new group contribution method. Fluid Phase Equilibria, 2019, 499, 112246. | 1.4 | 4 |
| 3663 | The effect of equations of state on the performances of compositional grading models. Energy Sources, Part A: Recovery, Utilization and Environmental Effects, 2022, 44, 1126-1138. | 1.2 | 1 |
| 3664 | High-pressure cryogenic distillation data for improved LNG production. Separation and Purification Technology, 2019, 229, 115804. | 3.9 | 13 |
| 3665 | Optimization of Post Combustion CO2 Capture from a Combined-Cycle Gas Turbine Power Plant via Taguchi Design of Experiment. Processes, 2019, 7, 364. | 1.3 | 7 |
| 3666 | Consistent Enthalpies of the Hydrate Formation and Dissociation Using Residual Thermodynamics. Journal of Chemical &amp; Engineering Data, 2019, 64, 3493-3504. | 1.0 | 29 |
| 3667 | Efficient and robust methods for direct saturation point calculations. Fluid Phase Equilibria, 2019, 500, 112242. | 1.4 | 4 |
| 3668 | A simple approximate density-based phase envelope construction method. Fluid Phase Equilibria, 2019, 499, 112245. | 1.4 | 2 |
| 3669 | In Silico Analysis of the Effect of Alkyl Tail Length on Antiagglomerant Adsorption to Natural Gas Hydrates in Brine. Journal of Physical Chemistry C, 2019, 123, 17239-17248. | 1.5 | 13 |
| 3670 | Effects of a Recess on Supercritical Co-Flowing Planar Jets. Transactions of the Japan Society for Aeronautical and Space Sciences, 2019, 62, 203-212. | 0.4 | 2 |
| 3671 | EOS-LNG: A Fundamental Equation of State for the Calculation of Thermodynamic Properties of Liquefied Natural Gases. Journal of Physical and Chemical Reference Data, 2019, 48, . | 1.9 | 34 |
| 3672 | From graphical to model–based distillation column design: A McCabe–Thiele–inspired mathematical programming approach. AICHE Journal, 2019, 65, e16731. | 1.8 | 17 |
| 3673 | Investigation of hydrocarbon fuel rotating flow considering the variation of physical properties. International Journal of Heat and Mass Transfer, 2019, 142, 118372. | 2.5 | 9 |
| 3674 | Artificial Intelligence Applications in Reservoir Engineering: A Status Check. Energies, 2019, 12, 2897. | 1.6 | 59 |
| 3675 | An Empirical Correlation Relating Equilibrium Compressibility Factors for Pure Substances. International Journal of Thermophysics, 2019, 40, 1. | 1.0 | 0 |

| # | Article | IF | Citations |
|---|---------|----|-----------|
| 3676 | Experimental Study on the Hydrate Phase Equilibrium of Synthetic Natural Gas Containing H2S. Journal of Chemical &amp; Engineering Data, 2019, 64, 4474-4481. | 1.0 | 5 |
| 3677 | Experimental and e-NRTL model predicted VLE of CO2 in aqueous solutions of 2-((2-aminoethyl)-amino)-ethanol and speciation study. Fluid Phase Equilibria, 2019, 501, 112284. | 1.4 | 9 |
| 3678 | Measurements and modeling of interfacial tension for (CO2â€¯+â€¯n-alkyl benzene) binary mixtures. Journal of Supercritical Fluids, 2019, 154, 104625. | 1.6 | 8 |
| 3679 | <i>I</i>-PC-SAFT: An Industrialized Version of the Volume-Translated PC-SAFT Equation of State for Pure Components, Resulting from Experience Acquired All through the Years on the Parameterization of SAFT-Type and Cubic Models. Industrial &amp; Engineering Chemistry Research, 2019, 58, 20815-20827. | 1.8 | 44 |
| 3680 | Techno-economic analysis of producing liquid fuels from biomass via anaerobic digestion and thermochemical conversion. Biomass and Bioenergy, 2019, 130, 105395. | 2.9 | 26 |
| 3681 | Thermodynamic study of the CO2 â€" H2O â€" NaCl system: Measurements of CO2 solubility and modeling of phase equilibria using Soreide and Whitson, electrolyte CPA and SIT models. International Journal of Greenhouse Gas Control, 2019, 91, 102825. | 2.3 | 32 |
| 3682 | Dynamic Optimization of Boil-Off Gas Generation for Different Time Limits in Liquid Natural Gas Bunkering. Energies, 2019, 12, 1130. | 1.6 | 12 |
| 3683 | Investigation of the factors influencing methane adsorption on illite. Energy Science and Engineering, 2019, 7, 3317-3331. | 1.9 | 18 |
| 3684 | High-Pressure Vaporâ€"Liquid Equilibria for a CO2 + p-Cymene Binary System at Temperatures from 313.15 to 353.15 K. Journal of Chemical &amp; Engineering Data, 2019, 64, 5584-5590. | 1.0 | 1 |
| 3685 | <i>110th Anniversary:</i> Critical Properties and High Temperature Vapor Pressures for Furan, 2-Methylfuran, 2-Methoxy-2-methylpropane, 2-Ethoxy-2-methylbutane, <i>n</i>-Hexane, and Ethanol and Bubble Points of Mixtures with a New Apparatus. Industrial &amp; Engineering Chemistry Research, 2019, 58, 22350-22362. | 1.8 | 6 |
| 3686 | Effect of Composition, Temperature, and Pressure on the Viscosities and Densities of Three Diesel Fuels. Journal of Chemical &amp; Engineering Data, 2019, 64, 5529-5547. | 1.0 | 26 |
| 3687 | A Review of the Alpha Functions of Cubic Equations of State for Different Research Systems. International Journal of Thermophysics, 2019, 40, 1. | 1.0 | 8 |
| 3688 | Investigation of methane/drilling mud phase behavior and its influence to hydrocarbon drilling activity. Energy Science and Engineering, 2019, 7, 1280-1291. | 1.9 | 12 |
| 3689 | Impact of fluid property shift and capillarity on the recovery mechanisms of CO 2 injection in tight oil reservoirs. , 2019, 9, 965-978. | | 3 |
| 3690 | Dispersion activity coefficient models. Part 1: Cubic equations of state. Fluid Phase Equilibria, 2019, 501, 112275. | 1.4 | 2 |
| 3691 | Physicochemical Properties of Gas. , 2019, , 13-41. | | 1 |
| 3692 | Stages in the Dynamics of Hydrate Formation and Consequences for Design of Experiments for Hydrate Formation in Sediments. Energies, 2019, 12, 3399. | 1.6 | 34 |
| 3693 | Molecular Dynamics Investigation of Sub-to-supercritical Transition of n-Alkane Fuel Mixtures in Nitrogen. , 2019, , . | | 0 |

| # | Article | IF | Citations |
|---|---------|----|-----------|
| 3694 | Self-recuperative high temperature co-electrolysis-based methanol production with vortex search-based exergy efficiency enhancement. Journal of Cleaner Production, 2019, 239, 118029. | 4.6 | 17 |
| 3695 | Solubility of Water in Hydrogen at High Pressures: A Molecular Simulation Study. Journal of Chemical &amp; Engineering Data, 2019, 64, 4103-4115. | 1.0 | 43 |
| 3696 | The cubic-plus-association equation of state for hydrofluorocarbons, hydrofluoroolefins, and their binary mixtures. Chemical Engineering Science, 2019, 209, 115182. | 1.9 | 16 |
| 3697 | GE model independent application of the Gibbs-Helmholtz validation method to P-x data. Fluid Phase Equilibria, 2019, 502, 112299. | 1.4 | 2 |
| 3698 | Experimental study and thermodynamic modeling of Esomeprazole (proton-pump inhibitor drug for) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5 2019, 154, 104606. | 1.6 | 65 |
| 3699 | Cryogenic Nitrogen Rejection Schemes: Analysis of Their Tolerance to $CO_2$. Industrial &amp; Engineering Chemistry Research, 2019, 58, 17475-17488. | 1.8 | 16 |
| 3701 | Compressibility factor measurement and simulation of five high-temperature ultra-high-pressure dry and wet gases. Fluid Phase Equilibria, 2019, 500, 112256. | 1.4 | 9 |
| 3702 | Phase behavior and miscible mechanism in the displacement of crude oil with associated sour gas. Oil and Gas Science and Technology, 2019, 74, 54. | 1.4 | 12 |
| 3703 | New empirical correlations for predicting Minimum Miscibility Pressure (MMP) during $CO_2$ injection; implementing the Group Method of Data Handling (GMDH) algorithm and Pitzer's acentric factor. Oil and Gas Science and Technology, 2019, 74, 64. | 1.4 | 10 |
| 3704 | Analysis of Thermodynamic Models for Simulation and Optimisation of Organic Rankine Cycles. Energies, 2019, 12, 3307. | 1.6 | 2 |
| 3705 | Machine learning for predicting thermodynamic properties of pure fluids and their mixtures. Energy, 2019, 188, 116091. | 4.5 | 47 |
| 3706 | Thermodynamic properties of the 3D Lennard-Jones/spline model. Molecular Physics, 2019, 117, 3754-3769. | 0.8 | 21 |
| 3707 | Improved enthalpy prediction of hydrocarbon fractions with a modified alpha function for the Peng-Robinson equation of state. Fuel, 2019, 255, 115840. | 3.4 | 12 |
| 3708 | Density Measurements of the H2–CO2–CH4–CO–H2O System by the Isochoric Method at 722–930 K and 15.4–30.3 MPa. Journal of Chemical &amp; Engineering Data, 2019, 64, 4024-4036. | 1.0 | 11 |
| 3709 | Modeling of the solubility of H2S in [bmim][PF6] by molecular dynamics simulation, GA-ANFIS and empirical approaches. Korean Journal of Chemical Engineering, 2019, 36, 1637-1647. | 1.2 | 12 |
| 3710 | Understanding gas-phase breakout with high H2 content in CCS pipeline gathering networks. International Journal of Greenhouse Gas Control, 2019, 90, 102816. | 2.3 | 1 |
| 3711 | Prediction of state property during hydrogen leaks from high-pressure hydrogen storage systems. International Journal of Hydrogen Energy, 2019, 44, 22394-22404. | 3.8 | 24 |
| 3712 | Molecular investigation of sub-to-supercritical transition of hydrocarbon mixtures: Multi-component effect. International Journal of Heat and Mass Transfer, 2019, 145, 118629. | 2.5 | 20 |

| # | ARTICLE | IF | CITATIONS |
|---|---------|-----|-----------|
| 3713 | Hybridized method of pseudopotential lattice Boltzmann and cubic-plus-association equation of state assesses thermodynamic characteristics of associating fluids. Physical Review E, 2019, 100, 043302. | 0.8 | 4 |
| 3714 | A cubic equation of state for compounds with no critical point: Application to asphaltenes. Chemical Engineering Research and Design, 2019, 151, 252-260. | 2.7 | 2 |
| 3715 | Solubilities of gases in cycloethers. The solubility of 13 nonpolar gases in 2,5-dimethyltetrahydrofuran at 273.15 to 303.15â€¯K and 101.32â€¯kPa. Journal of Chemical Thermodynamics, 2019, 132, 306-315. | 1.0 | 3 |
| 3716 | Solubility of Flue Gas or Carbon Dioxide-Nitrogen Gas Mixtures in Water and Aqueous Solutions of Salts: Experimental Measurement and Thermodynamic Modeling. Industrial &amp; Engineering Chemistry Research, 2019, 58, 3377-3394. | 1.8 | 36 |
| 3717 | Measurement and modelling of high pressure bubble- and dew-point data for the CO2Â+ 1-decanolÂ+ 3,7-dimethyl-1-octanol system. Fluid Phase Equilibria, 2019, 488, 87-98. | 1.4 | 2 |
| 3718 | A novel methodology for designing a multi-ejector refrigeration system. Applied Thermal Engineering, 2019, 151, 26-37. | 3.0 | 27 |
| 3719 | A multicomponent real-fluid fully compressible four-equation model for two-phase flow with phase change. Physics of Fluids, 2019, 31, . | 1.6 | 40 |
| 3720 | Mixed-gas sorption in polymers via a new barometric test system: sorption and diffusion of CO2-CH4 mixtures in polydimethylsiloxane (PDMS). Journal of Membrane Science, 2019, 577, 195-204. | 4.1 | 34 |
| 3721 | A novel method to predict the risk of asphaltene precipitation due to CO2 displacement in oil reservoirs. Journal of Petroleum Science and Engineering, 2019, 176, 1008-1017. | 2.1 | 7 |
| 3722 | A five-parameter cubic equation of state for pure fluids and mixtures. Chemical Engineering Science: X, 2019, 3, 100026. | 1.5 | 5 |
| 3723 | High pressure phase behaviour for the CO2 + n-dodecane + 3,7-dimethyl-1-octanol system. Journal of Supercritical Fluids, 2019, 149, 138-150. | 1.6 | 5 |
| 3724 | Heterogeneous and homogeneous hydrate nucleation in CO2/water systems. Journal of Crystal Growth, 2019, 522, 160-174. | 0.7 | 27 |
| 3725 | Simultaneous Cycle Optimization and Fluid Selection for ORC Systems Accounting for the Effect of the Operating Conditions on Turbine Efficiency. Frontiers in Energy Research, 2019, 7, . | 1.2 | 16 |
| 3726 | Correlation and prediction of ionic liquid viscosity using Valderrama-Patel-Teja cubic equation of state and the geometric similitude concept. Part I: Pure ionic liquids. Fluid Phase Equilibria, 2019, 497, 164-177. | 1.4 | 28 |
| 3727 | Density-based phase envelope construction including capillary pressure. Fluid Phase Equilibria, 2019, 498, 33-44. | 1.4 | 4 |
| 3728 | Three-dimensional flow dynamics and mixing in a gas-centered liquid-swirl coaxial injector at supercritical pressure. Physics of Fluids, 2019, 31, . | 1.6 | 29 |
| 3729 | Phase Stability Conditions for Clathrate Hydrates Formation in CO<sub>2</sub> + (NaCl or) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 112 T Measurements and Thermodynamic Modeling. Journal of Chemical &amp; Engineering Data, 2019, 64, 4638-4646. | 1.0 | 12 |
| 3730 | Simulation of multi-component multi-phase fluid flow in two-dimensional anisotropic heterogeneous porous media using high-order control volume distributed methods. Computers and Mathematics With Applications, 2019, 78, 3303-3328. | 1.4 | 5 |

| # | Article | IF | Citations |
|---|---------|----|-----------|
| 3731 | A multimodular pseudoheterogeneous model framework for optimal design of catalytic reactors exemplified by methanol synthesis. Chemical Engineering Science, 2019, 206, 401-423. | 1.9 | 14 |
| 3732 | Group contribution-based property estimation methods: advances and perspectives. Current Opinion in Chemical Engineering, 2019, 23, 184-196. | 3.8 | 84 |
| 3733 | A Modified Peng–Robinson Equation of State for Heavy Hydrocarbons. Russian Journal of Physical Chemistry A, 2019, 93, 625-630. | 0.1 | 2 |
| 3734 | Calculating the Critical Properties of Multicomponent Mixtures Using the Soave–Redlich–Kwong (SRK) and Peng–Robinson (PR) Equations of State, Based on the Binary Interaction Parameters. Russian Journal of Physical Chemistry A, 2019, 93, 620-624. | 0.1 | 2 |
| 3735 | Diffusion of methane in supercritical carbon dioxide across the Widom line. Scientific Reports, 2019, 9, 8466. | 1.6 | 30 |
| 3736 | Acceleration of the $NVT$ Flash Calculation for Multicomponent Mixtures Using Deep Neural Network Models. Industrial &amp; Engineering Chemistry Research, 2019, 58, 12312-12322. | 1.8 | 30 |
| 3737 | Numerical investigation of the flow characteristics of underexpanded methane jets. Physics of Fluids, 2019, 31, . | 1.6 | 22 |
| 3738 | Viscosity of ($CH_4 + C_3H_8 + CO_2 + N_2$) mixtures at temperatures between (243 and 423) K and pressures between (1 and 28) MPa: Experiment and theory. Fuel, 2019, 251, 447-457. | 3.4 | 7 |
| 3739 | Environmentally Friendly Production of Methane from Natural Gas Hydrate Using Carbon Dioxide. Sustainability, 2019, 11, 1964. | 1.6 | 28 |
| 3740 | CO2 + n-dodecane + 1-decanol: High pressure experimental phase equilibria data and thermodynamic modelling. Journal of Supercritical Fluids, 2019, 151, 49-62. | 1.6 | 3 |
| 3741 | A modeling strategy to investigate carbonated water injection for EOR and CO2 sequestration. Fuel, 2019, 252, 710-721. | 3.4 | 25 |
| 3742 | Multicomponent system of trichromatic disperse dye solubility in supercritical carbon dioxide. Journal of CO2 Utilization, 2019, 33, 1-11. | 3.3 | 12 |
| 3743 | Compressibility factor of natural gas determination by means of molecular dynamics simulations. AIP Advances, 2019, 9, . | 0.6 | 5 |
| 3744 | A theoretically modified PC-SAFT equation of state for predicting asphaltene onset pressures at low temperatures. Fluid Phase Equilibria, 2019, 495, 1-11. | 1.4 | 12 |
| 3745 | Prediction of CO2 Solubility in Ionic Liquids Based on Multi-Model Fusion Method. Processes, 2019, 7, 258. | 1.3 | 12 |
| 3746 | Single-Phase Instability in Non-Premixed Flames Under Liquid Rocket Engine Relevant Conditions. Journal of Propulsion and Power, 2019, 35, 675-689. | 1.3 | 26 |
| 3747 | Solubility measurement of a pigment (Phthalocyanine green) in supercritical carbon dioxide: Experimental correlations and thermodynamic modeling. Fluid Phase Equilibria, 2019, 494, 61-73. | 1.4 | 28 |
| 3748 | An enthalpy model of CO2-CH4-H2S-N2-brine systems applied in simulation of non-isothermal multiphase and multicomponent flow with high pressure, temperature and salinity. Journal of CO2 Utilization, 2019, 31, 85-97. | 3.3 | 8 |

| # | Article | IF | Citations |
|---|---------|----|-----------|
| 3749 | Absorption refrigeration processes with organic working fluid mixtures- a review. Renewable and Sustainable Energy Reviews, 2019, 109, 239-270. | 8.2 | 41 |
| 3750 | A comparative study of CPA and PC-SAFT equations of state to calculate the asphaltene onset pressure and phase envelope. Fluid Phase Equilibria, 2019, 494, 74-92. | 1.4 | 21 |
| 3751 | Calculation of the Phase Equilibrium of CO2â€"Hydrocarbon Binary Mixtures by PR-BM EOS and PR EOS. Transactions of Tianjin University, 2019, 25, 540-548. | 3.3 | 7 |
| 3752 | Phase stability conditions for clathrate hydrate formation in (fluorinated refrigerantâ€¯+â€¯waterâ€¯+â€¯single) Tj ETQq1 1 0.784314 modelling. Journal of Chemical Thermodynamics, 2019, 136, 59-76. | 1.0 | 13 |
| 3753 | Application of the Corresponding-State Law to the Parametrization of Statistical Associating Fluid Theory (SAFT)-Type Models: Generation and Use of â€œGeneralized Chartsâ€. Industrial &amp; Engineering Chemistry Research, 2019, 58, 9127-9139. | 1.8 | 13 |
| 3754 | Using Volume Shifts To Improve the Description of Speed of Sound and Other Derivative Properties with Cubic Equations of State. Industrial &amp; Engineering Chemistry Research, 2019, 58, 8856-8870. | 1.8 | 2 |
| 3755 | Generalized critical shifts of confined fluids in nanopores with adsorptions. Chemical Engineering Journal, 2019, 372, 809-814. | 6.6 | 50 |
| 3756 | Cubic-Plus-Chain (CPC). II: Function Behavior of the Chain-Modified Cubic Equation of State. Industrial &amp; Engineering Chemistry Research, 2019, 58, 8810-8816. | 1.8 | 8 |
| 3757 | Comparison of two crossover procedures for describing thermodynamic behavior of normal alkanes from singular critical to regular classical regions. Fluid Phase Equilibria, 2019, 495, 33-46. | 1.4 | 6 |
| 3758 | Application of the group contribution volume translated Pengâ€"Robinson equation of state to new commercial refrigerant mixtures. International Journal of Refrigeration, 2019, 103, 316-328. | 1.8 | 16 |
| 3759 | Enthalpies of Hydrate Formation from Hydrate Formers Dissolved in Water. Energies, 2019, 12, 1039. | 1.6 | 29 |
| 3760 | Cubic-Plus-Chain (CPC). I: A Statistical Associating Fluid Theory-Based Chain Modification to the Cubic Equation of State for Large Nonpolar Molecules. Industrial &amp; Engineering Chemistry Research, 2019, 58, 7341-7351. | 1.8 | 13 |
| 3761 | Equivalent alkane carbon number of crude oils: A predictive model based on machine learning. Oil and Gas Science and Technology, 2019, 74, 30. | 1.4 | 14 |
| 3762 | Nucleate Pool Boiling. Mathematical Engineering, 2019, , 249-295. | 0.1 | 0 |
| 3763 | Prediction of Vaporâ€"Liquid Equilibrium and Thermodynamic Properties of Natural Gas and Gas Condensates. Industrial &amp; Engineering Chemistry Research, 2019, 58, 7370-7388. | 1.8 | 8 |
| 3764 | Prediction of Thermodynamic Properties of CO2 by Cubic and Multiparameter Equations of State for Fluid Dynamics Applications. Journal of Chemical &amp; Engineering Data, 2019, 64, 1746-1759. | 1.0 | 1 |
| 3765 | Production of Oxymethylene Dimethyl Ethers from Hydrogen and Carbon Dioxideâ€"Part I: Modeling and Analysis for OME$_1$. Industrial &amp; Engineering Chemistry Research, 2019, 58, 4881-4889. | 1.8 | 48 |
| 3766 | Simulation of Gas Production from Multilayered Hydrate-Bearing Media with Fully Coupled Flow, Thermal, Chemical and Geomechanical Processes Using TOUGH+ÂMillstone. Part 1: Numerical Modeling of Hydrates. Transport in Porous Media, 2019, 128, 405-430. | 1.2 | 36 |

| # | Article | IF | Citations |
|---|---------|----|-----------|
| 3767 | Generalized correlations for calculating the density of ionic liquids at 0.1 MPa and higher pressures. Journal of Molecular Liquids, 2019, 282, 131-141. | 2.3 | 0 |
| 3768 | Decompression of hydrogen–natural gas mixtures in high-pressure pipelines: CFD modelling using different equations of state. International Journal of Hydrogen Energy, 2019, 44, 7428-7437. | 3.8 | 24 |
| 3769 | Calculation of Bubble Pressure for Crude Oils: The Effect of q-Weibull Distribution for Splitting the Heavy Fraction. Journal of Chemical &amp; Engineering Data, 2019, 64, 1885-1897. | 1.0 | 1 |
| 3770 | Modelling density and excess volume of hydrocarbonÂ+ water mixtures near the critical region. Fluid Phase Equilibria, 2019, 492, 55-66. | 1.4 | 3 |
| 3771 | SUBSTITUTION OF SOLVENTS BY SAFER PRODUCTS. , 2019, , 1455-1634. | | 4 |
| 3772 | Modeling the Saturation Pressure of Systems Containing Crude Oils and CO2 Using the SRK Equation of State. Journal of Chemical &amp; Engineering Data, 2019, 64, 2134-2142. | 1.0 | 3 |
| 3773 | Equation of state and thermodynamic properties for mixtures of <mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" altimg="si38.gif" overflow="scroll"><mml:msub><mml:mi mathvariant="normal">H</mml:mi><mml:mn>2</mml:mn></mml:msub><mml:mi mathvariant="normal">O</mml:mi></mml:math>, <mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" altimg="si46.gif" overflow="scroll"><mml:msub> | 1.6 | 17 |
| 3774 | Observations regarding the first and second order thermodynamic derivative properties of non-polar and light polar fluids by perturbed chain-SAFT equations of state. Cryogenics, 2019, 99, 78-86. | 0.9 | 3 |
| 3775 | Flash Computation and EoS Modelling for Compositional Thermal Simulation of Flow in Porous Media. Springer Theses, 2019, , . | 0.0 | 3 |
| 3776 | Liquid Phase Density, Sound Speed, and Vapor Pressure of Linear Alkanes Using the Mattedi–Tavares–Castier Equation of State. Industrial &amp; Engineering Chemistry Research, 2019, 58, 6767-6777. | 1.8 | 2 |
| 3777 | Experimental measurements of phase equilibria conditions for methane hydrates containing methanol/ethylene glycol and NH4Cl solutions. Fluid Phase Equilibria, 2019, 493, 43-49. | 1.4 | 14 |
| 3778 | Empirical Correlations for Quick and Accurate Hydrate Formation Prediction - Which One to Apply?. , 2019, , . | | 1 |
| 3779 | Hydrogen hydrate cage occupancy: A key parameter for hydrogen storage and transport. Fluid Phase Equilibria, 2019, 494, 8-20. | 1.4 | 24 |
| 3780 | New Thermodynamic Approach for Nonspherical Molecules Based on a Perturbation Theory for Ellipsoids. Industrial &amp; Engineering Chemistry Research, 2019, 58, 6850-6859. | 1.8 | 9 |
| 3781 | Volume-based phase stability analysis including capillary pressure. Fluid Phase Equilibria, 2019, 492, 145-160. | 1.4 | 11 |
| 3782 | Efficient and Robust Solver for Multiphase Rachford-Rice Equations in Compositional and Thermal Simulations. , 2019, , . | | 2 |
| 3783 | Quantification and Evaluation of Thermodynamic Miscibility in Nanoconfined Space. Industrial &amp; Engineering Chemistry Research, 2019, 58, 4609-4624. | 1.8 | 12 |
| 3784 | Simulation Study on the Influence of Gas Mole Fraction and Aqueous Activity under Phase Equilibrium. Processes, 2019, 7, 58. | 1.3 | 2 |

| # | Article | IF | Citations |
|---|---------|----|-----------| 
| 3785 | Uncertainty Quantification in high-density fluid radial-inflow turbines for renewable low-grade temperature cycles. Applied Energy, 2019, 241, 313-330. | 5.1 | 7 |
| 3786 | Digitalization in Thermodynamics. Chemie-Ingenieur-Technik, 2019, 91, 201-214. | 0.4 | 14 |
| 3787 | New Correlations for Prediction of High-Pressure Phase Equilibria of $n$-Alkane Mixtures with the RKPR EoS: Back from the Use of $l_{ij}$ (Repulsive) Interaction Parameters. Journal of Chemical &amp; Engineering Data, 2019, 64, 2093-2109. | 1.0 | 12 |
| 3788 | Supercritical CO2 Transesterification of Triolein to Methyl-Oleate in a Batch Reactor: Experimental and Simulation Results. Processes, 2019, 7, 16. | 1.3 | 7 |
| 3789 | New approach for evaluating the risk of hydrate formation during transport of hydrocarbon hydrate formers of sI and sII. AICHE Journal, 2019, 65, 1097-1110. | 1.8 | 16 |
| 3790 | Simulation and performance improvement of cryogenic distillation column, using enhanced predictive Peng–Robinson equation of state. Fluid Phase Equilibria, 2019, 489, 117-130. | 1.4 | 6 |
| 3791 | Molecular Dynamics Simulation of a Jet in a Binary System at Supercritical Environment. Molecules, 2019, 24, 31. | 1.7 | 3 |
| 3792 | Computing thermodynamic properties of ammonia–water mixtures using artificial neural networks. International Journal of Refrigeration, 2019, 100, 315-325. | 1.8 | 8 |
| 3793 | Modeling of underexpanded hydrogen jets through square and rectangular slot nozzles. International Journal of Hydrogen Energy, 2019, 44, 6353-6365. | 3.8 | 38 |
| 3794 | Analytical alpha functions in bulk phase and nanopores. Journal of Supercritical Fluids, 2019, 147, 102-106. | 1.6 | 2 |
| 3795 | Large-eddy simulation of transcritical and supercritical jets immersed in a quiescent environment. Physics of Fluids, 2019, 31, . | 1.6 | 31 |
| 3796 | GENERAL PRINCIPLES GOVERNING DISSOLUTION OF MATERIALS IN SOLVENTS. , 2019, , 133-275. | | 0 |
| 3797 | Solving vapor-liquid flash problems using artificial neural networks. Fluid Phase Equilibria, 2019, 490, 39-47. | 1.4 | 28 |
| 3798 | Implementation of a Property Database and Thermodynamic Calculations in OpenModelica for Chemical Process Simulation. Industrial &amp; Engineering Chemistry Research, 2019, 58, 7551-7560. | 1.8 | 4 |
| 3799 | Modeling the Water Solubility in Imidazolium-Based Ionic Liquids Using the Peng–Robinson Equation of State. Industrial &amp; Engineering Chemistry Research, 2019, 58, 4341-4353. | 1.8 | 4 |
| 3800 | Prediction of Asphaltene Precipitation in Reservoir Model Oils in the Presence of $Fe_3O_4$ and NiO Nanoparticles by Cubic Plus Association Equation of State. Industrial &amp; Engineering Chemistry Research, 2019, 58, 4293-4302. | 1.8 | 15 |
| 3801 | Real Gas Model Parameters for High-Density Combustion from Chemical Kinetic Model Data. ACS Omega, 2019, 4, 3074-3082. | 1.6 | 3 |
| 3802 | Heated transcritical and unheated non-transcritical turbulent boundary layers at supercritical pressures. Journal of Fluid Mechanics, 2019, 865, 563-601. | 1.4 | 47 |

| # | Article | IF | Citations |
|---|---------|-----|-----------|
| 3803 | Regional Reservoir Fluid Analysis and Interpretation based on the Integration of Petroleum Systems, Organic Geochemistry and PVT. , 2019, , . | | 0 |
| 3804 | Thermodynamic models applied to CO2 absorption modelling. Reviews in Chemical Engineering, 2019, . | 2.3 | 5 |
| 3805 | Thermophysical Properties and CO2 Absorption of Ammonium-Based Protic Ionic Liquids Containing Acetate and Butyrate Anions. Processes, 2019, 7, 820. | 1.3 | 15 |
| 3806 | Enthalpies of Hydrate Formation and Dissociation from Residual Thermodynamics. Energies, 2019, 12, 4726. | 1.6 | 30 |
| 3807 | Application of near critical behavior of equilibrium ratios to phase equilibrium calculations. Oil and Gas Science and Technology, 2019, 74, 77. | 1.4 | 2 |
| 3808 | Predicting the phase behavior of hydrogen in NaCl brines by molecular simulation for geological applications. Bulletin - Societie Geologique De France, 2019, 190, 7. | 0.9 | 35 |
| 3809 | Dew Points, Dielectric Permittivities, and Densities for (Hydrogen + Carbon Dioxide) Mixtures Determined with a Microwave Re-Entrant Cavity Resonator. Industrial &amp; Engineering Chemistry Research, 2019, 58, 21752-21760. | 1.8 | 7 |
| 3810 | Nitric and Sulfuric Acid Solubility in Dense Phase $CO_2$. Industrial &amp; Engineering Chemistry Research, 2019, 58, 22924-22933. | 1.8 | 10 |
| 3811 | Comparative Analysis of the Use of LES and RANS Approaches in 3D Numerical Simulation of Methane Combustion. , 2019, , . | | 0 |
| 3812 | Distribution Mechanism of Asphaltene Deposits in CO2 Flooding Path: Interpretation by Numerical Model Based on Experimental Observation. , 2019, , . | | 0 |
| 3813 | Design of Extractive Reaction Systems. Chemie-Ingenieur-Technik, 2019, 91, 1766-1776. | 0.4 | 3 |
| 3814 | Impact of geochemical and geomechanical changes on $CO_2$ sequestration potential in sandstone and limestone aquifers. , 2019, 9, 905-923. | | 12 |
| 3815 | 6. Multiphase Multicomponent Reactive Transport and Flow Modeling. , 2019, , 143-196. | | 3 |
| 3816 | Numerical Simulation of Hydrocarbon Mixtures Mass Transfer Processes and Flow in a Reservoir Rock. , 2019, , . | | 0 |
| 3817 | Hydrocarbons density estimates for a wide range of conditions using RBF-ANN and ANFIS strategies. Energy Sources, Part A: Recovery, Utilization and Environmental Effects, 2019, , 1-9. | 1.2 | 2 |
| 3818 | Formation Fluid Microsampling While Drilling: A New PVT and Geochemical Formation Evaluation Technique. , 2019, , . | | 1 |
| 3819 | Thermodynamic Equilibrium Analysis of Product Distribution in the Fischerâ€"Tropsch Process Under Different Operating Conditions. ACS Omega, 2019, 4, 22237-22244. | 1.6 | 6 |
| 3820 | Modeling recovery of natural gas from hydrate reservoirs with carbon dioxide sequestration: Validation with IÄ¡nik Sikumi field data. Scientific Reports, 2019, 9, 18901. | 1.6 | 20 |

| # | ARTICLE | IF | CITATIONS |
|---|---------|----|-----------|
| 3821 | Renewable Methanol Synthesis. ChemBioEng Reviews, 2019, 6, 209-236. | 2.6 | 80 |
| 3822 | Numerical Simulation of Hydrocarbon Mixtures Mass Transfer Processes and Flow in a Reservoir Rock (Russian). , 2019, , . | | 2 |
| 3823 | High Pressure Vaporâ€"Liquid Equilibrium Data for the Quaternary Carbon Dioxide + 1-Decanol + 3,7-Dimethyl-1-octanol + <i>n</i>-Dodecane System. Journal of Chemical &amp; Engineering Data, 2019, 64, 5785-5796. | 1.0 | 2 |
| 3824 | Mathematical model of steady flow in a helium loop. Mechanics and Industry, 2019, 20, 704. | 0.5 | 2 |
| 3825 | EOS Workflows Uncertainties and Implications in Reservoir Modeling. , 2019, , . | | 1 |
| 3826 | A four parameter cubic equation of state with temperature dependent covolume parameter. Chinese Journal of Chemical Engineering, 2019, 27, 1132-1148. | 1.7 | 16 |
| 3827 | Steam Reforming, Partial Oxidation, and Autothermal Reforming of Ethanol for Hydrogen Production in Conventional Reactors. , 2019, , 159-191. | | 10 |
| 3828 | Thermodynamic stability and formation kinetics of CHClF2 hydrates in the presence of NiCl2. Chemical Engineering Science, 2019, 202, 529-536. | 1.9 | 10 |
| 3829 | Computational fluid dynamics simulation of the supercritical carbon dioxide flow in beam dyeing. Textile Reseach Journal, 2019, 89, 2604-2615. | 1.1 | 7 |
| 3830 | Solubility of oleic acid, triacylglycerol and their mixtures in supercritical carbon dioxide and thermodynamic modeling of phase equilibrium. Journal of Supercritical Fluids, 2019, 143, 275-285. | 1.6 | 6 |
| 3831 | Investigation of thermal stratification in premixed homogeneous charge compression ignition engines: A Large Eddy Simulation study. International Journal of Engine Research, 2019, 20, 931-944. | 1.4 | 2 |
| 3832 | Performance analysis of low speed axial impulse turbine using two type nozzles for small-scale organic Rankine cycle. Energy, 2019, 169, 1139-1152. | 4.5 | 16 |
| 3833 | Experimental Measurement of JP-10 Density at 267 to 873 K under Pressures up to 6.00 MPa. Journal of Chemical &amp; Engineering Data, 2019, 64, 218-225. | 1.0 | 12 |
| 3834 | Investigating the influence of CO2 injection and reservoir cores on the phase behavior of two low-permeability crude oils: Experimental verification and thermodynamic model development. Fuel, 2019, 239, 701-708. | 3.4 | 11 |
| 3835 | A novel educational laboratory experiment for constant-mass expansion of petroleum fluids. Education for Chemical Engineers, 2019, 27, 12-19. | 2.8 | 0 |
| 3836 | Modeling Tetra-n-butyl ammonium halides aqueous solutions with the electrolyte cubic plus association equation of state. Fluid Phase Equilibria, 2019, 486, 37-47. | 1.4 | 17 |
| 3837 | A new efficient algorithm to determine three-phase equilibrium conditions in the presence of aqueous phase: Phase stability and computational cost. Fluid Phase Equilibria, 2019, 486, 139-158. | 1.4 | 3 |
| 3838 | Measurements of isothermal vapor-liquid equilibrium for 2,3,3,3-tetrafluoroprop-1-eneâ€+â€1,1,1,2-tetrafluoroethaneâ€+â€propane system at temperatures from 283.15 to 323.15â€K. Journal of Chemical Thermodynamics, 2019, 131, 111-116. | 1.0 | 2 |

| # | Article | IF | Citations |
|---|---------|----|-----------|
| 3839 | A Linear Extrapolation of Normalized Cohesive Energy (LENCE) for fast and accurate prediction of the asphaltene onset pressure. Fluid Phase Equilibria, 2019, 483, 52-69. | 1.4 | 21 |
| 3840 | Hydraulics. , 2019, , 315-361. | | 6 |
| 3841 | Modeling of the Asphaltene Onset Pressure from Few Experimental Data: A Comparative Evaluation of the Hirschberg Method and the Cubic-Plus-Association Equation of State. Energy &amp; Fuels, 2019, 33, 3733-3742. | 2.5 | 14 |
| 3842 | Energy and exergy analysis of acid gas removal processes in the LNG production chain. Journal of Natural Gas Science and Engineering, 2019, 61, 303-319. | 2.1 | 26 |
| 3843 | Linear instability of Poiseuille flows with highly non-ideal fluids. Journal of Fluid Mechanics, 2019, 859, 89-125. | 1.4 | 16 |
| 3844 | Simulation of supercritical diesel jets using the PC-SAFT EoS. Journal of Supercritical Fluids, 2019, 145, 48-65. | 1.6 | 20 |
| 3845 | EOS lumping optimization using a genetic algorithm and a tabu search. Journal of Petroleum Science and Engineering, 2019, 174, 495-513. | 2.1 | 7 |
| 3846 | Assessment of carbon dioxide solubility in ionic liquid/toluene/water systems by extended PR and PC-SAFT EOSs: Carbon capture implication. Journal of Molecular Liquids, 2019, 275, 323-337. | 2.3 | 33 |
| 3847 | Carbon dioxide solubility in aqueous sulfolane solution. Journal of Chemical Thermodynamics, 2019, 132, 62-72. | 1.0 | 14 |
| 3848 | An assessment of the effectiveness of the analytical methods to fracture propagation control using accurate mathematical modelling. Journal of Natural Gas Science and Engineering, 2019, 62, 294-301. | 2.1 | 1 |
| 3849 | Robust prediction of dense gas flows under uncertain thermodynamic models. Reliability Engineering and System Safety, 2019, 183, 400-421. | 5.1 | 4 |
| 3850 | Correlations for the Choked Mass and Momentum Flux Density Considering Real-Gas Thermodynamics. Journal of Fluids Engineering, Transactions of the ASME, 2019, 141, . | 0.8 | 0 |
| 3851 | A New Test System for Distillation Efficiency Experiments at Elevated Liquid Viscosities: Vaporâ€"Liquid Equilibrium and Liquid Viscosity Data for Cyclopentanol + Cyclohexanol. Journal of Chemical &amp; Engineering Data, 2019, 64, 696-705. | 1.0 | 8 |
| 3852 | A thermodynamic closure for the simulation of multiphase reactive flows. International Journal of Thermal Sciences, 2019, 137, 640-649. | 2.6 | 14 |
| 3853 | Viscosity of oxygenated fuel: A model based on Eyringâ€™s absolute rate theory. Fuel, 2019, 241, 218-226. | 3.4 | 23 |
| 3854 | Impingement of a Supercritical Carbon Dioxide Jet on a Planar Surface. , 2019, , . | | 1 |
| 3855 | Bacaba-de-leque (Oenocarpus distichus Mart.) oil extraction using supercritical CO2 and bioactive compounds determination in the residual pulp. Journal of Supercritical Fluids, 2019, 144, 81-90. | 1.6 | 47 |
| 3856 | Application of an equation of state incorporating association to alcohols up to decanol. Fluid Phase Equilibria, 2019, 482, 24-37. | 1.4 | 5 |

| # | Article | IF | Citations |
|---|---------|-----|-----------|
| 3857 | Classical Models Part 1. , 2019, , 73-102. | | 0 |
| 3858 | Rare earth sulfates in aqueous systems: Thermodynamic modeling of binary and multicomponent systems over wide concentration and temperature ranges. Journal of Chemical Thermodynamics, 2019, 131, 49-79. | 1.0 | 51 |
| 3859 | Study of different models of prediction of the simple gas hydrates formation induction time and effect of different equations of state on them. Heat and Mass Transfer, 2019, 55, 1245-1255. | 1.2 | 4 |
| 3860 | Phase Behavior of Natural Gas Systems. , 2019, , 37-101. | | 2 |
| 3861 | Generalized van der Waals Theory of Fluids in Bulk. , 2019, , 69-102. | | 0 |
| 3862 | Maximum tolerance for water content at various stages of a natuna production. Heat and Mass Transfer, 2019, 55, 1059-1079. | 1.2 | 16 |
| 3863 | Predicting phase behavior of nonpolar mixtures from refractive index at ambient conditions. Fuel, 2019, 237, 637-647. | 3.4 | 8 |
| 3864 | Equilibrium in Electrolyte Systems. , 2019, , 529-562. | | 0 |
| 3865 | Nanoscale-extended alpha functions for pure and mixing confined fluids. Fluid Phase Equilibria, 2019, 482, 64-80. | 1.4 | 8 |
| 3866 | Equations of State for Simple Fluids â€" The Basis. , 2019, , 51-67. | | 0 |
| 3867 | Modeling the phase equilibria of asymmetric hydrocarbon mixtures using molecular simulation and equations of state. AICHE Journal, 2019, 65, 792-803. | 1.8 | 11 |
| 3868 | Phase behavior of multicomponent alkane mixtures and evaluation of predictive capacity for the PR and RKPR EoS's. Fluid Phase Equilibria, 2019, 480, 53-65. | 1.4 | 10 |
| 3869 | Measurements and Modeling of Phase Behavior, Density, and Viscosity of Oil + Carbon Dioxide: Squalane + CO2 at Temperatures (313 to 363) K and Pressures up to 77 MPa. Journal of Chemical &amp; Engineering Data, 2019, 64, 273-285. | 1.0 | 6 |
| 3870 | Improving the Predictability of Chemical Equilibrium Software. Industrial &amp; Engineering Chemistry Research, 2019, 58, 411-419. | 1.8 | 3 |
| 3871 | Updated versions of the generalized Soave Î±-function suitable for the Redlich-Kwong and Peng-Robinson equations of state. Fluid Phase Equilibria, 2019, 485, 264-269. | 1.4 | 58 |
| 3872 | Phase Behavior Measurements and Modeling for $N_2$/$CO_2$/Extra Heavy Oil Mixtures at Elevated Temperatures. Industrial &amp; Engineering Chemistry Research, 2019, 58, 428-439. | 1.8 | 10 |
| 3873 | A comparative study of explicit high-resolution schemes for compositional simulations. International Journal of Numerical Methods for Heat and Fluid Flow, 2019, 29, 94-131. | 1.6 | 2 |
| 3874 | Vapor-Liquid Phase Equilibria. , 2019, , 1109-1225. | | 2 |

| # | Article | IF | Citations |
|---|---------|-----|-----------|
| 3875 | Comments on â€œUnderstanding cubic equations of state: A search for the hidden clues of their successâ€• AICHE Journal, 2019, 65, 460-461. | 1.8 | 1 |
| 3876 | Predictive methods and semi-classical Equations of State for pure ionic liquids: A review. Journal of Chemical Thermodynamics, 2019, 130, 47-94. | 1.0 | 34 |
| 3877 | Two-phase transient simulations of evaporation characteristics of two-component liquid fuel droplets at high pressures. International Journal of Multiphase Flow, 2019, 111, 294-309. | 1.6 | 20 |
| 3878 | Development of a novel Pengâ€"Robinson plus association equation of state for industrially important associating compounds. Neural Computing and Applications, 2019, 31, 2107-2115. | 3.2 | 0 |
| 3879 | Modelling of Diesel fuel properties through its surrogates using Perturbed-Chain, Statistical Associating Fluid Theory. International Journal of Engine Research, 2020, 21, 1118-1133. | 1.4 | 16 |
| 3880 | Effect of engine size, speed, and dilution method on thermal stratification of premixed homogeneous charge compressionâ€"ignition engines: A large eddy simulation study. International Journal of Engine Research, 2020, 21, 1612-1630. | 1.4 | 5 |
| 3881 | Surface tension for pure fluids by molecular thermodynamic model and PHTC equation of state. Physics and Chemistry of Liquids, 2020, 58, 516-528. | 0.4 | 2 |
| 3882 | Design Information and Data. , 2020, , 399-450. | | 0 |
| 3883 | Simulation and energy optimization of a reformate stabilizer unit in a petrochemical plant. Energy Sources, Part A: Recovery, Utilization and Environmental Effects, 2020, 42, 104-112. | 1.2 | 1 |
| 3884 | Measurement and modelling of isothermal solubility of methane in methanol from 213.15â€¯K to 273.15â€¯K. Journal of Chemical Thermodynamics, 2020, 141, 105917. | 1.0 | 2 |
| 3885 | Chemical Additives for Gas Hydrates. Green Energy and Technology, 2020, , . | 0.4 | 35 |
| 3886 | The CO2/CH4 gas mixture solubility in ionic liquids [Bmim][Ac], [Bmim][BF4] and their binary mixtures. Journal of Chemical Thermodynamics, 2020, 141, 105922. | 1.0 | 18 |
| 3887 | AUSMâ€"like expression of HLLC and its allâ€"speed extension. International Journal for Numerical Methods in Fluids, 2020, 92, 246-265. | 0.9 | 6 |
| 3888 | Practical application of machine learning on fast phase equilibrium calculations in compositional reservoir simulations. Journal of Computational Physics, 2020, 401, 109013. | 1.9 | 25 |
| 3889 | P-Î¼-T cubic equation of viscosity for hydrocarbons. Fluid Phase Equilibria, 2020, 505, 112359. | 1.4 | 5 |
| 3890 | Phase equilibria modeling of polar systems with Cubic-Plus-Polar (CPP) equation of state. Journal of Molecular Liquids, 2020, 297, 111879. | 2.3 | 9 |
| 3891 | Optimization of CO2 injection using multi-scale reconstruction of composition transport. Computational Geosciences, 2020, 24, 819-835. | 1.2 | 3 |
| 3892 | Performance of the injection of different gases for enhanced oil recovery in a compositionally grading oil reservoir. Journal of Petroleum Exploration and Production, 2020, 10, 641-661. | 1.2 | 5 |

| # | Article | IF | Citations |
|---|---------|-----|-----------|
| 3893 | First Principles and Machine Learning Virtual Flow Metering: A Literature Review. Journal of Petroleum Science and Engineering, 2020, 184, 106487. | 2.1 | 75 |
| 3894 | Analytical attractive functions and their derivatives in bulk and nanoconfined pores. Canadian Journal of Chemical Engineering, 2020, 98, 566-582. | 0.9 | 1 |
| 3895 | Pressure-driven dynamic process simulation using a new generic stream object. Chemical Engineering Science, 2020, 215, 115171. | 1.9 | 9 |
| 3896 | Effect of Live-Crude-Oil Composition on Optimal Salinity of a Surfactant Formulation: Experiments and Modeling. SPE Reservoir Evaluation and Engineering, 2020, 23, 388-401. | 1.1 | 3 |
| 3897 | Thermodynamic modeling for the carbonate system K-HCO3-CO3 in alkanolamine solutions: An extended application for CO2 scrubbing. Chemical Engineering Journal, 2020, 384, 123250. | 6.6 | 3 |
| 3898 | Modeling study on absorption-adsorption of gas in ZIF-8/absorbent slurry system. Fluid Phase Equilibria, 2020, 506, 112396. | 1.4 | 2 |
| 3899 | Influence of confinement effect on recovery mechanisms of CO2-enhanced tight-oil recovery process considering critical properties shift, capillarity and adsorption. Fuel, 2020, 262, 116569. | 3.4 | 20 |
| 3900 | Renormalization group theory applied to the CPA equation of state: Impacts on phase equilibrium and derivative properties. Fluid Phase Equilibria, 2020, 506, 112365. | 1.4 | 5 |
| 3901 | An empirical correlation for the relative permittivity of liquids in a wide temperature range: Application to the modeling of electrolyte systems with a GE/EoS approach. Fluid Phase Equilibria, 2020, 506, 112371. | 1.4 | 6 |
| 3902 | Non-equilibrium phase behavior in gas condensate depletion experiments. Fluid Phase Equilibria, 2020, 506, 112410. | 1.4 | 12 |
| 3903 | Modeling natural gas compressibility factor using a hybrid group method of data handling. Engineering Applications of Computational Fluid Mechanics, 2020, 14, 27-37. | 1.5 | 20 |
| 3904 | Transient simulation of gas-condensate two-phase flow in pipes. Journal of Petroleum Science and Engineering, 2020, 185, 106609. | 2.1 | 7 |
| 3905 | Velocity and Temperature Profiles in Turbulent Channel Flow at Supercritical Pressure. Journal of Propulsion and Power, 2020, 36, 3-13. | 1.3 | 11 |
| 3906 | The Influx-Management Envelope Considering Real-Fluid Behavior. SPE Drilling and Completion, 2020, 35, 136-150. | 0.9 | 1 |
| 3907 | Optimal estimation of physical properties of the products of an atmospheric distillation column using support vector regression. Computers and Chemical Engineering, 2020, 134, 106711. | 2.0 | 15 |
| 3908 | A computational tool for parameter estimation in EoS: New methodologies and natural gas phase equilibria calculations. Chemical Engineering Science, 2020, 215, 115437. | 1.9 | 6 |
| 3909 | Phosphatidylcholine solubility in supercritical carbon dioxide: Experimental data, thermodynamic modeling, and application in bioactive-encapsulated liposome synthesis. Journal of Supercritical Fluids, 2020, 158, 104720. | 1.6 | 22 |
| 3910 | Prediction of solid solute solubility in supercritical carbon dioxide with and without organic cosolvents from PSRK EOS. Journal of Supercritical Fluids, 2020, 158, 104735. | 1.6 | 11 |

| # | Article | IF | Citations |
|---|---------|-----|-----------|
| 3911 | PC-SAFT Parameter Correlations from Simple Measurements at Ambient Conditions for Predictive Modeling of Nonpolar Hydrocarbons. Industrial &amp; Engineering Chemistry Research, 2020, 59, 930-941. | 1.8 | 4 |
| 3912 | Numerical investigation on fuel injection into a multicomponent gaseous environment under trans/supercritical condition. Numerical Heat Transfer; Part A: Applications, 2020, 77, 33-50. | 1.2 | 4 |
| 3913 | Experimental study and thermodynamic modeling of clathrate hydrate stability conditions in carbon dioxideâ€"+â€"cyclopentaneâ€"+â€"water system: Retrograde region. Journal of Molecular Liquids, 2020, 298, 112083. | 2.3 | 8 |
| 3914 | Modeling the Critical and Phase Equilibrium Properties of Pure Fluids and Mixtures with the Crossover Cubic-Plus-Association Equation of State. Journal of Chemical &amp; Engineering Data, 2020, 65, 1095-1107. | 1.0 | 6 |
| 3915 | Constraints and correlations of nuclear matter parameters from a density-dependent van der Waals model. Journal of Physics G: Nuclear and Particle Physics, 2020, 47, 035101. | 1.4 | 8 |
| 3916 | Geochemical equilibrium determination using an artificial neural network in compositional reservoir flow simulation. Computational Geosciences, 2020, 24, 697-707. | 1.2 | 15 |
| 3917 | Apparent molar properties of trioctylmethylammonium based ionic liquids in toluene and dodecane at Tâ=Â(293.15 to 328.15)ÂK. Journal of Molecular Liquids, 2020, 299, 112186. | 2.3 | 9 |
| 3918 | A techno-economic analysis of geothermal ejector cooling system. Energy, 2020, 193, 116760. | 4.5 | 21 |
| 3919 | A novel integrated hydrogen and natural gas liquefaction process using two multistage mixed refrigerant refrigeration systems. International Journal of Energy Research, 2020, 44, 1636-1653. | 2.2 | 27 |
| 3920 | A Scalable Parallel In-Situ Combustion Reservoir Simulator for Large Scale Models. , 2020, , . |  | 0 |
| 3921 | Critical Knowledge Gaps for Understanding Waterâ€"Rockâ€"Working Phase Interactions for Compressed Energy Storage in Porous Formations. ACS Sustainable Chemistry and Engineering, 2020, 8, 2-11. | 3.2 | 28 |
| 3922 | Towards demand-side management of the chlor-alkali electrolysis: Dynamic, pressure-driven modeling and model validation of the 1,2-dichloroethane synthesis. Chemical Engineering Science, 2020, 214, 115358. | 1.9 | 24 |
| 3923 | A review on modeling and simulation of blowdown from pressurized vessels and pipelines. Chemical Engineering Research and Design, 2020, 133, 104-123. | 2.7 | 13 |
| 3924 | Real-fluid effects on standing-wave thermoacoustic instability. Journal of Fluid Mechanics, 2020, 883, . | 1.4 | 18 |
| 3925 | A new method for scale-up of solvent-based post-combustion carbon capture process with packed columns. International Journal of Greenhouse Gas Control, 2020, 93, 102900. | 2.3 | 11 |
| 3926 | Multi-objective Optimization under Uncertainty of Novel CHPC Process. Computer Aided Chemical Engineering, 2020, , 427-432. | 0.3 | 0 |
| 3927 | Experimental Measurement and Thermodynamic Modeling of Capecitabine (an Anticancer Drug) Solubility in Supercritical Carbon Dioxide in a Ternary System: Effect of Different Cosolvents. Journal of Chemical &amp; Engineering Data, 2020, 65, 4762-4779. | 1.0 | 34 |
| 3928 | Introducing thermal effects in the rotational energy of diatomic molecules. Results in Physics, 2020, 18, 103285. | 2.0 | 2 |

| # | Article | IF | Citations |
|---|---------|----|-----------|
| 3929 | Kinetic and thermodynamic study of CO2 storage in reversible gellan gum supported dry water clathrates. Journal of the Taiwan Institute of Chemical Engineers, 2020, 115, 79-95. | 2.7 | 6 |
| 3930 | Review of recent advances in petroleum fluid properties and their representation. Journal of Natural Gas Science and Engineering, 2020, 83, 103541. | 2.1 | 17 |
| 3931 | Leakage estimation of the high-pressure and high-temperature natural circulation helium loop. Annals of Nuclear Energy, 2020, 146, 107584. | 0.9 | 9 |
| 3932 | Effects of different amin-based core-shell magnetic NPs on CO2 capture using NMP solution at high pressures. Journal of Natural Gas Science and Engineering, 2020, 84, 103645. | 2.1 | 25 |
| 3933 | Flash point prediction of binary totally and partially miscible water-alcohol mixtures by cubic-plus-association (CPA) equation of state. Thermochimica Acta, 2020, 691, 178719. | 1.2 | 14 |
| 3934 | Modeling of interfacial tension in binary mixtures of CH4, CO2, and N2 - alkanes using gene expression programming and equation of state. Journal of Molecular Liquids, 2020, 320, 114454. | 2.3 | 25 |
| 3935 | Benchmark Database Containing Binary-System-High-Quality-Certified Data for Cross-Comparing Thermodynamic Models and Assessing Their Accuracy. Industrial &amp; Engineering Chemistry Research, 2020, 59, 14981-15027. | 1.8 | 32 |
| 3936 | Density and Viscosity of $CO_2$ + Ethanol Binary Systems Measured by a Capillary Viscometer from 308.15 to 338.15 K and 15 to 45 MPa. Journal of Chemical &amp; Engineering Data, 2020, 65, 3820-3833. | 1.0 | 13 |
| 3937 | Determining the minimum energy requirement of an LNG process: New insights into the impact of the vapour liquid equilibrium. Energy, 2020, 203, 117785. | 4.5 | 1 |
| 3938 | The determination of phase behavior properties of high-temperature high-pressure and rich condensate gases. Fuel, 2020, 280, 118568. | 3.4 | 15 |
| 3939 | An improved volume-translated SRK EOS dedicated to more accurate determination of saturated and single-phase liquid densities. Fluid Phase Equilibria, 2020, 521, 112724. | 1.4 | 14 |
| 3940 | A note on the solutions of cubic equations of state in low temperature region. Journal of Molecular Liquids, 2020, 315, 113808. | 2.3 | 4 |
| 3941 | Accelerating Numerical Simulations of Supercritical Fluid Flows using Deep Neural Networks. , 2020, , . | | 4 |
| 3942 | Calibration data for simultaneous determination of P-V-X properties of binary and ternary CO2 - CH4 - N2 gas mixtures by Raman spectroscopy over 5â€"600â€ bar: Application to natural fluid inclusions. Chemical Geology, 2020, 552, 119783. | 1.4 | 25 |
| 3943 | Modeling Interfacial Tension of Hexane $$+$$ Alcohol Mixtures at Different Temperatures Using Linear Gradient Theory with Cubic Plus Association Equation of State. International Journal of Thermophysics, 2020, 41, 1. | 1.0 | 7 |
| 3944 | Simulation of collapsing cavitation bubbles in various liquids by lattice Boltzmann model coupled with the Redlich-Kwong-Soave equation of state. Physical Review E, 2020, 102, 053309. | 0.8 | 13 |
| 3945 | Tangent Point Approach in Reliably Solving the Density Roots for PC-SAFT Equation of State. Journal of Chemical &amp; Engineering Data, 2020, 65, 5643-5653. | 1.0 | 1 |
| 3946 | Modeling of cryogenic hydrogen releases. International Journal of Hydrogen Energy, 2020, 45, 31315-31326. | 3.8 | 15 |

| # | Article | IF | Citations |
|---|---------|-----|-----------|
| 3947 | Equation of State. , 2020, , . | | 0 |
| 3948 | Expanding the Applications of the SAFT-γ Mie Group-Contribution Equation of State: Prediction of Thermodynamic Properties and Phase Behavior of Mixtures. Journal of Chemical &amp; Engineering Data, 2020, 65, 5862-5890. | 1.0 | 32 |
| 3949 | Parameterization of SAFT Models: Analysis of Different Parameter Estimation Strategies and Application to the Development of a Comprehensive Database of PC-SAFT Molecular Parameters. Journal of Chemical &amp; Engineering Data, 2020, 65, 5920-5932. | 1.0 | 20 |
| 3950 | A vaporâ€"liquid equilibrium induced Lewis number effect in real-gas shear layers: A theoretical study. Physics of Fluids, 2020, 32, . | 1.6 | 9 |
| 3951 | Gas condensate reservoirs: Characterization and calculation of dew-point pressure. Petroleum Exploration and Development, 2020, 47, 1091-1102. | 3.0 | 9 |
| 3952 | Transient behaviour of liquid $CO_2$ decompression: CFD modelling and effects of initial state parameters. International Journal of Greenhouse Gas Control, 2020, 101, 103154. | 2.3 | 8 |
| 3953 | Real-gas effects: The state of the art of organic Rankine cycles. Journal of Cleaner Production, 2020, 277, 124102. | 4.6 | 5 |
| 3954 | Evaluation of translated-consistent equations of state compared for the prediction of the Jouleâ€"Thomson effect at high pressures and high temperatures. Fluid Phase Equilibria, 2020, 523, 112775. | 1.4 | 6 |
| 3955 | Estimation of the critical properties of compounds using volumeâ€based thermodynamics. AICHE Journal, 2020, 66, e17004. | 1.8 | 6 |
| 3956 | An insight into the role of the association equations of states in gas hydrate modeling: a review. Petroleum Science, 2020, 17, 1432-1450. | 2.4 | 17 |
| 3957 | Search for the optimal expression of the volumetric dependence of the attractive contribution in cubic equations of state. Fluid Phase Equilibria, 2020, 522, 112750. | 1.4 | 16 |
| 3958 | Activity coefficients in nearly athermal mixtures predicted from equations of state: Don't blame the cubic when it is the lack of a third parameter!. Fluid Phase Equilibria, 2020, 522, 112753. | 1.4 | 7 |
| 3959 | Physical and transport properties of ionic liquids using geometric similitude and a cubic equation of state. Part 2: Thermal conductivity, and speed of sound of waterÂ+Âionic liquid mixtures. Journal of Molecular Liquids, 2020, 317, 113926. | 2.3 | 6 |
| 3960 | Kinetics of dibenzothiophene hydrodesulfurization reactions using CoMoP/Al2O3 and NiMoP/Al2O3. Catalysis Today, 2021, 381, 200-208. | 2.2 | 11 |
| 3961 | In Silico Engineering of Hydrate Anti-agglomerant Molecules Using Bias-Exchange Metadynamics Simulations. Journal of Physical Chemistry C, 2020, 124, 18983-18992. | 1.5 | 11 |
| 3962 | Prediction of extreme asphaltene onset pressures with PC- SAFT for petroleum reservoir fluids. Fluid Phase Equilibria, 2020, 522, 112769. | 1.4 | 2 |
| 3963 | Large eddy simulation based multi-environment PDF modelling for mixing processes of transcritical and supercritical cryogenic nitrogen jets. Cryogenics, 2020, 110, 103134. | 0.9 | 8 |
| 3964 | High pressure bubble- and dew-point data for systems containing $CO_2$ with 1-decanol and n-hexadecane. Fluid Phase Equilibria, 2020, 521, 112702. | 1.4 | 9 |

| # | Article | IF | Citations |
|---|---------|-----|-----------|
| 3965 | Thermodynamic Calculations of the Critical Points of the H2–CO2–CH4–CO–H2O System. International Journal of Thermophysics, 2020, 41, 1. | 1.0 | 3 |
| 3966 | Thermodynamic modeling of hydrogen-water system for high-pressure storage and mobility applications. Journal of Natural Gas Science and Engineering, 2020, 81, 103463. | 2.1 | 14 |
| 3967 | An efficient multigrid-DEIM semi-reduced-order model for simulation of single-phase compressible flow in porous media. Petroleum Science, 2021, 18, 923. | 2.4 | 0 |
| 3968 | Thermodynamic modeling and correlations of CH4, C2H6, CO2, H2S, and N2 hydrates with cage occupancies. Journal of Petroleum Exploration and Production, 2020, 10, 3689-3709. | 1.2 | 5 |
| 3969 | Numerical simulation of proppant transport in liquid nitrogen fracturing. Journal of Natural Gas Science and Engineering, 2020, 84, 103657. | 2.1 | 25 |
| 3970 | Optimization of bio-oil steam reforming process by thermodynamic analysis. International Journal of Hydrogen Energy, 2020, 45, 28350-28360. | 3.8 | 13 |
| 3971 | Phase Stability Conditions of the Methane + Tetrabutylphosphonium Bromide + Water Semiclathrate Hydrate System in the Presence and Absence of NaCl and/or MgCl$_2$: Experimental Measurements and Thermodynamic Modeling. Energy &amp; Fuels, 2020, 34, 14034-14045. | 2.5 | 4 |
| 3972 | Advancement of Shock Capturing Computational Fluid Dynamics Methods. , 2020, , . | | 3 |
| 3973 | Thermodynamic $g^E$ Models and Equations of State for Electrolytes in a Water-Poor Medium: A Review. Journal of Chemical &amp; Engineering Data, 2020, 65, 5073-5082. | 1.0 | 21 |
| 3974 | The design and analysis of a coaxial casing heat exchanger used in geothermal energy systems. Energy Sources, Part A: Recovery, Utilization and Environmental Effects, 2020, , 1-17. | 1.2 | 4 |
| 3975 | A Predictive Equation of State to Perform an Extending Screening of Working Fluids for Power and Refrigeration Cycles. , 2020, , . | | 0 |
| 3976 | Phasepy: A Python based framework for fluid phase equilibria and interfacial properties computation. Journal of Computational Chemistry, 2020, 41, 2504-2526. | 1.5 | 13 |
| 3977 | Investigation on the Surface Tension and Viscosity of (dimethylsulfoxide + alcohol) Mixtures by Using Gradient Theory and Eyring's Rate Theory. International Journal of Thermophysics, 2020, 41, 1. | 1.0 | 7 |
| 3978 | The pressure compensation technology of deep-sea sampling based on the real gas state equation. Acta Oceanologica Sinica, 2020, 39, 88-95. | 0.4 | 5 |
| 3979 | Solubility Modeling of Air in Aqueous Electrolyte Solutions with the e-CPA Equation of State. Industrial &amp; Engineering Chemistry Research, 2020, 59, 18693-18704. | 1.8 | 4 |
| 3980 | Real Gas Models in Coupled Algorithms Numerical Recipes and Thermophysical Relations. International Journal of Turbomachinery, Propulsion and Power, 2020, 5, 20. | 0.5 | 5 |
| 3981 | A Thermodynamic Modelling Study of Aqueous Tetra-n-butyl Ammonium Halide Solutions. International Journal of Electrochemical Science, 2020, 15, 9902-9916. | 0.5 | 1 |
| 3982 | Performance of a Small-Scale Haber Process: A Techno-Economic Analysis. ACS Sustainable Chemistry and Engineering, 2020, 8, 15517-15531. | 3.2 | 46 |

| # | Article | IF | Citations |
|---|---------|----|-----------|
| 3983 | Why Should We Use Residual Thermodynamics for Calculation of Hydrate Phase Transitions?. Energies, 2020, 13, 4135. | 1.6 | 13 |
| 3984 | Reversible Molten Catalytic Methane Cracking Applied to Commercial Solar-Thermal Receivers. Energies, 2020, 13, 6229. | 1.6 | 3 |
| 3985 | Numerical Investigation on Influence of Gas and Turbulence Model for Type III Hydrogen Tank under Discharge Condition. Energies, 2020, 13, 6432. | 1.6 | 13 |
| 3986 | Numerical Simulation of a GH2/LOx Single Injector Combustor and the Effect of the Turbulent Schmidt Number. Energies, 2020, 13, 6616. | 1.6 | 3 |
| 3987 | A Modified Sequential Method for Solving the Full Composition Model in Numerical Reservoir Simulation. IOP Conference Series: Materials Science and Engineering, 2020, 782, 042054. | 0.3 | 0 |
| 3988 | Phase Behavior Modeling of Acid-Gas Aqueous Systems CO2, H2S, CH4, Water and In-Situ pH Measurements in Applications to Wellbore Integrity and Top-of-Line Corrosion. , 2020, , . | | 1 |
| 3989 | Accurate quantum-corrected cubic equations of state for helium, neon, hydrogen, deuterium and their mixtures. Fluid Phase Equilibria, 2020, 524, 112790. | 1.4 | 14 |
| 3990 | Hydrocarbon Dew Point Measurement and Model Evaluation of Synthetic and Real Natural Gases. ACS Omega, 2020, 5, 8463-8473. | 1.6 | 5 |
| 3991 | Modeling and Simulation of an Industrial Top-Fired Methane Steam Reforming Unit. Industrial &amp; Engineering Chemistry Research, 2020, 59, 11250-11264. | 1.8 | 19 |
| 3992 | UNIFAC Model for Ionic Liquids. 2. Revision and Extension. Industrial &amp; Engineering Chemistry Research, 2020, 59, 10172-10184. | 1.8 | 27 |
| 3993 | Computer methods. , 2020, , 125-162. | | 0 |
| 3994 | Thermodynamic performance limits of the organic Rankine cycle: Working fluid parameterization based on corresponding states modeling. Energy Conversion and Management, 2020, 217, 113011. | 4.4 | 22 |
| 3995 | Elemental mercury partitioning in high pressure fluids part 1: Literature review and measurements in single components. Fluid Phase Equilibria, 2020, 520, 112660. | 1.4 | 5 |
| 3996 | Vapor-liquid equilibrium calculations at specified composition, density and temperature with the perturbed chain statistical associating fluid theory (PC-SAFT) equation of state. Fluid Phase Equilibria, 2020, 521, 112661. | 1.4 | 8 |
| 3997 | Vapour-liquid equilibrium data for the carbon dioxide (CO2)Â+Âcarbon monoxide (CO) system. Journal of Chemical Thermodynamics, 2020, 150, 106180. | 1.0 | 5 |
| 3998 | Largeâ€Eddy Simulation Model for the Effect of Gas Bubble Dissolution on the Dynamics of Hydrocarbon Plume from Deepâ€Water Blowout. Journal of Geophysical Research: Oceans, 2020, 125, e2019JC016037. | 1.0 | 1 |
| 3999 | Isothermal measurement and modeling of VLE properties for 2,3,3,3-tetrafluoroprop-1-eneÂ+ÂtrifluoromethaneÂ+Âtetrafluoromethane ternary system at temperatures from 253.15 K to 273.15 K. International Journal of Refrigeration, 2020, 117, 284-294. | 1.8 | 6 |
| 4000 | Phase Transitions and Separation Time Scales of CO2â€"Crude Oil Fluid Systems: Wheel Flow Loop Experiments and Modeling. Energy &amp; Fuels, 2020, 34, 7340-7352. | 2.5 | 1 |

| # | ARTICLE | IF | CITATIONS |
|---|---------|----|-----------|
| 4001 | Estimation of gas solubility in petroleum fractions using PR-UMR and group contributions methods. Fuel, 2020, 275, 117911. | 3.4 | 5 |
| 4002 | A Comprehensive Study on Thermophysical Properties of Carbon Dioxide through the Cubic-Plus-Association and Crossover Cubic-Plus-Association Equations of State. Journal of Chemical &amp; Engineering Data, 2020, 65, 4268-4284. | 1.0 | 7 |
| 4003 | Design, economic evaluation, and market uncertainty analysis of LOHC-based, CO2 free, hydrogen delivery systems. Applied Energy, 2020, 274, 115314. | 5.1 | 30 |
| 4004 | Determination of Anthraquinone Violet 3RN solubility in supercritical carbon dioxide with/without co-solvent: Experimental data and modeling (empirical and thermodynamic models). Chemical Engineering Research and Design, 2020, 159, 529-542. | 2.7 | 30 |
| 4005 | A self-adaptive deep learning algorithm for accelerating multi-component flash calculation. Computer Methods in Applied Mechanics and Engineering, 2020, 369, 113207. | 3.4 | 73 |
| 4006 | A theoretical analysis on enthalpy of vaporization: Temperature-dependence and singularity at the critical state. Fluid Phase Equilibria, 2020, 516, 112611. | 1.4 | 3 |
| 4007 | Thermodynamic modeling of $CO_2$ solubility in saline water using NVT flash with the cubic-Plus-association equation of state. Fluid Phase Equilibria, 2020, 520, 112657. | 1.4 | 16 |
| 4008 | Numerical simulation of hydrogen active magnetic regenerative liquefier. Renewable Energy, 2020, 158, 487-499. | 4.3 | 2 |
| 4009 | Correlation of binary interaction coefficients for hydrate inhibition using the Soave-Redlich-Kwong Equation of State and the Huron-Vidal mixing rule. Journal of Natural Gas Science and Engineering, 2020, 77, 103259. | 2.1 | 9 |
| 4010 | Analytical framework for real-gas mixtures with phase-equilibrium thermodynamics. Journal of Supercritical Fluids, 2020, 164, 104929. | 1.6 | 15 |
| 4011 | Experimental Determination of Thermophysical Properties of Working Fluids for ORC Applications. , 2020, , . | | 3 |
| 4012 | Evaluation of the Peng–Robinson and the Cubic-Plus-Association Equations of State in Modeling VLE of Carboxylic Acids with Water. International Journal of Thermophysics, 2020, 41, 1. | 1.0 | 8 |
| 4013 | Quantitative reconstruction of formation paleo-pressure in sedimentary basins and case studies. Science China Earth Sciences, 2020, 63, 808-821. | 2.3 | 8 |
| 4014 | Major Mechanisms. , 2020, , 13-50. | | 0 |
| 4015 | Vapor–Liquid Equilibria of the $CH_4$ + $CO_2$ + $H_2$S Ternary System with Two Different Global Compositions: Experiments and Modeling. Journal of Chemical &amp; Engineering Data, 2020, 65, 1802-1813. | 1.0 | 8 |
| 4016 | An improved equation of state of binary CO2–N2 fluid mixture and its application in the studies of fluid inclusions. Fluid Phase Equilibria, 2020, 513, 112554. | 1.4 | 2 |
| 4018 | Gas transport properties of PDMS-coated reverse osmosis membranes. Journal of Membrane Science, 2020, 604, 118009. | 4.1 | 12 |
| 4019 | A Predictive Thermodynamic Framework for Modeling Density and Phase Behavior of Petroleum Fluids. Energy &amp; Fuels, 2020, 34, 4497-4507. | 2.5 | 3 |

| # | Article | IF | Citations |
|---|---------|-----|-----------|
| 4020 | Predictive models for the phase behaviour and solution properties of weak electrolytes: nitric, sulphuric, and carbonic acids. Physical Chemistry Chemical Physics, 2020, 22, 15248-15269. | 1.3 | 13 |
| 4021 | The Calculation of Thermodynamic Properties of Multicomponent Refrigerant Blends â€" Working Fluids of Throttling Low-Temperature Refrigeration Machines. Chemical and Petroleum Engineering (English Translation of Khimicheskoe I Neftyanoe Mashinostroenie), 2020, 55, 976-985. | 0.1 | 1 |
| 4022 | Compressibility of a Simple Fluid in Cylindrical Confinement: Molecular Simulation and Equation of State Modeling. Industrial &amp; Engineering Chemistry Research, 2020, 59, 8393-8402. | 1.8 | 3 |
| 4023 | Prediction of Solubility of Sodium Valproate in Supercritical Carbon Dioxide: Experimental Study and Thermodynamic Modeling. Journal of Chemical &amp; Engineering Data, 2020, 65, 1747-1760. | 1.0 | 41 |
| 4024 | CFD Simulations of Single- and Twin-Screw Machines with OpenFOAM. Designs, 2020, 4, 2. | 1.3 | 2 |
| 4025 | Internal Structure and $CO_2$ Reservoirs of Habitable Water Worlds. Astrophysical Journal, 2020, 890, 107. | 1.6 | 10 |
| 4026 | Modified PC-SAFT characterization technique for modeling asphaltenic crude oil phase behavior. Fluid Phase Equilibria, 2020, 513, 112545. | 1.4 | 12 |
| 4027 | Thermo-economic optimization of gasification process with coal water slurry preheating technology. Energy, 2020, 199, 117354. | 4.5 | 12 |
| 4028 | Physical and transport properties of ionic liquids using the geometric similitude concept and a cubic equation of state. Part 1: Thermal conductivity and speed of sound of pure substances. Journal of Molecular Liquids, 2020, 315, 113681. | 2.3 | 12 |
| 4029 | Matching the critical point of associating fluids with the Cubic Plus Association equation of state. Fluid Phase Equilibria, 2020, 526, 112674. | 1.4 | 5 |
| 4030 | Gas phase methanol synthesis with Raman spectroscopy for gas composition monitoring. RSC Advances, 2020, 10, 23690-23701. | 1.7 | 12 |
| 4031 | Attainment of rigorous thermodynamic consistency and surface tension in single-component pseudopotential lattice Boltzmann models via a customized equation of state. Physical Review E, 2020, 101, 063309. | 0.8 | 7 |
| 4032 | Thermophysical Properties of Newly Synthesized Ammonium-Based Protic Ionic Liquids: Effect of Temperature, Anion and Alkyl Chain Length. Processes, 2020, 8, 742. | 1.3 | 20 |
| 4033 | Surrogate-model based MILP for the optimal design of ethylene production from shale gas. Computers and Chemical Engineering, 2020, 141, 107015. | 2.0 | 10 |
| 4034 | Adsorption equilibrium and charge/discharge characteristics of hydrogen on MOFs. Cryogenics, 2020, 112, 103121. | 0.9 | 7 |
| 4035 | Extension of Cubic-Plus-Polar (CPP) equation of state (EoS) for application in aqueous electrolyte solutions. Journal of Molecular Liquids, 2020, 310, 113067. | 2.3 | 11 |
| 4036 | Enrichment at vapourâ€"liquid interfaces of mixtures: establishing a link between nanoscopic and macroscopic properties. International Reviews in Physical Chemistry, 2020, 39, 319-349. | 0.9 | 56 |
| 4037 | (R)Evolution of Refrigerants. Journal of Chemical &amp; Engineering Data, 2020, 65, 4176-4193. | 1.0 | 101 |

| # | Article | IF | Citations |
|---|---------|-----|-----------|
| 4038 | Towards accurate phase behavior modeling for hydrogen sulfide/water mixtures. Fluid Phase Equilibria, 2020, 521, 112691. | 1.4 | 2 |
| 4039 | Improving fluid modeling representation for seismic data assimilation in compositional reservoir simulation. Journal of Petroleum Science and Engineering, 2020, 194, 107446. | 2.1 | 5 |
| 4040 | Central-Moments-Based Lattice Boltzmann for Associating Fluids: A New Integrated Approach. Journal of Physical Chemistry B, 2020, 124, 2900-2913. | 1.2 | 7 |
| 4041 | Thermodynamic principle based hydrogen network synthesis with hydrorefining feed oil sulfur content variation for total exergy minimization. Journal of Cleaner Production, 2020, 256, 120230. | 4.6 | 9 |
| 4042 | Numerical Investigation of Combustion Instabilities in a Rocket Combustion Chamber with Supercritical Injection Using a Hybrid RANS/LES Method. , 2020, , . | | 3 |
| 4043 | Real-Fluid Modeling for Turbulent Mixing Processes of N-Dodecane Spray Jet Under Superciritical Pressure. International Journal of Automotive Technology, 2020, 21, 397-406. | 0.7 | 9 |
| 4044 | High-pressure phase equilibria of carbon dioxideÂ+ 2-octanol binary system. Fluid Phase Equilibria, 2020, 510, 112487. | 1.4 | 5 |
| 4045 | Comparison of different alpha functions, Î±(T), applied in the prediction of supercritical properties of different polar and nonpolar fluids at Boyle temperature. Fluid Phase Equilibria, 2020, 512, 112517. | 1.4 | 3 |
| 4046 | Membrane condenser heat exchanger for conditioning of humid gases. Separation and Purification Technology, 2020, 241, 116697. | 3.9 | 5 |
| 4047 | Thermodynamic and ecological preselection of synthetic fuel intermediates from biogas at farm sites. Energy, Sustainability and Society, 2020, 10, . | 1.7 | 10 |
| 4048 | Equation of state and force fields for Feynmanâ€"Hibbs-corrected Mie fluids. II. Application to mixtures of helium, neon, hydrogen, and deuterium. Journal of Chemical Physics, 2020, 152, 074507. | 1.2 | 19 |
| 4049 | Hydrateâ€"A Mysterious Phase or Just Misunderstood?. Energies, 2020, 13, 880. | 1.6 | 20 |
| 4050 | Solubility of carbon dioxide ($CO_2$) in aqueous solution of 3-(dimethylamino)-1-propylamine (DMAPA). Fluid Phase Equilibria, 2020, 511, 112506. | 1.4 | 5 |
| 4051 | A general framework for modelling association. Fluid Phase Equilibria, 2020, 513, 112544. | 1.4 | 1 |
| 4052 | Determination of bubble point pressure and oil formation volume factor: Extra trees compared with LSSVM-CSA hybrid and ANFIS models. Fuel, 2020, 269, 116834. | 3.4 | 51 |
| 4053 | Conservative finite-volume framework and pressure-based algorithm for flows of incompressible, ideal-gas and real-gas fluids at all speeds. Journal of Computational Physics, 2020, 409, 109348. | 1.9 | 39 |
| 4054 | Accurate Modeling of Asphaltene Onset Pressure in Crude Oils Under Gas Injection Using Pengâ€"Robinson Equation of State. Energy &amp; Fuels, 2020, 34, 4055-4070. | 2.5 | 26 |
| 4055 | Density and Phase Behavior of the $CO_2$ + Methylbenzene System in Wide Ranges of Temperatures and Pressures. Industrial &amp; Engineering Chemistry Research, 2020, 59, 7224-7237. | 1.8 | 7 |

| # | Article | IF | Citations |
|---|---------|----|-----------|
| 4056 | A Numerical Assessment of Carbon-Dioxide-Rich Two-Phase Flows with Dense Phases in Offshore Production Pipelines. SPE Journal, 2020, 25, 712-731. | 1.7 | 8 |
| 4057 | Fundamental Thermodynamic Models for Mixtures Containing Ammonia. Fluid Phase Equilibria, 2020, 511, 112496. | 1.4 | 8 |
| 4058 | Investigating the performance of novel green solvents in absorption refrigeration cycles: Energy and exergy analyses. International Journal of Refrigeration, 2020, 113, 174-186. | 1.8 | 24 |
| 4059 | The use of process simulation in supercritical fluids applications. Reaction Chemistry and Engineering, 2020, 5, 424-451. | 1.9 | 30 |
| 4060 | A pressure-based solution framework for sub- and supersonic flows considering real-gas effects and phase separation under engine-relevant conditions. Computers and Fluids, 2020, 202, 104452. | 1.3 | 12 |
| 4061 | Estimation and Correlation of Phase Equilibrium of CO2â€"Hydrocarbon Systems with PRMHV2-UNIFAC and PRMHV2-NRTL Models. Journal of Chemical &amp; Engineering Data, 2020, 65, 655-663. | 1.0 | 5 |
| 4062 | Large-Eddy Simulations of the Mascotte Test Cases Operating at Supercritical Pressure. Flow, Turbulence and Combustion, 2020, 105, 159-189. | 1.4 | 19 |
| 4063 | A New Semi-Empirical Model for Saturated Vapor Density of Pure Compounds. Journal of Chemical &amp; Engineering Data, 2020, 65, 577-590. | 1.0 | 4 |
| 4064 | A new constructed macromolecule-pore structure of anthracite and its related gas adsorption: A molecular simulation study. International Journal of Coal Geology, 2020, 220, 103415. | 1.9 | 37 |
| 4065 | Curvature Corrections Remove the Inconsistencies of Binary Classical Nucleation Theory. Physical Review Letters, 2020, 124, 045701. | 2.9 | 30 |
| 4066 | Investigation of flow characteristics inside a dual bell nozzle with and without film cooling. Aerospace Science and Technology, 2020, 99, 105741. | 2.5 | 15 |
| 4067 | Density, compressibility and phase equilibrium of high pressure-high temperature reservoir fluids up to 473 K and 140 MPa. Journal of Supercritical Fluids, 2020, 159, 104781. | 1.6 | 7 |
| 4068 | Effect of coaxial injector parameters on LOX/methane engines: A numerical analysis. Acta Astronautica, 2020, 171, 225-237. | 1.7 | 20 |
| 4069 | Phase equilibrium studies of high-pressure natural gas mixtures with toluene for LNG applications. Fluid Phase Equilibria, 2020, 518, 112620. | 1.4 | 5 |
| 4070 | Diffuse interface modelling of reactive multi-phase flows applied to a sub-critical cryogenic jet. Applied Mathematical Modelling, 2020, 84, 405-424. | 2.2 | 12 |
| 4071 | Modeling the rate of corrosion of carbon steel using activated diethanolamine solutions for CO2 absorption. Chinese Journal of Chemical Engineering, 2020, 28, 2099-2110. | 1.7 | 18 |
| 4072 | Simulation model evaluation of desorber column in CO2 capture process by MEA scrubbing: A rigorous rate-based model for kinetic model and mass transfer correlations analysis. Fuel Processing Technology, 2020, 203, 106390. | 3.7 | 8 |
| 4073 | Novel fluorinated aromatic polymers with ether-bond-free aryl backbones for pure and mixed gas separation. Journal of Membrane Science, 2020, 606, 118114. | 4.1 | 13 |

| # | ARTICLE | IF | CITATIONS |
|---|---------|----|-----------|
| 4074 | Full-EoS based thermal multiphase compositional simulation of CO2 and steam injection processes. Journal of Petroleum Science and Engineering, 2020, 192, 107241. | 2.1 | 8 |
| 4075 | Investigation of Carbon Dioxide Absorption Using Different Functionalized $Fe_3O_4$ Magnetic Nanoparticles. Energy &amp; Fuels, 2020, 34, 7198-7208. | 2.5 | 42 |
| 4076 | Consistent Thermodynamic Calculations for Hydrate Properties and Hydrate Phase Transitions. Journal of Chemical &amp; Engineering Data, 2020, 65, 2872-2893. | 1.0 | 22 |
| 4077 | Kinetic modelling of methanol synthesis over commercial catalysts: A critical assessment. Chemical Engineering Journal, 2020, 394, 124881. | 6.6 | 60 |
| 4078 | Combining machine learning and process engineering physics towards enhanced accuracy and explainability of data-driven models. Computers and Chemical Engineering, 2020, 138, 106834. | 2.0 | 103 |
| 4079 | Prediction of the surface tension of gas-based nanofluids + model oils system by CPA EoS: Implementation in the simulation of by-passed oil recovery from a single block matrix of fractured reservoirs fully-immersed in the nanofluids. Journal of Petroleum Science and Engineering, 2020, 191, 107187. | 2.1 | 2 |
| 4080 | Molecular Mechanism for Azeotrope Formation in Ethanol/Benzene Binary Mixtures through Gibbs Ensemble Monte Carlo Simulation. Journal of Physical Chemistry B, 2020, 124, 3371-3386. | 1.2 | 13 |
| 4081 | Numerical study on void fraction wave of reciprocating multiphase pumps with high gas rates based on real gas models. Engineering Applications of Computational Fluid Mechanics, 2020, 14, 607-621. | 1.5 | 5 |
| 4082 | Catalytic hydrothermal liquefaction of biomass with $K_2CO_3$ for production of gasification feedstock. Biofuels, 2021, 12, 149-160. | 1.4 | 7 |
| 4083 | Critical point calculations by numerical inversion of functions. Chemical Engineering Communications, 2021, 208, 1245-1259. | 1.5 | 0 |
| 4084 | Rigorous rate-based model for $CO_2$ capture via monoethanolamine-based solutions: effect of kinetic models, mass transfer, and holdup correlations on prediction accuracy. Separation Science and Technology, 2021, 56, 1491-1509. | 1.3 | 6 |
| 4085 | Supercritical carbon dioxide as a new working medium for pneumatic launch: A theoretical study. Defence Technology, 2021, 17, 1296-1306. | 2.1 | 8 |
| 4086 | A conservative sequential fully implicit method for compositional reservoir simulation. Journal of Computational Physics, 2021, 428, 109961. | 1.9 | 8 |
| 4087 | An extensive thermodynamic study on amino acids aqueous solutions and their CO2 solubility by taking into account dipolar and quadrupolar contributions. Journal of Molecular Liquids, 2021, 324, 114681. | 2.3 | 10 |
| 4088 | Heat-release dynamics in a doubly-transcritical LO2/LCH4 cryogenic coaxial jet flame subjected to fuel inflow acoustic modulation. Proceedings of the Combustion Institute, 2021, 38, 6375-6383. | 2.4 | 10 |
| 4089 | $CO_2$ process intensification of algae oil extraction to biodiesel. AICHE Journal, 2021, 67, . | 1.8 | 12 |
| 4090 | Prediction of liquid propane hydrate formation conditions in the presence of light hydrocarbons (C2-C5): Experimental investigation and thermodynamic modeling. Fluid Phase Equilibria, 2021, 529, 112756. | 1.4 | 6 |
| 4091 | Accounting for quadrupolar interactions in the CPA equation of state: A modelling approach for binary mixtures of CO2 or benzene with n-alkanes and 1-alkanols. Fluid Phase Equilibria, 2021, 528, 112848. | 1.4 | 2 |

| # | ARTICLE | IF | CITATIONS |
|---|---------|-----|-----------|
| 4092 | Transcritical diffuse-interface hydrodynamics of propellants in high-pressure combustors of chemical propulsion systems. Progress in Energy and Combustion Science, 2021, 82, 100877. | 15.8 | 54 |
| 4093 | A new two-parameters cubic equation of state with benefits of three-parameters. Chemical Engineering Science, 2021, 229, 116045. | 1.9 | 11 |
| 4094 | Comprehensive energy analysis and integration of coal-based MTO process. Energy, 2021, 214, 119060. | 4.5 | 17 |
| 4095 | Influence of equations of state and mixture models on the design of a refrigeration process. International Journal of Refrigeration, 2021, 121, 193-205. | 1.8 | 10 |
| 4096 | The effect of high-pressure injection variations on the mixing state of underexpanded methane jets. International Journal of Engine Research, 2021, 22, 2900-2918. | 1.4 | 10 |
| 4097 | Improved Prediction of Saturated and Single-Phase Liquid Densities of Water through Volume-Translated SRK EOS. Fluid Phase Equilibria, 2021, 528, 112852. | 1.4 | 11 |
| 4098 | Asphaltene precipitation and deposition: A critical review. Journal of Petroleum Science and Engineering, 2021, 197, 107956. | 2.1 | 70 |
| 4099 | Cubic equation of state as a quartic in disguise. Fluid Phase Equilibria, 2021, 531, 112908. | 1.4 | 10 |
| 4100 | Differential Gibbs and Helmholtz reactor models for ideal and non-ideal gases: Applications to the SMR and methanol processes. Chemical Engineering Science, 2021, 234, 116257. | 1.9 | 3 |
| 4101 | Toward accurate density and interfacial tension modeling for carbon dioxide/water mixtures. Petroleum Science, 2021, 18, 509-529. | 2.4 | 2 |
| 4102 | Preferential cavitation and friction-induced heating of multi-component Diesel fuel surrogates up to 450MPa. International Journal of Heat and Mass Transfer, 2021, 166, 120744. | 2.5 | 22 |
| 4103 | The design and optimization of a cryogenic compressed hydrogen refueling process. International Journal of Hydrogen Energy, 2021, 46, 29391-29399. | 3.8 | 18 |
| 4104 | A new model for gas adsorption isotherm at high pressures. International Journal of Hydrogen Energy, 2021, 46, 6613-6622. | 3.8 | 6 |
| 4105 | Analysis of real gas equation of state for CFD modelling of twin screw expanders with R245fa, R290, R1336mzz(Z) and R1233zd(E). International Journal of Refrigeration, 2021, 121, 313-326. | 1.8 | 14 |
| 4106 | Computational investigation of real fluid effects in cryogenic laminar premixed CH4–O2 flames. Journal of Supercritical Fluids, 2021, 168, 105045. | 1.6 | 3 |
| 4107 | Solution of multiphase Rachford-Rice equations by trust region method in compositional and thermal simulations. Journal of Petroleum Science and Engineering, 2021, 200, 108150. | 2.1 | 4 |
| 4108 | Vapor-liquid equilibrium, liquid density and excess enthalpy of the carbon dioxide+acetone mixture: Experimental measurements and correlations. Fluid Phase Equilibria, 2021, 532, 112915. | 1.4 | 4 |
| 4109 | Equilibrium vapor pressure properties for absorbent and adsorbent materials. International Journal of Refrigeration, 2021, 124, 134-166. | 1.8 | 4 |

| # | ARTICLE | IF | CITATIONS |
|---|---------|----|-----------|
| 4110 | The solubility of CO2 in (hexaneÂ+Âcyclohexane) and (cyclopentaneÂ+Âethylbenzene) and (tolueneÂ+Âundecane) systems at high pressures. Journal of Chemical Thermodynamics, 2021, 154, 106324. | 1.0 | 6 |
| 4111 | Effect of Inlet and Outlet Manifolds on Regenerative Cooling in LOX/Methane Thrust Chambers. Journal of Thermal Science, 2021, 30, 517-529. | 0.9 | 8 |
| 4112 | New modified PC-SAFT pure component parameters for accurate VLE and critical phenomena description. Fluid Phase Equilibria, 2021, 532, 112916. | 1.4 | 12 |
| 4113 | Self-similar solution of a supercritical two-phase laminar mixing layer. International Journal of Multiphase Flow, 2021, 135, 103465. | 1.6 | 10 |
| 4114 | Investigation of Operational Scenarios to Mitigate CO2 Emission and Natural Gas Consumption in City Gate Stations (CGSs). Process Integration and Optimization for Sustainability, 2021, 5, 63-73. | 1.4 | 1 |
| 4115 | Uneven Distribution of Asphaltene Deposits in $CO_2$ Flooding Path: Interpretation by Combining Thermodynamic and Micro-CT 3D Geological Porous Models. Energy &amp; Fuels, 2021, 35, 329-340. | 2.5 | 10 |
| 4116 | Predictions of the Joule-Thomson coefficients and inversion curves from the CPA equation of state. Journal of Supercritical Fluids, 2021, 168, 105077. | 1.6 | 2 |
| 4117 | High pressure phase behaviour of binary systems containing supercritical solvents and uneven acids. Journal of Supercritical Fluids, 2021, 168, 105075. | 1.6 | 3 |
| 4118 | Numerical study of the pseudo-boiling phenomenon in the transcritical liquid oxygen/gaseous hydrogen flame. Proceedings of the Institution of Mechanical Engineers, Part G: Journal of Aerospace Engineering, 2021, 235, 893-911. | 0.7 | 2 |
| 4119 | Modelling acid gas mixtures of polar aprotic solvents and CO2 with the Cubic Plus Association equation of state. Journal of Supercritical Fluids, 2021, 167, 105052. | 1.6 | 4 |
| 4120 | Development and assessment of concentrated solar energy driven ammonia synthesis from liquefied natural gas. International Journal of Hydrogen Energy, 2021, 46, 10093-10103. | 3.8 | 11 |
| 4121 | Future Space-Transport-System Components under High Thermal and Mechanical Loads. Notes on Numerical Fluid Mechanics and Multidisciplinary Design, 2021, , . | 0.2 | 1 |
| 4122 | A new LES approach to trans-critical mixing and combustion processes in high-pressure liquid-injectant engines. Proceedings of the Combustion Institute, 2021, 38, 3107-3129. | 2.4 | 5 |
| 4123 | Density Modeling of High-Pressure Mixtures using Cubic and Non-Cubic EoS and an Excess Volume Method. Fluid Phase Equilibria, 2021, 532, 112884. | 1.4 | 7 |
| 4126 | Enhanced CO2 capture efficiency applying amine-based nano magnetite/sulfinol-M nano solvents at high pressures. Environmental Science and Pollution Research, 2021, 28, 3455-3464. | 2.7 | 19 |
| 4127 | Simulation of Hydrate Plug Prevention in Natural Gas Pipeline from Bohai Bay to Onshore Facilities in China. SNE Simulation Notes Europe, 2021, 31, 151-157. | 0.2 | 0 |
| 4129 | A novel approach for kinetic measurements in exothermic fixed bed reactors: advancements in non-isothermal bed conditions demonstrated for methanol synthesis. Reaction Chemistry and Engineering, 2021, 6, 1092-1107. | 1.9 | 13 |
| 4130 | Application of Cubic EOS for Shale Gas Adsorption Study. Springer Series in Geomechanics and Geoengineering, 2021, , 3196-3206. | 0.0 | 0 |

| # | ARTICLE | IF | CITATIONS |
|---|---------|-----|-----------|
| 4131 | Modeling the Solubility of Carbon Dioxide and 1,1,1,2-Tetrafluoroethane in Ionic Liquids Using the van der Waals and Generic Redlichâ€"Kwong Equations of State. Theoretical Foundations of Chemical Engineering, 2021, 55, 129-139. | 0.2 | 3 |
| 4132 | Diffusion of the carbon dioxideâ€"ethanol mixture in the extended critical region. Physical Chemistry Chemical Physics, 2021, 23, 3106-3115. | 1.3 | 18 |
| 4133 | CH4 and CO2 Adsorption Mechanism in Kaolinite Slit Nanopores as Studied by the Grand Canonical Monte Carlo Method. Journal of Nanoscience and Nanotechnology, 2021, 21, 108-119. | 0.9 | 2 |
| 4134 | Thermodynamic and GMDH Modeling of CO2 and H2S Solubility in Aqueous Sulfolane Solution. Journal of Solution Chemistry, 2021, 50, 1-18. | 0.6 | 3 |
| 4135 | Measurement of vapour-liquid equilibrium and e-NRTL model development of CO2 absorption in aqueous dipropylenetriamine. Environmental Science and Pollution Research, 2021, 28, 19285-19297. | 2.7 | 5 |
| 4136 | Review of Density Measurements and Predictions of $CO_2$â€"Alkane Solutions for Enhancing Oil Recovery. Energy &amp; Fuels, 2021, 35, 2914-2935. | 2.5 | 13 |
| 4137 | A nonisothermal thermodynamical model of liquid-vapor interaction with metastability. Discrete and Continuous Dynamical Systems - Series B, 2021, 26, 2371. | 0.5 | 1 |
| 4138 | Nucleate Pool Boiling. Mathematical Engineering, 2021, , 313-358. | 0.1 | 0 |
| 4139 | Real-Gas-Flamelet-Model-Based Numerical Simulation and Combustion Instability Analysis of a GH2/LOX Rocket Combustor with Multiple Injectors. Energies, 2021, 14, 419. | 1.6 | 8 |
| 4140 | Pressureâ€"volumeâ€"temperature properties of pure substances. , 2021, , 53-82. | | 0 |
| 4141 | CO2-Fluid-Rock Interactions and the Coupled Geomechanical Response during CCUS Processes in Unconventional Reservoirs. Geofluids, 2021, 2021, 1-22. | 0.3 | 2 |
| 4142 | Research on Formation Prediction Model of Gas Hydrate. IOP Conference Series: Earth and Environmental Science, 0, 651, 032088. | 0.2 | 0 |
| 4143 | Selection of State Equation and Innovative Process Design for Removing CO 2 by Azeotropic Distillation. Chemical Engineering and Technology, 2021, 44, 710-722. | 0.9 | 1 |
| 4144 | A comparative study of thermodynamic models to describe the VLE of the ternary electrolytic mixture H2Oâ€"NH3â€"CO2. Chemical Product and Process Modeling, 2020, . | 0.5 | 1 |
| 4145 | Effect of Modified $Fe_3O_4$ Magnetic NPs on the Absorption Capacity of $CO_2$ in Water, Wettability Alteration of Carbonate Rock Surface, and Waterâ€"Oil Interfacial Tension for Oilfield Applications. Industrial &amp; Engineering Chemistry Research, 2021, 60, 3421-3434. | 1.8 | 25 |
| 4146 | Isobaric Vaporâ€"Liquid Equilibrium Data for Six Binary Systems: Prop-2-en-1-ol (1)â€"Hexan-2-ol (2), Prop-2-en-1-ol (1)â€"Hexan-2-one (2), Hexan-2-one (1)â€"Hexan-2-ol (2), Prop-2-en-1-ol (1)â€"4-Methyl-pentan-2-ol (2), Prop-2-en-1-ol (1)â€"4-Methyl-pentan-2-one (2), and 4-Methyl-pentan-2-one (1)â€"4-Methyl-pentan-2-ol (2) at 101.32 kPa. Journal of Chemical &amp; Engineering Data, 2021, 66, 1055-1067. | 1.0 | 4 |
| 4147 | Predictions of fugacity coefficients of pure substances from equations of state. IOP Conference Series: Materials Science and Engineering, 2021, 1091, 012019. | 0.3 | 0 |
| 4148 | In-Class Student Questions and Take-Home Projects for Chemical Engineering Thermodynamics. Journal of Chemical Education, 2021, 98, 1193-1200. | 1.1 | 1 |

| # | Article | IF | Citations |
|---|---------|-----|-----------|
| 4149 | Validation of the Molar Flow Rates of Oil and Gas in Three-Phase Separators Using Aspen Hysys. Processes, 2021, 9, 327. | 1.3 | 4 |
| 4150 | Prediction of Carbon Dioxide Solubility in Monoethylene Glycol /Water Mixtures Employing SRK and PR-EOS with Two Different Mixing Rules. IOP Conference Series: Materials Science and Engineering, 2021, 1076, 012022. | 0.3 | 0 |
| 4151 | Robust and efficient determination of saturation pressure from constant mass expansion data. AICHE Journal, 2021, 67, e17166. | 1.8 | 2 |
| 4152 | Review on the Applications and Modifications of the Chen–Guo Model for Hydrate Formation and Dissociation. Energy &amp; Fuels, 2021, 35, 2936-2964. | 2.5 | 25 |
| 4153 | Phase Equilibria of Acid-Gas Aqueous Systems ($CO_2$, $H_2S$, $CH_4$, Water) and In-Situ pH Measurements in Application to Top-of-Line Corrosion. SPE Journal, 2021, 26, 2364-2379. | 1.7 | 2 |
| 4154 | Systematic Analysis Reveals Thermal Separations Are Not Necessarily Most Energy Intensive. Joule, 2021, 5, 330-343. | 11.7 | 20 |
| 4155 | Kinetics of hydrate formation, dissociation and reformation. Chemical Thermodynamics and Thermal Analysis, 2021, 1-2, 100004. | 0.7 | 13 |
| 4156 | Phase Equilibrium and Density of $CO_2$ + Acetic Acid Systems from 308.15 to 338.15 K and 15 to 45 MPa. ACS Omega, 2021, 6, 6663-6673. | 1.6 | 1 |
| 4157 | Study the high pressure effect on compressibility factors of high $CO_2$ content natural gas. Journal of Natural Gas Science and Engineering, 2021, 87, 103759. | 2.1 | 2 |
| 4158 | Revisiting Kelvin equation and Peng–Robinson equation of state for accurate modeling of hydrocarbon phase behavior in nano capillaries. Scientific Reports, 2021, 11, 6573. | 1.6 | 7 |
| 4159 | Asphaltene Flow Assurance Risks: How Are Pitfalls Brought into the Open?. Journal of the Japan Petroleum Institute, 2021, 64, 51-66. | 0.4 | 2 |
| 4160 | New Vapor–Liquid Phase Equilibrium Data of $CO_2$ in Several Heavy $n$-Alkanes at High Pressures. Journal of Chemical &amp; Engineering Data, 2021, 66, 1600-1610. | 1.0 | 5 |
| 4161 | Representation of Vapor-Liquid Equilibria Properties for Binary Mixtures Containing R1234ze(E) using Machine Learning Models. Journal of Phase Equilibria and Diffusion, 2021, 42, 231-244. | 0.5 | 1 |
| 4162 | MINLP Model for Operational Optimization of LNG Terminals. Processes, 2021, 9, 599. | 1.3 | 12 |
| 4163 | On an efficient time scheme based on a new mathematical representation of thermodynamic equilibrium for multiphase compositional Darcy flows in porous media. Computational Geosciences, 2021, 25, 1063-1082. | 1.2 | 4 |
| 4164 | Modification of Peng–Robinson Cubic Equation of State with Correction of the Temperature Dependency Term. Journal of Solution Chemistry, 2021, 50, 402-426. | 0.6 | 5 |
| 4165 | Two-phase developing laminar mixing layer at supercritical pressures. International Journal of Heat and Mass Transfer, 2021, 167, 120687. | 2.5 | 13 |
| 4166 | Phase Equilibria for Carbon Capture and Storage. , 0, , . | | 0 |

| # | Article | IF | Citations |
|---|---------|----|-----------|
| 4167 | Design and testing of a monopropellant thruster based on N2O decomposition in Pd/Al2O3 pellets catalytic bed. Acta Astronautica, 2021, 180, 460-469. | 1.7 | 10 |
| 4168 | Assessment of correlations and simulation software to calculate phase diagrams of pre-salt fluids. Petroleum Science and Technology, 2021, 39, 410-420. | 0.7 | 3 |
| 4169 | Nucleation and Growth of Gas Hydrates in Emulsions of Water in Asphaltene-Containing Oils. Energy &amp; Fuels, 2021, 35, 5853-5866. | 2.5 | 18 |
| 4170 | An improved dispersive contribution for the COSMO-SAC-Phi equation of state. Fluid Phase Equilibria, 2021, 534, 112942. | 1.4 | 4 |
| 4171 | SAFT and cubic EoS: Type of deviation from ideality naturally predicted in the absence of BIPs. Application to the modelling of athermal mixtures. Fluid Phase Equilibria, 2021, 533, 112924. | 1.4 | 10 |
| 4172 | Effects of waxes and asphaltenes on CO2 hydrate nucleation and decomposition in oil-dominated systems. Journal of Natural Gas Science and Engineering, 2021, 88, 103799. | 2.1 | 23 |
| 4174 | Computation of Acoustic Velocity of Natural Gases With an Alternative Heat Capacity Ratio Equation and Application to Seismic Modeling. Journal of Energy Resources Technology, Transactions of the ASME, 2021, 143, . | 1.4 | 0 |
| 4175 | An analysis about analytical calculation of volume roots from cubic equations of state. AICHE Journal, 2021, 67, e17273. | 1.8 | 1 |
| 4176 | Theory of supercritical flames with real-fluid equations of state. Combustion Theory and Modelling, 0, , 1-17. | 1.0 | 1 |
| 4177 | Modeling Heat Transport in Systems of Hydrate-Filled Sediments Using Residual Thermodynamics and Classical Nucleation Theory. Applied Sciences (Switzerland), 2021, 11, 4124. | 1.3 | 3 |
| 4178 | Modeling of the Interfacial Behavior of $$\hbox {CO}_{2}$$ + $$\hbox {H}_{2}$$O and $$\hbox {H}_{2}$$S + $$\hbox {H}_{2}$$O with CPA EOS and Gradient Theory. International Journal of Thermophysics, 2021, 42, 1. | 1.0 | 4 |
| 4179 | Thermodynamic Analysis of Dry Reforming of Methane for Valorization of Landfill Gas and Natural Gas. Energy Technology, 2021, 9, 2100106. | 1.8 | 31 |
| 4180 | Implementing robust thermodynamic model for reliable bubble/dew problem solution in cryogenic distillation of air separation units. International Journal of Thermofluids, 2021, 10, 100083. | 4.0 | 10 |
| 4181 | Numerical investigation of the autoignition of underexpanded methane jets. Fuel, 2021, 291, 120169. | 3.4 | 1 |
| 4182 | Analytical treatment of the critical properties of a generalized van der Waals equation. Zeitschrift Fur Naturforschung - Section A Journal of Physical Sciences, 2021, . | 0.7 | 1 |
| 4183 | Development of an interface thickening method for the direct numerical simulation of compressible liquid–vapor flows in the framework of the second gradient theory. Physics of Fluids, 2021, 33, . | 1.6 | 9 |
| 4184 | Analysis of the thermodynamic performance limits of the organic Rankine cycle in low and medium temperature heat source applications. Science China Technological Sciences, 2021, 64, 1624-1640. | 2.0 | 6 |
| 4185 | Experimental investigation of carbon dioxide solubility in the deep eutectic solvent (1 ChClÂ+Â3) Tj ETQq1 1 0.784314 rgBT /Overlock | 2.3 | 11 |

| # | Article | IF | Citations |
|---|---------|----|-----------|
| 4186 | How equation of state selection impacts accuracy near the critical point: Forced convection supercritical CO2 flow over a cylinder. Journal of Supercritical Fluids, 2021, 171, 105141. | 1.6 | 7 |
| 4187 | Integration of Renewable Hydrogen Production in Steelworks Off-Gases for the Synthesis of Methanol and Methane. Energies, 2021, 14, 2904. | 1.6 | 20 |
| 4188 | Hydrogen Sulfide Solubility in Aqueous N-Methylpyrrolidone Solution. Journal of Chemical &amp; Engineering Data, 2021, 66, 1900-1913. | 1.0 | 2 |
| 4189 | A comparative performance evaluation of cubic equations of state for predicting the compositional distribution of hydrate inhibitors in reservoir fluid systems. Fluid Phase Equilibria, 2021, 535, 112964. | 1.4 | 2 |
| 4190 | Characterization of crude oils and asphaltenes using the PC-SAFT EoS: A systematic review. Fuel, 2021, 291, 120180. | 3.4 | 20 |
| 4191 | Research on the Thermophysical Properties and Cycle Performances of R1234yf/R290 and R1234yf/R600a. International Journal of Thermophysics, 2021, 42, 1. | 1.0 | 7 |
| 4192 | High-pressure methane adsorption behavior on deep shales: Experiments and modeling. Physics of Fluids, 2021, 33, . | 1.6 | 80 |
| 4193 | Application of supercritical carbon dioxide jet: A parametric study using numerical simulation model. Journal of Petroleum Science and Engineering, 2021, 201, 108422. | 2.1 | 14 |
| 4194 | The Effect of Functional Groups on the Phase Behavior of Carbon Dioxide Binaries and Their Role in CCS. Molecules, 2021, 26, 3733. | 1.7 | 4 |
| 4195 | The Representation of Cross Second Virial Coefficients by Multifluid Mixture Models and Other Equations of State. Industrial &amp; Engineering Chemistry Research, 2021, 60, 9286-9295. | 1.8 | 4 |
| 4196 | Review on space energy. Applied Energy, 2021, 292, 116896. | 5.1 | 35 |
| 4197 | Determining design criteria to reduce power and cost in filling high-pressure oxygen cylinders directly from cryogenic air separation plants. Cryogenics, 2021, 116, 103299. | 0.9 | 5 |
| 4198 | Influences of Hydrogen Blending on the Joule–Thomson Coefficient of Natural Gas. ACS Omega, 2021, 6, 16722-16735. | 1.6 | 15 |
| 4199 | Technical and economic performance assessment of post-combustion carbon capture using piperazine for large scale natural gas combined cycle power plants through process simulation. Applied Energy, 2021, 292, 116893. | 5.1 | 31 |
| 4200 | Density and viscosity of CO2Â+Âethyl acetate binary systems from 308.15 to 338.15ÂK and 15 to 45ÂMPa. Fluid Phase Equilibria, 2021, 537, 112988. | 1.4 | 8 |
| 4201 | Solubility Calculations of Methane and Ethane in Aqueous Electrolyte Solutions. Journal of Solution Chemistry, 2021, 50, 920-940. | 0.6 | 2 |
| 4202 | Superancillary Equations for Cubic Equations of State. Industrial &amp; Engineering Chemistry Research, 2021, 60, 9983-9991. | 1.8 | 7 |
| 4203 | Comparing the predictive ability of two- and three-parameter cubic equations of state in calculating specific heat capacity, Joule – Thomson coefficient, inversion curve and outlet temperature from Joule – Thomson valve. Cryogenics, 2021, 116, 103288. | 0.9 | 9 |

| # | ARTICLE | IF | CITATIONS |
|---|---------|----|-----------| 
| 4204 | Two-Binary-Interaction-Parameter Model for Molecular Solute + Ionic Liquid Solution. Industrial &amp; Engineering Chemistry Research, 2021, 60, 11490-11501. | 1.8 | 4 |
| 4205 | Experimental and modeling of two heavy oil densities for temperatures from (288 to 358) K. Petroleum Science and Technology, 2021, 39, 564-581. | 0.7 | 1 |
| 4206 | Subgrid scale modeling considerations for large eddy simulation of supercritical turbulent mixing and combustion. Physics of Fluids, 2021, 33, . | 1.6 | 15 |
| 4207 | Towards a predictive Cubic Plus Association equation of state. Fluid Phase Equilibria, 2021, 540, 113045. | 1.4 | 11 |
| 4208 | A novel hybrid method for the calculation of methane hydrate–water interfacial tension along the three-phase (hydrate–liquid water–vapor) equilibrium line. Journal of Chemical Physics, 2021, 155, 024702. | 1.2 | 5 |
| 4209 | Thermodynamic Aspects of the Use of Heat Exchangers in Low-Temperature Power Systems. Journal of Advanced Thermal Science Research, 2021, 8, 1-9. | 0.4 | 0 |
| 4210 | Comprehensive Evaluation of a Deep Eutectic Solvent Based $CO_2$ Capture Process through Experiment and Simulation. ACS Sustainable Chemistry and Engineering, 2021, 9, 10250-10265. | 3.2 | 48 |
| 4211 | Simulation study on the cryogenic liquid nitrogen jets: Effects of equations of state and turbulence models. Cryogenics, 2021, 117, 103330. | 0.9 | 10 |
| 4212 | Vapor–Liquid Equilibria of the Aqueous and Organic Mixtures Composed of Dipropylene Glycol Methyl Ether, Dipropylene Glycol n-Butyl Ether, and Propylene Glycol n-Butyl Ether. Part II: Modeling Based on the NRTL-PR Model. Industrial &amp; Engineering Chemistry Research, 2021, 60, 11513-11524. | 1.8 | 0 |
| 4213 | A Hybrid Real/Ideal Gas Mixture Model in the Framework of Low Order Modeling of Combustion Instability. , 2021, , . |  | 0 |
| 4214 | Adsorption Mechanisms of High-Pressure Methane and Carbon Dioxide on Coals. Energy &amp; Fuels, 2021, 35, 13011-13021. | 2.5 | 16 |
| 4215 | Machine Learning-Based Identification Strategy of Fuel Surrogates for the CFD Simulation of Stratified Operations in Low Temperature Combustion Modes. Energies, 2021, 14, 4623. | 1.6 | 2 |
| 4216 | Phase envelope calculations of synthetic gas systems with a crossover equation of state. Journal of Supercritical Fluids, 2021, 173, 105222. | 1.6 | 2 |
| 4217 | Unpicking the interplay of turbulence, diffusion, and thermophysics in cryogenic jets at supercritical pressures. Physics of Fluids, 2021, 33, . | 1.6 | 7 |
| 4218 | Flow dynamics of shear-coaxial cryogenic nitrogen jets under supercritical conditions with and without acoustic excitations. Physics of Fluids, 2021, 33, . | 1.6 | 7 |
| 4219 | Analysis of the Energy Flow in a Municipal Wastewater Treatment Plant Based on a Supercritical Water Oxidation Reactor Coupled to a Gas Turbine. Processes, 2021, 9, 1237. | 1.3 | 5 |
| 4220 | Hydrate Phase Transition Kinetic Modeling for Nature and Industry–Where Are We and Where Do We Go?. Energies, 2021, 14, 4149. | 1.6 | 10 |
| 4221 | LES investigation of real-fluid effect on underexpanded jets. , 2021, , . |  | 1 |

| # | ARTICLE | IF | CITATIONS |
|---|---------|-----|-----------|
| 4222 | Experimental determination and modelling of high-pressure phase behavior for the binary system CO2 +Âcyclooctane. Journal of Supercritical Fluids, 2021, 174, 105249. | 1.6 | 2 |
| 4223 | Methanol synthesis through sorption enhanced carbon dioxide hydrogenation. Chemical Engineering Journal, 2021, 418, 129290. | 6.6 | 28 |
| 4224 | Improving the centrifugal compressor map through rigorous thermodynamic modeling: An analysis on a natural gas compression station pipeline. Journal of Natural Gas Science and Engineering, 2021, 92, 104006. | 2.1 | 4 |
| 4225 | Dynamic Viscosity of Binary Fluid Mixtures: A Review Focusing on Asymmetric Mixtures. International Journal of Thermophysics, 2021, 42, 1. | 1.0 | 14 |
| 4226 | Solubility of vitamin A in supercritical CO2: experimental study and thermodynamic modeling. Scientific Reports, 2021, 11, 15917. | 1.6 | 6 |
| 4227 | Derivativeâ€Free Optimization of a Fixedâ€Bed Methanol Synthesis Reactor. Chemical Engineering and Technology, 2021, 44, 1830-1839. | 0.9 | 0 |
| 4228 | Optimization of post combustion CO2 absorption system monoethanolamine (MEA) based for 320ÂMW coal-fired power plant application â€" Exergy and exergoenvironmental analysis. Case Studies in Thermal Engineering, 2021, 26, 101093. | 2.8 | 17 |
| 4229 | Optimized critical parameters for n-alkanes up to C100 for reliable multiphase behavior of hydrocarbon mixture using SRK EOS. Fluid Phase Equilibria, 2021, 541, 113037. | 1.4 | 3 |
| 4230 | Liquid-jet instability at high pressures with real-fluid interface thermodynamics. Physics of Fluids, 2021, 33, . | 1.6 | 3 |
| 4231 | A Comprehensive Review of Recent Advances in the Estimation of Natural Gas Compressibility Factor. , 2021, , . | | 0 |
| 4232 | High-pressure phase equilibrium and volumetric properties of pseudo-binary mixtures of stock tank oilÂ+Âmethane up to 463K. Fluid Phase Equilibria, 2021, 541, 113054. | 1.4 | 2 |
| 4234 | High Pressure Solubility of Light Gases (CH4, C2H6, C3H8, H2S, CO2, N2, Xe, Ar and Kr) and Certain Gas Mixtures in Water from Cubic Equations of State. Journal of Solution Chemistry, 2021, 50, 1169-1188. | 0.6 | 5 |
| 4235 | Review on principles, recent progress, and future challenges for oxy-fuel combustion CO2 capture using compression and purification unit. Journal of Environmental Chemical Engineering, 2021, 9, 105777. | 3.3 | 51 |
| 4236 | Experimental study of carbon dioxide absorption by Fe2O3@glutamine/NMP nanofluid. Environmental Science and Pollution Research, 2022, 29, 1060-1072. | 2.7 | 15 |
| 4237 | A new highly stable methane hydrate from the synergic mixture of common promoters: Experimental and modeling surveys. Journal of Natural Gas Science and Engineering, 2021, 93, 104056. | 2.1 | 5 |
| 4238 | NOx emission characteristics of CH4 versus O2/CO2 counterflow non-premixed flames at various pressures up to 300â€¯atm. Fuel, 2021, 299, 120411. | 3.4 | 4 |
| 4239 | A Hybrid Real/Ideal Gas Mixture Computational Framework to Capture Wave Propagation in Liquid Rocket Combustion Chamber Conditions. Aerospace, 2021, 8, 250. | 1.1 | 1 |
| 4240 | Simulation of high-pressure methane-oxygen combustion with a new reduced chemical mechanism. Combustion and Flame, 2022, 235, 111735. | 2.8 | 7 |

| # | ARTICLE | IF | CITATIONS |
|---|---------|-----|-----------|
| 4241 | Prediction of Jouleâ€"Thomson coefficients and inversion curves of natural gas by various equations of state. Cryogenics, 2021, 118, 103350. | 0.9 | 5 |
| 4242 | Carbon-Negative Scenarios in High CO2 Gas Condensate Reservoirs. Energies, 2021, 14, 5898. | 1.6 | 2 |
| 4243 | Modified Method of Characteristics for Generating EOR Oil Recovery Curves. , 2021, , . | | 0 |
| 4244 | Comprehensive Review on Various Gas Hydrate Modelling Techniques: Prospects and Challenges. Archives of Computational Methods in Engineering, 2022, 29, 2171-2207. | 6.0 | 9 |
| 4245 | Numerical study on the horizontal stretching effect of ground on high-pressure vapor jets of LNG tank leakage. Journal of Loss Prevention in the Process Industries, 2021, 72, 104526. | 1.7 | 3 |
| 4246 | Deterministic symbolic regression with derivative information: General methodology and application to equations of state. AICHE Journal, 2022, 68, e17457. | 1.8 | 6 |
| 4247 | Thermodynamics of hydrate systems using a uniform reference state. Asia-Pacific Journal of Chemical Engineering, 2021, 16, e2706. | 0.8 | 2 |
| 4248 | A numerical study of the additive Schwarz preconditioned exact Newton method (ASPEN) as a nonlinear preconditioner for immiscible and compositional porous media flow. Computational Geosciences, 2022, 26, 1045-1063. | 1.2 | 8 |
| 4249 | Modeling of Compositional Grading in Heavy Oil Fields. , 2021, , . | | 0 |
| 4250 | Gas to Liquids Techno-Economics of Associated Natural Gas, Bio Gas, and Landfill Gas. Processes, 2021, 9, 1568. | 1.3 | 9 |
| 4251 | Solubility measurements of refrigerants in polyolesters lubricants at temperature from 323.K to 383.K. International Journal of Refrigeration, 2022, 134, 278-292. | 1.8 | 6 |
| 4252 | Numerical optimisation of CO&lt;sub&gt;2&lt;/sub&gt; flooding using a hierarchy of reservoir models. Advances in Geosciences, 0, 56, 19-31. | 12.0 | 3 |
| 4253 | Towards Understanding the Structure of Subcritical and Transcritical Liquidâ€"Gas Interfaces Using a Tabulated Real Fluid Modeling Approach. Energies, 2021, 14, 5621. | 1.6 | 12 |
| 4254 | Small Alcohols as Surfactants and Hydrate Promotors. Fluids, 2021, 6, 345. | 0.8 | 5 |
| 4255 | Comparison of various reactive transport simulators for geological carbon sequestration. International Journal of Greenhouse Gas Control, 2021, 110, 103419. | 2.3 | 8 |
| 4256 | Symmetries and criticality of generalised van der Waals models. Journal of Physics A: Mathematical and Theoretical, 2021, 54, 405701. | 0.7 | 2 |
| 4257 | A novel modification of ionic liquid mixture density based on semi-empirical equations using laplacian whale optimization algorithm. Arabian Journal of Chemistry, 2021, 14, 103368. | 2.3 | 10 |
| 4258 | Evaluation of the property methods for pure and mixture of CO2 for power cycles analysis. Energy Conversion and Management, 2021, 245, 114568. | 4.4 | 15 |

| # | Article | IF | Citations |
|---|---------|----|-----------|
| 4259 | Supercritical CO2 extraction of pinocembrin from Lippia origanoides distillation residues. 1. Multicomponent solubility and equilibrium partition. Journal of Supercritical Fluids, 2022, 180, 105426. | 1.6 | 5 |
| 4260 | Modelling low pressure LLE and VLE of methanol/alkane mixtures with a modified Peng-Robinson EoS and the Huron-Vidal mixing rules. Fluid Phase Equilibria, 2021, 546, 113123. | 1.4 | 5 |
| 4261 | Determination of clathrate hydrates dissociation conditions in aqueous solutions of methanol and salt using the e-NRTL based model. Fluid Phase Equilibria, 2021, 546, 113121. | 1.4 | 4 |
| 4262 | Carbon dioxide solubility in aqueous N-Methylpyrrolidone solution. Fluid Phase Equilibria, 2021, 546, 113122. | 1.4 | 7 |
| 4263 | New association schemes for tri-ethylene glycol. Fluid Phase Equilibria, 2022, 551, 113254. | 1.4 | 9 |
| 4264 | Glutamine functionalized iron oxide nanoparticles for high-performance carbon dioxide absorption. Journal of Natural Gas Science and Engineering, 2021, 94, 104081. | 2.1 | 22 |
| 4265 | Hydrogen solubility equilibria in bio-based Guaiacol or Levulinic acid/water mixture as lignin or cellulose depolymerization model solutions. Fluid Phase Equilibria, 2021, 546, 113115. | 1.4 | 4 |
| 4266 | Techno-economic analysis of oxy-fuel power plant for coal and biomass combined with a power-to-gas plant. Energy for Sustainable Development, 2021, 64, 47-58. | 2.0 | 5 |
| 4267 | A critical review on the particle generation and other applications of rapid expansion of supercritical solution. International Journal of Pharmaceutics, 2021, 608, 121089. | 2.6 | 20 |
| 4268 | Prediction of CO2 solubility in pyridinium-based ionic liquids implementing new descriptor-based chemoinformatics models. Fluid Phase Equilibria, 2021, 546, 113136. | 1.4 | 11 |
| 4269 | Influence of oil field production life on optimal CO2 flooding strategies: Insight from the microscopic displacement efficiency. Journal of Petroleum Science and Engineering, 2021, 205, 108803. | 2.1 | 6 |
| 4270 | High-pressure phase equilibria of carbon dioxideÂ+Â1,4-dioxane binary system. Fluid Phase Equilibria, 2021, 547, 113181. | 1.4 | 6 |
| 4271 | Effects of waxes on hydrate behaviors in water-in-oil emulsions containing asphaltenes. Chemical Engineering Science, 2021, 244, 116831. | 1.9 | 28 |
| 4272 | General models for prediction densities and viscosities of saturated and unsaturated fatty acid esters. Journal of Molecular Liquids, 2021, 341, 117374. | 2.3 | 12 |
| 4273 | Estimation of pure component parameters of PC-SAFT EoS by an artificial neural network based on a group contribution method. Fluid Phase Equilibria, 2021, 548, 113179. | 1.4 | 15 |
| 4274 | Prediction of dynamic viscosities of carbon dioxide â€" organic solvent mixtures with combined equation of state and Eyring theory. Journal of Supercritical Fluids, 2021, 177, 105345. | 1.6 | 5 |
| 4275 | Deep-learning accelerated calculation of real-fluid properties in numerical simulation of complex flowfields. Journal of Computational Physics, 2021, 444, 110567. | 1.9 | 18 |
| 4276 | The optimization and thermodynamic and economic estimation analysis for CO2 compression-liquefaction process of CCUS system using LNG cold energy. Energy, 2021, 236, 121376. | 4.5 | 12 |

| # | Article | IF | Citations |
|---|---------|-----|-----------|
| 4277 | Integrated electricity and gas system modelling with hydrogen injections and gas composition tracking. Applied Energy, 2021, 303, 117598. | 5.1 | 33 |
| 4278 | Modeling the density of acid gases at extensive ranges of pressure and temperature conditions. Journal of Petroleum Science and Engineering, 2021, 207, 109063. | 2.1 | 2 |
| 4279 | Comprehensive assessment and evaluation of correlations for gas-oil ratio, oil formation volume factor, gas viscosity, and gas density utilized in gas kick detection. Journal of Petroleum Science and Engineering, 2021, 207, 109135. | 2.1 | 4 |
| 4280 | Thermodynamic modeling of trans/supercritical fuel sprays in internal combustion engines based on a generalized cubic equation of state. Fuel, 2022, 307, 121894. | 3.4 | 11 |
| 4281 | Measurement of the density of carbon dioxide/toluene homogeneous mixtures and correlation with equations of state. Journal of Chemical Thermodynamics, 2022, 164, 106618. | 1.0 | 3 |
| 4282 | Process simulation. , 2022, , 123-193. | | 0 |
| 4283 | Preliminary investigation of the influence of equations of state on the performance of $CO_2$ + C6F6 as innovative working fluid in transcritical cycles. Energy, 2022, 238, 121815. | 4.5 | 17 |
| 4284 | Saturation point and phase envelope calculation for reactive systems based on the RAND formulation. Chemical Engineering Science, 2022, 247, 116911. | 1.9 | 1 |
| 4285 | Numerical study on the mixing characteristics under transcritical and supercritical injection using large eddy simulation. Thermal Science, 2022, 26, 1301-1315. | 0.5 | 1 |
| 4286 | Optimization of Small and Medium-Sized Natural Gas Liquefaction Process. , 2021, , 115-124. | | 0 |
| 4287 | Thermodynamics and Thermochemistry of Process Safety. , 2021, , 51-111. | | 0 |
| 4288 | Influence of five model parameters on the performance of a $CO_2$ absorber column by a loaded aqueous MEA solution. Oil and Gas Science and Technology, 2021, 76, 22. | 1.4 | 0 |
| 4292 | Phase Equilibria in Fluid Systems. , 0, , 173-321. | | 2 |
| 4293 | Esmaeilzadehâ€"Roshanfekr equation of state coupled with <scp>CPA</scp> model: Application in viscosity modeling. Asia-Pacific Journal of Chemical Engineering, 2018, 13, e2159. | 0.8 | 8 |
| 4294 | Prediction of VLE Values for Systems Containing Hydrogen Using the Van Der Waals Equation. , 1986, , 1181-1188. | | 3 |
| 4295 | VLE Calculations Using Temperature-Dependent $k_{12}$ Values for Methane-Containing Binary Systems. , 1978, , 580-593. | | 1 |
| 4296 | Simple and Generalized Equation of State for Vapor-Liquid Equilibrium Calculations. , 1980, , 671-681. | | 6 |
| 4298 | A New Square-Root-Type Pseudo-Cubic Equation of State. Advances in Cryogenic Engineering, 1988, , 1045-1052. | 0.3 | 1 |

| # | ARTICLE | IF | CITATIONS |
|---|---------|-----|-----------|
| 4299 | Fundamentals of processing with supercritical fluids. , 1994, , 1-26. | | 10 |
| 4301 | Balanced Representation of Liquid-Vapour Coexistence Densities at Cryogenic Temperatures. , 1994, , 1899-1906. | | 1 |
| 4303 | Gas Hydrate Models. Green Energy and Technology, 2020, , 67-85. | 0.4 | 11 |
| 4304 | Technische Thermodynamik. , 2007, , F1-F95. | | 1 |
| 4305 | Basic Principles of Extraction with Dense Gases. , 1988, , 8-31. | | 1 |
| 4306 | Berechnungsmethoden fÃ¼r Stoffeigenschaften. , 2002, , 107-523. | | 3 |
| 4307 | Berechnungsmethoden fÃ¼r Stoffeigenschaften. , 1997, , 129-510. | | 2 |
| 4308 | Thermodynamik der Gemische. Springer-Lehrbuch, 1988, , 1-208. | 0.1 | 1 |
| 4309 | Towards Model-Based Design of Tailor-Made Fuels from Biomass. Notes on Numerical Fluid Mechanics and Multidisciplinary Design, 2015, , 193-211. | 0.2 | 3 |
| 4310 | D1 Berechnungsmethoden fÃ¼r thermophysikalische Stoffeigenschaften. Springer Reference Technik, 2019, , 157-200. | 0.0 | 1 |
| 4311 | The Importance of Thermophysical Properties in Optimum Design and Energy Saving. , 2001, , 162-178. | | 2 |
| 4312 | Effect of Gas Hydrates Dissociation on Seafloor Slope Stability. Advances in Natural and Technological Hazards Research, 2003, , 103-111. | 1.1 | 11 |
| 4313 | Design and Analysis of Super-Critical Extraction Processes. , 1993, , 398-411. | | 1 |
| 4314 | Physico-chemical data required for the design of near-critical fluid extraction process. , 1993, , 184-231. | | 24 |
| 4315 | Equations of State for Phase Equilibrium Computations. , 1994, , 147-175. | | 7 |
| 4316 | Equations of State and Phase Equilibria. , 2007, , 331-456. | | 17 |
| 4317 | A multifluid Taylor-Galerkin methodology for the simulation of compressible multicomponent separate two-phase flows from subcritical to supercritical states. Computers and Fluids, 2020, 206, 104588. | 1.3 | 7 |
| 4318 | A constitutive model for predicting the solubility of gases in water at high temperature and pressure. Journal of Petroleum Science and Engineering, 2020, 192, 107337. | 2.1 | 6 |

| # | ARTICLE | IF | CITATIONS |
|---|---------|-----|-----------|
| 4320 | Cubic and Generalized van der Waals Equations of State. , 2010, , 53-83. | | 5 |
| 4321 | Chapter 5. Mixing and Combining Rules. , 2010, , 84-134. | | 6 |
| 4322 | Chapter 6. The Corresponding-States Principle. , 2010, , 135-171. | | 3 |
| 4323 | Large-eddy simulation of trans- and supercritical injection. , 2016, , . | | 9 |
| 4324 | Numerical simulations of mixing under supercritical pressures of a shear coaxial injector using a high-order method: effect of outer jet temperature. , 2016, , . | | 2 |
| 4325 | Nonmixing layers. Physical Review Fluids, 2016, 1, . | 1.0 | 3 |
| 4326 | A General Study of Counterflow Diffusion Flames for Supercritical CO2 Combustion. Journal of Engineering for Gas Turbines and Power, 2019, 141, . | 0.5 | 8 |
| 4328 | Fundamentals of Supercritical Fluids and Phase Equilibria. , 2000, , 11-82. | | 2 |
| 4329 | Correlation of Solubilities and Entrainer Effects for Fatty Acids and Higher Alcohols in Supercritical Carbon Dioxide Using SRK Equation of State with Association Model.. Journal of Chemical Engineering of Japan, 2000, 33, 538-544. | 0.3 | 5 |
| 4330 | Removal of Hydrogen Sulfide from Gas Mixture by Hydrate Formation. Journal of Chemical Engineering of Japan, 2003, 36, 971-978. | 0.3 | 9 |
| 4331 | Study on Heat-Energy Exchange Media of Kalina Cycle. High-Pressure and High-Temperature Vapor-Liquid Equilibria for the Acetone+CO2 System.. Kagaku Kogaku Ronbunshu, 2003, 29, 137-139. | 0.1 | 2 |
| 4332 | Synthesis of Methane Hydrate in an Unconsolidated Medium. Journal of Testing and Evaluation, 2002, 30, 1-7. | 0.4 | 19 |
| 4333 | Chapter 3 | Asphaltenes Review: Characterization and Modeling. , 2019, , 39-77. | | 2 |
| 4334 | A DATA BANK OF PARAMETERS FOR THE ATTRACTIVE COEFFICIENT OF THE PENG-ROBINSON EQUATION OF STATE. Brazilian Journal of Chemical Engineering, 1997, 14, 19-39. | 0.7 | 14 |
| 4335 | Phase rule calculations and the thermodynamics of reactive systems under chemical equilibrium. Brazilian Journal of Chemical Engineering, 1999, 16, 247-265. | 0.7 | 6 |
| 4336 | Ecuación para la Corrección Poynting en Termodinámica de Equilibrio de Fases Gases no Polares-Sistemas Acuosos. Aplicación al Sistema H2 S-H2 O-NaCl. Boletin De La Sociedad Geologica Mexicana, 2010, 62, 213-220. | 0.1 | 1 |
| 4337 | Uma revisão dos fundamentos do estudo de inclusões fluidas aquosas e de petróleo. Terrae Didatica, 2017, 13, 71. | 0.0 | 1 |
| 4338 | How Variable Fluid PVT Model Affects the Performance of an Integrated Production System. , 2010, , . | | 2 |

| # | Article | IF | Citations |
|---|---------|----|-----------|
| 4339 | EOS Simulation and GRNN Modeling of the Behavior of Retrograde-Gas Condensate Reservoirs. , 1997, , . | | 5 |
| 4341 | Hydrocarbon simulation behavior of wet natural gas reservoirs. Egyptian Journal of Chemistry, 2020, . | 0.1 | 1 |
| 4343 | Cage Occupancy of Hydrogen in Carbon Dioxide, Ethane, Cyclopropane, and Propane Hydrates. The Open Thermodynamics Journal, 2008, 2, 1-6. | 0.6 | 18 |
| 4344 | Isothermal Phase Equilibria for Methane + Ethane + Water Ternary System Containing Gas Hydrates. The Open Thermodynamics Journal, 2008, 2, 100-105. | 0.6 | 10 |
| 4345 | A Unified Model for Representing Densities and Viscosities of Hydrocarbon Liquids and Gases Based on Peng-Robinson Equation of State. The Open Thermodynamics Journal, 2009, 3, 24-33. | 0.6 | 2 |
| 4346 | New Correlations for Predicting the Density and Viscosity of Supercritical Carbon Dioxide Under Conditions Expected in Carbon Capture and Sequestration Operations. Open Petroleum Engineering Journal, 2011, 5, 13-21. | 0.6 | 53 |
| 4347 | Vapor-liquid equilibria of triglycerides-methanol mixtures and their influence on the biodiesel synthesis under supercritical conditions of methanol. Journal of the Serbian Chemical Society, 2007, 72, 13-27. | 0.4 | 62 |
| 4348 | A new approach to entropy production minimization in diabatic distillation column with trays. Thermal Science, 2010, 14, 317-328. | 0.5 | 12 |
| 4349 | DNS of Turbulent Heat Transfer in Channel Flow under Supercritical Pressure Conditions. Journal of the Japan Society for Aeronautical and Space Sciences, 2016, 64, 215-222. | 0.0 | 2 |
| 4350 | An Experimental Study on the Dynamics of a Rising Methane Bubble Covered with Hydrates. Journal of MMIJ, 2013, 129, 124-131. | 0.4 | 9 |
| 4351 | Optimization of the quintic equation of the state based model for the calculations of different thermodynamic properties. Polish Journal of Chemical Technology, 2008, 10, 6-10. | 0.3 | 1 |
| 4352 | Empirical Fundamental Equations of State for Pure Fluids and Mixtures. , 2020, , 365-407. | | 9 |
| 4353 | Large-Eddy Simulation of Cryogenic Jet Injection at Supercritical Pressures. , 2020, , 531-570. | | 6 |
| 4354 | Modelling of multi-component droplet evaporation under cryogenic conditions. Oil and Gas Science and Technology, 2020, 75, 81. | 1.4 | 3 |
| 4355 | Thermodynamic analysis of the net power oxy-combustion cycle. , 2019, , . | | 9 |
| 4356 | PVT Relations for Fluid Mixtures.. Netsu Bussei, 1993, 7, 21-25. | 0.1 | 2 |
| 4357 | Modeling Hydraulic Accumulators for use in Wind Turbines. , 2013, , . | | 5 |
| 4359 | Compositional Simulation of a Refinery Coker Furnace - An Industrial Example of Two-Phase Flow with Chemical Reaction. Modeling, Identification and Control, 1986, 7, 25-44. | 0.6 | 3 |

| # | ARTICLE | IF | CITATIONS |
|---|---------|----|-----------| 
| 4360 | Solubility Measurement Method and Mathematical Modeling in Supercritical Fluids. Engineering Journal, 2013, 17, 67-78. | 0.5 | 50 |
| 4361 | Modeling and Numerical Simulation of Ammonia Synthesis Reactors Using Compositional Approach. Advances in Chemical Engineering and Science, 2018, 08, 124-143. | 0.2 | 10 |
| 4362 | A Numerical Comparison of Soave Redlich Kwong and Peng-Robinson Equations of State for Predicting Hydrocarbonsâ€™ Thermodynamic Properties. Engineering, Technology & Applied Science Research, 2018, 8, 2422-2426. | 0.8 | 2 |
| 4363 | Effect of Dynamic SGS Model in a Kerosene-LOx Swirl Injector under Supercritical Condition. International Journal of Aeronautical and Space Sciences, 2015, 16, 254-263. | 1.0 | 9 |
| 4364 | Thermodynamics of Ethanol + Water + 2-Propanol mixture at the range of temperature 288.15-323.15 K. International Journal of Thermodynamics, 2018, 21, 82-92. | 0.4 | 2 |
| 4365 | A novel scheme for predicting the behaviors of liquid and vapor phases of water using the ideal gas theory. International Journal of Thermodynamics, 2018, 21, 174-178. | 0.4 | 3 |
| 4366 | A Systematic Study of Cubic Equations of State with van der Waals Mixing Rules and Different Combining Rules in Predicting the Densities of LNG and Natural Gas Model Systems. International Journal of Thermodynamics, 2019, 22, 107-116. | 0.4 | 3 |
| 4367 | Comparative Study between Cubic and non-Cubic Equations of State Using Carnahan-Starling Repulsive Term: Application of Temperature-Dependent Alpha and Beta Functions. International Journal of Thermodynamics, 2014, 17, 21-26. | 0.4 | 3 |
| 4368 | A Study on Carbon Dioxide Removal Process Using Composite Membrane in DME Production Process. Journal of the Korea Academia-Industrial Cooperation Society, 2014, 15, 4698-4706. | 0.0 | 1 |
| 4369 | Gas-Liquid Equilibrium Prediction of Ternary System (CO2-Ethanol-Water) at Moderate Pressures and Different Temperatures Using SRK-EOS. Physical Chemistry, 2012, 2, 1-5. | 0.4 | 4 |
| 4370 | Prediction of Vapor-Liquid Equilibrium of Polypropylene Oxide Solution Systems by Cubic Equations of State. International Journal of Chemical Engineering and Applications (IJCEA), 2014, 5, 347-352. | 0.3 | 1 |
| 4371 | Development of Molecular Simulation Software for the Prediction of Thermodynamic Properties. Korean Chemical Engineering Research, 2011, 49, 361-366. | 0.2 | 1 |
| 4372 | Simulation and Optimization Study on the Pressure-Swing Distillation of Ethanol-Benzene Azeotrope. Korean Chemical Engineering Research, 2015, 53, 450-456. | 0.2 | 2 |
| 4373 | Liquid fuel production *via* supercritical water gasification of algae: a role for solar heat integration?. Sustainable Energy and Fuels, 2021, 5, 6269-6297. | 2.5 | 6 |
| 4374 | Experimental studies on combined production of $CH_4$ and safe long-term storage of $CO_2$ in the form of solid hydrate in sediment. Physical Chemistry Chemical Physics, 2021, 23, 23313-23324. | 1.3 | 7 |
| 4375 | Vapour-Liquid Equilibrium Study for the Carbon Dioxide and Hydrogen Sulphide in Deionized Water and NaCl Aqueous Solution at Temperature from 373.15 to 423.15 K. , 2021, , . | | 1 |
| 4376 | Remote-Controlled Automated Foam Injection: A Digital Solution to Liquid Loading in a China Unconventional Gas Development. , 2021, , . | | 2 |
| 4377 | New pragmatic strategies for optimizing Kihara potential parameters used in van der Waals-Platteeuw hydrate model. Chemical Engineering Science, 2022, 248, 117213. | 1.9 | 6 |

| # | Article | IF | Citations |
|---|---------|----|-----------|
| 4378 | Cosmological evolution with quadratic gravity and nonideal fluids. European Physical Journal C, 2021, 81, 1. | 1.4 | 8 |
| 4379 | Thermodynamic modeling of several alcohol-hydrocarbon binary mixtures at low to moderate conditions. Journal of Molecular Liquids, 2022, 346, 117924. | 2.3 | 12 |
| 4380 | Coupling of Rigorous Multiphase Flash with Advanced Linearization Schemes for Accurate Compositional Simulation. , 2021, , . | | 0 |
| 4381 | Two Crossover Soaveâ€"Redlichâ€"Kwong Equations of State with Fully Analytical Crossover Functions for the Thermodynamic Properties of Carbon Dioxide. Industrial &amp; Engineering Chemistry Research, 2021, 60, 15301-15309. | 1.8 | 4 |
| 4382 | A Numerical Simulation Study of CO2 and N2 as Cushion Gas in an Underground Gas Storage. , 2021, , . | | 2 |
| 4383 | A zero emission scheme for producing energy from natural gas hydrates and conventional natural gas. Petroleum, 2021, 7, 364-384. | 1.3 | 11 |
| 4384 | Phase Equilibria for the Hydroaminomethylation of 1-Decene. Journal of Chemical &amp; Engineering Data, 0, , . | 1.0 | 4 |
| 4385 | Importance of the Relative Static Permittivity in electrolyte SAFT-VR Mie Equations of State. Fluid Phase Equilibria, 2022, 551, 113256. | 1.4 | 19 |
| 4386 | Supercritical CO2 extraction of pinocembrin from Lippia origanoides distillation residues. 2. Mathematical modeling of mass transfer kinetics as a function of substrate pretreatment. Journal of Supercritical Fluids, 2022, 180, 105458. | 1.6 | 4 |
| 4387 | CO2 mineralization and CH4 effective recovery in orthoclase slit by molecular simulation. Chemical Engineering Journal, 2022, 430, 133056. | 6.6 | 5 |
| 4388 | Study on Hydrate Phase Equilibrium Diagram of Methane Containing System Based on Thermodynamic Model. Frontiers in Energy Research, 2021, 9, . | 1.2 | 5 |
| 4389 | $P$â€"Îâ€"$T$ Data for Propan-2-ol + $n$-Octane or $n$-Decane in the Ranges of 303.15â€"353.15 K and 0.1â€"20 MPa. Journal of Chemical &amp; Engineering Data, 2021, 66, 4404-4420. | 1.0 | 2 |
| 4390 | Pure- and mixed-gas transport properties of a microporous TrÃ¶ger's Base polymer (PIM-EA-TB). Polymer, 2021, 236, 124295. | 1.8 | 7 |
| 4391 | Technische Thermodynamik. , 2000, , 787-862. | | 0 |
| 4393 | Die thermodynamischen Eigenschaften reiner Fluide. Springer-Lehrbuch, 2000, , 178-236. | 0.1 | 0 |
| 4394 | Fundamentals of Supercritical Fluids and Phase Equilibria. , 2000, , 29-100. | | 1 |
| 4395 | Solubility of carbon dioxide and ethane in lemon oil at elevated pressures. Brazilian Journal of Chemical Engineering, 2000, 17, 785-792. | 0.7 | 0 |
| 4396 | Correlation of Vapor-Liquid Equilibria and Saturated Densities of Binary Mixtures by the Generalized Scott-Fuller-Soave-Redlich-Kwong Equation of State.. Sekiyu Gakkaishi (Journal of the Japan Petroleum) Tj ETQq1 1 0.784314 rgBT /Ov | 0.7 | 0 |

| # | Article | IF | Citations |
|---|---------|----|-----------|
| 4397 | Vapor-Liquid Distribution in Coal Liquefaction Reactors.. Nihon Enerugi Gakkaishi/Journal of the Japan Institute of Energy, 2001, 80, 864-870. | 0.2 | 1 |
| 4398 | Die thermodynamischen Eigenschaften reiner Fluide. Springer-Lehrbuch, 2002, , 178-236. | 0.1 | 0 |
| 4399 | Analysis of Coal Liquefaction Progress in the First Reactor of the 1t/d Process Supporting Unit for the NEDOL Process.. Nihon Enerugi Gakkaishi/Journal of the Japan Institute of Energy, 2002, 81, 345-353. | 0.2 | 0 |
| 4400 | Grundlagen der Trennprozesse. , 2002, , 275-351. | | 1 |
| 4401 | Computer Methods. , 2003, , 91-110. | | 0 |
| 4402 | Vapor-Liquid Distribution of Oil in Coal Liquefaction Process.. Kagaku Kogaku Ronbunshu, 2003, 29, 100-106. | 0.1 | 0 |
| 4403 | Extraction of Organic Compounds. , 2004, , 426-465. | | 2 |
| 4404 | The Equilibrium Stage. , 2004, , . | | 0 |
| 4405 | Thermodynamics and Phase Equilibria. , 2004, , . | | 0 |
| 4407 | Technological and energetic improvement of a propylene distillation column. Hemijska Industrija, 2005, 59, 125-131. | 0.3 | 0 |
| 4409 | Vapor-Liquid Phase Equilibria. , 2006, , 1096-1234. | | 0 |
| 4410 | Application of Exponential Decay Distribution of C6+ Cut for Lean Natural Gas Phase Envelope. Journal of Chemical Engineering of Japan, 2006, 39, 375-382. | 0.3 | 0 |
| 4411 | Prediction of Phase Equilibria for Water+Light Hydrocarbon Systems at High Temperatures and Pressures by Cubic Equation of State with Information from Molecular Simulation. Kagaku Kogaku Ronbunshu, 2006, 32, 25-30. | 0.1 | 0 |
| 4412 | Cubic Equations of State. , 2006, , 63-79. | | 0 |
| 4413 | Bioethanol Production Optimization: A Thermodynamic Analysis. , 2008, , 659-667. | | 0 |
| 4414 | Modelo teÃ³rico para el cÃ¡lculo de las solubilidades mutuas entre gases no-polares y agua con sales disueltas. Boletin De La Sociedad Geologica Mexicana, 2009, 61, 325-337. | 0.1 | 0 |
| 4415 | Computer methods. , 2009, , 95-112. | | 0 |
| 4416 | Phase Field Approaches to the Kinetic Modeling of Hydrate Phase Transitions. , 2009, , 758-769. | | 0 |

| # | ARTICLE | IF | CITATIONS |
|---|---------|-----|-----------|
| 4417 | Trouton's Rule. , 2009, , 269-277. | | 0 |
| 4418 | Optimization Study for the Design of Deethanizer Column. Journal of the Korea Academia-Industrial Cooperation Society, 2009, 10, 3755-3760. | 0.0 | 1 |
| 4420 | Model Treatment for Simulation of Natural Convection in A vertical Wall Immersed In a Supercritical Fluid. International Journal of Chemical Engineering and Applications (IJCEA), 2010, , 1-9. | 0.3 | 0 |
| 4421 | A Comparative Study on the Prediction of Vapor-Liquid Equilibria for the Ethanol-Benzene Mixture between Equation of State Model and Liquid Activity Coefficient Model. Journal of the Korea Academia-Industrial Cooperation Society, 2010, 11, 1747-1753. | 0.0 | 0 |
| 4422 | Study on the Convergency Improvement Method for the Saturation-Property Calculation of Multi-Component Hydrocarbon Systems. Transactions of the Korean Society of Mechanical Engineers, B, 2010, 34, 947-955. | 0.0 | 0 |
| 4423 | A Simulation Study on the Cascade Refrigeration Cycle for the Liquefaction of Natural Gas [1]. Journal of the Korea Academia-Industrial Cooperation Society, 2011, 12, 552-558. | 0.0 | 1 |
| 4424 | A Study on the Battery Case Injection Molding by CAE Analysis. Journal of the Korea Academia-Industrial Cooperation Society, 2011, 12, 55-61. | 0.0 | 4 |
| 4425 | Deﬁnitions and the 1st Law of Thermodynamics. , 2011, , 23-80. | | 0 |
| 4427 | Una implementación abierta y generalizada del modelo predictivo de Soave-Redlich-Kwong para el cálculo de la constante de la ley de Henry. Ingenieria Y Competitividad, 2011, 10, 9-28. | 0.1 | 0 |
| 4428 | Equation of State Theories for Polymers. , 2011, , 23-56. | | 0 |
| 4429 | Equation of State Theories for Polymers. , 2011, , 43-76. | | 0 |
| 4430 | Storage of Renewable Energies via Chemical Conversion using CO2. Computer Aided Chemical Engineering, 2012, , 995-999. | 0.3 | 1 |
| 4433 | A New Two-Parameter Equation of State for Pure Gases of Hard Spheres with An Attractive Potential. Journal of the Korean Chemical Society, 2012, 56, 207-211. | 0.2 | 1 |
| 4434 | Phase Behavior Prediction and Modeling of LNG Systems with EoSs - What is Easy and What is Difficult?. , 0, , . | | 0 |
| 4436 | New Correlations for Predicting the Thermodynamic Properties of Supercritical Carbon Dioxide. Open Petroleum Engineering Journal, 2012, 5, 42-52. | 0.6 | 1 |
| 4438 | A Study for Carbon Dioxide Removal Process Using N-Methyl-2-Pyrrolidone Solvent in DME Production Process. Clean Technology, 2012, 18, 347-354. | 0.1 | 0 |
| 4439 | One-Dimensional H2/O2 Counterflow Diffusion Flame Simulation for Flamelet Table Construction at Supercritical Pressure. Transactions of the Japan Society for Aeronautical and Space Sciences, 2013, 56, 239-252. | 0.4 | 1 |
| 4441 | Einleitung — Introduction. , 2013, , 1-39. | | 0 |

| # | Article | IF | Citations |
|---|---------|----|-----------| 
| 4442 | An Evaluation of Numerical Schemes in a RANS-based Simulation for Gaseous Hydrogen/Liquid Oxygen Flames at Supercritical Pressure. Journal of the Korean Society of Propulsion Engineers, 2013, 17, 21-29. | 0.1 | 2 |
| 4444 | Cryogenic Distillation Simulation for Hydrogen Isotopes Separation. Journal of the Korea Academia-Industrial Cooperation Society, 2013, 14, 4643-4651. | 0.0 | 0 |
| 4445 | Process Simulation of HCNG Refueling System. Journal of the Korean Institute of Gas, 2013, 17, 1-7. | 0.1 | 0 |
| 4446 | A comparative study on the carbon dioxide removal capability between the processes using physical solvent and membrane process. Journal of the Korea Academia-Industrial Cooperation Society, 2013, 14, 6590-6596. | 0.0 | 2 |
| 4447 | Study on Thermophysical Property Characteristics of a 4 Species Kerosene Surrogate in a Swirl Injector at Supercritical Pressure Condition. Journal of the Korean Society of Propulsion Engineers, 2013, 17, 48-58. | 0.1 | 4 |
| 4448 | Characteristics of $CO_2$ Hydrate Formation and Dissociation in Glass Beads and Silica Gel. , 2014, , 109-126. | | 0 |
| 4449 | High Pressure Vapor-Liquid Equilibria: The Interaction between Theory and Experiment. , 1979, , 518-526. | | 0 |
| 4450 | SOME MATHEMATICAL PROPERTIES OF EMPIRICAL GIBBS FUNCTIONS. , 1980, , 31-47. | | 0 |
| 4451 | Prediction of $CO_2$ Solubility in Light Hydrocarbon Mixtures at Low Temperatures. , 1980, , 620-628. | | 0 |
| 4453 | Evaluation of Mixing Rules for VLE Calculations. , 1984, , 973-980. | | 0 |
| 4454 | Title is missing!. Nenryo Kyokai-Shi/Journal of the Fuel Society of Japan, 1984, 63, 314-319. | 0.0 | 0 |
| 4455 | Verflüssigung der Gase und Erzeugung sehr tiefer Temperaturen. , 1985, , 7-130. | | 0 |
| 4456 | Properties of Reservoir Fluids. , 1986, , 40-61. | | 3 |
| 4457 | Grundlagen der Extraktion mit verdichteten Gasen. , 1987, , 10-36. | | 0 |
| 4458 | Thermodynamische Eigenschaften reiner Fluide. , 1988, , 153-192. | | 0 |
| 4459 | Experience with the Development of a Group-Contribution Equation of State for the Prediction of Physical Properties for Process Engineering Purposes. , 1988, , 383-403. | | 0 |
| 4460 | Temperature Dependence of the Cohesion Parameter for Calculating Binary VLE Values for Systems Containing Helium and Neon. Advances in Cryogenic Engineering, 1988, , 1031-1038. | 0.3 | 1 |
| 4461 | Purification of Polymers by Supercritical Fluid Extraction in Processing Machines. , 1989, , 91-99. | | 0 |

| # | Article | IF | Citations |
|---|---------|-----|-----------|
| 4462 | Thermodynamische Eigenschaften reiner Fluide. , 1989, , 153-192. | | 0 |
| 4463 | Pseudo-cubic equation of state for polar substances.. Sekiyu Gakkaishi (Journal of the Japan Petroleum) Tj ETQq1 1 0.784314 rgBT /Over | 0.1 | 0 |
| 4464 | Isomerization of supercritical n-pentane on Y-type zeolite or platinum/Y-type zeolite.. Sekiyu Gakkaishi (Journal of the Japan Petroleum Institute), 1990, 33, 92-98. | 0.1 | 0 |
| 4465 | A FREE ENERGY CRITERION FOR THE SELECTION OF PSEUDOCOMPONENTS FOR VAPOUR/LIQUID EQUILIBRIUM CALCULATIONS. , 1991, , 293-305. | | 2 |
| 4466 | Correlation of High Pressure Vapor-Liquid Equilibria with Pseudocubic Perturbed Hard Sphere Equation of State.. Sekiyu Gakkaishi (Journal of the Japan Petroleum Institute), 1991, 34, 562-566. | 0.1 | 1 |
| 4467 | Technische Thermodynamik. , 1991, , 745-792. | | 0 |
| 4468 | Thermodynamische Eigenschaften reiner Fluide. Springer-Lehrbuch, 1992, , 153-192. | 0.1 | 0 |
| 4469 | On the Prediction of Thermal Conductivity of Gas Mixtures at Low Temperatures. , 1992, , 1121-1128. | | 0 |
| 4470 | High Pressure Vapor-Liquid Equilibrium. , 1993, , 511-543. | | 0 |
| 4471 | Physical Properties of Pure Fluids. , 1993, , 237-284. | | 0 |
| 4472 | Thermophysical Properties of Mixtures Containing Supercritical Fluids.. Netsu Bussei, 1993, 7, 41-45. | 0.1 | 0 |
| 4474 | Dynamic Effects in Gradient Theory for Fluid Mixtures. The IMA Volumes in Mathematics and Its Applications, 1993, , 111-121. | 0.5 | 1 |
| 4475 | Reversed Flow Methanol Synthesis. , 1993, , 1154-1168. | | 0 |
| 4476 | LOCAL THERMODYNAMIC MODELS FOR DYNAMIC PROCESS SIMULATION. , 1994, , 255-260. | | 0 |
| 4477 | The Material Balance Equation. , 1994, , 359-404. | | 0 |
| 4478 | Optimization of Lean Gas Injection in Gas-Condensate Reservoirs. , 1995, , . | | 5 |
| 4479 | Thermodynamische Eigenschaften reiner Fluide. Springer-Lehrbuch, 1996, , 153-192. | 0.1 | 0 |
| 4480 | A Modified Patel-Teja Equation of State for Cryogenic Fluids. , 1997, , 639-642. | | 0 |

| # | Article | IF | Citations |
|---|---------|----|-----------|
| 4481 | PVT MEASUREMENTS OF BINARY GASEOUS MIXTURES AT HIGH TEMPERATURES AND PRESSURES. , 1998, , 311-321. | | 0 |
| 4482 | Thermodynamik der Gemische. Springer-Lehrbuch, 1999, , 1-244. | 0.1 | 0 |
| 4484 | Method for Generating Shale Gas Fluid Composition from Depleted Sample. , 0, , 79-98. | | 3 |
| 4487 | Ð¢Ð•ÐŸÐ›ÐžÐ¤Ð†Ð—ÐˆÐ§Ð¢ Ð'Ð›ÐÐ¡Ð¢Ð'ÐžÐ¡Ð¢Ð† Ð¦Ð†Ð›Ð¬ÐžÐ'Ð¢Ð¥ Ð† ÐŸÐžÐ'Ð†Ð§ÐÐ¥ ÐŸÐ Ðž"Ð£ÐšÐ¢Ð†Ð' Ð¡Ð | | |
| 4488 | Thermodynamics and Phase Equilibria. , 2014, , 1-72. | | 0 |
| 4489 | Water/Carbon Dioxide Phase Equilibria Using Thermodynamic Perturbation Theory. Journal of Applied Sciences, 2014, 14, 3055-3062. | 0.1 | 0 |
| 4491 | Interpreting Well Pressure Tests: The Kinetic Model. , 2015, , . | | 0 |
| 4492 | Vaporâ€"Liquid Equilibria for Hydrocarbon/Water Systems Using Thermodynamic Perturbation Theory. , 2015, , 171-185. | | 0 |
| 4493 | Experimente. , 2015, , 125-238. | | 0 |
| 4494 | SIMULAÃ‡ÃƒO E OTIMIZAÃ‡ÃƒO DA PURIFICAÃ‡ÃƒO DO PRODUTO OBTIDO A PARTIR DO CRAQUEAMENTO DE Ã"LEO VEGETAL EMPREGANDO O ASPEN HYSYS.. , 0, , . | | 0 |
| 4495 | SIMULAÃ‡ÃƒO DA DESTILAÃ‡ÃƒO DO PRODUTO OBTIDO A PARTIR DO CRAQUEAMENTO DE Ã"LEO DE PALMA EMPREGANDO O SIMULADOR ASPEN HYSYS.. , 0, , . | | 0 |
| 4496 | EQUILÃBRIO LÃQUIDO-VAPOR A ALTAS PRESSÃ•ES DO SISTEMA DIÃ"XIDO DE CARBONO + ANETOL: DADOS EXPERIMENTAIS E MODELAGEM MATEMÃTICA. , 0, , . | | 0 |
| 4497 | Heat Pump Efficiencies Simulated with Aspen HYSYS and Aspen Plus. , 2015, , . | | 1 |
| 4498 | A Study on the Pressure-Swing Distillation of Ethanol-n-Heptane Azeotrope. Clean Technology, 2015, 21, 217-223. | 0.1 | 0 |
| 4499 | Internal Ballistics Model and Analysis of Rod-less Cylinder Ejection Device Based on real gas effect. , 2016, , . | | 0 |
| 4500 | Simulation Study of Methyl ethyl ketone-Cyclohexane Azeotrope on the Pressure-Swing Distillation. Journal of the Korea Academia-Industrial Cooperation Society, 2016, 17, 708-715. | 0.0 | 0 |
| 4501 | LES Investigation on The Cryogenic Nitrogen Injection of Swirl Injector Under Supercritical Envionment. Journal of the Korean Society for Aeronautical & Space Sciences, 2016, 44, 343-351. | 0.0 | 2 |
| 4502 | Modeling and Simulation of Rapid Depressurizations of Hydrocarbon Gas Mixture Flowing at Unsteady High Velocity in Piping Transport System. International Journal of Industrial Engineering, 2016, 3, 8-16. | 0.3 | 0 |

| # | ARTICLE | IF | CITATIONS |
|---|---------|-----|-----------|
| 4503 | Mixing Characteristics of Kerosene-Lox in a Swirl Injector at 100 bar. International Journal of Aerospace System Engineering, 2016, 3, 30-38. | 0.0 | 0 |
| 4504 | Extractive Distillation Process for the Production of Highly Purified Ethanol from Aqueous Solution using Dimethyl Sulfoxide and Ethylene Glycol. Clean Technology, 2016, 22, 241-249. | 0.1 | 0 |
| 4505 | Thermodynamic aspects of carbon dioxide injection in enhanced oil/gas recovery processes (EOR/EGR). , 2016, , . | | 0 |
| 4507 | Experimente. , 2017, , 131-244. | | 0 |
| 4508 | Modelling of transcritical and supercritical nitrogen jets. Silniki Spalinowe, 2017, 169, 125-132. | 0.4 | 2 |
| 4509 | The Equation of State of Biogas. Acta Universitatis Agriculturae Et Silviculturae Mendelianae Brunensis, 2017, 65, 537-543. | 0.2 | 3 |
| 4510 | Dynamic Characteristics Analysis of the Cryogenic Nitrogen Injection of Swirl Injector using POD and DMD. Journal of the Korean Society of Propulsion Engineers, 2017, 21, 1-9. | 0.1 | 0 |
| 4511 | Characterization of natural gas by Raman spectroscopy and its application for in-situ measurements. AGH Drilling Oil Gas, 2018, 35, 125. | 0.1 | 2 |
| 4512 | Development an Easy-to-Use Simulator to Thermodynamic Design of Gas Condensate Reservoir's Separators. Modeling and Numerical Simulation of Material Science, 2018, 08, 1-19. | 0.5 | 0 |
| 4513 | Some Elements of Thermodynamics. Theory and Applications of Transport in Porous Media, 2018, , 99-173. | 0.4 | 0 |
| 4514 | Soave-Redlich-Kwong Adiabatic Equation for Gas-loaded Accumulator. Transactions of the Japan Fluid Power System Society, 2018, 49, 65-71. | 0.4 | 2 |
| 4515 | Study on the Calculation of Thermodynamic Properties of R134a Using Cubic Equations of State. , 2018, , . | | 0 |
| 4516 | Development of a Predictive Molecular Model for Abu Dhabi Crude Oils Phase Behavior. , 2018, , . | | 0 |
| 4517 | Comparative Study of Fluid Package on Extractive Distillation of Ethanol-water Mixture Using Pure Glycerol and Ethylene Glycol as Extracting Solvents. Journal of Engineering Research and Reports, 0, , 1-12. | 0.0 | 0 |
| 4518 | Simulation of Condensation in Compressed Raw Biogas Using Aspen HYSYS. , 2018, , . | | 3 |
| 4519 | Comparative Study of Equations of State for the Dew Curves Calculation in High Pressure Natural Gas Mixtures. [Estudio Comparativo de Ecuaciones de Estado para el Cálculo de Curvas de Rocío en Mezclas de Gas Natural a Alta Presión]. Logos Ciencia & Tecnología, 2019, 11, 152-164. | 0.0 | 2 |
| 4520 | Robust integration of real gas models into a pressure-based coupled solver. , 2019, , . | | 1 |
| 4521 | Model Comparison for Phase Equilibrium in Heavy Oil-/Steam-/Solvent-Related Systems. Springer Theses, 2019, , 13-56. | 0.0 | 0 |

| # | Article | IF | Citations |
|---|---------|----|-----------|
| 4523 | Large-eddy simulation of transcritical liquid oxygen/methane jet flames. , 2019, , . | | 4 |
| 4524 | Stoffmodelle der Technischen Thermodynamik. , 2019, , 1-29. | | 0 |
| 4525 | Polymer Solutions. Graduate Texts in Physics, 2019, , 113-160. | 0.1 | 2 |
| 4526 | Sensitivity Analysis of Computations of the Vapor-Liquid Equilibria of Methane + Methanol or Glycols at Gas Hydrate Formation Conditions. Modeling and Numerical Simulation of Material Science, 2019, 09, 1-15. | 0.5 | 0 |
| 4527 | D5.1 Dampf-Flüssigkeits-Gleichgewichte von Mehrkomponenten-Gemischen. Springer Reference Technik, 2019, , 603-620. | 0.0 | 0 |
| 4528 | Multiphase Isenthalpic Flash Using the Conventional Flash Framework. Springer Theses, 2019, , 57-81. | 0.0 | 0 |
| 4529 | Properties of Mixtures. , 0, , 143-171. | | 0 |
| 4530 | Nowa metoda modelowanie zjawiska mieszania się gazów zÂwykorzystaniem standardowego symulatora zÅ,oÅ¼owego. Táº¡p ChÃ Há»± Dá»± PhÃ²ng = Journal of Preventive Medicine, 2019, 75, 158-166. | 0.0 | 0 |
| 4531 | PvT Behavior of Pure Components. , 0, , 5-62. | | 0 |
| 4532 | Development of A Thermodynamically-Consistent Alpha Function for the Patel-Teja-Valderrama Equation of State. International Journal of Chemical Engineering and Applications (IJCEA), 2019, 10, 50-55. | 0.3 | 0 |
| 4533 | Joule-Thomson coefficients and inversion curves from newly developed cubic equations of state. European Journal of Chemistry, 2019, 10, 244-255. | 0.3 | 0 |
| 4534 | Formation Mechanisms and Methods for Calculating Pollutant Emissions from Natural Gas Combustion Depending on the Burner Emission Class. Energetika Proceedings of CIS Higher Education Institutions and Power Engineering Associations, 2019, 62, 565-582. | 0.2 | 6 |
| 4535 | High Pressure Flames with Multicomponent Transport. , 2020, , 485-529. | | 0 |
| 4536 | Numerical Simulation of Steam Flow Inside the Superheater Section of An Industrial Boiler Using a Real Gas Model. Journal of Fluids Engineering, Transactions of the ASME, 2020, 142, . | 0.8 | 1 |
| 4537 | Calculation methods of the gas flow in the impeller of a turbo-expander of ORC plant used in the heating plant. Journal of Physics: Conference Series, 2020, 1565, 012073. | 0.3 | 0 |
| 4538 | Evaluations on Compressibility Factor Calculation Methods for High-Pressure H2S-Containing Natural Gases. International Journal of Petroleum Technology, 2020, 7, 1-6. | 0.1 | 0 |
| 4539 | Development of mobile miniature natural gas liquefiers. Frontiers in Energy, 2020, 14, 667-682. | 1.2 | 4 |
| 4540 | Cubic Equation of State. Petroleum Engineering, 2022, , 25-82. | 0.6 | 0 |

| # | Article | IF | Citations |
|---|---------|-----|-----------|
| 4541 | Energy separation in a channel with permeable wall. Energy, 2022, 239, 122427. | 4.5 | 6 |
| 4542 | Studying the impact of condensate blockage on gas production: A review. Materials Today: Proceedings, 2021, , . | 0.9 | 0 |
| 4543 | Thermodynamic analysis of working fluids: What is the highest performance of the sub- and trans-critical organic Rankine cycles?. Energy, 2022, 241, 122512. | 4.5 | 7 |
| 4544 | Uncertainty quantification of real gas models in $CO_2$ supersonic flow. Journal of Computational Science, 2021, 56, 101479. | 1.5 | 3 |
| 4545 | Design Information and Data. , 1983, , 234-273. | | 0 |
| 4546 | Simulation of Dew Points in Raw Biogas Using PR and SRK Equations of State. , 2020, , . | | 0 |
| 4547 | Vapor-Liquid Equilibrium of Ionic Liquids. , 2020, , 1-22. | | 0 |
| 4548 | A Semiempirical Method for the Estimation of High-Pressure (Solvent + Polymer) Phase Boundaries in the Solution Polymerization Process. Industrial &amp; Engineering Chemistry Research, 2021, 60, 697-718. | 1.8 | 2 |
| 4549 | Numerical Analysis of Discharge Flow in Type â…¢ Hydrogen Tank with Different Gas Models. Transactions of the Korean Hydrogen and New Energy Society, 2020, 31, 558-563. | 0.1 | 4 |
| 4550 | Effects of hydrogen blending on hydraulic and thermal characteristics of natural gas pipeline and pipe network. Oil and Gas Science and Technology, 2021, 76, 70. | 1.4 | 14 |
| 4551 | Contribution to the physical description of supercritical cold flow injection: The case of nitrogen. Acta Astronautica, 2022, 190, 251-260. | 1.7 | 6 |
| 4552 | Calculation of solid-vapor equilibria for cryogenic carbon capture. Computers and Chemical Engineering, 2022, 156, 107569. | 2.0 | 12 |
| 4553 | Chemical modeling for methane oxy-combustion in Liquid Rocket Engines. Acta Astronautica, 2022, 190, 98-111. | 1.7 | 15 |
| 4554 | More Accurate Determination of Isothermal Compressibility and Isobaric Thermal Expansivity Using Volume-Translated Equations of State. Fluid Phase Equilibria, 2022, 551, 113257. | 1.4 | 3 |
| 4555 | Laboratory evaluation experimental techniques of asphaltene precipitation and deposition controlling chemical additives. Fuel, 2022, 310, 122194. | 3.4 | 32 |
| 4556 | Prediction of solid solute solubility in supercritical carbon dioxide from PSRK EOS with only input of molecular structure. Journal of Supercritical Fluids, 2022, 180, 105446. | 1.6 | 8 |
| 4558 | PHASE ENVELOPE CONSTRUCTION FOR MIXTURES USING HIGHLY ACCURATE HELMHOLTZ ENERGY EQUATION OF STATE. Tyumen State University Herald Physical and Mathematical Modeling Oil Gas Energy, 2020, 6, 8-27. | 0.0 | 1 |
| 4559 | Comparison of modified alpha functions of the PR-EoS for volume and enthalpy prediction of natural gases. Anais Da Academia Brasileira De Ciencias, 2020, 92, e20190603. | 0.3 | 0 |

| # | Article | IF | Citations |
|---|---------|-----|-----------|
| 4560 | Organometallic compounds solubility in supercritical carbon dioxide (SCCO2): Measurement techniques, variables affecting solubility, recent developments, and thermodynamic modeling. , 2020, , 455-476. | | 0 |
| 4561 | Integrated Reservoir/Wellbore Production Model for Oil Field Asphaltene Deposition Management. , 2020, , . | | 0 |
| 4562 | Numerical Flux Functions Extended to Real Fluids. , 2020, , 69-116. | | 0 |
| 4563 | Detailed Modeling of Supercritical Jets and Flames. , 2020, , 571-630. | | 0 |
| 4565 | Fuel Property Effects on Spray Atomization Process in Gasoline Direct Injection. , 0, , . | | 3 |
| 4567 | Accelerated methane storage in clathrate hydrates using the natural tobacco. Energy, 2022, 241, 122549. | 4.5 | 5 |
| 4568 | Phase behavior and pH modelling for ammonia-MEA-water mixtures for corrosion control in water utility applications. Fluid Phase Equilibria, 2022, 554, 113305. | 1.4 | 4 |
| 4569 | An internally consistent procedure to characterize single carbon number fractions for phase equilibrium of petroleum mixtures: Application to Brazilian pre-salt reservoir fluids. Journal of Petroleum Science and Engineering, 2021, , 109723. | 2.1 | 1 |
| 4570 | Use of 300,000 pseudo‑experimental data over 1800 pure fluids to assess the performance of four cubic equations of state: SRK, PR, $tc$‑RK, and $tc$‑PR. AICHE Journal, 2022, 68, e17518. | 1.8 | 16 |
| 4571 | Routes to hydrate formation from water dissolved in gas and impact of mineral surfaces. Petroleum, 2021, 7, 385-401. | 1.3 | 7 |
| 4572 | Alcohols for hydrate inhibition â€" Different alcohols and different mechanisms. Petroleum, 2022, 8, 1-16. | 1.3 | 7 |
| 4573 | A general mixed-integer programming framework for efficient modeling, integration and optimization of thermodynamic cycle-based energy systems. Energy Conversion and Management, 2021, 250, 114905. | 4.4 | 8 |
| 4576 | Die thermodynamischen Eigenschaften reiner Fluide. , 2005, , 179-236. | | 0 |
| 4577 | Die thermodynamischen Eigenschaften reiner Fluide. , 2006, , 177-234. | | 0 |
| 4579 | Properties of Rocks and Reservoir Fluids. , 2016, , 55-82. | | 0 |
| 4580 | Thermodynamische Eigenschaften der Materie. Springer-Lehrbuch, 2007, , 237-294. | 0.1 | 0 |
| 4582 | Numerical Investigation of Injection, Mixing and Combustion in Rocket Engines Under High-Pressure Conditions. Notes on Numerical Fluid Mechanics and Multidisciplinary Design, 2021, , 209-221. | 0.2 | 2 |
| 4583 | Hybrid RANS/LES Simulation of Methaneâ€"LOx Combustion. Green Energy and Technology, 2021, , 199-219. | 0.4 | 0 |

| # | Article | IF | Citations |
|---|---------|-----|-----------|
| 4585 | An improved reduction method for phase stability testing in the single-phase region. Open Chemistry, 2020, 18, 1316-1322. | 1.0 | 0 |
| 4586 | Prediction of Liquid Molar Volume and Heat of Vaporization of Fatty Acids Using an Equation of State. Current Physical Chemistry, 2020, 10, 189-198. | 0.1 | 0 |
| 4587 | Modelling Multiphase Flows of Hydrocarbons in Gas-Condensate and Oil Wells. Mathematical Models and Computer Simulations, 2020, 12, 1005-1013. | 0.1 | 5 |
| 4588 | A New Technique for Common EoS Model Development for Multiple Reservoir Fluids with Gas Injection. , 2020, , . | | 0 |
| 4589 | Asphaltene Modeling with Cubic and More Complex Equations of State. , 2020, , . | | 3 |
| 4591 | Gas properties, fundamental equations of state and phase relationships. , 2022, , 1-28. | | 1 |
| 4592 | Thermodynamics of carbon dioxide mixtures at cryogenic conditions. Cryogenics, 2022, 121, 103404. | 0.9 | 2 |
| 4593 | Natural gas hydrate stability conditions and water activity in aqueous solutions containing mono ethylene glycol (MEG) and salt: Experimental measurements and thermodynamic modeling. Fluid Phase Equilibria, 2022, 554, 113322. | 1.4 | 5 |
| 4594 | A consistent three-parameter cubic EOS for precise prediction of volumetric and saturation properties through wide-temperature-ranged adjusted critical compressibility factor. Fluid Phase Equilibria, 2022, 554, 113330. | 1.4 | 1 |
| 4595 | Cubic-plus-association equation of state parameterization of liquid-liquid equilibrium of propaneÂ+Ân-butaneÂ+Âbitumen and dimethyl etherÂ+Âbitumen systems. Fluid Phase Equilibria, 2022, 554, 113341. | 1.4 | 8 |
| 4596 | Solutions, in Particular Dilute Solutions of Nonelectrolytes: A Review. Journal of Solution Chemistry, 2022, 51, 626-710. | 0.6 | 2 |
| 4597 | Penicillinsâ€™ Solubility in Supercritical Carbon Dioxide: Modeling by Cubic Equations of States Revisited. Antibiotics, 2021, 10, 1448. | 1.5 | 4 |
| 4598 | A Simple Equation for the Free Energy of Liquids. Journal of Physical Chemistry B, 2021, 125, 12476-12485. | 1.2 | 0 |
| 4599 | A novel antiâ€freezing methane propellant subcooling approach and its performance analysis. Asia-Pacific Journal of Chemical Engineering, 2022, 17, e2729. | 0.8 | 1 |
| 4601 | Modeling phase behavior of nano-confined fluids in shale reservoirs with a modified Soave-Redlich-Kwong equation of state. Chemical Engineering Journal, 2022, 433, 133661. | 6.6 | 6 |
| 4602 | Design and simulation of a photocatalysis reactor for rhodamine B degradation using cobalt-doped ZnO film. Reaction Kinetics, Mechanisms and Catalysis, 2021, 134, 1017-1038. | 0.8 | 37 |
| 4603 | Theoretical and computational approaches to predicting the viscosity of liquids. Physics-Uspekhi, 2023, 66, 410-432. | 0.8 | 3 |
| 4604 | Modelling of gas network transient flows with multiple hydrogen injections and gas composition tracking. International Journal of Hydrogen Energy, 2022, 47, 2220-2233. | 3.8 | 22 |

| # | Article | IF | Citations |
|---|---------|-----|-----------|
| 4605 | A van der Waals-EoS-based model for the dynamic viscosity of ionic liquids. Fluid Phase Equilibria, 2022, 554, 113343. | 1.4 | 6 |
| 4606 | Interface Mass Transfer in Reactive Bubbly Flow: A Rigorous Phase Equilibrium-Based Approach. Industrial &amp; Engineering Chemistry Research, 0, , . | 1.8 | 3 |
| 4607 | Correction of gas adsorption capacity in quartz nanoslit and its application in recovering shale gas resources by $CO_2$ injection: A molecular simulation. Energy, 2022, 240, 122789. | 4.5 | 9 |
| 4608 | Empirical Aids to Reservoir Fluid Simulation: Using Data Driven Models to Augment Compositional Simulation. SSRN Electronic Journal, 0, , . | 0.4 | 1 |
| 4609 | Fundamental aspects of pure supercritical fluids. Supercritical Fluid Science and Technology, 2021, 8, 31-49. | 0.5 | 2 |
| 4610 | Mechanistic insights into confined methane adsorption in carbon nanopores at the molecular level. Chemical Engineering Science, 2022, 250, 117374. | 1.9 | 3 |
| 4611 | FERRAMENTA PARA COMPARAÃ‡ÃƒO DOS DADOS DO DIÃ"XIDO DE CARBONO SUPERCRÃ‡TICO OBTIDOS A PARTIR DE EQUAÃ‡Ã•ES DE ESTADO COM OS DADOS EXPERIMENTAIS DO NIST. VivÃªncias, 2022, 18, . | 0.2 | 0 |
| 4612 | Real-fluid thermophysicalModels: An OpenFOAM-based library for reacting flow simulations at high pressure. Computer Physics Communications, 2022, 273, 108264. | 3.0 | 5 |
| 4613 | Evaluating cubic equations of state for predictions of solid-fluid equilibrium in liquefied natural gas production. Fuel, 2022, 314, 123033. | 3.4 | 13 |
| 4614 | Technical-economic analysis of [Bmim][BF4] for the post-combustion $CO_2$ capture at â€Termocentroâ€• thermoelectric plant, Colombia. Respuestas, 2020, 25, . | 0.2 | 0 |
| 4615 | Numerical study for the influences of nozzle exit position, mixing, and diffuser section lengths on performance of CRMC ejector. Journal of the Brazilian Society of Mechanical Sciences and Engineering, 2021, 43, . | 0.8 | 9 |
| 4616 | Development of a novel simulator for modelling underground hydrogen and gas mixture storage. International Journal of Hydrogen Energy, 2022, 47, 8929-8942. | 3.8 | 24 |
| 4617 | Evaluation of Prediction Models for the Physical Properties in Fire-Flooding Exhaust Reinjection Process. Energies, 2022, 15, 562. | 1.6 | 1 |
| 4618 | An improvement on Martinâ€"Hou equation of state for more precise prediction in the liquid region. AICHE Journal, 0, , . | 1.8 | 0 |
| 4619 | Thermodynamic modelling of industrially important associating mixtures with a group-contribution equation of state. Fluid Phase Equilibria, 2022, 557, 113375. | 1.4 | 0 |
| 4620 | Sustainability-inspired upcycling of waste polyethylene terephthalate plastic into porous carbon for $CO_2$ capture. Green Chemistry, 2022, 24, 1494-1504. | 4.6 | 51 |
| 4621 | A new simplified virial equation of state for high temperature and high pressure gas. AIP Advances, 2022, 12, 015119. | 0.6 | 2 |
| 4622 | Experimental Investigation on Thermophysical Properties of Ammonium-Based Protic Ionic Liquids and Their Potential Ability towards $CO_2$ Capture. Molecules, 2022, 27, 851. | 1.7 | 7 |

| # | Article | IF | Citations |
|---|---------|-----|-----------|
| 4623 | A computational study of thermally induced secondary atomization in multicomponent droplets. Journal of Fluid Mechanics, 2022, 935, . | 1.4 | 5 |
| 4624 | Predicting the phase equilibria of binary mixtures containing carbon dioxideÂ+Ân-alkanols from a quadrupolar SAFT-VR approach. Journal of Molecular Liquids, 2022, 350, 118512. | 2.3 | 1 |
| 4625 | Experiment and model for solubility of $CO_2$ in alkanes with ethyl acetate as cosolvent. Journal of Chemical Thermodynamics, 2022, 168, 106741. | 1.0 | 4 |
| 4626 | Effect of guest-dependent reference hydrate vapor pressure in thermodynamic modeling of gas hydrate phase equilibria, with various combinations of equations of state and activity coefficient models. Fluid Phase Equilibria, 2022, 556, 113356. | 1.4 | 5 |
| 4627 | A semi-empirical vapor pressure equation derived from the van der Waals equation. Fluid Phase Equilibria, 2022, 556, 113365. | 1.4 | 3 |
| 4628 | Toward an optimized design of the LNG production process: Measurement and modeling of the solubility limits of p-xylene in methane and methaneÂ+Âethane mixtures at low temperature. Fluid Phase Equilibria, 2022, 556, 113406. | 1.4 | 6 |
| 4629 | Maximum Liquefaction of Gases Revisited. International Journal of Thermodynamics, 0, , 1-7. | 0.4 | 0 |
| 4630 | New Alpha Functions for the Pengâ€"Robinson Cubic Equation of State. ACS Omega, 2022, 7, 5332-5339. | 1.6 | 2 |
| 4631 | Calculating osmotic pressure of liquid mixtures by association theory for sustainable separating of solvents by membrane processes. Journal of Industrial and Engineering Chemistry, 2022, 109, 137-146. | 2.9 | 5 |
| 4632 | Sorption enhanced carbon dioxide hydrogenation to methanol: Process design and optimization. Chemical Engineering Science, 2022, 252, 117498. | 1.9 | 9 |
| 4633 | Solubility of favipiravir (as an anti-COVID-19) in supercritical carbon dioxide: An experimental analysis and thermodynamic modeling. Journal of Supercritical Fluids, 2022, 183, 105539. | 1.6 | 24 |
| 4634 | Theoretical studies of real-fluid oxidation of hydrogen under supercritical conditions by using the virial equation of state. Combustion and Flame, 2022, 243, 111945. | 2.8 | 4 |
| 4635 | Influences of Gas Permeation with Adsorption Effect on the Reinforcement of Transient Thermal Insulation Performance of Silica Aerogel at Pressure and Temperature Differences. SSRN Electronic Journal, 0, , . | 0.4 | 0 |
| 4636 | Hydrogen fundamentals. , 2022, , 1-23. | | 1 |
| 4637 | Determination of the Phase Diagram of a Mixture of H2Â+ O2Based on a Modified Van der Waals Model. Combustion, Explosion and Shock Waves, 2022, 58, 1-9. | 0.3 | 0 |
| 4638 | Effects of a Recess on Coaxial Cryogenic Injections at Supercritical Pressure. Journal of Propulsion and Power, 2022, 38, 581-591. | 1.3 | 1 |
| 4639 | Experimental Study of Asphaltene Precipitation and Deposition During Immiscible $CO_2$ - EOR Process. , 2022, , . | | 3 |
| 4640 | Partitioning of Atmospheric $O_2$ into High-pressure Ice in Ocean Worlds. Astrophysical Journal, 2022, 926, 72. | 1.6 | 0 |

| # | ARTICLE | IF | CITATIONS |
|---|---------|----|-----------|
| 4641 | A review of the contributions of <scp>P. Raj Bishnoi</scp> to chemical engineering. Canadian Journal of Chemical Engineering, 2023, 101, 565-582. | 0.9 | 3 |
| 4642 | Accurate Predictions of the Effect of Hydrogen Composition on the Thermodynamics and Transport Properties of Natural Gas. Industrial &amp; Engineering Chemistry Research, 2022, 61, 6214-6234. | 1.8 | 7 |
| 4643 | A Modified Solidâ€"Liquidâ€"Gas Phase Equation of State. ACS Omega, 2022, 7, 9322-9332. | 1.6 | 3 |
| 4644 | Reliable estimate of minimum miscibility pressure from multiple possible EOS models for a reservoir oil under data constraint. Petroleum Science and Technology, 2022, 40, 1898-1913. | 0.7 | 1 |
| 4646 | Numerical Simulation of Multicomponent Diesel Fuel Spray Surrogates Using Real-Fluid Thermodynamic Modelling. , 0, , . | | 1 |
| 4647 | Grand Canonical Monte Carlo simulations of the hydrogen storage capacities of slit-shaped pores, nanotubes and torusenes. International Journal of Hydrogen Energy, 2022, 47, 11916-11928. | 3.8 | 7 |
| 4648 | Adopting a Residualâ€Energyâ€Based Approach to Calculate the Solubility Parameters of <i>n</i> â€Alkanes. Chemical Engineering and Technology, 0, , . | 0.9 | 0 |
| 4649 | Thermoresponsive Ionic Liquid/Water Mixtures: From Nanostructuring to Phase Separation. Molecules, 2022, 27, 1647. | 1.7 | 14 |
| 4650 | Application of Friction Theory and PC-SAFT for Estimation of Viscosity in Live Reservoir Fluid Systems. International Journal of Thermophysics, 2022, 43, 1. | 1.0 | 1 |
| 4651 | Simulation of Condensation in Biogas containing Ammonia. , 0, , . | | 0 |
| 4652 | Quantification of Phase Behaviour and Physical Properties of Alkane Solvents/CO2/ Water/Heavy Oil Systems under Equilibrium and Nonequilibrium Conditions. , 2022, , . | | 4 |
| 4653 | Numerical prediction of phase equilibrium conditions of gas hydrates up to 200â€‰MPa in the presence of sodium and calcium chloride solutions. Petroleum Science and Technology, 2022, 40, 2557-2570. | 0.7 | 1 |
| 4654 | A new approach of CO2 separation by applying rapid expansion of supercritical CO2 rich natural gas. Petroleum Research, 2023, 8, 71-76. | 1.6 | 1 |
| 4655 | Phase Behavior of Carbon Dioxide + Isobutanol and Carbon Dioxide + tert-Butanol Binary Systems. Energies, 2022, 15, 2625. | 1.6 | 2 |
| 4656 | Assessing Process Effectiveness with Specific Environmental and Economic Impact of Heat, Power &amp; Chemicals (HPC) Option as Future Perspective in Biogas. , 2022, , 100016. | | 1 |
| 4657 | Application of neural network to speed-up equilibrium calculations in compositional reservoir simulation. Artificial Intelligence in Geosciences, 2022, , . | 0.9 | 1 |
| 4658 | An overview of VLE and LLE experimental data for C1â€"C10 n-alkanesâ€"water binary systems. Brazilian Journal of Chemical Engineering, 0, , 1. | 0.7 | 0 |
| 4659 | Polymerization of ethylene in the gas phaseâ€"A new combined hardware and software tool. Canadian Journal of Chemical Engineering, 0, , . | 0.9 | 1 |

| # | ARTICLE | IF | CITATIONS |
|---|---------|----|-----------| 
| 4660 | A novel parametric coupled pressure and temperature inversion method for combined perforation and well test system. Journal of Natural Gas Science and Engineering, 2022, 101, 104548. | 2.1 | 1 |
| 4661 | Exploring the interaction between phase separation and turbulent fluid dynamics in multi-species supercritical jets using a tabulated real-fluid model. Journal of Supercritical Fluids, 2022, 184, 105557. | 1.6 | 10 |
| 4662 | Assessment of a Biocompatible Additive for Hydrate Formation Kinetics along with Morphological Observations and Model Predictions. Chemical Engineering Journal Advances, 2022, 10, 100289. | 2.4 | 10 |
| 4663 | Thermodynamic modeling for confined fluids in nanopores using an external potential-advanced equation of state. Journal of Natural Gas Science and Engineering, 2022, 101, 104519. | 2.1 | 1 |
| 4664 | Numerical investigation of droplet evaporation in high-pressure dual-fuel conditions using a tabulated real-fluid model. International Journal of Heat and Mass Transfer, 2022, 189, 122671. | 2.5 | 7 |
| 4665 | Numerical modeling for CO2 storage with impurities associated with enhanced gas recovery in depleted gas reservoirs. Journal of Natural Gas Science and Engineering, 2022, 102, 104554. | 2.1 | 10 |
| 4666 | Experimental analysis and thermodynamic modelling of lenalidomide solubility in supercritical carbon dioxide. Arabian Journal of Chemistry, 2022, 15, 103821. | 2.3 | 24 |
| 4667 | A theoretical study on the simultaneous vapor-liquid and chemical equilibria in a highly restricted system. Fluid Phase Equilibria, 2022, 557, 113439. | 1.4 | 3 |
| 4668 | Unified thermodynamic modelling of diffusion and thermodiffusion coefficients. Fluid Phase Equilibria, 2022, 558, 113445. | 1.4 | 3 |
| 4669 | The solubility calculation of methane and acidic gases in associating solvents by a predictive approach using Henry's law together with SRK and CPA equation of states. Journal of Molecular Liquids, 2022, 357, 119016. | 2.3 | 3 |
| 4670 | Flexible operation of a mixed fluid cascade LNG plant for electrical power management. Energy, 2022, 250, 123794. | 4.5 | 1 |
| 4671 | Thermodynamics analysis and ice behavior during the depressurization process of methane hydrate reservoir. Energy, 2022, 250, 123801. | 4.5 | 14 |
| 4672 | Experimental study on the radial vibration characteristics of a coal briquette in each stage of its life cycle under the action of CO2 gas explosion. Fuel, 2022, 320, 123922. | 3.4 | 28 |
| 4673 | Composition analysis of natural gas by combined benchtop NMR spectroscopy and mechanistical multivariate regression. Energy Reports, 2022, 8, 3661-3670. | 2.5 | 10 |
| 4674 | Comparison of Z-Factor Correlations Using a Large PVT Dataset with Emphasis on the GERG-2008 EOS. , 2021, , . | | 2 |
| 4675 | Equations of State. , 2022, , 3-23. | | 0 |
| 4676 | Influence of Asphaltene Polarity on Hydrate Behaviors in Water-in-Oil Emulsions. Energy &amp; Fuels, 2022, 36, 239-250. | 2.5 | 7 |
| 4677 | Application of Artificial Neural Network to Flamelet Library for Gaseous Hydrogen/Liquid Oxygen Combustion at Supercritical Pressure. Journal of the Korean Society of Propulsion Engineers, 2021, 25, 1-11. | 0.1 | 0 |

| # | Article | IF | Citations |
|---|---------|-----|-----------|
| 4678 | Three-Phase Equilibrium Calculations of Water/Hydrocarbon/Nonhydrocarbon Systems Based on the Equation of State (EOS) in Thermal Processes. ACS Omega, 2021, 6, 34406-34415. | 1.6 | 3 |
| 4679 | Modification of the Redlich-Kwong-Aungier Equation of State to Determine the Degree of Dryness in the CO2 Two-phase Region. Journal of Mechanical Engineering, 2021, 24, 17-27. | 0.1 | 1 |
| 4680 | Hydrogen liquefaction: a review of the fundamental physics, engineering practice and future opportunities. Energy and Environmental Science, 2022, 15, 2690-2731. | 15.6 | 106 |
| 4681 | *Ab initio* development of generalized Lennard-Jones (Mie) force fields for predictions of thermodynamic properties in advanced molecular-based SAFT equations of state. Journal of Chemical Physics, 2022, 156, 154106. | 1.2 | 6 |
| 4682 | Effects of the NaCl Concentration and Montmorillonite Content on Formation Kinetics of Methane Hydrate. Journal of Marine Science and Engineering, 2022, 10, 548. | 1.2 | 6 |
| 4683 | Systematic analysis of additives on the performance parameters of sCO2 cycles and their individual effects on the cycle characteristics. Energy, 2022, 252, 123957. | 4.5 | 7 |
| 4684 | Absorption increment of various physical/chemical CO2 absorbents using CeO2/SiO2/TiO2 nanocomposite. Chemical Papers, 2022, 76, 4817-4834. | 1.0 | 4 |
| 4688 | Dampf-Flüssigkeit-Gleichgewichte. , 0, , 434-468. | | 0 |
| 4690 | An Improved General Dominant Eigenvalue Method (Gdem) of Accelerating Successive Substitution During Flash Calculation Near the Critical Point. SSRN Electronic Journal, 0, , . | 0.4 | 0 |
| 4692 | Prediction and correlation of physical properties including transport and interfacial properties with the PC-SAFT equation of state. , 2022, , 1-31. | | 0 |
| 4693 | A Review of Phase Behavior Mechanisms of $CO_2$ EOR and Storage in Subsurface Formations. Industrial &amp; Engineering Chemistry Research, 2022, 61, 10298-10318. | 1.8 | 19 |
| 4694 | A multi-layer perceptron neural network model for predicting the hydrate equilibrium conditions in multi-component hydrocarbon systems. Neural Computing and Applications, 2022, 34, 15863-15887. | 3.2 | 2 |
| 4695 | Modified Martin-Hou Equation of State Used in the Liquid Region for Pure Substances. Russian Journal of Physical Chemistry A, 2022, 96, S16-S26. | 0.1 | 0 |
| 4696 | Algorithm for estimating SARA fraction properties and its application in predicting the densities of heavy oils, bitumen and diluted bitumen with solvents. Petroleum Science and Technology, 0, , 1-19. | 0.7 | 0 |
| 4697 | How to Quickly Evaluate the Thermodynamic Performance and Identify the Optimal Heat Source Temperature for Organic Rankine Cycles?. Journal of Energy Resources Technology, Transactions of the ASME, 2022, 144, . | 1.4 | 3 |
| 4698 | Clapeyron.jl: An Extensible, Open-Source Fluid Thermodynamics Toolkit. Industrial &amp; Engineering Chemistry Research, 2022, 61, 7130-7153. | 1.8 | 20 |
| 4699 | Compressible Velocity Transformations for Various Noncanonical Wall-Bounded Turbulent Flows. AIAA Journal, 2022, 60, 4325-4337. | 1.5 | 21 |
| 4700 | Modified Method of Characteristics for Generating Enhanced Oil Recovery Curves. SPE Journal, 2022, , 1-12. | 1.7 | 0 |

| # | Article | IF | Citations |
|---|---------|-----|-----------|
| 4701 | Free volume theory and extended mixing rule implementation for estimation of liquid viscosity of flue gas desulphurization candidate solvents. Journal of Molecular Liquids, 2022, , 119369. | 2.3 | 1 |
| 4702 | Experimental Measurement and Thermodynamic Modeling of the Wax Disappearance Temperature (WDT) for a Quaternary System of Normal Paraffins. ACS Omega, 0, , . | 1.6 | 0 |
| 4703 | Experimental Validation of Methanol Synthesis from Steel Mill Gases Using a Miniplant Setup. Chemie-Ingenieur-Technik, 0, , . | 0.4 | 0 |
| 4704 | Eight Constants in the Benedict-Webb-Rubin Equation of State for 1-Pentyne and Their Validity for Bubble Point Pressure with Propane or Dimethyl Ether. Journal of the Japan Petroleum Institute, 2022, 65, 97-109. | 0.4 | 1 |
| 4705 | Multi-scale Computer-aided molecular design of Ionic liquid for absorption heat transformer based on Machine learning. Energy Conversion and Management, 2022, 261, 115617. | 4.4 | 14 |
| 4706 | A new empirical model and neural network-based approach for evaluation of isobaric heat capacity of natural gas. Journal of Natural Gas Science and Engineering, 2022, 102, 104575. | 2.1 | 3 |
| 4707 | Modeling the solubility of non-steroidal anti-inflammatory drugs (ibuprofen and ketoprofen) in supercritical $CO_2$ using PC-SAFT. Journal of Supercritical Fluids, 2022, 186, 105626. | 1.6 | 14 |
| 4708 | Basics of hydrocarbons thermodynamics. , 2022, , 1-39. |  | 0 |
| 4709 | A temperature-independent prediction model predicts the vapor-liquid equilibrium of $CO_2$-based binary mixtures. International Journal of Refrigeration, 2022, 140, 125-138. | 1.8 | 9 |
| 4710 | Research on thermodynamic and simulation method of extractive distillation for desulfurization of FCC naphtha. Energy, 2022, 254, 124213. | 4.5 | 0 |
| 4711 | Effect of $H_2S$ content on relative permeability and capillary pressure characteristics of acid gas/brine/rock systems: A review. Journal of Rock Mechanics and Geotechnical Engineering, 2022, 14, 2003-2033. | 3.7 | 7 |
| 4712 | Evaluating the recovery potential of $CH_4$ by injecting $CO_2$ mixture into marine hydrate-bearing reservoirs with a new multi-gas hydrate simulator. Journal of Cleaner Production, 2022, 361, 132270. | 4.6 | 7 |
| 4713 | Prediction of Henry's law constants by matrix completion. AICHE Journal, 2022, 68, . | 1.8 | 13 |
| 4714 | An extension of gases-brine mutual solubility models to include geochemical reactions: Modeling and applications. Journal of Contaminant Hydrology, 2022, , 104030. | 1.6 | 0 |
| 4715 | Experimental Measurement and PSRK and NRTL Modeling of Binary 1-Alcohol ($C_m$) + $n$-Alkane ($C_{m+3}$) Vapor–Liquid Equilibrium Data. Journal of Chemical &amp; Engineering Data, 2022, 67, 1915-1931. | 1.0 | 4 |
| 4716 | Temporal atomization of a transcritical liquid n-decane jet into oxygen. International Journal of Multiphase Flow, 2022, 153, 104130. | 1.6 | 8 |
| 4717 | Experimental measurement and model prediction of solid-liquid equilibrium for methane-ethane binary system. Journal of Chemical Thermodynamics, 2022, 172, 106829. | 1.0 | 2 |
| 4718 | Influences of gas permeation with adsorption effect on the transient thermal insulation performance of silica aerogel at pressure and temperature differences. International Journal of Thermal Sciences, 2022, 179, 107703. | 2.6 | 3 |

| # | ARTICLE | IF | CITATIONS |
|---|---------|-----|-----------|
| 4719 | A volume-of-fluid method for variable-density, two-phase flows at supercritical pressure. Physics of Fluids, 2022, 34, . | 1.6 | 14 |
| 4720 | Thermodynamic Perturbation Theory Coefficients for Hard Spherocylinders and Cylinders. SSRN Electronic Journal, 0, , . | 0.4 | 1 |
| 4721 | Thermodynamically Consistent Vapor-Liquid Equilibrium Modelling with Artificial Neural Networks. SSRN Electronic Journal, 0, , . | 0.4 | 0 |
| 4722 | Thermodynamics and Kinetic Mechanisms for $CH_4$/$CO_2$ Swapping in Natural Sediments. Energy &amp; Fuels, 2022, 36, 6374-6396. | 2.5 | 8 |
| 4723 | Thermodynamic modeling of gas hydrate phase equilibrium of carbon dioxide and its mixture using different equations of states. Journal of Chemical Thermodynamics, 2022, 173, 106834. | 1.0 | 3 |
| 4724 | Vapor–Liquid–Liquid Equilibrium Modeling of Water/Bitumen/Solvent ($C_1$, $C_2$,) Tj ETQq1 1 0.784314 rg State. Industrial &amp; Engineering Chemistry Research, 2022, 61, 8279-8292. | 1.8 | 5 |
| 4725 | Extension of Cubic-Plus-Chain Equation of State: Incorporating Short-Range Soft Repulsion for Nonassociating Mixtures. Industrial &amp; Engineering Chemistry Research, 2022, 61, 8293-8301. | 1.8 | 1 |
| 4726 | Thermodynamic Model Evaluations for Hydrogen Pipeline Transportation. , 2022, , . | | 3 |
| 4727 | New mathematical formulations for accurate estimate of nitrogen leakage rate using distributed temperature sensing in Mechanical Integrity Tests. Journal of Petroleum Science and Engineering, 2022, 215, 110710. | 2.1 | 2 |
| 4728 | Subgrid modeling of the filtered equation of state with application to real-fluid turbulent mixing at supercritical pressures. Physics of Fluids, 2022, 34, . | 1.6 | 6 |
| 4729 | Strategizing practical implementation of additional condenser-reboilers (CR) to reduce power consumption of a dual purity cryogenic single column gaseous oxygen plant. Cryogenics, 2022, , 103496. | 0.9 | 0 |
| 4730 | Solubility of Lacosamide in supercritical carbon Dioxide: An experimental analysis and thermodynamic modeling. Journal of Molecular Liquids, 2022, 360, 119467. | 2.3 | 18 |
| 4731 | Hydraulics. , 2012, , 349-399. | | 0 |
| 4732 | Mathematical Models of the State of a Real Gas. Journal of Engineering Physics and Thermophysics, 0, , . | 0.2 | 0 |
| 4733 | A General Framework for Modelling Association Formulated in Terms of Bond Sites. Fluid Phase Equilibria, 2022, 561, 113534. | 1.4 | 0 |
| 4734 | Formation and Detection of High-Pressure Oxygen in Closed Pores of $La_{0.6}Sr_{0.4}CoO_{3−δ}$ Solid Oxide Electrolysis Anodes. ACS Applied Energy Materials, 0, , . | 2.5 | 3 |
| 4735 | Computation of vertical fluid mobility of $CO_2$, methane, hydrogen and hydrocarbons through sandstones and carbonates. Scientific Reports, 2022, 12, . | 1.6 | 4 |
| 4736 | Vapor-liquid equilibrium phase behavior of binary systems of carbon dioxide with dimethyl succinate or dimethyl glutarate. Journal of the Taiwan Institute of Chemical Engineers, 2022, 136, 104402. | 2.7 | 8 |

| # | Article | IF | Citations |
|---|---------|----|-----------|
| 4737 | Thermodynamic modeling of hydrogen–water systems with gas impurity at various conditions using cubic and PC-SAFT equations of state. Energy Conversion and Management: X, 2022, 15, 100257. | 0.9 | 7 |
| 4738 | Conceptual design and performance evaluation of a novel cryogenic integrated process for extraction of neon and production of liquid hydrogen. Chemical Engineering Research and Design, 2022, 164, 228-246. | 2.7 | 13 |
| 4739 | Widom line of supercritical $CO_2$ calculated by equations of state and molecular dynamics simulation. Journal of CO2 Utilization, 2022, 62, 102075. | 3.3 | 5 |
| 4740 | A novel implicit method of characteristics using pressure-referenced correction for transient flow in natural gas pipelines. Journal of Natural Gas Science and Engineering, 2022, 104, 104665. | 2.1 | 6 |
| 4741 | Measurements and correlation of hydraulic resistance for $H_2O/CO_2$ mixtures at supercritical pressure. International Journal of Heat and Mass Transfer, 2022, 194, 123095. | 2.5 | 3 |
| 4742 | Thermodynamic modeling of density, viscosity and critical micelle concentration of aqueous Tween and Span solutions via Cubic plus association equation of state. Journal of Molecular Liquids, 2022, 361, 119613. | 2.3 | 1 |
| 4743 | Prediction of thermochemical and transport properties of hydrocarbon aviation fuel in supercritical state with thermal decomposition. Fuel, 2022, 325, 124805. | 3.4 | 9 |
| 4744 | A comprehensive experimental and modeling study on $CO_2$ solubilities in the deep eutectic solvent based on choline chloride and butane-1,2-diol. Fluid Phase Equilibria, 2022, 561, 113535. | 1.4 | 6 |
| 4745 | Measuring and modeling the solubility of carbon dioxide in protic ionic liquids. Journal of Chemical Thermodynamics, 2022, 173, 106838. | 1.0 | 8 |
| 4746 | Optimization and energy assessment of technological process for $CO_2$ capture system of natural gas and coal combustion. Energy Reports, 2022, 8, 7612-7627. | 2.5 | 7 |
| 4747 | Multicomponent Vapor-Liquid Equilibrium Measurements and Modeling of Triethylene Glycol, Water, and Natural Gas Mixtures at 6, 9 and 12.5 Mpa. SSRN Electronic Journal, 0, , . | 0.4 | 0 |
| 4748 | Density Measurements of Homogeneous Phase Fluid Mixtures Comprising Co2/Methanol and Co2/Ethanol Binary Systems and Correlation with Equations of State. SSRN Electronic Journal, 0, , . | 0.4 | 0 |
| 4749 | Fundamental equations of state of individual substances. , 2022, , 335-395. | | 0 |
| 4750 | Critical Temperatures, Critical Pressures and Densities of Acetone-Water Solution. SSRN Electronic Journal, 0, , . | 0.4 | 0 |
| 4751 | Reservoir and fluid type determination by using equation of state / Mishrif formation / Halfaya oil field. AIP Conference Proceedings, 2022, , . | 0.3 | 0 |
| 4752 | Heating and Evaporation of Mono-component Droplets. Mathematical Engineering, 2022, , 103-174. | 0.1 | 1 |
| 4753 | Methods for calculating the viscosity of hydrocarbons. , 2022, , 607-686. | | 0 |
| 4754 | Application of Machine Learning in Predicting Formation Condition of Multi-Gas Hydrate. Energies, 2022, 15, 4719. | 1.6 | 6 |

| # | Article | IF | Citations |
|---|---------|-----|-----------|
| 4755 | Phase Behavior and Physical Properties of Dimethyl Ether/CO2/Water/Heavy Oil Systems under Reservoir Conditions. SPE Journal, 2023, 28, 301-318. | 1.7 | 6 |
| 4756 | Concentration fluctuation caused by reaction-diffusion coupling near catalytic active sites. Chinese Journal of Chemical Engineering, 2022, , . | 1.7 | 0 |
| 4757 | Heavy Petroleum Supercritical Fluid Deasphalting Process Simulation Based On the Saturate, Aromatic, Resin, and Asphaltene Composition. Energy &amp; Fuels, 2022, 36, 8818-8827. | 2.5 | 6 |
| 4758 | High-Density Upper Amphibolite/Granulite Facies Fluid Inclusions in Magmatic Garnet from the Koralpe Mountains (Eastern Alps, Austria). Minerals (Basel, Switzerland), 2022, 12, 873. | 0.8 | 1 |
| 4759 | Linear stability of real-fluid mixing layers at supercritical pressures. Physics of Fluids, 0, , . | 1.6 | 0 |
| 4760 | Thermodynamic perturbation theory coefficients for hard spherocylinders and cylinders. Fluid Phase Equilibria, 2022, 561, 113543. | 1.4 | 0 |
| 4761 | Comparison of pure component thermodynamic properties from CHEMCAD with direct calculation using the Soaveâ€"Redlichâ€"Kwong equation of state. Chemical Data Collections, 2022, 41, 100899. | 1.1 | 1 |
| 4762 | Coordinated operation of electricity and gas-hydrogen systems with transient gas flow and hydrogen concentration tracking. Electric Power Systems Research, 2022, 211, 108499. | 2.1 | 7 |
| 4764 | Dynamic Modeling of Modified Styrene-Acrylonitrile Process. IFAC-PapersOnLine, 2022, 55, 272-277. | 0.5 | 0 |
| 4765 | Calculation and application of partition coefficients of light hydrocarbons in oil-based mud system. Petroleum Exploration and Development, 2022, 49, 906-918. | 3.0 | 0 |
| 4766 | Modification of the Redlich-Kwong-Aungier Equation of State to Determine the Main Thermodynamic Parameters in the Pure Liquid CO2 Region. Journal of Mechanical Engineering, 2022, 25, 6-13. | 0.1 | 0 |
| 4767 | Mechanisms for CH4/CO2 Swapping in Natural Sediments. Fluids, 2022, 7, 260. | 0.8 | 10 |
| 4768 | Application of Renormalization Corrections to SAFT-VR Mie. Industrial &amp; Engineering Chemistry Research, 2022, 61, 12797-12812. | 1.8 | 4 |
| 4769 | Determination of CO2 solubility in Perna perna mussel and analysis of the suitability of the ideal and non-ideal gas models. Chemical Thermodynamics and Thermal Analysis, 2022, 7, 100075. | 0.7 | 0 |
| 4770 | Application of the PCâ€"SAFT Equation of State to the Prediction of Vapor Solubility in Semiâ€"crystalline Polyethylenes. Macromolecular Reaction Engineering, 0, , 2200017. | 0.9 | 0 |
| 4771 | Estimating the solubility of salsalate in supercritical CO2 via PC-SAFT modeling using its experimental solubility data in organic solvents. Journal of Supercritical Fluids, 2022, 189, 105725. | 1.6 | 13 |
| 4772 | Empirical Correlations for K-Values of Crude Oils. International Journal of Chemical Engineering, 2022, 2022, 1-8. | 1.4 | 0 |
| 4773 | Isobaric Vaporâ€"Liquid Equilibrium Data at 101.3 kPa for the Binary System Acetamide + <i>N,N</i>-Dimethyl Formamide and the Quaternary System <i>sec</i>-Butyl Alcohol + <i>sec</i>-Butyl Acetate + Acetamide + <i>N,N</i>-Dimethyl Formamide. Journal of Chemical &amp; Engineering Data, 2022, 67, 2426-2434. | 1.0 | 1 |

| # | Article | IF | Citations |
|---|---------|----|-----------|
| 4774 | Measurements and Modeling of the Hydrate Phase Equilibrium Condition of Sour Gas Mixtures in the Presence of Salts and Alcohols. Journal of Chemical &amp; Engineering Data, 2022, 67, 2563-2572. | 1.0 | 4 |
| 4775 | Crude oil wax: A review on formation, experimentation, prediction, and remediation techniques. Petroleum Science, 2022, 19, 2343-2357. | 2.4 | 10 |
| 4776 | Large eddy simulations of reacting and non-reacting transcritical fuel sprays using multiphase thermodynamics. Physics of Fluids, 2022, 34, . | 1.6 | 17 |
| 4777 | Predictions of thermodynamic properties of pure fluids, refrigerants, and binary mixtures using modified Peng-Robinson equation of state. Korean Journal of Chemical Engineering, 2022, 39, 3452-3463. | 1.2 | 8 |
| 4778 | Insights into modelling and evaluation of thermodynamic and transport properties of refrigerants using machine-learning methods. Energy, 2023, 262, 125099. | 4.5 | 1 |
| 4780 | Supercritical CO2 permeation through dense commercial polymeric membranes: Permeability measurements and influence of pressure.. Journal of Supercritical Fluids, 2022, 188, 105700. | 1.6 | 0 |
| 4781 | Absorption of carbon dioxide in mixture of N-Methyl-2-Pyrrolidone and six different chemical solvents. Journal of Molecular Liquids, 2022, 364, 119939. | 2.3 | 10 |
| 4782 | On the density prediction of multicomponent hydrocarbon mixtures at near- and supercritical conditions. Fluid Phase Equilibria, 2022, 562, 113560. | 1.4 | 1 |
| 4783 | Enhancing CO2 methanation over Ni catalysts supported on sol-gel derived Pr2O3-CeO2: An experimental and theoretical investigation. Applied Catalysis B: Environmental, 2022, 318, 121836. | 10.8 | 17 |
| 4785 | CÃ¡lculo del volumen especÃfico de lÃquidos puros con la ecuaciÃ³n de estado cubica de Valderrama-Patel-Teja. Ingenieria E Investigacion, 2002, , 41-48. | 0.2 | 0 |
| 4786 | PeleC: An adaptive mesh refinement solver for compressible reacting flows. International Journal of High Performance Computing Applications, 2023, 37, 115-131. | 2.4 | 16 |
| 4787 | Laboratory determination and thermodynamic analysis of alendronate solubility in supercritical carbon dioxide. Journal of Molecular Liquids, 2022, 367, 120242. | 2.3 | 16 |
| 4788 | Process simulation of hydrothermal carbonization of digestate from energetic perspectives in Aspen Plus. Energy Conversion and Management, 2022, 270, 116215. | 4.4 | 21 |
| 4789 | Performance evaluation of the solar-driven multi-ejector refrigeration cycle without an auxiliary heat source. Applied Thermal Engineering, 2022, 217, 119214. | 3.0 | 8 |
| 4790 | Biogas to advanced biofuels: Techno-economic analysis of one-step dimethyl ether synthesis. Journal of Cleaner Production, 2022, 376, 134076. | 4.6 | 8 |
| 4791 | Solubility measurement of the fludrocortisone acetate in supercritical carbon dioxide: Experimental and modeling assessments. Journal of Supercritical Fluids, 2022, 190, 105752. | 1.6 | 21 |
| 4792 | A novel process of low-temperature fractionation combined with extractive distillation for H2S removal from natural gas. Separation and Purification Technology, 2022, 302, 122102. | 3.9 | 3 |
| 4793 | The hard-core effect on PC-SAFT to model asphaltene precipitation in petroleum reservoir fluids. Fluid Phase Equilibria, 2023, 563, 113590. | 1.4 | 0 |

| # | Article | IF | Citations |
|---|---------|----|-----------|
| 4794 | LES/flamelet/ANN of oxy-fuel combustion for a supercritical CO2 power cycle. Applications in Energy and Combustion Science, 2022, 12, 100083. | 0.9 | 0 |
| 4795 | Modified temperature-dependent volume translation model in PC-SAFT equation of state for carbon dioxide. Chemical Engineering Science, 2022, 263, 118107. | 1.9 | 4 |
| 4796 | Thermodynamically consistent vapor-liquid equilibrium modelling with artificial neural networks. Fluid Phase Equilibria, 2023, 564, 113597. | 1.4 | 7 |
| 4797 | Crossover PC-SAFT equations of state based on White's method for the thermodynamic properties of CO2, n-alkanes and n-alkanols. Fluid Phase Equilibria, 2023, 564, 113610. | 1.4 | 4 |
| 4798 | Thermodynamic Modelling of Mdea(Aq)-Nh3(Aq)-K2co3(Aq)-Co2(Aq) Using the Extended Uniquac Model. SSRN Electronic Journal, 0, , . | 0.4 | 0 |
| 4799 | A New Method for Estimating Compressibility Factors of Natural Gases Based on Bender Equation of State. Springer Series in Geomechanics and Geoengineering, 2022, , 2115-2133. | 0.0 | 0 |
| 4800 | Stoffmodelle der Technischen Thermodynamik. Springer Reference Technik, 2022, , 485-513. | 0.0 | 0 |
| 4801 | Effects of Port Angle on Scavenging of an Opposed Piston Two-Stroke Engine. , 0, , . | | 5 |
| 4802 | Robustness and efficiency of phase stability testing at VTN and UVN conditions. Fluid Phase Equilibria, 2023, 564, 113624. | 1.4 | 2 |
| 4803 | Study on the Oxygen Liquefaction Using Linde-Hampson and Claude Cycle. Transactions of the Korean Hydrogen and New Energy Society, 2022, 33, 446-450. | 0.1 | 0 |
| 4804 | Development of a new approach using an artificial neural network for estimating oil formation volume factor at bubble point pressure of Egyptian crude oil. Journal of King Saud University, Engineering Sciences, 2024, 36, 72-80. | 1.2 | 1 |
| 4805 | Parametrization of the NRTL Model with a Multiobjective Approach: Implications in the Process Simulation. Thermo, 2022, 2, 267-288. | 0.6 | 2 |
| 4806 | An Investigation into the Effects of Swirl on the Performance and Emissions of an Opposed-Piston Two-Stroke Engine using Large Eddy Simulations. , 0, , . | | 3 |
| 4807 | Experimental Hydrate Phase Equilibrium Data Relevant to Bitter Melon, Pineapple, and Grape Juice Concentration. ACS Omega, 2022, 7, 34741-34751. | 1.6 | 1 |
| 4808 | Characteristics of Canister Core Desorption Gas from Unconventional Reservoirs and Applications to Improve Assessment of Hydrocarbons-in-Place. Minerals (Basel, Switzerland), 2022, 12, 1226. | 0.8 | 1 |
| 4809 | Avoiding Artifacts in Noncubic Equations of State. Industrial &amp; Engineering Chemistry Research, 2022, 61, 15661-15677. | 1.8 | 5 |
| 4810 | Further Results on a Generalized van der Waals Model. International Journal of Thermophysics, 2022, 43, . | 1.0 | 0 |
| 4811 | A new application for SCAL &amp; PVT to manage, analyze, simulate &amp; integrate data throughout the rock and fluid characterization workflow. Technical Papers ... Rio Oil & Gas, 2022, 22, 394-395. | 0.0 | 0 |

| # | ARTICLE | IF | CITATIONS |
|---|---------|----|-----------|
| 4812 | Experimental Measurement and Thermodynamic Modeling of Methane Hydrate Dissociation Conditions in the Presence of Diglycolamine Aqueous Solution. Industrial &amp; Engineering Chemistry Research, 2022, 61, 13683-13693. | 1.8 | 4 |
| 4813 | LES study on the breakup mechanism of LOX core in LOX/G<mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" altimg="si26.svg"><mml:msub><mml:mtext>H</mml:mtext><mml:mn>2</mml:mn></mml:msub></mml:math> supercritical combustion. Proceedings of the Combustion Institute, 2023, 39, 2737-2745. | 2.4 | 2 |
| 4814 | Isothermal Vaporâ€"Liquid Equilibrium for the Tetrafluoromethane (R14) + Octafluoropropane (R218) Binary Mixture at Five Temperatures from 173.150 to 213.150 K. Journal of Chemical &amp; Engineering Data, 2022, 67, 3116-3124. | 1.0 | 0 |
| 4815 | Vapor-liquid Equilibrium Experiment and Prediction of Excess Property of New Working Pair CO-[BMP][TfN] in Absorption Refrigeration System. International Journal of Refrigeration, 2022, , . | 1.8 | 0 |
| 4816 | Pore-network modeling of flow in shale nanopores: Network structure, flow principles, and computational algorithms. Earth-Science Reviews, 2022, 234, 104203. | 4.0 | 23 |
| 4817 | CO2 capture and utilization (CCU) by integrating water electrolysis, electrified reverse water gas shift (E-RWGS) and methanol synthesis. Journal of Cleaner Production, 2022, 377, 134280. | 4.6 | 12 |
| 4818 | Viscosity prediction of pure refrigerants applying the residual entropy scaling theory coupled with a â€œGeneralized Chartâ€•parametrization method for the Statistical Associating Fluid Theory. Journal of Molecular Liquids, 2022, 367, 120479. | 2.3 | 7 |
| 4819 | Thermodynamic modeling of gas solubility in ionic liquids using equations of state. Chemical Industry and Chemical Engineering Quarterly, 2023, 29, 209-224. | 0.4 | 0 |
| 4820 | Numerical solution to multiphase, multicomponent transport. Developments in Petroleum Science, 2022, , 283-318. | 0.2 | 2 |
| 4821 | A step-by-step approach to creating and tuning PVT-models of reservoir hydrocarbon systems based on the state equation. Georesursy, 2022, 24, 164-181. | 0.3 | 0 |
| 4822 | Modelling of Mean Ionic Activity and Osmotic Coefficients in Aqueous Solutions of Symmetrical Tetra alkyl Ammonium Halides. Journal of Solution Chemistry, 0, , . | 0.6 | 0 |
| 4823 | Review of researches on important components of hydrogen supply systems and rapid hydrogen refueling processes. International Journal of Hydrogen Energy, 2023, 48, 1904-1929. | 3.8 | 17 |
| 4824 | Experimental solubility and modeling of Crizotinib (anti-cancer medication) in supercritical carbon dioxide. Scientific Reports, 2022, 12, . | 1.6 | 8 |
| 4825 | A Thermodynamic Model for Prediction of Solubility of Elemental Mercury in Natural Gas, Produced Water and Hydrate Inhibitors. , 2022, , . | | 1 |
| 4826 | Limits of Fluid Modeling for High Pressure Flow Simulations. Aerospace, 2022, 9, 643. | 1.1 | 3 |
| 4827 | A Comparative Study of the Cubic-Plus-Association Equation of State and a Peng-Robinson Equation of Stateâ€"Based Solid Model for Asphaltene Simulation in the Wellbore. SPE Production and Operations, 2022, , 1-21. | 0.4 | 0 |
| 4828 | Optimal Injection Parameters for Enhancing Coalbed Methane Recovery: A Simulation Study from the Shizhuang Block, Qinshui Basin, China. Geofluids, 2022, 2022, 1-13. | 0.3 | 3 |
| 4829 | Choice of the kinetic model significantly affects the outcome of techno-economic assessments of CO2-based methanol synthesis. Energy Conversion and Management, 2022, 271, 116200. | 4.4 | 6 |

| # | Article | IF | Citations |
|---|---------|----|-----------|
| 4830 | Mathematical Modeling and Robust Multi-Objective Optimization of the Two-Dimensional Benzene Alkylation Reactor with Dry Gas. Processes, 2022, 10, 2271. | 1.3 | 0 |
| 4831 | Evaluation of cubic, PC-SAFT, and GERG2008 equations of state for accurate calculations of thermophysical properties of hydrogen-blend mixtures. Energy Reports, 2022, 8, 13876-13899. | 2.5 | 17 |
| 4832 | An improved xenon equation of state for nanobubbles in UO2. Journal of Nuclear Materials, 2022, 572, 154089. | 1.3 | 6 |
| 4833 | Theoretical and experimental study on Chloroquine drug solubility in supercritical carbon dioxide via the thermodynamic, multi-layer perceptron neural network (MLPNN), and molecular modeling. Arabian Journal of Chemistry, 2022, 15, 104371. | 2.3 | 6 |
| 4834 | Prediction of solid solubility in supercritical carbon dioxide using a pairwise surface contact equation of state â€" COSMO-SAC-Phi. Journal of Supercritical Fluids, 2022, 191, 105765. | 1.6 | 2 |
| 4835 | A prediction model for the binary interaction parameter of PR-VDW to predict thermo-physical properties of CO2 mixtures. Fluid Phase Equilibria, 2023, 565, 113634. | 1.4 | 2 |
| 4836 | Evaluation of kraft and hydrolysis lignin hydroconversion over unsupported NiMoS catalyst. Chemical Engineering Journal, 2023, 453, 139829. | 6.6 | 9 |
| 4837 | Comparison of models for the relative static permittivity with the e-CPA equation of state. Fluid Phase Equilibria, 2023, 565, 113632. | 1.4 | 3 |
| 4838 | Calculation of binodal lines for a multicomponent mixture by the homotopy method. Theoretical Foundations of Chemical Engineering, 2005, 39, 85-91. | 0.2 | 1 |
| 4839 | Thermodynamic modeling of binary mixtures of ethylenediamine with water, methanol, ethanol, and 2-propanol by association theory. RSC Advances, 2022, 12, 32415-32428. | 1.7 | 4 |
| 4840 | Comparison of the optimal water-alternating-gas injection strategies using 1-D and 2-D reservoir simulations. Computational Continuum Mechanics, 2022, 15, 253-262. | 0.1 | 0 |
| 4841 | Compressed liquid densities for cyclopentane/n-heptane mixtures from 293.15ÂK to 363.15ÂK at pressures up to 70ÂMPa. Journal of Chemical Thermodynamics, 2023, 177, 106953. | 1.0 | 3 |
| 4842 | Insight into the application of amino acid-functionalized MIL-101(Cr) micro fluids for high-efficiency CO2 absorption: Effect of amine number and surface area. Fuel, 2023, 334, 126603. | 3.4 | 8 |
| 4843 | Multicomponent vapor-liquid equilibrium measurements and modeling of triethylene glycol, water, and natural gas mixtures at 6.0, 9.0 and 12.5 MPa. Fluid Phase Equilibria, 2023, 565, 113660. | 1.4 | 2 |
| 4844 | Predicting PC-SAFT pure-component parameters by machine learning using a molecular fingerprint as key input. Fluid Phase Equilibria, 2023, 565, 113657. | 1.4 | 8 |
| 4845 | A generalized flash algorithm to bridge stability analysis and phase split calculations. Fluid Phase Equilibria, 2023, 565, 113625. | 1.4 | 2 |
| 4846 | Cubic Equation of State Analysis for the Prediction of Supercritical Thermodynamic Properties of Hydrocarbon Fuels with High Critical Compressibility Factor. Journal of the Korean Society of Propulsion Engineers, 2022, 26, 24-34. | 0.1 | 0 |
| 4847 | Vapor-liquid equilibrium of light hydrocarbon multicomponent systems by solving the Rachford-Rice equation. Cryogenics, 2023, 129, 103600. | 0.9 | 2 |

| # | ARTICLE | IF | CITATIONS |
|---|---------|-----|-----------|
| 4848 | Improving water–hydrocarbon equilibrium calculations using multi objective optimization. Fluid Phase Equilibria, 2023, 566, 113670. | 1.4 | 0 |
| 4849 | Feasibility, Limit, and Suitable Reaction Conditions for the Production of Alcohols and Hydrocarbons from CO and CO<sub>2</sub> through Hydrogenation, a Thermodynamic Consideration. Industrial &amp; Engineering Chemistry Research, 2022, 61, 17027-17038. | 1.8 | 9 |
| 4850 | Thermodynamic modeling for numerical simulations based on the generalized cubic equation of state. Physics of Fluids, 2022, 34, 116126. | 1.6 | 2 |
| 4851 | A Novel Four-phase Equilibrium Calculation Algorithm for Water/Hydrocarbon Systems Containing Gas Hydrates. Chemical Engineering Science, 2022, , 118284. | 1.9 | 0 |
| 4852 | Effects of Gas Dissolution on Gas Migration during Gas Invasion in Drilling. ACS Omega, 0, , . | 1.6 | 0 |
| 4853 | Modeling and simulation of ethane cracker reactor using Aspen Plus. South African Journal of Chemical Engineering, 2023, 43, 204-214. | 1.2 | 0 |
| 4854 | High-Pressure Fluid Phase Equilibria. , 0, , . | | 0 |
| 4855 | Robust intelligent approaches to predict the CO2 frosting temperature in natural gas mixtures under cryogenic conditions. International Journal of Refrigeration, 2023, 154, 281-289. | 1.8 | 4 |
| 4856 | Application of Supercritical Phase Equilibria to the Components of the Transesterification Reaction of <i>rac</i>-2-Pentanol with a Vinyl Ester. , 0, , . | | 0 |
| 4857 | A predictive approximation based on squeeze functional in solving nonlinear simulation problem. Fluid Phase Equilibria, 2023, 565, 113665. | 1.4 | 0 |
| 4858 | Prediction of propagating flames under high-pressure conditions with real-fluid combustion modeling. Proceedings of the Combustion Institute, 2022, , . | 2.4 | 0 |
| 4859 | Universal intelligent models for liquid density of CO2Â+Âhydrocarbon mixtures. Fuel, 2023, 334, 126642. | 3.4 | 9 |
| 4860 | Highly Exposed ï£¿NH<sub>2</sub> Edge on Fragmented g€C<sub>3</sub>N<sub>4</sub> Framework with Integrated Molybdenum Atoms for Catalytic CO<sub>2</sub> Cycloaddition: DFT and Techno€Economic Assessment. Small, 2023, 19, . | 5.2 | 1 |
| 4861 | 50 years of Soave Equation of State (SRK): A source of inspiration for chemical engineers. Fluid Phase Equilibria, 2023, 566, 113678. | 1.4 | 1 |
| 4862 | A METHOD TO DETERMINE THE MASS FLOW TO RECIPROCATING COMPRESSORS. Romanian Journal of Petroleum & Gas Technology, 2022, 3 (74), 5-16. | 0.2 | 0 |
| 4863 | Study on gas-liquid two-phase flow law considering gas dissolution during gas invasion in gas field drilling. E3S Web of Conferences, 2022, 360, 01057. | 0.2 | 1 |
| 4864 | Molecule superstructures for computer-aided molecular and process design. Molecular Systems Design and Engineering, 2023, 8, 488-499. | 1.7 | 3 |
| 4865 | Experimental measurement and thermodynamic modeling of Chlorothiazide solubility in supercritical carbon dioxide. Case Studies in Thermal Engineering, 2023, 41, 102621. | 2.8 | 13 |

| # | ARTICLE | IF | CITATIONS |
|---|---------|-----|-----------|
| 4866 | Geometrothermodynamic description of real gases using the law of corresponding states. Journal of Geometry and Physics, 2023, 185, 104727. | 0.7 | 2 |
| 4867 | The state of the art of cubic equations of state with temperature-dependent binary interaction coefficients: From correlation to prediction. Fluid Phase Equilibria, 2023, 567, 113697. | 1.4 | 5 |
| 4868 | Patel-Teja cubic equation of state â€" A review of modifications and applications till 2022. Fluid Phase Equilibria, 2023, 567, 113707. | 1.4 | 7 |
| 4869 | Research on condensation characteristics of supercritical carbon dioxide in Laval nozzle considering working condition of power cycles. Annals of Nuclear Energy, 2023, 183, 109652. | 0.9 | 7 |
| 4870 | A study on carbon dioxide solubility in the deep eutectic solvent (1 sodium bromideÂ+Â6 ethylene) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 178, 106971. | 1.0 | 1 |
| 4871 | Assessment of Statistical and Kinetics based models for LOx-Methane Green Propellant Combustion. International Journal of Energy for A Clean Environment, 2022, , . | 0.6 | 1 |
| 4872 | The Development and Application of EOS-based VT Phase Behavior Calculation Algorithms in Petroleum Industry. Science Insights, 2022, 41, 697-712. | 0.1 | 0 |
| 4873 | A new model simulating the development of gas condensate reservoirs. Energy Geoscience, 2024, 5, 100149. | 1.3 | 2 |
| 4874 | A generalized alpha function of Peng-Robison equation of state for non-polar, weakly polar and polar compounds. Chinese Journal of Chemical Engineering, 2023, 58, 234-243. | 1.7 | 0 |
| 4875 | Simulation study on multiphase flow considered seawater salinity in wellbore for deep-water bearing hydrate formation drilling. , 2022, , 211369. | | 0 |
| 4876 | Influence of Recycle Operation on the Catalytic Hydrogenation of $CO_2$ to Long-Chain Hydrocarbons. Industrial &amp; Engineering Chemistry Research, 2023, 62, 199-210. | 1.8 | 0 |
| 4877 | Measurements of $P$-$Ï$-$T$ for Propan-1-ol or Propan-2-ol + Oct-1-ene between 303.15â€"353.15 K and 0.1â€"20 MPa. Journal of Chemical &amp; Engineering Data, 2023, 68, 25-39. | 1.0 | 1 |
| 4878 | Thermodynamic modeling of MDEA(aq)-NH3(aq)-K2CO3(aq)-CO2(aq) using the Extended UNIQUAC model. Fuel, 2022, , 126863. | 3.4 | 0 |
| 4879 | Comprehensive Outlook into Critical Roles of Pressure, Volume, and Temperature (PVT) and Phase Behavior on the Exploration and Development of Shale Oil. Energy &amp; Fuels, 2022, 36, 14534-14553. | 2.5 | 11 |
| 4880 | Phase equilibria and thermodynamic properties in the o-dichlorobenzene â€" m-dichlorobenzene system. Korean Journal of Chemical Engineering, 2022, 39, 3412-3421. | 1.2 | 1 |
| 4881 | Modeling Interfacial Tension of Heptane + Alcohol Mixtures Using Cubic Plus Association Equation of State Plus Simplified Gradient Theory. International Journal of Thermophysics, 2023, 44, . | 1.0 | 0 |
| 4882 | Gradient-Harmonizing-Based Deep Learning for Thermophysical Properties of Carbon Dioxide. Journal of Thermophysics and Heat Transfer, 0, , 1-12. | 0.9 | 0 |
| 4883 | Toward Advanced, Predictive Mixing Rules in SAFT Equations of State. Industrial &amp; Engineering Chemistry Research, 2022, 61, 18165-18175. | 1.8 | 3 |

| # | ARTICLE | IF | CITATIONS |
|---|---------|----|-----------| 
| 4884 | Towards a consistent lattice Boltzmann model for two-phase fluids. Journal of Fluid Mechanics, 2022, 953, . | 1.4 | 10 |
| 4886 | Experimental measurement and thermodynamic modeling of solubility of Riluzole drug (neuroprotective agent) in supercritical carbon dioxide. Fluid Phase Equilibria, 2023, 567, 113711. | 1.4 | 17 |
| 4887 | Sedimentation path theory for mass-polydisperse colloidal systems. Journal of Chemical Physics, 2022, 157, 234901. | 1.2 | 3 |
| 4888 | Validation of Soave–Redlich–Kwong equation of state coupled with a classical mixing rule for sound speed of non-ideal gas mixture of oxygen-hydrogen as liquid rocket propellants. Journal of Thermal Science and Technology, 2023, 18, 22-00365-22-00365. | 0.6 | 1 |
| 4889 | Gas–Liquid Flow Behavior in Condensate Gas Wells under Different Development Stages. Energies, 2023, 16, 950. | 1.6 | 1 |
| 4890 | An alternate characterization procedure of crude oils and modeling of asphaltene precipitation using PC-SAFT equation of state: estimation of asphaltene-rich phase maximum. Brazilian Journal of Chemical Engineering, 0, , . | 0.7 | 0 |
| 4891 | Overview of Common Thermophysical Property Modelling Approaches for Cryogenic Fluid Simulations at Supercritical Conditions. Energies, 2023, 16, 885. | 1.6 | 3 |
| 4892 | A study on the Joule-Thomson effect of during filling hydrogen in high pressure tank. Case Studies in Thermal Engineering, 2023, 41, 102678. | 2.8 | 13 |
| 4893 | The Thermodynamic Properties of Non-Associating and Associating Fluids: A Systematic Evaluation of SAFT-Type Equations of State. International Journal of Thermophysics, 2023, 44, . | 1.0 | 0 |
| 4894 | Data-Driven Modeling of General Fluid Density Under Subcritical and Supercritical Conditions. AIAA Journal, 2023, 61, 1519-1531. | 1.5 | 3 |
| 4895 | Cubic Plus GE (CPGE): Cubic equation of state with simple mixing rule plus excess Gibbs energy that satisfies low-density condition. Fluid Phase Equilibria, 2023, 568, 113730. | 1.4 | 0 |
| 4896 | Experimental Measurement and Thermodynamic Modeling of Vapor–Liquid Equilibrium Data of $C_1$/Bitumen, $CO_2$/Bitumen, $C_1$/$CO_2$/Bitumen, $C_1$/Diluent/Bitumen, and $C_1$/$CO_2$/Diluent/Bitumen Systems. Industrial &amp; Engineering Chemistry Research, 2023, 62, 1571-1595. | 1.8 | 4 |
| 4897 | Predictive Modeling of Phase Behavior of Reservoir Fluids under Miscible Gas Injection Using the Peng–Robinson Equation of State and the Aromatic Ring Index. ACS Omega, 2023, 8, 3270-3277. | 1.6 | 1 |
| 4898 | Fugacity-based lattice Boltzmann method for multicomponent multiphase systems. Physical Review E, 2023, 107, . | 0.8 | 3 |
| 4899 | Optimal Energy Flow in Integrated Electricity and Gas Systems With Injection of Alternative Gas. IEEE Transactions on Sustainable Energy, 2023, 14, 1540-1557. | 5.9 | 15 |
| 4900 | Equations of state in multiphase lattice Boltzmann method revisited. Physical Review E, 2023, 107, . | 0.8 | 3 |
| 4901 | Geometric model of real gases described by the Redlich-Kwong-Soave equation of state. Journal of Molecular Liquids, 2023, 372, 121167. | 2.3 | 0 |
| 4902 | Absorption mechanism-based approach for synthesis of refinery desulfurization solvent network. Chemical Engineering Science, 2023, 269, 118465. | 1.9 | 3 |

| # | ARTICLE | IF | CITATIONS |
|---|---------|-----|-----------|
| 4903 | Artificial neural network models for phase equilibrium predictions under engine trans/supercritical spray conditions. Fuel, 2023, 339, 127425. | 3.4 | 5 |
| 4904 | A Numerical Study on OTEC Turbine Adopting Non-equilibrium Two-phase Model. Journal of Power System Engineering, 2022, 26, 57-66. | 0.1 | 0 |
| 4905 | Phase Behaviour. , 2017, , 116-142. | | 0 |
| 4906 | Vapor-Liquid Equilibrium of Ionic Liquids. , 2022, , 1331-1351. | | 0 |
| 4907 | Unconventional Wave Phenomena of a Bethe-Zel'dovich-Thompson Gas and Numerical Computation of Dense Gas Flow. , 2023, , . | | 0 |
| 4908 | Evaluation of Large-Eddy Simulation Coupled with an Homogeneous Equilibrium Model for the Prediction of Coaxial Cryogenic Flames under Subcritical Conditions. Aerospace, 2023, 10, 98. | 1.1 | 1 |
| 4909 | Hybrid Algorithm Predicts Asphaltene Envelope for Entire ADNOC Fluid Portfolio. , 2023, , . | | 0 |
| 4910 | Feasibility Analysis of Hydrogen Storage in Depleted Natural Reservoirs Through a Multi-Phase Reservoir Simulator. , 2023, , . | | 0 |
| 4911 | Thermodynamic Feasibility of the Black Sea $CH_4$ Hydrate Replacement by $CO_2$ Hydrate. Energies, 2023, 16, 1223. | 1.6 | 4 |
| 4913 | Life time evaluation of an annular-type combustion chamber based on coupled thermal-fluid-structure simulation. , 2023, , . | | 0 |
| 4914 | Numerical Prediction of Pressurized Hydrogen Leakage and Spontaneous Ignition. , 2023, , . | | 0 |
| 4915 | Vapor-liquid equilibria calculations for components of natural gas using Huron-Vidal mixing rules. Brazilian Journal of Chemical Engineering, 0, , . | 0.7 | 0 |
| 4916 | Molecular Simulation of Hydrogen-Shale Gas System Phase Behavior under Multiscale Conditions: A Molecular-Level Analysis of Hydrogen Storage in Shale Gas Reservoirs. Energy &amp; Fuels, 2023, 37, 2449-2456. | 2.5 | 8 |
| 4917 | Coal rank-pressure coupling control mechanism on gas adsorption/desorption in coalbed methane reservoirs. Energy, 2023, 270, 126849. | 4.5 | 17 |
| 4918 | Calculating densities and viscosities of natural gas with a high content of C2+ to predict two-phase liquid-gas flow pattern. Petroleum, 2023, 9, 579-591. | 1.3 | 0 |
| 4919 | Closed-Pore Formation in Oxygen Electrodes for Solid Oxide Electrolysis Cells Investigated by Impedance Spectroscopy. ACS Applied Materials &amp; Interfaces, 2023, 15, 8076-8092. | 4.0 | 1 |
| 4920 | The 'Lewis line': A proposed new ideal curve of fluids. Fluid Phase Equilibria, 2023, 568, 113755. | 1.4 | 2 |
| 4921 | Group contribution-based property modeling for chemical product design: A perspective in the AI era. Fluid Phase Equilibria, 2023, 568, 113734. | 1.4 | 11 |

| # | Article | IF | Citations |
|---|---------|-----|-----------|
| 4922 | Equation-of-state-dependent surface free-energy density for wettability in lattice Boltzmann method. Physical Review E, 2023, 107, . | 0.8 | 2 |
| 4923 | Solubility of palbociclib in supercritical carbon dioxide from experimental measurement and Peng–Robinson equation of state. Scientific Reports, 2023, 13, . | 1.6 | 14 |
| 4924 | Low-Pressure Phase Equilibrium Data for Binary Systems of 1-Alcohols ($C_n$OH) and $n$-Alkanes ($C_{n+2}$). Journal of Chemical & Engineering Data, 2023, 68, 2898-2912. | 1.0 | 2 |
| 4925 | Development of a New Group Contribution Equation of State for associating compounds. Fluid Phase Equilibria, 2023, 571, 113824. | 1.4 | 0 |
| 4926 | Design of a carbon capture system for oxy-fuel combustion in compression ignition engines with exhaust water recirculation. Energy Conversion and Management, 2023, 284, 116979. | 4.4 | 0 |
| 4927 | Sustainable freshwater recovery from radioactive wastewater by gas hydrate formation. Chemical Engineering Journal, 2023, 461, 141830. | 6.6 | 2 |
| 4928 | Design of injected water salinity for enhanced oil recovery applications in sandstone reservoirs using coupled flow-geochemical simulation. , 2023, 224, 211614. | | 0 |
| 4929 | Pressure- and temperature-dependent klinkenberg slippage effect in porous media to non-ideal gases. , 2023, 224, 211629. | | 2 |
| 4930 | Thermodynamic evaluation of the effects of hydrogen blending on the Joule-Thomson characteristics of hydrogen-blended natural gas. Journal of Cleaner Production, 2023, 406, 137074. | 4.6 | 1 |
| 4931 | Impact of impurities on liquid methane properties under typical rocket operation conditions. International Journal of Thermofluids, 2023, 18, 100343. | 4.0 | 3 |
| 4932 | Thermo-economic performance limit analysis of combined heat and power systems for optimal working fluid selections. Energy, 2023, 272, 127041. | 4.5 | 6 |
| 4933 | Kinetics of simultaneous hydrodesulfurization and hydrodenitrogenation reactions using $CoMoP/Al_2O_3$ and $NiMoP/Al_2O_3$. Chemical Engineering Science, 2023, 275, 118725. | 1.9 | 4 |
| 4934 | Simulation of mercury distribution in an offshore natural gas processing platform. Fuel, 2023, 345, 128164. | 3.4 | 1 |
| 4935 | Use of canonical variables to solve state function based flash problems. Fluid Phase Equilibria, 2023, 571, 113795. | 1.4 | 1 |
| 4936 | Comparisons of equation of state models for electrolytes: e-CPA and e-PPC-SAFT. Fluid Phase Equilibria, 2023, 571, 113804. | 1.4 | 4 |
| 4937 | On the Relationship Between the Roots of Cubic Equations of State and New Perspectives of the Vapor–Liquid Equilibrium Calculation. International Journal of Thermophysics, 2023, 44, . | 1.0 | 1 |
| 4938 | Thermodynamic model for CO2 absorption in imidazolium-based ionic liquids using cubic plus association equation of state. Journal of Molecular Liquids, 2023, 378, 121587. | 2.3 | 1 |
| 4939 | Measurements and modeling of dimethyl ether (DME) solubility in n-decane and DME-saturated liquid density at $T = (293.15–393.15)$ K and $P = (0.345–2.76)$ MPa. Fluid Phase Equilibria, 2023, 570, 113797. | 1.4 | 2 |

| # | Article | IF | Citations |
|---|---------|-----|-----------|
| 4940 | Vapor-liquid equilibrium phase behavior of binary systems of carbon dioxide with dimethyl adipate or monomethyl adipate. Journal of Supercritical Fluids, 2023, 194, 105856. | 1.6 | 3 |
| 4941 | Study of fuel spray characteristics using a high-pressure common rail diesel injection system by the method of Schlieren. International Journal of Engine Research, 2023, 24, 3445-3459. | 1.4 | 3 |
| 4942 | Experimental and kinetic study of high pressure pyrolysis of n-dodecane. Journal of Analytical and Applied Pyrolysis, 2023, 170, 105908. | 2.6 | 2 |
| 4943 | Density and viscosity measurements at phase transition in supercritical carbon dioxide +Â1-dodecanol +Â2-dodecanol mixtures. Journal of Supercritical Fluids, 2023, 195, 105864. | 1.6 | 1 |
| 4944 | Prediction method for methane solubility in high-temperature and high-pressure aqueous solutions in ultra-deep drilling. , 2023, 223, 211522. | | 1 |
| 4945 | Phase Behavior and Reversibility Mechanisms of Asphaltene Precipitation for High-Pressure High-Temperature $CO_2$â€"Oil Systems. Industrial &amp; Engineering Chemistry Research, 2023, 62, 3747-3766. | 1.8 | 1 |
| 4946 | Selective catalytic deoxygenation of palm oil to produce green diesel over Ni catalysts supported on ZrO2 and CeO2â€"ZrO2: Experimental and process simulation modelling studies. Renewable Energy, 2023, 206, 582-596. | 4.3 | 9 |
| 4947 | Black Sea gas hydrates: safe long terms storage of $CO_2$ with environmentally friendly energy production. Sustainable Energy and Fuels, 2023, 7, 1466-1493. | 2.5 | 5 |
| 4948 | Current Practices and Continuing Needs in Thermophysical Properties for the Chemical Industry. Industrial &amp; Engineering Chemistry Research, 2023, 62, 3394-3427. | 1.8 | 4 |
| 4949 | Assessment of Large Eddy Simulation for the prediction of recessed inner tube coaxial flames. CEAS Space Journal, 2024, 16, 31-58. | 1.1 | 2 |
| 4950 | Chemical Reaction Equilibrium Theory - A Novel Approach to Estimate Shale Reservoir Fluid Compositions. , 2023, , . | | 0 |
| 4951 | Parameterization and uncertainty analysis of binary interaction parameters for triethylene glycol and ethane/propane. Fluid Phase Equilibria, 2023, 570, 113796. | 1.4 | 0 |
| 4952 | $FeO_s$: An Open-Source Framework for Equations of State and Classical Density Functional Theory. Industrial &amp; Engineering Chemistry Research, 2023, 62, 5347-5357. | 1.8 | 13 |
| 4953 | A Review-Dissolution and Mineralization Storage of CO2 Geological Storage in Saline Aquifers. , 2023, , . | | 0 |
| 4954 | A Helmholtz Free Energy Equation of State of CO2-CH4-N2 Fluid Mixtures (ZMS EOS) and Its Applications. Applied Sciences (Switzerland), 2023, 13, 3659. | 1.3 | 1 |
| 4955 | Improved prediction of the thermodynamic properties of JP-10 using an extended Redlich-Kwong-Peng-Robinson equation of state. Journal of Industrial and Engineering Chemistry, 2023, 123, 88-103. | 2.9 | 3 |
| 4956 | Direct van der Waals simulation (DVS) of phase-transforming fluids. Science Advances, 2023, 9, . | 4.7 | 4 |
| 4957 | Phase behavior of single and multi-component liquid hydrocarbons in real reservoir rocks. Scientific Reports, 2023, 13, . | 1.6 | 1 |

| # | ARTICLE | IF | CITATIONS |
|---|---------|-----|-----------|
| 4958 | A Global-Convergent Newton Optimization Algorithm for the Phase Behavior Calculations with Capillary Pressure Effect for Tight Reservoir Fluids. , 2023, , . | | 0 |
| 4959 | Virtual Multiphase Flowmeter Using Deep Convolutional Neural Networks. SPE Journal, 2023, 28, 2448-2461. | 1.7 | 1 |
| 4960 | Aqueous Solid Formation Kinetics in High-Pressure Methane at Trace Water Concentrations. Langmuir, 2023, 39, 4631-4641. | 1.6 | 0 |
| 4961 | Derivation and validation of a reference data-based real gas model for hydrogen. International Journal of Hydrogen Energy, 2023, 48, 23645-23654. | 3.8 | 2 |
| 4962 | Conversion of the CO and CO2 mixture to alcohols and hydrocarbons by hydrogenation under the influence of the water-gas shift reaction, a thermodynamic consideration. Journal of Fuel Chemistry and Technology, 2023, 51, 482-491. | 0.9 | 5 |
| 4963 | Effects of Injector Included Angle on Low-Load Low Temperature Gasoline Combustion Using LES. , 0, , . | | 1 |
| 4964 | Thermodynamic modeling of methane hydrate equilibrium conditions in the presence of imidazolium based ionic liquids with the van der Waals-Platteeuw solid solution approach along with SRK and CPA EoS. Fluid Phase Equilibria, 2023, 571, 113822. | 1.4 | 3 |
| 4965 | Phase behavior of carbon dioxide +Â2,4-dimethylpentane binary system at high pressures. Journal of Supercritical Fluids, 2023, 199, 105941. | 1.6 | 0 |
| 4966 | Development and Application of a Simulator for Simulating the Behaviors of a Geological System When Replacing CH4 from Hydrate-Bearing Reservoirs by CO2. Energies, 2023, 16, 3342. | 1.6 | 0 |
| 4967 | Implementation of solvation free energy framework to predict the vapor-liquid equilibrium behaviors for the waterâ€"hydrazine and ethanolâ€"water azeotropic systems. Chemical Engineering Science, 2023, 275, 118751. | 1.9 | 1 |
| 4968 | Evaluation of Compositional Models and PVT correlations for Iraqi Light Crude Oils Properties. Energy Science and Engineering, 0, , . | 1.9 | 0 |
| 4969 | Auto-tuning PVT data using multi-objective optimization: Application of NSGA-II algorithm. Petroleum, 2023, , . | 1.3 | 0 |
| 4992 | Practical Aspects and Implications of Long-Term CO2 Sequestration in Saline Aquifers Using Vertical Wells. , 2023, , . | | 1 |
| 4993 | A Comprehensive Approach to Organic Precipitation Damage by CPA EoS from Monte Carlo, and Machine Learning Methods. , 2023, , . | | 1 |
| 5024 | Industrial Scale Applications: Physical-Based Processes. , 2023, , 49-150. | | 0 |
| 5047 | Enhanced Automatic Initialization Method for Solving Large Nonlinear Algebraic Systems. Computer Aided Chemical Engineering, 2023, , 119-124. | 0.3 | 0 |
| 5085 | Use of Critical Point in Equation of State Modeling for Reservoir Fluids. , 2023, , . | | 0 |
| 5086 | Developing a Fluid Model. Petroleum Engineering, 2023, , 85-152. | 0.6 | 0 |

| # | Article | IF | Citations |
|---|---------|-----|-----------|
| 5088 | Thermodynamics of Petroleum Mixtures. Petroleum Engineering, 2023, , 31-83. | 0.6 | 0 |
| 5092 | Modelling of Partially Miscible, Multiphase Hydrocarbon Mixtures Using a Fugacity-Based Lattice Boltzmann Method. , 2023, , . | | 0 |
| 5167 | CFD Explosion Modeling, Initial Conditions for a Constant Volume Approach. , 2024, , . | | 0 |
| 5168 | Predictive data-driven models of thermophysical properties using Gaussian process regression. , 2024, , . | | 0 |
| 5169 | Reservoir Simulation. , 2007, , 1399-1478. | | 0 |
| 5170 | Miscible Processes. , 2007, , 1261-1308. | | 0 |
| 5174 | Large Eddy Simulations (LES) of Supercritical Nitrogen Jets. Lecture Notes in Mechanical Engineering, 2024, , 55-66. | 0.3 | 0 |
| 5177 | Challenges of Modeling and Simulation for Methanol Production. , 2024, , . | | 0 |
| 5183 | Equations of state for pure fluids. , 2024, , 247-286. | | 0 |
| 5187 | Substitution of Solvents by Safer Products. , 2024, , 1545-1655. | | 0 |
| 5188 | SOLVENTS AND SOLUTES: INTERACTION, DISSOLUTION, POWER. , 2024, , 183-412. | | 0 |
| 5190 | An Optimized Equation of State Thermodynamic Model for Hydrocarbon Volumetric Calculations Based on Wide-Range Experimental Data. , 2024, , . | | 0 |
| 5194 | CO2 Solubility in Brine Aquifers â€" Volumetric Considerations. , 2024, , . | | 0 |
| 5196 | Thermal Analysis of Evacuated Tube Receiver for Solar Power Tower by Transient Simulation. Lecture Notes in Mechanical Engineering, 2024, , 147-160. | 0.3 | 0 |
| 5212 | A Study of DME-Steam Co-Injection Using a Large-Scale Physical Model. , 2024, , . | | 0 |