

# CITATION REPORT

List of articles citing

## Converging flow of polymer melts in extrusion dies

DOI: 10.1002/pen.760120111

Polymer Engineering and Science, 1972, 12, 64-73.

**Source:** <https://exaly.com/paper-pdf/11118815/citation-report.pdf>

**Version:** 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
527	The prediction of angle of convergence for the flow of viscoelastic liquids into orifices. <b>1973</b> , 6, 265-271		5
526	Design of extruder dies using thermoplastics melt properties data. <i>Polymer Engineering and Science</i> , <b>1974</b> , 14, 298-307	2.3	6
525	Die Variator Mandrel Forces Encountered in Blow Moulding Parison Control Systems Computer-Aided Design. <b>1974</b> , 188, 357-364		8
524	Flow of Stokesian fluids through conical ducts. <b>1975</b> , 9, 141-151		4
523	Anomalous melt elasticity of isotactic ethylene-propylene block copolymers. <b>1975</b> , 16, 936-937		7
522	General principles and methods of investigating the rheology in the uniaxial extension of polymeric systems. <b>1975</b> , 7, 20-30		
521	Mathematical modelling and the systems approach in plastics processing: The blown film process. <i>Polymer Engineering and Science</i> , <b>1975</b> , 15, 708-724	2.3	8
520	Flow of a viscous Newtonian medium in the cavity of a hyperbolic cylinder and a single-cavity hyperboloid of revolution. <b>1975</b> , 29, 1281-1286		1
519	Converging Flow of Polymers. <b>1976</b> , 6, 101-131		19
518	Elongational Flow Behavior of Polymeric Fluids. <b>1976</b> , 14, 107-153		20
517	The rheology of polymer systems in uniaxial extension [A review of the theoretical principles and experimental results. <b>1976</b> , 7, 114-123		
516	Polymer Flow Instability: A Review and Analysis. <b>1976</b> , 16, 39-77		23
515	Flow patterns in polyethylene and polystyrene melts during extrusion through a die entry region: measurement and interpretation. <b>1977</b> , 3, 41-64		98
514	Stretching flow instabilities at the exits of extrusion dies. <b>1977</b> , 2, 37-47		157
513	Correlation of low density polyethylene rheological measurements, with optical and processing properties. <i>Polymer Engineering and Science</i> , <b>1977</b> , 17, 769-774	2.3	8
512	Solid-state deformation of polyethylene and nylon and its effects on their structure and morphology. <b>1977</b> , 12, 2355-2388		47
511	Barus effect in polymer flows through cylindrical and flat dies. <b>1977</b> , 12, 439-444		3

510	Determination of rheological parameters from parison extrusion experiments. <i>Polymer Engineering and Science</i> , <b>1978</b> , 18, 742-749	2.3	20
509	Converging flow and stretching flow: A compilation. <b>1978</b> , 4, 23-38		117
508	The kinematics and stability of die entry flows. <b>1979</b> , 5, 353-368		104
507	Entrance effect in capillary flow of dilute and semi-dilute polymer solutions. <b>1979</b> , 5, 463-474		39
506	Orthogonal stagnation flow, a framework for steady extensional flow experiments. <b>1979</b> , 18, 323-334		58
505	Experimental and theoretical investigation of extrudate swell of polymer melts from small (length)/(cross-section) ratio slit and capillary dies. <i>Polymer Engineering and Science</i> , <b>1980</b> , 20, 182-189	2.3	27
504	Flow-induced crystallization of polymer melts in convergent flow regimes and imposed temperature gradient to form ultra-oriented fiber structures. <i>Polymer Engineering and Science</i> , <b>1980</b> , 20, 324-329	2.3	4
503	Elongational viscosity at a constant elongational strain rate of polypropylene melt. <b>1980</b> , 21, 164-170		55
502	Significance of deformation rate softening of memory in viscoelastic fluid mechanics and polymer processing. <i>Polymer Engineering and Science</i> , <b>1981</b> , 21, 1113-1121	2.3	11
501	Surface irregularities of calendered polypropylene. <b>1981</b> , 22, 250-254		6
500	Extensional flow of HDPE/LDPE blends. <b>1982</b> , 21, 452-455		15
499	A study of parison development in extrusion blow molding. <b>1982</b> , 10, 235-256		15
498	Crystalline state extrusion of high -density polyethylene as a function of die entrance angle. <b>1982</b> , 17, 1700-1712		4
497	A comprehensive experimental study of the rheological behaviour of HDPE. <b>1983</b> , 22, 299-307		15
496	Orientation development in thermotropic liquid crystal polymers. <i>Polymer Engineering and Science</i> , <b>1983</b> , 23, 261-265	2.3	129
495	Investigation of the flow process of spinning solutions through spinneret channels by a rheo-optical method. <b>1983</b> , 14, 284-287		
494	Experiments on elongational flow of dilute polymer solutions Part I: Jet reaction and excess pressure drop for the flow through small apertures. <b>1984</b> , 15, 257-277		20
493	Thickening behaviour of dilute polymer solutions in non-inertial elongational flows. <b>1984</b> , 16, 315-327		49

492	Correlation of the rheological parameters of a polycapromide-polyethylene melt with jet expansion during spinning. <b>1984</b> , 16, 6-8		
491	Rheological and processing characteristics of polystyrene in the vicinity of TII transition. <i>Polymer Engineering and Science</i> , <b>1985</b> , 25, 188-191	2.3	2
490	Shear and extensional flow of reinforced plastics in injection molding. I. Effects of temperature and shear rate with bulk molding compound. <i>Polymer Engineering and Science</i> , <b>1985</b> , 25, 968-979	2.3	29
489	Shear and extensional flow of reinforced plastics in injection molding. II. Effects of die angle and bore diameter on entry pressure with bulk molding compound. <i>Polymer Engineering and Science</i> , <b>1985</b> , 25, 980-985	2.3	27
488	Flow patterns in carbon black filled polyethylene at the entrance to a die. <b>1985</b> , 17, 275-287		39
487	Influence of long chain branching in melt rheology and processing of low density polyethylene. <b>1985</b> , 12, 1-28		20
486	Polymer Melt Rheological Property Measurement in a Novel Composite-Geometry Flow Rheometer. <b>1986</b> , 200, 325-334		2
485	Recent advances in the continuum mechanics of viscoelastic liquids. <b>1986</b> , 24, 161-261		21
484	The importance of extensional flow properties on planar entry flow patterns of polymer melts. <b>1986</b> , 20, 93-101		49
483	The convergent flow of polymeric liquids. <b>1986</b> , 15, 153-158		1
482	Melt rheology of high density polyethylene/polyamide-6 blends. <i>Polymer Engineering and Science</i> , <b>1986</b> , 26, 34-44	2.3	94
481	Pressure drop of polymeric melts in conical converging flow: Experiments and predictions. <i>Polymer Engineering and Science</i> , <b>1986</b> , 26, 214-224	2.3	46
480	FLOW BEHAVIOR OF A THERMOTROPIC LIQUID CRYSTAL AROMATIC COPOLYESTER. <b>1987</b> , 53, 149-173		54
479	Linear low density polyethylenes and their blends: Part 1. Molecular characterization. <i>Polymer Engineering and Science</i> , <b>1987</b> , 27, 359-366	2.3	42
478	Linear low density polyethylenes and their blends: Part 2. Shear flow of LLDPE's. <i>Polymer Engineering and Science</i> , <b>1987</b> , 27, 367-379	2.3	54
477	Nonisothermal flow of a generalized power-law fluid in converging sections for rubber extrusion. <i>Polymer Engineering and Science</i> , <b>1987</b> , 27, 1371-1379	2.3	1
476	Linear low density polyethylenes and their blends: Part 5 extensional flow of LLDPE blends. <i>Polymer Engineering and Science</i> , <b>1987</b> , 27, 1523-1529	2.3	44
475	Review of the entry flow problem: Experimental and numerical. <b>1987</b> , 24, 121-160		157

474	Zum Einfluß von Füllstoffen auf das rheologische Verhalten von hochmolekularen Polyethylenschmelzen. <b>1988</b> , 27, 162-171		1
473	An approximate analysis for contraction and converging flows. <b>1988</b> , 27, 173-189		256
472	Low Reynolds number flow visualization of linear and branched silicones upstream of orifice dies. <b>1988</b> , 30, 197-232		44
471	On the use of flow through a contraction in estimating the extensional viscosity of mobile polymer solutions. <b>1988</b> , 30, 233-250		108
470	Flow visualization and birefringence studies on planar entry flow behavior of polymer melts. <b>1988</b> , 29, 245-267		49
469	A Rheological Model for the die Entry Flow of Reinforced Polymers. <b>1988</b> , 1, 136-145		2
468	Rheological Properties of Isotactic and Atactic Propylene-Ethylene Copolymers. <b>1988</b> , 20, 327-345		1
467	Controlled Degradation of Polypropylene: A Comprehensive Experimental and Theoretical Investigation. <b>1989</b> , 28, 319-350		49
466	References. <b>1989</b> , 3, 171-180		
465	Estimation of the elongational viscosity of polyethylene blends at high deformation rates. <b>1989</b> , 33, 137-164		24
464	Effect of molecular weight distribution on the rheological and mechanical properties of polypropylene. <i>Polymer Engineering and Science</i> , <b>1989</b> , 29, 390-396	2.3	72
463	Die entry flow of reinforced polymers. <b>1989</b> , 20, 57-64		51
462	Analogy between the modelling of pullout in solution spinning and the prediction of the vortex size in contraction flows. <b>1990</b> , 38, 43-80		18
461	Circular entry flows of fluid M1. <b>1990</b> , 35, 339-360		34
460	Assessing the convergent flow analysis as a technique for characterizing the extensional flow of polymer melts. <b>1990</b> , 9, 181-194		7
459	Implications of the Melt Elasticity of Ldpe in the Film Blowing Process. <b>1990</b> , 6, 131-152		2
458	Rheology and fibre orientation in the injection moulding of long fibre reinforced nylon 66 composites. <b>1990</b> , 1, 15-25		18
457	Further considerations of axisymmetric contraction flows. <b>1991</b> , 41, 27-42		68

456	STRUCTURE AND RHEOLOGICAL FUNCTION OF SIDE BRANCHES OF CARBOHYDRATE POLYMERS. <b>1991</b> , 22, 123-167		50
455	Numerical simulation of contraction flows using a multi-mode Giesekus model. <b>1991</b> , 38, 183-221		33
454	An assessment of cogswell's method for measurement of extensional viscosity. <i>Polymer Engineering and Science</i> , <b>1991</b> , 31, 1015-1021	2.3	31
453	Adhesive Bonding. <b>1991</b> ,		67
452	Designing Extrusion Dies for Thermoplastics. <b>1991</b> , 23, 218-238		8
451	Application of lattice-gas automata to converging flow and non-Newtonian fluids. <b>1992</b> , 45, 7632-7635		1
450	The effect of die aspect ratio on the rheological properties of a thermotropic copolyester. <i>Journal of Rheology</i> , <b>1992</b> , 36, 1057-1078	4.1	13
449	Heat Transfer in the Non-Newtonian Axisymmetric Flow in the Neighborhood of a Sudden Contraction. <b>1992</b> , 114, 582-588		7
448	Shear and elongational viscosities of a thermotropic liquid crystalline polymer and its blend with polycarbonate. <i>Polymer Engineering and Science</i> , <b>1992</b> , 32, 14-19	2.3	16
447	Elongation viscosity estimates of linear low-density polyethylene/ low-density polyethylene blends. <i>Polymer Engineering and Science</i> , <b>1992</b> , 32, 65-72	2.3	7
446	The melt rheology of poly-ε-caprolactam/polypropylene alloy: A VAMAS round-robin study. <i>Polymer Engineering and Science</i> , <b>1992</b> , 32, 1727-1733	2.3	5
445	Extrudate swell of high density polyethylene. Part III: Extrusion blow molding die geometry effects. <i>Polymer Engineering and Science</i> , <b>1992</b> , 32, 1755-1764	2.3	24
444	Visualization of the flow of linear low density polyethylene/low density polyethylene blends through sudden contractions. <b>1992</b> , 43, 1-29		20
443	Creeping flow regimes of low concentration polymer solutions in thick solvents through an orifice die. <b>1992</b> , 45, 231-285		24
442	Pressure drop scaling laws and structural stress contributions for complex flows of flexible polymer solutions in thick solvents. <b>1992</b> , 44, 55-83		6
441	Effect of extrusion processing history on the rheology of corn meal. <b>1993</b> , 18, 335-349		24
440	Planar extensional viscosity of corn meal dough. <b>1993</b> , 18, 389-411		20
439	Transient isothermal elongational flow of thermotropic liquid crystalline polymers. <b>1993</b> , 34, 204-206		5

438	SLIT RHEOMETER STUDIES OF WHEAT FLOUR DOUGH1. <b>1993</b> , 24, 391-409		12
437	The effect of reprocessing on the properties of PVC. <b>1993</b> , 15, 124-131		2
436	REMARKS ON TWO AVAILABLE EXTENSIONAL VISCOSITY MEASUREMENT TECHNIQUES. <b>1993</b> , 880-887		
435	Rheology of polymer blends. <b>1993</b> , 75-102		5
434	Numerical evaluation of a method for determining extensional viscosity of fluids using contraction flow analysis. <b>1993</b> , 68, 25-39		3
433	Rheology and morphology of starch/synthetic polymer blends. <b>1994</b> , 33, 553-567		19
432	In-line measurement of rheological properties of polymer melts. <b>1994</b> , 33, 71-77		32
431	Mechanism of shear modification of low density polyethylene. <i>Polymer Engineering and Science</i> , <b>1994</b> , 34, 570-579	2.3	25
430	Entrance pressure drop studies of corn meal dough during extrusion cooking. <i>Polymer Engineering and Science</i> , <b>1994</b> , 34, 1187-1195	2.3	6
429	Shear and elongational behavior of linear low-density and low-density polyethylene blends from capillary rheometry. <i>Polymer Engineering and Science</i> , <b>1994</b> , 34, 1455-1463	2.3	20
428	Visualization of the flow of low density polyethylene/polystyrene blends through a planar step contraction. <b>1994</b> , 52, 323-331		8
427	A phenomenological viscosity model for polymeric fluid. <b>1994</b> , 53, 151-163		23
426	EVALUATION OF THE HOLE PRESSURE METHOD TO MEASURE THE FIRST NORMAL STRESS DIFFERENCE OF CORN MEAL DOUGH DURING EXTRUSION COOKING. <b>1994</b> , 25, 241-265		6
425	Uniaxial Extensional Viscosity During Extrusion Cooking from Entrance Pressure Drop Method. <b>1994</b> , 59, 221-226		10
424	Effect of ingredients on the rheological properties of extruded corn meal. <i>Journal of Rheology</i> , <b>1994</b> , 38, 1029-1044	4.1	19
423	A study of the flow properties of glass fibre reinforced PBT in extrusion. <b>1995</b> , 48, 707-712		5
422	Effect of extensional viscosity and wall quenching on modeling of mold fillings. <i>Polymer Engineering and Science</i> , <b>1995</b> , 35, 1440-1454	2.3	2
421	Air-blast atomization of non-Newtonian liquids. <b>1995</b> , 58, 161-194		104

420	Effect of die geometry and flow characteristics on viscoelastic annular swell. <b>1995</b> , 60, 107-128		39
419	Measurement of extensional viscosity of viscoelastic liquid foods. <b>1995</b> , 25, 311-327		39
418	Some recent advances in food rheology. <b>1995</b> , 277-308		1
417	Use of coupled birefringence and LDV studies of flow through a planar contraction to test constitutive equations for concentrated polymer solutions. <i>Journal of Rheology</i> , <b>1995</b> , 39, 1201-1228	4.1	74
416	Experimental validation of non linear network models. <b>1996</b> , 141-198		4
415	Comparison between experimental data and numerical models. <b>1996</b> , 5, 285-336		3
414	Analysis of extrusion of some wet powder masses used in extrusion/spheronisation. <b>1996</b> , 131, 201-207		22
413	Modelling polymer melt flows in wirecoating processes. <b>1996</b> , 64, 191-206		20
412	Numerical simulation of entry flows of corn meal. <b>1996</b> , 28, 323-339		
411	Experimental and numerical study of entry flow of low-density polyethylene melts. <b>1996</b> , 35, 494-507		18
410	Shear and extensional flow of a thermotropic liquid crystalline polymer. <i>Polymer Engineering and Science</i> , <b>1996</b> , 36, 23-33	2.3	4
409	Swell and distortions of high-density polyethylene extruded through capillary dies. <i>Polymer Engineering and Science</i> , <b>1996</b> , 36, 410-424	2.3	21
408	Rheological properties of phenolphthalein poly(ether ether ketone). <i>Polymer Engineering and Science</i> , <b>1996</b> , 36, 2809-2814	2.3	
407	Capillary Flow Properties of Phenolphthalein Poly(ether ether ketone) (PEK-C). <b>1997</b> , 29, 7-11		1
406	Extensional viscosity from entrance pressure drop measurements. <b>1997</b> , 36, 144-151		59
405	Isothermal elongational behavior of liquid-crystalline polymers and LCPs based blends. <b>1997</b> , 36, 152-159		5
404	RHEOLOGICAL PROPERTIES OF POLYMER MELTS. <b>1997</b> , 457-498		8
403	Flow analysis of natural rubber in a capillary rheometer. 2: Flow patterns and entrance velocity profiles in the die. <i>Polymer Engineering and Science</i> , <b>1997</b> , 37, 281-290	2.3	21



402	Numerical analysis of injection molding of glass fiber reinforced thermoplastics. Part 1: Injection pressures and flow. <i>Polymer Engineering and Science</i> , <b>1997</b> , 37, 590-602	2.3	6
401	Study of kinematics and dynamics of film blowing of different polyethylenes. <i>Polymer Engineering and Science</i> , <b>1997</b> , 37, 1148-1163	2.3	24
400	Rheological characterization of polyethylene terephthalate resins using a multimode Phan-Tien-Tanner constitutive relation. <b>1997</b> , 36, 568-578		23
399	Effect of die angle on flow behaviour for high impact polystyrene melt. <b>1997</b> , 16, 403-412		11
398	THE EFFECTS OF pH AND TIME ON RHEOLOGICAL CHANGES DURING EARLY CHEESE MATURATION. <b>1998</b> , 29, 633-644		11
397	Strain-Induced Orientation States and Nucleation of Line Disclinations in a Thermotropic Liquid Crystalline Polymer Melt. <b>1998</b> , 21, 157-160		1
396	The relevance of entry flow measurements for the estimation of extensional viscosity of polymer melts. <b>1998</b> , 37, 430-437		35
395	Extrusion of PE/PS blends with supercritical carbon dioxide. <i>Polymer Engineering and Science</i> , <b>1998</b> , 38, 1112-1120	2.3	98
394	Three dimensional numerical simulations of viscoelastic flows through planar contractions. <b>1998</b> , 74, 195-245		121
393	The pressure dependence of the shear and elongational properties of polymer melts. <b>1998</b> , 79, 137-155		82
392	Converging dies. <b>1998</b> , 455-491		2
391	Elongational rheometers. <b>1998</b> , 516-549		3
390	Flow visualization in rheometry. <b>1998</b> , 595-634		2
389	Rheometry for process control. <b>1998</b> , 666-722		2
388	References. <b>1998</b> , 7, 209-228		
387	Instabilities in viscoelastic flow through an axisymmetric sudden contraction. <b>1999</b> , 85, 35-62		19
386	Comparison of entry flow techniques for measuring elongation flow properties. <b>1999</b> , 85, 213-227		24
385	Morphological evolution of immiscible polymer blends in simple shear and elongational flows. <b>1999</b> , 86, 37-59		41

384	Extensional flow of a polystyrene Boger fluid through a 4 : 1 : 4 axisymmetric contraction/expansion. <b>1999</b> , 86, 61-88	109
383	The rheology of multigrade oils at elevated pressures. <b>1999</b> , 87, 155-164	22
382	CONVERGENCE ANGLE OF WHEAT DOUGH IN A ZERO LENGTH DIE. <b>1999</b> , 22, 331-335	2
381	The dependence of shear and elongational viscosity on the molecular weight of poly(vinylidene fluoride). <b>1999</b> , 71, 2381-2384	11
380	Viscoelastic finite volume method. <b>1999</b> , 331-359	2
379	Flow in Capillaries, Slits and Dies. <b>1999</b> , 298-344	
378	Long-Chain-Branching Index for Essentially Linear Polyethylenes. <b>1999</b> , 32, 8454-8464	115
377	Preparation and Characterization of a Branched Bacterial Polyester. <b>1999</b> , 32, 5229-5235	37
376	Extensional Viscosity Modelling for Injection Molding Simulation. <b>1999</b> , 18, 499-507	1
375	Rheometry. <b>2000</b> ,	
374	In process measurement of apparent extensional viscosity of low density polyethylene melts using flow visualisation. <b>2000</b> , 29, 14-22	8
373	A study of relationships between state-of-mix, rheological properties, dynamic properties, and bound rubber content. <b>2000</b> , 76, 1542-1548	9
372	Elastic behavior of LDPE/HEPE blend melts in capillary extrusion. <b>2000</b> , 78, 759-765	14
371	Rheological behavior of (short) carbon fiber/thermoplastic composites. Part I: The influence of fiber type, processing conditions and level of incorporation. <b>2000</b> , 21, 960-969	62
370	Rheological behavior of (short) carbon fiber/thermoplastic composites. Part II: The influence of matrix type. <b>2000</b> , 21, 970-977	27
369	Effect of elongational viscosity on axisymmetric entrance flow of polymers. <i>Polymer Engineering and Science</i> , <b>2000</b> , 40, 23-35	2,3 11
368	Characterization of the extensional properties of complex fluids using an orifice flowmeter. <b>2000</b> , 94, 1-13	21
367	Contraction and expansion flows of Langmuir monolayers. <b>2000</b> , 89, 187-207	21

366	Non-isothermal viscoelastic flow through an axisymmetric sudden contraction. <b>2000</b> , 89, 133-164		11
365	Flow visualisation of polymer melts in abrupt contraction extrusion dies: quantification of melt recirculation and flow patterns. <b>2000</b> , 91, 109-122		22
364	Measurement of apparent extensional viscosities of polyolefin melts from process contraction flows. <b>2000</b> , 92, 203-226		10
363	Rheological Properties of Dough During Mechanical Dough Development. <b>2000</b> , 32, 293-306		55
362	Numerical simulation of extrusion of S-PVC formulations in a capillary rheometer. <b>2000</b> , 39, 80-96		6
361	Modification of Rheological Properties of LDPE for Coating Applications. <b>2000</b> , 39, 4928-4932		3
360	Study of Shear and Extensional Viscosities of Biodegradable PBS/CO <sub>2</sub> Solutions. <b>2001</b> , 37, 109-148		33
359	Polyaramide hollow fibers for H <sub>2</sub> /CH <sub>4</sub> separation: II. Spinning and properties. <b>2001</b> , 186, 71-84		48
358	Computer aided rheological design of extrusion dies for profiles. <b>2001</b> , 114, 75-86		37
357	Converging flow analysis, entrance pressure drops, and vortex sizes: Measurements and calculated values. <i>Polymer Engineering and Science</i> , <b>2001</b> , 41, 2095-2107	2.3	10
356	In-line versus off-line rheological measurements on S-PVC formulations relevant for flow in extrusion dies. <i>Polymer Engineering and Science</i> , <b>2001</b> , 41, 2231-2248	2.3	7
355	Rheological Properties of Amine Oxide-based Lyocell Solutions: The Influence of Solution Variables. <b>2001</b> , 92, 10-25		1
354	Flow Fields of Polymer Melt Flowing through Wedge Converging Channel. <b>2001</b> , 20, 356-364		7
353	Simulation of Planar Entrance Flow Using Strain-Rate-Dependent Shear and Elongational Viscosities. <b>2001</b> , 20, 341-355		3
352	Viscoelastic computations of polymeric wire-coating flows. <b>2002</b> , 12, 404-433		9
351	Inhomogeneous transient uniaxial extensional rheometry. <i>Journal of Rheology</i> , <b>2002</b> , 46, 1419-1443	4.1	38
350	Investigations on the temperature dependence of the die entrance flow of various long-chain branched polyethylenes using laser-Doppler velocimetry. <i>Journal of Rheology</i> , <b>2002</b> , 46, 797	4.1	20
349	2D Maxwell model. <b>2002</b> , 41, 341-356		1

348	Rheology for adhesion science and technology. <b>2002</b> , 443-498		2
347	RHEOLOGY. <b>2002</b> , 44-99		
346	Estimation of elongational viscosity of polymers from entrance loss data using individual parameter optimization. <b>2002</b> , 21, 98-107		18
345	Shear viscosity, extensional viscosity, and die swell of polypropylene in capillary flow with pressure dependency. <b>2002</b> , 84, 1269-1276		23
344	Rheological properties of metallocene isotactic polypropylenes. <b>2002</b> , 84, 2157-2170		29
343	Rheological properties of ionically and covalently crosslinked polypropylene-type thermoplastic elastomers. <b>2002</b> , 85, 762-773		8
342	Effects of extrusion conditions on rheological behavior of acrylonitrileButadieneStyrene terpolymer melt. <b>2002</b> , 85, 606-611		8
341	Rheological properties of ionically crosslinked poly(propylene)-type thermoplastic elastomers. <b>2002</b> , 86, 2887-2897		12
340	Modelling of the Nonlinear Behavior of Compatibilized Polyethylene/Polyamide Blends in Shear and Extensional Flows. <b>2002</b> , 80, 1051-1056		
339	Evolution of Chemistry, Morphology and Rheology of Various Polymer Systems along a Twin-Screw Extruder. <b>2002</b> , 80, 1065-1074		19
338	Orifice Flowmeter for Measuring Extensional Rheological Properties. <b>2002</b> , 80, 1189-1196		10
337	Viscoelastic contraction flows: comparison of axisymmetric and planar configurations. <b>2002</b> , 102, 343-359		92
336	Improvement in techniques for the determination of extensional rheological data from entrance flows: computational and experimental analysis. <b>2002</b> , 107, 13-37		29
335	Melt rheology of nanometre-calcium-carbonate-filled acrylonitrileButadieneStyrene (ABS) copolymer composites during capillary extrusion. <b>2002</b> , 51, 1473-1478		44
334	Verification of extensional viscosity effects in injection mold filling simulation. <i>Polymer Engineering and Science</i> , <b>2002</b> , 42, 307-325	2.3	2
333	Extrusion blow molding of long fiber reinforced polyolefins. <i>Polymer Engineering and Science</i> , <b>2002</b> , 42, 346-364	2.3	13
332	Gross melt fracture of polyethylene. I: A criterion based on tensile stress. <i>Polymer Engineering and Science</i> , <b>2002</b> , 42, 482-494	2.3	42
331	Gross melt fracture of polyethylene. II: Effects of molecular structure. <i>Polymer Engineering and Science</i> , <b>2002</b> , 42, 495-503	2.3	27

330	Flow through a convergence. Part 2: Mixing of high viscosity ratio polymer blends. <i>Polymer Engineering and Science</i> , <b>2002</b> , 42, 634-653	2.3	9
329	The melt elastic behavior of polypropylene/glass bead composites in capillary flow. <b>2002</b> , 21, 927-931		23
328	Convergent Flows of Molten Polymers Modeled by Generalized Second-Grade Fluids of Power-Law Type. <b>2002</b> , 38, 89-94		3
327	Elongational rheology of LLDPE / LDPE blends. <b>2003</b> , 88, 3070-3077		59
326	A numerical study of the measurement of elongational viscosity of polymeric fluids in a semihyperbolically converging die. <b>2003</b> , 115, 191-215		38
325	Comparative analysis of reactive extrusion of LDPE and LLDPE. <b>2003</b> , 39, 1899-1915		9
324	Pressure losses during the annular conical die flow of a rubber compound. <b>2003</b> , 22, 497-501		4
323	Axisymmetric orifice flow for measuring the elongational viscosity of semi-rigid polymer solutions. <b>2003</b> , 110, 27-43		28
322	Molecular structure and gross melt fracture triggering. <b>2003</b> , 111, 175-198		22
321	Differential viscoelastic constitutive equations for polymer melts in steady shear and elongational flows. <b>2003</b> , 113, 209-227		56
320	Rheological effects of polyethylenes in film blowing. <i>Polymer Engineering and Science</i> , <b>2003</b> , 43, 1391-1406		12
319	Observation of melt fracture of polypropylene resins in capillary flow. <b>2003</b> , 44, 719-727		15
318	A Review of CO2 Applications in the Processing of Polymers. <b>2003</b> , 42, 6431-6456		567
317	The Rheology of Polymer Alloys and Blends. <b>2003</b> , 449-546		6
316	Rheometer for equibiaxial and planar elongations of polymer melts. <i>Journal of Rheology</i> , <b>2003</b> , 47, 989-1010		68
315	Quantifying Relationships among the Molecular Weight Distribution, Non-Newtonian Shear Viscosity, and Melt Index for Linear Polymers. <b>2003</b> , 42, 5354-5362		36
314	Adventitious Flow Phenomena. <b>2003</b> , 91-110		
313	A dual slit in-line die for measuring the flow properties of S-PVC formulations. <b>2003</b> , 9, 188-197		2

312	Physical Features and Flow. <b>2003</b> , 39-70	
311	Rheometry for Polymer Melts. <b>2003</b> , 15-38	2
310	Extensional Viscosity of Coating Colors and its Relation With Jet Coating Performance. <b>2004</b> , 14, 240-250	6
309	Estimation of Entry Pressure Drop during Conical Die Flow of Carbon Black-Filled Rubber Compound. <b>2004</b> , 23, 1355-1363	2
308	Pressure dependent viscosity of Surlyn/montmorillonite nanocomposite. <b>2004</b> , 33, 299-304	4
307	Melt Extrusion Properties of ABS and ABS-Quasinano-CaCO <sub>3</sub> Composite. <b>2004</b> , 36, 363-374	2
306	Modelling of viscoelastic coextrusion flows in multi-manifold flat dies. <b>2004</b> , 33, 305-310	7
305	Mechanism of gross melt fracture elimination in the extrusion of polyethylenes in the presence of boron nitride. <b>2004</b> , 43, 624-633	34
304	Fingerprinting the processing behavior of polyethylenes from transient extensional flow and peel experiments in the melt state. <b>2004</b> , 44, 1-15	31
303	On the effect of pressure on the shear and elongational viscosities of polymer melts. <i>Polymer Engineering and Science</i> , <b>2004</b> , 44, 1328-1337	2,3 86
302	A quasi-1D model for fast contraction flows of polymer melts. <b>2004</b> , 118, 157-173	3
301	Experimental study of the volume defects in polystyrene extrusion. <b>2004</b> , 121, 175-185	21
300	A Study of Strain-Induced Nucleation in Thermoplastic Foam Extrusion. <b>2004</b> , 40, 27-44	22
299	Overview of Processing Instabilities. <b>2004</b> , 19-30	
298	Rheological properties of long glass fiber filled polypropylene. <b>2005</b> , 125, 25-34	54
297	Estimation of entry natural converging angles during capillary extrusion flow of carbon black filled NR/SBR compound. <b>2005</b> , 24, 435-438	5
296	Persistence of straining and flow classification. <b>2005</b> , 43, 79-105	33
295	On the interpretation of orifice extrusion data for viscoplastic materials. <b>2005</b> , 60, 2599-2607	55

294	Hydrodynamics of Liquid Jet Application in High-Speed Jet Coating. <b>2005</b> , 83, 111-125		4
293	The rheological properties of self-emulsifying systems, water and microcrystalline cellulose. <b>2005</b> , 26, 176-83		16
292	Rheological properties of poly(trimethylene terephthalate) in capillary flow. <b>2005</b> , 97, 705-709		6
291	Theoretical and experimental analysis of interfacial instabilities in coextrusion flows. <b>2005</b> , 98, 153-162		19
290	High shear microfluidics and its application in rheological measurement. <b>2005</b> , 38, 222-232		72
289	Wall slip phenomena in talc-filled polypropylene compounds. <b>2005</b> , 40, 3325-3337		7
288	Melt-state shear flow and elasticity of a thermoplastic fluorosulphonated BTFE copolymer. <b>2005</b> , 40, 955-964		6
287	Shear and extensional properties of short glass fiber reinforced polypropylene. <b>2005</b> , 26, 247-264		50
286	Properties of mLLDPE/LDPE blends in film blowing. <i>Polymer Engineering and Science</i> , <b>2005</b> , 45, 343-353	2.3	13
285	Boron nitride and fluoropolymer combinations: Interactions and their performance as processing aids. <i>Polymer Engineering and Science</i> , <b>2005</b> , 45, 669-677	2.3	8
284	The effect of nanoclays on the processibility of polyolefins. <i>Polymer Engineering and Science</i> , <b>2005</b> , 45, 1098-1107	2.3	35
283	Melt Fracture of Linear PE. <i>International Polymer Processing</i> , <b>2005</b> , 20, 60-67	1	13
282	Theoretical and experimental investigation of interfacial instability phenomena occurring during viscoelastic coextrusion. <b>2005</b> , 34, 403-409		9
281	The evaluation of formulations for the preparation of pellets with high drug loading by extrusion/spheronization. <b>2006</b> , 11, 263-74		10
280	Decoupled Gating and Simulation for Injection Molding. <b>2006</b> , 45, 575-584		1
279	Effects of Particle Size on Melt Viscoelastic Properties During Capillary Extrusion of Glass Bead-filled LDPE Composites. <b>2006</b> , 19, 703-713		14
278	Enhanced fibrillation of LCP by CaCO <sub>3</sub> whisker in polysulfone matrix through increasing elongational stress. <b>2006</b> , 47, 5402-5410		24
277	Efficient development of effective hollow fiber membranes for gas separations from novel polymers. <b>2006</b> , 278, 92-104		61

276	Flow instability in polymer solutions and melts. <b>2006</b> , 48, 21-37		22
275	Pressure and Temperature Dependence of LDPE Viscosity and Free Volume: The Effect of Molecular Structure. <i>International Polymer Processing</i> , <b>2006</b> , 21, 98-103	1	5
274	Quantitative Characterization of Viscoelastic Properties and their Relationship During Extrusion Flow of Polymer Melts. <b>2006</b> , 45, 329-334		8
273	Nonlinear Viscoelasticity. <b>2006</b> , 329-413		1
272	Effect of Aspect Ratio of Whisker on the Fibrillation of Liquid Crystalline Polymer in Polysulfone Matrix. <i>International Polymer Processing</i> , <b>2007</b> , 22, 166-172	1	5
271	Rheological Evaluation and Observations of Extrusion Instabilities of Biodegradable Polyesters. <i>International Polymer Processing</i> , <b>2007</b> , 22, 395-401	1	16
270	Viscous Properties of Thermoplastic Starches from Different Botanical Origin. <i>International Polymer Processing</i> , <b>2007</b> , 22, 471-479	1	30
269	Melt Viscoelastic Behavior in Capillary Extrusion of Polypropylene/EPDM/Glass Bead Ternary Composites. <b>2007</b> , 26, 715-724		
268	Characterization of flows in micro contractions using micro PIV and CFD to study the protein aggregation process. <b>2007</b> ,		
267	Study on the Effect of Uniaxial Elongational Flow on Polyamide Based Nanocomposites. <b>2007</b> , 247, 110-119		13
266	Rheology of Fluid and Semisolid Foods. <b>2007</b> ,		106
265	Planar Entry Converging Flow During Extrusion of Polymer Melts. <b>2007</b> , 46, 475-480		21
264	Measurement of Flow and Viscoelastic Properties. <b>2007</b> , 59-151		2
263	Molecular dynamics simulation of planar elongational flow at constant pressure and constant temperature. <b>2007</b> , 126, 044506		8
262	Silicon carbide fiber-shaped microtools by extrusion and sintering SiC with and without carbon powder sintering additive. <b>2007</b> , 33, 491-496		20
261	Fibrillation of liquid crystalline polymer in polysulfone promoted by increased system elasticity via adding nano-silica. <b>2007</b> , 48, 4242-4251		22
260	Volume defects during extrusion of polystyrene investigated by flow induced birefringence and laser-Doppler velocimetry. <b>2007</b> , 145, 69-77		13
259	Effect of contraction ratio upon viscoelastic flow in contractions: The axisymmetric case. <b>2007</b> , 147, 92-108		44



258	Theoretical and experimental analysis of the die drool phenomenon for metallocene LLDPE. <i>Polymer Engineering and Science</i> , <b>2007</b> , 47, 871-881	2.3	16
257	Evaluation and comparison of routes to obtain pressure coefficients from high-pressure capillary rheometry data. <b>2007</b> , 46, 495-505		54
256	Determination of the elongational viscosity of polymer melts by melt spinning experiments. A comparison with different experimental techniques. <b>2007</b> , 46, 965-978		35
255	Simulations of extensional flow in microrheometric devices. <b>2008</b> , 5, 809-826		78
254	Elongational viscosity of LDPEs and polystyrenes using entrance loss data. <i>Polymer Engineering and Science</i> , <b>2008</b> , 48, 223-232	2.3	3
253	Interfacial slip-stick transition induced by reactive compatibilization in ethylene-co-butyl acrylate elastomer dispersed polyamide 6 blend subjected to high shear flow and extensional flow. <i>Polymer Engineering and Science</i> , <b>2008</b> , 48, 2482-2498	2.3	4
252	Rheological Features and Flow-Induced Crystallization of Branched Poly[ethylene-co-(1,4-cyclohexanedimethylene terephthalate)] Copolyesters. <b>2008</b> , 293, 836-846		7
251	Melt rheology and extrudate swell of titanium (IV) oxide nanoparticle-filled isotactic polypropylene: Effects of content and surface characteristics. <b>2008</b> , 27, 951-956		25
250	Dependence of the secondary flow of a low-density polyethylene on processing parameters as investigated by laser-Doppler velocimetry. <b>2008</b> , 153, 73-81		12
249	Shaping ceramics by plastic processing. <b>2008</b> , 28, 1341-1351		27
248	Rheology of Non-Newtonian Fluids Containing Glass Fibers: A Review of Experimental Literature. <b>2008</b> , 47, 3470-3488		55
247	Numerical Studies of Axial Instability in Contraction Flow. <b>2008</b> ,		
246	Capillary Extrusion Studies of LLDPE/LDPE Blends: Effects of Manufacturing Technology of LLDPE and Long Chain Branching. <i>International Polymer Processing</i> , <b>2008</b> , 23, 385-394	1	7
245	Development of Novel Orifice Die Design for Precise Entrance Pressure Drop Measurements. <b>2009</b> ,		
244	Non-Newtonian fluid mechanics and polymer rheology. <b>2009</b> , 13-46		5
243	Converging flow inline rheometry for engineering extensional viscosity of uPVC. <b>2009</b> , 38, 27-32		1
242	Morphology Modification of Polyethylene/Clay Nanocomposite Samples under Convergent Flow. <b>2009</b> , 294, 575-581		16
241	Rheological behaviour of nano-composites based on polyamide 6 under shear and elongational flow at high strain rates. <b>2009</b> , 48, 73-88		28

240	Predictions of the excess pressure drop of Boger fluids through a 2:1:2 contraction–expansion geometry using non-equilibrium molecular dynamics. <b>2009</b> , 48, 1017-1030	3
239	The rheology of Torlon <sup>®</sup> solutions and its role in the formation of ultra-thin defect-free Torlon <sup>®</sup> hollow fiber membranes for gas separation. <b>2009</b> , 326, 608-617	32
238	Recirculating Flows Involving Short Fiber Suspensions: Numerical Difficulties and Efficient Advanced Micro-Macro Solvers. <b>2009</b> , 16, 1-30	41
237	Flow classification for viscoelastic materials. <b>2009</b> , 1, 69-83	1
236	Extrusion of polyethylene/polypropylene blends with microfibrillar-phase morphology. <b>2009</b> , 31, NA-NA	2
235	The role of additives on dope rheology and membrane formation of defect-free Torlon <sup>®</sup> hollow fibers for gas separation. <b>2009</b> , 343, 62-72	40
234	Microfluidic rheometry. <b>2009</b> , 36, 110-120	189
233	Analysis of entrance pressure drop techniques for extensional viscosity determination. <b>2009</b> , 28, 843-853	17
232	Numerical simulation of viscoelastic fluids in cross-slot devices. <b>2009</b> , 162, 1-20	10
231	Abrupt contraction flow of magnetorheological fluids. <i>Physics of Fluids</i> , <b>2009</b> , 21, 053101	4.4 13
230	Rheological Properties of Polymer Melts. <b>2009</b> , 525-597	5
229	Anomalous pressure drop behaviour of mixed kinematics flows of viscoelastic polymer solutions: a multiscale simulation approach. <b>2009</b> , 631, 231-253	14
228	Evolution of ultra-thin dense-selective layer from single-layer to dual-layer hollow fibers using novel Extem <sup>®</sup> polyetherimide for gas separation. <b>2010</b> , 360, 48-57	60
227	The non-uniform phase structure in blend fiber. I. Non-uniform deformation of the dispersed phase in melt spinning. <b>2010</b> , 11, 249-257	9
226	Viscosity of siloxane gum and silicone rubbers. <b>2010</b> , 5, 882-894	2
225	Wall slip and melt-fracture of polystyrene melts in capillary flow. <b>2010</b> , 51, 2221-2228	12
224	Melt rheology and extrudate swell of sodium chloride-filled low-density polyethylene: Effects of content and size of salt particles. <b>2010</b> , 29, 188-195	13
223	Extensional viscosity in uniaxial extension and contraction flow—Comparison of experimental methods and application of the molecular stress function model. <b>2010</b> , 165, 212-218	19

222	Elimination of die swell and instability in hollow fiber spinning process of hyperbranched polyethersulfone (HPES) via novel spinneret designs and precise spinning conditions. <b>2010</b> , 163, 143-153		19
221	Rheological properties of blends of linear and long-chain branched polypropylenes. <i>Polymer Engineering and Science</i> , <b>2010</b> , 50, 191-199	2.3	30
220	Prediction of elongation viscosity of polymer melts. <i>Polymer Engineering and Science</i> , <b>2010</b> , 50, 2190-2193		5
219	Shear and elongational viscosities of a complex starchy formulation for extrusion cooking. <b>2010</b> , 43, 2093-2100		22
218	Effect of interfacial strengthening in blends of reclaimed rubber and polypropylene. <b>2010</b> , 118, n/a-n/a		
217	Planar extensional flow resistance of a foaming plastic. <i>Journal of Rheology</i> , <b>2010</b> , 54, 95-116	4.1	15
216	Rheometry. <b>2010</b> ,		
215	Estimation of Elongation Viscosity of Polyethylene Melts. <b>2011</b> , 24, 367-376		3
214	Cross-slot extensional rheometry and the steady-state extensional response of long chain branched polymer melts. <i>Journal of Rheology</i> , <b>2011</b> , 55, 875-900	4.1	25
213	Lubricated extensional flow of viscoelastic fluids in a convergent microchannel. <i>Journal of Rheology</i> , <b>2011</b> , 55, 1103-1126	4.1	18
212	Planar Extensional Viscosity Measurements for LDPE Polymer Melt by Using Novel Orifice Die Design and Cogswell Model. <b>2011</b> ,		
211	An investigation of high rate capillary extrusion rheometry of thermoplastics. <b>2011</b> , 30, 916-924		10
210	Viscosity of concentrated therapeutic protein compositions. <b>2011</b> , 63, 1107-17		94
209	Melt-spinning and thermal stability behavior of TiO <sub>2</sub> nanoparticle/polypropylene nanocomposite fibers. <b>2011</b> , 18, 367-372		42
208	Melt strengthening of poly (lactic acid) through reactive extrusion with epoxy-functionalized chains. <b>2011</b> , 50, 613-629		96
207	Non-linear dynamics of semi-dilute polydisperse polymer solutions in microfluidics: effects of flow geometry. <b>2011</b> , 50, 277-290		15
206	Correlation between entry pressure losses and elongation viscosity of polyethylene melts. <b>2011</b> , 67, 1935-1944		5
205	Shear and extensional viscosities of hard wheat flour dough using a capillary rheometer. <b>2011</b> , 103, 294-298		5

204	Effect of needle geometry on flow rate and cell damage in the dispensing-based biofabrication process. <b>2011</b> , 27, 1777-84		64
203	Effect of radial flow in the die entrance region on gross melt fracture of PDMS extrudate. <b>2011</b> , 166, 661-666		8
202	Analysis of Entrance Converging Flow of Polymer Melts. A Comparison between Liang Model and Cogswell Model. <b>2011</b> , 311-313, 1110-1113		
201	Free Volume from Pressure and Temperature Dependent Viscosity and from PVT Measurements for Homo- and Copolymers. <i>International Polymer Processing</i> , <b>2011</b> , 26, 403-415	1	5
200	Melt Strength and Extensional Viscosity of Low-Density Polyethylene and Poly(butylene succinate) Blends Using a Melt-Spinning Technique. <b>2012</b> , 51, 1715-1730		9
199	RHEOMETRY EXPERIMENTAL METHODS. <b>2012</b> , 255-364		1
198	A numerical study of an orifice flowmeter. <b>2012</b> , 26, 85-92		7
197	Mechanical Degradation Onset of Polyethylene Oxide Used as a Hydrosoluble Model Polymer for Enhanced Oil Recovery. <b>2012</b> , 67, 931-940		23
196	Rheological study on tetrafluoroethylene/hexafluoropropylene copolymer and its implication for processability. <b>2012</b> , 125, 3361-3367		5
195	Analysis of melt spinning master-curves of low density polyethylene. <b>2012</b> , 125, 2202-2206		16
194	A Novel Low-Pressure Device for Production of Nanoemulsions. <b>2012</b> , 35, 1692-1698		22
193	Rheology to understand and optimize processability, structures and properties of starch polymeric materials. <b>2012</b> , 37, 595-623		184
192	Elastic properties of extruded starchy melts containing wheat bran using on-line rheology and dynamic mechanical thermal analysis. <b>2012</b> , 109, 414-423		28
191	Mixing efficiency in co-rotating batch mixer for preparation of NR/EPDM blends. <b>2012</b> , 123, 3688-3695		1
190	Microfluidic extensional rheometry using a hyperbolic contraction geometry. <b>2013</b> , 52, 529-546		98
189	Rheological characterization of polymers fiber composite. <b>2013</b> , 34, 1269-1278		1
188	Transient overshoot extensional rheology of long-chain branched polyethylenes: Experimental and numerical comparisons between filament stretching and cross-slot flow. <i>Journal of Rheology</i> , <b>2013</b> , 57, 293-313	4.1	24
187	Exploring shear yielding and strain localization at the die entry during extrusion of entangled melts. <i>Journal of Rheology</i> , <b>2013</b> , 57, 349-364	4.1	13

186	A Note on the Elasticity of Polymer Melts Described by Primary Normal Stress Difference (N1). <b>2013</b> , 325-326, 184-193	3
185	Increasing the stability of high contraction ratio flow of Boger fluids by pre-deformation. <b>2013</b> , 196, 27-35	7
184	A multiple-step slit die rheometer for rheological characterization of extruded starch melts. <b>2013</b> , 116, 398-403	28
183	Additives and Processing. <b>2013</b> , 145-165	
182	Measurement Techniques. <b>2013</b> , 139-179	
181	Evaluation of temperature-strain rate dependent uniaxial and planar elongational viscosities for branched LDPE polymer melt. <b>2013</b> ,	
180	Rheological evaluation of melt blown polymer melt. <b>2013</b> ,	2
179	Impact of Polymer Mechanical Degradation on Shear and Extensional Viscosities: Towards Better Injectivity Forecasts in Polymer Flooding Operations. <b>2013</b> ,	25
178	Shear viscosity measurements on Polyamide-12 polymers for laser sintering. <b>2013</b> , 19, 28-36	40
177	Rheometry. <b>2014</b> , 187-220	1
176	Experimentation and modeling for the apparent elongation viscosity of polymer melts with the White-Metzner model. <b>2014</b> , 25, 1565-1571	1
175	Characterization of biofiber breakage in composite processing using a capillary rheometer. <b>2014</b> , 33, 1463-1473	4
174	Experimental and numerical analysis of performance of two fluted mixer designs. <b>2014</b> , 43, 337-346	2
173	Linear and Nonlinear Rheology of Mixed Polysaccharide Gels. Pt. II. Extrusion, Compression, Puncture and Extension Tests and Correlation with Sensory Evaluation. <b>2014</b> , 45, 30-46	17
172	Dispersive mixing efficiency of an elongational flow mixer on PP/EPDM blends: Morphological analysis and correlation with viscoelastic properties. <i>Polymer Engineering and Science</i> , <b>2014</b> , 54, 1444-1457	26
171	An elongation viscosity equation of polymer melts based on the Moore dynamic model. <b>2014</b> , 46, 662-672	1
170	Effects of entrance convergence angle and fiber content on the rheological properties of Pithecellobium clypearia fiber/high-density polyethylene composites. <b>2014</b> , 38, 100-107	1
169	Measurement of the high rate flow properties of filled HDPE melts by capillary rheometer: Effects of the test geometry. <b>2014</b> , 37, 201-209	8

168	Improvement of blown film extrusion of poly(Lactic Acid): StructureProcessingProperties relationships. <i>Polymer Engineering and Science</i> , <b>2014</b> , 54, 840-857	2.3	82
167	PP-polymer nanocomposites with improved mechanical properties using elongational flow devices at the injection molding compounder. <b>2014</b> ,		3
166	The influence of glass fibers on elongational viscosity studied by means of optical coherence tomography and X-ray computed tomography. <b>2014</b> ,		2
165	A different extensional viscosity prediction based on entry pressure drop. <b>2014</b> , 131, n/a-n/a		2
164	Effect of extensional viscosity on cocontinuity of immiscible polymer blends. <i>Journal of Rheology</i> , <b>2015</b> , 59, 1397-1417	4.1	37
163	The optimization of Blister Disk geometry for mixing performance in co-rotating twin-screw extruder. <b>2015</b> ,		1
162	Dimensional analysis of a novel low-pressure device for the production of size-tunable nanoemulsions. <b>2015</b> , 61, 23-30		5
161	Model for the prediction of bulk temperature changes and pressure losses in rubber compounds flowing through conical dies: An engineering approach. <i>Polymer Engineering and Science</i> , <b>2015</b> , 55, 701-709		5
160	Comparison of Different Approaches for Analyzing Converging Flows for Polymer Fluids. <b>2015</b> , 300, 721-729		1
159	Effect of Die Geometry on Drawdown Force of Polypropylene at Capillary Extrusion. <b>2015</b> , 34, n/a-n/a		10
158	Rheological Characterization of Fiber Suspensions and Nanocomposites. <b>2015</b> , 19-58		2
157	Polyester fiber spinning analyzed with multimode Phan Thien-Tanner model. <b>2015</b> , 217, 37-48		5
156	Rheology as a tool for evaluation of melt processability of innovative dosage forms. <b>2015</b> , 494, 623-642		112
155	Flow-induced crystallization of polypropylenes in capillary flow. <b>2015</b> , 54, 207-221		6
154	Melt Elongation Properties of Linear Low-Density Polyethylene. <b>2015</b> , 54, 295-305		1
153	Biopolymer Blends Based on Poly (lactic acid): Shear and Elongation Rheology/Structure/Blowing Process Relationships. <i>Polymers</i> , <b>2015</b> , 7, 939-962	4.5	48
152	Studies on melt spinning of sea-island fibers. II. Dynamics of melt spinning of polypropylene/polystyrene blend fibers. <b>2015</b> , 16, 449-462		6
151	Flow and foam properties of extruded maize flour and its biopolymer blends expanded by microwave. <b>2015</b> , 76, 567-575		10

150	Rheological Indicators for Environmental Stress Cracking Resistance of Polyethylene. <i>International Polymer Processing</i> , <b>2015</b> , 30, 70-81	1	5
149	Extrusion Defects and Flow Instabilities of Molten Polymers. <i>International Polymer Processing</i> , <b>2015</b> , 30, 3-28	1	30
148	Study on extensional viscosity of acrylic adhesive. <b>2015</b> , 63, 132-136		1
147	Three-dimensional finite element method simulation study of fusion screw geometry. <b>2015</b> , 44, 11-18		1
146	Rheological Properties of Collagen Matter Predicted Using an Extrusion Rheometer. <b>2016</b> , 47, 514-522		2
145	Micro-scale extensional rheometry using hyperbolic converging/diverging channels and jet breakup. <b>2016</b> , 10, 043502		16
144	Microfluidic extensional rheometry using stagnation point flow. <b>2016</b> , 10, 043401		62
143	References. <b>2016</b> , 687-735		
142	Extracting extensional properties through excess pressure drop estimation in axisymmetric contraction and expansion flows for constant shear viscosity, extension strain-hardening fluids. <b>2016</b> , 55, 373-396		12
141	Visualization of polypropylene crystallites formed from a stressed melt in extrusion. <b>2016</b> , 101, 48-58		12
140	Rheology in Pharmaceutical Sciences. <b>2016</b> , 719-750		5
139	Flow between eccentric cylinders: a shear-extensional controllable flow. <b>2016</b> , 28, 139-148		2
138	Measurements and modeling of temperature-strain rate dependent uniaxial and planar extensional viscosities for branched LDPE polymer melt. <b>2016</b> , 104, 258-267		12
137	Die swell behavior of liquid crystalline mesophase pitch. <b>2016</b> , 51, 7361-7369		5
136	An Analysis on Finding the Optimum Die Angle of Polylactic Acid in Fused Deposition Modelling. <b>2016</b> , 835, 254-259		3
135	The effect of two commercial melt strength enhancer additives on the thermal, rheological and morphological properties of polylactide. <b>2016</b> , 36, 31-41		14
134	A novel online rheometer for elongational viscosity measurement of polymer melts. <b>2016</b> , 50, 208-215		19
133	Bioactive PCL matrices with a range of structural & rheological properties. <b>2016</b> , 101, 54-62		20

132	Modeling of starchy melts expansion by extrusion. <b>2016</b> , 48, 13-26		27
131	Melt fracture of polyisobutylenes. <b>2017</b> , 60, 30-38		3
130	Rheological Behavior of Molten Polymers. <b>2017</b> , 33-175		3
129	Flow Instabilities. <b>2017</b> , 731-815		
128	Entry flow vortices in polymer melt extrusion: A review. <b>2017</b> ,		2
127	Modeling the Flow Behavior and Flow Rate of Medium Viscosity Alginate for Scaffold Fabrication With a Three-Dimensional Bioplotter. <b>2017</b> , 139,		45
126	Non-linear dynamics of semi-dilute PAAm solutions in a microfluidic 3D cross-slot flow geometry. <b>2017</b> , 242, 57-65		15
125	Rheological behaviour of a high-melt-strength polypropylene at elevated pressure and gas loading for foaming purposes. <b>2017</b> , 56, 95-111		14
124	Higher-order lubrication analytic solutions of viscoelastic flows in slowly varying slits. <b>2017</b> , 250, 31-42		1
123	In-process Measurements for Reactive Extrusion Monitoring and Control. <b>2017</b> , 101-132		
122	Volume instabilities in capillary flow of pure SBR and SBR compounds. <i>Journal of Rheology</i> , <b>2017</b> , 61, 1085-1097	4.1	9
121	A differential pressure extensional rheometer on a chip with fully developed elongational flow. <i>Journal of Rheology</i> , <b>2017</b> , 61, 1049-1059	4.1	18
120	Rheological properties of PA6 chips with different spinnability in high-speed spinning. <b>2017</b> , 74, 2787-2797		1
119	Experimental Determination of the Effective Viscosity of Plasticized Aluminum Alloy 6061-T6 during Friction Stir Welding. <b>2017</b> , 10, 218-231		4
118	Visualization of polypropylene's strain-induced crystallization under the influence of supercritical CO <sub>2</sub> in extrusion. <b>2017</b> , 122, 312-322		17
117	Comprehensive Evaluation of the EOR Polymer Viscoelastic Phenomenon at Low Reynolds Number. <b>2017</b> ,		7
116	Extensional Rheology in Food Processing. <b>2017</b> , 125-157		2
115	Materials modification and die design for minimizing internal melt distortions of glass fiber/PP co-extrudates. <b>2017</b> , 57, 184-191		6



114	Development of an Elongational-Flow Microprocess for the Production of Size-Controlled Nanoemulsions: Batch Operation. <b>2017</b> , 11, 1600024		3
113	Elongational rheology of glass-fiber and natural-fiber-reinforced polypropylenes with a novel online rheometer. <b>2017</b> ,		1
112	An investigation on dispersion state of graphene in polypropylene/graphite nanocomposite with extensional flow mixing. <b>2017</b> ,		1
111	Rheology of Polymer Melts. <b>2017</b> , 121-147		3
110	3D Printing of Liquid Crystal Elastomeric Actuators with Spatially Programed Nematic Order. <b>2018</b> , 30, 1706164		308
109	The importance of rheological behavior in the additive manufacturing technique material extrusion. <i>Journal of Rheology</i> , <b>2018</b> , 62, 1549-1561	4.1	88
108	Extensional Rheology and Processing of Polymeric Materials. <i>International Polymer Processing</i> , <b>2018</b> , 33, 594-618	1	22
107	Steady-state extensional viscosity of a linear polymer solution using a differential pressure extensional rheometer on a chip. <i>Journal of Rheology</i> , <b>2018</b> , 62, 1261-1270	4.1	15
106	A new model of thermodynamics. Extension of chemical thermodynamics to complex materials of cellular structure. <b>2018</b> , 47, 267-282		
105	Rheological and heat transfer effects in fused filament fabrication. <i>Journal of Rheology</i> , <b>2018</b> , 62, 1097-1107	4.1	66
104	Abnormal Behaviors in the Capillary Rheometry of Plastisol Formulations. <i>International Polymer Processing</i> , <b>2018</b> , 33, 363-370	1	0
103	Nonlinear Viscoelasticity. <b>2018</b> , 369-459		
102	Rheology, mechanical properties and thermal degradation kinetics of polypropylene (PP) and polylactic acid (PLA) blends. <b>2018</b> , 5, 085304		12
101	Effects of stick-slip transition on polymer melt apparent shear viscosity measurement. <b>2019</b> , 136, 48230		1
100	Analytical approximation to the flow of a sPTT fluid through a planar hyperbolic contraction. <b>2019</b> , 272, 104160		4
99	Predicting the excess pressure drop incurred by LPTT fluids in flow through a planar constricted channel. <b>2019</b> , 31, 149-166		
98	Creation of polylactide vascular scaffolds with high compressive strength using a novel melt-tube drawing method. <b>2019</b> , 166, 130-137		11
97	Development of an online rheometer for simultaneous measurement of shear and extensional viscosity during the polymer extrusion process. <b>2019</b> , 77, 105914		6

96	eCapillary: a disposable microfluidic extensional viscometer for weakly elastic polymeric fluids. <b>2019</b> , 58, 403-417		16
95	Extrusion bioprinting of soft materials: An emerging technique for biological model fabrication. <b>2019</b> , 6, 011310		82
94	Historical Review of Secondary Entry Flows in Polymer Melt Extrusion. <b>2019</b> , 59, 338-390		14
93	The application of an extrusion modular slit head of a special construction in the in-line extensional viscosity measurements of polymers. <b>2019</b> , 73, 186-192		1
92	On-line rheological characterization of semi-solid formulations. <b>2019</b> , 128, 36-42		5
91	Direct ink writing of macroporous lead-free piezoelectric Ba <sub>0.85</sub> Ca <sub>0.15</sub> Zr <sub>0.1</sub> Ti <sub>0.9</sub> O <sub>3</sub> . <b>2019</b> , 102, 3191-3203		20
90	In-line rheological monitoring of fused deposition modeling. <i>Journal of Rheology</i> , <b>2019</b> , 63, 141-155	4.1	67
89	A novel hyperbolic slit contraction with constant strain rate for elongational rheology of polymer melts. <b>2019</b> , 73, 104-114		4
88	Gelation of poly(vinyl chloride) inside a single screw extruder and its effect on product properties. <b>2019</b> , 25, E174-E180		4
87	Engineering bioprintable alginate/gelatin composite hydrogels with tunable mechanical and cell adhesive properties to modulate tumor spheroid growth kinetics. <b>2019</b> , 12, 015024		31
86	Contraction and capillary flow of a carbon black filled rubber compound. <i>Polymer Engineering and Science</i> , <b>2020</b> , 60, 32-43	2.3	4
85	Experimental and analytical study of the polymer melt flow through the hot-end in material extrusion additive manufacturing. <b>2020</b> , 32, 100997		16
84	Influence of ionic plasticizers on the processing and viscosity of starch melts. <b>2020</b> , 230, 115591		13
83	Entry pressure correlations in capillary flow. <i>Physics of Fluids</i> , <b>2020</b> , 32, 073106	4.4	2
82	Recoverable Extensional Flow of Polymer Melts and Its Relevance for Processing. <i>Polymers</i> , <b>2020</b> , 12,	4.5	4
81	Influence of hydrostatic pressure on rheological properties of polymer melts—A review. <i>Journal of Rheology</i> , <b>2020</b> , 64, 751-774	4.1	5
80	Advances in Polymer Processing 2020. <b>2020</b> ,		2
79	Influence of process parameters on the rheological behavior of ultra-high molecular weight compounds. <b>2020</b> ,		2

78	Investigation of the rheological and mechanical behavior of Polypropylene/ultra-high molecular weight polyethylene compounds related to new online process control. <b>2020</b> , 86, 106442		5
77	In-process rheological monitoring of extrusion-based polymer processes. <b>2021</b> , 70, 24-33		5
76	Modeling for the process and the prediction of the thermal and mechanical behavior for the biopolymers and bio-composites. <b>2021</b> , 193-218		
75	3D Printing of Supramolecular Polymer Hydrogels with Hierarchical Structure. <b>2021</b> , 17, e2005743		24
74	Comparing flow characteristics of viscoelastic liquids in long and short capillaries (entrance effects). <i>Physics of Fluids</i> , <b>2021</b> , 33, 013105	4-4	3
73	Morphology optimization of poly(ethylene terephthalate)/polyamide blends compatibilized via extension-dominated twin-screw extrusion. <b>2021</b> , 41, 218-225		1
72	Influence of liquid glass characteristics on quality of coating formation of welding electrodes. <b>2021</b> , 2021, 16-22		
71	Influence of liquid glass characteristics on quality of coating formation of welding electrodes. <i>The Paton Welding Journal</i> , <b>2021</b> , 2021, 14-19		0.3
70	Approximate analytical solution for the flow of a Phan-Thien-Tanner fluid through an axisymmetric hyperbolic contraction with slip boundary condition. <i>Physics of Fluids</i> , <b>2021</b> , 33, 053110	4-4	4
69	Insights on shear rheology of inks for extrusion-based 3D bioprinting. <b>2021</b> , 22, e00129		17
68	Towards a universal shear correction factor in filament stretching rheometry. <b>2021</b> , 60, 691		1
67	Formulation engineering of food systems for 3D-printing applications - A review. <b>2021</b> , 148, 110585		13
66	3D printing non-cylindrical strands: Morphological and structural implications. <b>2021</b> , 46, 102129		0
65	Entrance flow of unfoamed and foamed Herschel-Bulkley fluids. <i>Journal of Rheology</i> , <b>2021</b> , 65, 1155-1168	4-1	0
64	A review of metrology in lithium-ion electrode coating processes. <b>2021</b> , 209, 109971		8
63	Rheological properties of artificial boluses of cereal foods enriched with legume proteins. <b>2022</b> , 122, 107096		0
62	Molecular elucidation of morphology and mechanical properties of PVDF hollow fiber membranes from aspects of phase inversion, crystallization, and rheology. <b>2021</b> , 333-360		1
61	Measurement of Flow and Viscoelastic Properties. <b>2014</b> , 63-159		5

60	Extensional Flow Properties and Their Measurement. <b>1990</b> , 231-268	3
59	Separation of Shear Thinning and Elastic Effects in Experimental Rheology. <b>1980</b> , 195-218	5
58	On Non-Newtonian Flow Through a Slit Plate. <b>1980</b> , 47-52	2
57	Viscoelastic Modelling of Polymer Melts and Rubber Compounds. <b>2020</b> , 270-282	0
56	Processing and properties of reinforced polypropylenes. <b>1995</b> , 71-112	8
55	Contraction Flows and New Theories for Estimating Extensional Viscosity. <b>1993</b> , 1-32	5
54	A Critical Appraisal of Available Methods for the Measurement of Extensional Properties of Mobile Systems. <b>1993</b> , 33-53	23
53	The Inverse Problem in Polymer Processing. <b>1995</b> , 385-405	3
52	The Rheology of Two-Phase Flows. <b>1993</b> , 479-594	2
51	Converging Dies. <b>1993</b> , 49-92	2
50	Elongational Rheometers. <b>1993</b> , 211-245	1
49	Rheological Properties of Biopolymers and Applications to Cereal Processing. <b>2003</b> ,	1
48	Numerical Analysis of Elongation Behavior of Melt Flow in Contraction Channels with Cylindrical Barriers. <b>2005</b> , 33, 135-140	2
47	Effect of the Elongational Flow on the Morphology and Properties of Polymer Systems: A Brief Review. <i>Polymers</i> , <b>2021</b> , 13,	4.5 1
46	Rheology of Thermoplastic Foam Extrusion Process. <b>2000</b> ,	0
45	Rheology and Processing of Thermotropic Liquid Crystalline Polymers. <b>2001</b> ,	1
44	Capillary Entry Flow of Mobile Viscoelastic Fluid: Analysis Based on Boundary Layer Approximation and its Experimental Verification. <b>2007</b> , 35, 257-264	
43	References. 630-667	

- 42 Basics of Rheology and What You Can Understand from Measurements No.3. *Seikei-Kakou*, **2010**, 22, 556-561 0
- 41 Rheology of Thermoplastic Foam Extrusion Process. **2014**, 39-82
- 40 Uniaxial Extension. **1980**, 413-450
- 39 Rheo-Optical Study of the Flow of Molten Polymers. **1980**, 451-456
- 38 Extensional flow of HDPE/LDPE blends. **1982**, 98-101
- 37 A THEORETICAL ANALYSIS OF NONISOTHERMAL FLOW OF TWO SUPERIMPOSED FLUIDS IN A CONVERGING GEOMETRY. **1984**, 657-663
- 36 Screw Extrusion and Continuous Mixing. **1985**, 69-109
- 35 Flow in Capillaries, Slits and Dies. **1990**, 298-344
- 34 Extensional Rheometry of Polymer Melts. **1991**, 75-95 0
- 33 EXTRUDATE SWELL BEHAVIOR OF WHEAT FLOUR DOUGHS. **1992**, 714-716
- 32 Flow Visualisation in Rheometry. **1993**, 433-477 1
- 31 Processes and Process Controls Applied in the Manufacture of Hollow Bodies. **1993**, 361-390
- 30 Pressure Drops in the Conical Flow of a Molten Metal. **1998**, 169-170
- 29 Rheological Properties of Plasticized Starches. **1998**, 260-261
- 28 Rheometry. **1999**, 112-135 1
- 27 A Criterion for the Onset of Gross Polyolefins: Molecular Structure Effect. **1999**, 223-229
- 26 Extensional Flow Properties and Their Measurement. **1999**, 231-268
- 25 Effect of charge grain composition on rheological characteristics and structure of pressure flow of compounds for low-hydrogen electrodes. *The Paton Welding Journal*, **2014**, 2014, 163-171 0.3 2

24	Thickness difference of electrode coatings caused by elastic turbulence of electrode compounds under condition of nonisothermal pressure flow. <i>The Paton Welding Journal</i> , <b>2014</b> , 2014, 177-189	0.3	4
23	Recent Studies on the Elongational Flow of Polymer Melts. <i>Seikei-Kakou</i> , <b>2016</b> , 28, 441-445	0	
22	Numerische Simulation thermischer, strukturviskoser Strömungen. <b>2019</b> , 321-392		
21	Programmable multistability for 3D printed reinforced multifunctional composites with reversible shape change. <i>Composites Science and Technology</i> , <b>2022</b> , 217, 109097	8.6	2
20	Variations of the viscous properties of a sponge cake artificial bolus with some physiological parameters.. <i>Food and Function</i> , <b>2022</b> ,	6.1	
19	RHEOMETRY EXPERIMENTAL METHODS. <b>2022</b> , 287-402		
18	Effect of Aspect Ratio of Whisker on the Fibrillation of Liquid Crystalline Polymer in Polysulfone Matrix. <i>International Polymer Processing</i> , <b>2022</b> , 22, 166-172	1	
17	On the flow of liquid crystals through 90o bends. <i>Physics of Fluids</i> ,	4.4	2
16	Principles and Guidelines for In-Line Viscometry in Cereal Extrusion. <i>Polymers</i> , <b>2022</b> , 14, 2316	4.5	
15	Extrusion foaming of linear and branched polypropylenes Input of the thermomechanical analysis of pressure drop in the die. <i>International Polymer Processing</i> , <b>2022</b> ,	1	
14	Extensional flow affecting shear viscosity: Experimental evidence and comparison to models. <i>Journal of Rheology</i> , <b>2022</b> , 66, 793-809	4.1	1
13	Predicting Throughput and Melt Temperature in Pharmaceutical Hot Melt Extrusion. <b>2022</b> , 14, 1757		
12	Control of extrudate swell and instabilities using a rotating roller die. <b>2022</b> , 309, 104915		0
11	Extensional rheology in food processing. <b>2023</b> , 143-180		0
10	Rheology of polymer melts. <b>2022</b> , 139-166		0
9	Rheological and viscoelastic properties of collagens and their role on bioprinting by micro-extrusion.		0
8	Shear and extensional rheological properties of whole grain rye and oat aqueous suspensions. <b>2022</b> , 108319		0
7	MEASUREMENT AND MODELING OF UNIAXIAL AND PLANAR EXTENSIONAL VISCOSITIES FOR LINEAR ISOTACTIC POLYPROPYLENES.		0

- 6 Computationally Guided DIW Technology to Enable Robust Printing of Inks with Evolving Rheological Properties. 2201707 ○
- 5 Three-dimensional simulation of capillary rheometry for an estimation of extensional viscosity. **2023**, ○
- 4 Small-Scale Mechanical Recycling of Solid Thermoplastic Wastes: A Review of PET, PEs, and PP. **2023**, 16, 1406 ○
- 3 Extensional rheology of linear and branched polymer melts in fast converging flows. **2023**, 62, 183-204 ○
- 2 Rheological transient effects on steady-state contraction flows. **2023**, 62, 171-181 ○
- 1 Review on melt flow simulations for thermoplastics and their fiber reinforced composites in fused deposition modeling. **2023**, 92, 272-286 ○