

CITATION REPORT

List of articles citing

Kinetics and thermal characterization of thermoset cure

DOI: 10.1002/pen.760130110

Polymer Engineering and Science, 1973, 13, 59-64.

Source: <https://exaly.com/paper-pdf/11215088/citation-report.pdf>

Version: 2024-04-27

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
796	Thermoset characterization for moldability analysis. <i>Polymer Engineering and Science</i> , 1974 , 14, 231-239	2.3	477
795	DSC investigations on condensation polymers— Analysis of the curing process. 1975 , 11, 25-30		53
794	A new apparatus to measure the thermal conductivity and diffusivity of thermoplastic and thermosetting polymers. <i>Polymer Engineering and Science</i> , 1976 , 16, 480-489	2.3	15
793	Kinetics and flow of diallyl phthalate resins. <i>Polymer Engineering and Science</i> , 1978 , 18, 728-733	2.3	10
792	Capillary viscometer for use with crosslinking polymer melts. <i>Review of Scientific Instruments</i> , 1978 , 49, 1597	1.7	2
791	A thermoanalytical study of the cure of xylok 225 resin. <i>Thermochimica Acta</i> , 1979 , 30, 281-291	2.9	1
790	The effect of deformation and thermoset cure on heat conduction in a chopped-fiber reinforced polyester during compression molding. 1979 , 22, 1021-1032		87
789	The behavior of thermosetting compounds in injection molding cavities. <i>Polymer Engineering and Science</i> , 1980 , 20, 859-867	2.3	70
788	Thermosets. 1981 , 435-569		72
787	Curing characteristics of particulate-filled thermosets. <i>Polymer Engineering and Science</i> , 1982 , 22, 484-491	2.3	36
786	Characterization of fast-cure resins for reaction injection molding. <i>Polymer Engineering and Science</i> , 1983 , 23, 756-762	2.3	6
785	Thermokinetics of unsaturated polyester and vinyl ester resins. <i>Polymer Engineering and Science</i> , 1984 , 24, 175-184	2.3	54
784	An experimental study on the injection molding of thermosetting polyester resin. <i>Polymer Engineering and Science</i> , 1984 , 24, 473-481	2.3	21
783	Differential scanning calorimetric investigation of polymerisation of epoxy resin based on phenolphthalein with phthalic anhydride. 1985 , 17, 64-68		8
782	Unsaturated polyester-styrene resins: Effect of the catalyst concentration on the kinetic rate and activation energy of the radical crosslinking reactions. <i>Polymer</i> , 1985 , 26, 1885-1887	3.9	34
781	Kinetic study of the cure reaction of unsaturated polyester resins. 1985 , 30, 1359-1366		36
780	TECHNIQUES FOR THE ANALYSIS OF CROSSLINKED POLYMERS. 1985 , 25, 481-549		39

779	Macrokinetics of the crosslinking of low molecular weight organosilicon rubbers. 1985 , 27, 2289-2297		2
778	The effect of flow on cavity surface temperatures in thermoset and thermoplastic injection molding. <i>Polymer Engineering and Science</i> , 1986 , 26, 243-254	2.3	10
777	Development of a mathematical model for the pultrusion process. <i>Polymer Engineering and Science</i> , 1986 , 26, 393-404	2.3	73
776	Free radical polymerization models for simulating reactive processing. <i>Polymer Engineering and Science</i> , 1986 , 26, 746-759	2.3	96
775	Differential scanning calorimetry investigation of curing of bisphenolfurfural resins. <i>Polymer Engineering and Science</i> , 1986 , 26, 1186-1190	2.3	6
774	Statistical evaluation of non-isothermal decomposition kinetics analysis methods for AIBN. 1987 , 32, 1833-1842		7
773	The characterization of thermoset cure behavior by differential scanning calorimetry. Part I: Isothermal and Dynamic Study. 1987 , 8, 427-436		24
772	Analysis of epoxy resin curing kinetics using the Avrami theory of phase change. <i>Polymer Engineering and Science</i> , 1987 , 27, 829-836	2.3	27
771	Investigation of kinetics of curing of triglycidyl-p-aminophenol with aromatic diamines by differential scanning calorimetry. 1988 , 34, 1283-1293		18
770	Development of a mathematical model for the pultrusion of unsaturated polyester resin. <i>Polymer Engineering and Science</i> , 1988 , 28, 321-332	2.3	27
769	Adhesive processing by electromagnetic irradiation. <i>Polymer Engineering and Science</i> , 1988 , 28, 1270-1274		9
768	Calorimetric analysis of the curing behavior of an unsaturated polyester resin using different catalytic systems. <i>Thermochimica Acta</i> , 1988 , 134, 261-267	2.9	15
767	Dynamic, isothermal and residual heats of curing of an unsaturated polyester resin. <i>Thermochimica Acta</i> , 1988 , 126, 339-354	2.9	18
766	Modeling and Computer Simulation of Reactive Processing. 1989 , 575-617		2
765	Unsaturated Polyesters. 1989 , 331-344		5
764	Reaction Injection Molding. 1989 , 379-426		0
763	Phenol-Formaldehyde Polymers. 1989 , 611-647		4
762	Injection Molding of Rubbers. 1989 , 355-378		2

761	Effects of process variables on cycle time during resin transfer moulding for high volume manufacture. 1990 , 6, 656-665		15
760	Isothermal transformation of dynamic DSC curves for thermosetting polymers in curing kinetics analysis. 1990 , 36, 45-54		6
759	Kinetics and mechanism of solidification and heat transfer of epoxy composites. 1990 , 59, 1096-1102		
758	Simulation of the processing of thermoset polymers. 1990 , 30, 1633-1647		2
757	A model for the thermal and chemorheological behavior of thermoset processing: (II) Unsaturated polyester based composites. 1990 , 38, 339-358		84
756	RHEOKINETICS EFFECT ON FLOW AND CONVECTIVE HEAT TRANSFER OF POLYMERIZING FLUIDS. 1990 , 3, 9-26		
755	Rheokinetics of curing. 1991 , 217-257		55
754	DSC Cure Studies of High Performance Epoxy Resins II. The Reaction with HPT Curing Agent from Isothermal Experiment. 1991 , 23, 911-916		5
753	The Cure Behavior of Vinyl Ester Resin with Low Profile Additive I. Cure Kinetics and TTT Cure Diagram. 1991 , 23, 747-755		8
752	Thermokinetics and rheological properties of polyurethane reaction involving a new polyol. <i>Thermochimica Acta</i> , 1991 , 179, 281-293	2.9	1
751	Finite element analysis of cure in a rubber cylinder. <i>Polymer</i> , 1991 , 32, 1456-1460	3.9	11
750	The effect of free radical initiators and fillers on the cure of unsaturated polyester resins. <i>Polymer Engineering and Science</i> , 1991 , 31, 1022-1028	2.3	32
749	Analysis of unsaturated polyester-polyurethane interpenetrating polymer networks. I: Reaction kinetics and viscosity model. <i>Polymer Engineering and Science</i> , 1991 , 31, 1182-1188	2.3	13
748	A Finite Element Analysis of the Thermomechanical Behavior of Fiber Reinforced Composites. 1991 , 4, 173-189		9
747	Towards a Manufacturing Technology for High-Volume Production of Composite Components. 1992 , 206, 77-91		28
746	Rheological characterization of fast-reacting thermosets through spiral flow experiments. <i>Polymer Engineering and Science</i> , 1992 , 32, 172-181	2.3	4
745	Kinetic model for the curing reaction of a tetraglycidyl diamino diphenyl methane/diamino diphenyl sulfone (TGDDM/DDS) epoxy resin system. <i>Polymer Engineering and Science</i> , 1992 , 32, 1037-1046	2.3	32
744	Injection molding of unsaturated polyester compounds. <i>Polymer Engineering and Science</i> , 1992 , 32, 1440-1450	2.3	9

743	Etude cinetique de la reticulation du polyester isophtalique insature par DSC Etude isotherme. 1992 , 28, 873-879		11
742	Grapplings with the simulation of non-Newtonian flows in polymer processing. 1992 , 34, 701-723		12
741	Volumetric heating by electromagnetic energy absorption potential for the mass production of structural composites. <i>Polymer Engineering and Science</i> , 1993 , 33, 240-247	2.3	2
740	Cure of unsaturated polyester resins: 1. Heat of copolymerization and glass transition temperature. <i>Polymer</i> , 1993 , 34, 3216-3219	3.9	40
739	Material characterization in liquid composite molding. 1993 , 68, 169-191		5
738	Prediction of Shrinkage and Warpage of Fiber Reinforced Thermoset Composite Parts. 1994 , 13, 698-721		22
737	Kinetic parameters estimation for cure reaction of epoxy based vinyl ester resin. <i>Polymer Engineering and Science</i> , 1994 , 34, 742-749	2.3	52
736	Predicting shrinkage and warpage of fiber-reinforced composite parts. 1994 , 15, 270-277		7
735	Etude de la photoreactivite de composites dentaires-2. Comparaison entre differents composites. 1994 , 30, 1051-1054		3
734	Etude de la photoreactivite de composites dentaires1. Effet de la temperature et de l'oxygene. 1994 , 30, 399-412		12
733	The calculation of scalar transport during the injection molding of thermoset polymers. 1994 , 18, 347-357		5
732	The Curing Reaction of Isocyanate-Thickened Unsaturated Polyester Resin. 1994 , 31, 427-438		3
731	Modeling and Numerical Analysis of Compression Molding of Three-Dimensional Thin Parts With Curing Process. 1995 , 117, 239-254		4
730	Melting behavior and thermal properties of high density polyethylene. <i>Polymer Engineering and Science</i> , 1995 , 35, 151-156	2.3	24
729	Analysis of volumetric changes of unsaturated polyester resins during curing. <i>Polymer Engineering and Science</i> , 1995 , 35, 852-859	2.3	54
728	Curing kinetics of a new benzoxazine-based phenolic resin by differential scanning calorimetry. <i>Polymer</i> , 1995 , 36, 3151-3158	3.9	310
727	The Thermochemical and Dielectric Behavior of Unsaturated Polyester Resin During Cure. 1995 , 14,		
726	Chemorheological Fundamental Aspects of the SMC Process. 1995 , 4,		

725	Some Models of Material Behavior During Injection Molding. 1995 , 82-113		
724	Processing and mechanical properties of bi-directional preforms for liquid composite moulding. 1995 , 6, 211-219		20
723	Operator splitting scheme for 3-D temperature solution based on 2-D flow approximation. 1995 , 16, 74-82		19
722	Rheokinetics of Oligomer Curing. 1996 , 133-271		
721	Effects of inhibitor and cure promoter on unsaturated polyester cure and mechanical properties. 1996 , 15, 1460-1462		2
720	Selection of adhesive system for radio-frequency heating of structural sheet molding compound components. <i>Polymer Engineering and Science</i> , 1996 , 36, 106-116	2.3	7
719	Chemorheology of thermosets—overview. <i>Polymer Engineering and Science</i> , 1996 , 36, 593-609	2.3	257
718	The effect of cure cycle of unsaturated polyester resin on the temperature and conversion profiles. <i>Polymer Engineering and Science</i> , 1996 , 36, 610-614	2.3	4
717	Comparative study of the cure kinetics of an unsaturated polyester resin using different procedures. <i>Polymer Engineering and Science</i> , 1996 , 36, 835-851	2.3	64
716	Chemorheology of a highly filled epoxy compound. <i>Polymer Engineering and Science</i> , 1996 , 36, 2153-2162.	2.3	16
715	The use of recycled printed circuit boards as reinforcing fillers in the polyester composite. 1996 , 31, 1345-1359		4
714	Curing of Epoxy Resin with Styrene—Maleic Anhydride Copolymer: A Differential Scanning Calorimetric Investigation. 1996 , 8, 281-293		3
713	The effects of cobalt promoter and glass fibers on the curing behavior of unsaturated polyester resin. 1997 , 3, 157-169		7
712	Materials characterisation. 1997 , 203-253		4
711	Isothermal and Scanning Calorimetry Measurements on β -Lactoglobulin. 1997 , 101, 6988-6994		22
710	Temperature Predictions in Thick Composite Laminates at Low Cure Temperatures. 1997 , 4, 1-11		
709	Sizing related kinetic and flow considerations in the resin infusion of composites. 1997 , 32, 5761-5774		18
708	Temperature predictions in thick composite laminates at low cure temperatures. 1997 , 4, 1-11		8

707	Kinetic studies of thermoset cure reactions: A review. 1997 , 18, 157-168		241
706	Numerical analysis of promoted polyester and vinylester reinforced composites in RTM molds. <i>Polymer Engineering and Science</i> , 1997 , 37, 757-771	2.3	15
705	Comparative studies on the non-isothermal DSC curing kinetics of an unsaturated polyester resin using free radicals and empirical models. <i>Thermochimica Acta</i> , 1997 , 306, 115-126	2.9	50
704	Etude de la reticulation DGEBA-poly(styrène-alt-anhydride maléique) par DSC isotherme. 1997 , 33, 1415-1422		1
703	Viscosity: thermal history treatment in resin transfer moulding process modelling. 1998 , 29, 153-158		16
702	Recent Developments Encompassing Non-Isothermal/Isothermal Liquid Composite Molding Process Modeling/Analysis: Physically Accurate, Computationally Effective, and Affordable Simulations and Validations. 1998 , 11, 493-532		36
701	Modelling and simulation of flow, heat transfer and cure. 1998 , 225-281		4
700	Curing Behavior of Thick-Sectioned RTM Composites. <i>Journal of Composite Materials</i> , 1998 , 32, 1273-1296		44
699	Quantitative Analysis of the Resin Transfer Molding Process. <i>Journal of Composite Materials</i> , 1998 , 32, 1865-1892	2.7	2
698	Hazards of Radical Polymerizations: Thermokinetic Investigation of Styrene Polymerization Methods.. <i>Journal of Chemical Engineering of Japan</i> , 1998 , 31, 960-968	0.8	9
697	Accelerated Curing of Adhesives in Bonded Joints by Induction Heating. <i>Journal of Composite Materials</i> , 1999 , 33, 1643-1664	2.7	26
696	Stochastic analysis of isothermal cure of resin systems. 1999 , 20, 72-85		22
695	Analysis of resin transfer/compression molding process. 1999 , 20, 293-304		42
694	Processing induced residual stress in asymmetric laminate panels. 1999 , 20, 493-509		25
693	Three-dimensional simulations of the curing step in the resin transfer molding process. 1999 , 20, 543-552		12
692	Measurement and prediction of the glass transition temperature during processing of copper-clad epoxy resin systems. 1999 , 20, 789-795		1
691	Kinetic analysis of an asymmetrical DSC peak in the curing of an unsaturated polyester resin catalysed with MEKP and cobalt octoate. <i>Polymer</i> , 1999 , 40, 3451-3462	3.9	51
690	A flow-front refinement technique for the numerical simulation of the resin-transfer molding process. 1999 , 59, 1663-1674		40

689	Surface structure build-up in thermosetting powder coatings during curing. 1999 , 36, 79-88		53
688	3-D nonisothermal flow simulation model for injected pultrusion processes. 1999 , 45, 151-163		22
687	Tetrafunctional epoxy resins: Modeling the curing kinetics based on FTIR spectroscopy data. <i>Journal of Applied Polymer Science</i> , 1999 , 74, 532-540	2.9	54
686	Curing kinetics of divinyl ester resins with styrene. <i>Journal of Applied Polymer Science</i> , 1999 , 74, 1044-1053		22
685	Effect of glass fiber sizing on the cure kinetics of vinyl ester resins. 1999 , 30, 11-18		31
684	An investigation of vinyl ester-styrene bulk copolymerization cure kinetics using Fourier transform infrared spectroscopy. <i>Journal of Applied Polymer Science</i> , 2000 , 76, 1572-1582	2.9	74
683	Analysis of kinetic parameters of an urethane acrylate resin for pultrusion process. <i>Journal of Applied Polymer Science</i> , 2000 , 77, 355-362	2.9	3
682	Residual monomer content in bone cements based on poly(methyl methacrylate). 2000 , 49, 831-838		30
681	Curing kinetics and viscosity change of a two-part epoxy resin during mold filling in resin-transfer molding process. <i>Journal of Applied Polymer Science</i> , 2000 , 77, 2139-2148	2.9	32
680	Unsaturated polyester resins: Numerical solution of a system of equations able to describe both styrene and unsaturation consumption. <i>Journal of Applied Polymer Science</i> , 2000 , 78, 124-132	2.9	2
679	Diffusion and reaction of epoxy and amine in polysulfone studied using Fourier transform infrared spectroscopy: experimental results. <i>Polymer</i> , 2000 , 41, 2591-2602	3.9	52
678	Analysis of a styrene-divinylester copolymerization: reaction heats, double bond conversions and average sequence lengths. <i>Polymer</i> , 2000 , 41, 3317-3329	3.9	3
677	A flexible approach to modeling and simulation of polymeric composite materials processing using object oriented techniques. 2000 , 24, 1961-1980		7
676	Chemorheological analysis of an epoxy-novolac molding compound. <i>Polymer Engineering and Science</i> , 2000 , 40, 418-429	2.3	8
675	Relationship between isothermal and dynamic cure of thermosets via the isoconversion representation. <i>Polymer Engineering and Science</i> , 2000 , 40, 607-620	2.3	44
674	Polyurethane and unsaturated polyester hybrid networks: Chemorheological and dielectric study for the resin transfer molding process (RTM). <i>Polymer Engineering and Science</i> , 2000 , 40, 690-701	2.3	12
673	Resin transfer molding (RTM) process of a high performance epoxy resin. I: Kinetic studies of cure reaction. <i>Polymer Engineering and Science</i> , 2000 , 40, 929-934	2.3	9
672	An analysis of the three-dimensional resin-transfer mold filling process. 2000 , 60, 961-975		75

671	Kinetic of a thermoplastic-modified epoxy-aromatic diamine formulation: modeling and influence of a trifunctional epoxy prepolymer. 2000 , 36, 1313-1321		40
670	Liquid Molding of Thermoset Composites. 2000 , 807-844		12
669	The Curing Process and Moisture Transport in a Tetrafunctional Epoxy Resin as Investigated by FT-NIR Spectroscopy. 2000 , 12, 155-168		19
668	Cure Kinetics of Hexcel W3T282-42/F155 Graphite/Epoxy Prepreg. 2000 , 9, 111-122		4
667	Effect of Pulling Speed on the Sizes of the Liquid, Gel and Solid Zone During Thermoset Pultrusion. 2000 , 19, 1493-1503		3
666	Non-isothermal injection molding with resin cure and preform deformability. 2000 , 31, 1355-1372		13
665	Analysis of resin transfer moulding process with controlled multiple gates resin injection. 2000 , 31, 407-422		38
664	Chemo-thermo-viscoelastic behavior of underfill materials during curing process.		
663	Epoxy+liquid crystalline epoxy coreacted networks: I. Synthesis and curing kinetics. <i>Polymer</i> , 2001 , 42, 2067-2075	3.9	41
662	Cure kinetics and ultimate properties of a tetrafunctional epoxy resin toughened by a perfluoro-ether oligomer. <i>Polymer</i> , 2001 , 42, 5189-5198	3.9	23
661	Effects of glass fibers and polypropylene/glass fiber hybrid fibers on the kinetics and mechanical properties of epoxy composites. 2001 , 22, 32-41		2
660	Microwave and conventional curing of thick-section thermoset composite laminates: Experiment and simulation. 2001 , 22, 197-212		68
659	A kinetic model for free-radical crosslinking co-polymerization of styrene/vinylester resin. 2001 , 22, 668-679		16
658	Effects of inhibitors and retarders on low temperature free radical crosslinking polymerization between styrene and vinyl ester resin. <i>Polymer Engineering and Science</i> , 2001 , 41, 53-65	2.3	18
657	Cure kinetics and physical properties of dicyanate/polyetherimide semi-IPNs. <i>Polymer Engineering and Science</i> , 2001 , 41, 758-762	2.3	2
656	Curing kinetics and mechanism of bisphenol S epoxy resin with 4,4'-Diaminodiphenyl ether or phthalic anhydride. 2001 , 33, 558-563		4
655	Curing kinetics of epoxy-urethane copolymers. <i>Journal of Applied Polymer Science</i> , 2001 , 79, 1771-1779	2.9	11
654	Application of chemo-rheology to establish a process window for a new solventless system to manufacture pre-pregs and laminates for electronic applications. <i>Journal of Applied Polymer Science</i> , 2001 , 82, 601-610	2.9	2

653	Morphology of a linear polymer-modified epoxy-amine formulation cured by microwave energy at different heating rates. <i>Journal of Applied Polymer Science</i> , 2001 , 82, 1118-1128	2.9	4
652	A New Curing Kinetic Model and Its Application to BPSE/DDM Epoxy System. 2001 , 65, 837-846		11
651	Interrelations between mechanism, kinetics, and rheology in an isothermal cross-linking chain-growth copolymerisation. <i>Polymer</i> , 2001 , 42, 2959-2968	3.9	38
650	Photopolymerization kinetics of multifunctional monomers. 2001 , 26, 605-665		668
649	Determining Etch Compensation Factors for Printed Circuit Boards. 2001 , 209-217		
648	Effect of Sizing and Loading Levels on the Cure Kinetics of Carbon Fiber Vinylester Composites. 2001 , 20, 90-104		3
647	Experimental and Numerical Analysis of Heat Transfer in Bulk Molding Compound Injection Process. 2001 , 20, 495-512		9
646	Thick-Sectioned RTM Composite Manufacturing: Part I In Situ Cure Model Parameter Identification and Sensing. <i>Journal of Composite Materials</i> , 2002 , 36, 1175-1200	2.7	18
645	On the Effect of E-Glass Fiber on the Cure Behavior of Vinylester Composites. 2002 , 21, 901-918		6
644	Phenolic Resins. 2002 ,		6
643	Simulation of resin flow during compression of copper-clad thermoset composite laminates. 2002 , 41, 383-405		3
642	Residual stress development during the composite patch bonding process: measurement and modeling. 2002 , 33, 277-288		41
641	Cure Kinetic Model, Heat of Reaction, and Glass Transition Temperature of AS4/3501-6 GraphiteEpoxy Prepregs. <i>Journal of Composite Materials</i> , 2002 , 36, 2479-2498	2.7	43
640	A study of cure kinetics by the use of dynamic differential scanning calorimetry. 2002 , 62, 29-40		56
639	Heat transfer for pultrusion of a modified acrylic/glass reinforced composite. 2002 , 23, 21-27		16
638	DSC studies on synthesis of superabsorbent hydrogels. <i>Polymer</i> , 2002 , 43, 269-277	3.9	31
637	On the curing of a vinylesterurethane hybrid resin. <i>Polymer</i> , 2002 , 43, 1383-1389	3.9	16
636	Free volume-based modelling of free radical crosslinking polymerisation of unsaturated polyesters. <i>Polymer</i> , 2002 , 43, 2039-2048	3.9	16

635	Influence of cure via network structure on mechanical properties of a free-radical polymerizing thermoset. <i>Polymer</i> , 2002 , 43, 2747-2760	3.9	25
634	Parametres cinetiques de systemes epoxy/acide par analyse calorimetrique differentielle (DSC). 2002 , 70, 527-540		
633	Computational developments for simulation based design: Multi-scale physics and flow/thermal/cure/stress modeling, analysis, and validation for advanced manufacturing of composites with complex microstructures. 2003 , 10, 3-206		4
632	Cure cycle design for composite materials using computer simulation and optimisation tools. 2003 , 67, 254-262		10
631	3-D modeling reactive molding processes: From tool development to industrial application. 2003 , 22, 42-55		9
630	Curing and mechanical properties of dicyanate/poly(ether sulfone) semi-interpenetrating polymer networks. <i>Journal of Applied Polymer Science</i> , 2003 , 87, 1079-1084	2.9	9
629	Resin-transfer molding of natural fiber reinforced plastic. I. Kinetic study of an unsaturated polyester resin containing an inhibitor and various promoters. <i>Journal of Applied Polymer Science</i> , 2003 , 89, 2553-2561	2.9	22
628	A numerical simulation of the resin film infusion process. <i>Composite Structures</i> , 2003 , 60, 431-437	5.3	26
627	A study of microwave reaction rate enhancement effect in adhesive bonding of polymers and composites. <i>Composite Structures</i> , 2003 , 61, 303-309	5.3	59
626	Optimised cure cycles for resin transfer moulding. 2003 , 63, 249-264		28
625	Simulation of the three-dimensional non-isothermal mold filling process in resin transfer molding. 2003 , 63, 1931-1948		37
624	Differential scanning calorimetric study on the curing behavior of epoxy resin/diethylenetriamine/organic montmorillonite nanocomposite. 2003 , 41, 378-386		33
623	Study of the effect of BDMA catalyst in the epoxy novolac curing process by isothermal DSC. 2003 , 52, 932-937		10
622	Modeling and simulation approaches in the resin transfer molding process: A review. 2003 , 24, 525-544		54
621	An alternative model for predicting the cure kinetics of a high temperature cure epoxy adhesive. <i>Polymer Engineering and Science</i> , 2003 , 43, 14-25	2.3	12
620	Inverse algorithm for optimal processing of composite materials. 2003 , 34, 695-708		35
619	Steady state and dynamic analysis of a bench-scale injected pultrusion process. 2003 , 34, 835-846		23
618	Effect of processing conditions and material properties on the debond fracture toughness of foam-core sandwich composites: process model development. 2003 , 34, 1085-1095		7

617	Rigorous Dynamic Model-Based Economic Design of the Injected Pultrusion Process with Controllability Considerations. <i>Journal of Composite Materials</i> , 2003 , 37, 1851-1880	2.7	17
616	Phenolic Resins. 2003 ,		4
615	Cure and Rubber Toughening of Vinyl Ester Resins. 2003 ,		
614	Estimation, Control and Optimization of Curing in Thick-Sectioned Composite Parts. 2004 , 126, 824-833		9
613	Curing of Highly Loaded Ceramic Suspensions in Acrylates. 2004 , 83, 2375-2380		20
612	Dielectric behavior of epoxy matrix/single-walled carbon nanotube composites. 2004 , 64, 23-33		71
611	Curing and properties comparison of an unsaturated polyester resin, varying crosslinking reaction conditions. 2004 , 25, 662-666		
610	Effect of the substituted benzene group on thermal and mechanical properties of epoxy resins initiated by cationic latent catalysts. 2004 , 42, 2419-2429		12
609	Cure kinetics of epoxy systems modified with block copolymers. 2004 , 53, 1495-1502		36
608	An analysis of the influence of the accelerator/sulfur ratio in the cure reaction and the uniaxial stress-strain behavior of SBR. <i>Journal of Applied Polymer Science</i> , 2004 , 91, 2601-2609	2.9	24
607	Cure kinetics, microheterogeneity, and mechanical properties of the high-temperature cure of vinyl ester resins. <i>Journal of Applied Polymer Science</i> , 2004 , 92, 1124-1133	2.9	19
606	Polymerization kinetics and thermal properties of dicyanate/clay nanocomposites. <i>Journal of Applied Polymer Science</i> , 2004 , 92, 1955-1960	2.9	8
605	A kinetic study on the autocatalytic cure reaction of a cyanate ester resin. <i>Journal of Applied Polymer Science</i> , 2004 , 92, 3067-3079	2.9	28
604	Kinetic Studies of Liquid Crystalline and Isotropic Vinyl Ester Resins. 2004 , 205, 2175-2184		5
603	The curing behaviors of the epoxy/dicyanamide system modified with epoxidized natural rubber. <i>Thermochimica Acta</i> , 2004 , 417, 99-106	2.9	35
602	Determination of mechanical properties of silica compounds using a curing kinetic model. 2004 , 40, 2401-2405		15
601	Three-dimensional process cycle simulation of composite parts manufactured by resin transfer molding. <i>Composite Structures</i> , 2004 , 65, 381-390	5.3	44
600	Dynamics of amine functionalized nanotubes/epoxy composites by dielectric relaxation spectroscopy. 2004 , 42, 323-329		68

599	Study of Warpage Due to P-V-T-C Relation of EMC in IC Packaging. 2004 , 27, 291-295		23
598	Inertial effects during the infiltration of an elastic porous medium. 2004 , 50, 379-398		
597	The Effect of Adhesive Curing Condition on Bonding Strength in Auto Body Assembly. 2004 , 137		
596	Process modeling of composites by resin transfer molding. 2005 , 15, 631-653		5
595	Effects of nano-sized carborundum particles and amino silane coupling agent on the cure reaction kinetics of DGEBA/EMI-2,4 system. <i>Polymer</i> , 2005 , 46, 6216-6225	3.9	20
594	Studying on the curing kinetics of a DGEBA/EMI-2,4/nano-sized carborundum system with two curing kinetic methods. <i>Polymer</i> , 2005 , 46, 6174-6181	3.9	48
593	Cure kinetic study of carbon nanofibers/epoxy composites by isothermal DSC. <i>Journal of Applied Polymer Science</i> , 2005 , 96, 329-335	2.9	48
592	Theoretical Modeling of the Phase Separation Dynamics in Blends of Reactive Monomers. 2005 , 14, 312-324		2
591	Étude de la photoréticulation par DPC de deux systèmes TEGAA/photoamorceur et Bis-GAA/photoamorceur. 2005 , 8, 903-910		1
590	The Curing Behavior and Adhesion Strength of the Epoxidized Natural Rubber Modified Epoxy/Dicyandiamide System. 2005 , 12, 295-303		16
589	Parallel Finite Element Software Development and Performance Analysis in an Object-Oriented Programming Framework. 2005 , 4, 17-34		0
588	Experimental modeling of the cure behavior of a formulated blend of DGEBA epoxy and C12-C14 glycidyl ether as a reactive diluent. 2005 , 26, 593-603		6
587	Comparison of four methods for monitoring the kinetics of curing of a phenolic resin. <i>Polymer Engineering and Science</i> , 2005 , 45, 95-102	2.3	29
586	Cure kinetics and modeling of an epoxy resin cross-linked in the presence of two different diamine hardeners. <i>Polymer Engineering and Science</i> , 2005 , 45, 1581-1589	2.3	17
585	Kinetic analysis and mechanical properties of nanoclay reinforced unsaturated polyester (UP) resins cured at low temperatures. <i>Polymer Engineering and Science</i> , 2005 , 45, 496-509	2.3	38
584	Kinetic modeling of an unsaturated polyester resin using two complementary techniques: Near infrared spectroscopy and heat flux sensors. <i>Polymer Engineering and Science</i> , 2005 , 45, 846-856	2.3	10
583	Process optimization to overcome void formation in nonconductive paste interconnections for fine-pitch applications. 2005 , 34, 1143-1149		6
582	Characterization of soy protein/styrene-butadiene rubber composites. 2005 , 36, 675-682		29

581	Mechanism and Kinetics of Epoxy-Imidazole Cure Studied with Two Kinetic Methods. 2005 , 37, 833-840		18
580	The Effect of Adhesive Curing Condition on Bonding Strength in Auto Body Assembly. 2005 , 127, 411-419		7
579	Modeling the Vulcanization of Rubber Blends. 2006 , 243, 104-113		8
578	Phase Separation of Interpenetrating Polymer Networks Synthesized by Using an Autocatalytic Reaction. 2006 , 39, 9456-9466		36
577	Editorial. 2006 , 29, 3-4		1
576	Advanced numerical simulation of liquid composite molding for process analysis and optimization. 2006 , 37, 890-902		136
575	Processing Properties. 2006 , 37-110		0
574	Introduction to Numerical Analysis. 2006 , 341-384		1
573	Finite Difference Method. 2006 , 385-451		
572	Curing behavior and structure of an epoxy/clay nanocomposite system. <i>Polymer Engineering and Science</i> , 2006 , 46, 1318-1325	2.3	28
571	Cure kinetics of epoxy/amine resins used in the restoration of works of art from glass or ceramic. 2006 , 42, 3311-3323		62
570	Study of a reactive epoxy/amine resin enabling in situ dissolution of thermoplastic films during resin transfer moulding for toughening composites. 2006 , 66, 1376-1384		47
569	Rheokinetic investigations on the thermal polymerization of benzoxazine monomer. <i>Thermochimica Acta</i> , 2006 , 441, 150-155	2.9	41
568	Isoconversional kinetic analysis of stoichiometric and off-stoichiometric epoxy-amine cures. <i>Thermochimica Acta</i> , 2006 , 447, 167-177	2.9	158
567	Cure kinetics of epoxy resin and thermoplastic polymer. <i>Journal of Thermal Analysis and Calorimetry</i> , 2006 , 86, 699-705	4.1	32
566	A new kinetic model for the photopolymerization shrinkage-strain of dental composites and resin-monomers. 2006 , 22, 785-91		136
565	Electrostatic fluidized bed (EFB) coating of heat sensitive and electrical insulating substrates with low-curing thermoset epoxy-polyester (EP) powders. 2006 , 56, 185-198		10
564	Cure behavior of DGEBA vinyl ester/tyrene resins near silane-treated interfaces. <i>Journal of Applied Polymer Science</i> , 2006 , 101, 2784-2792	2.9	9

563	Cure kinetics of a polymer-based composite friction material. <i>Journal of Applied Polymer Science</i> , 2006 , 100, 9-17	2.9	12
562	Preparation and curing kinetics of bisphenol A type novolac epoxy resins. <i>Journal of Applied Polymer Science</i> , 2006 , 99, 858-868	2.9	24
561	Reactive blending approach to modify spin-coated epoxy film: Part II. Crosslinking kinetics. <i>Journal of Applied Polymer Science</i> , 2006 , 101, 3689-3696	2.9	1
560	Vulcanization kinetic of styreneButadiene rubber by sulfur/TBBS. <i>Journal of Applied Polymer Science</i> , 2006 , 101, 35-41	2.9	33
559	Morphology and cure kinetics of unsaturated polyester resin/block copolymer blends. <i>Journal of Applied Polymer Science</i> , 2006 , 102, 149-165	2.9	18
558	Kinetics of the curing reaction of unsaturated polyester resins catalyzed with new initiators and a promoter. <i>Journal of Applied Polymer Science</i> , 2006 , 102, 1870-1876	2.9	15
557	Modeling the chemorheological behavior of epoxy/liquid aromatic diamine for resin transfer molding applications. <i>Journal of Applied Polymer Science</i> , 2006 , 102, 4228-4237	2.9	14
556	Influence of postcuring conditions on the processing characteristics of epoxy components. 2006 , 25, 51-62		3
555	P-V-T-C equation for epoxy molding compound. 2006 , 29, 112-117		21
554	IEEE Components, Packaging, and Manufacturing Technology Society Information. 2006 , 29, c4-c4		
553	Calorimetric and Rheological Measurements of Three Commercial Thermosetting Prepreg Epoxies. <i>Journal of Composite Materials</i> , 2006 , 40, 873-897	2.7	13
552	Cure Shrinkage and Bulk Modulus Determination for Moulding Compounds. 2006 ,		9
551	Integrated manufacturing system of high-pressure FRP pipes. 2007 , 30, 245		1
550	Coupled Non-Conforming Finite Element and Finite Difference Approximation Based on Laminate Extrapolation to Simulate Liquid Composite Molding Processes. Part II: Non-Isothermal Filling and Curing. 2007 , 14, 113-144		4
549	Simulation of compression moulding to form composites. 2007 , 144-176		
548	Cure shrinkage characterization and modeling of a polyester resin containing low profile additives. 2007 , 38, 994-1009		72
547	Modelling of hydro-mechanical coupling in infusion processes. 2007 , 38, 1646-1654		25
546	Characterization and Modelling of Cure Kinetics of A Molding Compound. 2007 ,		1

545	Vacuum Consolidation of Commingled Thermoplastic Matrix Composites. <i>Journal of Composite Materials</i> , 2007 , 41, 243-262	2.7	10
544	Kinetic and heat transfer modeling of rubber blends' sulfur vulcanization with N-t-butylbenzothiazole-sulfenamide and N,N-di-t-butylbenzothiazole-sulfenamide. <i>Journal of Applied Polymer Science</i> , 2007 , 103, 293-307	2.9	13
543	Conversion analysis of acrylated hyperbranched polymers UV-cured below their ultimate glass transition temperature. <i>Journal of Applied Polymer Science</i> , 2007 , 104, 2366-2376	2.9	20
542	Modeling the Cure of an Epoxy-Amine Resin with Bisphenol A as an External Catalyst. 2007 , 208, 55-67		8
541	Kinetic Analysis of Isothermal and Nonisothermal Epoxy-Amine Cures by Model-Free Isoconversional Methods. 2007 , 208, 718-729		37
540	Epoxy/Silica Nanocomposites: Nanoparticle-Induced Cure Kinetics and Microstructure. 2007 , 28, 121-126		67
539	Kinetic and thermodynamic studies of the formation of a polyurethane based on 1,6-hexamethylene diisocyanate and poly(carbonate-co-ester)diol. <i>Thermochimica Acta</i> , 2007 , 459, 94-103 ^{2,9}		77
538	Influence of fillers and additives on the cure kinetics of an epoxy/anhydride resin. 2007 , 43, 1168-1178		115
537	Techniques used for determining cure kinetics of rubber compounds. 2007 , 43, 4783-4799		73
536	Reaction kinetics and network characterization of UV-curing polyester acrylate inorganic/organic hybrids. 2007 , 43, 3325-3336		19
535	Chemico-diffusion kinetics and TTT cure diagrams of DGEBA/DGEBF/amine resins cured with phenol catalysts. 2007 , 43, 5107-5120		30
534	Isothermal reduction kinetics of nickel oxide using hydrogen: Conventional and Weibull kinetic analysis. 2007 , 68, 2233-2246		33
533	Comparison of the curing kinetic behavior for two epoxy resin systems containing EPIKOTE 828/EPIKURE 3090 and DURATEK KLM 606A/DURATEK KLM 606B. 2007 , 28, 762-770		3
532	Modeling the vulcanization reaction of silicone rubber. <i>Polymer Engineering and Science</i> , 2007 , 47, 675-683		66
531	Applications of thermal analysis to polymers. 2007 , 49, 127-139		1
530	Synthesis, characterization, shrinkage and curing kinetics of a new low-shrinkage urethane dimethacrylate monomer for dental applications. 2007 , 23, 1030-41		69
529	Suspension polymerization casting of lead zirconate titanate, Part II: acrylate system. 2007 , 42, 8311-8319		3
528	Cure reaction kinetics of low pressure sheet molding compound system thickened by crystalline polymer. 2007 , 22, 380-384		2

527	The inverse estimation of kinetic parameters of composite materials without using DSC data. 2008 , 44, 379-388		
526	Temperature, conversion, and phase separation profiles during mold cure of a modified vinyl-ester resin. <i>Polymer Engineering and Science</i> , 2008 , 48, 52-61	2.3	
525	Curing kinetics study of an epoxy resin system for T800 carbon fiber filament wound composites by dynamic and isothermal DSC. <i>Journal of Applied Polymer Science</i> , 2008 , 107, 1493-1499	2.9	27
524	Synthesis, characterization, and UV curing kinetics of hyperbranched polycarbosilane. <i>Journal of Applied Polymer Science</i> , 2008 , 107, 3812-3822	2.9	29
523	Kinetics study of Ti[O(CH ₂) ₄ OCH ₂ CH ₂] ₄ initiated ring-opening polymerization of ε-caprolactone by differential scanning calorimetry. <i>Journal of Applied Polymer Science</i> , 2008 , 110, 3990-3998	2.9	12
522	The study of injection/compression liquid composite molding. 2008 , 201, 695-700		7
521	Using hyperbranched macromers as crosslinkers of methacrylic networks prepared by photopolymerization. 2008 , 200, 126-140		11
520	Analysis of bubble nucleation and growth in the pultrusion process of phenolic foam composites. 2008 , 68, 202-208		31
519	Analysis of pulling force during pultrusion process of phenolic foam composites. 2008 , 68, 140-146		14
518	Cure kinetic parameter estimation of thermosetting resins with isothermal data by using particle swarm optimization. 2008 , 44, 2678-2686		14
517	Alumina and zirconia acrylate nanocomposites coatings for wood flooring: Photocalorimetric characterization. 2008 , 61, 76-82		42
516	Active Control of Reactive Resin Flow in a Vacuum Assisted Resin Transfer Molding (VARTM) Process. <i>Journal of Composite Materials</i> , 2008 , 42, 1205-1229	2.7	12
515	Study of Curing Kinetics of an Epoxy-Amine Adhesive System Using a Calorimetric Analysis Approach. 2008 , 47, 1109-1116		4
514	Application of Kinetics of Thermal Degradation for Time-Temperature Analysis of Automotive Components. 2009 ,		3
513	Curing Kinetics and Effects of Fibre Surface Treatment and Curing Parameters on the Interfacial and Tensile Properties of Hemp/Epoxy Composites. 2009 , 23, 2085-2107		18
512	Cure Kinetic of Poly (alkyltetrasulfide) Using a Rheological Method. 2009 , 48, 627-632		10
511	Some Analytical Solutions of the Kamal Equation for Isothermal Curing With Applications to Composite Patch Repair. 2009 , 131,		
510	Liquid resin and polymer solution processing. 2009 , 289-311		

509	Injection Molding: Introduction and General Background. 2009 , 1-70		2
508	Cure kinetics of vapor grown carbon nanofiber (VGCNF) modified epoxy resin suspensions and fracture toughness of their resulting nanocomposites. 2009 , 118, 234-242		23
507	Method to describe curing in large epoxy samples. 2009 , 28, 267-275		5
506	Dynamic cure kinetics of epoxy novolac compounds as studied by differential scanning calorimetry. <i>Journal of Applied Polymer Science</i> , 2009 , 114, 2373-2377	2.9	4
505	Accelerator adsorption onto carbon nanotubes surface affects the vulcanization process of styrene-butadiene rubber composites. <i>Journal of Applied Polymer Science</i> , 2009 , 113, 2851-2857	2.9	38
504	Curing kinetics of medium reactive unsaturated polyester resin used for liquid composite molding process. <i>Journal of Applied Polymer Science</i> , 2009 , 114, 2415-2420	2.9	16
503	A thermal and rheological investigation during the complex cure of a two-component thermoset polyurethane. <i>Journal of Applied Polymer Science</i> , 2009 , 114, 3802-3810	2.9	7
502	Characterisation of the cross-linking process in an E-glass fibre/epoxy composite using evanescent wave spectroscopy. 2009 , 69, 2069-2074		12
501	Curing characteristics of an epoxy resin in the presence of ball-milled graphite particles. 2009 , 44, 1987-1997		21
500	Cure modeling and mechanical properties of counter rotating twin screw extruder devulcanized ground rubber tire-natural rubber blends. 2009 , 16, 133-141		25
499	A kinetic study of the isothermal degradation process of Lexan [®] using the conventional and Weibull kinetic analysis. 2009 , 16, 213-230		7
498	Investigation of cure kinetics and storage stability of the o-cresol novolac epoxy nanocomposites with pre-intercalated phenolic hardeners. 2009 , 17, 121-127		1
497	Modelling and Simulation of Curing Processes of Epoxy Resin. 2009 , 9, 325-326		3
496	Curing behavior and properties of epoxy nanocomposites with amine functionalized multiwall carbon nanotubes. 2009 , 30, 415-421		42
495	Predicting the cure of thermosetting polymers: The isoconversion map. 2009 , 30, 1450-1457		9
494	Simulation of chemical kinetics of elastomer crosslinking by organic peroxides. <i>Polymer Engineering and Science</i> , 2009 , 49, 60-72	2.3	13
493	Fiber-optic sensor design for chemical process and environmental monitoring. 2009 , 47, 1069-1076		20
492	Kinetic studies of the polymerization of an epoxy resin modified with rhodamine B. <i>Thermochimica Acta</i> , 2009 , 493, 6-13	2.9	24

491	Synthesis, characterization and UV curing kinetics of hyperbranched polysiloxysilanes from A2 and CB2 type monomers. <i>Polymer</i> , 2009 , 50, 3587-3594	3.9	25
490	Reactivity, viscoelastic behaviour and mechanical performances of hybrid systems based on epoxy resins and reactive polyhedral oligosilsesquioxanes. <i>Polymer</i> , 2009 , 50, 5518-5532	3.9	27
489	Curing kinetic study using a well-controlled multifunctional copolymer based on glycidyl methacrylate. 2009 , 45, 2665-2673		20
488	The Effect of Oven-Heat Flux on Powder-Coating Issues of Sheet Molding Compound Panels. 2009 , 48, 1638-1649		2
487	Nanoreinforced Epoxy Adhesives for Aerospace Industry. 2009 , 85, 180-199		42
486	A comparison of cure monitoring techniques. 2009 ,		1
485	Chemorheology and chemorheological modelling. 351-374		0
484	Industrial technologies, chemorheological modelling and process modelling for processing reactive polymers. 375-434		
483	Chemorheological techniques for reactive polymers. 321-350		
482	An efficient reduced simulation of residual stresses in composite forming processes. 2010 , 3, 1339-1350		21
481	Curing behavior of epoxy resins with a series of novel curing agents containing 4,4'-biphenyl and varying methylene units. <i>Journal of Thermal Analysis and Calorimetry</i> , 2010 , 102, 915-922	4.1	18
480	Kinetic studies of UV-waterborne nanocomposite formulations with nanoalumina and nanosilica. 2010 , 67, 188-194		49
479	Modeling the effect of the curing conversion on the dynamic viscosity of epoxy resins cured by an anhydride curing agent. <i>Journal of Applied Polymer Science</i> , 2010 , 115, 1671-1674	2.9	18
478	Studies on the cure kinetics and networks properties of neat and polydimethylsioxane modified tetrafunctional epoxy resins. <i>Journal of Applied Polymer Science</i> , 2010 , 117, NA-NA	2.9	0
477	Autocatalytic curing kinetics of thermosetting polymers: A new model based on temperature dependent reaction orders. <i>Polymer</i> , 2010 , 51, 3814-3820	3.9	45
476	Cure kinetics and swelling behaviour in polybutadiene rubber. <i>Polymer Testing</i> , 2010 , 29, 477-482	4.5	33
475	Numerical simulation of reactive flow in liquid composite molding using flux-corrected transport (FCT) based finite element/control volume (FE/CV) method. 2010 , 53, 2256-2271		25
474	Kinetic study of a phenolic-novolac resin curing process by rheological and DSC analysis. <i>Thermochimica Acta</i> , 2010 , 498, 39-44	2.9	40

- 473 Synthesis and UV curing kinetics of rapidly UV-curable hyperbranched polycarbosiloxanes. **2010**, 59, 1323-1330
- 472 Curing behavior and physical properties of epoxy nanocomposites comprising amine-functionalized carbon nanofillers. **2010**, 31, 1449-1456 8
- 471 Cure advancement of urethane networks using a sigmoidal chemorheological model. *Polymer Engineering and Science*, **2010**, 50, 499-503 2.3 9
- 470 The Curing Process of Epoxy/Amino-Functionalized MWCNTs: Calorimetry, Molecular Modelling, and Electron Microscopy. **2010**, 2010, 1-11 9
- 469 Material characterization and residual stresses simulation during the manufacturing process of epoxy matrix composites. **2010**, 41, 108-115 72
- 468 Vulcanization Characteristics and Curing Kinetic of Rubber/Organoclay Nanocomposites. **2011**, 275-303 3
- 467 Volume Shrinkage Characterization of Underfill Materials. **2011**, 1, 76-82 3
- 466 Modeling of Viscoelastic Behavior of an Epoxy Molding Compound During and After Curing. **2011**, 1, 1755-1760 7
- 465 Epoxy/Amine Based Nanocomposites Reinforced by Silica Nanoparticles. Relationships between Morphologic Aspects, Cure Kinetics, and Thermal Properties. **2011**, 115, 22789-22795 43
- 464 A Prediction Model for Rubber Curing Process. **2011**, 1 1
- 463 Evaluation of Impact of Active Grille Shutter on Vehicle Thermal Management. **2011**, 4, 1244-1254 21
- 462 Synthesis, cure kinetics, and physical properties of a new tricyanate ester with enhanced molecular flexibility. *Polymer*, **2011**, 52, 3933-3942 3.9 23
- 461 Effect of carbon nanofibers on the cure kinetics of unsaturated polyester resin: Thermal and chemorheological modelling. **2011**, 71, 1507-1507 34
- 460 An ex-situ state-based approach using rheological properties to measure and model cure in polymer composites. **2011**, 30, 123-133 4
- 459 A cure kinetics, diffusion controlled and temperature dependent, identification of the Araldite LY556 epoxy. **2011**, 46, 787-796 52
- 458 Parameter estimation of kinetic cure using DSC non-isothermal data. *Journal of Thermal Analysis and Calorimetry*, **2011**, 103, 495-499 4.1 7
- 457 Thermophysical properties and material modelling of acrylic bone cements used in vertebroplasty. *Journal of Thermal Analysis and Calorimetry*, **2011**, 105, 705-718 4.1 15
- 456 A Dynamic Transient Model to Simulate the Time Dependent Pultrusion Process of Glass/Polyester Composites. **2011**, 18, 585-601 2

455	Kinetic modeling of the peroxide cross-linking of polymer/monomer blends: From a theoretical model framework to its application for a complex polymer/monomer dispersion system. 2011 , 71, 11-22		5
454	Kinetics studies on the accelerated curing of liquid crystalline epoxy resin/multiwalled carbon nanotube nanocomposites. 2011 , 49, 301-309		22
453	Accelerated Self-Healing Via Ternary Interpenetrating Microvascular Networks. 2011 , 21, 4320-4326		76
452	Modeling processing of silicone rubber: Liquid versus hard silicone rubbers. <i>Journal of Applied Polymer Science</i> , 2011 , 119, 1864-1871	2.9	15
451	A three-function numerical model for the prediction of vulcanization-reversion of rubber during sulfur curing. <i>Journal of Applied Polymer Science</i> , 2011 , 119, 419-437	2.9	33
450	Studies on preparation and properties of vinyltriethoxysilane-grafted styrene-butadiene rubber. <i>Journal of Applied Polymer Science</i> , 2011 , 119, 2808-2814	2.9	14
449	Preparation, curing kinetics, and properties of a novel low-volatile starlike aliphatic-polyamine curing agent for epoxy resins. 2011 , 171, 357-367		73
448	Kinetic modeling of the peroxide cross-linking of polymers: From a theoretical model framework to its application for a complex polymer system. 2011 , 50, 200-210		8
447	Kinetic study of the novolac resin curing process using model fitting and model-free methods. <i>Thermochimica Acta</i> , 2011 , 523, 63-69	2.9	40
446	Pultrusion Technology Optimization for Hybrid Fiber Composites Based on DSC and Mechanical Property Testing. 2011 , 295-297, 383-387		1
445	Heat Transfer in Thin Multilayered Plates Part II: Applications to the Composite Patch Repair Technique. 2011 , 133,		3
444	Predicting the surface waviness of sheet moulding compound parts by simulating process-induced thermal stresses. 2011 , 31,		2
443	OPTIMIZATION OF THE VULCANIZATION PROCESS OF A THICK RUBBER ARTICLE USING AN ADVANCED COMPUTER SIMULATION TECHNIQUE. 2012 , 85, 576-589		10
442	CURE SIMULATION OF LARGE RUBBER COMPONENTS: A COMPARISON OF COMPRESSION AND EXTRUSION MOLDING. 2012 , 85, 495-512		2
441	APPLICATIONS OF RHEOLOGY. 2012 , 365-420		6
440	Optimization of the Composite Cure Process Based on the Thermo-Kinetic Model. 2012 , 569, 185-192		17
439	Control of attenuation in microwaves processing to obtain uniform treatment of epoxy glass. 2012 , 46, 174-84		2
438	Computer simulation of Bragg grating formation in holographic polymer-dispersed liquid crystals based on the density functional theory. 2012 ,		0

437	Optimization of Heating Temperature History for Anisotropic Conductive Film Interconnection. 2012 , 134,		
436	Novel silicone aliphatic amine curing agent for epoxy resin: 1,3-Bis(2-aminoethylaminomethyl) tetramethyldisiloxane. 2. Isothermal cure, and dynamic mechanical property. <i>Thermochimica Acta</i> , 2012 , 549, 132-139	2.9	31
435	Direct and closed form analytical model for the prediction of reaction kinetic of EPDM accelerated sulphur vulcanization. 2012 , 50, 2577-2605		10
434	Resin transfer molding (RTM) in polymer matrix composites. 2012 , 245-309		13
433	Rheology of thermosets: the use of chemorheology to characterise and model thermoset flow behaviour. 2012 , 92-117		4
432	Polycyanurate Networks with Enhanced Segmental Flexibility and Outstanding Thermochemical Stability. 2012 , 45, 9707-9718		18
431	About the cure kinetics in natural rubber/styrene Butadiene rubber blends at 433 K. 2012 , 407, 3271-3273		8
430	Modeling of phenomenological mechanisms during thermal formation and degradation of an epoxy-based nanocomposite. <i>Thermochimica Acta</i> , 2012 , 543, 239-245	2.9	17
429	Study on the effect of aminosilane functionalized nanoclay on the curing kinetics of epoxy nanocomposites. <i>Thermochimica Acta</i> , 2012 , 546, 16-23	2.9	40
428	RheoDSC: Design optimisation by heat transfer modelling. <i>Thermochimica Acta</i> , 2012 , 547, 130-140	2.9	3
427	Simulating the effect of temperature elevation on clamping force requirements during rigid-tool Liquid Composite Moulding processes. 2012 , 43, 2221-2229		24
426	Determination and modelling of the cure shrinkage of epoxy vinyl ester resin and associated composites by considering thermal gradients. 2012 , 73, 81-87		53
425	Sheet Molding Compounds. 2012 , 1		16
424	Processing: Autoclave Modeling. 2012 , 1		
423	Molding: Compression. 2012 , 1		1
422	Synthesis and characterization of ionic polymer networks in a room-temperature ionic liquid. 2012 , 4, 6142-50		24
421	Long-Term Durability of Polymeric Matrix Composites. 2012 ,		23
420	Cure kinetics and thermal stability of micro and nanostructured thermosetting blends of epoxy resin and epoxidized styrene-block-butadiene-block-styrene triblock copolymer systems. <i>Polymer Engineering and Science</i> , 2012 , 52, 2336-2347	2.3	35

419	Synthesis of polylactide-based thermoset resin and its curing kinetics. 2012 , 61, 1492-1502		24
418	Vulcanization kinetics of butyl rubber/clay nanocomposites and its dependence on clay microstructure. <i>Journal of Applied Polymer Science</i> , 2012 , 125, E204	2.9	21
417	Effect of nanoclay and carboxyl-terminated (butadiene-co-acrylonitrile) (CTBN) rubber on the reaction induced phase separation and cure kinetics of an epoxy/cyclic anhydride system. 2012 , 47, 5241-5253		42
416	Impact of the Fibre Bed on Resin Viscosity in Liquid Composite Moulding Simulations. 2012 , 19, 669-688		2
415	Optimization of extrusion production lines for EPDM rubber vulcanized with sulphur: A two-phase model based on Finite Elements and kinetic second order differential equation. 2012 , 43, 173-190		11
414	Modeling and simulation of curing kinetics for the cardanol-based vinyl ester resin by means of non-isothermal DSC measurements. 2012 , 132, 180-186		28
413	Cure kinetics, glass transition temperature development, and dielectric spectroscopy of a low temperature cure epoxy/amine system. <i>Journal of Applied Polymer Science</i> , 2012 , 124, 1899-1905	2.9	16
412	Rheokinetic cure characterization of epoxy/anhydride polymer system with shape memory characteristics. <i>Journal of Thermal Analysis and Calorimetry</i> , 2012 , 107, 693-702	4.1	13
411	Modeling and Prediction of Thermal Cycle Induced Failure in Epoxy-Silica Composites. 2012 , 19, 65-78		4
410	Novel Reaction Kinetic Model for Anionic Polyamide-6. 2013 , 298, 163-173		15
409	Analysis and Optimization of the Silicone Molding Process Based on Numerical Simulations and Experiments. 2013 , 32, E258-E273		2
408	Kinetic finite element model to optimize sulfur vulcanization: Application to extruded epdm weather-strips. <i>Polymer Engineering and Science</i> , 2013 , 53, 353-369	2.3	11
407	Synthesis, thermal properties and curing kinetics of fluorene diamine-based benzoxazine containing ester groups. 2013 , 49, 2759-2768		33
406	Photopolymerization of bis-aromatic and alicyclic based solid urethane acrylate macromonomer in the presence of large excess of reactive diluent. <i>Journal of Thermal Analysis and Calorimetry</i> , 2013 , 112, 805-813	4.1	3
405	Spring-in and Warpage [Progress in Simulating Manufacturing Aspects. 2013 , 49, 193-200		8
404	A multi-scale analysis of local stresses development during the cure of a composite tooling material. 2013 , 6, 467-482		8
403	Kinetics of UV-curing of waterborne polyurethane acrylate dendrimer. 2013 , 70, 1019-1035		4
402	Probing the temperature sensitivity of induction time in latent cure epoxy resins. 2013 , 62, 1451-1456		1

401	Kinetics of cyclization reaction in poly(acrylonitrile/methyl acrylate/dimethyl itaconate) copolymer determined by a thermal analysis. 2013 , 98, 2072-2080		18
400	Mechanistic modeling of reversion phenomenon in sulphur cured natural rubber vulcanization kinetics. <i>Polymer Testing</i> , 2013 , 32, 1052-1063	4.5	55
399	Distributed model based thermal control for optimal curing of the large composite structures. 2013 ,		
398	Thermal models for MTM45-1 and Cycom 5320 out-of-autoclave prepreg resins. <i>Journal of Composite Materials</i> , 2013 , 47, 341-352	2.7	37
397	Effective GA approach for a direct evaluation of reaction kinetic within EPDM accelerated sulphur crosslinking. 2013 , 51, 465-491		5
396	On Vergnaud's time integration method for autocatalytic cure rate equations. 2013 , 220, 748-755		
395	A surrogate model based evolutionary game-theoretic approach for optimizing non-isothermal compression RTM processes. 2013 , 84, 92-100		15
394	Kinetics of benzoxazine polymerization studied by Raman spectroscopy. 2013 , 25, 634-640		2
393	Kinetic models for the SR1500 and LY556 epoxies under manufacturer's recommended cure cycles. 2013 , 49, 3328-3336		3
392	Cure kinetic and network structure of NR/SBR composites reinforced by multiwalled carbon nanotube and carbon blacks. <i>Thermochimica Acta</i> , 2013 , 566, 238-248	2.9	40
391	A continuous kinetic model of rubber vulcanization predicting induction and reversion. <i>Polymer Testing</i> , 2013 , 32, 575-582	4.5	31
390	Modeling of the Chemorheological Behavior of Thermosetting Polymer Nanocomposites. 2013 , 255-287		
389	Cure kinetics and modeling the reaction of silicone rubber. 2013 , 19, 42-47		49
388	A knowledge based approach for elastomer cure kinetic parameters estimation. <i>Polymer Testing</i> , 2013 , 32, 9-14	4.5	24
387	Cure kinetics and viscosity modelling of a high-performance epoxy resin film. <i>Polymer Testing</i> , 2013 , 32, 150-157	4.5	68
386	Homogenization of a thermo-chemo-viscoelastic Kelvin-Voigt model. 2013 , 54, 081501		5
385	Thermo-Kinetic Analysis of Liquid Silicone Rubber. 2013 , 554-557, 1634-1648		1
384	Modelization of structural changes in ultra low k materials during ultraviolet cure. 2013 , 114, 224110		5

383	Fast-activated anionic polymerization of ϵ -caprolactam in the bulk under quasi-adiabatic conditions: Comparison of different kinetic models. 2013 , 51, 4474-4480		9
382	Effects of Moulding Condition and Curing Atmosphere on the Flexural Properties of Vinyl Ester. 2013 , 21, 61-64		4
381	Research on Vulcanization Process Simulation of Butyl Rubber Based on a New Characterization Model of Curing Degree. 2014 , 30, 237-247		1
380	An Optimal Cure Process to Minimize Residual Void and Optical Birefringence for a LED Silicone Encapsulant. <i>Materials</i> , 2014 , 7, 4088-4104	3.5	8
379	Correlation of the heater's duty cycle and specific energy consumption, and reduction in energy consumption in the pultrusion process. 2014 , 21, 295-302		
378	Numerical analysis on MUF process for flip chip packaging. 2014 ,		0
377	New trends in vinyl ester resins. 2014 , 30,		22
376	Modelling of curing kinetics of amine cured epoxy resins for vacuum assisted resin infusion molding. 2014 , 92, 703-711		4
375	Proposal of an optimum cure cycle for filament winding process using a hybrid neural network - first principles model. 2014 , 35, 1377-1387		5
374	Silicon-containing trifunctional and tetrafunctional cyanate esters: Synthesis, cure kinetics, and network properties. 2014 , 52, 767-779		8
373	Heat transfer analysis and cure modelling of composite repairs for pipelines. 2014 , 33, 586-597		4
372	Effective closed form starting point determination for kinetic model interpreting NR vulcanized with sulphur. 2014 , 52, 464-488		15
371	Study on the effect of hexamethylene diamine functionalized graphene oxide on the curing kinetics of epoxy nanocomposites. 2014 , 52, 88-97		75
370	Reaction kinetics and modeling of photoinitiated cationic polymerization of an alicyclic based diglycidyl ether. 2014 , 318, 263-268		5
369	Vulcanization kinetics of nano-silica filled styrene butadiene rubber. <i>Polymer</i> , 2014 , 55, 6426-6434	3.9	75
368	Manufacturing methods for natural fibre composites. 2014 , 176-215		16
367	Novel silicone-phenyl contained amine curing agent for epoxy resin. 2. Isothermal cure and dynamic mechanical property. <i>Thermochimica Acta</i> , 2014 , 590, 251-258	2.9	3
366	Flame retardant, mechanical properties and curing kinetics of DOPO-based epoxy resins. 2014 , 109, 218-225		83

365	Synthesis of aromatic amine curing agent containing non-coplanar rigid moieties and its curing kinetics with epoxy resin. <i>Journal of Thermal Analysis and Calorimetry</i> , 2014 , 117, 831-843	4.1	5
364	Anisothermal thermosetting resin cure monitored by optical fiber refractometer. <i>Polymer Engineering and Science</i> , 2014 , 54, 626-635	2.3	3
363	Shape Distortion of Carbon/Epoxy Composite Parts During Fabrication. 2014 , 340, 59-64		11
362	Fabrication, process simulation and testing of a thick CFRP component using the RTM process. 2014 , 56, 673-680		45
361	Thermomechanical material modelling based on a hybrid free energy density depending on pressure, isochoric deformation and temperature. 2014 , 51, 729-739		24
360	Kinetic research on low-temperature cure of epoxy adhesive. 2014 , 50, 255-264		11
359	Polymerization kinetics of boron carbide/epoxy composites. <i>Thermochimica Acta</i> , 2014 , 575, 144-150	2.9	25
358	Method for time-Temperature-transformation diagrams using DSC data: Linseed aliphatic epoxy resin. <i>Journal of Applied Polymer Science</i> , 2014 , 131, n/a-n/a	2.9	11
357	Preparation and physical properties of an epoxy nanocomposite with amine-functionalized graphenes. <i>Polymer Engineering and Science</i> , 2014 , 54, 985-991	2.3	19
356	Identification of thermoset resin cure kinetics using DSC and genetic algorithm. 2014 ,		2
355	Continuum Physics of Materials with Time-Dependent Properties. 2015 , 48, 141-259		9
354	Cuprous oxide nanoparticles in epoxy network: Cure reaction, morphology, and thermal stability. <i>Polymer Engineering and Science</i> , 2015 , 55, 2293-2306	2.3	4
353	Preparation and kinetic analysis of room-temperature vulcanized methylethylsilicone rubbers. <i>Journal of Applied Polymer Science</i> , 2015 , 132, n/a-n/a	2.9	2
352	Simulation-Based Optimization of Cure Cycle of Large Area Compression Molding for LED Silicone Lens. 2015 , 2015, 1-11		2
351	Biobased Thermosetting Epoxy Foams: Mechanical and Thermal Characterization. 2015 , 3, 1406-1411		39
350	Cure kinetics of hot cured unsaturated polyester (UP)/nanoclay nanocomposite including dual initiators. <i>Plastics, Rubber and Composites</i> , 2015 , 44, 19-25	1.5	1
349	Numerical prediction of residual stresses evolving during packaging of ICs. 2015 ,		
348	The effect of magnesium hydroxide, hydromagnesite and layered double hydroxide on the heat stability and fire performance of plasticized poly(vinyl chloride). 2015 , 33, 493-510		12

347	Thermal, rheological and electrical analysis of MWCNTs/epoxy matrices. 2015 , 110, 118-125		18
346	Vulcanization of EPDM rubber compounds with and without blowing agents: Identification of reaction events and TTT-diagram using DSC data. <i>Polymer Engineering and Science</i> , 2015 , 55, 2073-2088	2.3	20
345	Kinetic analysis and characterization of an epoxy/cork adhesive. <i>Thermochimica Acta</i> , 2015 , 604, 52-60	2.9	29
344	Heat stabilising flexible PVC with layered double hydroxide derivatives. 2015 , 113, 46-54		30
343	Effects of fabric-based unbalances on process-induced distortions of composite materials. <i>Journal of Composite Materials</i> , 2015 , 49, 1291-1300	2.7	6
342	FE simulation of the curing behavior of the epoxy adhesive Hysol EA-9321. 2015 , 60, 31-46		8
341	Numerical investigation and dimensional analysis of reaction runaway evaluation for thermal polymerization. 2015 , 104, 32-41		7
340	Simulation of the development of local panel distortions due to hot-curing adhesives. 2015 , 225, 405-412		2
339	Preparation, isothermal kinetics, and performance of a novel epoxy thermosetting system based on phosphazene-cyclomatrix network for halogen-free flame retardancy and high thermal stability. <i>Thermochimica Acta</i> , 2015 , 607, 60-73	2.9	39
338	A closed form solution for the vulcanization prediction of NR cured with sulphur and different accelerators. 2015 , 53, 975-997		23
337	Iterative robust numerical procedure for the determination of kinetic constants in Hanß model for NR cured with sulphur. 2015 , 53, 1363-1379		15
336	Solidification and thermal degradation of printable, stretchable electrical conductor from waterborne polyurethane and silver flakes. <i>Journal of Thermal Analysis and Calorimetry</i> , 2015 , 122, 295-305	4.1	2
335	Polyurethane curing kinetics for polymer bonded explosives: HTPB/IPDI binder. 2015 , 32, 1701-1706		18
334	Some new perspectives of anionic polyamide 6 (APA 6) synthesis. 2015 , 26, 851-854		10
333	Hydroxyl telechelic natural rubber-based polyurethane: Influence of molecular weight on non-isothermal cure kinetics. <i>Thermochimica Acta</i> , 2015 , 620, 51-58	2.9	4
332	Study on curing behaviors of epoxy acrylates by UV with and without aromatic component. 2015 , 23, 944-951		9
331	Using the Ozawa method to study the thermally initiated curing kinetics of vinyl ester resin. 2015 , 5, 2677-2683		10
330	Using the Friedman method to study the thermal degradation kinetics of photonically cured electrically conductive adhesives. <i>Journal of Thermal Analysis and Calorimetry</i> , 2015 , 119, 425-433	4.1	32

329	Spatial Frequency Responses of Anisotropic Refractive Index Gratings Formed in Holographic Polymer Dispersed Liquid Crystals. <i>Materials</i> , 2016 , 9,	3.5	6
328	Investigation of the cure kinetics of an epoxy resin by advanced isoconversional and model-fitting methods. 2016 ,		3
327	Finite Element Simulation of Compression Molding of Woven Fabric Carbon Fiber/Epoxy Composites: Part I Material Model Development. 2016 , 9, 729-736		1
326	Combined experimental and numerical kinetic characterization of NR vulcanized with sulfur, N-terbutyl, 2-benzothiazylsulfenamide, and N,N-diphenylguanidine. <i>Journal of Applied Polymer Science</i> , 2016 , 133, n/a-n/a	2.9	8
325	Chemorheological time-temperature-transformation-viscosity diagram: Foamed EPDM rubber compound. <i>Journal of Applied Polymer Science</i> , 2016 , 133,	2.9	7
324	Pareto rank learning for multi-objective bi-level optimization: A study in composites manufacturing. 2016 ,		1
323	Thermo-kinetic characterization and modelling of a new generation of SMC composites. 2016 ,		
322	Measurement of Beer-Lambert Attenuation Coefficient and Curing Kinetics Power Order: A Method Based on Rapid-Scan FTIR During Laser Curing on an ATR. 2016 , 365, 173-179		2
321	An analytical model for B-stage joining and co-curing of carbon fibre epoxy composites. 2016 , 87, 282-289		18
320	Analysis of the permanent deformation of automobile hoods. 2016 , 17, 311-318		
319	Curing degree prediction for S-TBBS-DPG natural rubber by means of a simple numerical model accounting for reversion and linear interaction. <i>Polymer Testing</i> , 2016 , 52, 9-23	4.5	8
318	Chemorheology of thermoplastic polyurethane and thermoplastic polyurethane/carbon nanotube composite systems. <i>Polymer</i> , 2016 , 99, 513-520	3.9	10
317	Improved simplified approach for the prediction of porosity growth during the curing of composites parts. 2016 , 90, 549-558		8
316	Evaluation of thermal spike due to exothermic reaction in curing process of carbon fiber-reinforced plastic pressure accumulators for hydrogen stations. 2016 , 25, 61-70		
315	Towards a new Praxis in optinformatics targeting knowledge re-use in evolutionary computation: simultaneous problem learning and optimization. 2016 , 9, 203-220		15
314	Epoxy Resin Catalyzed by Graphite-Based Nanofillers. <i>International Polymer Processing</i> , 2016 , 31, 548-553		1
313	A three dimensional simulation of a rubber curing process considering variable order of reaction. 2016 , 40, 8592-8604		15
312	Modeling and optimization of two-stage composite cure with the use open-mold tooling. 2016 ,		1

311	Cure mechanisms of diglycidyl ether of bisphenol A (DGEBA) epoxy with diethanolamine. <i>Polymer</i> , 2016 , 105, 243-254	3.9	35
310	The Study on Parameters Affecting Depth-Wise Photo-Curing Process Based on Interaction Between Light and Metal Surface. 2016 ,		
309	Combined experimental and numerical kinetic characterization of NR vulcanized with sulphur, N terbutyl, 2 benzothiazylsulphenamide and N,N diphenyl guanidine. 2016 ,		0
308	Vulcanization kinetics and reversion behavior of natural rubber/styrene-butadiene rubber blend filled with nanodiamond [the role of sulfur curing system. 2016 , 81, 98-113		61
307	Curing behavior and physical properties of an epoxy nanocomposite with amine-functionalized graphene nanoplatelets. 2016 , 23, 675-687		12
306	Numerical investigation and experimental validation of residual stresses building up in microelectronics packaging. 2016 , 62, 26-38		12
305	GURU v2.0: An interactive Graphical User interface to fit rheometer curves in HanĀ model for rubber vulcanization. 2016 , 5, 67-73		1
304	Cure kinetics of a polysilazane system: Experimental characterization and numerical modelling. 2016 , 76, 40-52		23
303	Composites manufacturing for marine structures. 2016 , 19-55		4
302	Isothermal curing kinetics of a flame retardant epoxy resin containing DOPO investigated by DSC and rheology. <i>Thermochimica Acta</i> , 2016 , 632, 56-63	2.9	42
301	The kinetic behavior of Liquid Silicone Rubber: A comparison between thermal and rheological approaches based on gel point determination. 2016 , 101, 20-27		21
300	Effects of Co-Agents on the Properties of Peroxide-Cured Ethylene-Propylene Diene Rubber (EPDM). 2016 , 55, 433-444		18
299	A state-of-the-art review on the mathematical modeling and computer simulation of rubber vulcanization process. 2016 , 25, 89-109		21
298	Characterization and modeling of the polymerization-dependent moisture absorption behavior of an epoxy-carbon fiber-reinforced composite material. <i>Journal of Composite Materials</i> , 2016 , 50, 2495-2505 ^{2,7}		10
297	Curing kinetics of pre-crosslinked carboxyl-terminated butadiene acrylonitrile (CTBN) modified epoxy blends. <i>Journal of Thermal Analysis and Calorimetry</i> , 2016 , 123, 319-327	4.1	9
296	Implementation of surface tension force in fluid flow during reactive rotational molding. 2016 , 9, 131-148		1
295	Multiobjective Multifactorial Optimization in Evolutionary Multitasking. 2017 , 47, 1652-1665		155
294	Star-shaped lactic acid based systems and their thermosetting resins; synthesis, characterization, potential opportunities and drawbacks. 2017 , 87, 360-379		29

293	Effects of graphene oxide and chemically reduced graphene oxide on the curing kinetics of epoxy amine composites. <i>Journal of Applied Polymer Science</i> , 2017 , 134,	2.9	26
292	A nanocomposite film fabricated with simultaneously extracted protein-polysaccharide from a marine alga and TiO ₂ nanoparticles. 2017 , 29, 1541-1552		13
291	Thermal dimensioning of manufacturing moulds with multiple resistively heated zones for composite processing. <i>Journal of Composite Materials</i> , 2017 , 51, 3969-3986	2.7	0
290	The kinetics of polyurethane structural foam formation: Foaming and polymerization. 2017 , 63, 2945-2957		11
289	Experimental characterisation and modelling of rheokinetic properties of different silicone elastomers. <i>International Journal of Advanced Manufacturing Technology</i> , 2017 , 92, 4199-4211	3.2	10
288	Multifunctional structural lithium ion batteries based on carbon fiber reinforced plastic composites. 2017 , 147, 62-70		46
287	Thermal degradation behaviour of resins in aluminium composite under isothermal condition. <i>Polymer Testing</i> , 2017 , 61, 448-454	4.5	3
286	Thermal optimization of composite autoclave molds using the shift factor approach for boundary condition estimation. <i>Journal of Composite Materials</i> , 2017 , 51, 1753-1767	2.7	10
285	A Simulation App based on reduced order modeling for manufacturing optimization of composite outlet guide vanes. 2017 , 4,		18
284	Parabola-Hyperbola P-H kinetic model for NR sulphur vulcanization. <i>Polymer Testing</i> , 2017 , 58, 104-115	4.5	15
283	Managing heat phenomena in epoxy composites production via graphenic derivatives: synthesis, properties and industrial production simulation of graphene and graphene oxide containing composites. 2017 , 4, 015020		9
282	. 2017 ,		0
281	Advanced isoconversional cure kinetic analysis of epoxy/poly(furfuryl alcohol) bio-resin system. <i>Journal of Applied Polymer Science</i> , 2017 , 134, 45432	2.9	3
280	Quasi-isothermal DSC testing of epoxy adhesives using initial fast heating rates. <i>Journal of Applied Polymer Science</i> , 2017 , 134, 45425	2.9	9
279	Kinetic interpretation of log-logistic dose-time response curves. 2017 , 7, 2234		13
278	Synthesis and mechanical properties of flame retardant vinyl ester resin for structural composites. <i>Polymer</i> , 2017 , 133, 20-29	3.9	12
277	Mechanism and kinetics of curing of diglycidyl ether of bisphenol a (DGEBA) resin by chitosan. <i>Polymer Engineering and Science</i> , 2017 , 57, 865-874	2.3	9
276	Phase separation of polymer mixtures driven by photochemical reactions: current status and perspectives. 2017 , 66, 213-222		31

275	Characterisation and modelling of thermal expansion coefficient of woven carbon/epoxy composite and its application to the determination of spring-in. <i>Journal of Composite Materials</i> , 2017 , 51, 1527-1538	2.7	9
274	Crystallization and photo-curing kinetics of biodegradable poly(butylene succinate-co-butylene fumarate) short-segmented block copolyester. 2017 , 66, 289-299		7
273	Other Plastics Processes. 2017 , 171-201		1
272	Novel material concepts and processing methods for high-voltage electrical insulation. 2017 ,		
271	An Integrated Virtual Tool Chain for the Simulation of the Manufacturing Process of a Composite Tidal Blade. 2017 , 742, 705-713		
270	APPLICATIONS OF RHEOLOGY. 2017 , 377-432		3
269	FEM model-based optimal control synthesis for curing a large composite structure with CAD imported geometry. 2017 , 130, 07001		1
268	Catalytic Activity of Oxidized Carbon Black and Graphene Oxide for the Crosslinking of Epoxy Resins. <i>Polymers</i> , 2017 , 9,	4.5	9
267	A Study of the Curing and Flammability Properties of Bisphenol A Epoxy Diacrylate Resin Utilizing a Novel Flame Retardant Monomer, bis[di-acryloyloxyethyl]-p-tert-butyl-phenyl Phosphate. <i>Materials</i> , 2017 , 10,	3.5	4
266	Crashworthiness and Impact Energy Absorption Study Considering the CF/PA Commingled Composite Processing Optimization. 2017 , 20, 792-799		8
265	Rheological characterization and modeling of vulcanization kinetics of natural rubber/starch blends. <i>Journal of Applied Polymer Science</i> , 2018 , 135, 46347	2.9	7
264	Design and Optimization of Composite Automotive Hatchback Using Integrated Material-Structure-Process-Performance Method. 2018 , 25, 1455-1475		8
263	Rubber blends: kinetic numerical model by rheometer experimental characterization. 2018 , 56, 1520-1542		6
262	Kinetic and chemorheological modelling of the polymerization of 2,4- Toluenediisocyanate and ferrocene-functionalized hydroxyl-terminated polybutadiene. <i>Polymer</i> , 2018 , 140, 290-303	3.9	11
261	Development of kinetics sub-model of cyanate ester-based prepregs for autoclave molding process simulation. 2018 , 37, 769-776		3
260	A thermochemomechanically coupled constitutive model for curing of glassy polymers. 2018 , 116, 267-289		17
259	Nanofiller-conjugated percolating conductive network modified polymerization reaction characteristics of aromatic thermosetting copolyester resin.. 2018 , 8, 4946-4954		8
258	Experimental investigation of intra-tow fluid storage mechanisms in dual-scale fiber reinforcements. 2018 , 107, 70-82		6

257	Quasi-analytical kinetic model for natural rubber and polybutadiene rubber blends. 2018 , 123, 351-365		6
256	Thickness effect on the generation of temperature and curing degree gradients in epoxy/amine thermoset systems. <i>Journal of Thermal Analysis and Calorimetry</i> , 2018 , 132, 1867-1881	4.1	6
255	Effect of degree of cure on viscoplastic shear strain development in layers of [45/45]s glass fibre/epoxy resin composites. <i>Journal of Composite Materials</i> , 2018 , 52, 3277-3288	2.7	7
254	Reaction kinetics of polyfurfuryl alcohol bioresin and nanoparticles by 1H-NMR transverse relaxation measurements. 2018 , 39, 3280-3288		5
253	Effect of dicumyl peroxide concentration on the polymerization kinetics of a polysilazane system. <i>Polymer Engineering and Science</i> , 2018 , 58, 859-869	2.3	6
252	Mathematical simulation of pultrusion processes: A review. <i>Composite Structures</i> , 2018 , 184, 153-177	5.3	39
251	TTT-diagram for epoxy film adhesives using quasi-isothermal scans with initial fast ramps. <i>Journal of Applied Polymer Science</i> , 2018 , 135, 45791	2.9	6
250	Numerical simulation of reactive polymer flow during rotational molding using smoothed particle hydrodynamics method and experimental verification. 2018 , 11, 583-592		2
249	A Practical Approach for Data Gathering for Polymer Cure Simulations. 2018 , 8, 2227		10
248	Isoconversional Method for the Modeling of the Curing Kinetics of Epoxy Molding Compounds for Mold Process Simulation. 2018 ,		
247	Processing of Polymers and Their Composites: A Review. 2018 , 577-603		
246	Rheology of Polymer/Carbon Nanotube Composites. 2018 , 1-21		1
245	A Study on Mechanical Characteristics of Phosphor Film Containing Methyl Silicone Resin Based on Crosslinking Reaction Analysis. <i>Polymers</i> , 2018 , 10,	4.5	
244	Experimental investigation of the curing behaviour of fibre composite structures with snap-cure polymer systems. 2018 , 9, 768-778		1
243	Optimal vulcanization of tires: Experimentation on idealized NR-PB natural and poly-butadiene rubber blends, phenomenological smoothed numerical kinetic model and FE implementation. <i>Polymer Testing</i> , 2018 , 72, 63-85	4.5	10
242	Thermally Controlled Adhesive Curing during the Production of Piezo-Metal-Compounds: Finite Element Modeling and Analyses. 2018 , 20, 1800411		3
241	Accelerated microwave curing of fibre-reinforced thermoset polymer composites for structural applications: A review of scientific challenges. 2018 , 115, 88-103		57
240	Toward industrial use of anionically activated lactam polymers: Past, present and future. 2018 , 1, 48-60		13

239	Influence of silver nanowires on thermal and electrical behaviors of a poly(epoxy) coating for aeronautical application. <i>Journal of Applied Polymer Science</i> , 2018 , 135, 46829	2.9	5
238	Density predictions using a finite element/level set model of polyurethane foam expansion and polymerization. 2018 , 175, 20-35		7
237	Process modelling in Anionically Polymerised Polyamide-6 (APA6) for the in situ polymerisation of composite matrices. 2018 , 8, 111-114		1
236	Fast polymerization at low temperature of an infrared radiation cured epoxy-amine adhesive. <i>Thermochimica Acta</i> , 2018 , 666, 27-35	2.9	14
235	2.4 Out-of-Autoclave Prepreg Processing. 2018 , 63-94		2
234	Kinetics of curing process in carbon/epoxy nano-composites. 2018 , 369, 012011		6
233	Rheology and curing process of thermosets. 2018 , 115-146		4
232	Reaction Kinetics and Rheological Model Coefficient Extraction for Epoxy Mold Compounds. 2018 ,		1
231	Kinetic regimes in the curing process of epoxy-phenol composites. <i>Thermochimica Acta</i> , 2018 , 667, 185-192		16
230	Polymers and Related Composites via Anionic Ring-Opening Polymerization of Lactams: Recent Developments and Future Trends. <i>Polymers</i> , 2018 , 10,	4.5	33
229	A Semiempirical Scaling Model for the Solid- and Liquid-State Photopolymerization Kinetics of Semicrystalline Acrylated Oligomers. 2018 , 51, 5027-5038		5
228	Simulation of Reinforced Reactive Injection Molding with the Finite Volume Method. <i>Journal of Composites Science</i> , 2018 , 2, 5	3	8
227	Cure Cycle Optimization of Rapidly Cured Out-Of-Autoclave Composites. <i>Materials</i> , 2018 , 11,	3.5	18
226	Kinetic Prediction of Fast Curing Polyurethane Resins by Model-Free Isoconversional Methods. <i>Polymers</i> , 2018 , 10,	4.5	26
225	Process-induced residual stress of variable-stiffness composite laminates during cure. <i>Composite Structures</i> , 2018 , 204, 12-21	5.3	7
224	Using fish scales (<i>Sardina pilchardus</i>) within ethylene-propylene-diene ter monomer rubber as bio-based filler. <i>Journal of Applied Polymer Science</i> , 2018 , 135, 46698	2.9	4
223	Chemo-Rheological Study of Hardening of Epoxy Modified Bituminous Binders with the Finite Element Method. 2018 , 2672, 190-199		26
222	Introduction of intra-tow release/storage mechanisms in reactive dual-scale flow numerical simulations. <i>Journal of Composite Materials</i> , 2019 , 53, 125-140	2.7	3

221	Synthesis and Applications of Unsaturated Polyester Composites. 2019 , 579-598		2
220	Isothermal Curing Kinetics of Epoxidized Fatty Acid Methyl Esters and Triacylglycerols. 2019 , 96, 1035-1045		
219	Optimization method to select temperature based on chemorheological and exothermal reaction of RTM. <i>Journal of Applied Polymer Science</i> , 2019 , 136, 48245	2.9	2
218	EPDM Rubber with hexagonal Boron Nitride: A Thermal Neutron Shielding Composite. 2019 , 165, 108391		15
217	Modeling of the polymerization and crystallization kinetic coupling of polyamide 6 synthesized from ϵ -caprolactam. <i>Polymer</i> , 2019 , 180, 121681	3.9	2
216	Liquid composite molding reproducibility in real-world production of fiber reinforced polymeric composites: a review of challenges and solutions. <i>Advanced Manufacturing: Polymer and Composites Science</i> , 2019 , 5, 85-99	0.6	4
215	Cure strain monitoring in composite laminates with distributed optical sensor. 2019 , 125, 105503		11
214	Influence of Filler Content and Filler Size on the Curing Kinetics of an Epoxy Resin. <i>Polymers</i> , 2019 , 11,	4.5	12
213	Simulation of compression moulding process for long-fibre reinforced thermoset composites considering fibre bending. <i>Composite Structures</i> , 2019 , 230, 111514	5.3	12
212	Synthesis, Thermal Properties and Curing Kinetics of Hyperbranched BPA/PEG Epoxy Resin. <i>Polymers</i> , 2019 , 11,	4.5	15
211	A Review of Thermoplastic Resin Transfer Molding: Process Modeling and Simulation. <i>Polymers</i> , 2019 , 11,	4.5	10
210	Morphology, rheology and curing of (ethylene-propylene elastomer/hydrogenate acrylonitrile-butadiene rubber) blends reinforced by POSS and organoclay. <i>Polymer Testing</i> , 2019 , 75, 26-37	4.5	21
209	Prediction of interfacial strength of HDPE overmolded with EPDM. <i>Polymer Engineering and Science</i> , 2019 , 59, 1489-1498	2.3	3
208	Spring-back behavior on L-shaped composite structures: A statistical analysis of angular recovery as a function of time and residual cure. 2019 , 124, 105491		3
207	Injection molding simulation of short fiber reinforced thermosets with anisotropic and non-Newtonian flow behavior. 2019 , 124, 105476		14
206	Dielectric analysis monitoring of thermoset curing with ionic liquids: From modeling to the prediction in the resin transfer molding process. 2019 , 40, 4500-4509		3
205	Catalytic Activity of Oxidized Carbon Waste Ashes for the Crosslinking of Epoxy Resins. <i>Polymers</i> , 2019 , 11,	4.5	5
204	Effect of an Anhydride Excess on the Curing Kinetics and Dynamic Mechanical Properties of Synthetic and Biogenic Epoxy Resins. 2019 , 2019, 1-8		3

203	A novel computational multiscale approach to model thermochemical coupled problems in heterogeneous solids: Application to the determination of the state of cure in filled elastomers. 2019 , 351, 694-717		4
202	Effect of surface area of nanosilica particles on the cure kinetics parameters of an epoxy resin system. <i>Journal of Applied Polymer Science</i> , 2019 , 136, 47958	2.9	4
201	An investigation on curing rheokinetics of a nadic end-capped MDA-BTDA-ODA copolyimide resin by dynamic mechanical analysis. <i>Polymer Testing</i> , 2019 , 77, 105883	4.5	1
200	Multi-objective CoFRP patch optimization with consideration of manufacturing constraints and integrated warpage simulation. <i>Composite Structures</i> , 2019 , 221, 110861	5.3	2
199	Direct insight into the kinetics of the high-pressure step-growth polymerization of DGEBA/aniline model system. <i>Polymer</i> , 2019 , 172, 322-329	3.9	2
198	Repair of wind turbine blades: Review of methods and related computational mechanics problems. 2019 , 140, 828-839		48
197	Effect of carbon nanotubes content on the vulcanization kinetic in styrene-butadiene rubber compounds. <i>Polymer Engineering and Science</i> , 2019 , 59, E327	2.3	3
196	Kinetic Viscoelasticity of Crosslinking Epoxy Asphalt. 2019 , 2673, 551-560		18
195	Influence of Combustion Modifiers on the Cure Kinetics of Glycidyl Azide Polymer Based Propellant-Evaluated through Rheo-Kinetic Approach. <i>Polymers</i> , 2019 , 11,	4.5	3
194	Development of Steps in an Automated Process Chain for Piezoceramic-Metal Compound Production. 2019 , 3, 3		2
193	Nonisothermal simulation on pressure during resin transfer molding. <i>Journal of Applied Polymer Science</i> , 2019 , 136, 47492	2.9	6
192	Curing kinetics of liquid crystalline 4,4'-diglycidyl ether epoxy with various diamines. <i>Polymer</i> , 2019 , 168, 209-217	3.9	8
191	Description of the Resin Curing Process-Formulation and Optimization. <i>Polymers</i> , 2019 , 11,	4.5	8
190	Photopolymerization of Acrylated Epoxidized Soybean Oil: A Photocalorimetry-Based Kinetic Study. 2019 , 4, 21799-21808		13
189	A review of calcium phosphate cements and acrylic bone cements as injectable materials for bone repair and implant fixation. 2019 , 17, 2280800019872594		20
188	Phenomenological model for the reaction order n in the kinetics of curing an elastomer EPDM. <i>MRS Advances</i> , 2019 , 4, 3299-3310	0.7	1
187	Spreading of fast-curing, thermosetting silicones. 2019 , 115, 253701		1
186	Simulation of the curing process of glass fiber reinforced epoxy composites. 2019 ,		

185	Wall Slip of Linear Polymer Melts During Ultrasonic-assisted Micro-injection Molding. <i>Polymer Engineering and Science</i> , 2019 , 59, E7-E13	2.3	4
184	Bisphenol-A benzoxazine and cycloaliphatic epoxy copolymer for composite processing by resin infusion. <i>Journal of Composite Materials</i> , 2019 , 53, 1777-1790	2.7	9
183	Reactions of DGEBA epoxy cured with diethanolamine: Isoconversional kinetics and implications to network structure. <i>Thermochimica Acta</i> , 2019 , 671, 149-160	2.9	5
182	Integrated stochastic analysis of fiber composites manufacturing using adapted polynomial chaos expansions. 2019 , 118, 179-193		11
181	Additive manufacturing of soft robots. 2019 , 335-359		12
180	Reaction kinetics and curing behavior of epoxies for use in a combined selective laser beam melting process of polymers. <i>Journal of Applied Polymer Science</i> , 2019 , 136, 46850	2.9	5
179	Investigation on vulcanization degree and residual stress on fabric rubber composites. <i>Composite Structures</i> , 2019 , 209, 472-480	5.3	7
178	Effect of electron-beam irradiation on the thermal vulcanization of a natural rubber compound. <i>Journal of Applied Polymer Science</i> , 2019 , 136, 47216	2.9	1
177	Creating material data for thermoset injection molding simulation process. <i>Polymer Testing</i> , 2019 , 73, 284-292	4.5	3
176	Simulation of non-isothermal resin transfer molding process cycle and optimization of temperature system. 2019 , 38, 3-14		6
175	Optimization of a high-pressure microwave curing process for T800/X850 carbon fiber-reinforced plastic. 2020 , 32, 30-38		5
174	Rheological and kinetic investigation into isothermal curing of a thermoset polythiourethane system. 2020 , 59, 63-71		1
173	Acceleration of epoxy resin curing by using a combination of aliphatic and aromatic amines. 2020 , 77, 1519-1540		10
172	PAN precursor fabrication, applications and thermal stabilization process in carbon fiber production: Experimental and mathematical modelling. 2020 , 107, 100575		88
171	Rheokinetic characterization of polyurethane formation in a highly filled composite solid propellant. <i>Journal of Thermal Analysis and Calorimetry</i> , 2020 , 140, 213-223	4.1	3
170	Photoactive resin formulations and composites for optical 3D and 4D printing of functional materials and devices. 2020 , 387-425		3
169	Optimization method to reduce three-dimensional thermal gradients in resin transfer molding. <i>Journal of Applied Polymer Science</i> , 2020 , 137, 48948	2.9	0
168	First approach for modelling the physical foaming of tannin-based thermoset foams. 2020 , 149, 106212		8

167	Effect of electron beam irradiation on aging time, thermal vulcanization kinetic and mechanical properties of SSBR/NR/BR compounds filled with silica. 2020 , 170, 108651		3
166	Decoupled two-scale viscoelastic analysis of FRP in consideration of dependence of resin properties on degree of cure. 2020 , 190, 199-215		9
165	Synthesis, characterization, thermal stability and kinetics of thermal degradation of novel polymers based-s-triazine Schiff base. 2020 , 27, 1		7
164	Poly(acrylonitrile-co-butadiene) as polymeric crosslinking accelerator for sulphur network formation. 2020 , 6, e04659		4
163	Empirical correction of kinetic model for polymer thermal reaction process based on first order reaction kinetics. 2020 ,		1
162	Impact of Imidazolium-Based Ionic Liquids on the Curing Kinetics and Physicochemical Properties of Nascent Epoxy Resins. 2020 , 53, 6341-6352		8
161	Direct Fiber Simulation of a Compression Molded Ribbed Structure Made of a Sheet Molding Compound with Randomly Oriented Carbon/Epoxy Prepreg StrandsA Comparison of Predicted Fiber Orientations with Computed Tomography Analyses. <i>Journal of Composites Science</i> , 2020 , 4, 164	3	2
160	Molecular Dynamics Simulations of Photo-Induced Free Radical Polymerization. 2020 , 60, 6314-6327		2
159	A functional modified graphene oxide/nanodiamond/nano zinc oxide composite for excellent vulcanization properties of natural rubber.. 2020 , 10, 41857-41870		6
158	Curing Behavior of 4,4'-Diglycidylbiphenyl with p-Phenylene Diamine Derivatives. 2020 , 28, 960-967		1
157	Experimental and numerical investigations of bi-injection moulding of PA66/LSR peel test specimens. <i>Polymer Testing</i> , 2020 , 90, 106748	4-5	4
156	Additive manufacturing by material extrusion with medical grade silicone elastomers and IR laser curing. 2020 , 26, 145-155		6
155	Accelerated curing of glued-in threaded rods by means of inductive heating [part IV: curing under low temperatures. 2020 , 1-26		5
154	Thermal characterization and diffusivity of two mono-component epoxies for transformer insulation. 2020 , 103, 102726		4
153	Optimization of the technological curing modes of glass fiber reinforced composites. 2020 , 709, 022040		
152	Oxidation time effects of multiwalled carbon nanotubes on thermal, mechanical, and cure kinetics of epoxy-based nanocomposites. 2020 , 41, 3966-3984		2
151	Characterization and modelling of cure-dependent properties and strains during composites manufacturing. <i>Journal of Composite Materials</i> , 2020 , 54, 3109-3124	2-7	6
150	Advances in Polymer Processing 2020. 2020 ,		2

149	Thermo-mechanical response of post-plasma irradiated E-glass fibre/epoxy composite. 2020 , 33, 4956-4960	2
148	Investigations on the influence of the extrusion process on the foam structure of mechanical supporting phenolic sheets. 2020 ,	
147	Studies on the curing behavior, thermal, and mechanical properties of epoxy resin-co-amine-functionalized lead phthalocyanine. <i>Journal of Applied Polymer Science</i> , 2020 , 137, 48983 ²⁻⁹	4
146	Experimental investigation and modelling of the curing behaviour of photopolymers. <i>Polymer Testing</i> , 2020 , 83, 106356	4.5 8
145	A Method of Evaluating the Curing Kinetics of Epoxy-Binder-Based Polymer Composite Materials. 2020 , 13, 164-168	1
144	Analysis of bubble formation during injection molding of polymeric foams by computational fluid dynamics simulations. 2020 , 15, e2474	1
143	Characterization of epoxy-asphalt binders by differential scanning calorimetry. 2020 , 249, 118800	17
142	Materials. 2020 , 29-58	
141	Effect of vibration treatment on interfacial strength of microwave curing process for advanced composites. 2021 , 28, 237-253	0
140	Time-temperature-cure process window of epoxy-vinyl ester resin for applications in liquid composite moulding processes. 2021 , 39, 1407-1411	5
139	A curing model for the numerical simulation within additive manufacturing of soft polymers using peridynamics. 2021 , 8, 369-388	3
138	A preform deformation and resin flow coupled model including the cure kinetics and chemo-rheology for the VARTM process. 2021 , 14, 421-434	1
137	Calculating the temperature and degree of cross-linking for liquid silicone rubber processing in injection molding. 2021 , 3, e10072	2
136	Cure simulations of thick adhesive bondlines for wind energy applications. <i>Journal of Applied Polymer Science</i> , 2021 , 138, 49989	2.9 4
135	Magnetically gradient-distributed microcapsule/epoxy composites: Low capsule load and highly targeted self-healing performance. 2021 , 405, 126908	20
134	Degradation Behavior of Biobased Epoxy Resins in Mild Acidic Media. 2021 , 9, 438-447	9
133	Cure and thermal decomposition kinetics of a DGEBA/amine system modified with epoxidized soybean oil. <i>Journal of Thermal Analysis and Calorimetry</i> , 2021 , 144, 119-126	4.1 4
132	Accelerated curing of glued-in threaded rods by means of inductive heating [part II: modelling. 2021 , 97, 251-281	6

131	Accelerated curing of glued-in threaded rods by means of inductive heating [Part III: transient curing. 2021 , 97, 705-729		8
130	Chemorheology and Kinetics of High-Performance Polyurethane Binders Based on HMDI. 2021 , 306, 2000617		2
129	Resistive curing of glued-in rods. 2021 , 268, 121127		4
128	A review of liquid silicone rubber injection molding: Process variables and process modeling. <i>Polymer Engineering and Science</i> , 2021 , 61, 331-347	2-3	7
127	Analytical Methods for the Assessment of Curing Kinetics of Polyurethane Binders for High-Energy Composites. 2021 , 1-10		7
126	Einführung in intrinsische Hybridverbunde. 2021 , 1-9		1
125	Manufacturing of Wood Polymer Composites. 2021 , 21-41		0
124	Experimental analysis and modelling of temperature- and humidity-controlled curing. 2021 , 24, 281-300		1
123	Influence of n-ZnO Morphology on Sulfur Crosslinking and Properties of Styrene-Butadiene Rubber Vulcanizates. <i>Polymers</i> , 2021 , 13,	4-5	2
122	Controlled curing of thermoset composite components using infrared radiation and mathematical modelling. <i>Composite Structures</i> , 2021 , 259, 113224	5-3	1
121	Effects of additives on the cure kinetics of vinyl ester pultrusion resins. <i>Journal of Composite Materials</i> , 002199832110015	2-7	9
120	Phenomenological Analysis of the Cured Kinetics in the Order n of the Reaction as a Function of the Temperature of an EPDM Polymer. 2021 , 143,		1
119	Latent Curing, Chemorheological, Kinetic, and Thermal Behaviors of Epoxy Resin Matrix for Prepregs. 2021 , 60, 6153-6161		1
118	Kinetics of carbon nanotube-loaded epoxy curing: Rheometry, differential scanning calorimetry, and radio frequency heating. 2021 , 175, 1-10		3
117	An evaluation of the curing characteristics of thermosetting epoxy carbon fiber sheet molding compounds and validation through computer simulations and molding trials. <i>Journal of Applied Polymer Science</i> , 2021 , 138, 50826	2-9	1
116	Polydimethylsiloxane crosslinking kinetics: A systematic study on Sylgard184 comparing rheological and thermal approaches. <i>Journal of Applied Polymer Science</i> , 2021 , 138, 51013	2-9	2
115	A novel rapid cure epoxy resin with internal mold release. <i>Polymer Engineering and Science</i> , 2021 , 61, 1819-1828	2-3	3
114	Cure Kinetics Modeling of a High Glass Transition Temperature Epoxy Molding Compound (EMC) Based on Inline Dielectric Analysis. <i>Polymers</i> , 2021 , 13,	4-5	1

113	Non Conductive Film Analysis Using Cure Kinetics and Rheokinetics for Gang Bonding Process for 3DIC TSV Packaging. 2021 ,		2
112	Effect of processing method on the spring-in of aircraft ribs. 2021 , 25, 100688		1
111	Simulation of the thermal degradation and curing kinetics of fly ash reinforced diglycidyl ether bisphenol A composite. 2021 , 98, 100077		1
110	Temperature- and degree of cure-dependent viscoelastic properties of photopolymer resins used in digital light processing. 1		2
109	A Development of Finite Element Analysis Model of 3DIC TSV Package Warpage Considering Cure Dependent Viscoelasticity with Heat Generation. 2021 ,		2
108	Method for residual strain modeling taking into account mold and distribution of heat transfer coefficients for thermoset composite material parts. <i>International Journal of Advanced Manufacturing Technology</i> , 1	3.2	0
107	Effect of Manufacturing on the Transverse Response of Polymer Matrix Composites. <i>Polymers</i> , 2021 , 13,	4.5	3
106	Cure Kinetics and Inverse Analysis of Epoxy-Amine Based Adhesive Used for Fastening Systems. <i>Materials</i> , 2021 , 14,	3.5	1
105	Curie-supported accelerated curing by means of inductive heating [Part II Validation and numerical studies. 1-33		1
104	SBR Vulcanizates Filled with Modified Ground Tire Rubber. <i>Materials</i> , 2021 , 14,	3.5	4
103	Curie-supported accelerated curing by means of inductive heating [Part I: Model building. 1-44		1
102	Experimental and simulative investigation of a multistage 2K injection molding process of PA6 and EPDM. <i>Journal of Applied Polymer Science</i> , 2022 , 139, 51520	2.9	1
101	RTV silicone rubber composites reinforced with carbon nanotubes, titanium-di-oxide and their hybrid: Mechanical and piezoelectric actuation performance. 2021 , 3, 233-240		5
100	Optimization of a commercial epoxy curing cycle via DSC data kinetics modelling and TTT plot construction. <i>Polymer</i> , 2021 , 230, 124091	3.9	5
99	Experimental investigation for modeling the hardening of thermosetting polymers during curing. <i>Polymer Testing</i> , 2021 , 102, 107310	4.5	2
98	Numerical simulation for deformation of laminates combining the novel shell element with the decoupled two-scale viscoelastic analysis of FRP. 2022 , 234-235, 111236		0
97	Hybridprofile für Trag- und Crashstrukturen. 2021 , 121-203		
96	Development and Integration of Parallel Multidisciplinary Computational Software for Modeling a Modern Manufacturing Process. <i>Lecture Notes in Computer Science</i> , 2005 , 10-22	0.9	1

95	Deformable Porous Media and Composites Manufacturing. <i>Modeling and Simulation in Science, Engineering and Technology</i> , 2000 , 321-410	0.8	3
94	Determination of the duty cycle in thermoset pultrusion. 2010 , 75-78		1
93	Multi-Objective Optimization of Distributed RTM (Resin Transfer Molding) Process for Curing the Large Composite Structures with Varied Thickness. <i>Springer Proceedings in Physics</i> , 2014 , 71-85	0.2	1
92	Cure Kinetics of Epoxy/Thermoplastic Blends. 2016 , 1-27		1
91	Cure Kinetics of Epoxy/Thermoplastic Blends. 2017 , 649-674		3
90	Analytical Methods. 1985 , 118-139		1
89	Applications of Fourier Transform Infrared Spectroscopy to the Study of Fibre-Resin Composites. 1984 , 31-87		3
88	The kinetics of cure and network formation. 1993 , 72-116		18
87	Multiphysics modelling and experimental investigations of the filling and curing phases of bi-injection moulding of thermoplastic polymer/liquid silicone rubbers. <i>International Journal of Advanced Manufacturing Technology</i> , 2017 , 92, 3871-3882	3.2	10
86	Natural rubber/styrene-butadiene rubber blends prepared by solution mixing: Influence of vulcanization temperature using a Semi-EV sulfur curing system on the microstructural properties. <i>Polymer Testing</i> , 2017 , 63, 150-157	4.5	23
85	A Numerical Investigation on the Cure Cycle of Composite Brake Blocks. <i>International Polymer Processing</i> , 2006 , 21, 421-431	1	5
84	A multi Step Cure Process to Prevent Residual Bubbles in LED Encapsulation Silicone Resin. <i>Transactions of Materials Processing</i> , 2012 , 21, 101-106		1
83	Uncertainty Analysis of Curing-Induced Dimensional Variability of Composite Structures Utilizing Physics-Guided Gaussian Process Meta-modeling. <i>Composite Structures</i> , 2021 , 280, 114816	5.3	0
82	Rheological kinetics of ferrocenylsilane functionalized polyurethanes based on 4,4'-methylenediphenyl diisocyanate for advanced energetic materials. <i>Journal of Applied Polymer Science</i> , 2022 , 139, 51765	2.9	0
81	Formulation based predictive cure kinetics modelling of epoxy resins. <i>Polymer</i> , 2021 , 236, 124304	3.9	1
80	Construction of a TTT-Diagram of High-Refractive Polyurethane Based on Curing Kinetics. <i>Polymers</i> , 2021 , 13,	4.5	
79	Photo-polymerization kinetics of a dental resin at a high temporal resolution. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2021 , 124, 104884	4.1	1
78	Dielectric Measurements for Monitoring the Cure of Epoxies and Composite Materials. 2000 , 393-412		

77 Phenolic Resins.

76 Effect of Flow Properties of Epoxy Resin on Semiconductor Molding Flow Simulation. *Seikei-Kakou*, **2002**, 14, 191-197

0

75 Bibliography. **2002**,

74 Analysis of Adhesives. **2003**,

73 A Numerical Approach to Analyze the Curing Process of Railroad Composite Brake Shoe. **2004**, 811-816

72 Formulation of Mathematical Models for Estimating Residual Strain and Stress Components Correlated with 3-D Flow of Thermosetting Compounds. *Seikei-Kakou*, **2004**, 16, 309-316

0

1

71 Analysis of Polyurethane Foaming Flow. *Seikei-Kakou*, **2005**, 17, 407-418

0

2

70 (16) ?????????? CAE : ??????????. *Seikei-Kakou*, **2006**, 18, 280-289

0

0

69 Interphases in Composites. **2012**, 77-119

68 Cure Characteristics of Bioplastic Prepolymer during Industrial Manufacturing. *Journal of Chemical Engineering of Japan*, **2012**, 45, 924-930

0.8

67 Etude multi-échelles des contraintes résiduelles de fabrication dans un matériau composite mBo-structur□ *Materiaux Et Techniques*, **2012**, 100, 601-610

0.6

66 Evaluation of Thermal Spike due to Exothermic Reaction in Cure Process of CFRP Pressure Accumulators for Hydrogen Stations. *Journal of the Japan Society for Composite Materials*, **2013**, 39, 193-198

0.1

1

65 Analytical Methods. *Der Umweltschutz*, **1979**, 77-85

64 CHEMORHEOLOGY AND CURING KINETICS OF TOUGHENED EPOXY MATRICES FOR HIGH PERFORMANCE COMPOSITES. **1992**, 868-870

63 Constitutive relations for thermosetting resins during curing processes. **1995**,

2

62 Cure and Heat Transfer Analysis in LED Silicone Lens using a Dynamic Cure Kinetics Method. *Transactions of Materials Processing*, **2015**, 24, 101-106

61 Cure Kinetics of Epoxy/Block Copolymer Blends. **2016**, 1-28

60 Cure Kinetics of Epoxy/Block-Copolymer Blends. **2017**, 979-1006

59	Towards Process Optimisation of Polyurethane Pultrusion Using 3D Simulation. 2020 , 162-176		
58	Phenomenological Modeling of the Apparent Viscosity as a Function of the Degree of Curing of an EPDM Elastomer. <i>MRS Advances</i> , 2020 , 5, 3205-3214	0.7	
57	Thermal Characterization and Improvement of Curing Stage in Resin Transfer Molding Process. <i>Advances in Computer and Electrical Engineering Book Series</i> , 2020 , 479-505	0.3	0
56	Experimental and Numerical Analysis of Mold Filling in Rotational Molding. <i>Journal of Composites Science</i> , 2021 , 5, 289	3	
55	Fast cure of stable semi-pregs via VBO cure. <i>Advanced Manufacturing: Polymer and Composites Science</i> , 2020 , 6, 245-255	0.6	0
54	Cure kinetics of a composite friction material with phenolic resin/rubber compounds as organic binder. <i>Plastics, Rubber and Composites</i> , 1-13	1.5	
53	Density Functional Theory for Polymer Phase Separations Induced by Coupling of Chemical Reaction and Elastic Stress. <i>Advanced Theory and Simulations</i> , 2022 , 5, 2100385	3.5	2
52	Material Characterization and Modelling for Chip Encapsulation Simulation. 2020 ,		
51	A Systematic Characterization Approach for Vacuum Bag Only Prepregs towards an Accurate Process Design.. <i>Materials</i> , 2022 , 15,	3.5	0
50	Applications of Rheology. 2022 , 403-460		
49	Properties and processing of thermoset resin. 2022 , 173-292		0
48	Kinematics of the Plane Channel Filling with a Polymer Fluid Taking into Account the Curing Process. <i>Smart Innovation, Systems and Technologies</i> , 2022 , 229-239	0.5	
47	Effect of Curing Process on Glass Transition Temperature of Epoxy Resins. <i>Nihon Reoroji Gakkaishi</i> , 2022 , 50, 83-86	0.8	
46	Rubber Material-Model Characterization for Coupled Thermo-Mechanical Vulcanization Foaming Processes.. <i>Polymers</i> , 2022 , 14,	4.5	1
45	Novel axial dynamic mechanical analysis setup for thermo-analytical study and curing kinetics optimization of thermoset adhesives.. <i>Review of Scientific Instruments</i> , 2022 , 93, 034104	1.7	
44	Simulation methodology development of warpage estimation for epoxy molding compound under considerations of stress relaxation characteristics and curing conditions applied in semiconductor packaging. <i>Materials Science in Semiconductor Processing</i> , 2022 , 145, 106637	4.3	
43	Process modeling and characterization of thermoset composites for residual stress prediction. <i>Mechanics of Advanced Materials and Structures</i> , 1-12	1.8	1
42	Investigation of DSC curing kinetic model fitting and rheological behavior of urushiol/IPDI system. <i>Thermochimica Acta</i> , 2022 , 179210	2.9	0

41	Comprehensive Surrogate-Based Optimization of Lightweight Composite Manufacturing. <i>AIAA Journal</i> , 1-15	2.1	
40	A Practical Approach for Uncertainty Management in Rubber Manufacturing Processes Using Physics-Informed Real-Time Models. <i>Polymers</i> , 2022 , 14, 2049	4.5	
39	A Review on Modeling Cure Kinetics and Mechanisms of Photopolymerization. <i>Polymers</i> , 2022 , 14, 2074	4.5	4
38	Reaction model and cure kinetics of fiber-reinforced phenolic system. <i>Acta Mechanica Sinica/Lixue Xuebao</i> , 2022 , 38,	2	0
37	Effects of peroxide-based initiators with different molecular sizes on cure behavior and kinetics of vinyl ester resin containing multi-walled carbon nanotubes. <i>Journal of Thermal Analysis and Calorimetry</i> ,	4.1	
36	Methods for shrinkage measurement considering stress development of curing structural adhesives. <i>Proceedings of the Institution of Mechanical Engineers, Part D: Journal of Automobile Engineering</i> , 095440702211036	1.4	2
35	Thermo-mechanical finite element simulation and validation of rubber curing process. <i>Journal of Mechanical Science and Technology</i> , 2022 , 36, 3039-3046	1.6	
34	Rheokinetic modeling of N-A-SB gel formation related to alkali-activated aluminosilicate materials. <i>Rheologica Acta</i> ,	2.3	
33	Does the viscoelastic behavior of fully cured epoxy depend on the thermal history during curing?. <i>Journal of Composite Materials</i> , 002199832211158	2.7	
32	Use of a neural network constitutive model for the size-dependent effects of curing on the deformation response and failure of fiber-reinforced polymer matrix composites. <i>Archive of Applied Mechanics</i> ,	2.2	0
31	Mathematical Model for Autoclave Curing of Unsaturated Polyester Based Composite Materials. <i>Tikrit Journal of Engineering Science</i> , 2022 , 17, 1-9	1.2	
30	In Situ Thermoset Cure Sensing: A Review of Correlation Methods. <i>Polymers</i> , 2022 , 14, 2978	4.5	
29	Use of Liquidambar Orientalis Mills in natural rubber compounds as an alternative to synthetic resins. <i>Journal of Elastomers and Plastics</i> , 2022 , 54, 778-799	1.6	
28	A Methodology to Reduce Thermal Gradients Due to the Exothermic Reactions in Resin Transfer Molding Applications. 2023 , 19, 95-103		
27	Intrinsic combustion kinetics of rapid-pyrolysis Zhundong coal char. 2023 , 262, 125548		0
26	Effect of thickness on the degree of conversion of two bulk-fill and one conventional posterior resin-based composites at high irradiance and high temporal resolution. 2022 , 136, 105489		0
25	Development of a Novel Biobased Polyurethane Resin System for Structural Composites. 2022 , 14, 4553		0
24	Aspects of halloysite nanotubes integration in epoxy nanocomposites: Curing kinetics and deformation mechanism.		0

23	Influence of fiber breakage on flow behavior in fiber length- and orientation-dependent injection molding simulations. 2022 , 104950	0
22	Microscale evaluation of epoxy matrix composites containing thermoplastic healing agent. 2023 , 232, 109843	1
21	A review on prediction and control of curing process-induced deformation of continuous fiber-reinforced thermosetting composite structures. 2023 , 165, 107321	1
20	Effects of heat transfer coefficient variations on composite curing. 002199832211455	0
19	Rheology of Polymer/Carbon Nanotube Composites. 1-21	0
18	Investigating the correlation between the curing behavior and properties of acrylic powder coatings.	0
17	Liquid composite moulding. 2023 , 237-271	0
16	A multi-mechanism framework for cure-informed probabilistic progressive failure analysis of composite structures. 2023 ,	0
15	Rheology and Cure Kinetics of Modified and Non-modified Resin Systems. 2023 , 169-192	0
14	Unexpected Thermomechanical Behavior of Off-Stoichiometry Epoxy/Amine Materials.	0
13	A route to high-solid coatings: Hydrophobic polyurethane triazoles via bulk polymerization of azide-alkyne cycloaddition. 2023 , 179, 107529	0
12	Numerical study on the effects of ply stacking and interlayer toughening on the failure modes and response of OHT laminates. 2023 , 234, 109935	0
11	Synthesis and properties of biophenol-furfural based bioresin for curing of styrene butadiene rubber. 2023 , 63, 1146-1158	0
10	Designing Interfacial Reactions for Nanometer-Scale Surface Patterning of PDMS with Controlled Elastic Modulus. 2023 , 15, 11360-11368	0
9	Simulation and optimized design of cure cycle for three-dimensional polymer-matrix composite component. 2023 , 140,	0
8	Directed Gaussian process metamodeling with improved firefly algorithm (iFA) for composite manufacturing uncertainty propagation analysis. 2023 , 126, 49-66	0
7	How to predict residual stresses of curing adhesives ab initio solely using extended rheometry. 1-37	0
6	Experimental and Simulative Analysis of the Pressure Development in a Closed Injection Pultrusion Process with Multiple Chamber Geometries. 2023 , 15, 1544	0

- 5 A Numerical Thermo-Chemo-Flow Analysis of Thermoset Resin Impregnation in LCM Processes. **2023**, 15, 1572 ○
- 4 Comparative study of three vulcanization kinetic models for natural rubber/leather wastes composites. 009524432311675 ○
- 3 Cure cycle optimisation of structural epoxies used in composite civil infrastructure through the use of TTT diagrams. **2023**, 383, 131332 ○
- 2 Experimental characterization and numerical modeling of a viscoelastic expandable epoxy foam: TimeTemperature transformation and timeTemperature equivalence diagrams. ○
- 1 Optimization of inductive fast-curing of epoxy adhesive by model-based kinetics. **2023**, 124, 103392 ○