

CITATION REPORT

List of articles citing

Conditioned drug effects and absence of tolerance to d-amphetamine induced motor activity

DOI: 10.1016/0091-3057(73)90091-9

Pharmacology Biochemistry and Behavior, 1973, 1, 149-153.

Source: <https://exaly.com/paper-pdf/11271390/citation-report.pdf>

Version: 2024-04-26

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
184	General Pharmacology of Amphetamine-Like Drugs. 1973 , 3-275		
183	Long-term administration of d-amphetamine: progressive augmentation of motor activity and stereotypy. <i>Pharmacology Biochemistry and Behavior</i> , 1974 , 2, 249-55	3.9	520
182	Behavioral and neuropharmacological analysis of amphetamine and 2,5-dimethoxy-4-methylamphetamine in rats. <i>Psychopharmacology</i> , 1975 , 44, 229-39	4.7	28
181	Self-inhibition by dopaminergic neurons. 1975 , 190, 522-8		616
180	Biochemistry and behavior: some central actions of amphetamine and antipsychotic drugs. 1976 , 27, 91-127		204
179	Tolerance to d-amphetamine: behavioral specificity. 1976 , 18, 913-7		24
178	Increasing effects of repetitive cocaine administration in the rat. 1976 , 260, 731-2		384
177	Lack of tolerance or sensitization to the effects of chronic d-amphetamine on substantia nigra self-stimulation. 1976 , 16, 211-20		14
176	The role of locomotion in conditioning methylphenidate-induced locomotor activity. <i>Pharmacology Biochemistry and Behavior</i> , 1976 , 4, 393-5	3.9	16
175	Diminished reaction to a novel stimulus during amphetamine withdrawal in rats. <i>Pharmacology Biochemistry and Behavior</i> , 1976 , 5, 687-90	3.9	16
174	Amphetamine and the reward system: evidence for tolerance and post-drug depression. <i>Psychopharmacology</i> , 1976 , 46, 19-25	4.7	171
173	Metabolic and experimental factors in the behavioral response to repeated amphetamine. <i>Pharmacology Biochemistry and Behavior</i> , 1977 , 6, 545-52	3.9	74
172	Rapid tolerance to the motor effects of p-chloroamphetamine in rats. <i>Psychopharmacology</i> , 1977 , 55, 109-14	4.7	5
171	Early handling and maternal behavior: effect on d-amphetamine responsiveness in rats. <i>Pharmacology Biochemistry and Behavior</i> , 1978 , 9, 785-9	3.9	9
170	Abatement of stimulus perseveration following repeated d-amphetamine treatment: absence of behaviorally augmented tolerance. <i>Pharmacology Biochemistry and Behavior</i> , 1978 , 8, 557-63	3.9	18
169	Tolerance to amphetamine ⁸ facilitation of self-stimulation responding: anatomical specificity. <i>Brain Research</i> , 1978 , 145, 37-48	3.7	12
168	Enhanced responsiveness to intraventricular infusion of amphetamine following its repeated systemic administration. <i>Psychopharmacology</i> , 1979 , 62, 101-2	4.7	18

167	Differential tolerance to dietary amino acid-induced changes in aggressive behavior and locomotor activity in mice. <i>Psychopharmacology</i> , 1979 , 66, 301-8	4.7	14
166	Altered response to apomorphine and haloperidol after nine days of cocaine injections. <i>Pharmacology Biochemistry and Behavior</i> , 1979 , 10, 189-93	3.9	5
165	Conditioned drug effects to d-amphetamine- and morphine-induced motor acceleration in mice: experimental approach for placebo effect. 1980 , 30, 93-100		36
164	Enhanced self-stimulation responding from the substantia nigra after chronic amphetamine treatment: a role for conditioning factors. <i>Pharmacology Biochemistry and Behavior</i> , 1980 , 12, 543-7	3.9	26
163	Development of tolerance to the rewarding effects of self-administered S(+)-amphetamine. <i>Pharmacology Biochemistry and Behavior</i> , 1980 , 12, 137-41	3.9	16
162	Sensitization to the hyperthermic and catecholamine-releasing effects of morphine. 1981 , 29, 1697-704		15
161	Drug-environment interaction: context dependency of cocaine-induced behavioral sensitization. 1981 , 28, 755-60		259
160	Chronic D-amphetamine in nucleus accumbens: lack of tolerance or reverse tolerance of locomotor activity. 1981 , 28, 2295-8		54
159	Slow and rapid onset of manic episodes: implications for underlying biology. 1981 , 4, 229-37		37
158	ENHANCEMENT OF MOTOR-ACCELERATING EFFECT INDUCED BY REPEATED ADMINISTRATION OF METHAMPHETAMINE IN MICE: INVOLVEMENT OF ENVIRONMENTAL FACTORS. 1981 , 31, 897-904		
157	Enhancement of motor-accelerating effect induced by repeated administration of methamphetamine in mice: involvement of environmental factors. 1981 , 31, 897-904		10
156	Chronic L-DOPA treatment of mice: a behavioural and biochemical study. 1981 , 50, 209-24		15
155	Long-term d-amphetamine in rats: lack of change in post-synaptic dopamine receptor sensitivity. <i>Psychopharmacology</i> , 1981 , 73, 276-80	4.7	26
154	Amphetamine psychosis and schizophrenia: a dual model. <i>Neuroscience and Biobehavioral Reviews</i> , 1981 , 5, 449-61	9	96
153	Enhancing effect of methamphetamine on ambulatory activity produced by repeated administration in mice. <i>Pharmacology Biochemistry and Behavior</i> , 1981 , 15, 925-32	3.9	115
152	Long-term facilitation of amphetamine-induced rotational behavior and striatal dopamine release produced by a single exposure to amphetamine: sex differences. <i>Brain Research</i> , 1982 , 253, 231-41	3.7	245
151	Effect of fusaric acid on aggression, motor activity, and brain monoamines in mice. <i>Pharmacology Biochemistry and Behavior</i> , 1982 , 16, 73-9	3.9	10
150	Enhancement of avoidance-suppressing effect after repeated administration of haloperidol and serum haloperidol in rats. <i>Pharmacology Biochemistry and Behavior</i> , 1982 , 17, 131-6	3.9	16

149	Evidence that a behavioral augmentation following repeated amphetamine administration does not involve peripheral mechanisms. <i>Pharmacology Biochemistry and Behavior</i> , 1982 , 17, 547-53	3.9	19
148	Effect of continuous systemic infusion of D-amphetamine on the sensitivity of nigral dopamine cells to apomorphine inhibition of firing rates. <i>Brain Research</i> , 1983 , 273, 379-83	3.7	26
147	Classical conditioning, decay and extinction of cocaine-induced hyperactivity and stereotypy. 1983 , 33, 1341-51		101
146	The role of dopamine in locomotor activity and learning. <i>Brain Research Reviews</i> , 1983 , 287, 173-96		718
145	Pimozide blocks establishment but not expression of amphetamine-produced environment-specific conditioning. 1983 , 220, 1304-6		228
144	Critical issues in assessing the behavioral effects of amphetamine. <i>Neuroscience and Biobehavioral Reviews</i> , 1984 , 8, 153-9	9	132
143	Behavioral CRs elicited by a lithium- or an amphetamine-paired contextual test chamber. 1984 , 12, 307-315		34
142	Effects of chronic intermittent and continuous amphetamine administration on acoustic startle. <i>Pharmacology Biochemistry and Behavior</i> , 1984 , 20, 367-71	3.9	19
141	Amphetamine cumulation and tolerance development: concurrent and opposing phenomena. <i>Pharmacology Biochemistry and Behavior</i> , 1984 , 20, 415-24	3.9	5
140	Restrained rats learn amphetamine-conditioned locomotion, but not place preference. <i>Psychopharmacology</i> , 1984 , 84, 163-6	4.7	65
139	Behavioral sensitization: characterization of enduring changes in rotational behavior produced by intermittent injections of amphetamine in male and female rats. <i>Psychopharmacology</i> , 1984 , 84, 466-75	4.7	205
138	(+)-Amphetamine oral drug taking behavior in naive and tolerant rats. 1984 , 13, 177-89		7
137	Cocaine: mechanisms underlying behavioral effects. 1985 , 442-459		2
136	Sensitization to stress: the enduring effects of prior stress on amphetamine-induced rotational behavior. 1985 , 37, 1039-42		90
135	Enduring changes in brain and behavior produced by chronic amphetamine administration: A review and evaluation of animal models of amphetamine psychosis. <i>Brain Research Reviews</i> , 1986 , 11, 157-198		1801
134	Evidence for multiple opiate receptor involvement in different phencyclidine-induced unconditioned behaviors in rats. <i>Psychopharmacology</i> , 1986 , 88, 44-53	4.7	23
133	Effects of acute and chronic bupropion on locomotor activity and dopaminergic neurons. <i>Pharmacology Biochemistry and Behavior</i> , 1986 , 24, 795-9	3.9	37
132	Reactivity to amphetamine in perinatally undernourished rats: behavioral and neurochemical correlates. <i>Pharmacology Biochemistry and Behavior</i> , 1986 , 24, 449-54	3.9	29

131	Conditioned activity and the interaction of amphetamine experience with morphine's activity effects. 1987 , 48, 422-33		5
130	Conditioning and the delayed onset of a haloperidol-induced behavioral effect. 1987 , 22, 269-77		9
129	Operant conditioning and haloperidol-induced hypokinetic effects. <i>Neuropsychobiology</i> , 1987 , 18, 199-204		8
128	Apomorphine-induced pecking in pigeons classically conditioned to environmental cues. <i>Psychopharmacology</i> , 1987 , 93, 223-5	4-7	12
127	Expression of morphine-conditioned hyperactivity is attenuated by naloxone and pimozide. <i>Psychopharmacology</i> , 1987 , 93, 314-9	4-7	22
126	Classical conditioning of amphetamine-induced lateralized and nonlateralized activity in rats. <i>Psychopharmacology</i> , 1987 , 92, 52-7	4-7	16
125	Environment-specific conditioning and sensitization with (+)-amphetamine. <i>Pharmacology Biochemistry and Behavior</i> , 1987 , 27, 61-5	3-9	27
124	Application of the unilateral 6-hydroxydopamine rat model of rotational behavior to the study of conditioned drug effects. <i>Journal of Neuroscience Methods</i> , 1988 , 22, 253-61	3	14
123	Characterization of the associative nature of sensitization to amphetamine-induced circling behavior and of the environment dependent placebo-like response. <i>Psychopharmacology</i> , 1988 , 95, 482-7	4-7	21
122	Chronic administration of a selective dopamine D-2 agonist: factors determining behavioral tolerance and sensitization. <i>Psychopharmacology</i> , 1988 , 95, 534-9	4-7	36
121	Chronic l-dopa fails to lessen rebound enhancement of self-stimulation after chronic haloperidol. <i>Pharmacology Biochemistry and Behavior</i> , 1988 , 30, 585-8	3-9	9
120	Effects of ritanserin on the rewarding properties of d-amphetamine, morphine and diazepam revealed by conditioned place preference in rats. <i>Pharmacology Biochemistry and Behavior</i> , 1988 , 30, 853-8	3-9	51
119	Environment-dependent sensitization to amphetamine-induced circling behavior. <i>Pharmacology Biochemistry and Behavior</i> , 1988 , 31, 705-8	3-9	16
118	The dopamine D-2 agonist quinpirole produces environment-specific conditioned activity. <i>Pharmacology Biochemistry and Behavior</i> , 1988 , 30, 525-7	3-9	7
117	Psychomotor stimulant properties of addictive drugs. 1988 , 537, 228-34		59
116	Susceptibility to sensitization. I. Sex differences in the enduring effects of chronic D-amphetamine treatment on locomotion, stereotyped behavior and brain monoamines. <i>Behavioural Brain Research</i> , 1988 , 30, 55-68	3-4	90
115	Susceptibility to sensitization. II. The influence of gonadal hormones on enduring changes in brain monoamines and behavior produced by the repeated administration of D-amphetamine or restraint stress. <i>Behavioural Brain Research</i> , 1988 , 30, 69-88	3-4	57
114	Context-Dependent Cocaine Sensitization: Differential Effect of Haloperidol on Development Versus Expression. <i>Pharmacology Biochemistry and Behavior</i> , 1989 , 34, 655-661	3-9	150

113	Environment-specific cross-sensitization between the locomotor activating effects of morphine and amphetamine. <i>Pharmacology Biochemistry and Behavior</i> , 1989 , 32, 581-4	3.9	77
112	Conditioned stereotypy: behavioral specification of the UCS and pharmacological investigation of the neural change. <i>Pharmacology Biochemistry and Behavior</i> , 1989 , 32, 249-58	3.9	26
111	Modification of behavioral responses to methamphetamine evoked by the stimulant metabolite p-hydroxynorephedrine in rats. <i>Pharmacology Biochemistry and Behavior</i> , 1989 , 33, 423-9	3.9	2
110	Conditioned response to amphetamine injection with the operant paradigm. 1989 , 16, 133-141		4
109	Stimulant drugs as conditioned and unconditioned stimuli in a classical conditioning paradigm. 1989 , 16, 305-315		23
108	MDMA produces stimulant-like conditioned locomotor activity. <i>Psychopharmacology</i> , 1989 , 99, 352-6	4.7	35
107	The effect of dopamine receptor blockade on the development of sensitization to the locomotor activating effects of amphetamine and morphine. <i>Brain Research</i> , 1989 , 499, 108-20	3.7	203
106	Cardiovascular responses to cocaine placebo in humans: a preliminary report. 1989 , 25, 285-95		17
105	Role of D-1 and D-2 receptor stimulation in sensitization to amphetamine-induced circling behavior and in expression and extinction of the Pavlovian conditioned response. <i>Psychopharmacology</i> , 1990 , 101, 465-71	4.7	48
104	Conditioned stimulus control of morphine hyperthermia. <i>Psychopharmacology</i> , 1990 , 101, 77-84	4.7	17
103	Dopamine D-1 and D-2 receptors in relation to reward and performance: a case for the D-1 receptor as a primary site of therapeutic action of neuroleptic drugs. 1990 , 34, 143-83		92
102	Apomorphine-like effect evoked by exposure to environmental cues associated with drug administration. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 1990 , 14, 113-20	5.5	2
101	Dopamine receptors mediate drug-induced but not Pavlovian conditioned contralateral rotation in the unilateral 6-OHDA animal model. <i>Brain Research</i> , 1990 , 515, 292-8	3.7	23
100	Amphetamine administered to the ventral tegmental area but not to the nucleus accumbens sensitizes rats to systemic morphine: lack of conditioned effects. <i>Brain Research</i> , 1990 , 516, 99-106	3.7	235
99	Stimulant-conditioned locomotion is not affected by blockade of D1 and/or D2 dopamine receptors during conditioning. <i>Brain Research</i> , 1990 , 521, 175-84	3.7	36
98	Enhancing effects of sound on methamphetamine-induced behavioral aberrations in the rat: a model of relapse of schizophrenia-like symptoms. 1990 , 44, 619-27		
97	Blockade of behavioral sensitization to methamphetamine by lesion of hippocampo-accumbal pathway. 1991 , 48, 1325-32		72
96	The effects of conditioning with amphetamine on the thermic effects of amphetamine and pentobarbital. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 1991 , 15, 841-50	5.5	1

95	Differential sensitization to ambulation-increasing effect of methamphetamine after repeated administration to mice in activity cages of different sizes. 1991 , 57, 91-7		7
94	Cellular and learned tolerances for ethanol hypothermia. <i>Pharmacology Biochemistry and Behavior</i> , 1991 , 38, 29-36	3.9	9
93	Effects of selective drugs for dopaminergic D1 and D2 receptors on conditioned locomotion in rats. <i>Psychopharmacology</i> , 1991 , 105, 107-12	4.7	54
92	Pavlovian conditioning of CNS drug effects: a critical review and new experimental design. 1992 , 3, 65-77		19
91	State-dependent peculiarities of cocaine-induced behavioral sensitization and their possible reasons. 1992 , 67, 93-103		23
90	Cortico-subcortical interactions in behavioral sensitization: differential effects of daily nicotine and morphine. 1992 , 654, 101-16		7
89	Conditioning, habituation and behavioral reorganization factors in chronic cocaine effects. <i>Behavioural Brain Research</i> , 1992 , 49, 149-57	3.4	52
88	Locomotor-activating effects of the D2 agonist bromocriptine show environment-specific sensitization following repeated injections. <i>Psychopharmacology</i> , 1992 , 107, 277-84	4.7	65
87	Conditioned locomotor activity but not conditioned place preference following intra-accumbens infusions of cocaine. <i>Psychopharmacology</i> , 1992 , 106, 330-6	4.7	72
86	Lack of cross-sensitization between the locomotor-activating effects of bromocriptine and those of cocaine or heroin. <i>Psychopharmacology</i> , 1993 , 110, 402-8	4.7	25
85	Conditioned increases in mesolimbic dopamine overflow by stimuli associated with cocaine. <i>Brain Research</i> , 1993 , 629, 31-9	3.7	141
84	Lack of sensitization or tolerance to the facilitating effect of ventral tegmental area morphine on lateral hypothalamic brain stimulation reward. <i>Brain Research</i> , 1993 , 617, 303-8	3.7	25
83	Suppressive effect of cycloheximide on behavioral sensitization to methamphetamine in mice. <i>European Journal of Pharmacology</i> , 1993 , 234, 67-75	5.3	16
82	Lack of evidence for context-dependent cocaine-induced sensitization in humans: preliminary studies. <i>Pharmacology Biochemistry and Behavior</i> , 1994 , 49, 583-8	3.9	69
81	Phencyclidine-induced behavioral sensitization. <i>Pharmacology Biochemistry and Behavior</i> , 1994 , 47, 603-8,9		47
80	Effects of electroconvulsive shock on the retention of cocaine-induced conditioning. <i>Pharmacology Biochemistry and Behavior</i> , 1994 , 49, 399-404	3.9	3
79	Animals predisposed to develop amphetamine self-administration show higher susceptibility to develop contextual conditioning of both amphetamine-induced hyperlocomotion and sensitization. <i>Brain Research</i> , 1994 , 657, 236-44	3.7	69
78	The development of sensitization to the psychomotor stimulant effects of amphetamine is enhanced in a novel environment. <i>Psychopharmacology</i> , 1995 , 117, 443-52	4.7	157

77	Behavioral sensitization and tolerance to cocaine and the occupation of dopamine receptors by dopamine. <i>Molecular Neurobiology</i> , 1995 , 11, 31-46	6.2	46
76	Circulating adrenal hormones are not necessary for the development of sensitization to the psychomotor activating effects of amphetamine. <i>Brain Research</i> , 1995 , 673, 13-24	3.7	102
75	Methamphetamine plus scopolamine potentiates behavioral sensitization and conditioning. <i>European Journal of Pharmacology</i> , 1995 , 279, 135-42	5.3	5
74	Effects of repeated treatment with methamphetamine plus scopolamine and methamphetamine on behavioral sensitization and conditioning. <i>Behavioural Brain Research</i> , 1996 , 80, 169-75	3.4	5
73	Influence of novel and habituated testing conditions on cocaine sensitization. <i>European Journal of Pharmacology</i> , 1996 , 307, 15-9	5.3	14
72	Associational and nonassociational mechanisms in locomotor sensitization to the dopamine agonist quinpirole. <i>Psychopharmacology</i> , 1996 , 127, 95-101	4.7	38
71	Administration of amphetamine does not increase the functional efficacy of dopaminergic grafts made in infancy. <i>Brain Research</i> , 1996 , 708, 21-8	3.7	0
70	Amphetamine-induced conditioned activity does not result from a failure of rats to habituate to novelty. <i>Psychopharmacology</i> , 1996 , 123, 325-32	4.7	36
69	A circuitry model of the expression of behavioral sensitization to amphetamine-like psychostimulants. <i>Brain Research Reviews</i> , 1997 , 25, 192-216		1033
68	Locomotor sensitization to quinpirole: environment-modulated increase in efficacy and context-dependent increase in potency. <i>Psychopharmacology</i> , 1997 , 134, 193-200	4.7	59
67	A simple and reliable method for the positive identification of pavlovian conditioned cocaine effects in open-field behavior. <i>Journal of Neuroscience Methods</i> , 1997 , 73, 1-8	3	39
66	Modulation of the induction or expression of psychostimulant sensitization by the circumstances surrounding drug administration. <i>Neuroscience and Biobehavioral Reviews</i> , 1998 , 22, 347-54	9	190
65	Amphetamine infusions into the prefrontal cortex attenuate the sensitization to amphetamine. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 1998 , 22, 763-73	5.5	6
64	Induction of Fos expression in the circadian system by unsignaled light is attenuated as a result of previous experience with signaled light: a role for Pavlovian conditioning. <i>Neuroscience</i> , 1998 , 83, 657-67	3.9	11
63	Sensitization elicited by directly and indirectly acting dopaminergic agonists: comparison using neural network analysis. <i>Psychopharmacology</i> , 1999 , 141, 169-74	4.7	10
62	Sensitization of apomorphine-induced stereotyped behavior in mice is context dependent. <i>Psychopharmacology</i> , 1999 , 146, 42-8	4.7	33
61	Conditioning to injection procedures and repeated testing increase SCH 23390-induced catalepsy in mice. <i>Neuropsychopharmacology</i> , 1999 , 21, 670-8	8.7	21
60	Issues in the pharmacological modification of cocaine conditioning: evidence that the stimulus properties of drugs can interact with contextual cues to activate or inactivate cocaine conditioned stimuli. <i>Behavioural Brain Research</i> , 1999 , 101, 189-206	3.4	14

59	Context determines the type of sensitized behaviour: a brief review and a hypothesis on the role of environment in behavioural sensitization. <i>Behavioural Pharmacology</i> , 2000 , 11, 211-21	2.4	30
58	Ventral pallidal injections of a mu antagonist block the development of behavioral sensitization to systemic morphine. <i>Synapse</i> , 2000 , 38, 61-70	2.4	35
57	Simultaneous monitoring of conditioned place preference and locomotor sensitization following repeated administration of cocaine and methamphetamine. <i>Pharmacology Biochemistry and Behavior</i> , 2000 , 66, 285-92	3.9	57
56	Repeated treatments with 7-OH-DPAT: context-independent behavioral sensitization and conditioned hyperactivity. <i>Pharmacology Biochemistry and Behavior</i> , 2000 , 65, 241-6	3.9	12
55	Conditioned locomotor stimulant effects of cocaine in rats do not result from interference with habituation. <i>Psychopharmacology</i> , 2000 , 151, 13-8	4.7	17
54	Modulation of morphine sensitization in the rat by contextual stimuli. <i>Psychopharmacology</i> , 2000 , 151, 273-82	4.7	69
53	Morphine and amphetamine sensitization in rats demonstrated under moderate- and high-dose NMDA receptor blockade with MK-801 (dizocilpine). <i>Psychopharmacology</i> , 2000 , 151, 192-201	4.7	23
52	Time acts as a conditioned stimulus to control behavioral sensitization to amphetamine in rats. <i>Neuroscience</i> , 2000 , 101, 1-3	3.9	25
51	The role of contextual versus discrete drug-associated cues in promoting the induction of psychomotor sensitization to intravenous amphetamine. <i>Behavioural Brain Research</i> , 2000 , 116, 1-22	3.4	158
50	Conditioned activity to amphetamine in transgenic mice expressing an antisense RNA against the glucocorticoid receptor. <i>Behavioral Neuroscience</i> , 2001 , 115, 207-19	2.1	18
49	Differential changes in synaptic terminal protein expression between nucleus accumbens core and shell in the amphetamine-sensitized rat. <i>Brain Research</i> , 2001 , 901, 175-83	3.7	23
48	The ability of environmental context to facilitate psychomotor sensitization to amphetamine can be dissociated from its effect on acute drug responsiveness and on conditioned responding. <i>Neuropsychopharmacology</i> , 2001 , 24, 680-90	8.7	102
47	Effects of systemic injections of dopaminergic agents on the habituation of rats submitted to an open field test. <i>Neuropsychobiology</i> , 2001 , 43, 83-90	4	11
46	Applying laboratory research: Drug anticipation and the treatment of drug addiction.. <i>Experimental and Clinical Psychopharmacology</i> , 2002 , 10, 162-183	3.2	88
45	Conditioned hyperkinesia induced by cocaine in mice is dose-dependent but not correlated with the unconditioned response or the contextually-sensitized response. <i>Behavioural Pharmacology</i> , 2002 , 13, 59-71	2.4	19
44	Post-sensitisation conditioned hyperlocomotion induced by cocaine is augmented as a function of dose in C57BL/6J mice. <i>Behavioural Brain Research</i> , 2002 , 132, 179-86	3.4	12
43	8-OHDPAT effects upon cocaine unconditioned and conditioned behaviors: a role for drug stimulus effects. <i>Pharmacology Biochemistry and Behavior</i> , 2002 , 72, 171-8	3.9	9
42	Memory processes governing amphetamine-induced psychomotor sensitization. <i>Neuropsychopharmacology</i> , 2002 , 26, 703-15	8.7	116

41	Quasi-asymptotic development of conditioned hyperactivity induced by intermittent injections of cocaine in C57BL/6J mice. <i>Pharmacology Biochemistry and Behavior</i> , 2003 , 75, 273-80	3.9	6
40	Sensitised locomotion does not predict conditioned locomotion in cocaine-treated mice: further evidence against the excitatory conditioning model of context-dependent sensitisation. <i>European Neuropsychopharmacology</i> , 2003 , 13, 289-96	1.2	24
39	The magnitude and the extinction duration of the cocaine-induced conditioned locomotion-activated response are related to the number of cocaine injections paired with the testing context in C57BL/6J mice. <i>Behavioural Brain Research</i> , 2003 , 145, 113-23	3.4	21
38	Sensitization of psychomotor stimulation and conditioned reward in mice: differential modulation by contextual learning. <i>Neuropsychopharmacology</i> , 2004 , 29, 249-58	8.7	22
37	Drug-induced neurobehavioral plasticity: the role of environmental context. <i>Behavioural Pharmacology</i> , 2004 , 15, 327-39	2.4	118
36	Novel ideas about novelty. Commentary on Badiani and Robinson drug-induced neurobehavioral plasticity: the role of environmental context. <i>Behavioural Pharmacology</i> , 2004 , 15, 373-6	2.4	1
35	Behavioural plasticity-induced changes in drug response. Commentary on Badiani and Robinson drug-induced neurobehavioral plasticity: the role of environmental context. <i>Behavioural Pharmacology</i> , 2004 , 15, 377-80	2.4	3
34	Differential modulation of clock speed by the administration of intermittent versus continuous cocaine. <i>Behavioral Neuroscience</i> , 2004 , 118, 150-6	2.1	125
33	A novel open field activity detector to determine spatial and temporal movement of laboratory animals after injury and disease. <i>Journal of Neuroscience Methods</i> , 2006 , 157, 330-6	3	19
32	Dissociation of psychomotor sensitization from compulsive cocaine consumption. <i>Neuropsychopharmacology</i> , 2006 , 31, 563-71	8.7	154
31	Histone deacetylase inhibitors modulates the induction and expression of amphetamine-induced behavioral sensitization partially through an associated learning of the environment in mice. <i>Behavioural Brain Research</i> , 2007 , 181, 76-84	3.4	69
30	Acute amphetamine treatment decreases the expression of 180-200 kDa isoform of polysialic acid linked neural cell adhesion molecule in mouse hippocampus. <i>Brain Research</i> , 2007 , 1165, 89-97	3.7	8
29	A comparison of amphetamine- and methamphetamine-induced locomotor activity in rats: evidence for qualitative differences in behavior. <i>Psychopharmacology</i> , 2008 , 195, 469-78	4.7	59
28	Opposite environmental regulation of heroin and amphetamine self-administration in the rat. <i>Psychopharmacology</i> , 2008 , 198, 395-404	4.7	35
27	Importance of environmental context for one- and three-trial cocaine-induced behavioral sensitization in preweanling rats. <i>Psychopharmacology</i> , 2009 , 206, 377-88	4.7	14
26	Bilateral six-hydroxydopamine administration to PFC prevents the expression of behavioral sensitization to methylphenidate. <i>Brain Research</i> , 2010 , 1312, 89-100	3.7	15
25	Nucleus accumbens lesions modulate the effects of methylphenidate. <i>Brain Research Bulletin</i> , 2010 , 82, 293-301	3.9	32
24	Conditioned effects of caffeine on performance in humans. <i>Physiology and Behavior</i> , 2010 , 99, 286-93	3.5	9

23	Do excitatory and inhibitory conditioning processes underlie psychomotor sensitization to amphetamine? An analysis using simple and multiple regressions. <i>Behavioural Brain Research</i> , 2011 , 221, 227-36	3.4	6
22	Importance of initial environments in the development of ambulatory sensitization to methamphetamine and cocaine in mice. <i>Journal of Pharmacy and Pharmacology</i> , 1998 , 50, 303-9	4.8	2
21	Comparison of sensitization to ambulation-increasing effects of cocaine and methamphetamine after repeated administration in mice. <i>Journal of Pharmacy and Pharmacology</i> , 1991 , 43, 827-30	4.8	38
20	Development and persistence of methamphetamine-conditioned hyperactivity in Swiss-Webster mice. <i>Behavioural Pharmacology</i> , 2011 , 22, 228-38	2.4	8
19	Naltrexone attenuates amphetamine-induced locomotor sensitization in the rat. <i>Addiction Biology</i> , 2011 , 16, 20-9	4.6	16
18	Effect of chlorpromazine on mouse ambulatory activity sensitization caused by (+)-amphetamine. <i>Journal of Pharmacy and Pharmacology</i> , 1993 , 45, 481-3	4.8	12
17	Time-dependent effects of prazosin on the development of methamphetamine conditioned hyperactivity and context-specific sensitization in mice. <i>Behavioural Brain Research</i> , 2014 , 263, 80-9	3.4	8
16	Conditioned increase of locomotor activity induced by haloperidol. <i>PLoS ONE</i> , 2018 , 13, e0200178	3.7	5
15	Morphine administered post-trial can induce potent conditioned morphine effects. <i>Pharmacology Biochemistry and Behavior</i> , 2019 , 179, 134-141	3.9	4
14	Drugs and memory: Evidence that drug effects can become associated with contextual cues by being paired post-trial with consolidation/re-consolidation. Mini review. <i>Pharmacology Biochemistry and Behavior</i> , 2020 , 192, 172911	3.9	1
13	Addiction.		3
12	Conditioned Drug Effects. 1987 , 1-57		23
11	Behavioral Tolerance. 1978 , 391-448		40
10	A Critique of the Methods Available for the Measurement of Spontaneous Motor Activity. 1977 , 37-82		86
9	Central Stimulants. 1981 , 1-65		9
8	Monoamines and Aversively Motivated Behaviors. 1978 , 257-343		36
7	Progressive Changes in Behavior and Seizures Following Chronic Cocaine Administration: Relationship to Kindling and Psychosis. <i>Advances in Behavioral Biology</i> , 1977 , 353-372		26
6	The Long-Term Behavioral and Neurobiological Consequences of Treatment with Psychomotor Stimulant Drugs: Implications for Psychopathology. <i>Neurobiological Foundation of Aberrant Behaviors</i> , 2000 , 19-28		1

- 5 Implications of behavioral sensitization and kindling for stress-induced behavioral change. *Advances in Experimental Medicine and Biology*, **1988**, 245, 441-63 3.6 21
- 4 The Behavioral Pharmacology of Psychomotor Stimulant Drugs. *Handbook of Experimental Pharmacology*, **1981**, 587-605 3.2 2
- 3 Animal Models in Psychoneuroendocrinology. **1984**, 893-912
- 2 Effects of Drugs on Spontaneous Motor Activity. **1987**, 153-211
- 1 Conditioned increase of locomotor activity induced by haloperidol.