

CITATION REPORT

List of articles citing

Turning behavior of mice with unilateral 6-hydroxydopamine lesions in the striatum: effects of apomorphine, L-DOPA, amanthadine, amphetamine and other psychomotor stimulants

DOI: 10.1016/0028-3908(73)90061-0
Neuropharmacology, 1973, 12, 451-62.

Source: <https://exaly.com/paper-pdf/11304119/citation-report.pdf>

Version: 2024-04-09

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
185	The relative importance of dopaminergic and noradrenergic neuronal systems for the stimulation of locomotor activity induced by amphetamine and other drugs. <i>Neuropharmacology</i> , 1973 , 12, 853-66	5.5	166
184	Dopaminergic denervation supersensitivity and dopamine stimulated adenyl cyclase activity. <i>Neuropharmacology</i> , 1973 , 12, 1081-6	5.5	75
183	General Pharmacology of Amphetamine-Like Drugs. 1973 , 3-275		
182	Reversal by L-dopa of impaired learning due to destruction of the dopaminergic nigro-neostriatal projection. <i>Science</i> , 1974 , 185, 960-2	33.3	94
181	Specific asymmetric behavior induced by the direct chemical stimulation of neostriatal dopaminergic mechanisms. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 1974 , 285, 83-98	3.4	44
180	The effect of delta9-tetrahydrocannabinol on the uptake and release of 14C-dopamine from crude striatal synaptosomes; preparations. <i>Neuropharmacology</i> , 1974 , 13, 1109-14	5.5	32
179	Regional distribution of catecholamines in rat brain after L-3-O-methyldopa and L-dopa. <i>Life Sciences</i> , 1974 , 14, 323-8	6.8	8
178	Neurochemical evidence for denervation supersensitivity: the effect of unilateral substantia nigra lesions on apomorphine-induced increases in neostriatal acetylcholine levels. <i>Life Sciences</i> , 1974 , 15, 57-63	6.8	48
177	Apomorphine and amphetamine stereotypy after 6-hydroxydopamine lesions of the substantia nigra. <i>European Journal of Pharmacology</i> , 1974 , 29, 249-52	5.3	68
176	Dopaminergic nature of apomorphine-induced pecking in pigeons. <i>European Journal of Pharmacology</i> , 1974 , 26, 313-20	5.3	48
175	COMMUNICATIONS. <i>Journal of Physiology</i> , 1975 , 249, 20-69	3.9	1
174	Catecholamines and self-stimulation: the action of amantadine and its interaction with amphetamine. <i>Pharmacology Biochemistry and Behavior</i> , 1975 , 3, 263-9	3.9	8
173	Histopathologic changes associated with intracerebral injections of 6-hydroxydopamine (6-OHDA) and peroxide (H ₂ O ₂) in the cat and the rat. 1975 , 37, 209-18		15
172	Effect of the norepinephrine receptor stimulating agent "clonidine" on the turnover of 5-hydroxytryptamine in some areas of the rat brain. 1975 , 37, 259-67		29
171	Pharmacological evidence for cerebral dopamine receptor blockade by metoclopramide in rodents. <i>Psychopharmacology</i> , 1975 , 41, 133-8	4.7	57
170	A comparison of circling models for the detection of antiparkinson activity. <i>Psychopharmacology</i> , 1975 , 41, 57-64	4.7	67
169	Inhibition of circling behavior by neuroleptic drugs in mice with unilateral 6-hydroxydopamine lesions of the striatum. <i>Psychopharmacology</i> , 1975 , 45, 211-9	4.7	86

168	Behavioural supersensitivity to apomorphine following cerebral dopaminergic denervation by 6-hydroxydopamine. <i>Psychopharmacology</i> , 1975 , 42, 159-62	4.7	11
167	Functional evidence for postsynaptic supersensitivity of central noradrenergic receptors after denervation. 1975 , 256, 659-60		31
166	Letter: LSD and dopamine receptors. 1975 , 257, 69-70		11
165	Involvement of central dopamine in the hyperthermia in rats produced by d-amphetamine. 1975 , 13, 309-16		13
164	Self-inhibition by dopaminergic neurons. <i>Science</i> , 1975 , 190, 522-8	33.3	616
163	Behavioral effects in rats following intrastriatal microinjection of manganese. <i>Brain Research</i> , 1975 , 95, 103-24	3.7	16
162	Circling behaviour produced by unilateral lesions in the region of the locus coeruleus in rats. <i>Brain Research</i> , 1975 , 97, 317-29	3.7	103
161	Responses of central neurones to amantadine: comparison with dopamine and amphetamine. <i>Brain Research</i> , 1975 , 85, 126-9	3.7	18
160	Differential effects of D- and L-amphetamine on the sleep of depressed patients. <i>Life Sciences</i> , 1975 , 17, 1223-40	6.8	16
159	Blockade of alpha-methyltyrosine-induced supersensitivity to apomorphine by chronic administration of L-dopa. <i>Life Sciences</i> , 1975 , 16, 1331-8	6.8	21
158	Role of the strio-pallidal system and motor cortex in induced cirrus movements in rats and cats. 1975 , 47, 135-49		32
157	Effect of clonidine on the synthesis of cerebral dopamine. 1975 , 24, 303-5		19
156	Dopaminergic neurons in the nigro-striatal and mesolimbic pathways: mediation of specific effects of D-amphetamine. <i>European Journal of Pharmacology</i> , 1975 , 30, 154-8	5.3	72
155	Schizophrenia: a postulated animal model. 1976 , 2, 238-40		
154	Dopamine acetylcholine imbalance in Parkinson's disease. Possible regenerative overgrowth of cholinergic axon terminals. 1976 , 1, 724-6		46
153	Unilateral electrolytic lesions of the substantia nigra cause contralateral circling in rats. <i>Brain Research</i> , 1976 , 105, 358-61	3.7	42
152	[An experimental study of the psychostimulant action of amantadine]. 1976 , 28, 345-52		
151	A comparison of the effects of decarboxylase inhibitors on L-dopa-induced circling behavior and the conversion of dopa to dopamine in the brain. <i>Life Sciences</i> , 1976 , 19, 701-6	6.8	15

150	Turning in circles: the neuropharmacology of rotation. <i>Life Sciences</i> , 1976 , 18, 889-96	6.8	277
149	Effects of drugs acting on cerebral 5-hydroxytryptamine mechanisms on dopamine-dependent turning behaviour in mice. <i>British Journal of Pharmacology</i> , 1976 , 56, 77-85	8.6	59
148	Ergot alkaloids as dopamine agonists: comparison in two rodent models. <i>European Journal of Pharmacology</i> , 1976 , 37, 295-302	5.3	36
147	Non-specific supersensitivity of striatal dopamine receptors after 6-hydroxydopamine lesion of the nigrostriatal pathway. <i>European Journal of Pharmacology</i> , 1976 , 35, 276-83	5.3	50
146	Selective 6OHDA-induced destruction of mesolimbic dopamine neurons: abolition of psychostimulant-induced locomotor activity in rats. <i>European Journal of Pharmacology</i> , 1976 , 40, 45-56	5.3	586
145	Mesolimbic dopaminergic neurones in the rotational model of nigrostriatal function. 1976 , 263, 695-6		212
144	Spontaneous and drug-induced rotation (circling behavior) in the Mongolian gerbil (<i>Meriones unguiculatus</i>). 1976 , 16, 241-4		17
143	Phencyclidine-induced rotational behavior in rats with nigrostriatal lesions and its modulation by dopaminergic and cholinergic agents. <i>Pharmacology Biochemistry and Behavior</i> , 1976 , 5, 651-60	3.9	75
142	The demonstration of a change in adrenergic receptor sensitivity in the central nervous system of mice after withdrawal from long-term treatment with haloperidol. <i>Psychopharmacology</i> , 1976 , 48, 105-14	4.7	46
141	Dopamine receptor binding enhancement accompanies lesion-induced behavioral supersensitivity. <i>Science</i> , 1977 , 197, 596-8	33.3	673
140	Bromocriptine. 1977 , 12, 247-344		33
139	Comparative effects of hallucinogenic drugs on rotational behavior in rats with unilateral 6-hydroxydopamine lesions. <i>European Journal of Pharmacology</i> , 1977 , 44, 113-9	5.3	37
138	Effects of 1694 and other dopaminergic agents on circling behavior. <i>European Journal of Pharmacology</i> , 1977 , 42, 113-21	5.3	17
137	Potential of angiotensin II-induced natriuresis by indomethacin in the rat [proceedings]. <i>British Journal of Pharmacology</i> , 1977 , 59, 435P-436P	8.6	1
136	Ontogenesis of the multiple forms of choline acetyltransferase: uptake and acetylation of choline in rat brain [proceedings]. <i>British Journal of Pharmacology</i> , 1977 , 61, 111P-112P	8.6	4
135	Central dopaminergic receptor supersensitivity and its relevance to Parkinson's disease. 1977 , 31, 113-21		32
134	Circling of mice bearing unilateral striatal lesions: development of increased response to D-amphetamine. <i>Life Sciences</i> , 1977 , 21, 563-7	6.8	17
133	Central supersensitivity to norepinephrine and amphetamine following brain chemical sympathectomy by 6-hydroxydopamine. <i>Life Sciences</i> , 1977 , 20, 1705-13	6.8	2

132	Substituted benzamides as cerebral dopamine antagonists in rodents. <i>Neuropharmacology</i> , 1977 , 16, 333-42	5.5	125
131	Evidence for norepinephrine-mediated collateral inhibition of locus coeruleus neurons. <i>Brain Research</i> , 1977 , 136, 570-7	3.7	453
130	Specificity of 6-hydroxydopamine-induced destruction of mesolimbic or nigrostriatal dopamine-containing terminals. <i>Brain Research</i> , 1977 , 122, 382-7	3.7	28
129	Phenylethylamine: evidence for a direct, postsynaptic dopamine-receptor stimulating action. <i>Brain Research</i> , 1977 , 127, 317-22	3.7	70
128	An investigation of the role of cortical and cerebellar noradrenaline in associative motor learning in the rat. <i>Brain Research</i> , 1977 , 134, 513-27	3.7	89
127	A quantitative rotational model for studying serotonergic function in the rat. <i>Brain Research</i> , 1977 , 124, 271-81	3.7	104
126	The interaction of clonidine with dopamine-dependent behaviour in rodents. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 1977 , 297, 133-41	3.4	25
125	On the mode of action of clonidine: relationship between effects on behaviour and cyclic nucleotide content in mouse brain. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 1977 , 298, 7-14	3.4	5
124	Perseveration and rotational behavior elicited by d-amphetamine in a Y-maze exploratory task: differential effects of intraperitoneal and unilateral intraventricular administration. <i>Psychopharmacology</i> , 1977 , 52, 123-8	4.7	24
123	Behavioral effects of apomorphine and diisobutyrylapomorphine in the mouse. <i>Psychopharmacology</i> , 1977 , 53, 45-53	4.7	29
122	Mesolimbic dopamine neurons: effects of 6-hydroxydopamine-induced destruction and receptor blockade on drug-induced rotation of rats. <i>Psychopharmacology</i> , 1977 , 55, 35-41	4.7	51
121	The effect of chronic administration and withdrawal of amphetamine on cerebral dopamine receptor sensitivity. <i>Psychopharmacology</i> , 1978 , 58, 131-6	4.7	10
120	Potentiation of apomorphine action in rats by l-prolyl-l-leucyl-glycine amide. <i>Pharmacology Biochemistry and Behavior</i> , 1978 , 9, 375-8	3.9	59
119	Dopaminergic agents and circling behaviour. <i>General Pharmacology</i> , 1978 , 9, 295-302		24
118	Striatal cell supersensitivity to apomorphine in dopamine-lesioned rats correlated to behaviour. <i>Neuropharmacology</i> , 1978 , 17, 349-53	5.5	59
117	Modulation of receptor mechanisms in the CNS: hyper- and hyposensitivity to catecholamines. <i>Neuropharmacology</i> , 1978 , 17, 665-85	5.5	214
116	Pharmacology and neurochemistry of apomorphine. 1978 , 15, 87-160		83
115	Long-term treatment with lithium prevents the development of dopamine receptor supersensitivity. <i>Science</i> , 1978 , 201, 171-3	33.3	262

114	The involvement of catecholamine in scopolamine-induced locomotor activation and rotational behaviour in mice. <i>The Japanese Journal of Pharmacology</i> , 1978 , 28, 465-72		11
113	Hallucinogen-induced rotational behavior in rats. <i>Psychopharmacology</i> , 1979 , 62, 193-200	4.7	12
112	A study of drug action on normal and denervated striatal mechanisms. <i>European Journal of Pharmacology</i> , 1979 , 56, 207-16	5.3	28
111	Phencyclidine-induced ipsilateral rotation in rats with unilateral 6-hydroxydopamine-induced lesions of the substantia nigra. <i>Life Sciences</i> , 1979 , 24, 1281-8	6.8	52
110	Reverse tolerance to amphetamine of mice bearing unilateral striatal lesions: effect upon the circling response to apomorphine. <i>Life Sciences</i> , 1979 , 24, 691-6	6.8	4
109	Drug-induced rotational behaviour following unilateral intracerebral injection of saline-ascorbate solution: neurotoxicity of ascorbic acid and monoamine-independent circling. <i>Brain Research</i> , 1979 , 161, 371-6	3.7	35
108	Rotational behaviour in rats with unilateral striatal kainic acid lesions: a behavioural model for studies on intact dopamine receptors. <i>Brain Research</i> , 1979 , 170, 485-95	3.7	111
107	Supersensitivity after intraventricular 6-hydroxydopamine: relation to dopamine depletion. <i>Experientia</i> , 1980 , 36, 436-8		72
106	Effects of phencyclidine and methylphenidate on d-amphetamine-induced behaviors in reserpine pretreated rats. <i>Pharmacology Biochemistry and Behavior</i> , 1980 , 13, 835-42	3.9	36
105	Different dopaminergic mechanisms for amfonelic acid, amphetamine and apomorphine. <i>Pharmacology Biochemistry and Behavior</i> , 1980 , 13, 497-500	3.9	13
104	Change in Catecholamine-Sensitive Na ⁺ ,K ⁺ -ATPase Activity in the Rat Striatum Microsomes Following Electolytic or 6-Hydroxydopamine-Induced Lesions of Dopaminergic Neurons. <i>The Japanese Journal of Pharmacology</i> , 1980 , 30, 401-404		1
103	Reticuline: a dopamine receptor blocker. <i>Life Sciences</i> , 1980 , 26, 2083-91	6.8	8
102	The importance of calcium in amphetamine-induced turning behavior in mice with unilateral nigro-striatal lesions. <i>Neuropharmacology</i> , 1980 , 19, 555-60	5.5	21
101	Asymmetric distribution of side preference in hamsters can be reversed by lesions of the caudate nucleus. <i>Behavioural Brain Research</i> , 1980 , 1, 187-96	3.4	7
100	The effect of phencyclidine on dopamine synthesis and metabolic in rat striatum. <i>European Journal of Pharmacology</i> , 1980 , 65, 139-49	5.3	71
99	Behavioural changes induced by N,N-dimethyl-tryptamine in rodents. <i>British Journal of Pharmacology</i> , 1980 , 69, 69-80	8.6	23
98	Enhanced behavioural, electrocortical and hyperthermic effects of serotonin-like agents after impairment of serotonin transmission in fowl brain. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 1980 , 312, 229-34	3.4	5
97	Turning behaviour in animals. 1980 , 5, 461-514		534

96	Intracerebral des-tyrosine-gamma-endorphin inhibits methylphenidate induced locomotor activity. <i>Life Sciences</i> , 1981 , 28, 2421-4	6.8	12
95	A comparison of stereospecificity at central and peripheral 5nuscaine-sensitiveSacetylcholine receptors: observations with the enantiomeric forms of procyclidine and tricyclamol. <i>British Journal of Pharmacology</i> , 1981 , 72, 277-80	8.6	3
94	Catecholamines and the sodium pump in excitable cells. 1981 , 17, 141-84		68
93	Depletion of dopamine in the striatum as an experimental model of Parkinsonism: direct effects and adaptive mechanisms. 1982 , 18, 121-66		188
92	Prostaglandin inhibition of apomorphine-induced circling in mice. <i>Pharmacology Biochemistry and Behavior</i> , 1982 , 17, 1233-7	3.9	19
91	Prostaglandin inhibition of amphetamine-induced circling in mice. <i>Psychopharmacology</i> , 1982 , 78, 317-21	4.7	21
90	Sensitization of mice to methylphenidate. <i>Psychopharmacology</i> , 1982 , 77, 31-6	4.7	40
89	An in-vivo method for testing drugs that influence striatal dopaminergic functions. <i>Pharmacology Biochemistry and Behavior</i> , 1983 , 19, 231-4	3.9	6
88	An automated method for measurement of circling behavior in the mouse. <i>Pharmacology Biochemistry and Behavior</i> , 1983 , 19, 13-7	3.9	13
87	The rotational behavior model: asymmetry in the effects of unilateral 6-OHDA lesions of the substantia nigra in rats. <i>Brain Research</i> , 1983 , 264, 127-31	3.7	80
86	EFFECT OF ZOTEPINE AND VARIOUS DRUGS ON APOMORPHINE- AND METHAMPHETAMINE-INDUCED ROTATIONAL BEHAVIOUR IN RATS WITH UNILATERAL LESIONS OF THE SUBSTANTIA NIGRA. <i>The Japanese Journal of Pharmacology</i> , 1983 , 33, 363-372		1
85	On the mechanism of central stimulation action of fencamfamine. <i>General Pharmacology</i> , 1984 , 15, 407-10		19
84	A role for amine accumulation in the syndrome of ingestive deficits following lateral hypothalamic lesions. <i>Appetite</i> , 1984 , 5, 239-67, 277-9	4.5	21
83	Phencyclidine-induced dopamine-dependent behaviors in chronic haloperidol-treated rats. <i>Pharmacology Biochemistry and Behavior</i> , 1985 , 23, 803-9	3.9	5
82	Benzamide potentiation of behavioral apomorphine-induced effects; mechanism involved. <i>Experientia</i> , 1985 , 41, 1409-10		7
81	The Physiological Effects of Coffee Consumption. 1985 , 394-439		10
80	COMMUNICATIONS. <i>British Journal of Pharmacology</i> , 1985 , 86, 394P-443P	8.6	3
79	Amine accumulation in behavioural pathology. <i>Brain Research Reviews</i> , 1985 , 356, 109-32		24

78	Clonidine sensitizes mice for apomorphine-induced stereotypic gnawing: antagonism by neuroleptics and cholecystokinin-like peptides. <i>European Journal of Pharmacology</i> , 1985 , 111, 309-18	5.3	11
77	Discriminative properties of the psychostimulant dl-cathinone in a two lever operant task. Lack of evidence for dopaminergic mediation. <i>Neuropharmacology</i> , 1986 , 25, 85-94	5.5	33
76	The rotating 6-hydroxydopamine-lesioned mouse as a model for assessing functional effects of neuronal grafting. <i>Brain Research</i> , 1986 , 366, 346-9	3.7	47
75	Denervation-like postsynaptic supersensitivity to dopamine agonists induced by microinjection of colchicine into the substantia nigra pars compacta. <i>Brain Research</i> , 1986 , 367, 1-7	3.7	8
74	Conditioned rotational behavior in rats with unilateral 6-hydroxydopamine lesions of the substantia nigra. <i>Brain Research</i> , 1986 , 365, 379-82	3.7	48
73	Reward, Motivation, Cognition: Psychobiology of Mesotelencephalic Dopamine Systems. 1986 , 647-675		21
72	A conditioned anti-parkinsonian drug effect in the hemi-parkinsonian rat. <i>Psychopharmacology</i> , 1986 , 89, 269-72	4.7	23
71	Dopamine-like activities of an aminopyridazine derivative, CM 30366: a behavioural study. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 1986 , 334, 246-52	3.4	9
70	Dopamine receptor stimulating effects of chanoclavine analogues, tricyclic ergot alkaloids, in the brain. <i>The Japanese Journal of Pharmacology</i> , 1987 , 45, 501-6		7
69	Comparison of the effects of fluphenazine-N-mustard on dopamine binding sites and on behavior induced by apomorphine in supersensitive mice. <i>Neuropharmacology</i> , 1987 , 26, 1473-80	5.5	13
68	Ethanol induces rotational behavior in 6-hydroxydopamine lesioned mice. <i>Life Sciences</i> , 1987 , 40, 967-716.8		3
67	Dopamine Receptor Stimulating Effects of Chanoclavine Analogues, Tricyclic Ergot Alkaloids, in the Brain. <i>The Japanese Journal of Pharmacology</i> , 1987 , 45, 501-506		2
66	Differential effects of fluphenazine-N-mustard, on calmodulin activity and on D1 and D2 dopaminergic responses. <i>Psychopharmacology</i> , 1987 , 92, 285-91	4.7	21
65	Intravenous self-administration of the indirect dopaminergic agonist amfonelic acid by rats. <i>Pharmacology Biochemistry and Behavior</i> , 1988 , 31, 623-6	3.9	7
64	Differential roles of the caudate nucleus and putamen in motor behavior of the cat as investigated by local injection of GABA antagonists. <i>Neuroscience Research</i> , 1991 , 10, 34-51	2.9	51
63	Behavioral and biochemical effects of a novel calcium antagonist, KB-2796, on the central dopaminergic system. <i>European Journal of Pharmacology</i> , 1991 , 200, 311-7	5.3	4
62	Neuronal localization and modulation of the D2 dopamine receptor mRNA in brain of normal mice and mice lesioned with 6-hydroxydopamine. <i>Neuropharmacology</i> , 1991 , 30, 927-41	5.5	56
61	Triazolam blocks the initial rotational effects of quinpirole but permits the later developing reduction of dopamine D2-mediated rotational behavior and dopamine D2 receptors. <i>European Journal of Pharmacology</i> , 1992 , 218, 219-27	5.3	3

60	Xenogeneic dopaminergic grafts reverse behavioral deficits induced by 6-OHDA in rodents: effect of 15-deoxyspergualin treatment. <i>Neuroscience Letters</i> , 1993 , 163, 81-4	3.3	8
59	Electrophysiology of dopamine-denervated striatal neurons. <i>Brain</i> , 1993 , 116, 433-452	11.2	284
58	Effect of the nigrostriatal dopamine system on acquired neural responses in the striatum of behaving monkeys. <i>Science</i> , 1994 , 265, 412-5	33.3	363
57	Turning behavior induced by intrastriatal injection of neurotensin in mice: sensitivity to non-peptide neurotensin antagonists. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 1994 , 349, 57-60	3.4	28
56	Effects of acute and chronic morphine on rotational behavior in nigral-lesioned rats. <i>Pharmacology Biochemistry and Behavior</i> , 1995 , 52, 397-401	3.9	8
55	Expression of a D2 dopamine receptor antisense RNA in brain inhibits D2-mediated behaviors. <i>Neurochemistry International</i> , 1997 , 31, 571-80	4.4	11
54	Experimental models of Parkinson's disease: from the static to the dynamic. <i>Reviews in the Neurosciences</i> , 1998 , 9, 71-90	4.7	63
53	Sensitization to daily morphine injections in rats with unilateral lesions of the substantia nigra. <i>Pharmacology Biochemistry and Behavior</i> , 1999 , 64, 487-93	3.9	11
52	Neurophysiology of Parkinson's disease: from basic research to clinical correlates. <i>Clinical Neurophysiology</i> , 1999 , 110, 2006-13	4.3	17
51	Experimental Models and New, Emerging Therapies for Parkinson Disease. 2007 , 205-231		
50	Moderate degeneration of nigral neurons after repeated but not after single intrastriatal injections of low doses of 6-hydroxydopamine in mice. <i>Brain Research</i> , 2008 , 1188, 148-56	3.7	13
49	Characterisation of behavioural and neurodegenerative changes induced by intranigral 6-hydroxydopamine lesions in a mouse model of Parkinson's disease. <i>European Journal of Neuroscience</i> , 2010 , 31, 2266-78	3.5	93
48	The effects of blocking catecholamine uptake on amphetamine-induced circling behaviour in mice with unilateral destruction of striatal dopaminergic nerve terminals. <i>Journal of Pharmacy and Pharmacology</i> , 1976 , 28, 530-2	4.8	8
47	Acute effect of nicotine on the striatal dopaminergic system in the rat. <i>Journal of Pharmacy and Pharmacology</i> , 1986 , 38, 920-2	4.8	18
46	The differential effects of amphetamine and methylphenidate on the biosynthesis of [3H]dopa from [3H]tyrosine in mouse striata in vivo. <i>Journal of Pharmacy and Pharmacology</i> , 1982 , 34, 531-2	4.8	6
45	Amphetamine-induced circling behaviour in MPTP-lesioned mice. <i>Journal of Pharmacy and Pharmacology</i> , 1985 , 37, 922-3	4.8	1
44	The selective inhibitory effect of EGTA on the circling behaviour produced by amphetamine but not methylphenidate in mice lesioned with 6-hydroxydopamine. <i>Journal of Pharmacy and Pharmacology</i> , 1980 , 32, 501-2	4.8	1
43	Noradrenergic influence on the stereotyped behaviour induced by amphetamine, phenethylamine and apomorphine. <i>Journal of Pharmacy and Pharmacology</i> , 1976 , 28, 253-5	4.8	66

42	Inhibition of turning behaviour by clozapine in mice with unilateral destruction of dopaminergic nerve terminals. <i>Journal of Pharmacy and Pharmacology</i> , 1975 , 27, 445-7	4.8	9
41	Unilateral nigrostriatal 6-hydroxydopamine lesions in mice I: motor impairments identify extent of dopamine depletion at three different lesion sites. <i>Behavioural Brain Research</i> , 2012 , 228, 30-43	3.4	72
40	Animal Models of Movement Disorders. <i>Neuromethods</i> , 2012 ,	0.4	
39	Predictors of human rotation. <i>Laterality</i> , 2013 , 18, 265-81	2	7
38	Immunohistochemical changes of nigrostriatal tyrosine hydroxylase and dopamine transporter in the golden hamster after a single intrastriatal injection of 6-hydroxydopamine. <i>Experimental and Toxicologic Pathology</i> , 2013 , 65, 463-8		4
37	Time course of dopamine neuron loss and glial response in the 6-OHDA striatal mouse model of Parkinson's disease. <i>European Journal of Neuroscience</i> , 2014 , 39, 1042-1056	3.5	77
36	Loss of VGLUT3 Produces Circadian-Dependent Hyperdopaminergia and Ameliorates Motor Dysfunction and l-Dopa-Mediated Dyskinesias in a Model of Parkinson's Disease. <i>Journal of Neuroscience</i> , 2015 , 35, 14983-99	6.6	38
35	Modulation by Trace Amine-Associated Receptor 1 of Experimental Parkinsonism, L-DOPA Responsivity, and Glutamatergic Neurotransmission. <i>Journal of Neuroscience</i> , 2015 , 35, 14057-69	6.6	37
34	Intrastriatal Transplantation of Human Neural Stem Cells Restores the Impaired Subventricular Zone in Parkinsonian Mice. <i>Stem Cells</i> , 2017 , 35, 1519-1531	5.8	21
33	Evidence for cross-hemispheric preconditioning in experimental Parkinson's disease. <i>Brain Structure and Function</i> , 2018 , 223, 1255-1273	4	6
32	Disruption of Cortical Dopaminergic Modulation Impairs Preparatory Activity and Delays Licking Initiation. <i>Cerebral Cortex</i> , 2019 , 29, 1802-1815	5.1	4
31	Bioinspired Phase-Shift Turning Action for a Biomimetic Robot. <i>IEEE/ASME Transactions on Mechatronics</i> , 2020 , 25, 84-94	5.5	1
30	Distributed processing of side-choice biases. <i>Brain Research</i> , 2020 , 1749, 147138	3.7	0
29	A Guide to the Generation of a 6-Hydroxydopamine Mouse Model of Parkinson's Disease for the Study of Non-Motor Symptoms. <i>Biomedicine</i> , 2021 , 9,	4.8	4
28	Effects of opiates and opioid peptides on motor behaviors: sites and mechanisms of action. 1979 , 45-61		16
27	Potential Changes within the Basal Ganglia during Putamen-Induced Dystonia and Caudate-Induced Locomotor Hyperactivity in the Freely Moving Cat. <i>Advances in Behavioral Biology</i> , 1994 , 327-336		1
26	Biochemical Actions of Neuroleptic Drugs: Focus on the Dopamine Receptor. 1978 , 37-89		28
25	Chemical and Immunochemical Lesions by Specific Neurotoxic Substances and Antisera. 1975 , 137-189		3

24	Drug-Induced Motor Behavior. 1977 , 295-331		10
23	Amine Receptors in CNS. II. Dopamine. 1975 , 23-61		2
22	Amphetamines: Biochemical and Behavioral Actions in Animals. 1978 , 41-98		5
21	Apomorphine and Its Relation to Dopamine in the Nervous System. 1975 , 247-299		40
20	The Use of Neurotoxins to Lesion Catecholamine-Containing Neurons to Model Clinical Disorders. 1998 , 19-73		11
19	6-OHDA Toxin Model in Mouse. <i>Neuromethods</i> , 2011 , 281-297	0.4	5
18	Interactions of Opiates and Endorphins With Cerebral Catecholamines. <i>Handbook of Experimental Pharmacology</i> , 1980 , 463-497	3.2	7
17	Dopamine Receptors. 1981 , 129-183		4
16	Behavioral and Neuropharmacological Correlates of Nigrostriatal Asymmetry in Rats. 1977 , 213-249		37
15	Chemical Lesioning: Catecholamine Pathways. 1977 , 27-46		5
14	EFFECTS OF OPIATES ON NIGROSTRIATAL DOPAMINERGIC ACTIVITY: ELECTROPHYSIOLOGICAL AND BEHAVIORAL ANALYSES. 1979 , 1041-1043		1
13	PATHOLOGICAL STATES. 1976 , 251-266		
12	Bibliography. 1977 , 341-412		
11	TURNING BEHAVIOUR IN ANIMALS. 1980 , 461-512		
10	Neurophysiological Properties of Neuroleptic Agents in Animals. <i>Handbook of Experimental Pharmacology</i> , 1980 , 111-175	3.2	6
9	Behavioral Pharmacology of Antipsychotics. <i>Handbook of Experimental Pharmacology</i> , 1980 , 59-88	3.2	2
8	Behavioral Techniques in Pharmacological and Neuropharmacological Analysis. 1981 , 1-99		
7	The Use of Conditioned Rotation in the Hemi-dopamine Rat to Study the Biochemistry of Learning and Memory. 1986 , 333-336		

6	Disruption of cortical dopaminergic modulation impairs preparatory activity and delays licking initiation.		
5	Proceedings: Functional hyperaemia in soleus muscle of the cat. <i>Journal of Physiology</i> , 1975 , 249, 20P-21P.	8.9	3
4	Chronic amphetamine administration and central dopamine receptor sensitivity [proceedings]. <i>British Journal of Pharmacology</i> , 1977 , 61, 142P	8.6	
3	The nature of central dopamine receptor supersensitivity [proceedings]. <i>British Journal of Pharmacology</i> , 1977 , 59, 516P	8.6	
2	Proceedings of the British Pharmacological Society. University of Southampton, 17th-19th July 1985. Abstracts. <i>British Journal of Pharmacology</i> , 1985 , 86 Suppl, 394P-526P	8.6	
1	The Neuroprotective Effects of the CB2 Agonist GW842166x in the 6-OHDA Mouse Model of Parkinson's Disease.. <i>Cells</i> , 2021 , 10,	7.9	0