

# Seasonal Changes in Diel Activity of *Cottus Poecilopus* a Circle

Oikos

24, 16

DOI: 10.2307/3543248

Citation Report

#	ARTICLE	IF	CITATIONS
1	Seasonal phase shift and the duration of activity time in the Burbot, <i>Lota lota</i> (L.) (Pisces, Gadidae). <i>Journal of Comparative Physiology A: Neuroethology, Sensory, Neural, and Behavioral Physiology</i> , 1973, 84, 357-359.	1.6	34
2	LOCOMOTOR ACTIVITY RHYTHMS OF JUVENILE ATLANTIC SALMON ( <i>SALMO SALAR</i> ) IN VARIOUS LIGHT CONDITIONS. <i>Biological Bulletin</i> , 1974, 147, 422-432.	1.8	48
3	Annual cycle of patterns of activity rhythms in beaver colonies ( <i>Castor canadensis</i> ). <i>Journal of Comparative Physiology A: Neuroethology, Sensory, Neural, and Behavioral Physiology</i> , 1975, 98, 243-256.	1.6	28
4	Endogene Jahresperiodik der Blattbewegungen zweier Oxalis-Arten. <i>Physiologia Plantarum</i> , 1975, 35, 236-242.	5.2	3
5	Heart rate and locomotor activity in fish: Correlation and circadian and circannual differences in <i>Cyprinus carpio</i> L.. <i>Experientia</i> , 1976, 32, 474-476.	1.2	24
6	Circadian rhythms in catecholamine concentrations in organs of the common goldfish ( <i>Carassius</i> ) Tj ETQq1 1 0.784314 rgBT /Overlock 117-120.	0.2	12
7	Physiological studies of arctic animals. <i>Comparative Biochemistry and Physiology A, Comparative Physiology</i> , 1978, 59, 327-334.	0.6	32
8	Short-term changes in activity rhythms in an intertidal arthropod ( <i>Acarina: Bdella interrupta</i> Evans). <i>Oecologia</i> , 1979, 38, 291-301.	2.0	13
9	Photoperiod effects on hydroxyindole-O-methyltransferase activity in the pineal gland of chinook salmon ( <i>Oncorhynchus tshawytscha</i> ). <i>General and Comparative Endocrinology</i> , 1981, 43, 277-283.	1.8	18
10	Differential effects of temperature upon evening and morning peaks in the circadian activity of mosquitoes, <i>Culex pipiens pallens</i> and <i>C. pipiens molestus</i> . <i>Journal of Interdisciplinary Cycle Research</i> , 1982, 13, 55-60.	0.2	17
11	Seasonal variations in circadian rhythm of hypothalamic catecholamine content in the eel ( <i>Anguilla</i> ) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 193-198.	0.2	6
12	NON-RANDOM, SEASONAL OSCILLATIONS IN THE ORIENTATION AND LOCOMOTOR ACTIVITY OF SEA CATFISH ( <i>ARIUS FELIS</i> ) IN A MULTIPLE-CHOICE SITUATION. <i>Biological Bulletin</i> , 1985, 168, 359-376.	1.8	3
13	Locomotor activity patterns of nineteen fish and five crustacean species from the Baltic Sea. <i>Environmental Biology of Fishes</i> , 1987, 20, 49-65.	1.0	39
14	The locomotor activity patterns of juvenile noble crayfish ( <i>Astacus astacus</i> ) and the effect of shelter availability. <i>Aquaculture</i> , 1988, 68, 361-367.	3.5	13
15	Sleep, Inactivity and Circadian Rhythms in Fish. , 1992, , 127-135.		6
16	Photoreceptor Organs and Circadian Locomotor Activity in Fishes. , 1992, , 223-234.		8
17	Circadian rhythms and feeding time in fishes. <i>Environmental Biology of Fishes</i> , 1992, 35, 109-131.	1.0	270
18	Seasonal change in the locomotor activity rhythm of the medaka, <i>Oryzias latipes</i> . <i>International Journal of Biometeorology</i> , 1992, 36, 39-44.	3.0	19

#	ARTICLE	IF	CITATIONS
19	Seasonal activities of <i>Barbus barbus</i> : effect of temperature on time-budgeting. <i>Journal of Fish Biology</i> , 1995, 46, 806-818.	1.6	34
20	Annual and daily activity rhythms of loaches in an irrigation creek and ditches around paddy fields. <i>Environmental Biology of Fishes</i> , 1996, 47, 93-99.	1.0	27
21	Diel activity rhythm of seabass tracked in a natural environment: group effects on swimming patterns and amplitudes. <i>Canadian Journal of Fisheries and Aquatic Sciences</i> , 1997, 54, 162-168.	1.4	45
22	Resource partitioning between Siberian sculpin ( <i>Cottus poecilopus</i> Heckel) and Atlantic salmon parr ( <i>Salmo salar</i> L.) in a sub-Arctic river, northern Norway. <i>Ecology of Freshwater Fish</i> , 1999, 8, 201-208.	1.4	44
23	Plasticity of diel and circadian activity rhythms in fishes. <i>Reviews in Fish Biology and Fisheries</i> , 2002, 12, 349-371.	4.9	325
24	Circadian Rhythms in Fish. <i>Fish Physiology</i> , 2005, 24, 197-238.	0.8	40
25	Locomotor, feeding and melatonin daily rhythms in sharpsnout seabream ( <i>Diplodus puntazzo</i> ). <i>Physiology and Behavior</i> , 2006, 88, 167-172.	2.1	36
26	Effects of environmental parameters on the distribution of bullhead ( <i>Cottus gobio</i> ) with particular consideration of the effects of obstructions. <i>Journal of Applied Ecology</i> , 1998, 35, 882-892.	4.0	85
27	Diel movement of bullhead ( <i>Cottus perifretum</i> ) in a lowland stream. <i>Ecology of Freshwater Fish</i> , 2012, 21, 453-460.	1.4	6
28	Persistence, Entrainment, and Function of Circadian Rhythms in Polar Vertebrates. <i>Physiology</i> , 2015, 30, 86-96.	3.1	33
29	Movement types of an Arctic benthic fish, shorthorn sculpin ( <i>Myoxocephalus scorpius</i> ), during open-water periods in response to biotic and abiotic factors. <i>Canadian Journal of Fisheries and Aquatic Sciences</i> , 2019, 76, 626-635.	1.4	11
30	Rhythms during the polar night: evidence of clock-gene oscillations in the Arctic scallop <i>Chlamys islandica</i> . <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2020, 287, 20201001.	2.6	7
31	Physiology of Migration. , 1980, , 225-282.		14
32	Changes in depth distribution and activity in small benthic riverine fishes under gradually changing light intensities. , 2000, 18, 75-80.		6