
CITATION REPORT List of articles citing



DOI: 10.1093/jnci/51.5.1409 Journal of the National Cancer Institute, 1973, 51, 1409-16.

Source: https://exaly.com/paper-pdf/11337765/citation-report.pdf

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

| # | Paper | IF | Citations |
|------|--|-----|-----------|
| 1912 | Discovery of a 9mer Cationic Peptide (LTX-315) as a Potential First in Class Oncolytic Peptide. | | |
| 1911 | Mechanisms of cell membrane permeabilization with ultrasound and contrast microbubbles. | | |
| 1910 | Replication of oncornavirus-like particle in human breast carcinoma cell line, MCF-7. 1974 , 252, 247-50 | | 50 |
| 1909 | Propagation of human tumors in antithymocyte serum-treated mice. <i>Journal of the National Cancer Institute</i> , 1974 , 52, 71-84 | 9.7 | 77 |
| 1908 | Banded marker chromosomes as indicators of intraspecies cellular contamination. 1974 , 184, 1093-6 | | 185 |
| 1907 | Endocrinology in cancer of the breast. Status and prospects. 1975 , 64, 797-809 | | 24 |
| 1906 | Establishment of a cell line (SH-4) from pleural effusion of a patient with melanoma. 1975 , 11, 205-11 | | 8 |
| 1905 | Human pleural effusions as a source of breast carcinoma cell lines for tissue culture. 1975 , 1, 91-94 | | 2 |
| 1904 | Distinctive banded marker chromosomes of human tumor cell lines. 1975 , 16, 74-82 | | 72 |
| 1903 | Tissue culture studies of malignant effusions. 1975 , 32, 512-8 | | 12 |
| 1902 | Oestrogen-responsive human breast cancer in long term tissue culture. 1975 , 256, 592-3 | | 281 |
| 1901 | Alpha-lactalbumin production in human mammary carcinoma. 1975 , 190, 673-5 | | 47 |
| 1900 | MCF-7; a human breast cancer cell line with estrogen, androgen, progesterone, and glucocorticoid receptors. 1975 , 26, 785-95 | | 311 |
| 1899 | Model systems for the study of estrogen action in tissue culture. 1976 , 7, 1045-51 | | 31 |
| 1898 | Hormone responsive human breast cancer in long-term tissue culture: effect of insulin. 1976 , 73, 4536-4 | 40 | 168 |
| 1897 | Selective contact-dependent cell communication. 1976 , 264, 760-2 | | 77 |
| 1896 | Characterization of an established cell line (SH-3) derived from pleural effusion of patient with breast cancer. 1976 , 37, 1814-24 | | 18 |

| 1895 | In vitro model systems for the study of hormone-dependent human breast cancer. 1977 , 296, 154-9 | 66 |
|-------|---|-----|
| 1894 | Human breast cancer: biologically active estrogen receptor in the absence of estrogen?. 1977 , 196, 663-4 | 75 |
| 1893 | Surface differentiation antigens of human mammary epithelial cells carried on the human milk fat globule. 1977 , 74, 582-6 | 209 |
| 1892 | Two syngeneic cell lines from human breast tissue: the aneuploid mammary epithelial (Hs578T) and the diploid myoepithelial (Hs578Bst) cell lines. <i>Journal of the National Cancer Institute</i> , 1977 , 58, 1795-8067 | 225 |
| 1891 | Hydrocortisone enhancement of insulin's action on macromolecular synthesis in MCF-7 cells. 1977 , 7, 335-43 | 5 |
| 1890 | Characteristics of the insulin stimulation of DNA, RNA and protein metabolism in cultured human mammary carcinoma cells. 1977 , 475, 74-80 | 15 |
| 1889 | Perspectives in the treatment of breast cancer: 1976. 1977 , 86, 784-98 | 32 |
| 1888 | Progesterone and glucocorticoid interactions with receptor in breast cancer cells in long-term tissue culture. 1977 , 286, 101-15 | 28 |
| 1887 | Relationship of human natural lymphocyte-mediated cytotoxicity to cytotoxicity of breast-cancer-derived target cells. 1977 , 19, 487-97 | 42 |
| 1886 | Glycoprotein synthesis as a function of epithelial cell arrangement: biosynthesis and release of glycoproteins by human breast and prostate cells in organ culture. 1977 , 7, 515-30 | 9 |
| 1885 | Direct resorption of bone by human breast cancer cells in vitro. 1978 , 276, 726-8 | 191 |
| 1884 | Effect of serum on cells cultured from human mammary tumors. 1978 , 14, 451-7 | 9 |
| 1883 | Quantitative characterization of domes in primary mouse mammary epithelial tumor cell cultures. 1978 , 14, 895-902 | 5 |
| 1882 | Decontamination of bacterial infection of monolayer cultures with a specific bacteriophage. 1978 , 14, 935-8 | |
| .00 . | | |
| 1881 | Long-term tissue cultures of human pleural effusions: a cytological follow-up. 1978 , 14, 591-600 | 10 |
| 1880 | Long-term tissue cultures of human pleural effusions: a cytological follow-up. 1978 , 14, 591-600 Distribution and characteristics of the occluding junctions in a monolayer of a cell line (MDCK) derived from canine kidney. 1978 , 43, 351-65 | 94 |
| | Distribution and characteristics of the occluding junctions in a monolayer of a cell line (MDCK) | |

| 1877 | Isolation of Two Human Tumor Epithelial Cell Lines From Solid Breast Carcinomas2. <i>Journal of the National Cancer Institute</i> , 1978 , | 9.7 | 3 |
|------|---|-----|-----|
| 1876 | A possible mammary stem cell line. 1978 , 15, 283-98 | | 201 |
| 1875 | Failure of breast cancer cells in long-term culture to aromatize androstenedione. 1978 , 31, 463-70 | | 11 |
| 1874 | Prolactin can stimulate general protein synthesis in human breast cancer cells (MCF-7) in long-term culture. 1978 , 23, 901-6 | | 13 |
| 1873 | Use of the leukocyte migration inhibition assay to evaluate antigenic differences in human breast cancers and melanomas. <i>Journal of the National Cancer Institute</i> , 1978 , 60, 969-78 | 9.7 | 17 |
| 1872 | Leukocyte Migration inhibition Response to Various Antigen Preparations of Autologous and Homologous Breast Cancer in Patients With Primary Breast Cancer2. <i>Journal of the National Cancer Institute</i> , 1979 , | 9.7 | |
| 1871 | A new antigen on the epithelial membrane: its immunoperoxidase localisation in normal and neoplastic tissue. 1979 , 32, 35-9 | | 273 |
| 1870 | Properties of epithelial cells cultured from human carcinomas and nonmalignant tissues. 1979 , 11, 147- | 66 | 13 |
| 1869 | Combination hormonal, chemotherapy and radiotherapy in vitro: implications for therapy in vivo. 1979 , 5, 1657-61 | | 1 |
| 1868 | Growth of a human mammary tumour cell line in a serum-free medium. 1979 , 281, 388-9 | | 162 |
| 1867 | Physiological and pharmacological effects of estrogens in breast cancer. 1979 , 560, 427-55 | | 12 |
| 1866 | Estrogen and progesterone receptor proteins in breast cancer. 1979 , 560, 457-86 | | 22 |
| 1865 | Establishment and characterization of a cell line of human breast carcinoma origin. 1979 , 15, 659-70 | | 478 |
| 1864 | Induction of plasminogen activator by estrogen in a human breast cancer cell line (MCF-7). 1979 , 90, 1328-34 | | 103 |
| 1863 | Estradiol induced proteins in the MCF7 human breast cancer cell line. 1979 , 90, 410-6 | | 75 |
| 1862 | Virus-like particles and macromolecules in human milk and breast tumors. 1979 , 11, 245-70 | | 6 |
| 1861 | Chick-comb fibroblasts. A new strain of cultured cells sensitive to androgens. 1979 , 13, 35-45 | | 3 |
| 1860 | Growth of Normal and Malignant Human Mammary Epithelial Cells in Culture23. <i>Journal of the National Cancer Institute</i> , 1979 , | 9.7 | |

| 1859 | Inhibition of Growth of Human Breast Cancer Cell Line MCF-7 by Serum Derived From Calcium Chloride-Clotted Plasma2, 3. <i>Journal of the National Cancer Institute</i> , 1980 , | 9.7 | |
|------|--|-----|-----|
| 1858 | Lack of selective killing by steroids in normal and malignant cells. 1980 , 103, 429-33 | | 8 |
| 1857 | X-ray sensitivity of human tumor cells in vitro. 1980 , 6, 437-40 | | 85 |
| 1856 | Thirteen new mammary tumor cell lines from different mouse strains. 1980 , 16, 1181-92 | | 14 |
| 1855 | Behavior of tumors produced by transplantation of human mammary cell lines in athymic nude mice. 1980 , 16, 553-9 | | 49 |
| 1854 | Autologous and homologous immunofluorescent antibody to established breast cancer cell lines. 1980 , 16, 629-33 | | 3 |
| 1853 | Human platelet lysate contains growth factor activities for established cell lines derived from various tissues of several species. 1980 , 16, 694-705 | | 30 |
| 1852 | Effect of cell-substratum interaction on hemicyst formation by MDCK cells. 1980 , 16, 461-8 | | 54 |
| 1851 | Effect of hormones on growth rates of malignant and nonmalignant human mammary epithelia in cell culture. 1980 , 16, 491-501 | | 31 |
| 1850 | ETHCHLORVYNOL: POTENTIAL OF METABOLITES FOR ADVERSE EFFECTS IN MAN. 1980 , 841-844 | | |
| 1849 | Expression of Oncodevelopmental Gene Products by Human Tumor Cells in Culture2. <i>Journal of the National Cancer Institute</i> , 1980 , | 9.7 | |
| 1848 | Leukocyte Migration Inhibition Among Breast Cancer Patients in Response to Various Oncogenic Viruses2. <i>Journal of the National Cancer Institute</i> , 1980 , | 9.7 | |
| 1847 | Interferon as a mediator of human lymphocyte suppression. 1980 , 151, 637-50 | | 103 |
| 1846 | Estrogen and the growth of breast cancer: new evidence suggests indirect action. 1980 , 209, 701-2 | | 90 |
| 1845 | Ozone selectively inhibits growth of human cancer cells. 1980 , 209, 931-3 | | 62 |
| 1844 | Absence of fibronectin and presence of plasminogen activator in both normal and malignant human mammary epithelial cells in culture. 1980 , 84, 120-30 | | 46 |
| 1843 | Detection of aryl hydrocarbon hydroxylase activity in normal and neoplastic human breast epithelium. 1980 , 26, 313-9 | | 10 |
| 1842 | Formation of metastasis by human breast carcinoma cells (MCF-7) in nude mice. 1980 , 11, 81-7 | | 137 |

| 1841 | A cell membrane antigen expressed by both human breast carcinoma cells and normal human trophoblast. 1980 , 1, 299-307 | 14 |
|------------------------------|---|------------------------|
| 1840 | Estrogen responsive proliferation of clonal human breast carcinoma cells in athymic mice. 1980 , 10, 177-89 | 162 |
| 1839 | Iodine-125-labelled tamoxifen is differentially cytoxic to cells containing oestrogen receptors. 1980 , 38, 197-202 | 24 |
| 1838 | Specific protein synthesis regulated by estrogen in human breast cancer. 1981 , 15, 247-59 | 17 |
| 1837 | Effect of steroids on viral infection of human breast cancer cell lines by adenovirus 5. 1981 , 15, 269-74 | |
| 1836 | Protein A assay for mouse mammary tumor virus gp52 determinants on murine and human mammary tumor cells. 1981 , 111, 656-61 | 4 |
| 1835 | Estrogen induced growth of human breast cancer cells (MCF-7) in athymic nude mice is enhanced by secretions from a transplantable pituitary tumor. 1981 , 14, 309-16 | 23 |
| 1834 | Failure of 5-fluorouracil and methotrexate to destroy the reproductive integrity of a human breast cancer cell line (MCF-7) growing in vitro. 1981 , 17, 1275-81 | 6 |
| 1833 | Metabolic modification by insulin enhances methotrexate cytotoxicity in mcf-7 human breast cancer cells. 1981 , 17, 1223-1228 | 24 |
| | | |
| 1832 | Human-tumor-derived cell lines contain common and different transforming genes. 1981, 27, 467-76 | 428 |
| 1832 1831 | Human-tumor-derived cell lines contain common and different transforming genes. 1981 , 27, 467-76 The culture of human tumor cells in serum-free medium. 1981 , 79, 368-91 | 428 35 |
| | | |
| 1831 | The culture of human tumor cells in serum-free medium. 1981 , 79, 368-91 Selective killing of human malignant cell lines deficient in methylthioadenosine phosphorylase, a | 35 |
| 1831 1830 | The culture of human tumor cells in serum-free medium. 1981 , 79, 368-91 Selective killing of human malignant cell lines deficient in methylthioadenosine phosphorylase, a purine metabolic enzyme. 1981 , 78, 1219-23 Monoclonal antibodies that demonstrate specificity for several types of human lung cancer. 1981 , | 35 90 |
| 1831 1830 1829 | The culture of human tumor cells in serum-free medium. 1981 , 79, 368-91 Selective killing of human malignant cell lines deficient in methylthioadenosine phosphorylase, a purine metabolic enzyme. 1981 , 78, 1219-23 Monoclonal antibodies that demonstrate specificity for several types of human lung cancer. 1981 , 78, 4591-5 | 35 90 104 |
| 1831 1830 1829 | The culture of human tumor cells in serum-free medium. 1981, 79, 368-91 Selective killing of human malignant cell lines deficient in methylthioadenosine phosphorylase, a purine metabolic enzyme. 1981, 78, 1219-23 Monoclonal antibodies that demonstrate specificity for several types of human lung cancer. 1981, 78, 4591-5 Activation of related transforming genes in mouse and human mammary carcinomas. 1981, 78, 5185-9 Prostate Antigen: A Marker for Human Prostate Epithelial Cells2. <i>Journal of the National Cancer</i> | 35 90 104 110 |
| 1831 1830 1829 1828 | The culture of human tumor cells in serum-free medium. 1981, 79, 368-91 Selective killing of human malignant cell lines deficient in methylthioadenosine phosphorylase, a purine metabolic enzyme. 1981, 78, 1219-23 Monoclonal antibodies that demonstrate specificity for several types of human lung cancer. 1981, 78, 4591-5 Activation of related transforming genes in mouse and human mammary carcinomas. 1981, 78, 5185-9 Prostate Antigen: A Marker for Human Prostate Epithelial Cells2. <i>Journal of the National Cancer Institute</i> , 1981, Monoclonal antibodies to epithelium-specific components of the human milk fat globule | 35 90 104 110 |

| 1823 | Analysis of sera from breast cancer patients by radioimmunoassays. 1981 , 11, 225 | 4 |
|------|---|------|
| 1822 | alpha-Lactalbumin is not a marker of human hormone-dependent breast cancer. 1981 , 290, 602-4 | 22 |
| 1821 | The role of subcellular localization in assessing the cytotoxicity of iodine-125 labeled iododeoxyuridine, iodotamoxifen, and iodoantipyrine. 1981 , 65, 209-221 | 28 |
| 1820 | Quantitation of human mammary epithelial antigens in cells cultured from normal and cancerous breast tissues. 1981 , 17, 150-8 | 16 |
| 1819 | Development of two cloned epithelial cell lines from normal adult mouse and rat ventral prostates. 1981 , 17, 965-78 | 12 |
| 1818 | Methods for production of monoclonal antibodies with specificity for human lung cancer cells. 1981 , 17, 1058-70 | 25 |
| 1817 | The differentiated state of normal and malignant cells or how to define a "normal" cell in culture. 1981 , 70, 27-100 | 167 |
| 1816 | Effects of temperature, nucleotides and sodium molybdate on activation and DNA binding of estrogen, glucocorticoid, progesterone and androgen receptors in MCF-7 human cancer cells. 1981 , 2, 575-600 | 7 |
| 1815 | Growth arrest and morphological change of human breast cancer cells by dibutyryl cyclic AMP and L-arginine. 1981 , 214, 77-9 | 85 |
| 1814 | Characteristics of a persistent rubella infection in a human cell line. 1981 , 52, 321-8 | 12 |
| 1813 | Manipulation of cell-cell and cell-substratum interactions in mouse mammary tumor epithelial cells using broad spectrum antisera. 1981 , 89, 173-84 | 56 |
| 1812 | The differential response of human tumours to fractionated radiation may be due to a post-irradiation repair process. 1982 , 46, 532-7 | 46 |
| 1811 | Identification of an antigen associated with transforming genes of human and mouse mammary carcinomas. 1982 , 79, 3315-9 | 22 |
| 1810 | Oncogenes in human tumor cell lines: molecular cloning of a transforming gene from human bladder carcinoma cells. 1982 , 79, 2845-9 | 222 |
| 1809 | Growth and histology of a human mammary-carcinoma cell line at different sites in the athymic mouse. 1982 , 45, 375-83 | 29 |
| 1808 | Effects of serum-free defined medium on MCF-7 cell nuclear estrogen-receptor levels. 1982 , 28, 91-98 | 3 |
| 1807 | The catalog of human cytokeratins: patterns of expression in normal epithelia, tumors and cultured cells. 1982 , 31, 11-24 | 4702 |
| 1806 | The non-selective junctional communication phenotype of normal and transformed human epidermal keratinocytes in vitro. 1982 , 141, 171-80 | 8 |

| 1805 | The synthesis and retention of methotrexate polyglutamates in cultured human breast cancer cells. 1982 , 397, 184-92 | 9 |
|------|--|-----|
| 1804 | Adaptation of the human breast cancer cell line MCF-7 to serum free medium culture on extracellular matrix. 1982 , 107, 1566-70 | 18 |
| 1803 | Synthesis, retention, and biological activity of methotrexate polyglutamates in cultured human breast cancer cells. 1982 , 70, 351-60 | 141 |
| 1802 | Estrogen-Inducible Growth Factors: Proposal of New Mechanisms of Estrogen-Promoted Tumor Cell Growth. 1982 , 115-140 | 7 |
| 1801 | A cell line (HBL-100) established from human breast milk. 1982 , 227, 563-8 | 72 |
| 1800 | Growth inhibitors in plasma derived human serum. 1982 , 18, 617-25 | 11 |
| 1799 | Morphological and proliferative characteristics of human breast tumor cells cultured on plastic and in collagen matrix. 1982 , 18, 476-82 | 13 |
| 1798 | Differentiation of the mammary gland and susceptibility to carcinogenesis. 1982 , 2, 5-73 | 532 |
| 1797 | Desmoplakins of epithelial and myocardial desmosomes are immunologically and biochemically related. 1982 , 23, 115-27 | 150 |
| 1796 | Complex cytokeratin polypeptide patterns observed in certain human carcinomas. 1983 , 23, 256-69 | 308 |
| 1795 | Interferon-independent, lectin-induced augmentation of murine natural killer cell activity. 1982 , 29, 299-307 | 13 |
| 1794 | Effect of epidermal growth factor on clonogenic growth of primary human tumor cells. 1982 , 30, 745-50 | 44 |
| 1793 | Breast cancer skin test antigens of increased sensitivity prepared from vesicular stomatitis virus-infected tumor cells. 1982 , 49, 2034-42 | 8 |
| 1792 | Influence of estradiol on the total uptake and incorporation of thymidine in human breast cancer (MCF-7) in long-term cell culture. Comparison of autoradiographic and biochemical methods. 1982 , 42, 155-60 | 9 |
| 1791 | Cellular repair factors influencing radiocurability of human malignant tumours. 1982 , 45, 10-6 | 92 |
| 1790 | Directed effector cells selectively lyse human tumour cells. 1982 , 297, 234-6 | 9 |
| 1789 | Human breast carcinoma (MCF-7) serially transplanted into nude mice. 1983, 13, 381-4 | 26 |
| 1788 | Serum-independent modulation of hemicyst formation by dissolved oxygen in postconfluent epithelial monolayers. 1983 , 19, 782-96 | 3 |

| 1787 | Establishment of two nonmetastasizing and one metastasizing rat mammary carcinoma cell lines. 1983 , 19, 919-28 | 15 |
|------|--|-----|
| 1786 | Characterization of cell surface antigens of human mammary epithelial cells with monoclonal antibodies prepared against human milk fat globule. 1983 , 9, 415-27 | 155 |
| 1785 | Two new estrogen-supersensitive variants of the MCF-7 human breast cancer cell line. 1983 , 3, 23-32 | 38 |
| 1784 | Estrogen receptor-mediated cytotoxicity using iodine-125. 1983 , 21, 39-45 | 22 |
| 1783 | Antibody-dependent cellular cytotoxicity (ADCC) in colorectal carcinoma. II. Blood group association. 1983 , 24, 229-32 | 3 |
| 1782 | Interferon potentiates cytotoxic effects of 5-fluorouracil on cell proliferation of established human cell lines originating from neoplastic tissues. 1983 , 17, 239-47 | 61 |
| 1781 | N-desmethyltamoxifen inhibits growth of MCF 7 human mammary carcinoma cells in vitro. 1983 , 19, 1179-81 | 8 |
| 1780 | Identification and purification of a cell surface glycoprotein mediating intercellular adhesion in embryonic and adult tissue. 1983 , 34, 455-66 | 371 |
| 1779 | Effects of 5-fluorouracil and 2 alpha-methyldihydrotestosterone propionate on the growth of human breast carcinoma MCF-7 in vitro. 1983 , 19, 1231-7 | |
| 1778 | The metabolic defect of methionine dependence occurs frequently in human tumor cell lines. 1983 , 117, 429-34 | 144 |
| 1777 | An inhibitory effect of tumour promoters on human epithelial cell growth can be dissociated from an effect on junctional communication. 1983 , 145, 245-54 | 17 |
| 1776 | Immunity to melanoma associated antigens detected by both leukocyte adherence inhibition and antibody dependent cellular cytotoxicity assays. 1983 , 15, 177-82 | 1 |
| 1775 | The 50- and 58-kdalton keratin classes as molecular markers for stratified squamous epithelia: cell culture studies. 1983 , 97, 244-51 | 315 |
| 1774 | Extent of DNA Methylation in Human Tumor Cells2. <i>Journal of the National Cancer Institute</i> , 1983 , 9.7 | 7 |
| 1773 | Mouse mammary tumour virus related sequences are present in human DNA. 1983, 11, 4127-39 | 48 |
| 1772 | Effect of the extracellular matrix on plasminogen activator isozyme activities of human mammary epithelial cells in culture. 1983 , 3, 982-90 | 10 |
| 1771 | Monoclonal antibody to chicken oviduct progesterone receptor. 1983 , 80, 2854-8 | 51 |
| 1770 | Membrane 126-kilodalton phosphoglycoprotein associated with human carcinomas identified by a hybridoma antibody to mammary carcinoma cells. 1983 , 80, 1332-6 | 34 |

| 1769 | Divergence between the occurrence of antibody and cellular immune reactivity to cervical carcinoma cell lines in preinvasive and macroinvasive stages of cervical carcinoma. 1983 , 47, 147-53 | 2 |
|------|--|-----|
| 1768 | Hormone supplemented media for cloning human breast cancer: increased colony formation without alteration of chemosensitivity. 1983 , 48, 683-8 | 11 |
| 1767 | Experimental tumoricidal effects of monoclonal antibody against solid breast tumors. 1983 , 80, 7328-32 | 44 |
| 1766 | Protease inhibitor antipain reduces nuclear binding of estrogen-receptor complex in MCF-7 breast tumor cells. 1984 , 5, 1355-7 | 4 |
| 1765 | Antitumor steroidal-cis-platinum(II)-o-catecholato conjugates: preliminary evaluation on breast cancer MCF-7 cells. 1984 , 91, 257-261 | 37 |
| 1764 | Modification by dexamethasone of radiation response of in vitro cultured cells. 1984 , 10, 2113-7 | 11 |
| 1763 | Elevated overall rates of transmethylation in cell lines from diverse human tumors. 1984 , 20, 663-70 | 103 |
| 1762 | Improved culture conditions for clonogenic growth of primary human breast tumours. 1984 , 50, 207-13 | 23 |
| 1761 | Preparing nuclei from cells in monolayer cultures suitable for counting and for following synchronized cells through the cell cycle. 1984 , 141, 70-3 | 101 |
| 1760 | Altered methionine metabolism occurs in all members of a set of diverse human tumor cell lines. 1984 , 119, 29-34 | 129 |
| 1759 | Epitopes immunologically related to glycophorin A on human malignant and non-malignant cells in culture. 1984 , 34, 789-95 | 10 |
| 1758 | Monoclonal antibodies to antigens associated with transitional cell carcinoma of the human urinary bladder. I. Determination of the selectivity of six antibodies by cell ELISA and immunofluorescence. 1984, 17, 165-72 | 40 |
| 1757 | The pharmacology and clinical uses of tamoxifen. 1984 , 25, 127-205 | 724 |
| 1756 | The estrogen-regulated 52 K protein adn plasminogen activators released by MCF7 cells are different. 1984 , 35, 167-75 | 8 |
| 1755 | Polyamine requirement for prolactin action on macromolecular synthesis in the MCF-7 human mammary epithelial cell line. 1984 , 804, 348-55 | 3 |
| 1754 | The human genome contains multiple sequences of varying homology to mouse mammary tumour virus DNA. 1984 , 28, 221-7 | 42 |
| 1753 | The use of human cancer cell lines as a primary screening system for antineoplastic compounds. 1984 , 20, 947-54 | 34 |
| 1752 | The antiproliferative effect of tamoxifen in breast cancer cells: mediation by the estrogen receptor. 1984 , 35, 89-96 | 61 |

(1985-1984)

| 1751 | Estrogen response of MCF-7 cells grown on diverse substrates and in suspension culture: promotion of morphological heterogeneity, modulation of progestin receptor induction; cell-substrate interactions on collagen gels. 1984 , 21, 763-71 | 16 |
|------------------------------|--|---------------------------|
| 1750 | How culture conditions modulate the morphofunctional differentiation of the human estradiol-sensitive mammary cell line (MCF-7). 1984 , 20, 407-15 | 17 |
| 1749 | A simple method to determine whole cell uptake of radiolabelled oestrogen and progesterone and their subcellular localization in breast cancer cell lines in monolayer culture. 1984 , 20, 1083-8 | 63 |
| 1748 | The oil-microcentrifuge assay: a rapid and sensitive method for analyzing specific [3H]estradiol binding in cultured cells. 1984 , 20, 1129-33 | 13 |
| 1747 | Mechanism of estrogen action on cellular proliferation: evidence for indirect and negative control on cloned breast tumor cells. 1984 , 122, 1097-103 | 62 |
| 1746 | Inhibition of the estradiol-induced growth of cultured human breast cancer cells by the anti-estrogens tamoxifen, desmethyl-tamoxifen, 4-hydroxy-tamoxifen and enclomiphene. 1984 , 33, 3951-6 | 20 |
| 1745 | Inhibition of human breast cancer cells by selenium. 1984 , 25, 41-7 | 46 |
| 1744 | Mouse mammary tumor virus: transcriptional control and involvement in tumorigenesis. 1984 , 41, 155-84 | 34 |
| 1743 | A position 12-activated H-ras oncogene in all HS578T mammary carcinosarcoma cells but not normal mammary cells of the same patient. 1984 , 81, 5384-8 | 171 |
| | | |
| 1742 | New human transforming genes detected by a tumorigenicity assay. 1984 , 4, 1695-705 | 201 |
| 1742 1741 | New human transforming genes detected by a tumorigenicity assay. 1984 , 4, 1695-705 Invasiveness and ploidy of human mammary carcinomas in short-term culture. 1985 , 82, 1805-9 | 201 40 |
| , , | | |
| 1741 | Invasiveness and ploidy of human mammary carcinomas in short-term culture. 1985 , 82, 1805-9 Immunocytochemical staining of estrogen receptor in paraffin sections of human breast cancer by | 40 |
| 1741 1740 | Invasiveness and ploidy of human mammary carcinomas in short-term culture. 1985 , 82, 1805-9 Immunocytochemical staining of estrogen receptor in paraffin sections of human breast cancer by use of monoclonal antibody: comparison with that in frozen sections. 1985 , 82, 4803-7 Effects of difluoromethylornithine on proliferation, polyamine content and plating efficiency of | 40 75 |
| 1741 1740 1739 | Invasiveness and ploidy of human mammary carcinomas in short-term culture. 1985 , 82, 1805-9 Immunocytochemical staining of estrogen receptor in paraffin sections of human breast cancer by use of monoclonal antibody: comparison with that in frozen sections. 1985 , 82, 4803-7 Effects of difluoromethylornithine on proliferation, polyamine content and plating efficiency of cultured human carcinoma cells. 1985 , 15, 196-202 Monoclonal anti-human tumor antibodies of six isotypes in cytotoxic reactions with human and | 40 75 15 |
| 1741 1740 1739 1738 | Invasiveness and ploidy of human mammary carcinomas in short-term culture. 1985, 82, 1805-9 Immunocytochemical staining of estrogen receptor in paraffin sections of human breast cancer by use of monoclonal antibody: comparison with that in frozen sections. 1985, 82, 4803-7 Effects of difluoromethylornithine on proliferation, polyamine content and plating efficiency of cultured human carcinoma cells. 1985, 15, 196-202 Monoclonal anti-human tumor antibodies of six isotypes in cytotoxic reactions with human and murine effector cells. 1985, 92, 105-14 Conversion of the amphiphilic galactosyltransferase from human mammary carcinoma cells to an | 40 75 15 45 |
| 1741 1740 1739 1738 | Invasiveness and ploidy of human mammary carcinomas in short-term culture. 1985, 82, 1805-9 Immunocytochemical staining of estrogen receptor in paraffin sections of human breast cancer by use of monoclonal antibody: comparison with that in frozen sections. 1985, 82, 4803-7 Effects of difluoromethylornithine on proliferation, polyamine content and plating efficiency of cultured human carcinoma cells. 1985, 15, 196-202 Monoclonal anti-human tumor antibodies of six isotypes in cytotoxic reactions with human and murine effector cells. 1985, 92, 105-14 Conversion of the amphiphilic galactosyltransferase from human mammary carcinoma cells to an active hydrophilic enzyme form by limited proteolysis. 1985, 829, 76-82 | 40 75 15 45 4 |

| 1733 | Regulation of breast tumor growth by high dose estrogen is independent of the presence of estrogen receptors. 1985 , 6, 237-40 | 8 |
|------|--|-----|
| 1732 | Estrogen receptor separation employing sucrose deuterium oxide gradients generated during sample centrifugation. 1985 , 5, 47-50 | |
| 1731 | The biochemical and immunocytochemical characterisation of an antigen on the membrane of basal cells of the epidermis. 1985 , 30, 102-10 | 17 |
| 1730 | Effects of gold sodium thiomalate on functional correlates of human monocyte maturation. 1985 , 28, 1384-92 | 21 |
| 1729 | Flow cytometric analysis of fluorescein-conjugated estradiol (E-BSA-FITC) binding in breast cancer suspensions. 1985 , 6, 260-7 | 12 |
| 1728 | Effects of interaction between estradiol-17 beta and progesterone on the proliferation of cloned breast tumor cells (MCF-7 and T47D). 1985 , 124, 386-90 | 23 |
| 1727 | On the role of 17 alpha-estradiol and 17 beta-estradiol in the proliferation of MCF7 and T47D-A11 human breast tumor cells. 1985 , 125, 591-5 | 14 |
| 1726 | Combined recombinant human interferon alpha 2 and cytotoxic agents studied in a clonogenic assay. 1985 , 35, 721-9 | 115 |
| 1725 | Production of PDGF-like growth factor by breast cancer cell lines. 1985 , 36, 247-52 | 108 |
| 1724 | Characteristics of a feline mammary carcinoma cell line. 1985 , 39, 157-164 | 12 |
| 1723 | Transfection of v-rasH DNA into MCF-7 human breast cancer cells bypasses dependence on estrogen for tumorigenicity. 1985 , 228, 725-8 | 155 |
| 1722 | The complement of desmosomal plaque proteins in different cell types. 1985 , 101, 1442-54 | 181 |
| 1721 | Analysis of N-methyl-N'-nitro-N-nitrosoguanidine (MNNG)-induced DNA damage in tumor cell strains from Japanese patients and demonstration of MNNG hypersensitivity of Mer xenografts in athymic nude mice. 1985 , 6, 549-53 | 17 |
| 1720 | A novel transcription property of SP6 and T7 RNA polymerases: dependence on template structure. 1985 , 13, 6223-36 | 248 |
| 1719 | Cloning of a gene expressed in human breast cancer and regulated by estrogen in MCF-7 cells. 1985 , 4, 11-21 | 77 |
| 1718 | Estradiol increases the production of alpha 1-antichymotrypsin in MCF7 and T47D human breast cancer cell lines. 1985 , 42, 207-14 | 23 |
| 1717 | Cell surface glycoproteins mediate compaction, trophoblast attachment, and endoderm formation during early mouse development. 1985 , 108, 513-21 | 78 |
| 1716 | Monoclonal anti-cytokeratin antibody from a hybridoma clone generated by electrofusion. 1985 , 21, 733-40 | 141 |

| 1715 | Monoclonal antibodies against human urinary bladder carcinomas: selectivity and utilization for gamma scintigraphy. 1985 , 21, 701-10 | 13 |
|------|---|-----|
| 1714 | Interaction of estradiol and high density lipoproteins on proliferation of the human breast cancer cell line MCF-7 adapted to grow in serum free conditions. 1985 , 133, 105-12 | 29 |
| 1713 | The effect of the rate of cell proliferation on the synthesis of methotrexate poly-gamma-glutamates in two human breast cancer cell lines. 1985 , 34, 3087-90 | 10 |
| 1712 | Antagonism of the cytocidal activity and uptake of melphalan by tamoxifen in human breast cancer cells in vitro. 1985 , 34, 763-70 | 39 |
| 1711 | Investigation of the mechanism of protein turnover in HeLa S-3 cells by incubation at elevated temperatures. 1985 , 157, 159-71 | 5 |
| 1710 | Onset of androgen action in MCF-7 human breast cancer cells is not accompanied by receptor depletion. 1985 , 22, 15-20 | 10 |
| 1709 | The role of estrogens on the proliferation of human breast tumor cells (MCF-7). 1985 , 23, 87-94 | 208 |
| 1708 | Human breast cancer cells synthesize and secrete an EGF-like immunoreactive factor in culture. 1986 , 136, 300-5 | 25 |
| 1707 | Antiprogestin-receptor complexes: differences in the interaction of the antiprogestin RU38,486 and the progestin R5020 with the progesterone receptor of human breast cancer cells. 1986 , 135, 90-7 | 27 |
| 1706 | Cell type heterogeneity of cytokeratin expression in complex epithelia and carcinomas as demonstrated by monoclonal antibodies specific for cytokeratins nos. 4 and 13. 1986 , 162, 97-113 | 285 |
| 1705 | Biological responses of tamoxifen in the fetal and newborn vagina and uterus of the guinea-pig and in the R-27 mammary cancer cell line. 1986 , 24, 99-108 | 16 |
| 1704 | Effect of estriol, estriol-3-sulfate and estriol-17-sulfate on progesterone and estrogen receptors of MCF-7 human breast cancer cells. 1986 , 24, 357-9 | 3 |
| 1703 | Induction of progesterone receptor in an estrogen, progesterone receptor-negative breast cancer cell line. 1986 , 24, 365-8 | 6 |
| 1702 | Androgens increase osteoblast-stimulating activity of human breast cancer cells in vitro. 1986 , 24, 401-3 | 3 |
| 1701 | Endocrine steroid sulfotransferases: steroid alcohol sulfotransferase from human breast carcinoma cell line MCF-7. 1986 , 25, 973-9 | 13 |
| 1700 | Estradiol membrane binding sites on human breast cancer cell lines. Use of a fluorescent estradiol conjugate to demonstrate plasma membrane binding systems. 1986 , 25, 963-72 | 76 |
| 1699 | Spirogermaniuma novel antitumour agent expressing a lack of cross-resistance in vitro with a range of 'standard' antitumour drugs. 1986 , 4, 359-65 | 6 |
| 1698 | An antibody-toxin conjugate directed against a human mammary cancer antigen. 1986 , 464, 389-99 | 9 |

| 1697 | Human tumor lines for cancer research. 1986 , 4, 157-84 | 19 |
|------|--|-----|
| 1696 | Early alterations at the plasma membrane of breast cancer cell lines in response to estradiol and hydroxytamoxifen. 1986 , 48, 77-88 | 17 |
| 1695 | Platelet aggregating and procoagulant activities of cultured human breast cancer cells (FAM). 1986 , 43, 121-7 | 3 |
| 1694 | Specificity of antibodies to the purified Con A acceptor glycoproteins of cultured tumour cells. 1986 , 53, 13-22 | 4 |
| 1693 | 17 beta-estradiol regulates and v-Ha-ras transfection constitutively enhances MCF7 breast cancer cell interactions with basement membrane. 1986 , 83, 8182-6 | 103 |
| 1692 | Growth of human mammary carcinoma cells from biopsy specimens in serum-free medium on extracellular matrix. 1986 , 38, 345-54 | 11 |
| 1691 | Cytotoxic effects of glutathione synthesis inhibition by L-buthionine-(SR)-sulfoximine on human and murine tumor cells. 1986 , 4, 305-13 | 21 |
| 1690 | A new triphenylethylene compound, Fc-1157a. II. Antitumor effects. 1986 , 17, 109-13 | 137 |
| 1689 | Cytokeratin expression in simple epithelia. III. Detection of mRNAs encoding human cytokeratins nos. 8 and 18 in normal and tumor cells by hybridization with cDNA sequences in vitro and in situ. 1986 , 33, 69-85 | 101 |
| 1688 | Purification and first characterization of the secreted and cellular 52-kDa proteins regulated by estrogens in human-breast cancer cells. 1986 , 161, 505-12 | 20 |
| 1687 | A simplified method for passage and long-term growth of human mammary epithelial cells. 1986 , 22, 6-12 | 82 |
| 1686 | The use of restriction fragment polymorphisms to identify the cell line MCF-7. 1986 , 8, 29-34 | 10 |
| 1685 | Characterization of epithelial cell islets in primary monolayer cultures of human breast carcinomas by the tetrazolium reaction for glucose 6-phosphate dehydrogenase. 1985 , 50, 27-42 | 11 |
| 1684 | Identification of estrogen-responsive DNA sequences by transient expression experiments in a human breast cancer cell line. 1986 , 14, 8755-70 | 168 |
| 1683 | Routing of internalized ricin and ricin conjugates to the Golgi complex. 1986, 102, 37-47 | 204 |
| 1682 | Phosphorylation, glycosylation, and proteolytic activity of the 52-kD estrogen-induced protein secreted by MCF7 cells. 1987 , 104, 253-62 | 134 |
| 1681 | Effects of fractionated X-irradiation on subsequent response to acute X-irradiation in two human tumour cell lines in vitro. 1987 , 51, 681-91 | 5 |
| 1680 | Oestrogen regulates cathepsin D mRNA levels in oestrogen responsive human breast cancer cells. 1987 , 15, 3773-86 | 120 |

| 1679 | Structure of the human oestrogen-responsive gene pS2. 1987 , 15, 1401-14 | 102 |
|------|---|-----|
| | Subpopulations of MCF7 cells separated by Percoll gradient centrifugation: a model to analyze the heterogeneity of human breast cancer. 1987 , 84, 7295-9 | 70 |
| 1677 | Epithelial localization of antiendometrial antibodies associated with endometriosis. 1987, 13, 62-5 | 25 |
| | In vitro interactions between human breast cancer cells MCF-7 and human blood platelets. 1987 , 47, 693-8 | 9 |
| 1675 | Actions of insulin on MCF-7 cells that are synchronized with hydroxyurea. 1987 , 52, 227-33 | 3 |
| 1674 | Anticancer drugs: estrophilic cisplatin derivatives. 1987 , 14, 275-83 | 5 |
| 1673 | Influence of intracellular folates on methotrexate metabolism and cytotoxicity. 1987, 36, 3310-2 | 10 |
| | Delivery of internalized ricin from endosomes to cisternal Golgi elements is a discontinuous, temperature-sensitive process. 1987 , 171, 137-52 | 66 |
| | The effect of recombinant human tumour necrosis factor on growth and macromolecular synthesis of human epithelial cells. 1987 , 170, 428-38 | 25 |
| 1670 | Secretion of a growth inhibitory factor by ZR-75-1 human breast cancer cells. 1987 , 149, 642-8 | 2 |
| 1669 | Isolation of a myofibroblast growth factor from human breast carcinoma cell lines. 1987 , 149, 1125-31 | 5 |
| | Antiestrogens inhibit the mitogenic effect of growth factors on breast cancer cells in the total absence of estrogens. 1987 , 146, 1502-8 | 163 |
| | Comparison of the immunocytochemical assay (ER-ICA) and the biochemical assay for estrogen receptor in human breast cancer cell lines. 1987 , 23, 755-60 | 6 |
| 1666 | Adaptation of estrogen-dependent MCF-7 cells to low estrogen (phenol red-free) culture. 1987 , 23, 1935-9 | 99 |
| 1665 | Immunolocalization of cytoskeletal elements in human mammary epithelial cells. 1987, 23, 1517-27 | 13 |
| | Evidence that transforming growth factor-beta is a hormonally regulated negative growth factor in human breast cancer cells. 1987 , 48, 417-28 | 865 |
| | In vitro chemosensitivity testing of flavone acetic acid (LM975; NSC 347512) and its diethylaminoethyl ester derivative (LM985; NSC 293015). 1987 , 23, 1135-9 | 19 |
| 1662 | Endocrine therapy of human breast cancer grown in nude mice. 1987 , 10, 229-42 | 14 |

| 1661 | Difference between R5020 and the antiprogestin RU486 in antiproliferative effects on human breast cancer cells. 1987 , 10, 37-45 | 54 |
|------|--|-----|
| 1660 | Biological differences among MCF-7 human breast cancer cell lines from different laboratories. 1987 , 9, 111-21 | 207 |
| 1659 | Overview of preclinical and clinical studies of interferon alfa-2b in combination with cytotoxic drugs. 1987 , 5 Suppl, S47-59 | 13 |
| 1658 | Interferon-gamma and cytotoxic agents studied in combination using a soft agarose human tumor clonogenic assay. 1987 , 19, 233-9 | 8 |
| 1657 | Antitumor activity of new anthracycline analogues in combination with interferon alfa. 1987 , 19, 301-6 | 16 |
| 1656 | Oral contraceptives and breast cancer. In vitro effect of contraceptive steroids on human mammary cell growth. 1987 , 59, 281-7 | 50 |
| 1655 | In vitro effects of tamoxifen on UM-SCC head and neck cancer cell lines: correlation with the estrogen and progesterone receptor content. 1987 , 39, 77-81 | 21 |
| 1654 | Immunological analysis of mucin molecules expressed by normal and malignant mammary epithelial cells. 1987 , 40, 319-27 | 42 |
| 1653 | DNA fragmentation and cytotoxicity caused by tumor necrosis factor is enhanced by interferon-gamma. 1987 , 17, 689-93 | 115 |
| 1652 | Human breast cancer cells share antigens with the myeloid monocyte lineage. 1987 , 56, 15-9 | 22 |
| 1651 | Cytokeratin expression in simple epithelia. 1987 , 33, 69-85 | |
| 1650 | Sodium butyrate induces differentiation in breast cancer cell lines expressing the estrogen receptor. 1988 , 136, 63-71 | 56 |
| 1649 | Inhibition of postconfluent focus production in cultures of MCF-7 human breast cancer cells by 2,3,7,8-tetrachlorodibenzo-p-dioxin. 1988 , 12, 227-33 | 58 |
| 1648 | Cell cycle synchronization induced by tamoxifen and 17 beta-estradiol on MCF-7 cells using flow cytometry and a monoclonal antibody against bromodeoxyuridine. 1988 , 11, 221-9 | 15 |
| 1647 | Effects of tamoxifen and 4-hydroxytamoxifen on synchronized cultures of the human breast cancer cell line MCF-7. 1988 , 11, 37-43 | 4 |
| 1646 | The seed stock concept and quality control for cell lines. 1988, 171, 225-37 | 87 |
| 1645 | Modulation of induced resistance to adriamycin in two human breast cancer cell lines with tamoxifen or perhexiline maleate. 1988 , 22, 147-52 | 38 |
| 1644 | Estrogen inhibits the growth of MCF-7 cell variants resistant to transforming growth factor-beta. 1988 , 79, 74-81 | 9 |

| 1643 | A new monoclonal antibody (A46-B/B10) highly specific for the blood group H type 2 epitope: generation, epitope analysis, serological and histological evaluation. 1988 , 58, 176-81 | 13 |
|------|--|-----|
| 1642 | A new serum-free method of measuring growth factor activities for human breast cancer cells in culture. 1988 , 24, 911-20 | 22 |
| 1641 | Antagonistic effects of laminin and fibronectin in cell-to-cell and cell-to-matrix interactions in MCF-7 cultures. 1988 , 24, 373-80 | 16 |
| 1640 | Stimulatory effects of androgen and antiandrogen on the in vitro proliferation of human mammary carcinoma cells. 1988 , 114, 593-601 | 44 |
| 1639 | Natural killer cell activities of patients with breast cancer against different target cells. 1988, 114, 191-6 | 7 |
| 1638 | The 5' flanking region of the human pS2 gene mediates its transcriptional activation by estrogen in MCF-7 cells. 1988 , 151, 306-13 | 19 |
| 1637 | Pharmacodynamic and biological effects of anti-estrogens in different models. 1988, 31, 613-43 | 69 |
| 1636 | Radioligand purification prior to routine receptor assays. 1988 , 31, 167-72 | 4 |
| 1635 | Role of estrogen receptors and antiestrogen binding sites in an early effect of antiestrogens, the inhibition of cholesterol biosynthesis. 1988 , 31, 763-71 | 16 |
| 1634 | Quantitative determination of nuclear estrogen receptors by an enzyme immunoassay: applicability and caveats. 1988 , 31, 459-66 | 9 |
| 1633 | Estrogen and antiestrogen interaction with estrogen receptor of MCF-7 cellsrelationship between processing and estrogenicity. 1988 , 29, 1-8 | 34 |
| 1632 | Distribution and metabolism of estramustine in HeLa cells and the human prostatic tumour cell line 1013L. 1988 , 37, 3161-7 | 9 |
| 1631 | Inhibition of folate-dependent enzymes by 7-OH-methotrexate. 1988, 37, 3531-4 | 21 |
| 1630 | Effect of estradiol and tamoxifen on the anchorage-independent growth of the subpopulations derived from MCF-7 breast carcinoma cells: cytogenetic analysis of the stem cell subpopulation. 1988, 179, 58-64 | 5 |
| 1629 | Studies on type II progesterone receptor in MCF-7 cells. 1988 , 52, 249-63 | |
| 1628 | Estrogenic activity of phenol red. 1988 , 57, 169-78 | 117 |
| 1627 | In vitro response of cervical cancer cell lines CaSki, HeLa, and ME-180 to the antiestrogen tamoxifen. 1988 , 30, 228-38 | 24 |
| 1626 | In vitro growth regulation of endometrial carcinoma cells by tamoxifen and medroxyprogesterone acetate. 1988 , 30, 239-50 | 19 |

| 1625 | Effect of estradiol and antiestrogens on cholesterol biosynthesis in hormone-dependent and -independent breast cancer cell lines. 1988 , 972, 167-78 | 12 |
|------|--|-----|
| 1624 | Characterization of catecholestrogen membrane binding sites in estrogen receptor positive and negative human breast cancer cell-lines. 1988 , 8, 699-712 | 10 |
| 1623 | Treatment of human breast cancer xenografts using natural interferons-alpha and -gamma injected singly or in combination. 1988 , 8, 679-90 | 10 |
| 1622 | Effect of estradiol and antiestrogens on cholesterol biosynthesis in hormone-dependent and -independent breast cancer cell lines. 1988 , 972, 167-178 | 2 |
| 1621 | Enhancement of 2- and 16 alpha-estradiol hydroxylation in MCF-7 human breast cancer cells by 2,3,7,8-tetrachlorodibenzo-P-dioxin. 1988 , 157, 515-20 | 73 |
| 1620 | Regulation of the estrogen receptor in MCF-7 cells by estradiol. 1988 , 2, 1157-62 | 282 |
| 1619 | Oestrogen reversible inhibitory activity of sera from breast cancer patients [corrected]. 1988 , 24, 1647-53 | 3 |
| 1618 | Effects of oestrogen on the expression of a 4.4 kb mRNA in the ZR-75-1 human breast cancer cell line. 1988 , 59, 205-12 | 68 |
| 1617 | Enhancement of surface antigen expression on human breast carcinoma cells by recombinant human interferons. 1988 , 8, 75-88 | 24 |
| 1616 | Effects of intralesional injections of interferons-alpha on xenografts of human mammary carcinoma cells (BT20 and MCF-7). 1988 , 8, 207-15 | 6 |
| 1615 | Alterations in phosphoinositide metabolism associated with 17 beta-estradiol and growth factor treatment of MCF-7 breast cancer cells. 1988 , 2, 159-66 | 53 |
| 1614 | Expression of transforming growth factor alpha and its messenger ribonucleic acid in human breast cancer: its regulation by estrogen and its possible functional significance. 1988 , 2, 543-55 | 381 |
| 1613 | Independent molecular pathways in initiation and loss of hormone responsiveness of breast carcinomas. 1988 , 240, 524-6 | 64 |
| 1612 | Hormone receptor assays: clinical usefulness in the management of carcinoma of the breast. 1988 , 26, 97-152 | 48 |
| 1611 | Estrogens and growth factors induce the mRNA of the 52K-pro-cathepsin-D secreted by breast cancer cells. 1988 , 16, 1903-19 | 111 |
| 1610 | Inactivation of the retinoblastoma susceptibility gene in human breast cancers. 1988 , 241, 218-21 | 517 |
| 1609 | Human granulocyte-macrophage colony-stimulating factor is a growth factor active on a variety of cell types of nonhemopoietic origin. 1988 , 85, 9253-7 | 194 |
| 1608 | Cell cycle-related proteins: a flow cytofluorometric study in human tumors. 1988 , 64, 23-8 | 26 |

| 1607 | Monoklonale AntikEper gegen Harnblasenkarzinome-ein Beitrag zur Verbesserung der Diagnostik?. 1988 , 19, 117-123 | 10 |
|------|---|----|
| 1606 | Characterization of urinary keratin number 18 using a new assay. 1988 , 140, 431-5 | 2 |
| 1605 | A two-site immunoenzymometric assay of 52-kDa pro-cathepsin D, and its use in human breast diseases 1989 , 35, 234-237 | 11 |
| 1604 | Cytostatic activity of aeroplysinin-1 against lymphoma and epithelioma cells. 1989 , 44, 680-8 | 26 |
| 1603 | Redox cycling in MCF-7 human breast cancer cells by antitumor agents based on mitozantrone. 1989 , 7, 221-6 | 13 |
| 1602 | In vitro relationship of CD4 cells from type I diabetic patients and xenogeneic beta-cell membranes. 1989 , 38, 634-40 | 8 |
| 1601 | Progestin increases gene transcription and messenger ribonucleic acid stability of fatty acid synthetase in breast cancer cells. 1989 , 3, 681-6 | 38 |
| 1600 | Improved tumor-specific immunotoxins in the treatment of CNS and leptomeningeal neoplasia. 1989 , 70, 240-8 | 88 |
| 1599 | The effects of estrogen on human breast carcinomas serially transplanted into nude mice. 1989 , 19, 718-25 | O |
| 1598 | Influence of L-thyroxine, L-triiodothyronine, thyroid stimulating hormone, or estradiol on the cell kinetics of cultured mammary cancer cells. 1989 , 25, 585-91 | 10 |
| 1597 | Effects of the beta-isomer of hexachlorocyclohexane on estrogen-sensitive human mammary tumor cells. 1989 , 101, 310-8 | 32 |
| 1596 | Histone acetylation decreased by estradiol in the MCF-7 human mammary cancer cell line. 1989 , 14, 101-5 | 12 |
| 1595 | Polypeptide composition of normal and neoplastic human breast tissues and cells analyzed by two-dimensional gel electrophoresis. 1989 , 14, 337-48 | 12 |
| 1594 | Growth kinetics of four human breast carcinomas grown in nude mice. 1989 , 14, 235-43 | 12 |
| 1593 | Diminished corticosterone levels in nude mice implanted with MCF-7 or ZR-75-1 human breast tumor cells. 1989 , 245, 704-7 | |
| 1592 | A newly established metastatic breast tumor cell line with integrated amplified copies of ERBB2 and double minute chromosomes. 1989 , 1, 48-58 | 31 |
| 1591 | A monoclonal antibody (BL2-10D1) reacting with a bladder-cancer-associated antigen. 1989 , 43, 183-9 | 16 |
| 1590 | Unique patterns of brain metastasis produced by different human carcinomas in athymic nude mice. 1989 , 44, 892-7 | 40 |

| 1589 | Inhibition of epidermal growth factor/transforming growth factor-alpha-stimulated cell growth by a synthetic peptide. 1989 , 141, 420-30 | 37 |
|------|--|-----|
| 1588 | Cell-cycle studies by multiparametric automatic scanning of topographically preserved cells in culture. 1989 , 10, 263-72 | 9 |
| 1587 | A highly sensitive, mixed-phase assay for chloramphenicol acetyltransferase activity in transfected cells. 1989 , 179, 19-23 | 98 |
| 1586 | Anti-invasive activities of experimental chemotherapeutic agents. 1989 , 9, 263-303 | 9 |
| 1585 | Arabinofuranosyl-5-azacytosine: activity against human tumors in athymic mice. 1989 , 25, 117-23 | 9 |
| 1584 | A monoclonal antibody, SKH1, reacts with 40 Kd sweat gland-associated antigen. 1989 , 16, 66-71 | 8 |
| 1583 | Oestrogenic activity of tamoxifen and its metabolites on gene regulation and cell proliferation in MCF-7 breast cancer cells. 1989 , 59, 727-38 | 60 |
| 1582 | A new cell line (8701-BC) from primary ductal infiltrating carcinoma of human breast. 1989 , 60, 185-92 | 60 |
| 1581 | Growth inhibitory and cytotoxic effects of melatonin and its metabolites on human tumour cell lines in vitro. 1989 , 60, 288-90 | 45 |
| 1580 | Elevated glucose alters paracellular transport of cultured human proximal tubule cells. 1989 , 35, 31-9 | 16 |
| 1579 | Reduced Nm23/Awd protein in tumour metastasis and aberrant Drosophila development. 1989 , 342, 177-80 | 451 |
| 1578 | Estrogens are not required for prolactin induced growth of MCF-7 human breast cancer cells. 1989 , 47, 105-10 | 16 |
| 1577 | Localization of a nonintercalative DNA binding antitumour drug in mitochondria: relationship to multidrug resistance. 1989 , 25, 1287-93 | 8 |
| 1576 | Short- and long-term estrogen deprivation of T47D human breast cancer cells in culture. 1989 , 25, 1777-88 | 35 |
| 1575 | Regulation of the secretion of proteins synthesized by the human breast cancer cell line, MCF-7. 1989 , 62, 287-96 | 15 |
| 1574 | Radiation Response of Drug-Resistant Variants of a Human Breast Cancer Cell Line. 1989 , 118, 568 | 19 |
| 1573 | Identification and purification of truncated insulin-like growth factor I from porcine uterus. Evidence for high biological potency. 1989 , 28, 2710-21 | 35 |
| 1572 | Synergistic interaction between 13-cis-retinoic acid and glucarate: activity against rat mammary tumor induction and MCF-7 cells. 1989 , 163, 1364-9 | 8 |

| 1571 | [1251]iodotamoxifen cytotoxicity in cultured human (MCF-7) breast cancer cells. 1989 , 33, 515-9 | 9 |
|------|--|-----|
| 1570 | Importance of estrogen sulfates in breast cancer. 1989 , 34, 155-63 | 201 |
| 1569 | Overexpression and hormonal regulation of pro-cathepsin D in mammary and endometrial cancer. 1989 , 34, 177-82 | 67 |
| 1568 | Effects of oestrogen and the antioestrogens, tamoxifen and LY117018, on four oestrogen-regulated RNAs in the EFM-19 breast cancer cell line. 1989 , 32, 365-72 | 27 |
| 1567 | Comparative effects of 17 beta-estradiol, progestin R5020, tamoxifen and RU38486 on lactate dehydrogenase activity in MCF-7 human breast cancer cells. 1989 , 32, 271-7 | 7 |
| 1566 | Effects of the antioestrogen, ICI 164,384, on oestrogen induced RNAs in MCF-7 cells. 1989 , 33, 1-6 | 26 |
| 1565 | Regulation of progesterone receptor mRNA by oestradiol and antioestrogens in breast cancer cell lines. 1989 , 33, 1035-41 | 59 |
| 1564 | Association of mRNA and eIF-2 alpha with the cytoskeleton in cells lacking vimentin. 1989 , 181, 317-30 | 47 |
| 1563 | A new method to discriminate G1, S, G2, M, and G1 postmitotic cells. 1989 , 182, 290-5 | 26 |
| 1562 | Inhibitory action of androstenedione on the proliferation and cell cycle kinetics of aromatase-free MXT and MCF-7 mammary tumour cell lines. 1989 , 25, 837-43 | 14 |
| 1561 | A rapid in vitro screening system for the identification and evaluation of anticancer drugs. 1989 , 7, 303-11 | 11 |
| 1560 | Distinctive traits of normal and tumor-derived human mammary epithelial cells expressed in a medium that supports long-term growth of both cell types. 1989 , 86, 1249-53 | 231 |
| 1559 | Cytokeratin analysis of breast and leukemia tumor cell lines by flow cytometry. 1989, 65, 305-308 | 1 |
| 1558 | Effect of Decapeptyl**Ipsen Biotech, Paris, France. an agonistic analog of gonadotropin-releasing hormone on estrogens, estrogen sulfates, and progesterone receptors in leiomyoma and myometrium upported in part by Ipsen Biotech Laboratories, Paris, France; the Centre National | 38 |
| 1557 | Complete primary structure of the human estrogen-responsive gene (pS2) product. 1990 , 107, 73-6 | 32 |
| 1556 | The process of malignant progression in human breast cancer. 1990 , 1, 401-7 | 49 |
| 1555 | Establishment and characterisation of a new tumorigenic cell line with a normal karyotype derived from a human breast adenocarcinoma. 1990 , 62, 8-13 | 71 |
| 1554 | Gene expression in oestrogen-dependent human breast cancer xenograft tumours. 1990 , 62, 78-84 | 18 |

| 1553 | Antitumor activity and pharmacokinetics of a morpholino-anthracycline derivative (KRN8602) against human breast carcinoma xenografts serially transplanted into nude mice. 1990 , 81, 827-33 | 1 |
|------|--|-----|
| 1552 | Regulation of the rat oxytocin gene by estradiol. 1990 , 2, 633-9 | 84 |
| 1551 | p53 gene mRNA expression and chromosome 17p allele loss in breast cancer. 1990 , 61, 74-8 | 110 |
| 1550 | Expression of the oestrogen regulated pNR-2 mRNA in human breast cancer: relation to oestrogen receptor mRNA levels and response to tamoxifen therapy. 1990 , 61, 32-8 | 68 |
| 1549 | Characterisation of the peanut lectin-binding glycoproteins of human epidermal keratinocytes. 1990 , 43, 139-45 | 7 |
| 1548 | HBL-100 cells do not secrete casein and lack prolactin and estradiol receptors. 1990 , 26, 933-5 | 3 |
| 1547 | Functional beta-adrenergic receptors in breast cancer cells. 1990 , 116, 303-6 | 74 |
| 1546 | Tumor-inhibiting [1,2-bis(fluorophenyl)ethylenediamine]platinum(II) complexes. V. Synthesis and evaluation of enantiomeric [1,2-bis-(4-fluorophenyl)ethylenediamine]dichloroplatinum(II) complexes. 1990 , 116, 434-8 | 17 |
| 1545 | Down-regulation of androgen receptor by progestins and interference with estrogenic or androgenic stimulation of mammary carcinoma cell growth. 1990 , 116, 492-8 | 23 |
| 1544 | Assembly of amino-terminally deleted desmin in vimentin-free cells. 1990 , 111, 1971-85 | 78 |
| 1543 | Oestrogen receptor (ER) analysis in B-cell chronic lymphocytic leukemia: correlation of biochemical and immunocytochemical methods. 1990 , 14, 949-52 | 15 |
| 1542 | Long-term adjuvant tamoxifen therapy for breast cancer. 1990 , 15, 125-36 | 104 |
| 1541 | Antiproliferative effects of natural interferon beta alone and in combination with natural interferon gamma on human breast carcinomas in nude mice. 1990 , 16, 89-96 | 11 |
| 1540 | Compared effects of GnRH analogs and 4-hydroxytamoxifen on growth and steroid receptors in antiestrogen sensitive and resistant MCF-7 breast cancer cell sublines. 1990 , 15, 85-93 | 11 |
| 1539 | Bioactive furanocoumarins from the berries of Zanthoxylum americanum. 1990 , 4, 216-219 | 13 |
| 1538 | B cell-adherent splenocytes precede the onset of diabetes in low-dose streptozotocin-treated mice. 1990 , 33, 9-14 | 5 |
| 1537 | Studies of human breast cancer metastasis using nude mice. 1990 , 8, 285-97 | 66 |
| 1536 | A new human fusion partner, HK-128, for making human-human hybridomas producing monoclonal IgG antibodies. 1990 , 4, 139-43 | 4 |

| 1535 | Effect of gamma interferon on HLA class-I and -II transcription and protein expression in human breast adenocarcinoma cell lines. 1990 , 45, 1169-76 | 25 |
|------|---|-----|
| 1534 | Characterization, in some human breast cancer cell lines, of gastrin-releasing peptide-like receptors which are absent in normal breast epithelial cells. 1990 , 46, 293-8 | 76 |
| 1533 | Hormone sensitivity in vitro and in vivo of v-ras-transfected MCF-7 cell derivatives. 1990 , 46, 522-32 | 15 |
| 1532 | The presence of plasmin receptors on three mammary carcinoma MCF-7 sublines. 1990 , 46, 745-50 | 34 |
| 1531 | Purification and characterization of a Mr approximately 66,000 lung-derived (paracrine) growth factor that preferentially stimulates the in vitro proliferation of lung-metastasizing tumor cells. 1990 , 43, 127-38 | 19 |
| 1530 | Detection of integrated hepatitis B virus DNA in hepatocellular carcinoma cell lines by nonradioactive in situ hybridization. 1990 , 30, 266-71 | 19 |
| 1529 | Automation of a chloramphenicol acetyltransferase assay. 1990 , 188, 310-6 | 8 |
| 1528 | hSP, the domain-duplicated homolog of pS2 protein, is co-expressed with pS2 in stomach but not in breast carcinoma 1990 , 9, 407-414 | 155 |
| 1527 | Regulation of fatty acid synthetase ribonucleic acid in the human endometrium during the menstrual cycle. 1990 , 70, 1319-24 | 19 |
| 1526 | Progestin regulation of estrogen receptor messenger RNA in human breast cancer cells. 1990 , 4, 821-8 | 53 |
| 1525 | Biochemical and histological characterization of antigens preferentially expressed on the surface and cytoplasm of breast carcinoma cells identified by monoclonal antibodies against the human milk fat globule. 1990 , 9, 221-35 | 47 |
| 1524 | Characterization of three distinct size classes of human 3-hydroxy-3-methylglutaryl coenzyme A reductase mRNA: expression of the transcripts in hepatic and nonhepatic cells. 1990 , 9, 677-90 | 13 |
| 1523 | Production of a monoclonal antibody as immunohistochemical marker on paraffin embedded tissues using a new immunization method. 1990 , 9, 389-95 | 33 |
| 1522 | Radiation Response of Drug-Resistant Variants of a Human Breast Cancer Cell Line: The Effect of Glutathione Depletion. 1990 , 124, 208 | 17 |
| 1521 | Estrogen and progesterone receptors and human conjunctiva. 1990 , 109, 474-7 | 16 |
| 1520 | Antiestrogen action in mammary cancer and in fetal cells. 1990 , 37, 343-8 | 18 |
| 1519 | Homology of the B50 murine melanoma antigen to the Ro/SS-A antigen of human systemic lupus erythematosus and to calcium-binding proteins. 1990 , 1096, 20-5 | 19 |
| 1518 | Anti-steroidal and anti-growth factor activities of anti-estrogens. 1990 , 37, 777-81 | 39 |

| 1517 | Biological response of the anti-estrogen ICI 164,384 in human hormone-dependent and hormone-independent mammary cancer cell lines. 1990 , 50, 133-9 | 15 |
|------|--|------|
| 1516 | Metabolism and biologic response of estrogen sulfates in hormone-dependent and hormone-independent mammary cancer cell lines. Effect of antiestrogens. 1990 , 595, 106-16 | 14 |
| 1515 | Establishment and characterization of UM-EC-2, a tamoxifen-sensitive, estrogen receptor-negative human endometrial carcinoma cell line. 1990 , 37, 188-99 | 18 |
| 1514 | Gene expression and prostate specificity of human prostatic acid phosphatase (PAP): evaluation by RNA blot analyses. 1990 , 1048, 72-7 | 59 |
| 1513 | Novel anthracycline analogs. 1990 , 17, 133-8 | 32 |
| 1512 | Regulation of proliferation, invasion and growth factor synthesis in breast cancer by steroids. 1990 , 37, 305-16 | 90 |
| 1511 | Increased secretory activity and estradiol receptor expression are among other relevant aspects of MCF-7 human breast tumor cell growth which are expressed only in the absence of serum. 1990 , 188, 2-9 | 10 |
| 1510 | An evaluation of the role of glutathione and its associated enzymes in the expression of differential sensitivities to antitumour agents shown by a range of human tumour cell lines. 1990 , 40, 1833-42 | 86 |
| 1509 | On the mode of action of basic phospholipase A2 from Naja nigricollis venom. 1990 , 1045, 285-90 | 13 |
| 1508 | Information from combined 1H and 31P NMR studies of cell extracts: differences in metabolism between drug-sensitive and drug-resistant MCF-7 human breast cancer cells. 1990 , 169, 383-90 | 33 |
| 1507 | Estrogen receptor gene amplification is found in some estrogen receptor-positive human breast tumors. 1990 , 166, 601-7 | 31 |
| 1506 | E-cadherin-mediated cell-cell adhesion prevents invasiveness of human carcinoma cells. 1991 , 113, 173-85 | 1328 |
| 1505 | The growth response of BG-1 ovarian carcinoma cells to estradiol, 4OH-tamoxifen, and tamoxifen: evidence for intrinsic antiestrogen activation. 1991 , 42, 245-9 | 5 |
| 1504 | Comparison of the estrogen responsiveness of the rat and bovine oxytocin gene promoters. 1991 , 175, 117-22 | 47 |
| 1503 | Gonadotrophin-releasing hormone: physiological significance and relevance to cancer. 1991 , 3, 115-30 | 4 |
| 1502 | Evaluation of the 323/A3 monoclonal antibody and the use of technetium-99m-labeled 323/A3 Fab' for the detection of pan adenocarcinoma. 1991 , 18, 483-97 | 7 |
| 1501 | Interactions between antitumour agents and radiation and the expression of resistance. 1991 , 18, 149-90 | 37 |
| 1500 | Estradiol esters can replace 17 beta-estradiol in the stimulation of DNA and esterase synthesis by MCF-7 cells: a possible role for the estrogen-sensitive MCF-7 cell esterase. 1991 , 38, 17-26 | 23 |

| 1499 | Sex steroid binding protein (SBP) receptors in estrogen sensitive tissues. 1991 , 40, 805-12 | 28 |
|------|--|-----|
| 1498 | Production of MUC1 and MUC2 mucins by human tumor cell lines. 1991 , 178, 593-9 | 38 |
| 1497 | The differences in kinetics of rat and human DT diaphorase result in a differential sensitivity of derived cell lines to CB 1954 (5-(aziridin-1-yl)-2,4-dinitrobenzamide). 1991 , 41, 867-75 | 96 |
| 1496 | Simultaneous analysis of chromosomal aneusomy and 5-bromodeoxyuridine incorporation in MCF-7 breast tumor cell line. 1991 , 57, 93-102 | 17 |
| 1495 | Metabolism of the oral contraceptive steroids ethynylestradiol and norgestimate by normal (Huma 7) and malignant (MCF-7 and ZR-75-1) human breast cells in culture. 1991 , 39, 535-43 | 17 |
| 1494 | Effects of hormones on SBP mRNA levels in human cancer cells. 1991 , 40, 777-85 | 26 |
| 1493 | Influences of Recombinant Human Tumor Necrosis Factor-α on Growth and Oxygen Consumption of MCF-7 and HT-29 Cells. 1991 , 1, 214-225 | 4 |
| 1492 | Comparative Studies of Steroidogenesis Inhibitors (Econazole, Ketoconazole) on Human Breast Cancer MCF-7 Cell Proliferation by Growth Experiments, Thymidine Incorporation and Flow Cytometric DNA Analysis. 1991 , 77, 385-390 | 7 |
| 1491 | p-Nonyl-phenol: an estrogenic xenobiotic released from "modified" polystyrene. 1991 , 92, 167-73 | 848 |
| 1490 | Retinoic acid modulates both invasion and plasma membrane ruffling of MCF-7 human mammary carcinoma cells in vitro. 1991 , 63, 867-72 | 84 |
| 1489 | Monoclonal antibody-porphyrin conjugate for head and neck cancer: the possible magic bullet. 1991 , 105, 781-7 | 18 |
| 1488 | Establishment of an estrogen receptor-positive cell line (HMA-1) derived from human breast carcinoma. 1991 , 164, 169-82 | 6 |
| 1487 | Differential mucin gene expression in human pancreatic and colon cancer cells. 1991 , 276 (Pt 3), 599-605 | 64 |
| 1486 | Different response of murine and human mammary tumour models to a series of diastereoisomeric [1,2-bis(difluorophenyl) ethylenediamine]dichloroplatinum(II) complexes. 1991 , 117, 435-43 | 17 |
| 1485 | Hormonal steroids act as tumour promoters by modulating oncogene expression. 1991 , 117, 96-101 | 20 |
| 1484 | Effects of the antiestrogen toremifene on growth of the human mammary carcinoma cell line MCF-7. 1991 , 117, 223-6 | 13 |
| 1483 | Influence of fetal bovine serum and hormones on primary vs. long-term cultures of human breast cancers. 1991 , 27A, 234-8 | 3 |
| 1482 | Transforming growth factor beta 1 is implicated in the failure of tamoxifen therapy in human breast cancer. 1991 , 63, 609-14 | 73 |

| 1481 | Purification and characterisation of a breast-cancer-associated glycoprotein not expressed in normal breast and identified by monoclonal antibody 83D4. 1991 , 63, 390-8 | 27 |
|------|--|-----|
| 1480 | Automatic classification of cells in cell cycle phases based on Ki-67 antigen quantification by fluorescence microscopy. 1991 , 24, 481-91 | 14 |
| 1479 | Estrogen-stimulation of postconfluent cell accumulation and foci formation of human MCF-7 breast cancer cells. 1991 , 45, 177-87 | 57 |
| 1478 | Heterotransplantation of human breast carcinomas in nude mice. Correlation between successful heterotransplants, poor prognosis and amplification of the HER-2/neu oncogene. 1991 , 47, 66-71 | 59 |
| 1477 | Nuclear texture parameters as discriminant factors in cell cycle and drug sensitivity studies. 1991 , 12, 15-25 | 24 |
| 1476 | Ki-67 labeling in postmitotic cells defines different Ki-67 pathways within the 2c compartment. 1991 , 12, 455-63 | 76 |
| 1475 | A comparative analysis of three different techniques for the detection of breast cancer cells in bone marrow. 1991 , 67, 1033-6 | 69 |
| 1474 | In vitro radiation resistance among cell lines established from patients with squamous cell carcinoma of the head and neck. 1991 , 67, 2741-7 | 94 |
| 1473 | Elimination of clonogenic breast cancer cells from human bone marrow. A comparison of immunotoxin treatment with chemoimmunoseparation using 4-hydroperoxycyclophosphamide, monoclonal antibodies, and magnetic microspheres. 1991 , 68, 1272-8 | 19 |
| 1472 | Variations in amplification and expression of the ornithine decarboxylase gene in human breast cancer cells. 1991 , 19, 257-67 | 17 |
| 1471 | Description of a new human breast cancer cell line, IIB-BR-G, established from a primary undifferentiated tumor. 1991 , 19, 47-56 | 19 |
| 1470 | Identification of insulin-like growth factor binding proteins in breast cancer cells. 1991 , 18, 3-10 | 64 |
| 1469 | Estrone sulfatase activity and effect of antiestrogens on transformation of estrone sulfate in hormone-dependent vs. independent human breast cancer cell lines. 1991 , 18, 93-8 | 40 |
| 1468 | Biological activity in the human system of isotype variants of oligosaccharide-Y-specific murine monoclonal antibodies. 1991 , 33, 153-7 | 31 |
| 1467 | Arrest of MCF-7 cell migration by laminin in vitro: possible mechanisms. 1991 , 9, 469-84 | 5 |
| 1466 | Muricatacin: A simple biologically active acetogenin derivative from the seeds of annona muricata (annonaceae). 1991 , 32, 1137-1140 | 142 |
| 1465 | Three new bioactive styryllactones from goniothalamus giganteus (Annonaceae). 1991 , 47, 9751-9758 | 87 |
| 1464 | Reticulatacin: A new bioactive acetogenin from Annona reticulata (Annonaceae). 1991 , 47, 2751-2756 | 35 |

| 1463 | Bullatalicinone, a new potent bioactive acetogenin, and squamocin from annona bullata (Annonaceae). 1991 , 5, 124-129 | 15 |
|------|--|-----|
| 1462 | A blind comparison of simple bench-top bioassays and human tumour cell cytotoxicities as antitumor prescreens. 1991 , 2, 107-111 | 153 |
| 1461 | A 23-pS Ca2(+)-activated K+ channel in MCF-7 human breast carcinoma cells: an apparent correlation of channel incidence with the rate of cell proliferation. 1991 , 417, 562-70 | 30 |
| 1460 | Effects of isomeric 2-(arylmethylamino)-1,3-propanediols (AMAPs) and clinically established agents on macromolecular synthesis in P388 and MCF-7 cells. 1991 , 9, 125-36 | 2 |
| 1459 | pH-dependent cytotoxicity of contaminants of phenol red for MCF-7 breast cancer cells. 1991 , 129, 3321-30 | 35 |
| 1458 | Retrotransposon gene engineering. 1991 , 9, 748-51 | 4 |
| 1457 | Bioactive Benzyl Benzoates from the Roots of Endlicheria Dysodantha. 1991 , 29, 237-239 | 3 |
| 1456 | Reactivity of mucin-specific lectin from Sambucus sieboldiana with simple sugars, normal mucins and tumor-associated mucins. Comparison with other lectins. 1991 , 372, 935-42 | 6 |
| 1455 | Growth of human breast cancer cell lines is inhibited by the somatostatin analog BIM23014. 1991 , 129, 323-9 | 45 |
| 1454 | Growth stimulation and differential regulation of transforming growth factor-beta 1 (TGF beta 1), TGF beta 2, and TGF beta 3 messenger RNA levels by norethindrone in MCF-7 human breast cancer cells. 1991 , 5, 1120-8 | 54 |
| 1453 | The biology of breast tumor progression. Acquisition of hormone independence and resistance to cytotoxic drugs. 1992 , 31, 115-23 | 30 |
| 1452 | A Spatial Statistical Analysis of Tumor Growth. 1992 , 87, 272-283 | 19 |
| 1451 | Monoclonal antibody Due ABC 3 directed against transitional cell carcinoma. I. Production, specificity analysis, and preliminary characterization of the antigen. 1992 , 147, 235-41 | 11 |
| 1450 | A monoclonal antibody-beta-glucuronidase conjugate as activator of the prodrug epirubicin-glucuronide for specific treatment of cancer. 1992 , 66, 474-8 | 91 |
| 1449 | High-dose tamoxifen as an enhancer of etoposide cytotoxicity. Clinical effects and in vitro assessment in p-glycoprotein expressing cell lines. 1992 , 66, 833-9 | 58 |
| 1448 | Synthesis and Biological Action of a New Cyclic AMP Analogue. 1992 , 11, 295-310 | 2 |
| 1447 | Asymmetric distribution of oncogene products at mitosis. 1992 , 89, 4860-3 | 12 |
| 1446 | Activation of estrogen receptor transfected into a receptor-negative breast cancer cell line decreases the metastatic and invasive potential of the cells. 1992 , 89, 11538-42 | 141 |

| 1445 | The ERE-like sequence from the promoter region of the testis specific hsp70-related gene is not estrogen responsive. 1992 , 16, 937-48 | 5 |
|------|---|-----|
| 1444 | Editorial Board. 1992 , 185, i | |
| 1443 | The product of the human MUC1 gene when secreted by mouse cells transfected with the full-length cDNA lacks the cytoplasmic tail. 1992 , 185, 1-8 | 81 |
| 1442 | The stimulation of fibroblasts' collagen synthesis by neoplastic cells is modulated by the extracellular matrix. 1992 , 12, 213-20 | 16 |
| 1441 | A plasma-borne specific inhibitor of the proliferation of human estrogen-sensitive breast tumor cells (estrocolyone-I). 1992 , 43, 703-12 | 17 |
| 1440 | Radiation sensitivity of endometrial carcinoma in vitro. 1992 , 44, 217-22 | 18 |
| 1439 | Radiation-Induced Damage to DNA in Drug- and Radiation-Resistant Sublines of a Human Breast Cancer Cell Line. 1992 , 129, 37 | 22 |
| 1438 | Potentiation of CB 1954 cytotoxicity by reduced pyridine nucleotides in human tumour cells by stimulation of DT diaphorase activity. 1992 , 44, 1739-43 | 8 |
| 1437 | Relationships between the aqueous chemistry and the in vitro cytotoxic activities of mixed-amine cisplatin analogues. 1992 , 43, 2609-20 | 17 |
| 1436 | Chemosensitivity of human MCF-7 breast cancer cells to diastereoisomeric diaqua(1,2-diphenylethylenediamine) platinum(II) sulfates and specific platinum accumulation. 1992 , 30, 113-22 | 42 |
| 1435 | Effect of epidermal growth factor in HLA class I and class II transcription and protein expression in human breast adenocarcinoma cell lines. 1992 , 66, 88-92 | 8 |
| 1434 | In vitro activity of the novel indoloquinone EO-9 and the influence of pH on cytotoxicity. 1992 , 65, 359-64 | 56 |
| 1433 | An in vitro thymidine incorporation assay for human cancers: technical details revisited. 1992 , 10, 344-51 | 1 |
| 1432 | Standardized kinetic microassay to quantify differential chemosensitivity on the basis of proliferative activity. 1992 , 118, 35-43 | 121 |
| 1431 | Optimization of estrogen growth response in MCF-7 cells. 1992 , 28A, 595-602 | 40 |
| 1430 | Insulinlike growth factor-1 inhibits cell death induced by cycloheximide in MCF-7 cells: a model system for analyzing control of cell death. 1992 , 28A, 725-9 | 37 |
| 1429 | Development and characterization of breast carcinoma cell lines as in vitro and in vivo models for breast cancer diagnosis and therapy. 1992 , 28A, 397-402 | |
| 1428 | Serum and insulin inhibit cell death induced by cycloheximide in the human breast cancer cell line MCF-7. 1992 , 28A, 415-8 | 17 |

| 1427 | New cell lines of human breast cancer origin. 1992 , 21, 63-75 | 6 |
|------|---|----|
| 1426 | Control of proliferation of MCF-7 breast cancer cells in a commercial preparation of charcoal-stripped adult bovine serum. 1992 , 23, 97-104 | 13 |
| 1425 | Placental isoferritin associated p43 antigen correlates with features of high differentiation in breast cancer. 1992 , 24, 17-26 | 10 |
| 1424 | Effect of hyperosmolality on alkaline phosphatase and stress-response protein 27 of MCF-7 breast cancer cells. 1992 , 23, 241-9 | 17 |
| 1423 | cAMP effect on extracellular matrix synthesis in human breast cancer cells. 1992 , 25, 633-42 | 2 |
| 1422 | Regulation of vimentin expression in cultured epithelial cells. 1992 , 210, 509-19 | 33 |
| 1421 | Bullatencin, 4-deoxyasimicin, and the uvariamicins: additional bioactive Annonaceous acetogenins from Annona bullata Rich. (Annonaceae). 1992 , 1, 4-14 | 16 |
| 1420 | Preparation of iron-deficient tissue culture medium by deferoxamine-sepharose treatment and application to the differential actions of apotransferrin and diferric transferrin. 1992 , 203, 317-25 | 4 |
| 1419 | Measurement of doxorubicin-induced lipid peroxidation under the conditions that determine cytotoxicity in cultured tumor cells. 1992 , 201, 326-30 | 19 |
| 1418 | Simple method for quantification of fast plasma membrane movements. 1992 , 13, 1-8 | 11 |
| 1417 | Invasive epithelial cells show more fast plasma membrane movements than related or parental non-invasive cells. 1992 , 13, 9-14 | 25 |
| 1416 | Modulation of collagen and fibronectin synthesis in fibroblasts by normal and malignant cells. 1992 , 48, 150-61 | 32 |
| 1415 | MCF-7 breast cancer cells grown as multicellular spheroids in vitro: effect of 17 beta-estradiol. 1992 , 50, 112-7 | 20 |
| 1414 | Invasive and metastatic properties of MCF-7 cells and rasH-transfected MCF-7 cell lines. 1992 , 50, 665-9 | 22 |
| 1413 | Antitumor effect of triphenylethylene derivative (TAT-59) against human breast carcinoma xenografts in nude mice. 1992 , 51, 254-8 | 8 |
| 1412 | Relaxin influences the growth of MCF-7 breast cancer cells. Mitogenic and antimitogenic action depends on peptide concentration. 1992 , 70, 639-43 | 50 |
| 1411 | Muricatetrocins A and B and Gigantetrocin B: Three New Cytotoxic Monotetrahydrofuran-Ring Acetogenins from Annona muricata. 1993 , 76, 2433-2444 | 43 |
| 1410 | Isolation and characterization of an oestrogen-responsive breast-cancer cell line, EFF-3. 1993 , 53, 388-94 | 9 |

1409 Cellular and in vivo characterization of the MCR rat mammary tumor model. **1993**, 53, 486-92

| 1408 | Increased epidermal growth factor receptor in an estrogen-responsive, adriamycin-resistant MCF-7 cell line. 1993 , 157, 110-8 | 32 |
|------|--|-----|
| 1407 | Biologically active acetogenins from stem bark of Asimina triloba. 1993 , 33, 1065-73 | 37 |
| 1406 | Gonioheptolides A and B: Novel eight-membered-ring lactones from Goniothalamus giganteus (Annonaceae). 1993 , 49, 1563-1570 | 49 |
| 1405 | Modulation of cell surface components of human breast cancer cells by retinoic acid: enhanced HLA-DR expression. 1993 , 170, 23-9 | 7 |
| 1404 | Differential expression of steroid receptors, hsp27, and pS2 in a series of drug resistant human breast tumor cell lines derived following exposure to antitumor drugs or to fractionated X-irradiation. 1993 , 26, 23-39 | 27 |
| 1403 | William L. McGuire Memorial Symposium. Control of breast cancer cell growth by steroids and growth factors: interactions and mechanisms. 1993 , 27, 57-68 | 33 |
| 1402 | The use of natural interferon alpha conjugated to a monoclonal antibody anti mammary epithelial mucin (Mc5) for the treatment of human breast cancer xenografts. 1993 , 25, 265-76 | 13 |
| 1401 | Differential modulation of doxorubicin toxicity to multidrug and intrinsically drug resistant cell lines by anti-oestrogens and their major metabolites. 1993 , 67, 1189-95 | 42 |
| 1400 | pS2 is an independent factor of good prognosis in primary breast cancer. 1993 , 68, 93-6 | 25 |
| 1399 | Insulin-like growth factor I activates the invasion suppressor function of E-cadherin in MCF-7 human mammary carcinoma cells in vitro. 1993 , 68, 282-9 | 79 |
| 1398 | Enhancement of tumorigenicity of human breast adenocarcinoma cells in nude mice by matrigel and fibroblasts. 1993 , 68, 909-15 | 124 |
| 1397 | cDNA transfection followed by the isolation of a MCF-7 breast cell line resistant to tamoxifen in vitro and in vivo. 1993 , 68, 1088-96 | 9 |
| 1396 | New cytotoxic annonaceous acetogenins: Bullatanocin and cis- and trans-Bullatanocinone, from Annona bullata (Annonaceae). 1993 , 49, 747-754 | 36 |
| 1395 | Neuroblastoma growth factors derived from neurofibroma (NF1): participation of uridine in a neuroblastoma growth. 1993 , 60, 312-9 | 3 |
| 1394 | Molecular characterization of the body site-specific human epidermal cytokeratin 9: cDNA cloning, amino acid sequence, and tissue specificity of gene expression. 1993 , 55, 57-71 | 97 |
| 1393 | Vacuolar apical compartment (VAC) in breast carcinoma cell lines (MCF-7 and T47D): failure of the cell-cell regulated exocytosis mechanism of apical membrane. 1993 , 54, 131-41 | 11 |
| 1392 | Vacuolar apical compartment (VAC) in breast carcinoma cell lines (MCF-7 and T47D): failure of the cell-cell regulated exocytosis mechanism of apical membrane. 1993 , 54, 131-141 | 15 |

| 1391 | Estrogen-inducible pS2 protein is not the key regulatory component in the proliferation of human breast cancer cells (MCF-7). 1993 , 215, 671-6 | 6 |
|------|--|----|
| 1390 | Increased levels of alpha-class and pi-class glutathione S-transferases in cell lines resistant to 1-chloro-2,4-dinitrobenzene. 1993 , 217, 671-6 | 19 |
| 1389 | Breaks in DNA accompany estrogen-receptor-mediated cytotoxicity from 16 alpha[125I]iodo-17 beta-estradiol. 1993 , 119, 207-14 | 17 |
| 1388 | Alteration in proliferative and endocrine responsiveness of human mammary carcinoma cells by prototypic tumor-suppressing agents. 1993 , 58, 215-9 | 12 |
| 1387 | Synthesis of tissue factor messenger RNA and procoagulant activity in breast cancer cells in response to serum stimulation. 1993 , 72, 155-68 | 14 |
| 1386 | Aspects of the cellular pharmacology of N-l-leucyldoxorubicin in human tumor cell lines. 1993 , 45, 1929-31 | 8 |
| 1385 | Type I IGF receptor and acquired tamoxifen resistance in oestrogen-responsive human breast cancer cells. 1993 , 29A, 2256-64 | 77 |
| 1384 | The anti-estrogen tamoxifen blocks the stimulatory effects of interleukin-6 on 17 beta-hydroxysteroid dehydrogenase activity in MCF-7 cells. 1993 , 46, 605-11 | 14 |
| 1383 | Regulation of the levels of three transforming growth factor beta mRNAs by estrogen and their effects on the proliferation of human breast cancer cells. 1993 , 97, 115-23 | 45 |
| 1382 | Subcellular compartmentalization of MCF-7 estrogen receptor synthesis and degradation. 1993 , 94, 183-94 | 30 |
| 1381 | Biological relevance of the interaction between sex steroid binding protein and its specific receptor of MCF-7 cells: effect on the estradiol-induced cell proliferation. 1993 , 45, 435-44 | 46 |
| 1380 | Interactions Between Tumoral MCF7 Cells and Fibroblastson Matrigeland Purified Laminin. 1993 , 13, 267-273 | 13 |
| 1379 | Selective reversal of vinblastine resistance in multidrug-resistant cell lines by tamoxifen, toremifene and their metabolites. 1993 , 29A, 1152-7 | 24 |
| 1378 | Radioimmunoimaging of human breast carcinoma xenografts in nude mouse model with 111In-labeled new monoclonal antibody EBA-1 and F(ab')2 fragments. 1993 , 20, 325-35 | 9 |
| 1377 | Interactive effects of interleukin-6, 17 beta-estradiol and progesterone on growth and 17 beta-hydroxysteroid dehydrogenase activity in human breast carcinoma cells. 1993 , 46, 11-5 | 21 |
| 1376 | Petroselinic Acid from the Ripe Berries of Aralia spinosa. 1993 , 31, 35-37 | 2 |
| 1375 | Intracellular calcium and breast-cancer cell-growth and differentiation. 1993 , 2, 613-20 | 1 |
| 1374 | RRR-alpha-tocopheryl succinate inhibits proliferation and enhances secretion of transforming growth factor-beta (TGF-beta) by human breast cancer cells. 1993 , 19, 225-39 | 63 |

| 1373 | Norgestrel and gestodene stimulate breast cancer cell growth through an oestrogen receptor mediated mechanism. 1993 , 67, 945-52 | 80 |
|------|--|-----|
| 1372 | Familial cancer, emotional distress, and low natural cytotoxic activity in healthy women. 1993 , 4, 745-52 | 23 |
| 1371 | The PML-retinoic acid receptor alpha translocation converts the receptor from an inhibitor to a retinoic acid-dependent activator of transcription factor AP-1. 1993 , 90, 9345-9 | 61 |
| 1370 | The pesticides endosulfan, toxaphene, and dieldrin have estrogenic effects on human estrogen-sensitive cells. 1994 , 102, 380-3 | 457 |
| 1369 | Cell Lines from Human Breast. 1994 , 161-184 | 4 |
| 1368 | Description of a New Monoclonal Antibody, FC-2.15, Reactive with Human Breast Cancer and other Human Neoplasias. 1994 , 9, 125-134 | 9 |
| 1367 | Lung Cancer-Associated Keratin 19 Fragments: Development and Biochemical Characterisation of the New Serum Assay Enzymun-Test Cyfra 21 1. 1994 , 9, 75-81 | 43 |
| 1366 | Secretion of transforming growth factor alpha and expression of its receptor in human mammary cell lines. 1994 , 10, 281-7 | 6 |
| 1365 | Effect of calcium on e-cadherin expression in breast-tumor cells. 1994 , 4, 181-5 | 2 |
| 1364 | Antiproliferative, cytotoxic and recovery effects in tumor-cell cultures treated with synthetic phospholipids. 1994 , 5, 517-23 | |
| 1363 | ROLE OF HCG AND INHIBIN IN BREAST-CANCER (REVIEW). 1994 , 4, 297 | 1 |
| 1362 | Note:Cytotoxic Activities of N-Acyllolines. 1994 , 32, 409-412 | 4 |
| 1361 | Divergent effects of hyperosmolality on stress-response (heat shock) protein expression in cultured human tumor cells: an immunocytochemical study. 1994 , 50, 479-82 | 3 |
| 1360 | Oxytocin inhibits proliferation of human breast cancer cell lines. 1994 , 425, 467-72 | 58 |
| 1359 | Screening of monoclonal antibodies recognizing oncofetal antigens for isolation of trophoblasts from maternal blood for prenatal diagnosis. 1994 , 14, 131-40 | 13 |
| 1358 | Analysis of a heterogeneous group of human breast carcinoma associated glycoproteins bearing the Tn determinant. 1994 , 32, 139-52 | 22 |
| 1357 | 4-Hydroxytamoxifen, an active metabolite of tamoxifen, does not alter the radiation sensitivity of MCF-7 breast carcinoma cells irradiated in vitro. 1994 , 30, 159-65 | 35 |
| 1356 | Hormonal carcinogenesis in breast cancer: cellular and molecular studies of malignant progression. 1994 , 31, 237-48 | 52 |

| 1355 | Differential cytotoxic effects of docetaxel in a range of mammalian tumor cell lines and certain drug resistant sublines in vitro. 1994 , 12, 169-82 | 92 |
|------|---|-----|
| 1354 | Anti-invasive activity of 3,7-dimethoxyflavone in vitro. 1994 , 83, 1217-21 | 28 |
| 1353 | 10-, 12-, and 29-hydroxybullatacinones: new cytotoxic Annonaceous acetogenins from Annonabullata Rich (Annonaceae). 1994 , 2, 49-55 | 14 |
| 1352 | Relaxin influences growth, differentiation and cell-cell adhesion of human breast-cancer cells in culture. 1994 , 57, 129-34 | 47 |
| 1351 | Induction of the collagenase phorbol ester response element by staurosporine. 1994 , 55, 496-502 | 9 |
| 1350 | Novel cytotoxic annonaceous acetogenins: (2,4-cis and trans)-bulladecinones from annona bullata (annonaceae). 1994 , 4, 473-478 | 43 |
| 1349 | Correlation of heat resistance and HSP-70A mRNA levels in human tumor cells measured by competitive quantitative polymerase chain reaction. 1994 , 30, 141-9 | 9 |
| 1348 | Antiproliferative effects of interferon gamma in combination with alpha-difluoromethylornithine on human carcinoma cell cultures. 1994 , 120, 700-6 | 3 |
| 1347 | Antitumour effect of a gonadotropin-releasing-hormone antagonist (MI-1544) and its conjugate on human breast cancer cells and their xenografts. 1994 , 120, 578-84 | 17 |
| 1346 | Combined effects of estradiol, leuprorelin, tamoxifen and medroxyprogesterone acetate on cell growth and steroid hormone receptors in breast cancer cells. 1994 , 120, 605-9 | 9 |
| 1345 | Calcium regulation of heparan sulfate proteoglycans in breast cancer cells. 1994 , 120, 389-92 | 4 |
| 1344 | Free radical formation by ansamycin benzoquinone in human breast tumor cells: implications for cytotoxicity and resistance. 1994 , 17, 191-200 | 21 |
| 1343 | Human chorionic gonadotropin inhibits proliferation and induces expression of inhibin in human breast epithelial cells in vitro. 1994 , 30A, 4-8 | 27 |
| 1342 | Serum-free culture and characterization of renal epithelial cells isolated from human fetal kidneys of varying gestational age. 1994 , 30A, 356-65 | 8 |
| 1341 | Identification of cryptic sites of DNA sequence amplification in human breast cancer by chromosome microdissection. 1994 , 8, 155-61 | 124 |
| 1340 | Selective toxicity of TGF-alpha-PE40 to EGFR-positive cell lines: selective protection of low EGFR-expressing cell lines by EGF. 1994 , 69, 988-94 | 13 |
| 1339 | Differentiation of breast cancer cells in vitro is promoted by the concurrent influence of myoepithelial cells and relaxin. 1994 , 70, 900-4 | 27 |
| 1338 | Keratinocyte induced chemotaxis in the pathogenesis of Paget's disease of the breast. 1994 , 24, 349-56 | 32 |
| | | |

| 1337 | Interrelationship between estradiol and tamoxifen responses for clinical breast carcinoma cells cultured on contact-sensitive plates. 1994 , 85, 619-25 | 1 |
|------|---|-----|
| 1336 | Evaluation of the growth rate of MCF-7 breast cancer multicellular spheroids using three mathematical models. 1994 , 27, 213-23 | 16 |
| 1335 | Reflectance in situ hybridization (RISH): detection, by confocal reflectance laser microscopy, of gold-labelled riboprobes in breast cancer cell lines and histological specimens. 1994 , 173, 27-38 | 20 |
| 1334 | Intracellular metabolism of 5-methyltetrahydrofolate and 5-formyltetrahydrofolate in a human breast-cancer cell line. 1994 , 34, 491-6 | 10 |
| 1333 | The SON gene encodes a conserved DNA binding protein mapping to human chromosome 21. 1994 , 58, 25-34 | 24 |
| 1332 | Reversal of P-glycoprotein-mediated multidrug resistance by pure anti-oestrogens and novel tamoxifen derivatives. 1994 , 48, 277-85 | 41 |
| 1331 | A survey of human breast cancer sensitivity to growth inhibition by calmodulin antagonists in tissue culture. 1994 , 47, 2157-61 | 18 |
| 1330 | The receptor-mediated action of sex steroid binding protein (SBP, SHBG): accumulation of cAMP in MCF-7 cells under SBP and estradiol treatment. 1994 , 59, 661-7 | 60 |
| 1329 | In vitro inhibition of mammary cell growth by lactoferrin: a comparative study. 1994 , 55, 1955-63 | 22 |
| 1328 | Production of monoclonal antibodies recognising the peptide core of MUC2 intestinal mucin. 1994 , 30A, 355-63 | 22 |
| 1327 | Regulation of glucocorticoid receptor (GR) mRNA and protein levels by phorbol ester in MCF-7 cells. Mechanism of GR mRNA induction and decay. 1994 , 48, 23-9 | 2 |
| 1326 | Effect of extracellular ATP on breast tumor cell growth, implication of intracellular calcium. 1994 , 85, 47-54 | 44 |
| 1325 | Agonist-antagonist activity of anti-estrogens in the human breast cancer cell line MCF-7: an hypothesis for the interaction with a site distinct from the estrogen binding site. 1994 , 99, 259-68 | 23 |
| 1324 | n-3 and n-6 fatty acid processing and growth effects in neoplastic and non-cancerous human mammary epithelial cell lines. 1994 , 70, 219-27 | 130 |
| 1323 | Prediction of accumulation of 131I-labelled meta-iodobenzylguanidine in neuroblastoma cell lines by means of reverse transcription and polymerase chain reaction. 1994 , 70, 97-101 | 37 |
| 1322 | Initial radiation-induced DNA damage in human tumour cell lines: a correlation with intrinsic cellular radiosensitivity. 1994 , 69, 457-62 | 53 |
| 1321 | The effect of dose and interval between 5-fluorouracil and leucovorin on the formation of thymidylate synthase ternary complex in human cancer cells. 1995 , 71, 1145-50 | 16 |
| 1320 | Structural and functional characterization and cloning of Xenopus FOSP-1 (frog oviduct-specific protein-1) genes. 1995 , 229, 224-32 | 1 |

| 1319 | Mutations at positions 11 and 60 of insulin-like growth factor 1 reveal differences between its interactions with the type I insulin-like-growth-factor receptor and the insulin receptor. 1995 , 233, 299-309 | 18 |
|------|---|------|
| 1318 | Mechanisms underlying aberrant glycosylation of MUC1 mucin in breast cancer cells. 1995 , 233, 607-17 | 261 |
| 1317 | Comparative study of multidrug resistance evaluated by means of the quantitative immunohistochemical detection of P-glycoprotein and the functional release of rhodamine 123. 1995 , 49, 183-93 | 8 |
| 1316 | Secretion of atrial natriuretic peptide and vasopressin by small cell lung cancer. 1995 , 75, 2442-51 | 47 |
| 1315 | 1,3-Diphenylpropane-1,3-diamines, VI): DNA-interaction, estrogen receptor affinity, and cytostatic activity of 1,3-diphenylpropane-1,3-diamine-Pt(II) complexes. 1995 , 328, 409-15 | 9 |
| 1314 | Analysis of proteins from human breast epithelial cells using two-dimensional gel electrophoresis. 1995 , 16, 1215-24 | 24 |
| 1313 | The effect of platelets on invasiveness and protease production of human mammary tumor cells. 1995 , 60, 413-7 | 72 |
| 1312 | Interleukin-3: a putative protective factor against breast cancer which is secreted by male but not female breast fibroblasts. 1995 , 61, 416-9 | 6 |
| 1311 | Some practical considerations and applications of the national cancer institute in vitro anticancer drug discovery screen. 1995 , 34, 91-109 | 1227 |
| 1310 | Inhibition of ATP-sensitive potassium channels causes reversible cell-cycle arrest of human breast cancer cells in tissue culture. 1995 , 162, 163-71 | 116 |
| 1309 | Lithium-stimulated proliferation and alteration of phosphoinositide metabolites in MCF-7 human breast cancer cells. 1995 , 165, 134-44 | 29 |
| 1308 | Changes in membrane potential during the progression of MCF-7 human mammary tumor cells through the cell cycle. 1995 , 165, 177-85 | 107 |
| 1307 | Two new bioactive triterpenoids from Melia volkensii (Meliaceae). 1995 , 51, 2477-2488 | 23 |
| 1306 | Functional properties of FC-2.15, a monoclonal antibody that mediates human complement cytotoxicity against breast cancer cells. 1995 , 41, 15-22 | 7 |
| 1305 | Characterization of platelet aggregation induced by human breast carcinoma and its inhibition by snake venom peptides, trigramin and rhodostomin. 1995 , 33, 225-35 | 14 |
| 1304 | Combined analysis of in situ hybridization, cell cycle and structural markers using reflectance and immunofluorescence confocal microscopy. 1995 , 27, 15-23 | 6 |
| 1303 | Effect of a pure anti-estrogen, ICI 182,780, on the in vitro radiosensitivity of MCF-7 breast carcinoma cells. 1995 , 3, 232-237 | 1 |
| 1302 | Molecular cloning of a cell-surface glycoprotein that can potentially discriminate mesothelium from epithelium: its identification as vascular cell adhesion molecule 1. 1995 , 71, 562-70 | 16 |

| 1301 | Increased thymidylate synthase protein levels are principally associated with proliferation but not cell cycle phase in asynchronous human cancer cells. 1995 , 71, 1151-7 | 52 |
|------|---|-----|
| 1300 | EO9: relationship between DT-diaphorase levels and response in vitro and in vivo. 1995 , 71, 1199-203 | 29 |
| 1299 | Importance of P450 reductase activity in determining sensitivity of breast tumour cells to the bioreductive drug, tirapazamine (SR 4233). 1995 , 72, 1144-50 | 68 |
| 1298 | Meliavolkenin, a new bioactive triterpenoid from Melia volkensii (Meliaceae). 1995 , 3, 383-90 | 13 |
| 1297 | A pair of new apotirucallane triterpenes, meliavolkensins A and B, from Melia volkensii (Meliaceae). 1995 , 5, 181-184 | 10 |
| 1296 | 16,19-cis-murisolin and murisolin a, two novel bioactive mono-tetrahydrofuran annonaceous acetogenins from Asimina triloba seeds. 1995 , 5, 1135-1140 | 35 |
| 1295 | Annohexocin, a novel mono-THF acetogenin with six hydroxyls, from Annona muricata (Annonaceae). 1995 , 5, 1865-1868 | 23 |
| 1294 | New bioactive adjacent bis-THF annonaceous acetogenins from Annona bullata. 1995 , 40, 467-77 | 18 |
| 1293 | Murihexocins A and B, two novel mono-THF acetogenins with six hydroxyls, from Annona muricata (Annonaceae). 1995 , 36, 5291-5294 | 21 |
| 1292 | Anti-tumour effect of aromatase inhibitor, CGS16949A, on human breast cancer cells. 1995 , 289, 217-22 | 7 |
| 1291 | The development of a functionally relevant cell culture model of progressive human breast cancer. 1995 , 6, 175-84 | 107 |
| 1290 | Characterization of cell surface antigens expressed in the HMA-1 breast cancer cell line. 1995 , 25, 244-50 | 4 |
| 1289 | A novel adhesion factor produced by hamster pancreatic cancer cell line is effective on normal and carcinoma cell lines of different species. 1995 , 18, 249-55 | |
| 1288 | The E-screen assay: a comparison of different MCF7 cell stocks. 1995 , 103, 844-50 | 196 |
| 1287 | The E-SCREEN assay as a tool to identify estrogens: an update on estrogenic environmental pollutants. 1995 , 103 Suppl 7, 113-22 | 954 |
| 1286 | Xenoestrogens released from lacquer coatings in food cans. 1995 , 103, 608-12 | 716 |
| 1285 | A new monoclonal antibody (A78-G/A7) to the Thomsen-Friedenreich pan-tumor antigen. 1995 , 14, 37-44 | 43 |
| 1284 | Regression of human breast cancer xenografts in response to intralesional treatment with interferons alpha and gamma potentiated by tumor necrosis factor. 1995 , 15, 839-48 | 8 |

| 1283 | C-ha-ras enhances the neoplastic transformation of human breast epithelial-cells treated with chemical carcinogens. 1995 , 6, 5-11 | 2 |
|------|--|-----|
| 1282 | Combined effects of lonidamine and tamoxifen in human breast-cancer cell-lines. 1995 , 6, 993-6 | |
| 1281 | The E-SCREEN Assay as a Tool to Identify Estrogens: An Update on Estrogenic Environmental Pollutants. 1995 , 103, 113 | 136 |
| 1280 | Expression of cathepsin D in primary and metastatic human melanoma and dysplastic nevi. 1995 , 104, 340-4 | 30 |
| 1279 | Annonaceous Acetogenins. 1995 , 249-310 | 21 |
| 1278 | Specific imaging of hormone-dependent mammary carcinoma in nude mice with [131I]-anti-estriol 3-sulfate antibody. 1995 , 22, 547-53 | |
| 1277 | Increasing the number of tandem estrogen response elements increases the estrogenic activity of a tamoxifen analogue. 1995 , 92, 39-47 | 57 |
| 1276 | Melatonin inhibition of MCF-7 human breast-cancer cells growth: influence of cell proliferation rate. 1995 , 93, 207-12 | 55 |
| 1275 | Characterization of tumor-induced platelet aggregation: the role of immunorelated GPIb and GPIIb/IIIa expression by MCF-7 breast cancer cells. 1995 , 79, 261-74 | 66 |
| 1274 | Sigma binding site ligands inhibit cell proliferation in mammary and colon carcinoma cell lines and melanoma cells in culture. 1995 , 278, 151-60 | 68 |
| 1273 | Effect of tamoxifen on mitoxantrone cytotoxicity in drug-sensitive and multidrug-resistant MCF-7 cells. 1995 , 36, 368-72 | 12 |
| 1272 | Interaction between ionizing radiation, estrogens and antiestrogens in the modification of tumor microenvironment in estrogen dependent multicellular spheroids. 1995 , 34, 413-7 | 18 |
| 1271 | Antiproliferative and recovery effects during treatment of breast and ovarian carcinoma cell cultures with interferon-gamma. 1995 , 15, 285-9 | 2 |
| 1270 | A new human breast cancer cell line, KPL-1 secretes tumour-associated antigens and grows rapidly in female athymic nude mice. 1995 , 71, 845-53 | 52 |
| 1269 | Tissue distribution, hormone regulation and evidence for a human homologue of the estrogen-inducible Xenopus laevis vitellogenin mRNA binding protein. 1995 , 52, 505-15 | 9 |
| 1268 | Nomegestrol acetate, a clinically useful 19-norprogesterone derivative which lacks estrogenic activity. 1995 , 55, 239-46 | 42 |
| 1267 | Human serum albumin shares the properties of estrocolyone-I, the inhibitor of the proliferation of estrogen-target cells. 1996 , 59, 147-54 | 46 |
| 1266 | Adrenal androgen action in breast cancer. 1996 , 784, 349-61 | 1 |

| 1265 | Longimicins A-D: novel bioactive acetogenins from Asimina longifolia (annonaceae) and structure-activity relationships of asimicin type of annonaceous acetogenins. 1996 , 39, 1790-6 | 19 |
|------|--|----|
| 1264 | Selectively cytotoxic diterpenes from Euphorbia poisonii. 1996 , 39, 1005-8 | 53 |
| 1263 | Squamotacin: an annonaceous acetogenin with cytotoxic selectivity for the human prostate tumor cell line (PC-3). 1996 , 59, 97-9 | 45 |
| 1262 | Synthesis, conformation, biodistribution, and hormone-related in vitro antitumor activity of a gonadotropin-releasing hormone antagonist-branched polypeptide conjugate. 1996 , 7, 642-50 | 31 |
| 1261 | Three new adjacent bis-tetrahydrofuran acetogenins with four hydroxyl groups from Asimina triloba. 1996 , 59, 1029-34 | 26 |
| 1260 | Differential responsiveness of proliferation and cytokeratin release to stripped serum and oestrogen in the human breast cancer cell line, MCF-7. 1996 , 32A, 849-56 | 8 |
| 1259 | Relationship between the tumour tissue pharmacokinetics and the antiproliferative effects of anthracyclines and their metabolites. 1996 , 32A, 1382-7 | 10 |
| 1258 | Characterization of a nontumorigenic human breast epithelial cell line stably transfected with the human estrogen receptor (ER) cDNA. 1996 , 119, 47-59 | 20 |
| 1257 | Melatonin inhibits DNA synthesis in MCF-7 human breast cancer cells in vitro. 1996 , 58, 2447-53 | 60 |
| 1256 | Resistance to tomudex (ZD1694): multifactorial in human breast and colon carcinoma cell lines. 1996 , 51, 1349-55 | 38 |
| 1255 | Expression and regulation by serum of multiple FGF1 mRNA in normal transformed, and malignant human mammary epithelial cells. 1996 , 219, 679-85 | 13 |
| 1254 | Cyclosporin A potentiates estradiol-induced expression of the cathepsin D gene in MCF7 breast cancer cells. 1996 , 220, 208-12 | 14 |
| 1253 | Sensitivity and specificity of in situ bacterial chain reaction (BCR) in detecting sparse human tumor cells in peripheral blood. 1996 , 229, 80-5 | |
| 1252 | Five new monotetrahydrofuran ring acetogenins from the leaves of Annona muricata. 1996 , 59, 1035-42 | 52 |
| 1251 | Enhancement of tamoxifen-induced E-cadherin function by Ca2+ channel antagonists in human breast cancer MCF7/6 cells. 1996 , 317, 413-6 | 7 |
| 1250 | Modulation of the length of the cell cycle time of MCF-7 human breast cancer cells by melatonin. 1996 , 58, 811-6 | 57 |
| 1249 | Involvement of phenylalanine 23 in the binding of IGF-1 to the insulin and type I IGF receptor. 1996 , 66, 191-6 | 13 |
| 1248 | Specific binding of estradiol to rat coronary artery smooth muscle cells. 1996 , 58, 83-8 | 14 |

| 1247 | Five novel mono-tetrahydrofuran ring acetogenins from the seeds of Annona muricata. 1996 , 59, 100-8 | 90 |
|------|--|-----|
| 1246 | Bioactive ent-kaurene diterpenoids from Annona senegalensis. 1996 , 59, 301-3 | 52 |
| 1245 | Phytogrowth-inhibitory and antifungal constituents of Helianthella quinquenervis. 1996 , 59, 323-6 | 35 |
| 1244 | Changes in radiation sensitivity and steroid receptor content induced by hormonal agents and ionizing radiation in breast cancer cells in vitro. 1996 , 35, 1011-9 | 49 |
| 1243 | Chlorinated annonaceous acetogenins and their bioactivities. 1996 , 59, 994-6 | 6 |
| 1242 | Estrogenicity of resin-based composites and sealants used in dentistry. 1996 , 104, 298-305 | 727 |
| 1241 | Ionic signals in T47D human breast cancer cells. 1996 , 8, 279-84 | 9 |
| 1240 | Discrepancy between cytotoxicity, platinum accumulation, and DNA platination in MCF-7 breast cancer cells treated with diaqua (1,2-diphenylethylenediamine) platinum (II) sulfates and cisplatin. 1996 , 53, 113-28 | 7 |
| 1239 | Human breast cancer cell lines as models of growth regulation and disease progression. 1996 , 1, 111-21 | 59 |
| 1238 | Human breast cancer cell line xenografts as models of breast cancer. The immunobiologies of recipient mice and the characteristics of several tumorigenic cell lines. 1996 , 39, 69-86 | 104 |
| 1237 | Expression of L-PHA-binding proteins in breast cancer: reconstitution and molecular characterization of beta 1-6 branched oligosaccharides in three-dimensional cell culture. 1996 , 38, 313-24 | 11 |
| 1236 | The role of TGF-beta in patterning and growth of the mammary ductal tree. 1996 , 1, 331-41 | 69 |
| 1235 | Potentiation of antitumor activity of mitomycin C by estradiol: studies of human breast carcinoma xenografts serially transplanted into nude mice. 1996 , 61, 256-61 | 3 |
| 1234 | A unique human ovarian carcinoma cell line expressing CD34 in association with selection for multidrug resistance. 1996 , 78, 2427-2436 | 8 |
| 1233 | Leukemia-inhibitory factor stimulates breast, kidney and prostate cancer cell proliferation by paracrine and autocrine pathways. 1996 , 66, 515-9 | 59 |
| 1232 | A comparative study of cytokine gene transcripts in normal and malignant breast tissue and primary cell cultures derived from the same tissue samples. 1996 , 66, 551-6 | 17 |
| 1231 | Effect of Matrigel on the tumorigenicity of human breast and ovarian carcinoma cell lines. 1996 , 67, 816-20 | 43 |
| 1230 | Effect of mts1 (S100A4) expression on the progression of human breast cancer cells. 1996 , 67, 831-41 | 82 |

| 1229 | Aromin and aromicin, two new bioactive annonaceous acetogenins, possessing an unusual bis-THF ring structure, from Xylopia aromatica (Annonaceae). 1996 , 52, 4215-4224 | 19 |
|------|--|-----|
| 1228 | Gigantransenins A, B, and C, novel mono-THF acetogenins bearing trans double bonds, from Goniothalamus giganteus (Annonaceae). 1996 , 37, 5449-5452 | 15 |
| 1227 | The absolute configuration of adjacent bis-THF acetogenins and asiminocin, a novel highly potent asimicin isomer from Asimina triloba. 1996 , 4, 25-32 | 31 |
| 1226 | Longifolicin, longicoricin, and gigantetroneninone, three novel bioactive mono-tetrahydrofuran annonaceous acetogenins from Asimina longifolia (Annonaceae). 1996 , 4, 537-45 | 10 |
| 1225 | cis-gigantrionenin and 4-acetyl gigantetrocin A, two new bioactive annonaceous acetogenins from Goniothalamus giganteus, and the stereochemistries of acetogenin 1,2,5-triols. 1996 , 4, 1271-9 | 14 |
| 1224 | New 19-acetoxyingol diterpenes from the latex of Euphorbia poisonii (Euphorbiaceae). 1996 , 4, 1679-83 | 14 |
| 1223 | Relationship between p53 status and radiosensitivity in human tumour cell lines. 1996 , 73, 581-8 | 56 |
| 1222 | A new human breast cancer cell line, KPL-3C, secretes parathyroid hormone-related protein and produces tumours associated with microcalcifications in nude mice. 1996 , 74, 200-7 | 37 |
| 1221 | Irreversible loss of the oestrogen receptor in T47D breast cancer cells following prolonged oestrogen deprivation. 1996 , 74, 1227-36 | 62 |
| 1220 | A regulatory element in intron 1 of the cystic fibrosis transmembrane conductance regulator gene. 1996 , 271, 9947-54 | 63 |
| 1219 | 4-Acetyl Annonacin and 4-Acetyl Xylomaticin: Two Novel Bioactive Mono-Tetrahydrofuran Annonaceous Acetogenins from Asimina Longifolia (Annonaceae). 1996 , 8, 291-298 | 5 |
| 1218 | Charge distribution of flanking amino acids influences O-glycan acquisition in vivo. 1996 , 271, 7061-5 | 52 |
| 1217 | (2,4-cis)-asimicinone and (2,4-trans)-asimicinone: two novel bioactive ketolactone acetogenins from Asimina triloba (Annonaceae). 1996 , 4, 128-34 | 6 |
| 1216 | Prostate-specific antigen expression is regulated by an upstream enhancer. 1996 , 271, 7043-51 | 215 |
| 1215 | anti-Benzo[a]pyrene-7,8-diol-9,10-epoxide Treatment Increases Levels of the Proteins p53 and p21WAF1 in the Human Mammary Carcinoma Cell Line MCF-7. 1996 , 10, 299-306 | 17 |
| 1214 | Comparison of O-linked carbohydrate chains in MUC-1 mucin from normal breast epithelial cell lines and breast carcinoma cell lines. Demonstration of simpler and fewer glycan chains in tumor cells. 1996 , 271, 33325-34 | 249 |
| 1213 | Survey and Assessment of Mammalian Estrogen Biological Assays for Hazard Characterization. 1996 , 34, 288-305 | 5 |
| 1212 | In vitro modulation of MCF-7 breast cancer cell growth by myoepithelial cells. 1996 , 9, 117 | |

| 1211 | Radiosensitivity of human breast cancer cell lines of different hormonal responsiveness. Modulatory effects of oestradiol. 1996 , 70, 161-9 | 23 |
|------|---|-----|
| 1210 | Oleanolic Acid, a Bioactive Component of the Leaves of Ocimum Gratissimum (Lamiaceae). 1997 , 35, 134-137 | 21 |
| 1209 | Oestrogens, Beatson and endocrine therapy. 1997 , 4, 371-380 | 11 |
| 1208 | Combined effect of tamoxifen or interferon-beta and 4-hydroxyphenylretinamide on the growth of breast cancer cell lines. 1997 , 18, 22-9 | 17 |
| 1207 | Inhibition of proliferation of estrogen receptor-negative MDA-MB-435 and -positive MCF-7 human breast cancer cells by palm oil tocotrienols and tamoxifen, alone and in combination. 1997 , 127, 544S-548S | 156 |
| 1206 | An enhancer with cell-type dependent activity is located between the myeloid and epithelial aminopeptidase N (CD 13) promoters. 1997 , 322 (Pt 3), 899-908 | 22 |
| 1205 | Bioactive compounds from Taiwania cryptomerioides. 1997 , 60, 38-40 | 89 |
| 1204 | Novel mono-tetrahydrofuran ring acetogenins, from the bark of Annona squamosa, showing cytotoxic selectivities for the human pancreatic carcinoma cell line, PACA-2. 1997 , 60, 581-6 | 35 |
| 1203 | Intracellular pH and heat sensitivity in two human cancer cell lines. 1997, 42, 69-76 | 8 |
| 1202 | Antiproliferative effect of fermented milk on the growth of a human breast cancer cell line. 1997 , 28, 93-9 | 105 |
| 1201 | Hypoxia-induced apoptosis in human cells with normal p53 status and function, without any alteration in the nuclear protein level. 1997 , 232, 361-70 | 32 |
| 1200 | Alteration of interendothelial adherens junctions following tumor cell-endothelial cell interaction in vitro. 1997 , 237, 347-56 | 49 |
| 1199 | Influence of drug exposure parameters on the activity of paclitaxel in multicellular spheroids. 1997 , 33, 1291-8 | 56 |
| 1198 | Steroid hormones and cancer: (II) Lessons from experimental systems. 1997 , 23, 72-83 | 8 |
| 1197 | In vitro cytotoxic effects of tumor necrosis factor-alpha in human breast cancer cells may be associated with increased glucose consumption. 1997 , 406, 175-8 | 4 |
| 1196 | Apoptosis induction by inhibitors of Ser/Thr phosphatases 1 and 2A is associated with transglutaminase activation in two different human epithelial tumour lines. 1997 , 413, 147-51 | 31 |
| 1195 | Growth inhibition of MCF-7 and MCF-10A human breast cells by alpha-tocopheryl hemisuccinate, cholesteryl hemisuccinate and their ether analogs. 1997 , 111, 133-9 | 41 |
| 1194 | Inhibition of proliferation of estrogen receptor-positive MCF-7 human breast cancer cells by flavonoids in the presence and absence of excess estrogen. 1997 , 112, 127-33 | 216 |

| 1193 | Plasmin induces the formation of multicellular spheroids of breast cancer cells. 1997 , 117, 51-6 | 13 |
|------------------------------|--|--|
| 1192 | Role of steroid hormone and growth factor receptors and proto-oncogenes in the behavior of human mammary epithelial cancer cells in vitro. 1997 , 65, 75-82 | 5 |
| 1191 | Cytoskeletal mechanics in confluent epithelial cells probed through integrins and E-cadherins. 1997 , 272, C1654-63 | 59 |
| 1190 | A novel growth stimulating activity from BRL-3A cell conditioned medium. 1997 , 30, 295-307 | 1 |
| 1189 | 4-deoxyannomontacin and (2,4-cis and trans)-annomontacinone, new bioactive mono-tetrahydrofuran annonaceous acetogenins from Goniothalamus giganteus. 1997 , 5, 549-55 | 29 |
| 1188 | Expression and function of members of the cytokine receptor superfamily on breast cancer cells. 1997 , 14, 661-9 | 84 |
| 1187 | Cloning and characterization of a 77-kDa oestrogen receptor isolated from a human breast cancer cell line. 1997 , 75, 17-27 | 21 |
| 1186 | Endocrine Screening Methods Workshop report: detection of estrogenic and androgenic hormonal and antihormonal activity for chemicals that act via receptor or steroidogenic enzyme mechanisms. 1997 , 11, 719-50 | 167 |
| 1185 | Effect of sodium butyrate on human breast cancer cell lines. 1997 , 30, 149-159 | 37 |
| | | |
| 1184 | Optimization of the sulforhodamine B colorimetric assay. 1997 , 208, 151-8 | 249 |
| 1184 | Optimization of the sulforhodamine B colorimetric assay. 1997, 208, 151-8 Human breast carcinoma cells synthesize a protein immunorelated to platelet glycoprotein-Ib alpha with different functional properties. 1997, 129, 337-46 | 249 |
| <u> </u> | Human breast carcinoma cells synthesize a protein immunorelated to platelet glycoprotein-Ib alpha | |
| 1183 | Human breast carcinoma cells synthesize a protein immunorelated to platelet glycoprotein-Ib alpha with different functional properties. 1997, 129, 337-46 Tumor cell arrest in the microcirculation: lack of evidence for a leukocyte-like rolling adhesive interaction with vascular endothelium in vivo. 1997, 83, 68-76 | 23 |
| 1183 1182 | Human breast carcinoma cells synthesize a protein immunorelated to platelet glycoprotein-Ib alpha with different functional properties. 1997, 129, 337-46 Tumor cell arrest in the microcirculation: lack of evidence for a leukocyte-like rolling adhesive interaction with vascular endothelium in vivo. 1997, 83, 68-76 | 23 |
| 1183 1182 1181 | Human breast carcinoma cells synthesize a protein immunorelated to platelet glycoprotein-Ib alpha with different functional properties. 1997, 129, 337-46 Tumor cell arrest in the microcirculation: lack of evidence for a leukocyte-like rolling adhesive interaction with vascular endothelium in vivo. 1997, 83, 68-76 Hormone regulation of bovine leukemia virus via the long terminal repeat. 1997, 239, 249-58 Modulation by lonidamine on the combined activity of cisplatin and epidoxorubicin in human breast | 23 24 35 |
| 1183 1182 1181 1180 | Human breast carcinoma cells synthesize a protein immunorelated to platelet glycoprotein-lb alpha with different functional properties. 1997, 129, 337-46 Tumor cell arrest in the microcirculation: lack of evidence for a leukocyte-like rolling adhesive interaction with vascular endothelium in vivo. 1997, 83, 68-76 Hormone regulation of bovine leukemia virus via the long terminal repeat. 1997, 239, 249-58 Modulation by lonidamine on the combined activity of cisplatin and epidoxorubicin in human breast cancer cells. 1997, 42, 103-12 Establishment and characterisation of new cell lines from human breast tumours initially | 2324359 |
| 1183 1182 1181 1180 | Human breast carcinoma cells synthesize a protein immunorelated to platelet glycoprotein-lb alpha with different functional properties. 1997, 129, 337-46 Tumor cell arrest in the microcirculation: lack of evidence for a leukocyte-like rolling adhesive interaction with vascular endothelium in vivo. 1997, 83, 68-76 Hormone regulation of bovine leukemia virus via the long terminal repeat. 1997, 239, 249-58 Modulation by lonidamine on the combined activity of cisplatin and epidoxorubicin in human breast cancer cells. 1997, 42, 103-12 Establishment and characterisation of new cell lines from human breast tumours initially established as tumour xenografts in NMRI nude mice. 1997, 43, 247-58 Issues in experimental design and endpoint analysis in the study of experimental cytotoxic agents | 23 24 35 9 22 |

| 1175 | Breast cancer cells have a high capacity to acidify extracellular milieu by a dual mechanism. 1997 , 15, 382-92 | 137 |
|------|---|-----|
| 1174 | Growth requirements and neoplastic transformation of two types of normal human breast epithelial cells derived from reduction mammoplasty. 1997 , 33, 282-8 | 29 |
| 1173 | Additional bioactive annonaceous acetogenins from Asimina triloba (Annonaceae). 1997 , 5, 501-6 | 18 |
| 1172 | Anti-invasive activity of alkaloids and polyphenolics in vitro. 1997 , 5, 1609-19 | 48 |
| 1171 | Intracellular volume and apparent diffusion constants of perfused cancer cell cultures, as measured by NMR. 1997 , 37, 825-32 | 96 |
| 1170 | Antitumor activity of paclitaxel against human breast carcinoma xenografts serially transplanted into nude mice. 1997 , 64, 115-21 | 20 |
| 1169 | Involvement of activator protein-1 (AP-1) in induction of apoptosis by vitamin E succinate in human breast cancer cells. 1997 , 19, 180-190 | 44 |
| 1168 | Environmental magnetic fields inhibit the antiproliferative action of tamoxifen and melatonin in a human breast cancer cell line. 1997 , 18, 555-62 | 73 |
| 1167 | Dienogest, a novel synthetic steroid, overcomes hormone-dependent cancer in a different manner than progestins. 1997 , 79, 169-176 | 31 |
| 1166 | Mis-sorting of procathepsin D in metastogenic tumor cells is not due to impaired synthesis of the phosphomannosyl signal. 1997 , 70, 561-6 | 22 |
| 1165 | Chemokines induce migrational responses in human breast carcinoma cell lines. 1997 , 71, 257-66 | 178 |
| 1164 | Natural interferon-alpha activity in hormone-sensitive, hormone-resistant and autonomous human breast-cancer cell lines. 1997 , 71, 1103-8 | 10 |
| 1163 | Reactivity of monoclonal antibody FC-2.15 against drug resistant breast cancer cells. Additive cytotoxicity of adriamycin and taxol with FC-2.15. 1998 , 47, 163-70 | 4 |
| 1162 | Multiplex RT-PCR method for the analysis of the expression of human sialyltransferases: application to breast cancer cells. 1998 , 15, 19-27 | 38 |
| 1161 | Development and characterization of new immortalized human breast cell lines. 1998 , 26, 207-18 | |
| 1160 | Molecular analysis of two mammary carcinoma cell lines at the transcriptional level as a model system for progression of breast cancer. 1998 , 16, 129-39 | 25 |
| 1159 | Gene transduction for disseminated intraperitoneal tumor using cationic liposomes containing non-histone chromatin proteins: cationic liposomal gene therapy of carcinomatosa. 1998 , 5, 240-6 | 44 |
| 1158 | Comparative evaluation by semiquantitative reverse transcriptase polymerase chain reaction of MDR1, MRP and GSTp gene expression in breast carcinomas. 1998 , 77, 694-702 | 27 |

| 1157 | Neoplastic progression of breast epithelial cellsa molecular analysis. 1998 , 78, 198-204 | 4 |
|------|--|----|
| 1156 | Antiproliferative effect of methyl-beta-cyclodextrin in vitro and in human tumour xenografted athymic nude mice. 1998 , 78, 1165-9 | 50 |
| 1155 | Short-term primary culture of epithelial cells derived from human breast tumours. 1998 , 78, 1421-9 | 74 |
| 1154 | Effects of melatonin on proliferation of cancer cell lines. 1998 , 25, 211-8 | 32 |
| 1153 | Glabracins A and B, two new acetogenins from Annona glabra. 1998 , 6, 959-65 | 18 |
| 1152 | Flow cytometric analysis of DNA damage in nucleoids from cultured human breast epithelial cells treated with hydrogen peroxide. 1998 , 24, 326-31 | 2 |
| 1151 | Synthesis and Biological Evaluation of Cyclopropyl Analogs of the Antiestrogen MER 25. 1998 , 26, 15-31 | 5 |
| 1150 | Analysis of differential protein expression in normal and neoplastic human breast epithelial cell lines. 1998 , 19, 333-43 | 70 |
| 1149 | Differential characteristics of two new tumorigenic cell lines of human breast carcinoma origin. 1998 , 77, 415-23 | 17 |
| 1148 | Cyclic hydroxamic acid inhibitors of prostate cancer cell growth: selectivity and structure activity relationships. 1998 , 34, 92-9 | 20 |
| 1147 | Expression of transforming growth factor-beta receptor type II and tumorigenicity in human breast adenocarcinoma MCF-7 cells. 1998 , 176, 424-34 | 19 |
| 1146 | Changed expression of 9-O-acetyl GD3 (CDw60) in benign and atypical proliferative lesions and carcinomas of the human breast. 1998 , 110, 217-29 | 26 |
| 1145 | BG-1 ovarian cell line: an alternative model for examining estrogen-dependent growth in vitro. 1998 , 34, 649-54 | 36 |
| 1144 | Responsiveness to hormone, growth factor and drug treatment of a human breast cancer cell line: comparison between early and late cultures. 1998 , 34, 836-43 | 4 |
| 1143 | Mono-THF ring annonaceous acetogenins from Annona squamosa. 1998 , 47, 803-9 | 27 |
| 1142 | Mono-tetrahydrofuran acetogenins from Goniothalamus giganteus. 1998 , 49, 761-8 | 15 |
| 1141 | Muricoreacin and murihexocin C, mono-tetrahydrofuran acetogenins, from the leaves of Annona muricata. 1998 , 49, 565-71 | 56 |
| 1140 | Annojahnin from Annona jahnii: a possible precursor of mono-tetrahydrofuran acetogenins. 1998 , 49, 1609-16 | 14 |

| 1139 | Regulation of the vitellogenin gene B1 promoter after transfer into hepatocytes in primary cultures. 1998 , 141, 79-93 | 12 |
|------|---|-----|
| 1138 | Production and oestrogen regulation of FGF1 in normal and cancer breast cells. 1998 , 1403, 127-40 | 9 |
| 1137 | Two new mono-tetrahydrofuran ring acetogenins, annomuricin E and muricapentocin, from the leaves of Annona muricata. 1998 , 61, 432-6 | 50 |
| 1136 | Interpretation of the in vitro proliferation response of mcf-7 cells to potential oestrogens and non-oestrogenic substances. 1998 , 12, 373-82 | 32 |
| 1135 | Validation and application of a rapid in vitro assay for assessing the estrogenic potency of halogenated phenolic chemicals. 1998 , 37, 2395-407 | 66 |
| 1134 | New Bioactive Steroids fromMelia volkensii. 1998 , 63, 3781-3785 | 22 |
| 1133 | Cytotoxic and insecticidal constituents of the unripe fruit of Persea americana. 1998 , 61, 781-5 | 55 |
| 1132 | New bioactive triterpenoids from Melia volkensii. 1998 , 61, 64-70 | 20 |
| 1131 | Hepatocyte growth factor/scatter factor has distinct classes of binding site in heparan sulfate from mammary cells. 1998 , 37, 6003-8 | 54 |
| 1130 | Penetration and intracellular routing of nucleus-directed peptide-based shuttles (loligomers) in eukaryotic cells. 1998 , 37, 5798-809 | 39 |
| 1129 | Homocamptothecins: synthesis and antitumor activity of novel E-ring-modified camptothecin analogues. 1998 , 41, 5410-9 | 129 |
| 1128 | Characterization of the promoter region of the rat neprilysin gene. 1998 , 358, 189-95 | 14 |
| 1127 | Cytotoxicity of electro-surgical smoke produced in an anoxic environment. 1998 , 175, 240-1 | 21 |
| 1126 | Expression of prostatic factors measured by reverse transcription polymerase chain reaction in human papillomavirus type 18 deoxyribonucleic acid immortalized prostate cell lines. 1998 , 51, 657-62 | 13 |
| 1125 | Supernatants from quartz dust treated human macrophages stimulate cell proliferation of different human lung cells as well as collagen-synthesis of human diploid lung fibroblasts in vitro. 1998, 96-97, 85-95 | 25 |
| 1124 | Glacins A and B: two novel bioactive mono-tetrahydrofuran acetogenins from Annona glabra. 1998 , 61, 620-4 | 21 |
| 1123 | A new epitope on human melanoma-associated antigen CD63/ME491 expressed by both primary and metastatic melanoma. 1998 , 17, 355-64 | 9 |
| 1122 | Treatment of human breast cancer in a brain metastatic model by G207, a replication-competent multimutated herpes simplex virus 1. 1998 , 9, 2177-85 | 125 |

| 1121 | Monoclonal antibody FC-5.01, directed against CD63 antigen, is internalized into cytoplasmic vesicles in the IIB-BR-G human breast cancer cell line. 1998 , 17, 517-25 | 4 |
|------|---|-----|
| 1120 | Interaction of heparan sulfate from mammary cells with acidic fibroblast growth factor (FGF) and basic FGF. Regulation of the activity of basic FGF by high and low affinity binding sites in heparan sulfate. 1998 , 273, 7303-10 | 106 |
| 1119 | In vitro tumor angiogenesis assays: plasminogen lysine binding site 1 inhibits in vitro tumor-induced angiogenesis. 1998 , 35, 109-14 | 21 |
| 1118 | Antiproliferative effect of synthetic resveratrol on human breast epithelial cells 1998 , 12, 865 | 12 |
| 1117 | Progesterone stimulates production and secretion of MUC1 epithelial mucin in steroid-responsive breast cancer cell lines. 1998 , 12, 939-45 | 6 |
| 1116 | Temperature sensitivity of human wild-type and mutant p53 proteins expressed in vivo. 1998 , 77, 1555-61 | 11 |
| 1115 | Combined effect of navelbine with medroxyprogesterone acetate against human breast carcinoma MCF-7 cells in vitro. 1998 , 77, 1737-43 | 14 |
| 1114 | Toxicity to neuroblastoma cells and spheroids of benzylguanidine conjugated to radionuclides with short-range emissions. 1998 , 77, 2061-8 | 46 |
| 1113 | Cellular arrangement of human breast cancer cell lines determines hemostatic parameters. 1998 , 19, 104-12 | 6 |
| 1112 | Human umbilical vein endothelial cells lack expression of the estrogen receptor. 1998 , 6, 9-21 | 6 |
| 1111 | Isolation of estrogen-responsive genes with a CpG island library. 1998 , 18, 442-9 | 125 |
| 1110 | An investigation of thymidine kinase 1 from normal and transformed mammary cell lines. 1998 , 26, S63 | |
| 1109 | CD24 mediates rolling of breast carcinoma cells on P-selectin. 1998 , 12, 1241-51 | 228 |
| 1108 | Characterization of in vivo Mammary and Prostate Tumor Xenograft Models for Growth and Response to Clinical Anticancer Agents. 1999 , 54, 305-315 | 1 |
| 1107 | Regulation of GCDFP-15 expression in human mammary cancer cells. 1999 , 4, 135-40 | 9 |
| 1106 | Subcellular localization of BRCA1 protein in sporadic breast carcinoma with or without allelic loss of BRCA1 gene. 1999 , 14, 653-61 | 4 |
| 1105 | Effects of the Bowman-Birk inhibitor on clonogenic survival and cisplatin- or radiation-induced cytotoxicity in human breast, cervical, and head and neck cancer cells. 1999 , 33, 165-73 | 30 |
| 1104 | Selective promoter usage of the human estrogen receptor-alpha gene and its regulation by estrogen. 1999 , 13, 1934-50 | 54 |

| 1103 | Tamoxifen, raloxifene, and the prevention of breast cancer. 1999 , 20, 253-78 | | 173 |
|------|---|----|-----|
| 1102 | Influence of tangeretin on tamoxifen's therapeutic benefit in mammary cancer. <i>Journal of the National Cancer Institute</i> , 1999 , 91, 354-9 | ·7 | 74 |
| 1101 | The differential processing of proenkephalin A in mouse and human breast tumour cell lines. 1999 , 161, 475-84 | | 7 |
| 1100 | Two bioactive mono-tetrahydrofuran acetogenins, annoglacins A and B, from Annona glabra. 1999 , 50, 815-21 | | 29 |
| 1099 | Asitrilobins A and B: cytotoxic mono-THF annonaceous acetogenins from the seeds of Asimina triloba. 1999 , 50, 1033-40 | | 11 |
| 1098 | Isolation, purification and quantification of BRCA1 protein from tumour cells by affinity perfusion chromatography. 1999 , 721, 163-70 | | 9 |
| 1097 | The relative estrogenic activity of technical toxaphene mixture and two individual congeners. 1999 , 138, 69-80 | | 12 |
| 1096 | Association of pS2 (TFF1) release with breast tumour proliferative rate: in vitro and in vivo studies. 1999 , 32, 107-18 | | 7 |
| 1095 | Analysis of a DNase I hypersensitive site located -20.9 kb upstream of the CFTR gene. 1999 , 266, 431-43 | | 23 |
| 1094 | The relationship between electromagnetic field and light exposures to melatonin and breast cancer risk: a review of the relevant literature. 1999 , 26, 65-100 | | 96 |
| 1093 | Mapping signal transduction pathways by phage display. 1999 , 17, 1193-8 | | 72 |
| 1092 | Chromatin structure of the regulatory regions of pS2 and cathepsin D genes in hormone-dependent and -independent breast cancer cell lines. 1999 , 18, 533-41 | | 45 |
| 1091 | Development of a novel bi-specific monoclonal antibody approach for tumour targeting. 1999 , 81, 431-9 | | 8 |
| 1090 | Specificity analysis of sera from breast cancer patients vaccinated with MUC1-KLH plus QS-21. 1999 , 79, 1806-12 | | 34 |
| 1089 | Synergistic action of apoptosis induced by eicosapentaenoic acid and TNP-470 on human breast cancer cells. 1999 , 55, 149-60 | | 26 |
| 1088 | Biochemical requirements for the expression of heat shock protein 72 kda in human breast cancer MCF-7 cells. 1999 , 199, 179-88 | | 17 |
| 1087 | Effects of experimental chemoendocrine therapy with a combination of a pure antiestrogen and 5-fluorouracil on human breast cancer cells implanted in nude mice. 1999 , 29, 149-56 | | 5 |
| 1086 | Evidence for a slow time-scale of interaction for magnetic fields inhibiting tamoxifen's antiproliferative action in human breast cancer cells. 1999 , 31, 295-306 | | 12 |

| 1085 | ECC-1 human endometrial cells as a model system to study dioxin disruption of steroid hormone function. 1999 , 35, 183-9 | 14 |
|------|---|-----|
| 1084 | Hyaluronic acid as drug delivery for sodium butyrate: improvement of the anti-proliferative activity on a breast-cancer cell line. 1999 , 81, 411-6 | 87 |
| 1083 | Quantitative analysis of cytokeratin network topology in the MCF7 cell line. 1999 , 35, 203-13 | 11 |
| 1082 | Using countercurrent chromatography to assist in the purification of new Annonaceous acetogenins from Annona squamosa. 1999 , 10, 339-347 | 7 |
| 1081 | Bioassay of phytoestrogen in herbal medicine used for postmenopausal disorder using transformed MCF-7 cells. 1999 , 13, 498-503 | 13 |
| 1080 | Estradiol induction of cAMP in breast cancer cells is mediated by foetal calf serum (FCS) and sex hormone-binding globulin (SHBG). 1999 , 70, 73-80 | 31 |
| 1079 | Growth response of breast epithelial cells to estrogen is influenced by EGF. 1999 , 153, 1-9 | 13 |
| 1078 | Two novel acetogenins, annoglaxin and 27-hydroxybullatacin, from Annona glabra. 1999 , 62, 848-52 | 10 |
| 1077 | Annocherin and (2,4)-cis- and trans-annocherinones, monotetrahydrofuran Annonaceous acetogenins with a C-7 carbonyl group from Annona cherimolia seeds. 1999 , 62, 1250-5 | 16 |
| 1076 | Goniotriocin and (2,4-cis- and -trans)-xylomaticinones, bioactive annonaceous acetogenins from Goniothalamus giganteus. 1999 , 62, 31-4 | 22 |
| 1075 | Peptide-based intracellular shuttle able to facilitate gene transfer in mammalian cells. 1999 , 10, 745-54 | 40 |
| 1074 | Geranins A and B, new antiprotozoal A-type proanthocyanidins from Geranium niveum. 1999 , 62, 705-9 | 55 |
| 1073 | Tryptamine derived amides and acetogenins from the seeds of Rollinia mucosa. 1999 , 62, 1119-22 | 33 |
| 1072 | Induction of apoptosis in human breast cancer cells by tocopherols and tocotrienols. 1999 , 33, 26-32 | 185 |
| 1071 | Development of hyperplasias, preneoplasias, and mammary tumors in MMTV-c-erbB-2 and MMTV-TGFalpha transgenic rats. 1999 , 155, 303-14 | 33 |
| 1070 | Cytoskeletal association of the A and B nucleoside diphosphate kinases of interphasic but not mitotic human carcinoma cell lines: specific nuclear localization of the B subunit. 1999 , 246, 355-67 | 77 |
| 1069 | Prolactin-dependent up-regulation of BRCA1 expression in human breast cancer cell lines. 1999 , 258, 284-91 | 30 |
| 1068 | Telomerase repeat amplification protocol (TRAP): A new molecular marker for parathyroid carcinoma. 1999 , 265, 252-5 | 21 |

(2000-1999)

| 1067 | conductance regulator gene (CFTR). 1999 , 341, 601-611 | 37 |
|------|--|----|
| 1066 | Analysis of DNase-I-hypersensitive sites at the 3? end of the cystic fibrosis transmembrane conductance regulator gene (CFTR). 1999 , 341, 601 | 13 |
| 1065 | Annodienin and Jahnonacin: New Bioactive Nontetrahydrofuran Annonaceous Acetogenins from the Twigs of Annona Jahnii. 1999 , 14, 65-75 | 5 |
| 1064 | Wirkungsweise und Stellenwert der neuen Aromatasehemmer in der Therapie des Mammakarzinoms. 1999 , 59, 245-254 | |
| 1063 | Uncoupling ceramide glycosylation by transfection of glucosylceramide synthase antisense reverses adriamycin resistance. 2000 , 275, 7138-43 | 95 |
| 1062 | Chemotherapy-inducible vector for gene therapy of cancer. 2000 , 35, 371-92 | |
| 1061 | Relationship of Dibenzo[a, l]pyrene-DNA Binding to the Induction of p53, p21 WAFI and Cell Cycle Arrest in Human Cells in Culture. 2000 , 16, 119-129 | 2 |
| 1060 | Fas ligand is expressed in normal breast epithelial cells and is frequently up-regulated in breast cancer. 2000 , 190, 20-30 | 56 |
| 1059 | Nonlymphoid cultured cells possess a system controlling cellular compatibility. 2000 , 78, 186-96 | |
| 1058 | The restricted expression pattern of the Hodgkin's lymphoma-associated cytokine receptor CD30 is regulated by a minimal promoter. 2000 , 192, 182-93 | 11 |
| 1057 | Efficacy of ionizing radiation combined with adenoviral p53 therapy in EBV-positive nasopharyngeal carcinoma. 2000 , 87, 606-610 | 19 |
| 1056 | Thrombin induces apoptosis in human tumor cells. 2000 , 87, 707-715 | 25 |
| 1055 | Toremifene increases the expression of intercellular adhesion molecule-1 (ICAM-1) on MCF-7 breast cancer cells and Jurkat cells. 2000 , 51, 73-8 | 8 |
| 1054 | Diterpenoids from Haplopappus rigidus. 2000 , 55, 863-6 | 3 |
| 1053 | Differential responsiveness of MCF-7 human breast cancer cell line stocks to the pineal hormone, melatonin. 2000 , 28, 210-8 | 32 |
| 1052 | Reduction of Cdc25A contributes to cyclin E1-Cdk2 inhibition at senescence in human mammary epithelial cells. 2000 , 19, 5314-23 | 47 |
| 1051 | Asitrilobins C and D: two new cytotoxic mono-tetrahydrofuran annonaceous acetogenins from Asimina triloba seeds. 2000 , 8, 285-90 | 8 |
| 1050 | 4-Hydroxytamoxifen-induced cytotoxicity and bisphenol A: competition for estrogen receptors in human breast cancer cell lines. 2000 , 36, 320-6 | 10 |

| 1049 | Estrogen mitogenic action. ii. negative regulation of the steroid hormone-responsive growth of cell lines derived from human and rodent target tissue tumors and conceptual implications. 2000 , 36, 428-46 | 9 |
|------|--|-----|
| 1048 | Estrogen mitogenic action. III. is phenol red a "red herring"?. 2000 , 36, 447-64 | 38 |
| 1047 | Comparative genomic hybridization reveals extensive variation among different MCF-7 cell stocks. 2000 , 117, 153-8 | 33 |
| 1046 | Establishment and characterization of a new cell line derived from a human primary breast carcinoma. 2000 , 120, 58-72 | 30 |
| 1045 | Effect of the aromatase inhibitor, MEN 11066, on growth of two different MCF-7 sublines. 2000 , 409, 93-101 | 8 |
| 1044 | Progression in MCF-7 breast cancer cell tumorigenicity: compared effect of FGF-3 and FGF-4. 2000 , 60, 15-28 | 8 |
| 1043 | Melatonin and mammary pathological growth. 2000 , 21, 133-70 | 128 |
| 1042 | Luteinizing hormone-releasing hormone agonist triptorelin and antagonist cetrorelix inhibit EGF-induced c-fos expression in human gynecological cancers. 2000 , 78, 194-202 | 67 |
| 1041 | Morphological evidence for a subpopulation selection effect by estrogen and antiestrogen treatments in the heterogeneous MCF-7 cell line. 2000 , 20, 99-113 | |
| 1040 | Distinct mechanisms of action of selective estrogen receptor modulators in breast and osteoblastic cells. 2000 , 279, C1550-7 | 12 |
| 1039 | Down-regulation of p21WAF1/CIP1 or p27Kip1 abrogates antiestrogen-mediated cell cycle arrest in human breast cancer cells. 2000 , 97, 9042-6 | 199 |
| 1038 | Phosphoinositide 3-kinase is involved in the tumor-specific activation of human breast cancer cell Na(+)/H(+) exchange, motility, and invasion induced by serum deprivation. 2000 , 275, 5361-9 | 115 |
| 1037 | Correlation of oncoprotein 18/stathmin expression in human breast cancer with established prognostic factors. 2000 , 83, 311-8 | 91 |
| 1036 | Molecular analysis of the inhibition of monocyte chemoattractant protein-1 gene expression by estrogens and xenoestrogens in MCF-7 cells. 2000 , 141, 50-9 | 59 |
| 1035 | TGF-beta1 and IGF-1 expression are differently regulated by serum in metastatic and non-metastatic human breast cancer cells. 2000 , 16, 155-60 | 1 |
| 1034 | Differences in protein kinase C and estrogen receptor alpha, beta expression and signaling correlate with apoptotic sensitivity of MCF-7 breast cancer cell variants. 2000 , 16, 1179-87 | 8 |
| 1033 | Comparison of the effects of continuous combined and sequential combined medroxyprogesterone acetate-estradiol treatment on the proliferation of MCF-7 cells. 2000 , 3, 271-7 | 6 |
| 1032 | Production and functional characterization of two mouse/human chimeric antibodies with specificity for the tumor-associated Tn-antigen. 2000 , 19, 229-39 | 20 |

(2001-2000)

| 1031 | Insulin receptor substrate-1 expression is regulated by estrogen in the MCF-7 human breast cancer cell line. 2000 , 275, 12565-71 | 94 |
|------|--|----|
| 1030 | Gene Therapy of Cancer. 2000 , | 1 |
| 1029 | Rapid induction of histone hyperacetylation and cellular differentiation in human breast tumor cell lines following degradation of histone deacetylase-1. 2000 , 275, 35256-63 | 80 |
| 1028 | Real-time PCR quantification of full-length and exon 11 spliced BRCA1 transcripts in human breast cancer cell lines. 2000 , 274, 73-8 | 44 |
| 1027 | WISP-2 as a novel estrogen-responsive gene in human breast cancer cells. 2000 , 275, 108-14 | 66 |
| 1026 | KV1.1 K(+) channels identification in human breast carcinoma cells: involvement in cell proliferation. 2000 , 278, 272-7 | 70 |
| 1025 | Multiple potential intragenic regulatory elements in the CFTR gene. 2000 , 64, 90-6 | 43 |
| 1024 | Molecular cloning and functional expression of human ST6GalNAc II. Molecular expression in various human cultured cells. 2000 , 1474, 201-11 | 44 |
| 1023 | Free-ligand accelerated dissociation of insulin-like growth factor 1 (IGF-1) from the type I IGF receptor is reduced by insulin-like growth factor binding protein 3. 2000 , 90, 33-7 | 3 |
| 1022 | A role for GATA transcription factors in the androgen regulation of the prostate-specific antigen gene enhancer. 2000 , 167, 43-53 | 83 |
| 1021 | Use of bovine primary mammary epithelial cells for the comparison of adherence and invasion ability of Staphylococcus aureus strains. 2000 , 83, 418-29 | 71 |
| 1020 | Improving the reproducibility of the MCF-7 cell proliferation assay for the detection of xenoestrogens. 2000 , 248, 51-62 | 51 |
| 1019 | Two Novel Bioactive Adjacent Bis-THF Acetogenins from the Leaves of Annona glabra. 2000 , 14, 255-263 | 3 |
| 1018 | Asitrocin, (2,4)-cis- and trans-asitrocinones: novel bioactive mono-tetrahydrofuran acetogenins from Asimina triloba seeds. 2000 , 63, 1503-6 | 16 |
| 1017 | Variation in sensitizing effect of caffeine in human tumour cell lines after gamma-irradiation. 2000 , 54, 261-71 | 32 |
| 1016 | Model cell lines for the study of apoptosis in vitro. 2001 , 66, 417-36 | 21 |
| 1015 | The effect of weightlessness on cytoskeleton architecture and proliferation of human breast cancer cell line MCF-7. 2001 , 15, 1104-6 | 86 |
| 1014 | Bone marrow-disseminated tumor cells in patients with carcinoma of the esophagus or cardia. 2001 , 129, 15-22 | 54 |

| 1013 | NF-kappa B-mediated chemoresistance in breast cancer cells. 2001 , 130, 143-50 | 68 |
|------------------------------|--|-------------------------|
| 1012 | Effects of orally active taxanes on P-glycoprotein modulation and colon and breast carcinoma drug resistance. <i>Journal of the National Cancer Institute</i> , 2001 , 93, 1234-45 | 67 |
| 1011 | Determination of BRCA2 oncosuppressor protein expression in human mammary cells by affinity perfusion high-performance chromatography. 2001 , 49, 657-63 | 5 |
| 1010 | Assaying the estrogenicity of phytoestrogens in cells of different estrogen sensitive tissues. 2001 , 15, 433-9 | 97 |
| 1009 | Identification and characterization of membrane estrogen receptor from MCF7 estrogen-target cells. 2001 , 77, 97-108 | 53 |
| 1008 | Structure-activity relationships for human estrogenic activity in zearalenone mycotoxins. 2001 , 39, 1435-8 | 235 |
| 1007 | Annomolin and annocherimolin, new cytotoxic annonaceous acetogenins from Annona cherimolia seeds. 2001 , 64, 502-6 | 29 |
| 1006 | Role of gap-junctional communication in breast cancer progression and chemoprevention. 2001 , 131, 167S-169S | 6 |
| 1005 | Effect of weightlessness on cytoskeleton architecture and proliferation of human breast cancer cell line MCF-7. 2001 , 15, 1104-1106 | 67 |
| | | |
| 1004 | Characterization of anti-BRCA2 antibodies in cell lines by Western blot analysis. 2001 , 8, 1363-6 | |
| 1004 | Characterization of anti-BRCA2 antibodies in cell lines by Western blot analysis. 2001 , 8, 1363-6 A comparison of gene expression signatures from breast tumors and breast tissue derived cell lines. 2001 , 17, 99-109 | 113 |
| 1003 | A comparison of gene expression signatures from breast tumors and breast tissue derived cell | 113 |
| 1003 | A comparison of gene expression signatures from breast tumors and breast tissue derived cell lines. 2001 , 17, 99-109 Physiological concentrations of dietary genistein dose-dependently stimulate growth of estrogen-dependent human breast cancer (MCF-7) tumors implanted in athymic nude mice. 2001 , | |
| 1003 | A comparison of gene expression signatures from breast tumors and breast tissue derived cell lines. 2001, 17, 99-109 Physiological concentrations of dietary genistein dose-dependently stimulate growth of estrogen-dependent human breast cancer (MCF-7) tumors implanted in athymic nude mice. 2001, 131, 2957-62 Resveratrol inhibits human breast cancer cell growth and may mitigate the effect of linoleic acid, a | 203 |
| 1003 | A comparison of gene expression signatures from breast tumors and breast tissue derived cell lines. 2001, 17, 99-109 Physiological concentrations of dietary genistein dose-dependently stimulate growth of estrogen-dependent human breast cancer (MCF-7) tumors implanted in athymic nude mice. 2001, 131, 2957-62 Resveratrol inhibits human breast cancer cell growth and may mitigate the effect of linoleic acid, a potent breast cancer cell stimulator. 2001, 127, 258-64 Annomocherin, annonacin and annomontacin: a novel and two known bioactive | 203 |
| 1003 1002 1001 | A comparison of gene expression signatures from breast tumors and breast tissue derived cell lines. 2001, 17, 99-109 Physiological concentrations of dietary genistein dose-dependently stimulate growth of estrogen-dependent human breast cancer (MCF-7) tumors implanted in athymic nude mice. 2001, 131, 2957-62 Resveratrol inhibits human breast cancer cell growth and may mitigate the effect of linoleic acid, a potent breast cancer cell stimulator. 2001, 127, 258-64 Annomocherin, annonacin and annomontacin: a novel and two known bioactive mono-tetrahydrofuran annonaceous acetogenins from Annona cherimolia seeds. 2001, 24, 300-6 Phytoestrogens from the roots of Polygonum cuspidatum (Polygonaceae): structure-requirement | 203 141 16 |
| 1003 1002 1001 1000 | A comparison of gene expression signatures from breast tumors and breast tissue derived cell lines. 2001, 17, 99-109 Physiological concentrations of dietary genistein dose-dependently stimulate growth of estrogen-dependent human breast cancer (MCF-7) tumors implanted in athymic nude mice. 2001, 131, 2957-62 Resveratrol inhibits human breast cancer cell growth and may mitigate the effect of linoleic acid, a potent breast cancer cell stimulator. 2001, 127, 258-64 Annomocherin, annonacin and annomontacin: a novel and two known bioactive mono-tetrahydrofuran annonaceous acetogenins from Annona cherimolia seeds. 2001, 24, 300-6 Phytoestrogens from the roots of Polygonum cuspidatum (Polygonaceae): structure-requirement of hydroxyanthraquinones for estrogenic activity. 2001, 11, 1839-42 | 203 141 16 118 |

(2002-2001)

| 995 | The evaluation of human breast lesions with magnetic resonance imaging and proton magnetic resonance spectroscopy. 2001 , 68, 45-54 | 138 |
|-----|---|-----|
| 994 | Growth inhibition and growth stimulation by estradiol of estrogen receptor transfected human breast epithelial cell lines involve different pathways. 2001 , 67, 199-214 | 42 |
| 993 | Desferri-exochelin induces death by apoptosis in human breast cancer cells but does not kill normal breast cells. 2001 , 69, 69-79 | 35 |
| 992 | GalNAc glycoprotein expression by breast cell lines, primary breast cancer and normal breast epithelial membrane. 2001 , 85, 1014-22 | 24 |
| 991 | The role of protein kinase B (PKB) in modulating heat sensitivity in a human breast cancer cell line. 2001 , 50, 1041-50 | 17 |
| 990 | Cellular mechanisms of bone resorption in breast carcinoma. 2001 , 85, 78-84 | 22 |
| 989 | Sp3 is a transcriptional repressor of transforming growth factor-beta receptors. 2001 , 276, 3348-52 | 45 |
| 988 | Regulation of CD21 expression by DNA methylation and histone deacetylation. 2001 , 13, 705-10 | 26 |
| 987 | Directing the immune response to carbohydrate antigens. 2001 , 276, 30490-8 | 29 |
| 986 | Constitutive MEK/MAPK activation leads to p27(Kip1) deregulation and antiestrogen resistance in human breast cancer cells. 2001 , 276, 40888-95 | 100 |
| 985 | Non-malignant and tumor-derived cells differ in their requirement for p27Kip1 in transforming growth factor-beta-mediated G1 arrest. 2002 , 277, 41686-92 | 18 |
| 984 | Angiotensin II stimulation of Na+/K+ATPase activity and cell growth by calcium-independent pathway in MCF-7 breast cancer cells. 2002 , 173, 315-23 | 92 |
| 983 | Identification of mRNAs differentially-expressed between benign and malignant breast tumour cells. 2002 , 87, 423-31 | 74 |
| 982 | Aminolaevulinic acid-induced photodynamic therapy: cellular responses to glucose starvation. 2002 , 86, 1343-7 | 21 |
| 981 | Karyotypic variation between independently cultured strains of the cell line MCF-7 identified by multicolour fluorescence in situ hybridization. 2002 , 20, 489-94 | 21 |
| 980 | Cancer cell contact causes oscillatory and polarized rise of cytoplasmic ionized calcium concentration in human umbilical vein endothelial cells. 2002 , 21, 541 | O |
| 979 | Ultrastructural localization of binding sites for PNA and VVA-B4 lectins in human breast cancer cell lines detected by confocal fluorescence microscopy. 2002 , 21, 1009 | |
| 0 | Ruthenium-based NAMI-A type complexes with in vivo selective metastasis reduction and in vitro | |
| 978 | invasion inhibition unrelated to cell cytotoxicity. 2002 , 21, 1331 | 7 |

| 977 | Effects of tamoxifen on human squamous cell carcinoma lines of the head and neck. 2002 , 13, 521-31 | 8 |
|-----|---|-----|
| 976 | Differential effects of n-3 and n-6 polyunsaturated fatty acids on BRCA1 and BRCA2 gene expression in breast cell lines. 2002 , 87, 281-289 | 34 |
| 975 | Optimum modification for the highest cytotoxicity of cationized ribonuclease. 2002 , 132, 223-8 | 32 |
| 974 | Retinoblastoma function is a better indicator of cellular phenotype in cultured breast adenocarcinoma cells than retinoblastoma expression. 2002 , 227, 354-62 | 10 |
| 973 | Melatonin: from basic research to cancer treatment clinics. 2002 , 20, 2575-601 | 279 |
| 972 | Exposure of human breast cancer cells to the anti-inflammatory agent indomethacin alters choline phospholipid metabolites and Nm23 expression. 2002 , 4, 409-16 | 29 |
| 971 | Intracellular flow cytometric analysis of primary cultured breast tumor cells. 2002, 20, 340-7 | 6 |
| 970 | Melatonin After Four Decades. 2002 , | 1 |
| 969 | WISP-2 is a secreted protein and can be a marker of estrogen exposure in MCF-7 cells. 2002 , 294, 602-8 | 22 |
| 968 | Expression of BRCA1 and BRCA2 in different tumor cell lines with various growth status. 2002 , 320, 101-10 | 10 |
| 967 | Rb localization and phosphorylation kinetics correlate with the cellular phenotype of cultured breast adenocarcinoma cells. 2002 , 38, 235-41 | 1 |
| 966 | Investigation of nuclear architecture with a domain-presenting expression system. 2002 , 140, 100-15 | 36 |
| 965 | Effect of tibolone (Org OD14) and its metabolites on aromatase and estrone sulfatase activity in human breast adipose stromal cells and in MCF-7 and T47D breast cancer cells. 2002 , 81, 237-47 | 23 |
| 964 | A mechanism of drug resistance to tamoxifen in breast cancer. 2002 , 83, 75-83 | 28 |
| 963 | Melatonin synergizes with retinoic acid in the prevention and regression of breast cancer. 1999 , 460, 345-62 | 6 |
| 962 | Identification of two novel elements involved in human MUC1 gene expression in vivo. 2002 , 8, 33-41 | 4 |
| 961 | Establishment and characterization of new murine breast cancer cell lines. 2002 , 335, 55-68 | 8 |
| 960 | Cluster analysis of an extensive human breast cancer cell line protein expression map database. 2002 , 2, 212-23 | 44 |

(2003-2002)

| No effect of extremely low-frequency magnetic field observed on cell growth or initial response of cell proliferation in human cancer cell lines. 2002 , 23, 355-68 | 30 |
|---|--|
| PLU-1 nuclear protein, which is upregulated in breast cancer, shows restricted expression in normal human adult tissues: a new cancer/testis antigen?. 2002 , 101, 581-8 | 180 |
| Anti-proliferative effects of 8-chloro-cAMP and other cAMP analogs are unrelated to their effects on protein kinase A regulatory subunit expression. 2002 , 192, 216-24 | 24 |
| Characterization and changes of a chromosomal-scaffolding protein in human epithelia. 2002 , 308, 193-203 | 3 |
| Influences of stroma-derived growth factors on the cytokine expression pattern of human breast cancer cell lines. 2002 , 266, 108-13 | 7 |
| Evaluation of potential regulatory elements identified as DNase I hypersensitive sites in the CFTR gene. 2002 , 269, 553-9 | 30 |
| The effects of phytochemical pesticides on the growth of cultured invertebrate and vertebrate cells. 2002 , 58, 268-76 | 38 |
| Isolation of AmphiCASP-3/7, an ancestral caspase from amphioxus (Branchiostoma floridae). Evolutionary considerations for vertebrate caspases. 2002 , 9, 1078-89 | 35 |
| The murine whey acidic protein promoter directs expression to human mammary tumors after retroviral transduction. 2002 , 9, 421-31 | 17 |
| PKB/Akt phosphorylates p27, impairs nuclear import of p27 and opposes p27-mediated G1 arrest. 2002 , 8, 1153-60 | 801 |
| Expression of the thrombin receptor PAR-1 correlates with tumour cell differentiation of pancreatic adenocarcinoma in vitro. 2002 , 19, 181-9 | 32 |
| Amplified centrosomes in breast cancer: a potential indicator of tumor aggressiveness. 2002 , 75, 25-34 | 96 |
| Investigations into the potential role of aberrant N-acetylgalactosamine glycans in tumour cell interactions with basement membrane components. 2002 , 19, 487-93 | 8 |
| In vitro Screening von Pflanzenschutzmittel-Wirkstoffen auf Etrogene AktivitEl 2002, 14, 76-84 | 1 |
| Localization of BRCA1 protein in human breast cancer cells. 2003, 79, 107-19 | 11 |
| Inositol hexaphosphate (IP6) enhances the anti-proliferative effects of adriamycin and tamoxifen in breast cancer. 2003 , 79, 301-12 | 32 |
| H-ras dependent estrogenic effects of epidermal growth factor in the estrogen-independent breast cancer cell line MDA-MB-231. 2003 , 80, 155-62 | 11 |
| Overexpression of ROCK in human breast cancer cells: evidence that ROCK activity mediates intracellular membrane traffic of lysosomes. 2003 , 9, 83-95 | 32 |
| | cell proliferation in human cancer cell lines. 2002, 23, 355-68 PLU-1 nuclear protein, which is upregulated in breast cancer, shows restricted expression in normal human adult tissues: a new cancer/testis antigenz. 2002, 101, 581-8 Anti-proliferative effects of 8-chloro-cAMP and other cAMP analogs are unrelated to their effects on protein kinase A regulatory subunit expression. 2002, 192, 216-24 Characterization and changes of a chromosomal-scaffolding protein in human epithelia. 2002, 308, 193-203 Influences of stroma-derived growth factors on the cytokine expression pattern of human breast cancer cell lines. 2002, 266, 108-13 Evaluation of potential regulatory elements identified as DNase I hypersensitive sites in the CFTR gene. 2002, 269, 553-9 The effects of phytochemical pesticides on the growth of cultured invertebrate and vertebrate cells. 2002, 58, 268-76 Isolation of AmphiCASP-3/7, an ancestral caspase from amphioxus (Branchiostoma floridae). Evolutionary considerations for vertebrate caspases. 2002, 9, 1078-89 The murine whey acidic protein promoter directs expression to human mammary tumors after retroviral transduction. 2002, 9, 421-31 PKB/Akt phosphorylates p27, impairs nuclear import of p27 and opposes p27-mediated G1 arrest. 2002, 8, 1153-60 Expression of the thrombin receptor PAR-1 correlates with tumour cell differentiation of pancreatic adenocarcinoma in vitro. 2002, 19, 181-9 Amplified centrosomes in breast cancer: a potential indicator of tumor aggressiveness. 2002, 75, 25-34 Investigations into the potential role of aberrant N-acetylgalactosamine glycans in tumour cell interactions with basement membrane components. 2002, 19, 487-93 In vitro Screening von Pflanzenschutzmittel-Wirkstoffen auf Btrogene Aktivitil 2002, 14, 76-84 Localization of BRCA1 protein in human breast cancer cells. 2003, 79, 107-19 Inositol hexaphosphate (IP6) enhances the anti-proliferative effects of adriamycin and tamoxifen in breast cancer. 2003, 79, 301-12 H-ras dependent estrogenic effects of epider |

| 941 | Genetic variability in MCF-7 sublines: evidence of rapid genomic and RNA expression profile modifications. 2003 , 3, 13 | 63 |
|-----|--|-----|
| 940 | Allelic imbalance at 11p15.5-15.4 correlated with c-Ha-ras mutation during radiation-induced neoplastic transformation of human breast epithelial cells. 2003 , 103, 730-7 | 31 |
| 939 | Dysregulated PTEN-PKB and negative receptor status in human breast cancer. 2003 , 104, 195-203 | 76 |
| 938 | Structure-activity studies of novel amidine analogues of chlorambucil: correlation of cytotoxic activity with DNA-binding affinity and topoisomerase II inhibition. 2003 , 336, 293-9 | 12 |
| 937 | Characterization of antibody binding to three cancer-related antigens using flow cytometry and cell tracking velocimetry. 2003 , 82, 340-51 | 24 |
| 936 | Weightlessness acts on human breast cancer cell line MCF-7. 2003 , 32, 1595-603 | 35 |
| 935 | Synthesis, characterization and in vitro anti-invasive activity screening of polyphenolic and heterocyclic compounds. 2003 , 11, 913-29 | 41 |
| 934 | Pharmacogenetic heterogeneity of transgene expression in muscle and tumours. 2003 , 3, 11 | 5 |
| 933 | 17beta-Estradiol responsiveness of MCF-7 laboratory strains is dependent on an autocrine signal activating the IGF type I receptor. 2003 , 3, 10 | 25 |
| 932 | Effects of estrogen on cell cycle progression and associated metabolic pathways in normal and tumorigenic breast cells. 2003 , 3, 9-16 | 3 |
| 931 | SR31747A is a sigma receptor ligand exhibiting antitumoural activity both in vitro and in vivo. 2003 , 88, 438-46 | 29 |
| 930 | Radiosensitivity of human tumour cells is correlated with the induction but not with the repair of DNA double-strand breaks. 2003 , 89, 593-601 | 54 |
| 929 | SELENOMETHIONINE PROTECTS AGAINST ADVERSE BIOLOGICAL EFFECTS INDUCED BY SPACE RADIATION. 2003 , | |
| 928 | Glycosylation of human pancreatic ribonuclease: differences between normal and tumor states. 2003 , 13, 227-44 | 52 |
| 927 | Extracellular acidification alters lysosomal trafficking in human breast cancer cells. 2003, 5, 533-45 | 207 |
| 926 | Analysis of CUL-5 expression in breast epithelial cells, breast cancer cell lines, normal tissues and tumor tissues. 2003 , 2, 40 | 43 |
| 925 | Parametric MRI of Water Diffusion in Breast Cancer. 2003 , 43, 103-114 | 2 |
| 924 | Antiestrogens and selective estrogen receptor modulators as multifunctional medicines. 1. Receptor interactions. 2003 , 46, 883-908 | 357 |

(2003-2003)

| 923 | Two new epimeric pairs of acetogenins bearing a carbonyl group from Annona cherimolia seeds. 2003 , 66, 1369-72 | 24 |
|-----|--|-----|
| 922 | Estrogen-induced genes, WISP-2 and pS2, respond divergently to protein kinase pathway. 2003 , 309, 272-8 | 21 |
| 921 | Characterization of a plasma membrane-resident albumin-binding protein associated with the proliferation of estrogen-target, serum-sensitive cells. 2003 , 68, 487-96 | 8 |
| 920 | Studies on the development of resistance to the pure antiestrogen Faslodex in three human breast cancer cell lines. 2003 , 85, 33-47 | 38 |
| 919 | Evaluation of the estrogenic effects of legume extracts containing phytoestrogens. 2003, 51, 2193-9 | 171 |
| 918 | Breast cancer cell lines: friend or foe?. 2003 , 5, 89-95 | 189 |
| 917 | A role for LIM kinase in cancer invasion. 2003 , 100, 7247-52 | 170 |
| 916 | Large effects from small exposures. I. Mechanisms for endocrine-disrupting chemicals with estrogenic activity. 2003 , 111, 994-1006 | 658 |
| 915 | Endometrial receptivity: selective adhesion competence of rabbit uterine epithelium for trophoblast but not for various tumor cells. 2003 , 173, 204-16 | 6 |
| 914 | Effects of the phytoestrogens genistein and daidzein on BRCA2 tumor suppressor gene expression in breast cell lines. 2003 , 45, 247-55 | 36 |
| 913 | Adaptation of the dichlorofluorescein assay for detection of radiation-induced oxidative stress in cultured cells. 2003 , 160, 622-30 | 57 |
| 912 | The expression of P-glycoprotein does influence the distribution of novel fluorescent compounds in solid tumour models. 2003 , 89, 1581-9 | 43 |
| 911 | Resveratrol increases BRCA1 and BRCA2 mRNA expression in breast tumour cell lines. 2003 , 89, 168-72 | 38 |
| 910 | Recycling of vitamin C by a bystander effect. 2003 , 278, 10128-33 | 116 |
| 909 | Dose dependence of the growth rate of multicellular tumour spheroids after irradiation. 2003, 76, 109-16 | 8 |
| 908 | Estrogen receptor/Sp1 complexes are required for induction of cad gene expression by 17beta-estradiol in breast cancer cells. 2003 , 144, 2325-35 | 79 |
| 907 | Apoptosis, chemoresistance, and breast cancer: insights from the MCF-7 cell model system. 2003 , 228, 995-1003 | 184 |
| 906 | Elevated 80K-H Protein in Breast Cancer: A Role for FGF-1 Stimulation of 80K-H. 2003 , 18, 89-98 | 10 |
| | | |

| 905 | Evaluation of Endocrine-Disrupting Activity of Multiple Contaminated Samples Using E-Screen Test. 2003 , 26, 769-773 | 1 |
|-----|---|-----|
| 904 | A Novel Method of Imaging Lysosomes in Living Human Mammary Epithelial Cells. 2003 , 2, 153535002003021 | 2 |
| 903 | A novel estrogen receptor alpha-associated protein alters receptor-deoxyribonucleic acid interactions and represses receptor-mediated transcription. 2004 , 18, 2649-59 | 30 |
| 902 | HOXA10 regulates p53 expression and matrigel invasion in human breast cancer cells. 2004 , 3, 568-72 | 93 |
| 901 | Pronounced antitumor efficacy by extracellular activation of a doxorubicin-glucuronide prodrug after adenoviral vector-mediated expression of a human antibody-enzyme fusion protein. 2004 , 15, 229-38 | 14 |
| 900 | Characterization of new estrogen receptor destabilizing compounds: effects on estrogen-sensitive and tamoxifen-resistant breast cancer. <i>Journal of the National Cancer Institute</i> , 2004 , 96, 210-8 | 71 |
| 899 | Cell surface expression of epidermal growth factor receptor and Her-2 with nuclear expression of Her-4 in primary osteosarcoma. 2004 , 64, 2047-53 | 125 |
| 898 | A human cytotoxic T-lymphocyte epitope and its agonist epitope from the nonvariable number of tandem repeat sequence of MUC-1. 2004 , 10, 2139-49 | 57 |
| 897 | Human chorionic gonadotropin decreases proliferation and invasion of breast cancer MCF-7 cells by inhibiting NF-kappaB and AP-1 activation. 2004 , 279, 25503-10 | 45 |
| 896 | The role of p53 in the chemotherapeutic responses to cisplatin, doxorubicin and 5-fluorouracil treatment. 2004 , 24, 115 | 1 |
| 895 | The art and design of genetic screens: mammalian culture cells. 2004 , 5, 179-89 | 85 |
| 894 | Increased risk of malignant progression in benign proliferating breast lesions defined by expression of heat shock protein 27. 2004 , 90, 182-8 | 39 |
| 893 | Lecithinized copper,zinc-superoxide dismutase as a protector against doxorubicin-induced cardiotoxicity in mice. 2004 , 194, 180-8 | 29 |
| 892 | Selenomethionine protects against adverse biological effects induced by space radiation. 2004 , 36, 259-66 | 52 |
| 891 | A methylester of the glucuronide prodrug DOX-GA3 for improvement of tumor-selective chemotherapy. 2004 , 68, 2273-81 | 25 |
| 890 | Breast carcinoma cell lysate-pulsed dendritic cells cross-prime MUC1-specific CD8+ T cells identified by peptide-MHC-class-I tetramers. 2004 , 231, 112-25 | 19 |
| 889 | Relevance of breast cancer cell lines as models for breast tumours: an update. 2004 , 83, 249-89 | 602 |
| 888 | Perillyl alcohol inhibits human breast cancer cell growth in vitro and in vivo. 2004 , 84, 251-60 | 54 |

| 887 | Estrogen responsiveness of IBEP-2, a new human cell line derived from breast carcinoma. 2004 , 86, 39-53 | 15 |
|-----|--|-----|
| 886 | The experimental antitumor agents Phortress and doxorubicin are equiactive against human-derived breast carcinoma xenograft models. 2004 , 87, 97-107 | 35 |
| 885 | Effect of oil-in-water emulsions on 5-aminolevulinic acid uptake and metabolism to PpIX in cultured MCF-7 cells. 2004 , 21, 2253-60 | 2 |
| 884 | Inhibition of proliferation of human breast cancer MCF-7 cells by small interference RNA against LRP16 gene. 2004 , 16, 239-245 | 2 |
| 883 | Reduced levels of XPA, ERCC1 and XPF DNA repair proteins in testis tumor cell lines. 2004, 110, 352-61 | 154 |
| 882 | Breast cancer metastatic potential: correlation with increased heterotypic gap junctional intercellular communication between breast cancer cells and osteoblastic cells. 2004 , 111, 693-7 | 62 |
| 881 | Imbalance of antioxidant enzymes in tumor cells and inhibition of proliferation and malignant features by scavenging hydrogen peroxide. 2004 , 39, 103-13 | 62 |
| 880 | Analyzing factorial designed microarray experiments. 2004 , 90, 19-43 | 17 |
| 879 | Copper(II) Schiff base coordination compounds of dien with heterocyclic aldehydes and 2-amino-5-methyl-thiazole: synthesis, characterization, antiproliferative and antibacterial studies. Crystal structure of CudienOOCl2. 2004 , 98, 1271-83 | 68 |
| 878 | Differential effects of toremifene on doxorubicin, vinblastine and Tc-99m-sestamibi in P-glycoprotein-expressing breast and head and neck cancer cell lines. 2004 , 43, 443-52 | 10 |
| 877 | DNA binding of methyl-CpG-binding protein MeCP2 in human MCF7 cells. 2004 , 43, 5011-21 | 31 |
| 876 | Proteomic phenotyping: metastatic and invasive breast cancer. 2004 , 210, 245-53 | 29 |
| 875 | The effects of lycopene on the proliferation of human breast cells and BRCA1 and BRCA2 gene expression. 2004 , 40, 1768-75 | 40 |
| 874 | Effect on ribonucleotide reductase of novel lipophilic iron chelators: the desferri-exochelins. 2004 , 315, 595-8 | 23 |
| 873 | Invasiveness of breast carcinoma cells and transcript profile: Eph receptors and ephrin ligands as molecular markers of potential diagnostic and prognostic application. 2004 , 318, 882-92 | 136 |
| 872 | Distinct stress and cell destruction pathways are engaged by TNF and ceramide during apoptosis of MCF-7 cells. 2004 , 294, 523-33 | 19 |
| 871 | From ligand structure to biological activity: modified estratrienes and their estrogenic and antiestrogenic effects in MCF-7 cells. 2004 , 69, 401-18 | 26 |
| 870 | TCDD and PCBs inhibit breast cancer cell proliferation in vitro. 2004 , 18, 811-9 | 23 |

| 869 | The effect of the new SERM arzoxifene on growth and gene expression in MCF-7 breast cancer cells. 2004 , 219, 27-36 | 20 |
|-----|---|-----|
| 868 | Ligand-independent and agonist-mediated degradation of estrogen receptor-alpha in breast carcinoma cells: evidence for distinct degradative pathways. 2004 , 227, 53-65 | 19 |
| 867 | The proliferative effects of 5-androstene-3 beta,17 beta-diol and 5 alpha-dihydrotestosterone on cell cycle analysis and cell proliferation in MCF7, T47D and MDAMB231 breast cancer cell lines. 2004 , 88, 37-51 | 34 |
| 866 | beta-Sitosterol, beta-Sitosterol Glucoside, and a Mixture of beta-Sitosterol and beta-Sitosterol Glucoside Modulate the Growth of Estrogen-Responsive Breast Cancer Cells In Vitro and in Ovariectomized Athymic Mice. 2004 , 134, 1145-51 | 108 |
| 865 | Identification of the major promoter and non-coding exons of the human arylamine N-acetyltransferase 1 gene (NAT1). 2004 , 14, 397-406 | 47 |
| 864 | Protein arginine methylation during lytic adenovirus infection. 2004 , 383, 259-65 | 28 |
| 863 | HNF1alpha is involved in tissue-specific regulation of CFTR gene expression. 2004 , 378, 909-18 | 56 |
| 862 | Usefulness of tyrosine hydroxylase mRNA for diagnosis and detection of minimal residual disease in neuroblastoma. 2004 , 27, 315-8 | 9 |
| 861 | New anti-invasive compounds: Results from the Indo-Belgian screening program. 2005, 77, 65-74 | 9 |
| 860 | Models of hormone resistance in vitro and in vivo. 2006 , 120, 453-64 | 3 |
| 859 | Subculture and Cell Lines. 2005, | 3 |
| 858 | Whey acidic protein (WAP) depresses the proliferation of mouse (MMT) and human (MCF-7) mammary tumor cells. 2005 , 51, 649-56 | 12 |
| 857 | Biology of Cultured Cells. 2005 , | 1 |
| 856 | Synthesis of redox-active ferrocene pyrazole conjugates and their cytotoxicity in human mammary adenocarcinoma MCF-7 cells. 2005 , 358, 3183-3189 | 42 |
| 855 | Microwave mediated synthesis of spiro-(indoline-isoxazolidines): mechanistic study and biological activity evaluation. 2005 , 61, 5687-5697 | 54 |
| 854 | Prediction of doxorubicin sensitivity in breast tumors based on gene expression profiles of drug-resistant cell lines correlates with patient survival. 2005 , 24, 7542-51 | 62 |
| 853 | Selective induction of apoptosis in melanoma cells by tyrosinase promoter-controlled CD95 ligand overexpression. 2005 , 124, 221-8 | 24 |
| 852 | Sumoylation of internally initiated Sp3 isoforms regulates transcriptional repression via a Trichostatin A-insensitive mechanism. 2005 , 17, 153-66 | 27 |

(2005-2005)

| 851 | Detection and quantification of circulating tumor cells in mouse models of human breast cancer using immunomagnetic enrichment and multiparameter flow cytometry. 2005 , 65, 4-14 | 73 |
|-----|---|-----|
| 850 | Mitogenicity of human fibroblasts in vivo for human breast cancer cells. 1987 , 74, 227-9 | 71 |
| 849 | Lipids in breast carcinogenesis. 1989 , 76, 1069-73 | 73 |
| 848 | The unexpected formation of biologically active Cu(II) Schiff mono-base complexes with 2-thiophene-carboxaldehyde and dipropylenetriamine: crystal and molecular structure of CudptaSCl2. 2005 , 99, 467-76 | 48 |
| 847 | Down-regulation of Bcl-2 enhances estrogen apoptotic action in long-term estradiol-depleted ER(+) breast cancer cells. 2005 , 10, 667-78 | 42 |
| 846 | Review of Molecular Biology of Human Cancers (An Advanced Student Text, by Wolfgang Schulz (Department of Urology and Center for Biological and Medical Research, Heinrich Heine University, DEseldorf) ISBN 1-4020-3185-8. 2005 , 10, 679-680 | |
| 845 | Effect of histone H1 on estrogen receptor status of human breast cancer MCF 7 cells. 2005, 272, 151-5 | 2 |
| 844 | Effect of organ-specific fibroblasts on proliferation and differentiation of breast cancer cells. 2005 , 90, 307-13 | 29 |
| 843 | The expression of neurokinin-1 and preprotachykinin-1 in breast cancer cells depends on the relative degree of invasive and metastatic potential. 2005 , 22, 621-8 | 23 |
| 842 | Transcriptional control of cell density dependent regulation of matrix metalloproteinase and TIMP expression in breast cancer cell lines. 2005 , 93, 761-9 | 11 |
| 841 | Mechanism of transcriptional regulation of LRP16 gene expression by 17-beta estradiol in MCF-7 human breast cancer cells. 2005 , 34, 77-89 | 31 |
| 840 | Cleavable ErbB4 isoform in estrogen receptor-regulated growth of breast cancer cells. 2005 , 65, 1384-93 | 153 |
| 839 | Human homologue of cement gland protein, a novel metastasis inducer associated with breast carcinomas. 2005 , 65, 3796-805 | 189 |
| 838 | Integrative analysis of gene expression patterns predicts specific modulations of defined cell functions by estrogen and tamoxifen in MCF7 breast cancer cells. 2005 , 34, 61-75 | 29 |
| 837 | c-Myc suppresses p21WAF1/CIP1 expression during estrogen signaling and antiestrogen resistance in human breast cancer cells. 2005 , 280, 17617-25 | 82 |
| 836 | Intrinsic mechanism of estradiol-induced apoptosis in breast cancer cells resistant to estrogen deprivation. <i>Journal of the National Cancer Institute</i> , 2005 , 97, 1746-59 | 200 |
| 835 | Analyses of recombinant vaccinia and fowlpox vaccine vectors expressing transgenes for two human tumor antigens and three human costimulatory molecules. 2005 , 11, 1597-607 | 38 |
| 834 | Phenolic esters from the rhizomes of Cimicifuga racemosa do not cause proliferation effects in MCF-7 cells. 2005 , 71, 495-500 | 37 |
| | | |

| 833 | Standardization of a fluorometric assay for measuring oxidative stress in irradiated cells. 2005, 163, 232-40 | 35 |
|-----|--|-----|
| 832 | Detection of oxidative stress induced by low- and high-linear energy transfer radiation in cultured human epithelial cells. 2005 , 163, 364-8 | 31 |
| 831 | Docetaxel induces cell death through mitotic catastrophe in human breast cancer cells. 2005 , 4, 1495-504 | 204 |
| 830 | S-adenosylhomocysteine metabolism in different cell lines: effect of hypoxia and cell density. 2005 , 15, 233-44 | 17 |
| 829 | Beta catenin is associated with breast cancer progression in vitro. 2005 , 26, 913 | |
| 828 | Cis-retinol dehydrogenase: 9-cis-retinol metabolism and its effect on proliferation of human MCF7 breast cancer cells. 2005 , 303, 183-96 | 11 |
| 827 | Cell density-dependent regulation of matrix metalloproteinase and TIMP expression in differently tumorigenic breast cancer cell lines. 2005 , 305, 83-98 | 36 |
| 826 | MZF-1 and DbpA interact with DNase I hypersensitive sites that correlate with expression of the human MUC1 mucin gene. 2005 , 308, 41-52 | 9 |
| 825 | Construction of prostate-specific expressed recombinant plasmids with high transcriptional activity of prostate-specific membrane antigen (PSMA) promoter/enhancer. 2005 , 26, 215-21 | 13 |
| 824 | Asimitrin and 4-hydroxytrilobin, new bioactive annonaceous acetogenins from the seeds of Asimina triloba possessing a bis-tetrahydrofuran ring. 2005 , 68, 194-7 | 17 |
| 823 | Global protein shotgun expression profiling of proliferating mcf-7 breast cancer cells. 2005, 4, 674-89 | 31 |
| 822 | RNA interference-mediated choline kinase suppression in breast cancer cells induces differentiation and reduces proliferation. 2005 , 65, 11034-43 | 149 |
| 821 | Proteomic analysis of ubiquitinated proteins from human MCF-7 breast cancer cells by immunoaffinity purification and mass spectrometry. 2005 , 4, 2192-200 | 89 |
| 820 | Solution isoelectric focusing for peptide analysis: comparative investigation of an insoluble nuclear protein fraction. 2005 , 4, 2126-32 | 20 |
| 819 | Synthesis of 6'-O-lissamine-rhodamine B-glucosamine as a novel probe for fluorescence imaging of lysosomes in breast tumors. 2005 , 16, 843-51 | 32 |
| 818 | Proteomic evidence for roles for nucleolin and poly[ADP-ribosyl] transferase in drug resistance. 2005 , 4, 1583-91 | 27 |
| 817 | A vital role for Ape1/Ref1 protein in repairing spontaneous DNA damage in human cells. 2005 , 17, 463-70 | 233 |
| 816 | Effect of histone H1 on the cytosolic calcium levels in human breast cancer MCF 7 cells. 2005 , 76, 2631-41 | 5 |

(2006-2005)

| 815 | Induction of apoptosis in breast cancer cells by apomine is mediated by caspase and p38 mitogen activated protein kinase activation. 2005 , 329, 772-9 | 13 |
|-----|---|------|
| 814 | HPA binding and metastasis formation of human breast cancer cell lines transplanted into severe combined immunodeficient (scid) mice. 2005 , 219, 233-42 | 21 |
| 813 | Optical deformability as an inherent cell marker for testing malignant transformation and metastatic competence. 2005 , 88, 3689-98 | 1018 |
| 812 | Radiolabeled small-molecule ligands for prostate-specific membrane antigen: in vivo imaging in experimental models of prostate cancer. 2005 , 11, 4022-8 | 208 |
| 811 | Breast Cancer Research Protocols. 2006 , | 2 |
| 810 | Protection against adverse biological effects induced by space radiation by the Bowman-Birk inhibitor and antioxidants. 2006 , 166, 327-32 | 28 |
| 809 | In vitro effects of bovine dialyzable leukocyte extract (bDLE) in cancer cells. 2006 , 8, 408-14 | 21 |
| 808 | Transcription profile of a human breast cancer cell line expressing MMTV-like sequences. 2006 , 1, 7 | 12 |
| 807 | Equol: a comparison of the effects of the racemic compound with that of the purified S-enantiomer on the growth, invasion, and DNA integrity of breast and prostate cells in vitro. 2006 , 54, 232-42 | 42 |
| 806 | Chemical and biological differentiation of three human breast cancer cell types using time-of-flight secondary ion mass spectrometry. 2006 , 78, 3651-8 | 64 |
| 805 | Molecular mechanisms of PKCalpha localization and activation by arachidonic acid. The C2 domain also plays a role. 2006 , 357, 1105-20 | 32 |
| 804 | WPRE-mediated enhancement of gene expression is promoter and cell line specific. 2006, 372, 153-61 | 54 |
| 803 | Soya phytonutrients act on a panel of genes implicated with BRCA1 and BRCA2 oncosuppressors in human breast cell lines. 2006 , 95, 406-13 | 26 |
| 802 | Correlations between the activities of 19 anti-tumor agents and the intracellular glutathione concentrations in a panel of 14 human cancer cell lines: comparisons with the National Cancer Institute data. 2006 , 17, 41-51 | 87 |
| 801 | Essential erbB family phosphorylation in osteosarcoma as a target for CI-1033 inhibition. 2006 , 46, 614-23 | 43 |
| 800 | Proteomic analysis of estrogen response of premalignant human breast cells using a 2-D liquid separation/mass mapping technique. 2006 , 6, 3847-61 | 21 |
| 799 | Breast cyst fluids increase the proliferation of breast cell lines in correlation with their hormone and growth factor concentration. 2006 , 64, 20-8 | 3 |
| 798 | Modulation of HER2 expression by ferulic acid on human breast cancer MCF7 cells. 2006 , 36, 588-96 | 58 |

| 797 | Prognostic impact of multidrug resistance gene expression on the management of breast cancer in the context of adjuvant therapy based on a series of 171 patients. 2006 , 94, 473-80 | 41 |
|------------------|--|-----|
| 796 | Significance of the metastasis-inducing protein AGR2 for outcome in hormonally treated breast cancer patients. 2006 , 94, 1057-65 | 124 |
| 795 | DNA methylation-dependent silencing of CST6 in human breast cancer cell lines. 2006 , 86, 1233-42 | 43 |
| 794 | Protection against radiation-induced oxidative stress in cultured human epithelial cells by treatment with antioxidant agents. 2006 , 64, 1475-81 | 62 |
| 793 | Human breast cell lines exhibit functional alpha2-adrenoceptors. 2006 , 58, 50-61 | 55 |
| 792 | Histone H1 inhibits the proliferation of MCF 7 and MDA MB 231 human breast cancer cells. 2006 , 30, 326-31 | 5 |
| 791 | Distribution of breakpoints on chromosome 18 in breast, colorectal, and pancreatic carcinoma cell lines. 2006 , 164, 97-109 | 17 |
| 790 | Vanadium mediated apoptosis and cell cycle arrest in MCF7 cell line. 2006, 163, 239-47 | 56 |
| 789 | Estrogen-signaling pathway: a link between breast cancer and melatonin oncostatic actions. 2006 , 30, 118-28 | 131 |
| 788 | Statistical analysis of an RNA titration series evaluates microarray precision and sensitivity on a whole-array basis. 2006 , 7, 511 | 16 |
| 787 | Hyperthermia engages the intrinsic apoptotic pathway by enhancing upstream caspase activation to overcome apoptotic resistance in MCF-7 breast adenocarcinoma cells. 2006 , 98, 356-69 | 19 |
| 786 | Biphasic effects of zeranol on the growth of estrogen receptor-positive human breast carcinoma cells. 2006 , 16, 1307 | 2 |
| 7 ⁸ 5 | GnRH-II agonist [D-Lys6]GnRH-II inhibits the EGF-induced mitogenic signal transduction in human endometrial and ovarian cancer cells. 2006 , 29, 1223 | 6 |
| 7 ⁸ 4 | Combination of suboptimal doses of inhibitors targeting different domains of LtrMDR1 efficiently overcomes resistance of Leishmania spp. to Miltefosine by inhibiting drug efflux. 2006 , 50, 3102-10 | 40 |
| 783 | Chemoenzymatically synthesized multimeric Tn/STn MUC1 glycopeptides elicit cancer-specific anti-MUC1 antibody responses and override tolerance. 2006 , 16, 96-107 | 204 |
| 782 | Adenovirus E4orf4 hijacks rho GTPase-dependent actin dynamics to kill cells: a role for endosome-associated actin assembly. 2006 , 17, 3329-44 | 32 |
| 781 | Proteolytic cleavage and phosphorylation of a tumor-associated ErbB4 isoform promote ligand-independent survival and cancer cell growth. 2006 , 17, 67-79 | 114 |
| 780 | Genistein stimulates growth of human breast cancer cells in a novel, postmenopausal animal model, with low plasma estradiol concentrations. 2006 , 27, 1292-9 | 95 |

(2007-2006)

| 779 | Prognostic significance of the expression of SR-A1, encoding a novel SR-related CTD-associated factor, in breast cancer. 2006 , 387, 1613-8 | 5 |
|-----|--|-----|
| 778 | Disrupting the entry barrier and attacking brain tumors: the role of the Neisseria H.8 epitope and the Laz protein. 2006 , 5, 1633-41 | 25 |
| 777 | Effects of dietary daidzein and its metabolite, equol, at physiological concentrations on the growth of estrogen-dependent human breast cancer (MCF-7) tumors implanted in ovariectomized athymic mice. 2006 , 27, 856-63 | 117 |
| 776 | Protein tyrosine phosphatase PRL-3 in malignant cells and endothelial cells: expression and function. 2006 , 5, 219-29 | 59 |
| 775 | The nature of telomere fusion and a definition of the critical telomere length in human cells. 2007 , 21, 2495-508 | 191 |
| 774 | A 24-phenylsulfone analog of vitamin D inhibits 1alpha,25-dihydroxyvitamin D(3) degradation in vitamin D metabolism-competent cells. 2007 , 320, 1119-26 | 23 |
| 773 | Stereoselective synthesis of bis-steroidal pyrazine derivatives. 2007 , 21, 91-9 | 5 |
| 772 | Contribution of KCNQ1 to the regulatory volume decrease in the human mammary epithelial cell line MCF-7. 2007 , 293, C1010-9 | 39 |
| 771 | Steroid-mediated regulation of the epithelial sodium channel subunits in mammary epithelial cells. 2007 , 148, 3958-67 | 16 |
| 770 | Immunohistochemical expression of RARalpha, RARbeta, and Cx43 in breast tumor cell lines after treatment with lycopene and correlation with RT-QPCR. 2007 , 55, 877-83 | 24 |
| 769 | Diastereomeric selective effects of double-stranded peptides conjugated with -Phe-Phe- residue for growth inhibition and permeability of Ca(2+) on A431, src(ts)NRK, and A549 cells proliferation. 2007 , 55, 7-14 | 1 |
| 768 | Methionine inhibits cellular growth dependent on the p53 status of cells. 2007 , 193, 274-83 | 17 |
| 767 | Selective radiosensitization by nitric oxide in tumor cell lines. 2007, 248, 123-30 | 12 |
| 766 | 1alpha,25-dihydroxyvitamin D3 downregulates CYP27B1 and induces CYP24A1 in colon cells. 2007 , 263, 55-64 | 64 |
| 765 | Association of estrogen receptor-alpha and progesterone receptor A expression with hormonal mammary carcinogenesis: role of the host microenvironment. 2007 , 9, R22 | 17 |
| 764 | Comparison of level of NKG2D ligands between normal and tumor tissue using multiplex RT-PCR. 2007 , 25, 299-307 | 22 |
| 763 | Tamoxifen. 2007 , 83-102 | 1 |
| 762 | Investigation and molecular mimicry of the antigen involved in the interaction between the monoclonal antibody 5D10 and the human breast cancer cell line MCF-7. 2007 , 97, 721-34 | 3 |

| 761 | Metabolic signature of breast cancer cell line MCF-7: profiling of modified nucleosides via LC-IT MS coupling. 2007 , 8, 25 | 33 |
|---------------------------------|---|----------------|
| 760 | Cell growth inhibitory action of an unusual labdane diterpene, 13-epi-sclareol in breast and uterine cancers in vitro. 2007 , 21, 1105-8 | 24 |
| 759 | 2-DE analysis of a new human cell line EM-G3 derived from breast cancer progenitor cells and comparison with normal mammary epithelial cells. 2007 , 7, 1549-59 | 17 |
| 758 | Effect of ultrasound-activated microbubbles on the cell electrophysiological properties. 2007 , 33, 158-63 | 78 |
| 757 | Involvement of CD147 in regulation of multidrug resistance to P-gp substrate drugs and in vitro invasion in breast cancer cells. 2007 , 98, 1064-9 | 53 |
| 756 | Expression profiling by whole-genome microarray hybridization reveals differential gene expression in breast cancer cell lines after lycopene exposure. 2007 , 1769, 124-30 | 30 |
| 755 | Effects of (R,S)/(S,R)-4,5-bis(2-chloro-4-hydroxyphenyl)-2-imidazolines and (R,S)/(S,R)-2,3-bis(2-chloro-4-hydroxyphenyl)piperazines on estrogen receptor alpha level and transcriptional activity in MCF-7 cells. 2007 , 74, 1029-38 | 10 |
| 754 | Coagulation factor Xa drives tumor cells into apoptosis through BH3-only protein Bim up-regulation. 2007 , 313, 2622-33 | 23 |
| 753 | Lewis x antigen mediates adhesion of human breast carcinoma cells to activated endothelium. Possible involvement of the endothelial scavenger receptor C-type lectin. 2007 , 101, 161-74 | 42 |
| | | |
| 75² | CCL2 (Monocyte Chemoattractant Protein-1) in cancer bone metastases. 2006 , 25, 611-9 | 133 |
| 75 ² | CCL2 (Monocyte Chemoattractant Protein-1) in cancer bone metastases. 2006 , 25, 611-9 A novel in vitro three-dimensional skeletal muscle model. 2007 , 43, 255-63 | 133 16 |
| | | |
| 75 ¹ | A novel in vitro three-dimensional skeletal muscle model. 2007 , 43, 255-63 Global correlation analysis for micro-RNA and mRNA expression profiles in human cell lines. 2008 , | 16 |
| 75 ¹ | A novel in vitro three-dimensional skeletal muscle model. 2007, 43, 255-63 Global correlation analysis for micro-RNA and mRNA expression profiles in human cell lines. 2008, 53, 515 The antitumor activity of an anti-CD54 antibody in SCID mice xenografted with human breast, | 16 72 |
| 751 750 749 | A novel in vitro three-dimensional skeletal muscle model. 2007, 43, 255-63 Global correlation analysis for micro-RNA and mRNA expression profiles in human cell lines. 2008, 53, 515 The antitumor activity of an anti-CD54 antibody in SCID mice xenografted with human breast, prostate, non-small cell lung, and pancreatic tumor cell lines. 2008, 123, 2438-45 Proteomic analysis of MCF-7 cells treated with benzo[a]pyrene, dibenzo[a,l]pyrene, coal tar extract, | 16 72 26 |
| 751 750 749 748 | A novel in vitro three-dimensional skeletal muscle model. 2007, 43, 255-63 Global correlation analysis for micro-RNA and mRNA expression profiles in human cell lines. 2008, 53, 515 The antitumor activity of an anti-CD54 antibody in SCID mice xenografted with human breast, prostate, non-small cell lung, and pancreatic tumor cell lines. 2008, 123, 2438-45 Proteomic analysis of MCF-7 cells treated with benzo[a]pyrene, dibenzo[a,l]pyrene, coal tar extract, and diesel exhaust extract. 2008, 249, 1-10 Integral assessment of estrogenic potentials of sediment-associated samples. Part 1: The influence | 16 72 26 27 |
| 75 ¹ 75° 749 748 747 | A novel in vitro three-dimensional skeletal muscle model. 2007, 43, 255-63 Global correlation analysis for micro-RNA and mRNA expression profiles in human cell lines. 2008, 53, 515 The antitumor activity of an anti-CD54 antibody in SCID mice xenografted with human breast, prostate, non-small cell lung, and pancreatic tumor cell lines. 2008, 123, 2438-45 Proteomic analysis of MCF-7 cells treated with benzo[a]pyrene, dibenzo[a,l]pyrene, coal tar extract, and diesel exhaust extract. 2008, 249, 1-10 Integral assessment of estrogenic potentials of sediment-associated samples. Part 1: The influence of salinity on the in vitro tests ELRA, E-Screen and YES. 2008, 15, 75-83 Alteration of Akt activity increases chemotherapeutic drug and hormonal resistance in breast | 16 72 26 27 16 |

(2008-2008)

| 743 | Augmented transgene expression in transformed cells using a parvoviral hybrid vector. 2008 , 15, 252-67 | 7 |
|-----------------------------------|--|---------------------|
| 742 | MMP-7 is involved in the aging of primary human mammary epithelial cells (HMEC). 2008 , 43, 209-17 | 26 |
| 741 | Nitrophenols isolated from diesel exhaust particles promote the growth of MCF-7 breast adenocarcinoma cells. 2008 , 230, 320-6 | 12 |
| 740 | PMC42, a breast progenitor cancer cell line, has normal-like mRNA and microRNA transcriptomes. 2008 , 10, R54 | 21 |
| 739 | Endothelial capillary tube formation and cell proliferation induced by tumor cells are affected by low molecular weight heparins and unfractionated heparin. 2008 , 121, 637-45 | 70 |
| 738 | Apoptosis/necrosis switch in two different cancer cell lines: influence of benzoquinone- and hydrogen peroxide-induced oxidative stress intensity, and glutathione. 2008 , 22, 1547-54 | 44 |
| 737 | A dietary supplement for female sexual dysfunction, Avlimil, stimulates the growth of estrogen-dependent breast tumors (MCF-7) implanted in ovariectomized athymic nude mice. 2008 , 46, 310-20 | 13 |
| 736 | 3-Chloromethylpyridyl bipyridine fac-tricarbonyl rhenium: a thiol-reactive luminophore for fluorescence microscopy accumulates in mitochondria. 2008 , 32, 1097 | 142 |
| 735 | The biochemical and functional food properties of the bowman-birk inhibitor. 2008, 48, 94-118 | 126 |
| | | |
| 734 | Characterization of cell membrane response to ultrasound activated microbubbles. 2008, 55, 43-9 | 36 |
| 734733 | Characterization of cell membrane response to ultrasound activated microbubbles. 2008 , 55, 43-9 Breast Cancer. 2008 , | 36 |
| | | |
| 733 | Breast Cancer. 2008, Low concentrations of the soy phytoestrogen genistein induce proteinase inhibitor 9 and block | 3 |
| 733 732 | Breast Cancer. 2008, Low concentrations of the soy phytoestrogen genistein induce proteinase inhibitor 9 and block killing of breast cancer cells by immune cells. 2008, 149, 5366-73 A sequence-level map of chromosomal breakpoints in the MCF-7 breast cancer cell line yields | 3 |
| 733 732 731 | Breast Cancer. 2008, Low concentrations of the soy phytoestrogen genistein induce proteinase inhibitor 9 and block killing of breast cancer cells by immune cells. 2008, 149, 5366-73 A sequence-level map of chromosomal breakpoints in the MCF-7 breast cancer cell line yields insights into the evolution of a cancer genome. 2009, 19, 167-77 JNK-mediated phosphorylation of paxillin in adhesion assembly and tension-induced cell death by | 3 39 95 |
| 733 732 731 730 | Breast Cancer. 2008, Low concentrations of the soy phytoestrogen genistein induce proteinase inhibitor 9 and block killing of breast cancer cells by immune cells. 2008, 149, 5366-73 A sequence-level map of chromosomal breakpoints in the MCF-7 breast cancer cell line yields insights into the evolution of a cancer genome. 2009, 19, 167-77 JNK-mediated phosphorylation of paxillin in adhesion assembly and tension-induced cell death by the adenovirus death factor E4orf4. 2008, 283, 34352-64 | 3 39 95 17 |
| 733 732 731 730 729 | Breast Cancer. 2008, Low concentrations of the soy phytoestrogen genistein induce proteinase inhibitor 9 and block killing of breast cancer cells by immune cells. 2008, 149, 5366-73 A sequence-level map of chromosomal breakpoints in the MCF-7 breast cancer cell line yields insights into the evolution of a cancer genome. 2009, 19, 167-77 JNK-mediated phosphorylation of paxillin in adhesion assembly and tension-induced cell death by the adenovirus death factor E4orf4. 2008, 283, 34352-64 Principles of Molecular Oncology. 2008, | 3 39 95 17 |

| 725 | The systemic administration of lethal toxin achieves a growth delay of human melanoma and neuroblastoma xenografts: Assessment of receptor contribution. 2008 , | Ο |
|-----|---|----|
| 724 | Melatonin as a selective estrogen enzyme modulator. 2008 , 8, 691-702 | 61 |
| 723 | The Anti-invasive and Proapoptotic Effect of Xanthohumol: Potential Use in Cancer. 2009, 857-869 | |
| 722 | Identification of possible genetic alterations in the breast cancer cell line MCF-7 using high-density SNP genotyping microarray. 2009 , 8, 6 | 4 |
| 721 | Nuclear factor-kappaB binds to the Epstein-Barr Virus LMP1 promoter and upregulates its expression. 2009 , 83, 1393-401 | 30 |
| 720 | Regulation of cell death by recycling endosomes and golgi membrane dynamics via a pathway involving Src-family kinases, Cdc42 and Rab11a. 2009 , 20, 4091-106 | 25 |
| 719 | Mechanisms of resistance to structurally diverse antiestrogens differ under premenopausal and postmenopausal conditions: evidence from in vitro breast cancer cell models. 2009 , 150, 2036-45 | 26 |
| 718 | Growth hormone excess promotes breast cancer chemoresistance. 2009 , 94, 3931-8 | 36 |
| 717 | Immutable functional attributes of histologic grade revealed by context-independent gene expression in primary breast cancer cells. 2009 , 69, 7826-34 | 17 |
| 716 | ECRG4 is a candidate tumor suppressor gene frequently hypermethylated in colorectal carcinoma and glioma. 2009 , 9, 447 | 66 |
| 715 | Differential regulation of oestrogen receptor ¶soforms by 5' untranslated regions in cancer. 2010 , 14, 2172-84 | 25 |
| 714 | Identification of malignant cells in primary monolayer cultures of human breast tumors. 1984 , 92, 103-12 | |
| 713 | An apocrine membrane antigen with polarized distribution and hormonally regulated expression in human endometrial and mammary carcinoma cell lines. 1987 , 95, 315-23 | 3 |
| 712 | IGF-1:tetanus toxin fragment C fusion protein improves delivery of IGF-1 to spinal cord but fails to prolong survival of ALS mice. 2009 , 1287, 1-19 | 22 |
| 711 | Cytotoxic effects of butanolic extract from Pfaffia paniculata (Brazilian ginseng) on cultured human breast cancer cell line MCF-7. 2009 , 61, 75-82 | 23 |
| 710 | Sphingosine kinase 2 deficient tumor xenografts show impaired growth and fail to polarize macrophages towards an anti-inflammatory phenotype. 2009 , 125, 2114-21 | 87 |
| 709 | MCF-7 human mammary adenocarcinoma cells exhibit augmented responses to human insulin on a collagen IV surface. 2009 , 29, 470-7 | 12 |
| 708 | Estrogen-like activity of ethanol extract of Ganoderma lucidum. 2009 , 55, 53-59 | 3 |

(2009-2009)

| 707 | In vitro and in vivo anticancer activity of 2-deacetoxytaxinine J and synthesis of novel taxoids and their in vitro anticancer activity. 2009 , 44, 3947-53 | 20 |
|-----|--|-----|
| 706 | MCF-7 breast carcinoma cells express ryanodine receptor type 1: functional characterization and subcellular localization. 2009 , 323, 39-47 | 1 |
| 705 | A spontaneous estrogen dependent, tamoxifen sensitive mouse mammary tumor: a new model system to study hormone-responsiveness in immune competent mice. 2009 , 113, 1-8 | 16 |
| 704 | Establishment of an in vitro estrogen-dependent mouse mammary tumor model: a new tool to understand estrogen responsiveness and development of tamoxifen resistance in the context of stromal-epithelial interactions. 2009 , 116, 247-55 | 21 |
| 703 | Effect of invariant chain on major histocompatibility complex class I molecule expression and stability on human breast tumor cell lines. 2009 , 58, 729-36 | 4 |
| 702 | Treatment of advanced metastasized breast cancer with bone marrow-derived tumour-reactive memory T cells: a pilot clinical study. 2009 , 58, 887-900 | 42 |
| 701 | Amyloid precursor-like protein 2 association with HLA class I molecules. 2009 , 58, 1419-31 | 13 |
| 700 | Establishment and characterization of three new human breast cancer cell lines derived from Chinese breast cancer tissues. 2009 , 9, 2 | 11 |
| 699 | Expression analyses of nuclear receptor genes in breast cancer cell lines exposed to soy phytoestrogens after BRCA2 knockdown by TaqMan Low-Density Array (TLDA). 2009 , 4, 3 | 9 |
| 698 | EphB6 receptor significantly alters invasiveness and other phenotypic characteristics of human breast carcinoma cells. 2009 , 28, 1706-13 | 52 |
| 697 | The effect of genistein aglycone on cancer and cancer risk: a review of in vitro, preclinical, and clinical studies. 2009 , 67, 398-415 | 174 |
| 696 | Helix 3 is necessary and sufficient for prion protein's anti-Bax function. 2009 , 108, 1019-31 | 6 |
| 695 | Glutathione S-transferase expression and isoenzyme composition during cell differentiation of Caco-2 cells. 2009 , 265, 122-6 | 22 |
| 694 | Immunohistochemical detection and northern blot analysis of estrogen receptor in osteoblastic cells. 1993 , 8, 1103-9 | 36 |
| 693 | Growth kinetics of 2- and 3-D cell models as influenced by the microenvironment. 2009 , 43, 305-310 | 1 |
| 692 | Growth effects of insulin and insulin analogues. 2009 , 115, 72-85 | 30 |
| 691 | Use of global gene expression patterns in mechanistic studies of oestrogen action in MCF7 human breast cancer cells. 2009 , 114, 21-32 | 9 |
| 690 | DNA damaging effects of the dyes used in sentinel node biopsy: possible implications for clinical practice. 2009 , 154, 234-8 | 24 |

| 689 | Cell cycle regulatory effects of retinoic Acid and forskolin are mediated by the cyclin C gene. 2009 , 393, 261-71 | 10 |
|-----|---|-----|
| 688 | Development of a bio-assay for estrogens using estrogen receptor alpha gene expression by MCF7 cells as biomarker. 2009 , 30, 150-65 | 5 |
| 687 | Breast cancer invasion is mediated by beta-N-acetylglucosaminidase (beta-NAG) and associated with a dysregulation in the secretory pathway of cancer cells. 2010 , 67, 189-96 | 12 |
| 686 | Tight junction protein, claudin-6, downregulates the malignant phenotype of breast carcinoma. 2010 , 19, 186-94 | 43 |
| 685 | Molecular-assisted immunohistochemical optimization. 2010 , 112, 519-28 | 5 |
| 684 | Tissue engineered tumor models. 2010 , 85, 213-29 | 26 |
| 683 | In utero exposure to diethylstilbestrol (DES) or bisphenol-A (BPA) increases EZH2 expression in the mammary gland: an epigenetic mechanism linking endocrine disruptors to breast cancer. 2010 , 1, 146-55 | 238 |
| 682 | Long-term adaptation of breast tumor cell lines to high concentrations of nitric oxide. 2010 , 31, 267-75 | 15 |
| 681 | The effect of physiological concentrations of sex hormones, insulin, and glucagon on growth of breast and prostate cells supplemented with unmodified human serum. 2010 , 46, 856-62 | 3 |
| 680 | Inhibition of mammary tumor growth by estrogens: is there a specific role for estrogen receptors alpha and beta?. 2010 , 123, 709-24 | 10 |
| 679 | Estrogen regulation of TRPM8 expression in breast cancer cells. 2010 , 10, 212 | 68 |
| 678 | Phenotyping breast cancer cell lines EM-G3, HCC1937, MCF7 and MDA-MB-231 using 2-D electrophoresis and affinity chromatography for glutathione-binding proteins. 2010 , 10, 449 | 11 |
| 677 | New approach to hydrophobic cyanine-type photosensitizer delivery using polymeric oil-cored nanocarriers: hemolytic activity, in vitro cytotoxicity and localization in cancer cells. 2010 , 39, 322-35 | 50 |
| 676 | CDC50A plays a key role in the uptake of the anticancer drug perifosine in human carcinoma cells. 2010 , 80, 793-800 | 17 |
| 675 | Antitumoraktive Platin(II)-Komplexe Mit Substituierten 2-Aminomethylpyridin-Liganden. 2010 , 324, 779-784 | 5 |
| 674 | Synthetische Antitumorvakzine aus Tetanus-Toxoid-Konjugaten von MUC1-Glycopeptiden mit Thomsen-Friedenreich-Antigen und dessen fluorsubstituiertem Analogon. 2010 , 122, 8676-8681 | 37 |
| 673 | Synthetic antitumor vaccines from tetanus toxoid conjugates of MUC1 glycopeptides with the Thomsen-Friedenreich antigen and a fluorine-substituted analogue. 2010 , 49, 8498-503 | 124 |
| 672 | p53 functions and cell lines: have we learned the lessons from the past?. 2010 , 32, 392-400 | 10 |

(2010-2010)

| 671 | Ligand anchored dendrimers based nanoconstructs for effective targeting to cancer cells. 2010 , 393, 185-96 | 77 |
|-----|--|-----|
| 670 | Oestrogenic mycotoxin exposures and precocious pubertal development. 2010 , 33, 369-76 | 105 |
| 669 | RBCK1 drives breast cancer cell proliferation by promoting transcription of estrogen receptor alpha and cyclin B1. 2010 , 70, 1265-74 | 36 |
| 668 | Synthesis, Structure, and Antiproliferative Activity of Three Gallium(III) Azole Complexes. 2010 , 2010, | 14 |
| 667 | Transcriptional profiling of breast cancer cells exposed to soy phytoestrogens after BRCA1 knockdown with a whole human genome microarray approach. 2010 , 62, 659-67 | 6 |
| 666 | Gene expression profiling of breast cancer cell lines in response to soy isoflavones using a pangenomic microarray approach. 2010 , 14, 231-8 | 31 |
| 665 | ERK1/2 MAP kinases promote cell cycle entry by rapid, kinase-independent disruption of retinoblastoma-lamin A complexes. 2010 , 191, 967-79 | 62 |
| 664 | Human base excision repair creates a bias toward -1 frameshift mutations. 2010 , 285, 25203-12 | 10 |
| 663 | The chemopreventive action of equol enantiomers in a chemically induced animal model of breast cancer. 2010 , 31, 886-93 | 45 |
| 662 | Soursop (Annona muricata L.). 2010 , 621-643 | 24 |
| 661 | Application of d6 transition metal complexes in fluorescence cell imaging. 2010 , 46, 186-202 | 638 |
| 660 | Effects of human mesenchymal stem cells on ER-positive human breast carcinoma cells mediated through ER-SDF-1/CXCR4 crosstalk. 2010 , 9, 295 | 74 |
| 659 | Migration of breast cancer cells: understanding the roles of volume exclusion and cell-to-cell adhesion. 2010 , 82, 041901 | 45 |
| 658 | Cell death and lumen formation in spheroids of MCF-7 cells. 2010 , 34, 267-74 | 19 |
| 657 | Quantitative organelle proteomics of MCF-7 breast cancer cells reveals multiple subcellular locations for proteins in cellular functional processes. 2010 , 9, 495-508 | 28 |
| 656 | Drug-DNA Interaction Protocols. 2010 , | 4 |
| 655 | Probing intracellular oxygen by quenched phosphorescence lifetimes of nanoparticles containing polyacrylamide-embedded [Ru(dpp(SO3Na)2)3]Cl2. 2010 , 9, 103-9 | 48 |
| 654 | Systematic comparison of microarray profiling, real-time PCR, and next-generation sequencing technologies for measuring differential microRNA expression. 2010 , 16, 991-1006 | 515 |

| 653 | Effects of non-digestible carbohydrates on the growth of estrogen-dependent human breast cancer (MCF-7) tumors implanted in ovariectomized athymic mice. 2011 , 63, 55-64 | 6 |
|-----|--|-----|
| 652 | Effect of flavonone hesperidin on the apoptosis of human mammary carcinoma cell line MCF-7. 2011 , 1, 207-215 | 41 |
| 651 | Estrogenic and antiestrogenic activities of phytoalexins from red kidney bean (Phaseolus vulgaris L.). 2011 , 59, 112-20 | 23 |
| 650 | References. 2011 , 663-715 | |
| 649 | Lensless multispectral digital in-line holographic microscope. 2011 , 16, 126004 | 19 |
| 648 | Prognostic significance of TRIM24/TIF-1Egene expression in breast cancer. 2011 , 178, 1461-9 | 59 |
| 647 | Molecular modeling and synthesis of certain substituted aryl compounds which have a potential anticancer activity. 2011 , 49, 25-36 | 1 |
| 646 | Over-accumulation of nuclear IGF-1 receptor in tumor cells requires elevated expression of the receptor and the SUMO-conjugating enzyme Ubc9. 2011 , 404, 667-71 | 54 |
| 645 | Attenuation of cytotoxic natural product DNA intercalating agents by caffeine. 2011, 79, 729-47 | 26 |
| 644 | Differential turnover of myosin chaperone UNC-45A isoforms increases in metastatic human breast cancer. 2011 , 412, 365-78 | 20 |
| 643 | Resorcylic acid lactones with cytotoxic and NF- B inhibitory activities and their structure-activity relationships. 2011 , 74, 1126-31 | 73 |
| 642 | Characterization of human breast cancer cell lines for the studies on p53 in chemical carcinogenesis. 2011 , 25, 1007-17 | 28 |
| 641 | Cyclodepsipeptides, sesquiterpenoids, and other cytotoxic metabolites from the filamentous fungus Trichothecium sp. (MSX 51320). 2011 , 74, 2137-42 | 30 |
| 640 | Choosing the right cell line for breast cancer research. 2011 , 13, 215 | 923 |
| 639 | Breast Cancer Cell Line Development and Authentication. 2011, | |
| 638 | In Vitro Breast Cancer Models as Useful Tools in Therapeutics?. 2011 , | 1 |
| 637 | Chromatin immunoprecipitation to analyze DNA binding sites of HMGA2. 2011 , 6, e18837 | 25 |
| 636 | A novel g1258G>A mutation in a conserved putative regulatory element of PAX9 is associated with autosomal dominant molar hypodontia. 2011 , 80, 265-72 | 9 |

| 635 | Influence of proteasome inhibitor bortezomib on the expression of multidrug resistance genes and Akt kinase activity. 2011 , 76, 1009-16 | 7 |
|-----|--|-----|
| 634 | MUC6 mucin expression inhibits tumor cell invasion. 2011 , 317, 2408-19 | 39 |
| 633 | DNA site-specific N3-adenine methylation targeted to estrogen receptor-positive cells. 2011 , 19, 5093-102 | 4 |
| 632 | Solid-phase synthesis and pharmacological evaluation of novel nucleoside-tethered dinuclear platinum(II) complexes. 2011 , 21, 5835-8 | 14 |
| 631 | SNORD-host RNA Zfas1 is a regulator of mammary development and a potential marker for breast cancer. 2011 , 17, 878-91 | 270 |
| 630 | MCF-7 cells as a three-dimensional model for the study of human breast cancer. 2011 , 17, 1097-107 | 33 |
| 629 | A functional -77T>C polymorphism in XRCC1 is associated with risk of breast cancer. 2011 , 125, 479-87 | 31 |
| 628 | Cholesterol as a potential target for castration-resistant prostate cancer. 2011 , 28, 423-37 | 28 |
| 627 | Boswellia sacra essential oil induces tumor cell-specific apoptosis and suppresses tumor aggressiveness in cultured human breast cancer cells. 2011 , 11, 129 | 81 |
| 626 | In vitro and in vivo assessment of the anti-malarial activity of Caesalpinia pluviosa. 2011 , 10, 112 | 21 |
| 625 | Comparison of intracellular signalling by insulin and the hypermitogenic AspB10 analogue in MCF-7 breast adenocarcinoma cells. 2011 , 31, 329-41 | 14 |
| 624 | Synthetische Antitumor-Vakzine aus MUC1-Glycopeptiden mit zwei immundominanten Domfien [] Induktion einer starken Immunreaktion gegen Brusttumorgewebe. 2011 , 123, 10153-10157 | 32 |
| 623 | Synthetic antitumor vaccines containing MUC1 glycopeptides with two immunodominant domains-induction of a strong immune response against breast tumor tissues. 2011 , 50, 9977-81 | 86 |
| 622 | Differential expression of CDC25 phosphatases splice variants in human breast cancer cells. 2011 , 49, 1707-14 | 20 |
| 621 | Thymic stromal lymphopoietin fosters human breast tumor growth by promoting type 2 inflammation. 2011 , 208, 479-90 | 178 |
| 620 | Macrophages induce COX-2 expression in breast cancer cells: role of IL-1뭠utoamplification. 2011 , 32, 695-702 | 61 |
| 619 | Crosstalk with insulin and dependence on PI3K/Akt/mTOR rather than MAPK pathways in upregulation of basal growth following long-term oestrogen deprivation in three human breast cancer cell lines. 2011 , 5, 53-65 | 4 |
| 618 | Catechol metabolites of endogenous estrogens induce redox cycling and generate reactive oxygen species in breast epithelial cells. 2011 , 32, 1285-93 | 46 |

| 617 | The human lung adenocarcinoma cell line EKVX produces an infectious xenotropic murine leukemia virus. 2011 , 3, 2442-61 | 5 |
|-----|--|----|
| 616 | Stable differences in intrinsic mitochondrial membrane potential of tumor cell subpopulations reflect phenotypic heterogeneity. 2011 , 2011, 978583 | 33 |
| 615 | In vitro effects of herbicides and insecticides on human breast cells. 2012 , 2012, 232461 | 16 |
| 614 | The stemness phenotype model. 2012 , 2012, 392647 | 28 |
| 613 | Cancer cells detection and pathology quantification utilizing image analysis techniques. 2012 , 2012, 4418-21 | 2 |
| 612 | Consumption of oxygen: a mitochondrial-generated progression signal of advanced cancer. 2012 , 3, e258 | 47 |
| 611 | Human monoclonal antibodies targeting nonoverlapping epitopes on insulin-like growth factor II as a novel type of candidate cancer therapeutics. 2012 , 11, 1400-10 | 23 |
| 610 | Partial agonist, but not pure antiestrogens stimulate doming, a marker of normal differentiation, in the MCF-7 breast cancer cell line. 2012 , 12, 419-23 | |
| 609 | Pattern of expression of p53, its family members, and regulators during early ocular development and in the post-mitotic retina. 2012 , 53, 4821-31 | 6 |
| 608 | Molecular mechanisms of oestrogen action on growth of human breast cancer cells in culture. 2012 , 9, 65-85 | 10 |
| 607 | Models and Mechanisms of Acquired Antihormone Resistance in Breast Cancer: Significant Clinical Progress Despite Limitations. 2012 , 9, 143-163 | 44 |
| 606 | Nucleosome occupancy reveals regulatory elements of the CFTR promoter. 2012 , 40, 625-37 | 8 |
| 605 | S100A7 promotes the migration and invasion of osteosarcoma cells via the receptor for advanced glycation end products. 2012 , 3, 1149-1153 | 27 |
| 604 | Sorghum phenolics demonstrate estrogenic action and induce apoptosis in nonmalignant colonocytes. 2012 , 64, 419-27 | 61 |
| 603 | Effects of BRCA2 cis-regulation in normal breast and cancer risk amongst BRCA2 mutation carriers. 2012 , 14, R63 | 15 |
| 602 | Human pituitary tumor-transforming gene 1 overexpression reinforces oncogene-induced senescence through CXCR2/p21 signaling in breast cancer cells. 2012 , 14, R106 | 20 |
| 601 | Optimization of microfluidic systems for IRMS long term measurement of living cells. 2012 , 98, 698-702 | 21 |
| 600 | Can soy phytoestrogens decrease DNA methylation in BRCA1 and BRCA2 oncosuppressor genes in breast cancer?. 2012 , 16, 235-44 | 57 |

| 599 | Antiproliferative activity of some 1,4-dimethylcarbazoles on cells that express estrogen receptors: part I. 2012 , 27, 609-13 | 30 |
|-----|---|-----|
| 598 | Cells derived from normal or cancer breast tissue exhibit different growth properties when deprived of arginine. 2012 , 29, 2543-51 | 2 |
| 597 | The advantages of co-culture over mono cell culture in simulating in vivo environment. 2012 , 131, 68-75 | 114 |
| 596 | Multiple sequence variants of BRCA2 exon 7 alter splicing regulation. 2012 , 49, 609-17 | 37 |
| 595 | Nanoemulsion-templated multilayer nanocapsules for cyanine-type photosensitizer delivery to human breast carcinoma cells. 2012 , 47, 406-20 | 47 |
| 594 | Establishment and characterization of two human breast carcinoma cell lines by spontaneous immortalization: Discordance between Estrogen, Progesterone and HER2/neu receptors of breast carcinoma tissues with derived cell lines. 2012 , 12, 43 | 9 |
| 593 | Effects of Coptis extract combined with chemotherapeutic agents on ROS production, multidrug resistance, and cell growth in A549 human lung cancer cells. 2012 , 7, 11 | 21 |
| 592 | Expression profiling of dipeptidyl peptidase 8 and 9 in breast and ovarian carcinoma cell lines. 2012 , 41, 919-32 | 18 |
| 591 | Cytotoxic epipolythiodioxopiperazine alkaloids from filamentous fungi of the Bionectriaceae. 2012 , 65, 559-64 | 39 |
| 590 | Structural and genic characterization of stable genomic regions in breast cancer: relevance to chemotherapy. 2012 , 6, 347-59 | 12 |
| 589 | Genotoxic stress modulates CDC25C phosphatase alternative splicing in human breast cancer cell lines. 2012 , 6, 542-52 | 15 |
| 588 | Cytotoxic xanthone-anthraquinone heterodimers from an unidentified fungus of the order Hypocreales (MSX 17022). 2012 , 65, 3-8 | 25 |
| 587 | Chickpea (Cicer arietinum) and other plant-derived protease inhibitor concentrates inhibit breast and prostate cancer cell proliferation in vitro. 2012 , 64, 741-8 | 33 |
| 586 | Multicolour single molecule imaging in cells with near infra-red dyes. 2012 , 7, e36265 | 24 |
| 585 | A cell cycle role for the epigenetic factor CTCF-L/BORIS. 2012 , 7, e39371 | 30 |
| 584 | Human macrophages and dendritic cells can equally present MART-1 antigen to CD8(+) T cells after phagocytosis of gamma-irradiated melanoma cells. 2012 , 7, e40311 | 36 |
| 583 | The MUC1 extracellular domain subunit is found in nuclear speckles and associates with spliceosomes. 2012 , 7, e42712 | 18 |
| 582 | Cytotoxicity analysis of three Bacillus thuringiensis subsp. israelensis ændotoxins towards insect and mammalian cells. 2012 , 7, e46121 | 11 |

| 581 | Bioactivities of Volatile Components from Nepalese Artemisia Species. 2012 , 7, 1934578X1200701 | 8 |
|-----|---|-----|
| 580 | Doxorubicin blocks proliferation of cancer cells through proteolytic activation of CREB3L1. 2012 , 1, e00090 | 92 |
| 579 | Chemical Compositions and Biological Activities of Amomum subulatum Essential Oils from Nepal. 2012 , 7, 1934578X1200700 | 11 |
| 578 | Chemical Composition and Biological Activity of Essential Oil from Pulicaria undulata from Yemen. 2012 , 7, 1934578X1200700 | 9 |
| 577 | Podocalyxin in the Diagnosis and Treatment of Cancer. 2012 , | О |
| 576 | Peptaibols from two unidentified fungi of the order Hypocreales with cytotoxic, antibiotic, and anthelmintic activities. 2012 , 18, 500-10 | 51 |
| 575 | Epigenetic modulation of BRCA1 and BRCA2 gene expression by equol in breast cancer cell lines. 2012 , 108, 1187-93 | 29 |
| 574 | Thrombin induces osteosarcoma growth, a function inhibited by low molecular weight heparin in vitro and in vivo: procoagulant nature of osteosarcoma. 2012 , 118, 2494-506 | 22 |
| 573 | Flow cytometric evaluation of the effects of 3-bromopyruvate (3BP) and dichloracetate (DCA) on THP-1 cells: a multiparameter analysis. 2012 , 44, 91-9 | 5 |
| 572 | A study of Docetaxel-induced effects in MCF-7 cells by means of Raman microspectroscopy. 2012 , 403, 745-53 | 38 |
| 571 | A novel nanoparticle formulation overcomes multiple types of membrane efflux pumps in human breast cancer cells. 2012 , 2, 95-105 | 32 |
| 570 | Metronomic cyclophosphamide treatment in metastasized breast cancer patients: immunological effects and clinical outcome. 2012 , 61, 353-62 | 166 |
| 569 | Water-soluble polymers coupled with glycopeptide antigens and T-cell epitopes as potential antitumor vaccines. 2013 , 52, 10652-6 | 70 |
| 568 | Diphenyl diselenide protects cultured MCF-7 cells against tamoxifen-induced oxidative DNA damage. 2013 , 67, 329-35 | 15 |
| 567 | High-resolution MS, MS/MS, and UV database of fungal secondary metabolites as a dereplication protocol for bioactive natural products. 2013 , 76, 1709-16 | 112 |
| 566 | Long-term survival after adoptive bone marrow T cell therapy of advanced metastasized breast cancer: follow-up analysis of a clinical pilot trial. 2013 , 62, 1053-60 | 37 |
| 565 | Evaluation of synthesized platinum nanoparticles on the MCF-7 and HepG-2 cancer cell lines. 2013 , 3, 1 | 36 |
| 564 | The function of vacuolar ATPase (V-ATPase) a subunit isoforms in invasiveness of MCF10a and MCF10CA1a human breast cancer cells. 2013 , 288, 32731-32741 | 65 |

| 563 | Notch activation stimulates migration of breast cancer cells and promotes tumor growth. 2013, 15, R54 | 89 |
|-----|--|-----|
| 562 | Overexpression of primary microRNA 221/222 in acute myeloid leukemia. 2013 , 13, 364 | 38 |
| 561 | Characterization of cell lines derived from breast cancers and normal mammary tissues for the study of the intrinsic molecular subtypes. 2013 , 142, 237-55 | 132 |
| 560 | Steady-state nuclear actin levels are determined by export competent actin pool. 2013, 70, 623-34 | 14 |
| 559 | Isolation of a novel thioflavin S-derived compound that inhibits BAG-1-mediated protein interactions and targets BRAF inhibitor-resistant cell lines. 2013 , 12, 2400-14 | 18 |
| 558 | Genomic DNA of MCF-7 breast cancer cells not an ideal choice as positive control for PCR amplification based detection of Mouse Mammary Tumor Virus-Like Sequences. 2013 , 193, 304-7 | 1 |
| 557 | The High Mobility Group A proteins contribute to thyroid cell transformation by regulating miR-603 and miR-10b expression. 2013 , 7, 531-42 | 32 |
| 556 | Benzoquinones and terphenyl compounds as phosphodiesterase-4B inhibitors from a fungus of the order Chaetothyriales (MSX 47445). 2013 , 76, 382-7 | 36 |
| 555 | Histone lysine trimethylation or acetylation can be modulated by phytoestrogen, estrogen or anti-HDAC in breast cancer cell lines. 2013 , 5, 51-63 | 65 |
| 554 | In vivo animal models for studying brain metastasis: value and limitations. 2013 , 30, 695-710 | 57 |
| 553 | Unraveling the mechanisms behind the enhanced MTT conversion by irradiated breast cancer cells. 2013 , 179, 433-43 | 8 |
| 552 | Aptamer based strategy for cytosensing and evaluation of HER-3 on the surface of MCF-7 cells by using the signal amplification of nucleic acid-functionalized nanocrystals. 2013 , 772, 26-32 | 13 |
| 551 | Quantitative determination of isopentenyl diphosphate in cultured mammalian cells. 2013, 433, 36-42 | 11 |
| 550 | Analyses of the combination of 6-MP and dasatinib in cell culture. 2013 , 43, 13-22 | 3 |
| 549 | The role of 3D microenvironmental organization in MCF-7 epithelial-mesenchymal transition after 7 culture days. 2013 , 319, 1515-22 | 20 |
| 548 | Peptaibols, tetramic acid derivatives, isocoumarins, and sesquiterpenes from a Bionectria sp. (MSX 47401). 2013 , 76, 1007-15 | 37 |
| 547 | Targeting progesterone receptors in breast cancer. 2013 , 93, 161-84 | 15 |
| 546 | Cell Lines and Human Primary Cells. 2013 , 15-492 | |

| 545 | Transferring a synthetic gene circuit from yeast to mammalian cells. 2013, 4, 1451 | 60 |
|-----|---|----|
| 544 | RNA deep sequencing as a tool for selection of cell lines for systematic subcellular localization of all human proteins. 2013 , 12, 299-307 | 14 |
| 543 | Single-cell optoporation and transfection using femtosecond laser and optical tweezers. 2013, 4, 1533-47 | 56 |
| 542 | Cadmium modifies the cell cycle and apoptotic profiles of human breast cancer cells treated with 5-fluorouracil. 2013 , 14, 16600-16 | 45 |
| 541 | Volatile constituents of Pinus roxburghii from Nepal. 2013 , 5, 43-8 | 22 |
| 540 | Tamoxifen. 2013, | 10 |
| 539 | Integrative analyses of gene expression and DNA methylation profiles in breast cancer cell line models of tamoxifen-resistance indicate a potential role of cells with stem-like properties. 2013 , 15, R119 | 37 |
| 538 | Tannic Acid preferentially targets estrogen receptor-positive breast cancer. 2013 , 2013, 369609 | 32 |
| 537 | Activation of miR200 by c-Myb depends on ZEB1 expression and miR200 promoter methylation. 2013 , 12, 2309-20 | 36 |
| 536 | Density-dependent lineage instability of MDA-MB-435 breast cancer cells. 2013 , 5, 1370-1374 | 18 |
| 535 | Mit Glycopeptid-Antigenen und T-Zell-Epitopen verknßfte wasserlßliche Polymere als potenzielle Antitumor-Vakzine. 2013 , 125, 10846-10850 | 11 |
| 534 | Single molecule FRET using the FRET pair DRONPA/PhotoActivable mCherry. 2013, | |
| 533 | Individual and combined effects of DNA methylation and copy number alterations on miRNA expression in breast tumors. 2013 , 14, R126 | 65 |
| 532 | Scientific rationale for postmenopause delay in the use of conjugated equine estrogens among postmenopausal women that causes reduction in breast cancer incidence and mortality. 2013 , 20, 372-82 | 29 |
| 531 | Bioactivities and Compositional Analyses of Cinnamomum Essential Oils from Nepal: C. camphora, C. tamala, and C. glaucescens. 2013 , 8, 1934578X1300801 | 19 |
| 530 | Juglans Regia and J. nigra, Two Trees Important in Traditional Medicine: A Comparison of Leaf Essential Oil Compositions and Biological Activities. 2013 , 8, 1934578X1300801 | 11 |
| 529 | Novel interaction between proliferating cell nuclear antigen and HLA I on the surface of tumor cells inhibits NK cell function through NKp44. 2013 , 8, e59552 | 37 |
| 528 | Functional analysis of a breast cancer-associated FGFR2 single nucleotide polymorphism using zinc finger mediated genome editing. 2013 , 8, e78839 | 10 |

| 527 | Flotillins directly interact with Eatenin and regulate epithelial cell-cell adhesion. 2013, 8, e84393 | 21 |
|-----|--|----|
| 526 | High SINE RNA Expression Correlates with Post-Transcriptional Downregulation of BRCA1. 2013, 4, 226-43 | 1 |
| 525 | Metasin-an intra-operative RT-qPCR assay to detect metastatic breast cancer in sentinel lymph nodes. 2013 , 14, 12931-52 | 7 |
| 524 | Plant Based Natural Products and Breast Cancer: Considering Multi-Faceted Disease Aspects, Past Successes, and Promising Future Interventions. 2013 , | 2 |
| 523 | Melatonin and Aromatase in Breast Cancer. 2013 , 1, 54-64 | 4 |
| 522 | Highly sensitive quantitative imaging for monitoring single cancer cell growth kinetics and drug response. 2014 , 9, e89000 | 44 |
| 521 | trans-11 18:1 vaccenic acid (TVA) has a direct anti-carcinogenic effect on MCF-7 human mammary adenocarcinoma cells. 2014 , 6, 627-36 | 37 |
| 520 | A clathrin coat assembly role for the muniscin protein central linker revealed by TALEN-mediated gene editing. 2014 , 3, | 44 |
| 519 | Differential 曲drenergic receptor expression defines the phenotype of non-tumorigenic and malignant human breast cell lines. 2014 , 5, 10058-69 | 20 |
| 518 | Composition of Essential Oil from Tagetes minuta and its Cytotoxic, Antioxidant and Antimicrobial Activities. 2014 , 9, 1934578X1400900 | 7 |
| 517 | Transcriptional regulation of human UDP-glucuronosyltransferase genes. 2014 , 46, 421-58 | 70 |
| 516 | Tyr-301 phosphorylation inhibits pyruvate dehydrogenase by blocking substrate binding and promotes the Warburg effect. 2014 , 289, 26533-26541 | 50 |
| 515 | Translational Cellular Models of Breast Cancer Progression and Outcome. 2014 , 952-962 | |
| 514 | Persea declinata (Bl.) Kosterm Bark Crude Extract Induces Apoptosis in MCF-7 Cells via G0/G1 Cell Cycle Arrest, Bcl-2/Bax/Bcl-xl Signaling Pathways, and ROS Generation. 2014 , 2014, 248103 | 5 |
| 513 | Selective estrogen receptor modulator effects of epimedium extracts on breast cancer and uterine growth in nude mice. 2014 , 80, 22-8 | 19 |
| 512 | Application of the MCF-7 Breast Cancer Cells in Endocrine-Disrupting Area. 2014 , 955-959, 928-935 | |
| 511 | Inhibition of GSK-3酶ctivity can result in drug and hormonal resistance and alter sensitivity to targeted therapy in MCF-7 breast cancer cells. 2014 , 13, 820-33 | 36 |
| 510 | Sortase-catalyzed in vitro functionalization of a HER2-specific recombinant Fab for tumor targeting of the plant cytotoxin gelonin. 2014 , 6, 354-66 | 52 |

| 509 | Chromatin remodeling mediated by the FOXA1/A2 transcription factors activates CFTR expression in intestinal epithelial cells. 2014 , 9, 557-65 | 38 |
|-----|--|----|
| 508 | A functional interplay between the small GTPase Rab11a and mitochondria-shaping proteins regulates mitochondrial positioning and polarization of the actin cytoskeleton downstream of Src family kinases. 2014 , 289, 2230-49 | 20 |
| 507 | Spatiotemporal expression of TRPM4 in the mouse cochlea. 2014 , 92, 1409-18 | 7 |
| 506 | Differentiation and loss of malignant character of spontaneous pulmonary metastases in patient-derived breast cancer models. 2014 , 74, 7406-17 | 30 |
| 505 | Transient state microscopy probes patterns of altered oxygen consumption in cancer cells. 2014 , 281, 1317-32 | 19 |
| 504 | Pathway analysis and transcriptomics improve protein identification by shotgun proteomics from samples comprising small number of cellsa benchmarking study. 2014 , 15 Suppl 9, S1 | 17 |
| 503 | Establishment and characterization of two primary breast cancer cell lines from young Indian breast cancer patients: mutation analysis. 2014 , 14, 14 | 20 |
| 502 | Surface-bound Tat inhibits antigen-specific CD8+ T-cell activation in an integrin-dependent manner. 2014 , 28, 2189-200 | 12 |
| 501 | Differential protein occupancy profiling of the mRNA transcriptome. 2014 , 15, R15 | 44 |
| 500 | Role of the immunoreceptor tyrosine-based activation motif of latent membrane protein 2A (LMP2A) in Epstein-Barr virus LMP2A-induced cell transformation. 2014 , 88, 5189-94 | 15 |
| 499 | Simple, sensitive and reliable in vivo assays to evaluate the estrogenic activity of endocrine disruptors. 2014 , 13, 37-45 | 1 |
| 498 | A fully synthetic glycopeptide antitumor vaccine based on multiple antigen presentation on a hyperbranched polymer. 2014 , 20, 4232-6 | 40 |
| 497 | Curcumin-induced Aurora-A suppression not only causes mitotic defect and cell cycle arrest but also alters chemosensitivity to anticancer drugs. 2014 , 25, 526-39 | 23 |
| 496 | Pericellular oxygen monitoring with integrated sensor chips for reproducible cell culture experiments. 2014 , 47, 180-8 | 27 |
| 495 | Cancer Prevention. 2014, | |
| 494 | The kinome associated with estrogen receptor-positive status in human breast cancer. 2014 , 21, R357-70 | 4 |
| 493 | Snapshot coherence-gated direct wavefront sensing for multi-photon microscopy. 2014 , 22, 9715-33 | 7 |
| 492 | Histone H1 phosphorylation in breast cancer. 2014, 13, 2453-67 | 30 |

| 491 | Do you know the sex of your cells?. 2014 , 306, C3-18 | 111 |
|-----|---|-----|
| 490 | Epigallocatechin-3-gallate elicits Ca2+ spike in MCF-7 breast cancer cells: essential role of Cav3.2 channels. 2014 , 56, 285-95 | 28 |
| 489 | Difluoro-dioxolo-benzoimidazol-benzamides as potent inhibitors of CK1 and with nanomolar inhibitory activity on cancer cell proliferation. 2014 , 57, 7933-46 | 24 |
| 488 | The effect of chemotherapeutic agents on telomere length maintenance in breast cancer cell lines. 2014 , 145, 581-91 | 10 |
| 487 | Antiproliferative effect of ASC-J9 delivered by PLGA nanoparticles against estrogen-dependent breast cancer cells. 2014 , 11, 2864-75 | 26 |
| 486 | Cytotoxicity and chemosensitizing activity of amphiphilic poly(glycerol)-poly(alkylene oxide) block copolymers. 2014 , 15, 2672-81 | 21 |
| 485 | DMRforPairs: identifying differentially methylated regions between unique samples using array based methylation profiles. 2014 , 15, 141 | 16 |
| 484 | GAP-Seq: a method for identification of DNA palindromes. 2014 , 15, 394 | 10 |
| 483 | Targeting CDK9 by wogonin and related natural flavones potentiates the anti-cancer efficacy of the Bcl-2 family inhibitor ABT-263. 2015 , 136, 688-98 | 31 |
| 482 | Assessment of the proliferative capacity of the flavanones 8-prenylnaringenin, 6-(1.1-dimethylallyl)naringenin and naringenin in MCF-7 cells and the rat mammary gland. 2014 , 392, 125-35 | 26 |
| 481 | Histone deacetylase inhibitor- and PMA-induced upregulation of PMCA4b enhances Ca2+ clearance from MCF-7 breast cancer cells. 2014 , 55, 78-92 | 20 |
| 480 | Allelic loss at chromosome 11q13 alters FGF3 gene expression in a human breast cancer progression model. 2014 , 32, 2445-52 | 6 |
| 479 | Mutation of tatenin in a radiation and estrogen breast cancer model. 2015 , 46, 153-60 | 4 |
| 478 | References. 2015 , 803-872 | |
| 477 | Bone Morphogenetic Protein-7 Inhibits EMT-Associated Genes in Breast Cancer. 2015 , 37, 1271-8 | 21 |
| 476 | Altered regulation of PDK4 expression promotes antiestrogen resistance in human breast cancer cells. 2015 , 4, 689 | 19 |
| 475 | Inhibition of Cancer Cell Migration by Multiwalled Carbon Nanotubes. 2015, 4, 1640-4 | 24 |
| 474 | Comparative in vitro biological evaluation of daunorubicin containing GnRH-I and GnRH-II conjugates developed for tumor targeting. 2015 , 21, 426-35 | 15 |

| 473 | Cytokine stimulation of MUC4 expression in human female reproductive tissue carcinoma cell lines and endometrial cancer. 2015 , 116, 2649-57 | 10 |
|-----|---|----|
| 472 | Low Dose, Low Cost Estradiol Pellets Can Support MCF-7 Tumour Growth in Nude Mice without Bladder Symptoms. 2015 , 6, 1331-6 | 25 |
| 471 | Changes in gene expression of CXCR4, CCR7 and BCL2 after treatment of breast cancer cells with saponin extract from Tribulus terrestris. 2015 , 62, 27-33 | 10 |
| 470 | Optimization of culture medium for the isolation and propagation of human breast cancer cells from primary tumour biopsies. 2015 , 2, | |
| 469 | The active tamoxifen metabolite endoxifen (4OHNDtam) strongly down-regulates cytokeratin 6 (CK6) in MCF-7 breast cancer cells. 2015 , 10, e0122339 | 3 |
| 468 | Pyruvate Carboxylase Is Up-Regulated in Breast Cancer and Essential to Support Growth and Invasion of MDA-MB-231 Cells. 2015 , 10, e0129848 | 59 |
| 467 | Time-resolved cell culture assay analyser (TReCCA Analyser) for the analysis of on-line data: data integrationsensor correctiontime-resolved IC50 determination. 2015 , 10, e0131233 | 5 |
| 466 | MCF-7 Human Breast Cancer Cells Form Differentiated Microtissues in Scaffold-Free Hydrogels. 2015 , 10, e0135426 | 37 |
| 465 | GNL3L Is a Nucleo-Cytoplasmic Shuttling Protein: Role in Cell Cycle Regulation. 2015, 10, e0135845 | 8 |
| 464 | A common promoter hypomethylation signature in invasive breast, liver and prostate cancer cell lines reveals novel targets involved in cancer invasiveness. 2015 , 6, 33253-68 | 18 |
| 463 | Composition and Bioactivities of an (E)-盱arnesene Chemotype of Chamomile (Matricaria Chamomilla) Essential Oil from Nepal. 2015 , 10, 1934578X1501000 | 4 |
| 462 | Post-transcriptional regulation of programmed cell death 4 (PDCD4) mRNA by the RNA-binding proteins human antigen R (HuR) and T-cell intracellular antigen 1 (TIA1). 2015 , 290, 3468-87 | 34 |
| 461 | An advanced image analysis tool for the quantification and characterization of breast cancer in microscopy images. 2015 , 39, 31 | 7 |
| 460 | An optofluidic constriction chip for monitoring metastatic potential and drug response of cancer cells. 2015 , 7, 477-84 | 21 |
| 459 | Cytotoxic and apoptogenic effect of hypericin, the bioactive component of Hypericum perforatum on the MCF-7 human breast cancer cell line. 2015 , 16, 3 | 46 |
| 458 | Umbilical cord-derived mesenchymal stem cells promote proliferation and migration in MCF-7 and MDA-MB-231 breast cancer cells through activation of the ERK pathway. 2015 , 34, 1469-77 | 38 |
| 457 | Magnetic Nanoparticles of La0.78Sr0.22MnO3, Coated with SiO2: Preparation and Cytotoxicity in Human Cell Cultures. 2015 , 8, 358-365 | 4 |
| 456 | A comparative study of chitosan and poloxamer based thermosensitive hydrogel for the delivery of PEGylated melphalan conjugates. 2015 , 41, 1954-61 | 26 |

(2015-2015)

| 455 | Pseudomonas aeruginosa exotoxin T induces potent cytotoxicity against a variety of murine and human cancer cell lines. 2015 , 64, 164-173 | 22 |
|-----|---|-----|
| 454 | A novel coumarin-quinone derivative SV37 inhibits CDC25 phosphatases, impairs proliferation, and induces cell death. 2015 , 54, 229-41 | 22 |
| 453 | The new biology of estrogen-induced apoptosis applied to treat and prevent breast cancer. 2015 , 22, R1-31 | 93 |
| 452 | BCL-2 family protein, BAD is down-regulated in breast cancer and inhibits cell invasion. 2015 , 331, 1-10 | 20 |
| 451 | Control of Breast Cancer Using Organotin Polymers. 2015 , 64, 800-814 | 5 |
| 450 | Synthesis and anticancer activity studies of ferrocenyl-thymine-3,6-dihydro-2H-thiopyranes IA new class of metallocene-nucleobase derivatives. 2015 , 794, 216-222 | 17 |
| 449 | Proven value of translational research with appropriate animal models to advance breast cancer treatment and save lives: the tamoxifen tale. 2015 , 79, 254-67 | 10 |
| 448 | MCF-7 cellschanging the course of breast cancer research and care for 45 years. <i>Journal of the National Cancer Institute</i> , 2015 , 107, | 107 |
| 447 | Molecular Portrait of Breast-Cancer-Derived Cell Lines Reveals Poor Similarity with Tumors. 2015 , 14, 2819-27 | 5 |
| 446 | Transcriptome analysis of human breast cancer cell lines MCF-7 and MDA-MB-435 by RNA-Seq. 2015 , 49, 244-252 | 1 |
| 445 | Quantitative analysis of the TNF-目nduced phosphoproteome reveals AEG-1/MTDH/LYRIC as an IKK睩ubstrate. 2015 , 6, 6658 | 42 |
| 444 | A cleavable cytolysin-neuropeptide Y bioconjugate enables specific drug delivery and demonstrates intracellular mode of action. 2015 , 209, 170-8 | 10 |
| 443 | TKTL1 expression in human malign and benign cell lines. 2015 , 15, 2 | 10 |
| 442 | Excess TGF-mediates muscle weakness associated with bone metastases in mice. 2015 , 21, 1262-1271 | 213 |
| 441 | Spiroscytalin, a new tetramic acid and other metabolites of mixed biogenesis from Scytalidium cuboideum. 2015 , 71, 8899-904 | 7 |
| 440 | Galectin-3 Binding Protein Secreted by Breast Cancer Cells Inhibits Monocyte-Derived Fibrocyte Differentiation. 2015 , 195, 1858-67 | 32 |
| 439 | Low-Intensity Ultrasound Promotes Clathrin-Dependent Endocytosis for Drug Penetration into Tumor Cells. 2015 , 41, 2740-54 | 16 |
| 438 | MicroRNA-203 Regulates Growth and Metastasis of Breast Cancer. 2015 , 37, 35-42 | 41 |
| | | |

| 437 | The first total synthesis of (+)-goniothalesacetate and syntheses of (+)-altholactone, (+)-gonioheptolide A, and (-)-goniofupyrone by an asymmetric acetate aldol approach. 2015 , 13, 10487-95 | 9 |
|-----|---|-----|
| 436 | Biosynthesis of size controlled silver nanoparticles by Fusarium oxysporum, their antibacterial and antitumor activities. 2015 , 4, 225-231 | 81 |
| 435 | Syntheses and Antituberculosis Activity of 1,3-Benzothiazinone Sulfoxide and Sulfone Derived from BTZ043. 2015 , 6, 128-33 | 29 |
| 434 | The role of EGFR family inhibitors in muscle invasive bladder cancer: a review of clinical data and molecular evidence. 2015 , 193, 19-29 | 48 |
| 433 | Cytochrome P450 1 family and cancers. 2015 , 147, 24-30 | 113 |
| 432 | Antagonism of serotonin receptor 1B decreases viability and promotes apoptosis in the COS canine osteosarcoma cell line. 2016 , 14, e31-44 | 1 |
| 431 | Hypoxia promotes Rab5 activation, leading to tumor cell migration, invasion and metastasis. 2016 , 7, 29548-62 | 32 |
| 430 | Murine models of breast cancer bone metastasis. 2016 , 5, 804 | 67 |
| 429 | In Vitro Cytotoxicity of Mesoporous SiO2@Eu(OH)3Core-Shell Nanospheres in MCF-7. 2016 , 2016, 1-6 | 14 |
| 428 | Stimulation of triple negative breast cancer cell migration and metastases formation is prevented by chloroquine in a pre-irradiated mouse model. 2016 , 16, 361 | 18 |
| 427 | The KISS1 Receptor as an In Vivo Microenvironment Imaging Biomarker of Multiple Myeloma Bone Disease. 2016 , 11, e0155087 | 11 |
| 426 | Targeted Delivery of Deoxycytidine Kinase to Her2-Positive Cells Enhances the Efficacy of the Nucleoside Analog Fludarabine. 2016 , 11, e0157114 | 4 |
| 425 | EGFR-Based Immunoisolation as a Recovery Target for Low-EpCAM CTC Subpopulation. 2016 , 11, e0163705 | 13 |
| 424 | The Human Toxome Collaboratorium: A Shared Environment for Multi-Omic Computational Collaboration within a Consortium. 2015 , 6, 322 | 6 |
| 423 | A comparative study of protein patterns of human estrogen receptor positive (MCF-7) and negative (MDA-MB-231) breast cancer cell lines. 2016 , 35, 387-92 | 13 |
| 422 | Discordant Haplotype Sequencing Identifies Functional Variants at the 2q33 Breast Cancer Risk Locus. 2016 , 76, 1916-25 | 5 |
| 421 | Effect of Docosahexaenoic Acid on Cell Cycle Pathways in Breast Cell Lines With Different Transformation Degree. 2016 , 231, 1226-36 | 21 |
| 420 | Ein durch eine synthetische Glycopeptid-Vakzine induzierter monoklonaler Antikper unterscheidet normale von malignen Brustzellen und ermölicht die Diagnose von humanen Pankreaskarzinomen. 2016, 128, 2944-2949 | 11 |

| 419 | Runx2 expression: A mesenchymal stem marker for cancer. 2016 , 12, 4167-4172 | 17 |
|-----|---|----|
| 418 | Primate-specific oestrogen-responsive long non-coding RNAs regulate proliferation and viability of human breast cancer cells. 2016 , 6, | 7 |
| 417 | Inducible super-enhancers are organized based on canonical signal-specific transcription factor binding elements. 2017 , 45, 3693-3706 | 36 |
| 416 | Identifications of novel mechanisms in breast cancer cells involving duct-like multicellular spheroid formation after exposure to the Random Positioning Machine. 2016 , 6, 26887 | 54 |
| 415 | Tumor Immunology. 2016 , | 2 |
| 414 | Tracking of STAT3 signaling for anticancer drug-discovery based on localized surface plasmon resonance. 2016 , 141, 2493-501 | 6 |
| 413 | A Synthetic Glycopeptide Vaccine for the Induction of a Monoclonal Antibody that Differentiates between Normal and Tumor Mammary Cells and Enables the Diagnosis of Human Pancreatic Cancer. 2016 , 55, 2894-8 | 45 |
| 412 | Cell cloning-on-the-spot by using an attachable silicone cylinder. 2016 , 474, 768-772 | 1 |
| 411 | Morphologic effects of estrogen stimulation on 3D MCF-7 microtissues. 2016 , 248, 1-8 | 3 |
| 410 | Human Microtumors Generated in 3D: Novel Tools for Integrated In Situ Studies of Cancer Immunotherapies. 2016 , 1393, 147-61 | 2 |
| 409 | A Comparative Study on the In Vitro Effects of the DNA Methyltransferase Inhibitor 5-Azacytidine (5-AzaC) in Breast/Mammary Cancer of Different Mammalian Species. 2016 , 21, 51-66 | 17 |
| 408 | CD24 cell surface expression in Mvt1 mammary cancer cells serves as a biomarker for sensitivity to anti-IGF1R therapy. 2016 , 18, 51 | 3 |
| 407 | The Polyadenosine RNA-binding Protein, Zinc Finger Cys3His Protein 14 (ZC3H14), Regulates the Pre-mRNA Processing of a Key ATP Synthase Subunit mRNA. 2016 , 291, 22442-22459 | 12 |
| 406 | Guanylate-Binding Protein-1 protects ovarian cancer cell lines but not breast cancer cell lines from killing by paclitaxel. 2016 , 478, 1617-23 | 18 |
| 405 | Existence of Two Distinct Infectious Endogenous Retroviruses in Domestic Cats and Their Different Strategies for Adaptation to Transcriptional Regulation. 2016 , 90, 9029-45 | 8 |
| 404 | Patient-derived tumour xenografts for breast cancer drug discovery. 2016 , 23, T259-T270 | 10 |
| 403 | Searching Missing Proteins Based on the Optimization of Membrane Protein Enrichment and Digestion Process. 2016 , 15, 4020-4029 | 14 |
| 402 | Cytotoxicity of Manganese (III) Complex in Human Breast Adenocarcinoma Cell Line Is Mediated by the Generation of Reactive Oxygen Species Followed by Mitochondrial Damage. 2016 , 35, 672-682 | 22 |

| 401 | New high-speed centre of mass method incorporating background subtraction for accurate determination of fluorescence lifetime. 2016 , 24, 6899-915 | 22 |
|-----|--|----|
| 400 | Agonist-stimulated phosphatidylinositol-3,4,5-trisphosphate generation by scaffolded phosphoinositide kinases. 2016 , 18, 1324-1335 | 66 |
| 399 | Genetic variability in a frozen batch of MCF-7 cells invisible in routine authentication affecting cell function. 2016 , 6, 28994 | 47 |
| 398 | Sterol regulatory element-binding proteins are regulators of the sodium/iodide symporter in mammary epithelial cells. 2016 , 99, 9211-9226 | 6 |
| 397 | Targeting choline phospholipid metabolism: GDPD5 and GDPD6 silencing decrease breast cancer cell proliferation, migration, and invasion. 2016 , 29, 1098-107 | 16 |
| 396 | Core-Shell Silver/Polymeric Nanoparticles-Based Combinatorial Therapy against Breast Cancer In-vitro. 2016 , 6, 30729 | 39 |
| 395 | Snail-induced epithelial-to-mesenchymal transition of MCF-7 breast cancer cells: systems analysis of molecular changes and their effect on radiation and drug sensitivity. 2016 , 16, 236 | 31 |
| 394 | Testing chemotherapy efficacy in HER2 negative breast cancer using patient-derived spheroids. 2016 , 14, 112 | 27 |
| 393 | Use of microbial fuel cells to monitor current production in Qi-deficient liver cells. 2016 , 36, 231-7 | 2 |
| 392 | The protein phosphatase 4 - PEA15 axis regulates the survival of breast cancer cells. 2016 , 28, 1389-400 | 11 |
| 391 | Polymer microfilters with nanostructured surfaces for the culture of circulating cancer cells. 2016 , 66, 193-198 | 7 |
| 390 | Cell line donor genotype and its influence on experimental phenotype: Toll-like receptor SNPs and potential variability in innate immunity. 2016 , 118, 147-152 | 3 |
| 389 | A new member of the cationic dinitrosyl iron complexes family incorporating N-ethylthiourea is effective against human HeLa and MCF-7 tumor cell lines. 2016 , 69, 812-825 | 18 |
| 388 | Proteomic Analysis of Epithelial to Mesenchymal Transition (EMT) Reveals Cross-talk between SNAIL and HDAC1 Proteins in Breast Cancer Cells. 2016 , 15, 906-17 | 32 |
| 387 | Cell-penetrating conjugates of pentaglutamylated methotrexate as potential anticancer drugs against resistant tumor cells. 2016 , 115, 361-8 | 20 |
| 386 | N-acetylgalactosamine glycans function in cancer cell adhesion to endothelial cells: A role for truncated O-glycans in metastatic mechanisms. 2016 , 375, 367-374 | 21 |
| 385 | Selective isolation and characterization of primary cells from normal breast and tumors reveal plasticity of adipose derived stem cells. 2016 , 18, 32 | 27 |
| 384 | The fully synthetic MAG-Tn3 therapeutic vaccine containing the tetanus toxoid-derived TT830-844 universal epitope provides anti-tumor immunity. 2016 , 65, 315-25 | 16 |

| 383 | Riproximin modulates multiple signaling cascades leading to cytostatic and apoptotic effects in human breast cancer cells. 2016 , 142, 135-47 | 15 |
|-----|--|----|
| 382 | Thiotagetin A, a new cytotoxic thiophene from Tagetes minuta. 2017 , 31, 543-547 | 7 |
| 381 | A Novel Effect of 卧drenergic Receptor on Mammary Branching Morphogenesis and its Possible Implications in Breast Cancer. 2017 , 22, 43-57 | 11 |
| 380 | Crosstalk between the nucleolus and the DNA damage response. 2017 , 13, 443-455 | 42 |
| 379 | Are your results valid? Cellular authentication a need from the past, an emergency on the present. 2017 , 53, 430-434 | 4 |
| 378 | Anticalins directed against vascular endothelial growth factor receptor 3 (VEGFR-3) with picomolar affinities show potential for medical therapy and in vivo imaging. 2017 , 398, 39-55 | 20 |
| 377 | Quantitative proteomics of breast tumors: Tissue quality assessment to clinical biomarkers. 2017 , 17, 1600335 | 6 |
| 376 | Dual Modulation of Human P-Glycoprotein and ABCG2 with Prodrug Dimers of the Atypical Antipsychotic Agent Paliperidone in a Model of the Blood-Brain Barrier. 2017 , 14, 1107-1119 | 9 |
| 375 | Discovery of (S)-3'-hydroxyblebbistatin and (S)-3'-aminoblebbistatin: polar myosin II inhibitors with superior research tool properties. 2017 , 15, 2104-2118 | 17 |
| 374 | Antitumoral activity of 1,2-diaminocyclohexane derivatives in breast, colon and skin human cancer cells. 2017 , 9, 293-302 | 5 |
| 373 | Nanopatterned polystyrene-b-poly(acrylic acid) surfaces to modulate cell-material interaction. 2017 , 75, 229-236 | 4 |
| 372 | The Cellular Retinoic Acid Binding Protein 2 Promotes Survival of Malignant Peripheral Nerve Sheath Tumor Cells. 2017 , 187, 1623-1632 | 11 |
| 371 | Immunogenicity of a Fully Synthetic MUC1 Glycopeptide Antitumor Vaccine Enhanced by Poly(I:C) as a TLR3-Activating Adjuvant. 2017 , 12, 722-727 | 16 |
| 370 | Synthesis, screening and pro-apoptotic activity of novel acyl spermidine derivatives on human cancer cell lines. 2017 , 93, 190-201 | 5 |
| 369 | Insulin-like growth factor-1 signaling is responsible for cathepsin G-induced aggregation of breast cancer MCF-7 cells. 2017 , 108, 1574-1583 | 18 |
| 368 | 5-Selenocyanatouracil: A Potential Hypoxic Radiosensitizer. Electron Attachment Induced Formation of Selenium Centered Radical. 2017 , 121, 6139-6147 | 17 |
| 367 | The T47D cell line is an ideal experimental model to elucidate the progesterone-specific effects of a luminal A subtype of breast cancer. 2017 , 486, 752-758 | 31 |
| 366 | Single cell genomic quantification by non-fluorescence nonlinear microscopy. 2017 , | |

| 365 | Alpha-adrenoceptor agonists trigger prolactin signaling in breast cancer cells. 2017 , 34, 76-85 | 16 |
|-----|--|----|
| 364 | Expression of PRL-3 regulates proliferation and invasion of breast cancer cells in vitro. 2017 , 296, 1153-1160 | 6 |
| 363 | Immunization with a Synthetic Human MUC1 Glycopeptide Vaccine against Tumor-Associated MUC1 Breaks Tolerance in Human MUC1 Transgenic Mice. 2017 , 12, 1424-1428 | 21 |
| 362 | Substrate inhibition of 17冊SD1 in living cells and regulation of 17冊SD7 by 17冊SD1 knockdown. 2017 , 172, 36-45 | 11 |
| 361 | Advances in the development of improved animal-free models for use in breast cancer biomedical research. 2017 , 9, 321-327 | 6 |
| 360 | Retroviral insertional mutagenesis implicates E3 ubiquitin ligase RNF168 in the control of cell proliferation and survival. 2017 , 37, | 4 |
| 359 | Quantification of Breast Cancer Protein Biomarkers at Different Expression Levels in Human Tumors. 2018 , 1788, 251-268 | 0 |
| 358 | Expression of a SOX1 overlapping transcript in neural differentiation and cancer models. 2017, 74, 4245-4258 | 19 |
| 357 | Novel carbohydrate-substituted metallo-porphyrazine comparison for cancer tissue-type specificity during PDT. 2017 , 173, 412-422 | 3 |
| 356 | RUNX2 expression in thyroid and breast cancer requires the cooperation of three non-redundant enhancers under the control of BRD4 and c-JUN. 2017 , 45, 11249-11267 | 42 |
| 355 | Cancer Research in Space. 2017 , 87-106 | 1 |
| 354 | Resource competition promotes tumour expansion in experimentally evolved cancer. 2017, 17, 268 | 8 |
| 353 | Intracellular Growth and Morphological Characteristics of Legionella pneumophila during Invasion and Proliferation in Different Cells. 2017 , 40, 1035-1042 | 0 |
| 352 | 5.17 Three-Dimensional Bioengineered Cancer Models. 2017 , 303-328 | 1 |
| 351 | Eco-Friendly Formulated Zinc Oxide Nanoparticles: Induction of Cell Cycle Arrest and Apoptosis in the MCF-7 Cancer Cell Line. 2017 , 8, | 64 |
| 350 | Cell Cycle and Cell Size Dependent Gene Expression Reveals Distinct Subpopulations at Single-Cell Level. 2017 , 8, 1 | 63 |
| 349 | Endocrine Therapy of Estrogen Receptor-Positive Breast Cancer Cells: Early Differential Effects on Stem Cell Markers. 2017 , 7, 184 | 19 |
| 348 | Mesenchymal phenotype of circulating tumor cells is associated with distant metastasis in breast cancer patients. 2017 , 9, 691-700 | 24 |

(2018-2017)

| 347 | Nifedipine stimulates proliferation and migration of different breast cancer cells by distinct pathways. 2017 , 16, 2259-2263 | 9 |
|-----|---|-----|
| 346 | Integration of RNA-Seq data with heterogeneous microarray data for breast cancer profiling. 2017 , 18, 506 | 25 |
| 345 | Proteome profiling of extracellular vesicles captured with the affinity peptide Vn96: comparison of Laemmli and TRIzol protein-extraction methods. 2018 , 7, 1438727 | 16 |
| 344 | Non-conventional rottlerin anticancer properties. 2018, 645, 50-53 | 9 |
| 343 | Contribution of three-dimensional architecture and tumor-associated fibroblasts to hepcidin regulation in breast cancer. 2018 , 37, 4013-4032 | 27 |
| 342 | Targeted inhibitors of P-glycoprotein increase chemotherapeutic-induced mortality of multidrug resistant tumor cells. 2018 , 8, 967 | 133 |
| 341 | Cell lines as models for the study of Cry toxins from Bacillus thuringiensis. 2018, 93, 66-78 | 7 |
| 340 | Natural Killer Cells Control Tumor Growth by Sensing a Growth Factor. 2018 , 172, 534-548.e19 | 136 |
| 339 | POU6f1 Mediates Neuropeptide-Dependent Plasticity in the Adult Brain. 2018, 38, 1443-1461 | 10 |
| 338 | Monanchoramides AD, ceramides from the marine sponge Monanchora clathrata with cytotoxic activity. 2018 , 23, 83-89 | 7 |
| 337 | Upconversion rare earth nanoparticles functionalized with folic acid for bioimaging of MCF-7 breast cancer cells. 2018 , 33, 191-200 | 10 |
| 336 | Profiling plasma extracellular vesicle by pluronic block-copolymer based enrichment method unveils features associated with breast cancer aggression, metastasis and invasion. 2018 , 7, 1458574 | 14 |
| 335 | Using network and functional enrichment clustering analyses to find therapeutic targets for breast cancer: The role of cyclin-dependent kinase 2. 2018 , 41, 8514-8527 | |
| 334 | The Impact of Di(2-ethylhexyl)phthalate on Cancer Progression. 2018 , 66, 183-197 | 10 |
| 333 | Short Exposures to an Extremely Low-Frequency Magnetic Field (ELF MF) Enhance Protein but not mRNA Alkaline Phosphatase Expression in Human Osteosarcoma Cells. 2018 , 12, 65-77 | 2 |
| 332 | Upregulation of USP11 promotes epithelial-to-mesenchymal transition by deubiquitinating Snail in ovarian cancer. 2019 , 41, 1739-1748 | 12 |
| 331 | Intrinsic proteotoxic stress levels vary and act as a predictive marker for sensitivity of cancer cells to Hsp90 inhibition. 2018 , 13, e0202758 | 5 |
| 330 | Obesity-Activated Adipose-Derived Stromal Cells Promote Breast Cancer Growth and Invasion. 2018 , 20, 1161-1174 | 20 |

| 329 | Overexpressed in colorectal carcinoma gene (OCC-1) upregulation and APPL2 gene downregulation in breast cancer specimens. 2018 , 45, 1889-1895 | 2 |
|-------------|--|-----|
| 328 | Filtration of circulating tumour cells MCF-7 in whole blood using non-modified and modified silicon nitride microsieves. 2018 , 15, 39 | 2 |
| 327 | Sp1 Suppresses miR-3178 to Promote the Metastasis Invasion Cascade via Upregulation of TRIOBP. 2018 , 12, 1-11 | 13 |
| 326 | High CD90 (THY-1) expression positively correlates with cell transformation and worse prognosis in basal-like breast cancer tumors. 2018 , 13, e0199254 | 8 |
| 325 | The effect of conjugation on antitumor activity of vindoline derivatives with octaarginine, a cell-penetrating peptide. 2018 , 24, e3118 | 12 |
| 324 | Introduction. 2018 , 667-721 | |
| 323 | Novel tertiary sulfonamides as potent anti-cancer agents. 2018 , 26, 4441-4451 | 16 |
| 322 | Effects of a checkpoint kinase inhibitor, AZD7762, on tumor suppression and bone remodeling. 2018 , 53, 1001-1012 | 9 |
| 321 | Tissue Proteomics. 2018, | |
| 32 0 | Establishment and characterization of three stable Basal/HER2-positive breast cancer cell lines derived from Chinese breast carcinoma with identical missense mutations in the DNA-binding domain of TP53. 2018 , 18, 118 | 3 |
| 319 | Genetic and transcriptional evolution alters cancer cell line drug response. 2018 , 560, 325-330 | 379 |
| 318 | Isolation of Phytochemicals from L. Bark and Their In Vitro Antioxidant and Cytotoxic Potential. 2019 , 8, | 10 |
| 317 | Bimodular Antiparallel G-Quadruplex Nanoconstruct with Antiproliferative Activity. 2019, 24, | 5 |
| 316 | Differential Cytotoxic Potential of Leaf and Stem Extracts with the Ability to Induce Multiple Cell Death Pathways. 2019 , 24, | 6 |
| 315 | Tumor-Specific Regulatory T Cells from the Bone Marrow Orchestrate Antitumor Immunity in Breast Cancer. 2019 , 7, 1998-2012 | 8 |
| 314 | Cytotoxicity of selected Ethiopian medicinal plants used in traditional breast cancer treatment against breast-derived cell lines. 2019 , 13, 188-198 | 8 |
| 313 | MicroRNAs as possible indicators of drug sensitivity in breast cancer cell lines. 2019 , 14, e0216400 | 33 |
| 312 | Synthesis of PEGylated methotrexate conjugated with a novel CPP6, in sillico structural insights and activity in MCF-7 cells. 2019 , 1192, 201-207 | 3 |

(2020-2019)

| 311 | Plasma membrane localization of CYP4Z1 and CYP19A1 and the detection of anti-CYP19A1 autoantibodies in humans. 2019 , 73, 64-71 | 15 |
|-----|---|----|
| 310 | Effects of glutamine deprivation on oxidative stress and cell survival in breast cell lines. 2019 , 52, 15 | 25 |
| 309 | Classification of different types of estrogen receptor alpha binding sites in MCF-7 cells. 2019 , 299, 13-20 | 3 |
| 308 | Antibacterial and anticancer activities of orphan biosynthetic gene clusters from Atlantis II Red Sea brine pool. 2019 , 18, 56 | 8 |
| 307 | Osteoblasts are "educated" by crosstalk with metastatic breast cancer cells in the bone tumor microenvironment. 2019 , 21, 31 | 34 |
| 306 | ECRG4 acts as a tumor suppressor gene frequently hypermethylated in human breast cancer. 2019 , 39, | 7 |
| 305 | Identification and Characterization of the Caspase-Mediated Apoptotic Activity of and an Isolated Compound in Human Cancer Cells. 2019 , 24, | 7 |
| 304 | Cancer as an Embryological Phenomenon and Its Developmental Pathways: A Hypothesis regarding the Contribution of the Noncanonical Wnt Pathway. 2019 , 2019, 4714781 | 3 |
| 303 | Discovery and synthesis of 2-amino-1-methyl-1H-imidazol-4(5H)-ones as GPCR ligands; an approach to develop breast cancer drugs via GPCR associated PAR1 and PI3Kinase inhibition mechanism. 2019 , 86, 641-651 | 4 |
| 302 | Protein-Engineered Nanoscale Micelles for Dynamic F Magnetic Resonance and Therapeutic Drug Delivery. 2019 , 13, 2969-2985 | 20 |
| 301 | Presence of Bisphenol A and Parabens in a Neonatal Intensive Care Unit: An Exploratory Study of Potential Sources of Exposure. 2019 , 127, 117004 | 16 |
| 300 | iRGD-guided tamoxifen polymersomes inhibit estrogen receptor transcriptional activity and decrease the number of breast cancer cells with self-renewing capacity. 2019 , 17, 120 | 9 |
| 299 | Antitumor Action of Amygdalin on Human Breast Cancer Cells by Selective Sensitization to Oxidative Stress. 2019 , 71, 483-490 | 17 |
| 298 | Quinoline-derivative coordination compounds as potential applications to antibacterial and antineoplasic drugs. 2019 , 98, 1043-1052 | 13 |
| 297 | Synthesis of an Alkyne-Modified Bleomycin Disaccharide Precursor, Conversion to a 18F-Labeled Radiotracer, and Preliminary in vivo-PET Imaging Studies. 2019 , 2019, 156-163 | 2 |
| 296 | DHEAS prevents pro-metastatic and proliferative effects of 17Eestradiol on MCF-7 breast cancer cells. 2020 , 1867, 118600 | О |
| 295 | Therapeutic resistance in breast cancer cells can result from deregulated EGFR signaling. 2020 , 78, 100758 | 9 |
| 294 | Molecular Mechanism for Breast Cancer Incidence in the Women's Health Initiative. 2020 , 13, 807-816 | 10 |

| 293 | Ropinirole, a potential drug for systematic repositioning based on side effect profile for management and treatment of breast cancer. 2020 , 144, 110156 | 2 |
|-----|---|----|
| 292 | Anticancer Effect of Mountain Ginseng on Human Breast Cancer: Comparison with Farm-Cultivated Ginseng. 2020 , 2020, 2584783 | 7 |
| 291 | Nobiletin affects circadian rhythms and oncogenic characteristics in a cell-dependent manner. 2020 , 15, e0236315 | 9 |
| 290 | Thermal Resonance and Cell Behavior. 2020 , 22, | 14 |
| 289 | HERBAL NANOSUSPENSION: IN VITRO CANCER STUDY AGAINST DIFFERENT CELL LINES. 2020 , 25-29 | О |
| 288 | Experimental Models as Refined Translational Tools for Breast Cancer Research. 2020 , 88, 32 | 6 |
| 287 | An on-lattice agent-based Monte Carlo model simulating the growth kinetics of multicellular tumor spheroids. 2020 , 77, 194-203 | 2 |
| 286 | Theranostic Prospects of Graphene Quantum Dots in Breast Cancer. 2020 , 6, 5987-6008 | 13 |
| 285 | Development in efficacy assessment in relevant oncology models for breast cancer nanomedicine. 2020 , 299-329 | 2 |
| 284 | Cancer cell lines show high heritability for motility but not generation time. 2020 , 7, 191645 | |
| 283 | Improved Autophagic Flux in Escapers from Doxorubicin-Induced Senescence/Polyploidy of Breast Cancer Cells. 2020 , 21, | 18 |
| 282 | Synthesis and biological activity of 5-aryliden-2-thiohydantoin S-aryl derivatives. 2020 , 100, 103900 | 3 |
| 281 | Expression of ER-resident selenoproteins and activation of cancer cells apoptosis mechanisms under ER-stress conditions caused by methylseleninic acid. 2020 , 755, 144884 | 8 |
| 280 | Protoflavone-Chalcone Hybrids Exhibit Enhanced Antitumor Action through Modulating Redox Balance, Depolarizing the Mitochondrial Membrane, and Inhibiting ATR-Dependent Signaling. 2020 , 9, | 5 |
| 279 | Organic extracts from Cleome droserifolia exhibit effective caspase-dependent anticancer activity. 2020 , 20, 74 | 5 |
| 278 | Nanoformulated Ajwa (Phoenix Dactylifera) Bioactive Compounds Improve the Safety of Doxorubicin without Compromising its Anticancer Efficacy in Breast Cancer. 2020 , 25, | 4 |
| 277 | Proteomics Profiling of KAIMRC1 in Comparison to MDA-MB231 and MCF-7. 2020 , 21, | 6 |
| 276 | Differential Expression of Nicotine Acetylcholine Receptors Associates with Human Breast Cancer and Mediates Antitumor Activity of Ð-Conotoxin GeXIVA. 2020 , 18, | 9 |

(2021-2020)

| 275 | Enhanced anticancer activity of combined treatment of imatinib and dipyridamole in solid Ehrlich carcinoma-bearing mice. 2020 , 393, 1113-1129 | 1 |
|-----|---|---|
| 274 | Progesterone and estrogen regulate NALCN expression in human myometrial smooth muscle cells. 2020 , 318, E441-E452 | 5 |
| 273 | Gamma Tocopherol Reduced Chemotherapeutic-Induced ROS in an Ovarian Granulosa Cell Line, But Not in Breast Cancer Cell Lines In Vitro. 2020 , 9, | 3 |
| 272 | Structure-Activity Relationship of HER2 Receptor Targeting Peptide and Its Derivatives in Targeted Tumor Therapy. 2020 , 10, | 2 |
| 271 | Ubiquitin chromatin remodelling after DNA damage is associated with the expression of key cancer genes and pathways. 2021 , 78, 1011-1027 | 5 |
| 270 | Radiosensitizing and Phototherapeutic Effects of AuNPs are Mediated by Differential Noxa and Bim Gene Expression in MCF-7 Breast Cancer Cell Line. 2021 , 20, 20-27 | 1 |
| 269 | Construction of biomimetic silver nanoparticles in the treatment of lymphoma. 2021 , 119, 111648 | 6 |
| 268 | Anti-proliferative activities of coumarins from the Thai medicinal plant Mammea siamensis (Miq.) T. Anders. against human digestive tract carcinoma cell lines. 2021 , 148, 104780 | 3 |
| 267 | Spatial correlation of cell stiffness and traction forces in cancer cells measured with combined SICM and TFM 2021 , 11, 13951-13956 | 6 |
| 266 | Experimental models of endocrine responsive breast cancer: strengths, limitations, and use. 2021 , 4, 762-783 | 2 |
| 265 | 'Educated' Osteoblasts Reduce Osteoclastogenesis in a Bone-Tumor Mimetic Microenvironment. 2021 , 13, | 1 |
| 264 | IFT20 Mediates the Transport of Cell Migration Regulators From the Trans-Golgi Network to the Plasma Membrane in Breast Cancer Cells. 2021 , 9, 632198 | 2 |
| 263 | Intraductal xenografts show lobular carcinoma cells rely on their own extracellular matrix and LOXL1. 2021 , 13, e13180 | 6 |
| 262 | Gynaecological cancers and their cell lines. 2021 , 25, 3680-3698 | 1 |
| 261 | MWCNTs/PEDOT: PSS Composite as Guiding Layer on Screen-Printed Carbon Electrode for Linear Range Lactate Detection. 2021 , 168, 037507 | 2 |
| 260 | Imaging the electrical activity of organelles in living cells. 2021 , 4, 389 | 6 |
| 259 | Hierarchical tumor heterogeneity mediated by cell contact between distinct genetic subclones. 2021 , 131, | 5 |
| 258 | Establishment and characterization of a new spontaneously immortalized ER/PR/HER2 human breast cancer cell line, DHSF-BR16. 2021 , 11, 8340 | 0 |

| 257 | GSK-3¶Can Regulate the Sensitivity of MIA-PaCa-2 Pancreatic and MCF-7 Breast Cancer Cells to Chemotherapeutic Drugs, Targeted Therapeutics and Nutraceuticals. 2021 , 10, | 7 |
|-----|---|---|
| 256 | Breast Cancer Reconstruction: Design Criteria for a Humanized Microphysiological System. 2021 , 27, 479-488 | 1 |
| 255 | De novo filament formation by human hair keratins K85 and K35 follows a filament development pattern distinct from cytokeratin filament networks. 2021 , 11, 1299-1312 | |
| 254 | The Anti-HER3 mAb Seribantumab Effectively Inhibits Growth of Patient-Derived and Isogenic Cell Line and Xenograft Models with Oncogenic Fusions. 2021 , 27, 3154-3166 | 7 |
| 253 | The Influence of Cold Atmospheric Pressure Plasma-Treated Media on the Cell Viability, Motility, and Induction of Apoptosis in Human Non-Metastatic (MCF7) and Metastatic (MDA-MB-231) Breast Cancer Cell Lines. 2021 , 22, | 6 |
| 252 | Hypo-osmotic Stress Induces ATP Release via Volume-regulated Anion Channels in Undifferentiated Mammary Cells. | 1 |
| 251 | Quantification of long-term doxorubicin response dynamics in breast cancer cell lines to direct treatment schedules. | 1 |
| 250 | Proteomic Analysis of Zeb1 Interactome in Breast Carcinoma Cells. 2021 , 26, | 2 |
| 249 | Breast cancer dormancy: need for clinically relevant models to address current gaps in knowledge. 2021 , 7, 66 | 8 |
| 248 | Mitochondrial activities play a pivotal role in regulating cell cycle in response to doxorubicin. 2021 , 20, 1067-1079 | 1 |
| 247 | Engineering Breast Cancer On-chip-Moving Toward Subtype Specific Models. 2021 , 9, 694218 | 2 |
| 246 | Preferential uptake of antibody targeted calcium phosphosilicate nanoparticles by metastatic triple negative breast cancer cells in co-cultures of human metastatic breast cancer cells plus bone osteoblasts. 2021 , 34, 102383 | 1 |
| 245 | Alterations of Growth and Focal Adhesion Molecules in Human Breast Cancer Cells Exposed to the Random Positioning Machine. 2021 , 9, 672098 | 5 |
| 244 | Label-Free Single Cell Viability Assay Using Laser Interference Microscopy. 2021 , 10, | 0 |
| 243 | Low lamin A levels enhance confined cell migration and metastatic capacity in breast cancer. | 2 |
| 242 | Racemization-free synthesis of NE2-thiophenoyl-phenylalanine-2-morpholinoanilide enantiomers and their antimycobacterial activity. 2021 , 53, 1187-1196 | 1 |
| 241 | Interaction Network Provides Clues on the Role of BCAR1 in Cellular Response to Changes in Gravity. 2021 , 9, 81 | 0 |
| 240 | Single-shot quantitative phase imaging as an extension of differential interference contrast microscopy. 2021 , 26, 596-610 | 1 |

| 239 | Knockdown of the prognostic cancer stem cell marker Musashi-1 decreases radio-resistance while enhancing apoptosis in hormone receptor-positive breast cancer cells via p21. 2021 , 147, 3299-3312 | 2 |
|-----|---|----|
| 238 | Molecular and cellular characterization of two patient-derived ductal carcinoma in situ (DCIS) cell lines, ETCC-006 and ETCC-010. 2021 , 21, 790 | |
| 237 | Nanocomposite gels of poloxamine and Laponite for 且apachone release in anticancer therapy. 2021 , 163, 105861 | 2 |
| 236 | Role of calcium in hormone-independent and -resistant breast cancer. 2021 , 149, 1817-1827 | 3 |
| 235 | Sphingosine-1-Phosphate Induces ATP Release via Volume-Regulated Anion Channels in Breast Cell Lines. 2021 , 11, | 3 |
| 234 | A Water-Soluble Antibiotic in Rhubarb Stalk Shows an Unusual Pattern of Multiple Zones of Inhibition and Preferentially Kills Slow-Growing Bacteria. 2021 , 10, | 3 |
| 233 | Applications and analysis of hydrolysates in animal cell culture. 2021 , 8, 93 | 2 |
| 232 | Dual targeting of higher-order DNA structures by azacryptands induces DNA junction-mediated DNA damage in cancer cells. 2021 , 49, 10275-10288 | 1 |
| 231 | Synthesis of 3-aryl-4-(N-aryl)aminocoumarins via photoredox arylation and the evaluation of their biological activity. 2021 , 114, 105141 | 1 |
| 230 | Anticancer Activity of Selenium Nanoparticles In Vitro Studies. 2021, | 4 |
| 229 | Diffusion-controlled release of the theranostic protein-photosensitizer Azulitox from composite of Fmoc-Phenylalanine Fibrils encapsulated with BSA hydrogels. 2021 , 341, 51-62 | 3 |
| 228 | Adipose-derived stem/stromal cell secretome modulates breast cancer cell proliferation and differentiation state towards aggressiveness. 2021 , 191, 69-77 | O |
| 227 | Anti-Breast Cancer Terpenoids of Natural Origins. 2021, 29-68 | 1 |
| 226 | Breast Cancer. 1999, 79-106 | 4 |
| 225 | Novel Metal-Based Luminophores for Biological Imaging. 2012 , 15-44 | 3 |
| 224 | Structure and function of the pS2 gene and estrogen receptor in human breast cancer cells. 1988 , 40, 185-206 | 27 |
| 223 | Synergy In Vitro and in Clinical Trials. 1985 , 29-39 | 4 |
| 222 | Effects of processing on zearalenone. 2002 , 504, 205-16 | 25 |

| 221 | Humanization of an anti-mucin antibody for breast and ovarian cancer therapy. 1994 , 353, 61-82 | 6 |
|-----|---|----|
| 220 | The Role of Estrogen Regulated Secreted Proteins for Growth Regulation of Human Breast Cancer. 1992 , 81-91 | 1 |
| 219 | Characteristics of Multidrug Resistance in Human Tumor Cells. 1991 , 3-55 | 19 |
| 218 | Estrogen-regulated messenger RNAs in human breast cancer cells. 1991 , 53, 259-71 | 5 |
| 217 | The role of ras gene expression and transforming growth factor alpha production in the etiology and progression of rodent and human breast cancer. 1991 , 53, 107-57 | 7 |
| 216 | Estrogen and antiestrogen resistance in human breast cancer cell lines. 1986 , 196, 329-45 | 11 |
| 215 | Human Breast Tumor Cells in Culture; New Concepts in Mammary Carcinogenesis. 1981, 117-143 | 3 |
| 214 | Antiestrogens: Mechanism of Action and Effects in Breast Cancer. 1978 , 155-204 | 13 |
| 213 | General in vitro caspase assay procedures. 2014 , 1133, 3-39 | 14 |
| 212 | Chromatin Immunoprecipitation Assay to Identify Genomic Binding Sites of Regulatory Factors. 2016 , 1366, 53-65 | 3 |
| 211 | Near-clinical applications of laser scanning cytometry. 2006 , 319, 193-212 | 3 |
| 210 | Detection of adriamycin-DNA adducts by accelerator mass spectrometry. 2010 , 613, 103-18 | 6 |
| 209 | In Vitro Effects of Melatonin on Tumor Cells. 2001 , 221-239 | 4 |
| 208 | The E-cadherin/catenin complex in invasion and metastasis. 1996 , 213 (Pt 1), 123-61 | 84 |
| 207 | Growth of Human Tumors in Culture. 1981 , 451-490 | 2 |
| 206 | Regulation of Oestrogen Responsiveness of MCF-7 Human Breast Cancer Cell Growth by Serum Concentration in the Culture Medium. 1983 , 439-442 | 2 |
| 205 | Studies on mechanisms of estrogen and antiestrogen action in human breast cancer. 1980 , 71, 45-58 | 8 |
| 204 | In vitro effect of interferon-alpha on human granulocyte/macrophage progenitor cells and human clonogenic tumor cells. 1984 , 94, 205-19 | 3 |

| 203 | In vitro characterization of new antiestrogens in human mammary tumor cells. 1984 , 94, 245-52 | 1 |
|-----|---|-----|
| 202 | Zellkulturtechniken, Zellmodelle und Tissue Engineering. 2003 , 255-298 | 1 |
| 201 | Breast Cancer. 1991 , 271-286 | 8 |
| 200 | Xenotransplantation in immunosuppressed nude mice of human solid tumors and acute leukemias directly from patients or in vitro cell lines. 1989 , 19, 231-43 | 14 |
| 199 | DETECTION OF CELL-MEDIATED IMMUNITY AGAINST TUMOR-ASSOCIATED ANTIGENS OF HUMAN BREAST CARCINOMA BY MIGRATION INHIBITION AND LYMPHOCYTE-STIMULATION ASSAYS. 1976 , 77-86 | 3 |
| 198 | Pregnancy Proteins in Breast Cancer: Studies Using Tumour Cytosols and the Oestrogen-Sensitive Cell Line MCF-7. 1985 , 32, 571-574 | 1 |
| 197 | Prospects for the Etiologic Involvement of RNA Tumor Viruses in Human Cancer. 1980 , 485-514 | 2 |
| 196 | Mammary stem cells in normal development and cancer. 1997 , 147-232 | 17 |
| 195 | Nuclear mechanisms of estrogen action. Effects of estradiol and anti-estrogens on estrogen receptors and nuclear receptor processing 1978 , 253, 8185-8191 | 231 |
| 194 | Estrogen control of progesterone receptor in human breast cancer. Correlation with nuclear processing of estrogen receptor 1978 , 253, 2223-2228 | 521 |
| 193 | NAD-dependent methylenetetrahydrofolate dehydrogenase is expressed by immortal cells 1985 , 260, 14616-14620 | 73 |
| 192 | Estrogen receptor. Unoccupied sites in nuclei of a breast tumor cell line 1977 , 252, 3703-3708 | 71 |
| 191 | Regulated expression of the chicken ovalbumin gene in a human estrogen-responsive cell line 1983 , 258, 12693-12701 | 19 |
| 190 | Role of insulin-like growth factors and the type I insulin-like growth factor receptor in the estrogen-stimulated proliferation of human breast cancer cells 1990 , 265, 21172-21178 | 271 |
| 189 | Dihydrofolate reductase gene amplification and possible rearrangement in estrogen-responsive methotrexate-resistant human breast cancer cells 1982 , 257, 15079-15086 | 45 |
| 188 | Identification and characterization of estrogen-regulated RNAs in human breast cancer cells 1988 , 263, 12901-12908 | 66 |
| 187 | Identification of PECAM-1 in solid tumor cells and its potential involvement in tumor cell adhesion to endothelium 1993 , 268, 22883-22894 | 49 |
| 186 | Effects of tamoxifen and 4-hydroxytamoxifen on the pNR-1 and pNR-2 estrogen-regulated RNAs in human breast cancer cells 1987 , 262, 15894-15899 | 56 |

| 185 | Characterization and molecular cloning of a putative binding protein for heparin-binding growth factors 1991 , 266, 16778-16785 | 91 |
|-----|---|-----|
| 184 | Fatty acid synthetase and its mRNA are induced by progestins in breast cancer cells 1987 , 262, 9923-9926 | 48 |
| 183 | Progesterone receptor synthesis and degradation in MCF-7 human breast cancer cells as studied by dense amino acid incorporation. Evidence for a non-hormone binding receptor precursor 1986 , 261, 13236-13243 | 34 |
| 182 | Toxicity and effects of epidermal growth factor on glucose metabolism of MDA-468 human breast cancer cells 1990 , 265, 13641-13649 | 37 |
| 181 | Effects of antiestrogens on the estrogen-regulated pS2 RNA and the 52- and 160-kilodalton proteins in MCF7 cells and two tamoxifen-resistant sublines 1984 , 259, 10030-10035 | 80 |
| 180 | The anti-progestin RU486 stabilizes the progestin-induced fatty acid synthetase mRNA but does not stimulate its transcription. 1991 , 266, 8220-8224 | 17 |
| 179 | Two tumor necrosis factor-binding proteins purified from human urine. Evidence for immunological cross-reactivity with cell surface tumor necrosis factor receptors 1990 , 265, 1531-1536 | 381 |
| 178 | Transcriptional control of thymidine kinase gene expression by estrogen and antiestrogens in MCF-7 human breast cancer cells 1986 , 261, 5562-5567 | 54 |
| 177 | Estradiol-independent growth of a subline of MCF-7 human breast cancer cells in culture 1981 , 256, 6895-6902 | 49 |
| 176 | Isolation and characterization of a tamoxifen-resistant cell line derived from MCF-7 human breast cancer cells 1981 , 256, 5016-5021 | 88 |
| 175 | An insulin effect on cytoplasmic estrogen receptor in the human breast cancer cell line MCF-7 1981 , 256, 3637-3640 | 11 |
| 174 | Effects of RNA and ribonuclease on the binding of estrogen and glucocorticoid receptors from MCF-7 cells to DNA-cellulose 1982 , 257, 2996-3002 | 71 |
| 173 | Analysis of the tumor-associated antigen TSP-180. 1989 , 264, 15515-15521 | 103 |
| 172 | Specificity analysis of sera from breast cancer patients vaccinated with MUC1-KLH plus QS-21. 1999 , 79, 1806-1812 | 33 |
| 171 | GalNAc glycoprotein expression by breast cell lines, primary breast cancer and normal breast epithelial membrane. | 3 |
| 170 | Impairment of cell adhesion and migration by inhibition of protein disulphide isomerases in three breast cancer cell lines. 2020 , 40, | 1 |
| 169 | Laminin N-terminus B1 is upregulated in invasive ductal breast cancer and changes the mode of tumour invasion. | 3 |
| 168 | Quantitative scoring of epithelial and mesenchymal qualities of cancer cells using machine learning and quantitative phase imaging. 2020 , 25, 1-17 | 14 |

| 167 | Relationship of progesterone- and estradiol-binding proteins in Coccidioides immitis to coccidioidal dissemination in pregnancy. 1983 , 40, 478-85 | 54 |
|-----|---|-----|
| 166 | Effects of 17beta-estradiol on the replication of rubella virus in an estrogen-responsive, continuous cell line. 1979 , 29, 417-20 | 6 |
| 165 | Induction of Epstein-Barr virus nuclear antigen and DNA synthesis in a human epithelial cell line after Epstein-Barr virus infection. 1982 , 41, 703-8 | 12 |
| 164 | Murine mammary tumor virus pol-related sequences in human DNA: characterization and sequence comparison with the complete murine mammary tumor virus pol gene. 1986 , 57, 422-32 | 51 |
| 163 | Structure of a human retroviral sequence related to mouse mammary tumor virus. 1986 , 60, 743-9 | 32 |
| 162 | Expression of human sequences related to those of mouse mammary tumor virus. 1988 , 62, 1203-10 | 54 |
| 161 | Stimulation of estrogen receptor mRNA levels in MCF-7 cells by herpes simplex virus infection. 1989 , 63, 2388-91 | 9 |
| 160 | In vivo protein binding and functional analysis of cis-acting elements in the U3 region of the bovine leukemia virus long terminal repeat. 1998 , 72, 5994-6003 | 24 |
| 159 | Human endotrophin as a driver of malignant tumor growth. 2019 , 5, | 25 |
| 158 | Tumor-specific cell-mediated immunity in household contacts of cancer patients. 1975 , 55, 500-13 | 28 |
| 157 | Binding of retinoids to human breast cancer cell lines and their effects on cell growth. 1980 , 65, 586-91 | 87 |
| 156 | Antagonism between epidermal growth factor and phorbol ester tumor promoters in human breast cancer cells. 1981 , 67, 943-51 | 50 |
| 155 | Estrogens and antiestrogens stimulate release of bone resorbing activity by cultured human breast cancer cells. 1985 , 75, 726-31 | 39 |
| 154 | Constitutive production of macrophage colony-stimulating factor by human ovarian and breast cancer cell lines. 1989 , 83, 921-6 | 109 |
| 153 | Quantitation of G0 and G1 phase cells in primary carcinomas. Antibody to M1 subunit of ribonucleotide reductase shows G1 phase restriction point block. 1991 , 87, 519-27 | 20 |
| 152 | Downregulation of mdr-1 expression by 8-Cl-cAMP in multidrug resistant MCF-7 human breast cancer cells. 1995 , 96, 1026-34 | 34 |
| 151 | Aberrant nuclear factor-kappaB/Rel expression and the pathogenesis of breast cancer. 1997 , 100, 2952-60 | 545 |
| 150 | Expression of the cystic fibrosis gene and the major pancreatic mucin gene, MUC1, in human ductal epithelial cells. 1993 , 105, 417-422 | 19 |

| 149 | Coiled bodies in the nucleolus of breast cancer cells. 1994 , 107, 385-399 | 91 |
|-----|---|-----|
| 148 | 17-beta-Estradiol induced alterations of cell-matrix and intercellular adhesions in a human mammary carcinoma cell line. 1994 , 107, 1241-1254 | 22 |
| 147 | Characterization of very acidic phagosomes in breast cancer cells and their association with invasion. 1994 , 107, 2381-2391 | 123 |
| 146 | A cytokeratin 8-like protein with plasminogen-binding activity is present on the external surfaces of hepatocytes, HepG2 cells and breast carcinoma cell lines. 1995 , 108, 1071-1082 | 87 |
| 145 | Endocytosis of pro-cathepsin D into breast cancer cells is mostly independent of mannose-6-phosphate receptors. 1998 , 111, 2539-2549 | 43 |
| 144 | Isolation of the human genes encoding the pyst1 and Pyst2 phosphatases: characterisation of Pyst2 as a cytosolic dual-specificity MAP kinase phosphatase and its catalytic activation by both MAP and SAP kinases. 1998 , 111, 3389-3399 | 95 |
| 143 | Presence of Bisphenol A and Parabens in a Neonatal Intensive Care Unit: An Exploratory Study of Potential Sources of Exposure. 2019 , 127, 117004 | 1 |
| 142 | A Comparative Study On Viability Of Mcf-7 Human Breast Cancer Cell Lines Using Piperine And Tamoxifen [An In Vitro Study With A Novel Mishmash. 2018 , 11, 1955-1959 | 1 |
| 141 | Evaluation of nanoparticle uptake in co-culture cancer models. 2013 , 8, e70072 | 39 |
| 140 | Simvastatin impairs growth hormone-activated signal transducer and activator of transcription (STAT) signaling pathway in UMR-106 osteosarcoma cells. 2014 , 9, e87769 | 18 |
| 139 | Mitochondrial respiratory function induces endogenous hypoxia. 2014 , 9, e88911 | 26 |
| 138 | Steady-state acceptor fluorescence anisotropy imaging under evanescent excitation for visualisation of FRET at the plasma membrane. 2014 , 9, e110695 | 9 |
| 137 | Expression of beclin-1 in the microenvironment of invasive ductal carcinoma of the breast: correlation with prognosis and the cancer-stromal interaction. 2015 , 10, e0125762 | 11 |
| 136 | Pre-Osteoblasts Stimulate Migration of Breast Cancer Cells via the HGF/MET Pathway. 2016 , 11, e0150507 | 11 |
| 135 | Estradiol Exposure Differentially Alters Monolayer versus Microtissue MCF-7 Human Breast Carcinoma Cultures. 2016 , 11, e0157997 | 7 |
| 134 | A bis-sulphamoylated estradiol derivative induces ROS-dependent cell cycle abnormalities and subsequent apoptosis. 2017 , 12, e0176006 | 8 |
| 133 | Opioid growth factor receptor (OGFR) expression is downregulated with progression of triple negative breast cancer. 2015 , 3, 347 | 1 |
| 132 | In vitro Cytotoxicity Effects of Au/PAMAMG4 and Au/PAMAMG4 Nanocomposites Against MCF7 and 4T1 Breast Cancer Cell Lines. 2017 , 7, 87-95 | 7 |

| 131 | 90 YEARS OF PROGESTERONE: Progesterone and progesterone receptors in breast cancer: past, present, future. 2020 , 65, T49-T63 | 13 |
|-----|--|----|
| 130 | Elevated plasma ceramide levels in post-menopausal women: a cross-sectional study. 2019 , 11, 73-88 | 20 |
| 129 | Establishment of a normal-derived estrogen receptor-positive cell line comparable to the prevailing human breast cancer subtype. 2017 , 8, 10580-10593 | 12 |
| 128 | MicroRNA-137 inhibits BMP7 to enhance the epithelial-mesenchymal transition of breast cancer cells. 2017 , 8, 18348-18358 | 27 |
| 127 | Proteomic analysis of combined IGF1 receptor targeted therapy and chemotherapy identifies signatures associated with survival in breast cancer patients. 2020 , 11, 1515-1530 | 2 |
| 126 | Novel role for the Golgi membrane protein TMEM165 in control of migration and invasion for breast carcinoma. 2020 , 11, 2747-2762 | 4 |
| 125 | Tumor necrosis factor—and interferon-Istimulate MUC16 (CA125) expression in breast, endometrial and ovarian cancers through NFB. 2016 , 7, 14871-84 | 34 |
| 124 | Molecular and Biological Functions of Melatonin in Endometrial Cancer. 2020 , 21, 519-526 | 5 |
| 123 | Bevacizumab Modulation of the Interaction Between the MCF-7 Cell Line and the Chick Embryo Chorioallantoic Membrane. 2017 , 31, 199-203 | 11 |
| 122 | Review of Domestic Research on Traditional Korean Medicine for Breast Cancer. 2018 , 39, 44-68 | 2 |
| 121 | Ouabain Promotes Gap Junctional Intercellular Communication in Cancer Cells. 2020, 22, | O |
| 120 | Targeting the Hedgehog pathway in combination with X-ray or carbon ion radiation decreases migration of MCF-7 breast cancer cells. 2019 , 55, 1339-1348 | 5 |
| 119 | Molecular and Computational Studies on Apoptotic Pathway Regulator, Bcl-2 Gene from Breast Cancer Cell Line MCF-7. 2016 , 78, 87-93 | 6 |
| 118 | Antiproliferative activity and nitric oxide production of a methanolic extract of Fraxinus micrantha on Michigan Cancer Foundation-7 mammalian breast carcinoma cell line. 2015 , 4, 109-13 | 12 |
| 117 | Effects of rapamycin on cell apoptosis in MCF-7 human breast cancer cells. 2014, 15, 10659-63 | 15 |
| 116 | Transmembrane chemokines act as receptors in a novel mechanism termed inverse signaling. 2016 , 5, e10820 | 16 |
| 115 | Repositioning of a novel GABA-B receptor agonist, AZD3355 (Lesogaberan), for the treatment of non-alcoholic steatohepatitis. 2021 , 11, 20827 | 2 |
| 114 | In Vitro Models for Human Breast Cancer. 2004 , 227-280 | 2 |
| | | |

| 113 | Endocrinology. 2004 , 283-303 | |
|-----|--|---|
| 112 | A Personal Account of the Chemoprevention of Breast Cancer: Possible or Not Possible?. 2008 , 391-398 | |
| 111 | Advanced Cancer Cell Characterization and Quantification of Microscopy Images. 2012, 315-322 | 1 |
| 110 | Acquired Resistance to Tamoxifen: Back to the Beginning. 2013 , 143-163 | |
| 109 | Discovery and Pharmacology of Nonsteroidal Estrogens and Antiestrogens. 2013, 1-30 | |
| 108 | Utilizing RNA-Seq to Define Phytochemical-Induced Alterations in Insulin and IGF-Regulated Transcriptomes. 2014 , 189-204 | |
| 107 | Evaluating Endocrine Disruption In Vitro. 2014 , 285-306 | |
| 106 | Ultrastructural Study of Human Mammary Carcinoma Cells (MCF-7) Grown in Collagen-Coated Sponge. 1975 , 33, 392-393 | 1 |
| 105 | The etiology of breast cancer. 1976 , 4, 15-27 | |
| 104 | Human Breast Cancer in Tissue Culture: The Effects of Hormones. 1978 , 103-154 | 2 |
| 103 | Heterotransplantation of Human Mammary Carcinoma Cells. 1981 , 99-116 | |
| | | |
| 102 | Growth Factors for Hormone-Sensitive Tumor Cells. 1982 , 88-122 | 2 |
| 102 | Growth Factors for Hormone-Sensitive Tumor Cells. 1982, 88-122 Besteht eine Autoregulation des Wachstums von Mammacarcinomzellen in vitro?. 1984, 259-263 | 2 |
| | | 2 |
| 101 | Besteht eine Autoregulation des Wachstums von Mammacarcinomzellen in vitro?. 1984 , 259-263 | |
| 101 | Besteht eine Autoregulation des Wachstums von Mammacarcinomzellen in vitro?. 1984 , 259-263 Intracellular and Extracellular Keratins of Human Mammary Epithelial Cells. 1985 , 165-178 Purification of a human plasma membrane glycoprotein from human red blood cells by affinity | 2 |
| 101 | Besteht eine Autoregulation des Wachstums von Mammacarcinomzellen in vitro?. 1984, 259-263 Intracellular and Extracellular Keratins of Human Mammary Epithelial Cells. 1985, 165-178 Purification of a human plasma membrane glycoprotein from human red blood cells by affinity chromatography using a monoclonal antibody 1985, 260, 489-494 The organotype culture model of human cancer cells: the effect of human recombinant interferons. | 2 |

| 95 | Estrogen Induced Cathepsin D in Breast Cancer: From Biology to Clinical Applications. 1989 , 171-186 | 2 |
|----|--|---|
| 94 | Diminished Corticosterone Levels in Nude Mice Implanted with MCF-7 or ZR-75-1 Human Breast Tumor Cells. 1989 , 704-707 | |
| 93 | Molecular Action of Steroids and Growth Factors in Human Breast Tumor Cells. 1991 , 256-287 | |
| 92 | Protease Inhibitor Synthesis by MCF-7 Breast Cancer Cells. 1993 , 141-159 | |
| 91 | The characteristic which makes the cell-coded HSV-inducible U90 distinctive in transformed cells is its greatly increased half-life. 1993 , 104, 1083-1090 | |
| 90 | Sensitive Detection of Prostatic Hematogenous Tumor Cell Dissemination Using Prostate Specific Antigen and Prostate Specific Membrane-Derived Primers in the Polymerase Chain Reaction. 1995 , 573-577 | |
| 89 | Tamoxifen and the E-Cadherin/Catenin Complex. 1996, 267-284 | 1 |
| 88 | Growth inhibitory effects of thromboxane antagonists on breast cancer cell lines: a preliminary study. 1997 , 400A, 455-60 | |
| 87 | Zellkulturtechniken und Zellmodelle. 1997 , 305-337 | |
| 86 | In Vivo Models of AI Resistance. 2015 , 63-86 | |
| 85 | Revealing Cell-Type Specific Differences in Protein Occupancy on RNA. 2015, 73-88 | |
| 84 | MCF-7 breast cancer cell line PacBio generated transcriptome has ~300 novel transcribed regions, un-annotated in both RefSeq and GENCODE, and absent in the liver, heart and brain transcriptomes. | O |
| 83 | The Problem. 2017 , 1-9 | |
| 82 | Shorter unreported sequences in a RACE-Seq study involving seven tissues confirms ~150 novel transcripts identified in MCF-7 cell line PacBio transcriptome, leaving ~100 non-redundant transcripts exclusive to the cancer cell line. | |
| 81 | RHAMM-target peptides inhibit invasion of breast cancer cells. 2017 , 1, 138-148 | 1 |
| 80 | Elevated plasma ceramide levels in post-menopausal women. | |
| 79 | Optimization of in vitro model for analysis of tumor cell migration dynamics. 2018 , 34, 476-486 | 3 |
| 78 | Triple Effect of Doxorubicin, 5-Fluorouracil, Propranolol on Cell Survival on MCF-7 Breast Cancer Cell Line. 2019 , 07, 74-85 | 2 |

| 77 | The effect of aqueous and ethanolic extracts of Sedum album L. on human stomach and breast carcinoma cell lines in vitro. 2019 , 6, 10-19 | O |
|----|--|----|
| 76 | Investigating the Angiogenic Modulating Properties of Spirostachys africana in MCF-7 Breast Cancer Cell Line. 2019 , 15, 970-977 | 1 |
| 75 | Co-occurrence of Cell Lines, Basal Media and Supplementation in the Biomedical Research Literature. 2020 , 5, 161-177 | 1 |
| 74 | Pseudomonas aeruginosa exotoxin T induces potent cytotoxicity against a variety of murine and human cancer cell lines. 2015 , 64, 164-73 | 13 |
| 73 | Newer Vascular Targets. 2008, 133-153 | 1 |
| 72 | Resistance-associated signatures in breast cancer. 2007 , 176, 37-50 | |
| 71 | Ultrastructure of Breast Cancer Cells in Aggregate Cultures. 1981 , 39, 462-463 | 1 |
| 70 | Junctional Systems in a Human Breast Carcinoma Cell Line (MCF-7) 1976 , 34, 256-257 | 1 |
| 69 | Effect of the extracellular matrix on plasminogen activator isozyme activities of human mammary epithelial cells in culture. 1983 , 3, 982-990 | 4 |
| 68 | New human transforming genes detected by a tumorigenicity assay. 1984 , 4, 1695-1705 | 88 |
| 67 | The 5' flanking region of the pS2 gene contains a complex enhancer region responsive to oestrogens, epidermal growth factor, a tumour promoter (TPA), the c-Ha-ras oncoprotein and the c-jun protein. 1989 , 8, 823-9 | 62 |
| 66 | More potent transcriptional activators or a transdominant inhibitor of the HNF1 homeoprotein family are generated by alternative RNA processing. 1993 , 12, 4229-42 | 37 |
| 65 | Unregulated expression of c-Jun or c-Fos proteins but not Jun D inhibits oestrogen receptor activity in human breast cancer derived cells. 1991 , 10, 2237-45 | 39 |
| 64 | hSP, the domain-duplicated homolog of pS2 protein, is co-expressed with pS2 in stomach but not in breast carcinoma. 1990 , 9, 407-14 | 64 |
| 63 | Disruption of the keratin filament network during epithelial cell division. 1982 , 1, 1365-72 | 48 |
| 62 | The estrogen-responsive element as an inducible enhancer: DNA sequence requirements and conversion to a glucocorticoid-responsive element. 1987 , 6, 3719-27 | 76 |
| 61 | Analysis of DNase-I-hypersensitive sites at the 3' end of the cystic fibrosis transmembrane conductance regulator gene (CFTR). 1999 , 341 (Pt 3), 601-11 | 20 |
| 60 | The presence of HLA-DR antigens on lactating human breast epithelium and milk fat globule membranes. 1980 , 41, 478-86 | 47 |

| 59 | A serologic study of cultured breast cancer cell lines: lack of antibody response to tumour specific membrane antigens in patients. 1980 , 39, 90-6 | 10 |
|----|---|----|
| 58 | Comparison of an immunoperoxidase "sandwich" staining method and western blot detection of P-glycoprotein in human cell lines and sarcomas. 1992 , 140, 1009-16 | 16 |
| 57 | Construction of a database for the evaluation and the clinical management of patients with breast cancer treated with antiestrogens and/or aromatase inhibitors. 2011 , 8, 37-50 | 1 |
| 56 | Inhibition of estrogen-dependent tumorigenesis by the thyroid hormone receptor ∄n xenograft models. 2013 , 3, 302-11 | 18 |
| 55 | Suppression by L-methionine of cell cycle progression in LNCaP and MCF-7 cells but not benign cells. 2010 , 30, 1881-5 | 9 |
| 54 | Mediated coalescence: a possible mechanism for tumor cellular heterogeneity. 2015 , 5, 3485-504 | 9 |
| 53 | Novel cancer cell lines derived from primary breast tumors in Chinese patients. 2018 , 10, 3956-3968 | 1 |
| 52 | Differential Expression of HSP90 in MDA-MB-231 and MCF-7 Cell Lines after Treatment with Doxorubicin. 2019 , 22, 28-34 | 3 |
| 51 | Polyethylene Glycol-Mediated Fusion of Extracellular Vesicles with Cationic Liposomes for the Design of Hybrid Delivery Systems 2021 , 4, 8259-8266 | 3 |
| 50 | Differential Expression of HSP90∰n MDA-MB-231 and MCF-7 Cell Lines after Treatment with Doxorubicin. 2019 , 22, 28-34 | 6 |
| 49 | New insights in the interaction of FGF/FGFR and steroid receptor signaling in breast cancer 2022, | 1 |
| 48 | Zenocutuzumab, a HER2xHER3 bispecific antibody, is effective therapy for tumors driven by NRG1 gene rearrangements 2022 , | 8 |
| 47 | Gold(I)-Catalyzed Synthesis of 4-Benzo[][1,3]oxazines and Biological Evaluation of Activity in Breast Cancer Cells 2022 , 7, 6944-6955 | 2 |
| 46 | Quantum Light-Enhanced Two-Photon Imaging of Breast Cancer Cells 2022 , 2772-2781 | 3 |
| 45 | Laminin N-terminus B1 is upregulated in invasive ductal breast cancer and changes the mode of tumour invasion 2022 , 17, e0264430 | 0 |
| 44 | Apoptotic and antioxidant effects in HCT-116 colorectal carcinoma cells by a spiro-acridine compound, AMTAC-06 2022 , 1 | 0 |
| 43 | Quantification of long-term doxorubicin response dynamics in breast cancer cell lines to direct treatment schedules 2022 , 18, e1009104 | 0 |
| 42 | Susceptibility of Human Cell Lines Infection by Bovine Leukemia Virus 2022 , 13, 793348 | Ο |

| 41 | Oestrogen Receptor Isoforms May Represent a Therapeutic Target in Oesophageal Adenocarcinoma 2022 , 14, | |
|----|--|----|
| 40 | Urocortin stimulates ERK1/2 phosphorylation and proliferation but reduces ATP production of MCF7 breast cancer cells 2022 , 547, 111610 | O |
| 39 | Green Synthesis and Characterization of Gold Nanoparticles from Malus viridisand Capsicum annuum as AnticancerAgent. 2021 , 2114, 012088 | |
| 38 | MFUM-BrTNBC-1, a Newly Established Patient-Derived Triple-Negative Breast Cancer Cell Line: Molecular Characterisation, Genetic Stability, and Comprehensive Comparison with Commercial Breast Cancer Cell Lines 2021 , 11, | 1 |
| 37 | Cancer Cell Lines: Its Implication for Therapeutic Use. 2022 , 407-427 | |
| 36 | Quercetin Arrests in G2 phase, Upregulates INXS LncRNA and Downregulates UCA1 LncRNA in MCF-7 Cells 2021 , 10, 208-216 | 2 |
| 35 | Choosing the right protocol for establishment of MCF-7 tumor xenograft in nude mice 2022, | |
| 34 | Subacute Oral Toxicity Evaluation of Expanded-Polystyrene-Fed Tenebrio molitor (Yellow Mealworm) Larvae Powder in Sprague-Dawley Rats. | O |
| 33 | Bioprospecting the microbiome of Red Sea Atlantis II brine pool for peptidases and biosynthetic genes with promising antibacterial activity. 2022 , 21, | O |
| 32 | Impact of N-Terminal Tags on De Novo Vimentin Intermediate Filament Assembly. 2022 , 23, 6349 | O |
| 31 | Pharmacological Activation of the HIF Pathway Exerts Distinct Proliferative Effects in MDA-MB-231 and MCF7 cells**. 2022 , 7, | |
| 30 | In vitro, in vivo, and in silico analyses of the antitumor activity of 2-(4-amino-3-methylphenyl)-5-fluorobenzothiazoles. 2004 , 3, 1565-1575 | 36 |
| 29 | Photodynamic therapy with indocyanine green complements and enhances low-dose cisplatin cytotoxicity in MCF-7 breast cancer cells. 2004 , 3, 537-544 | 39 |
| 28 | Circular dorsal ruffles disturb the growth factor-induced PI3K-AKT pathway in hepatocellular carcinoma Hep3B cells. 2022 , 20, | O |
| 27 | FUCCItrack: An all-in-one software for single cell tracking and cell cycle analysis. 2022, 17, e0268297 | 1 |
| 26 | Modeling of antiproliferative effects of Salvia officinalis L. essential oil optimized using Box ${f B}$ ehnken design. | |
| 25 | Proteomic Analysis of HCC-1954 and MCF-7 Cell Lines Highlights Crosstalk between \blacksquare and \blacksquare Integrins, E-Cadherin and HER-2. 2022 , 23, 10194 | O |
| 24 | Antiproliferative Effect of Sechium edule (Jacq.) Sw., cv. Madre Negra Extracts on Breast Cancer In Vitro. 2022 , 9, 230 | O |

| 23 | Association of adenosine signaling gene signature with estrogen receptor-positive breast and prostate cancer bone metastasis. 9, | 1 |
|----|--|---|
| 22 | Influence of Tamoxifen on Different Biological Pathways in Tumorigenesis and Transformation in Adipose-Derived Stem Cells, Mammary Cells and Mammary Carcinoma Cell Lines In Vitro Study. 2022 , 11, 2733 | O |
| 21 | Aquaporin water channels affect the response of conventional anticancer therapies of 3D grown breast cancer cells. 2023 , 639, 126-133 | О |
| 20 | Conditionally immortalised equine skeletal muscle cell lines for in vitro analysis. 2023 , 33, 101391 | O |
| 19 | Transcriptomics indicate nuclear division and cell adhesion not recapitulated in MCF7 and MCF10A compared to luminal A breast tumours. 2022 , 12, | O |
| 18 | The E-cadherin-ESR1-GRPR axis defines a sex-specific metastatic pathway in melanoma. | O |
| 17 | The cell polarity protein Scribble is downregulated by the water channel aquaporin-5 in breast cancer cells. | О |
| 16 | Transcriptome Analysis Reveals Vimentin-Induced Disruption of Cell C ell Associations Augments Breast Cancer Cell Migration. 2022 , 11, 4035 | O |
| 15 | Establishment of triple-negative breast cancer cells based on BMI: A novel model in the correlation between obesity and breast cancer. 12, | O |
| 14 | Culture of Continuous Cell Lines. 2023 , 1-61 | O |
| 13 | Microfluidically-generated Encapsulated Spheroids (EGELS): An All-Aqueous Droplet Microfluidics Platform for Multicellular Spheroids Generation. | O |
| 12 | Cladosporium protease/doxorubicin decorated Fe3O4@SiO2 nanocomposite: An efficient nanoparticle for drug delivery and combating breast cancer. 2023 , 80, 104144 | O |
| 11 | Did you forget your cell sex? An update on the inclusion of sex as a variable in AJP-Cell Physiology. | О |
| 10 | Design, synthesis, anticancer and in silico assessment of 8-caffeinyl-triazolylmethoxy hybrid conjugates. 2023 , 13, 3056-3070 | O |
| 9 | Drug Effect Deep Learner Based on Graphical Convolutional Network. 2023 , 83-140 | O |
| 8 | Cluster of resistance-inducing genes in MCF-7 cells by estrogen, insulin, methotrexate and tamoxifen extracted via NMF. 2023 , 242, 154347 | 0 |
| 7 | Selective concurrence of the long non-coding RNA MALAT1 and the Polycomb Repressive Complex 2 to promoter regions of active genes in MCF7 breast cancer cells. | О |
| 6 | Epigenetic misactivation of a distal developmental enhancer cluster drivesSOX2overexpression in breast and lung cancer. | O |

| 5 | Polarity in breast development and cancer. 2023 , | Ο |
|---|--|---|
| 4 | The effects of hydrogen peroxide and mitochondria on human breast cancer cells. 2023 , 48, 109-116 | O |
| 3 | Elastomeric Pillar Cages Modulate Actomyosin Contractility of Epithelial Microtissues by Substrate Stiffness and Topography. | О |
| 2 | ATP13A4 upregulation drives the elevated polyamine transport system in the breast cancer cell line MCF7. | O |
| 1 | Comparison of Three Low-Molecular-Weight Fluorescent Probes for Measuring Free Zinc Levels in Cultured Mammary Cells. 2023 , 15, 1873 | 0 |