

Quantitative measurement of food selection

Oecologia

14, 413-417

DOI: 10.1007/bf00384581

Citation Report

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | PHYSIOLOGICAL MEASUREMENTS ON ESTUARINE BIVALVE MOLLUSCS IN THE FIELD. , 1977, , 57-68. | | 56 |
| 2 | Coexistence of similar zooplankton species by differential adaptation to reproduction and escape in an environment with fluctuating food and enemy densities. <i>Oecologia</i> , 1978, 35, 35-54. | 2.0 | 35 |
| 3 | The Assessment of Preference. <i>Journal of Animal Ecology</i> , 1978, 47, 805. | 2.8 | 230 |
| 4 | Particle selection in the nauplius of <i>Calanus pacificus</i> . <i>Journal of Plankton Research</i> , 1979, 1, 313-328. | 1.8 | 57 |
| 5 | Seasonal and year-to-year differences in food selection by beavers. <i>Oecologia</i> , 1979, 44, 112-116. | 2.0 | 85 |
| 6 | Carnivorous feeding behavior of the adult calanoid copepod <i>Acartia tonsa</i> Dana. <i>Journal of Experimental Marine Biology and Ecology</i> , 1979, 36, 235-248. | 1.5 | 102 |
| 7 | Reliability Estimates for Ivlev's Electivity Index, the Forage Ratio, and a Proposed Linear Index of Food Selection. <i>Transactions of the American Fisheries Society</i> , 1979, 108, 344-352. | 1.4 | 441 |
| 8 | Feeding ecology of thirteen syntopic species of anurans in a seasonal tropical environment. <i>Oecologia</i> , 1980, 45, 131-141. | 2.0 | 272 |
| 9 | Particle retention and selection by larvae and spat of <i>Ostrea edulis</i> in algal suspensions. <i>Marine Biology</i> , 1980, 57, 135-145. | 1.5 | 22 |
| 10 | Predation by the epipelagic heteropod mollusk <i>Carinaria cristata</i> forma <i>japonica</i> . <i>Marine Biology</i> , 1980, 60, 137-146. | 1.5 | 21 |
| 11 | The Comparison of Usage and Availability Measurements for Evaluating Resource Preference. <i>Ecology</i> , 1980, 61, 65-71. | 3.2 | 3,103 |
| 12 | A Simple Measure of Niche Breadth. <i>Ecology</i> , 1981, 62, 27-32. | 3.2 | 486 |
| 13 | Feeding Ecology of Panamanian Litter Anurans: Patterns in Diet and Foraging Mode. <i>Journal of Herpetology</i> , 1981, 15, 139. | 0.5 | 209 |
| 14 | The Relationship between Selectivity and Food Abundance in a Juvenile Lizard. <i>Ecology</i> , 1981, 62, 1079-1092. | 3.2 | 55 |
| 15 | Selectivity of <i>Polyarthra</i> and <i>Keratella</i> for flagellate and aflagellate cells. <i>Verhandlungen Der Internationalen Vereinigung Fur Theoretische Und Angewandte Limnologie International Association of Theoretical and Applied Limnology</i> , 1981, 21, 1515-1521. | 0.1 | 16 |
| 16 | Inhibitory and Toxic Effects of Blue-green Algae on <i>Daphnia</i> . <i>International Review of Hydrobiology</i> , 1981, 66, 285-298. | 0.6 | 247 |
| 17 | The specialized diet of <i>Harpagifer bispinis</i> . <i>Hydrobiologia</i> , 1981, 80, 241-250. | 2.0 | 23 |
| 18 | Foraging by the herbivorous parrotfish <i>Sparisoma radians</i> . <i>Marine Biology</i> , 1981, 64, 173-183. | 1.5 | 143 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 19 | Influence of Replicated Subsamples and Subsample Heterogeneity on the Linear Index of Food Selection. Transactions of the American Fisheries Society, 1982, 111, 517-522. | 1.4 | 24 |
| 20 | Changes in Pied Kingfisher (<i>Ceryle rudis</i>) Feeding Related to Endosulfan Pollution from Tsetse Fly Control Operations in the Okavango Delta, Botswana. Journal of Applied Ecology, 1982, 19, 133. | 4.0 | 23 |
| 21 | Seed and Patch Selection by Galapagos Ground Finches: Relation to Foraging Efficiency and Food Supply. Ecology, 1982, 63, 1106-1120. | 3.2 | 69 |
| 22 | Seasonal patterns of feeding by natural populations of <i>Keratella</i> , <i>Polyarthra</i> , and <i>Bosmina</i> : Clearance rates, selectivities, and contributions to community grazing ¹ . Limnology and Oceanography, 1982, 27, 918-934. | 3.1 | 167 |
| 23 | Characteristics of Magpie <i>Pica pica</i> Territories of Varying Duration. Ornis Scandinavica, 1982, 13, 94. | 1.0 | 38 |
| 24 | An Analysis of Forage Preference Indices. Journal of Range Management, 1982, 35, 316. | 0.3 | 35 |
| 25 | Food supply and prey selection in planktivorous cyprinidae. Oecologia, 1982, 53, 134-138. | 2.0 | 62 |
| 26 | The sampling characteristics of electivity indices. Oecologia, 1982, 52, 22-30. | 2.0 | 423 |
| 27 | A comparison of methods for quantitative analysis of feeding selection of fishes. Environmental Biology of Fishes, 1982, 7, 363-368. | 1.0 | 43 |
| 28 | Food selection by <i>Dreissena polymorpha</i> Pallas (Mollusca: Bivalvia). Freshwater Biology, 1982, 12, 553-558. | 2.4 | 126 |
| 29 | The behavioural basis of prey selection by underyearling bream (<i>Abramis brama</i> (L.)) and roach (<i>Rutilus</i>) Tj ETQqO 0.0 rgBT /Overlock 10 | 2.4 | 86 |
| 30 | Habitat selection and feeding activity in the Magpie <i>Pica pica</i> . Journal Fur Ornithologie, 1983, 124, 147-161. | 1.2 | 14 |
| 31 | Food and food selection of cisco (<i>Coregonus albula</i> L.) in a dysoligotrophic lake. Hydrobiologia, 1983, 101, 129-138. | 2.0 | 23 |
| 32 | Community patterns of nectivorous adult parasitoids (Diptera, Bombyliidae) on their resources. Oecologia, 1983, 57, 200-215. | 2.0 | 28 |
| 33 | Feeding of two Antarctic copepod species (<i>Calanus propinquus</i> and <i>Metridia gerlachei</i>) on a mixture of centric diatoms. Polar Biology, 1983, 2, 63-68. | 1.2 | 20 |
| 34 | Song Activity and Territory Quality in the Corn Bunting <i>Miliaria calandra</i> ; With Comments on Mate Selection. Ornis Scandinavica, 1983, 14, 81. | 1.0 | 34 |
| 35 | The Estimation and Analysis of Preference and Its Relationship to Foraging Models. Ecology, 1983, 64, 1297-1304. | 3.2 | 825 |
| 36 | Reverse Diel Vertical Migration: An Escape from Invertebrate Predators. Science, 1983, 220, 1404-1407. | 12.6 | 242 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Use of Pastures by Brown Hares. Journal of Applied Ecology, 1983, 20, 179. | 4.0 | 27 |
| 38 | Prey Preference, Foraging Behavior, and Metabolic Characteristics of Frogs. American Naturalist, 1983, 122, 509-520. | 2.1 | 61 |
| 39 | In situ grazing rates and particle selection by zooplankton: Effects of vertical migration. Verhandlungen Der Internationalen Vereinigung Fur Theoretische Und Angewandte Limnologie International Association of Theoretical and Applied Limnology, 1984, 22, 943-946. | 0.1 | 4 |
| 40 | Filtration Rates of Euphausia Superba Dana: Under- or Overestimates?. Journal of Crustacean Biology, 1984, 4, 185-197. | 0.8 | 31 |
| 41 | The relationship between food particle size and larval size in Simulium noelleri Friederichs. Freshwater Biology, 1984, 14, 547-550. | 2.4 | 15 |
| 42 | Wild reindeer foraging-niche organization. Ecography, 1984, 7, 345-379. | 4.5 | 49 |
| 43 | Response of Avian Communities to Herbicide-Induced Vegetation Changes. Journal of Wildlife Management, 1984, 48, 14. | 1.8 | 26 |
| 44 | Selective predation by the carnivorous marine copepod <i>Euchaeta elongata</i> : Laboratory measurements of predation rates verified by field observations of temporal and spatial feeding patterns ^{1,2} . Limnology and Oceanography, 1985, 30, 577-597. | 3.1 | 60 |
| 45 | A choice chamber experiment on the selection of algae as food and substrata by <i>Nais elinguis</i> (Oligochaeta: Naididae). Freshwater Biology, 1985, 15, 547-557. | 2.4 | 15 |
| 46 | Investigations into the Food Selectivity of the Planktic Crustaceans <i>Daphnia hyalina</i> , <i>Eudiaptomus gracilis</i> and <i>Cyclops vicinus</i> . International Review of Hydrobiology, 1985, 70, 603-612. | 0.6 | 26 |
| 47 | Habitat Selection of Farmland Feeding Geese in West Jutland, Denmark: An Example of a Niche Shift. Ornis Scandinavica, 1985, 16, 140. | 1.0 | 28 |
| 48 | Owl Predation on Desert Rodents Which Differ in Morphology and Behavior. Journal of Mammalogy, 1985, 66, 824-828. | 1.3 | 36 |
| 49 | Microhabitat Use by an Assemblage of California Stream Fishes: Developing Criteria for Instream Flow Determinations. Transactions of the American Fisheries Society, 1985, 114, 695-704. | 1.4 | 145 |
| 50 | Influences of Seed Size, Nutrient Composition and Phenolic Content on the Preferences of Bullfinches Feeding in Ash Trees. Oikos, 1985, 44, 47. | 2.7 | 45 |
| 51 | The diet of Dippers <i>Cinclus cinclus</i> wintering in the catchment of the River Wye, Wales. Bird Study, 1986, 33, 36-45. | 1.0 | 29 |
| 52 | Measurement of the carbon balance in <i>Daphnia</i> 1. Limnology and Oceanography, 1986, 31, 17-34. | 3.1 | 177 |
| 53 | Life cycle and diet of <i>Zygonyx iris insignis</i> (Insecta: Odonata: Anisoptera) in Hong Kong running waters. Journal of Tropical Ecology, 1986, 2, 73-85. | 1.1 | 10 |
| 54 | The role of taste in food selection by freshwater zooplankton. Oecologia, 1986, 69, 334-340. | 2.0 | 353 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 55 | Feeding selectivity in relation to territory size in a herbivorous reef fish. <i>Oecologia</i> , 1986, 68, 549-556. | 2.0 | 32 |
| 56 | Diet and predation by three leaf-associated stoneflies (Plecoptera) in an Arkansas mountain stream. <i>Freshwater Biology</i> , 1986, 16, 521-538. | 2.4 | 38 |
| 57 | Are the lake-dwelling leeches, <i>Glossiphonia complanata</i> (L.) and <i>Helobdella stagnalis</i> (L.), opportunistic predators on molluscs and do they partition this food resource?. <i>Freshwater Biology</i> , 1986, 16, 561-566. | 2.4 | 13 |
| 58 | Influence of Farming Practice on the Ecology of the Brown Hare (<i>Lepus europaeus</i>). <i>Journal of Applied Ecology</i> , 1986, 23, 39. | 4.0 | 139 |
| 59 | Resource Use of Foraging Herons in Agricultural and Nonagricultural Habitats in Italy. <i>Waterbirds</i> , 1986, 9, 139. | 0.4 | 42 |
| 60 | Patterns of Niche Shift in Mice: Seasonal Changes in Microhabitat Breadth and Overlap. <i>American Naturalist</i> , 1987, 129, 365-381. | 2.1 | 25 |
| 61 | A Bias Estimator of the Environmental Resource Base in Diet Preference Studies with Fish. <i>Journal of Freshwater Ecology</i> , 1987, 4, 23-31. | 1.2 | 7 |
| 62 | <i>Chaoborus</i> populations: response to food web manipulation and potential effects on zooplankton communities. <i>Canadian Journal of Zoology</i> , 1987, 65, 2846-2852. | 1.0 | 77 |
| 63 | Disturbance of overwintering wildfowl by anglers at two reservoir sites in South Wales. <i>Bird Study</i> , 1987, 34, 191-199. | 1.0 | 19 |
| 64 | Winter movements and habitat use of Starlings in Norfolk. <i>Ring and Migration</i> , 1987, 8, 11-18. | 0.4 | 4 |
| 65 | Food and feeding ecology of postlarval and juvenile <i>Pleuragramma antarcticum</i> (Pisces;) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 347 Td (N 307-315. | 1.2 | 59 |
| 66 | A review of planktivorous fishes: Their evolution, feeding behaviours, selectivities, and impacts. <i>Hydrobiologia</i> , 1987, 146, 97-167. | 2.0 | 482 |
| 67 | Size selection of latex beads by blackfly larvae (Diptera: Simuliidae) in the laboratory. <i>Hydrobiologia</i> , 1987, 144, 163-171. | 2.0 | 6 |
| 68 | A laboratory study of feeding and assimilation in <i>Euchlanis dilatata luksiana</i> . <i>Hydrobiologia</i> , 1987, 147, 289-296. | 2.0 | 22 |
| 69 | Mechanistic resource competition theory applied to laboratory experiments with zooplankton. <i>Nature</i> , 1988, 333, 660-662. | 27.8 | 127 |
| 70 | Experimental predation by sticklebacks on larval mackerel and protection of fish larvae by Zooplankton alternative prey. <i>Journal of Experimental Marine Biology and Ecology</i> , 1988, 124, 239-259. | 1.5 | 23 |
| 71 | The effects of beaver in riverbank forest succession. <i>Canadian Journal of Botany</i> , 1988, 66, 40-44. | 1.1 | 63 |
| 72 | Dietary Responses of Three Raptor Species to Changing Prey Densities in a Natural Environment. <i>Journal of Animal Ecology</i> , 1988, 57, 37. | 2.8 | 128 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Cutâ€Passage, particle selection and ingestion of filterâ€feeding Blackfly (Dipt., Simuliidae) larvae inhabiting a waterfall in Tahiti (French Polynesia) ¹. Aquatic Insects, 1988, 10, 1-16. | 0.9 | 9 |
| 74 | Use of Cereal Fields by Foraging Sandhill Cranes in Saskatchewan. Journal of Applied Ecology, 1988, 25, 111. | 4.0 | 12 |
| 75 | Chillingham Park and its Herd of White Cattle: Relationships Between Vegetation Classes and Patterns of Range Use. Journal of Applied Ecology, 1988, 25, 777. | 4.0 | 16 |
| 76 | Daylight responses to overhead cover in stream channels for fry of four salmonid species. Ecography, 1988, 11, 194-201. | 4.5 | 13 |
| 77 | Predatory impact of New Zealand smelt on natural populations of zooplankton. Verhandlungen Der Internationalen Vereinigung Fur Theoretische Und Angewandte Limnologie International Association of Theoretical and Applied Limnology, 1988, 23, 1778-1783. | 0.1 | 6 |
| 78 | The Use of Niche Breadth and Proportional Similarity in Feeding to Stipulate Resource Utilization Strategies in Fish. Journal of Freshwater Ecology, 1989, 5, 103-112. | 1.2 | 12 |
| 79 | Factors affecting the winter distribution of wildfowl in the valley of the Ticino River (northern) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 502 | 0.3 | 3 |
| 80 | Vegetation Community Selection by Ungulates on the Isle of Rhum. III. Determinants of Vegetation Community Selection. Journal of Applied Ecology, 1989, 26, 65. | 4.0 | 69 |
| 81 | Resource partitioning by ungulates on the Isle of Rhum. Oecologia, 1989, 79, 383-389. | 2.0 | 126 |
| 82 | Feeding ecology of the lantern fish Benthosema glaciale in a subarctic region. Polar Biology, 1989, 9, 169-178. | 1.2 | 28 |
| 83 | Selective Predation by Eagle Owls Bubo bubo on Rabbits Oryctolagus cuniculus: Age and Sex Preferences. Ornithologia Scandinavica, 1989, 20, 117. | 1.0 | 37 |
| 84 | Vegetation Community Selection by Ungulates on the Isle of Rhum. II. Vegetation Community Selection. Journal of Applied Ecology, 1989, 26, 53. | 4.0 | 84 |
| 85 | Chemical defenses in three species of Sinularia (Coelenterata, Alcyonacea): effects against generalist predators and the butterflyfish Chaetodon unimaculatus Bloch. Journal of Experimental Marine Biology and Ecology, 1989, 129, 141-160. | 1.5 | 66 |
| 86 | The realized food niches of three species of stream-dwelling triclads (Turbellaria). Freshwater Biology, 1990, 24, 93-100. | 2.4 | 20 |
| 87 | Seasonal and spatial microhabitat selection and segregation in young Atlantic salmon, Salmo salar L., and brown trout, Salmo trutta L., in a Norwegian river. Journal of Fish Biology, 1990, 36, 707-720. | 1.6 | 172 |
| 88 | The spatial pattern of a northern conifer-hardwood landscape. Landscape Ecology, 1990, 4, 55-68. | 4.2 | 103 |
| 89 | Food and feeding dynamics of the larval Antarctic fish Nototheniops larseni. Marine Biology, 1990, 106, 159-167. | 1.5 | 16 |
| 90 | Evaluating preference in laboratory studies of diet selection. Canadian Journal of Zoology, 1990, 68, 188-190. | 1.0 | 19 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | Foraging Ecology and Prey Size in the Mangrove Water Snake, <i>Nerodia fasciata compressicauda</i> . Copeia, 1990, 1990, 1099. | 1.3 | 45 |
| 92 | Territorial behaviour and habitat selection in an urban population of the tawny owl <i>Strix aluco</i> L.. Bollettino Di Zoologia, 1990, 57, 59-66. | 0.3 | 21 |
| 93 | Organization in Natural Assemblages of Desert Lizards and Tropical Fishes. Ecological Monographs, 1990, 60, 27-55. | 5.4 | 343 |
| 94 | Some aspects of frugivory by bird populations using coastal dune scrub in Lincolnshire. Bird Study, 1991, 38, 188-199. | 1.0 | 22 |
| 95 | Changes in the quantity and quality of grassland due to winter grazing by brent geese (<i>Branta</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 58 | 9.3 | 15 |
| 96 | Food resource partitioning between bream (<i>Abramis brama</i>) and razor fish (<i>Pelecus</i>) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 58 Theoretische Und Angewandte Limnologie International Association of Theoretical and Applied Limnology, 1991, 24, 2513-2516. | 0.1 | 1 |
| 97 | Comparisons of habitat availability and habitat use by an allopatric cohort of juvenile Atlantic salmon <i>Salmo salar</i> under conditions of low competition in a Norwegian stream. Ecography, 1991, 14, 51-62. | 4.5 | 8 |
| 98 | Man determines the distribution of elephants in the rain forests of northeastern Gabon. African Journal of Ecology, 1991, 29, 54-63. | 0.9 | 132 |
| 99 | Strain-specific Influence of <i>Microcystis Aeruginosa</i> on Food Ingestion and Assimilation of some Cladocerans and Copepods. International Review of Hydrobiology, 1991, 76, 37-45. | 0.6 | 35 |
| 100 | Habitat Shifts by Mule Deer: The Influence of Cattle Grazing. Journal of Wildlife Management, 1991, 55, 16. | 1.8 | 80 |
| 101 | SEASONAL ABUNDANCE, HABITAT SELECTION AND ENERGY CONSUMPTION OF WATERBIRDS AT THE BERG RIVER ESTUARY, SOUTH AFRICA. Ostrich, 1991, 62, 109-123. | 1.1 | 21 |
| 102 | Nest Site Characteristics in Relation to Body Size in Herons in Italy. Waterbirds, 1992, 15, 185. | 0.4 | 32 |
| 104 | Heterogeneous Currents and Algal Resources Mediate in situ Foraging Activity of a Mobile Stream Grazer. Oikos, 1992, 65, 465. | 2.7 | 73 |
| 105 | Effects of Agricultural Practices on Field Use by Invertebrate-Feeding Birds in Winter. Journal of Applied Ecology, 1992, 29, 779. | 4.0 | 73 |
| 106 | Size and species selection of zooplankton by larval and juvenile walleye (<i>Stizostedion vitreum</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 58 | 1.0 | 31 |
| 107 | ECOPATH II "a software for balancing steady-state ecosystem models and calculating network characteristics. Ecological Modelling, 1992, 61, 169-185. | 2.5 | 1,063 |
| 108 | Testing the role of intraguild predation in regulating hedgehog populations. Proceedings of the Royal Society B: Biological Sciences, 1992, 249, 113-117. | 2.6 | 75 |
| 109 | Individual Variation in Fruit Choice by American Robins (<i>Turdus migratorius</i>). Auk, 1992, 109, 98-111. | 1.4 | 40 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 110 | Feeding, particle selection and absorption in cockles <i>Cerastoderma edule</i> (L.) exposed to variable conditions of food concentration and quality. <i>Journal of Experimental Marine Biology and Ecology</i> , 1992, 162, 177-198. | 1.5 | 137 |
| 111 | Comparative microhabitat use of cyprinid larvae and juveniles in a lotic floodplain channel. <i>Environmental Biology of Fishes</i> , 1992, 33, 181-193. | 1.0 | 128 |
| 112 | Attractiveness and exploitation of decaying herbage by <i>Drosophila</i> in temperate woodland. <i>Oecologia</i> , 1992, 92, 183-187. | 2.0 | 4 |
| 113 | Wolf predation and snow cover as mortality factors in the ungulate community of the Białowieża National Park, Poland. <i>Oecologia</i> , 1992, 90, 27-36. | 2.0 | 142 |
| 114 | Problems with measuring diet selection of terrestrial, mammalian herbivores. <i>Austral Ecology</i> , 1992, 17, 1-7. | 1.5 | 68 |
| 115 | Feeding and ranging patterns of forest hanuman langurs (<i>Presbytis entellus</i>). <i>International Journal of Primatology</i> , 1992, 13, 245-285. | 1.9 | 99 |
| 116 | Long-term Annual and Seasonal Changes of Meta- and Protozooplankton in Lake Müggelsee (Berlin): Effects of Eutrophication, Grazing Activities, and the Impact of Predation. <i>International Review of Hydrobiology</i> , 1993, 78, 379-402. | 0.6 | 39 |
| 117 | The food niches of the invasive <i>Dugesia tigrina</i> (Girard) and indigenous <i>Polycelis tennis</i> Ijima and <i>P. nigra</i> (Müller) (Turbellaria; Tricladida) in a Welsh lake. <i>Hydrobiologia</i> , 1993, 254, 99-106. | 2.0 | 21 |
| 118 | Rotifers as predators on components of the microbial web (bacteria, heterotrophic flagellates, Tj ETQq0 0 0 rgBT /Qverlock 10 If 50 42. | 2.0 | 245 |
| 119 | Competitive food exploitation of smelt <i>Osmerus eperlanus</i> by great crested grebes <i>Podiceps cristatus</i> and perch <i>Perca fluviatilis</i> at Lake IJsselmeer, The Netherlands. <i>Oecologia</i> , 1993, 93, 463-474. | 2.0 | 19 |
| 120 | Effects of prey size and foraging mode on the ontogenetic change in feeding niche of <i>Colostethus stepheni</i> (Anura: Dendrobatidae). <i>Oecologia</i> , 1993, 95, 93-102. | 2.0 | 80 |
| 121 | The consequences of habitat occupation and habitat overlap of the introduced tilapia <i>Oreochromis mossambicus</i> and indigenous fish species for fishery management in a Sri Lankan reservoir. <i>Journal of Fish Biology</i> , 1993, 43, 193-208. | 1.6 | 26 |
| 122 | Utilization, diet and diet selection by brent geese <i>Branta bernicla bernicla</i> on salt marshes in Norfolk. <i>Journal of Zoology</i> , 1993, 231, 249-273. | 1.7 | 27 |
| 123 | On the replacement of the red squirrel in Britain: a phytotoxic explanation. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 1993, 251, 187-194. | 2.6 | 82 |
| 124 | Prey Choice by Three Insectivorous Grassland Birds: Reevaluating Opportunism. <i>Oikos</i> , 1993, 68, 414. | 2.7 | 68 |
| 125 | Comparing Spatial Pattern in Unaltered Old-Growth and Disturbed Forest Landscapes. , 1993, 3, 294-306. | | 284 |
| 126 | Foraging Habitat Selection, Land-Use Changes and Population Decline in the Lesser Kestrel <i>Falco naumanni</i> . <i>Journal of Applied Ecology</i> , 1993, 30, 515. | 4.0 | 98 |
| 127 | Spatial and Temporal Distribution of <i>Praephippigera pachygaster</i> Lucas (Orthoptera, Tettigoniidae) in Relation to the Vegetation Structure of an Agrosystem. , 1994, , 91. | | 1 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 128 | Habitat selection by Corn Buntings <i>Miliaria calandrin</i> winter. <i>Bird Study</i> , 1994, 41, 199-210. | 1.0 | 44 |
| 129 | Effects of Exploitation and Protection on Forest Structure, Ungulate Density and Wolf Predation in Bialowieza Primeval Forest, Poland. <i>Journal of Applied Ecology</i> , 1994, 31, 664. | 4.0 | 113 |
| 130 | PREDATORY FEEDING BEHAVIOR OF TORTANUS (COPEPODA: CALANOIDA): LIFE-STAGE DIFFERENCES AND THE PREDATION IMPACT ON SMALL PLANKTONIC CRUSTACEANS. <i>Journal of Crustacean Biology</i> , 1994, 14, 473-483. | 0.8 | 17 |
| 131 | Factors Regulating Local Variations in Abundance: Field Tests on Hedgehogs, <i>Erinaceus europaeus</i> . <i>Oikos</i> , 1994, 69, 182. | 2.7 | 60 |
| 132 | Ecological Energetics and Food Acquisition in Dense Menorcan Islet Populations of the Lizard <i>Podarcis lilfordi</i> . <i>Functional Ecology</i> , 1994, 8, 427. | 3.6 | 37 |
| 133 | THE INFLUENCE OF HABITAT ON THE DISTRIBUTION AND ABUNDANCE OF PEREGRINE AND LANNER FALCONS IN SOUTH AFRICA. <i>Ostrich</i> , 1994, 65, 281-290. | 1.1 | 16 |
| 134 | Red maple (<i>Acer rubrum</i>) inhibits feeding by beaver (<i>Castor canadensis</i>). <i>Journal of Chemical Ecology</i> , 1994, 20, 2021-2034. | 1.8 | 22 |
| 135 | Comparative locomotor ecology of gibbons and macaques: Selection of canopy elements for crossing gaps. <i>American Journal of Physical Anthropology</i> , 1994, 93, 505-524. | 2.1 | 118 |
| 136 | Non-avoidance of hydrocarbon laden sediments by juvenile flatfishes. <i>Journal of Sea Research</i> , 1994, 32, 361-367. | 1.0 | 33 |
| 137 | Selective foraging on woody species by the beaver <i>Castor fiber</i> , and its impact on a riparian willow forest. <i>Biological Conservation</i> , 1994, 70, 117-128. | 4.1 | 77 |
| 138 | Applying Principles of Landscape Design and Management to Integrate Old-Growth Forest Enhancement and Commodity Use. <i>Conservation Biology</i> , 1994, 8, 752-762. | 4.7 | 38 |
| 139 | Feeding biology of two brachionid rotifers: <i>Brachionus quadridentatus</i> and <i>Brachionus plicatilis</i> . <i>Hydrobiologia</i> , 1995, 313-314, 219-221. | 2.0 | 10 |
| 140 | Microhabitat use by two small benthic stream fish in a 2nd order stream. <i>Hydrobiologia</i> , 1995, 303, 125-137. | 2.0 | 31 |
| 141 | Trophic relationships and seasonal utilization of salt-marsh creeks by zooplanktivorous fishes. <i>Environmental Biology of Fishes</i> , 1995, 42, 37-50. | 1.0 | 38 |
| 142 | Habitat selection by grayling-I. Spawning habitats. <i>Journal of Fish Biology</i> , 1995, 47, 256-265. | 1.6 | 43 |
| 143 | Premigratory diet of trans-Saharan migrant passerines in the western Sahel. <i>Bird Study</i> , 1995, 42, 101-106. | 1.0 | 44 |
| 144 | Temporal-Spatial Patterns of Food Caching in Two Sympatric Shrike Species. <i>Condor</i> , 1995, 97, 1002-1010. | 1.6 | 17 |
| 145 | The effects of agricultural change on population size of Corn Buntings <i>Miliaria calandra</i> on individual farms. <i>Bird Study</i> , 1995, 42, 205-215. | 1.0 | 29 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 146 | Fall and Winter Movements of and Habitat Use by Cutthroat Trout in the Ram River, Alberta. Transactions of the American Fisheries Society, 1995, 124, 873-885. | 1.4 | 105 |
| 147 | The effects of sex, season and habitat availability on patterns of habitat use by fallow deer (<i>Dama</i>) Tj ETQq1 1 0.784314 rgBT /Ove | 1.7 | 94 |
| 148 | Food selection by domestic goats in Mediterranean arid shrublands. Journal of Arid Environments, 1995, 31, 205-217. | 2.4 | 28 |
| 149 | Effects of changes in agricultural landscape on a breeding population of linnets <i>Acanthis cannabina</i> L. living in adjacent heathland. Biological Conservation, 1995, 74, 195-202. | 4.1 | 22 |
| 150 | Use of paired plots and multivariate analysis for the determination of goat grazing preference. Journal of Vegetation Science, 1995, 6, 37-42. | 2.2 | 14 |
| 151 | Feeding biology of two brachionid rotifers: <i>Brachionus quadridentatus</i> and <i>Brachionus plicatilis</i> . , 1995, , 219-221. | | 1 |
| 152 | A Quantitative Approach to Developing Regional Ecosystem Classifications. , 1996, 6, 608-618. | | 99 |
| 153 | Organization of a taxonomically diverse lizard assemblage in Amazonian Ecuador. Canadian Journal of Zoology, 1996, 74, 1313-1335. | 1.0 | 87 |
| 154 | Enduring social relationships in a population of crab-eating zorros, <i>Cerdocyon thous</i> , in Amazonian Brazil (Carnivora, Canidae). Journal of Zoology, 1996, 239, 329-355. | 1.7 | 99 |
| 155 | Rice Fields Support a Large Portion of Herons Breeding in the Mediterranean Region. Waterbirds, 1996, 19, 129. | 0.4 | 70 |
| 156 | Trophic ecology of the Ocellated Lizard <i>Lacerta lepidain</i> in an arid zone of southern Spain: relationships with availability and daily activity of prey. Journal of Arid Environments, 1996, 33, 95-107. | 2.4 | 51 |
| 157 | Habitat associations of coastal wintering passerines. Bird Study, 1996, 43, 188-200. | 1.0 | 21 |
| 158 | A comparison of scat-analysis methods to assess the diet of the wolf <i>Canis lupus</i> . Wildlife Biology, 1996, 2, 37-48. | 1.4 | 137 |
| 159 | Distributional patterns of raptors along altitudinal gradients in the northern Andes and effects of forest fragmentation. Journal of Tropical Ecology, 1996, 12, 535-560. | 1.1 | 29 |
| 160 | Human-related disturbance risk and distance to cover affect use of montane pastures by Pyrenean chamois. Applied Animal Behaviour Science, 1996, 46, 217-228. | 1.9 | 15 |
| 161 | AVAILABILITY OF MICROHABITATS AND THEIR USE BY BROWN TROUT (<i>SALMO TRUTTA</i>) AND GRAYLING (<i>THYMALLUS THYMALLUS</i>) IN THE RIVER VOJMAÅ, SWEDEN. River Research and Applications, 1996, 12, 287-303. | 0.8 | 82 |
| 162 | PREDICTING FISH HABITAT USE TO CHANGES IN WATER FLOW: MODELLING CRITICAL MINIMUM FLOWS FOR ATLANTIC SALMON, <i>SALMO SALAR</i> , AND BROWN TROUT, <i>S. TRUTTA</i> . River Research and Applications, 1996, 12, 331-344. | 0.8 | 50 |
| 163 | Food and feeding behaviour of a planktivorous cyprinid, <i>Pelecus cultratus</i> (L.), in a shallow eutrophic lake, Neusiedler See (Austria). Hydrobiologia, 1996, 333, 71-77. | 2.0 | 18 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 164 | Microhabitat use and diet of 0+ cyprinid fishes in a lentic, regulated reach of the River Great Ouse, England. <i>Journal of Fish Biology</i> , 1996, 48, 367-382. | 1.6 | 86 |
| 165 | Short-term changes of protozoan control on autotrophic picoplankton in an oligo-mesotrophic lake. <i>Journal of Plankton Research</i> , 1996, 18, 443-462. | 1.8 | 65 |
| 166 | Integrating biological realism into habitat restoration and conservation strategies for small streams. <i>Canadian Journal of Fisheries and Aquatic Sciences</i> , 1996, 53, 252-259. | 1.4 | 80 |
| 167 | Polecat predation on frogs and toads at breeding sites in western France. <i>Ethology Ecology and Evolution</i> , 1996, 8, 115-124. | 1.4 | 23 |
| 168 | FORAGING BEHAVIOUR OF CRAB PLOVERS <i>DROMAS ARDEOLA</i> AT MIDA CREEK, KENYA. <i>Ostrich</i> , 1996, 67, 33-44. | 1.1 | 10 |
| 169 | Methods for determining species-habitat relationships, illustrated with fieldwork on freshwater macroinvertebrates in an upland catchment. <i>Journal of Biological Education</i> , 1996, 30, 257-264. | 1.5 | 0 |
| 170 | Nutritional suitability of the dinoflagellate <i>Ceratium furcoides</i> for four copepod species. <i>Journal of Plankton Research</i> , 1996, 18, 323-333. | 1.8 | 32 |
| 171 | Variability of spring habitat selection by isards (<i>Rupicapra pyrenaica</i>). <i>Canadian Journal of Zoology</i> , 1997, 75, 1955-1965. | 1.0 | 6 |
| 172 | POLLUTION-RELATED VARIATION IN FOOD SUPPLY AND BREEDING SUCCESS IN TWO HOLE-NESTING PASSERINES. <i>Ecology</i> , 1997, 78, 1120-1131. | 3.2 | 90 |
| 173 | The effects of recreational disturbance on wintering waterbirds on a mature gravel pit lake near London. <i>International Journal of Environmental Studies</i> , 1997, 53, 167-182. | 1.6 | 8 |
| 174 | A Study on Relationships Between Space Units and Biotic Communities. A Case Study of Man Made Off-Stream Pond in Michinoku Lakewood National Government Park.. <i>Environmental Systems Research</i> , 1997, 25, 25-35. | 0.0 | 0 |
| 175 | Is Social Learning an Important Influence on Foraging Behavior in White-Tailed Deer?. <i>Journal of Wildlife Management</i> , 1997, 61, 611. | 1.8 | 37 |
| 176 | Ecology and Behavior of 3 Wild Orphaned Brown Bear Cubs in Spain. <i>Ursus</i> , 1997, 9, 85. | 0.1 | 0 |
| 177 | Diet and habitat preferences of wintering passerines on the Taff/Ely saltmarshes. <i>Bird Study</i> , 1997, 44, 367-373. | 1.0 | 8 |
| 178 | The Diet of Goats, Red Deer and South American Camelids Feeding on Three Contrasting Scottish Upland Vegetation Communities. <i>Journal of Applied Ecology</i> , 1997, 34, 668. | 4.0 | 38 |
| 179 | GRANIVORY AND PLANT SELECTION BY DESERT GERBILS OF DIFFERENT BODY SIZE. <i>Ecology</i> , 1997, 78, 2218-2229. | 3.2 | 30 |
| 180 | Habitat use and support preference of two free-ranging saltatory lemurs (<i>Lepilemur edwardsi</i>) Tj ETQq0 0 0 rgBT /Overlock 10 T | 1.7 | 30 |
| 181 | Effects of vegetative variation on weaning success, overwinter survival, and social group density in golden marmots (<i>Marmota caudata aurea</i>). <i>Journal of Zoology</i> , 1997, 243, 57-69. | 1.7 | 13 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 182 | The effect on the woodpigeon (<i>Columba palumbus</i>) of the introduction of oilseed rape into Britain. <i>Agriculture, Ecosystems and Environment</i> , 1997, 61, 113-121. | 5.3 | 19 |
| 183 | Spatial microhabitat selection by <i>Biomphalaria pfeifferi</i> in a small perennial river in Tanzania. <i>Hydrobiologia</i> , 1997, 356, 53-60. | 2.0 | 24 |
| 184 | Title is missing!. <i>Aquatic Ecology</i> , 1997, 31, 149-162. | 1.5 | 14 |
| 185 | Habitat use and activity patterns of urban-dwelling javelina. <i>Urban Ecosystems</i> , 1998, 2, 141-151. | 2.4 | 9 |
| 186 | Title is missing!. <i>Hydrobiologia</i> , 1998, 371/372, 309-319. | 2.0 | 21 |
| 187 | Food Habits of Red Drum and Spotted Seatrout in a Restored Mangrove Impoundment. <i>Estuaries and Coasts</i> , 1998, 21, 294. | 1.7 | 39 |
| 188 | Red squirrels (<i>Sciurus vulgaris</i>) released in conifer woodland: the effects of source habitat, predation and interactions with grey squirrels (<i>Sciurus carolinensis</i>). <i>Journal of Zoology</i> , 1998, 244, 23-32. | 1.7 | 63 |
| 189 | Spring home range, spatial organisation and activity of stoats <i>Mustela erminea</i> in a South Island <i>Nothofagus</i> forest, New Zealand. <i>Ecography</i> , 1998, 21, 18-24. | 4.5 | 20 |
| 190 | Dietary and microtopographical selectivity of Greenland white-fronted geese feeding on Icelandic hayfields. <i>Ecography</i> , 1998, 21, 480-483. | 4.5 | 8 |
| 191 | Diet composition of guanacos (<i>Lama guanicoe</i>) and sheep (<i>Ovis aries</i>) grazing in grassland communities typical of UK uplands. <i>Small Ruminant Research</i> , 1998, 29, 201-212. | 1.2 | 14 |
| 192 | Particle sorting in bivalves: in vivo determination of the pallial organs of selection. <i>Marine Biology</i> , 1998, 131, 283-292. | 1.5 | 169 |
| 193 | Large-scale habitat use of some declining British birds. <i>Journal of Applied Ecology</i> , 1998, 35, 785-799. | 4.0 | 145 |
| 194 | The Effects of Size on the Diets of Six Sympatric Species of Postmetamorphic Litter Anurans in Central Amazonia. <i>Journal of Herpetology</i> , 1998, 32, 392. | 0.5 | 51 |
| 195 | Dietary Habits of the Common Rodents in an Agroecosystem in Argentina. <i>Journal of Mammalogy</i> , 1998, 79, 1203-1220. | 1.3 | 54 |
| 196 | LONG-TERM DYNAMICS OF MEDITERRANEAN FRUGIVOROUS BIRDS AND FLESHY FRUITS: A 12-YEAR STUDY. <i>Ecological Monographs</i> , 1998, 68, 511-538. | 5.4 | 232 |
| 197 | A comparison of voluntary intake and <i>in vivo</i> digestion in guanacos (<i>Lama guanicoe</i>) and sheep given fresh grass. <i>Animal Science</i> , 1998, 67, 567-572. | 1.3 | 7 |
| 198 | Summer Bed Sites of Elk (<i>Cervus elaphus</i>) in the Black Hills, South Dakota: Considerations for Thermal Cover Management. <i>American Midland Naturalist</i> , 1998, 139, 133-140. | 0.4 | 30 |
| 199 | Seasonal Preferences of Steers for Prominent Northern Great Basin Grasses. <i>Journal of Range Management</i> , 1998, 51, 557. | 0.3 | 21 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 200 | Prey use among sympatric lizard species in lowland rain forest of Nicaragua. <i>Journal of Tropical Ecology</i> , 1998, 14, 537-559. | 1.1 | 40 |
| 201 | Diet and Activity of the Bear Cuscus, <i>Ailurops ursinus</i> , in North Sulawesi, Indonesia. <i>Journal of Mammalogy</i> , 1999, 80, 905-912. | 1.3 | 14 |
| 202 | Diet of the Ouachita Dusky Salamander (<i>Desmognathus brimleyorum</i>) in Southeastern Oklahoma. <i>American Midland Naturalist</i> , 1999, 141, 398-401. | 0.4 | 4 |
| 203 | Habitat structure along channel-unit sequences for juvenile salmon: a subunit-based analysis of in-stream landscapes. <i>Freshwater Biology</i> , 1999, 42, 597-608. | 2.4 | 31 |
| 204 | Linking microhabitat availability and local density of rainbow trout in low-gradient Japanese streams. <i>Ecological Research</i> , 1999, 14, 341-349. | 1.5 | 25 |
| 205 | The diet of otters (<i>Lutra lutra</i> L.) in Danish freshwater habitats: comparisons of prey fish populations. <i>Journal of Zoology</i> , 1999, 248, 1-13. | 1.7 | 41 |
| 206 | The winter distribution of seed-eating birds: habitat structure, seed density and seasonal depletion. <i>Ecography</i> , 1999, 22, 447-454. | 4.5 | 96 |
| 207 | Title is missing!. <i>Landscape Ecology</i> , 1999, 14, 35-52. | 4.2 | 162 |
| 208 | A comparison of the diet composition of guanacos (<i>Lama guanicoe</i>) and sheep when grazing swards with different clover:grass ratios. <i>Small Ruminant Research</i> , 1999, 32, 231-241. | 1.2 | 6 |
| 209 | Historical Ecology of Amazonian Lizards: Implications for Community Ecology. <i>Oikos</i> , 1999, 87, 286. | 2.7 | 73 |
| 210 | Feeding ecology of dunlins <i>Calidris alpina</i> staging in the southern Baltic Sea, 1. Habitat use and food selection. <i>Journal of Sea Research</i> , 1999, 42, 49-64. | 1.6 | 31 |
| 211 | Feeding strategy of the brown trout (<i>Salmo trutta</i> L.) in running water. , 1999, , 91-113. | | 6 |
| 212 | Dietary Asymmetry in Leaf Litter Frogs and Lizards in a Transitional Northern Amazonian Rain Forest. <i>Oikos</i> , 1999, 84, 383. | 2.7 | 57 |
| 213 | Winter bird numbers and land-use preferences in an arable landscape in eastern England. <i>Bird Conservation International</i> , 1999, 9, 119-127. | 1.3 | 3 |
| 214 | EFFECTS OF INTERACTING DISTURBANCES ON LANDSCAPE PATTERNS: BUDWORM DEFOLIATION AND SALVAGE LOGGING. , 2000, 10, 233-247. | | 81 |
| 215 | Iberian Lynx in a Fragmented Landscape: Predispersal, Dispersal, and Postdispersal Habitats. <i>Conservation Biology</i> , 2000, 14, 809-818. | 4.7 | 117 |
| 216 | Hydropower and instream flow requirements for fish in Sweden. <i>Fisheries Management and Ecology</i> , 2000, 7, 145-155. | 2.0 | 9 |
| 217 | Compensatory frugivory in migratory <i>Sylvia</i> warblers: geographical responses to season length. <i>Journal of Avian Biology</i> , 2000, 31, 63-74. | 1.2 | 22 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 218 | Influence of landscape and land-use on the distribution of breeding birds in farmland in eastern England. <i>Journal of Zoology</i> , 2000, 251, 339-348. | 1.7 | 47 |
| 219 | Influence of Fruit Availability on Ecological Overlap among Four Neotropical Primates at Tinigua National Park, Colombia. <i>Biotropica</i> , 2000, 32, 533-544. | 1.6 | 182 |
| 220 | Seasonal and Diel Changes in Behaviour, Microhabitat use and Preferences by Young Pool-dwelling Atlantic Salmon, <i>Salmo salar</i> , and Brown Trout, <i>Salmo trutta</i> . <i>Environmental Biology of Fishes</i> , 2000, 59, 163-179. | 1.0 | 63 |
| 221 | Nest-site selection and breeding success in the Roller (<i>Coracias garrulus</i>) in the Southwest of the Iberian peninsula. <i>Journal Fur Ornithologie</i> , 2000, 141, 345-350. | 1.2 | 21 |
| 222 | Niche segregation among sympatric Amazonian teiid lizards. <i>Oecologia</i> , 2000, 122, 0410. | 2.0 | 63 |
| 223 | Differential incorporation of algae and bacteria by <i>Elimia clara</i> (Prosobranchia: Pleuroceridae) – a study using dual-labeled epilithon. <i>Journal of the North American Benthological Society</i> , 2000, 19, 289-297. | 3.1 | 13 |
| 224 | Conservation planning in an agricultural landscape: the case of Sharpe's Longclaw. <i>Ostrich</i> , 2000, 71, 300-303. | 1.1 | 20 |
| 225 | Selective predation by otters (<i>Lutra lutra</i>) on common carp (<i>Cyprinus carpio</i>) at farmed fisheries. <i>Mammalia</i> , 2000, 64, 287-294. | 0.7 | 12 |
| 226 | Influence of Fruit Availability on Ecological Overlap among Four Neotropical Primates at Tinigua National Park, Colombia. <i>Biotropica</i> , 2000, 32, 533. | 1.6 | 18 |
| 227 | PREY SELECTION AND PREDATION BY WOLVES IN BIAŁOWIEŻA PRIMEVAL FOREST, POLAND. <i>Journal of Mammalogy</i> , 2000, 81, 197-212. | 1.3 | 138 |
| 228 | Habitat Use by Hatchery-Reared Adult Razorback Suckers Released into the Lower Colorado River, California – Arizona. <i>North American Journal of Fisheries Management</i> , 2000, 20, 154-167. | 1.0 | 8 |
| 229 | Browsing preference of feral goats (<i>Capra hircus</i> L.) in a Mediterranean mountain scrubland. <i>Journal of Arid Environments</i> , 2000, 44, 133-142. | 2.4 | 33 |
| 230 | Defining key habitats for low density populations of Eurasian badgers in Mediterranean environments. <i>Biological Conservation</i> , 2000, 95, 269-277. | 4.1 | 49 |
| 231 | Geomorphology, hyporheic exchange, and selection of spawning habitat by bull trout (<i>Salvelinus</i>) | 1.4 | 812 |
| 232 | Microhabitat Selection by Three Stream-Dwelling Cyprinids: Blacktail Shiner (<i>Cyprinella venusta</i>), Bluntnose Shiner (<i>C. camura</i>), and Striped Shiner (<i>Luxilus chrysocephalus</i>). <i>Journal of Freshwater Ecology</i> , 2000, 15, 455-463. | 1.2 | 5 |
| 233 | Breeding Populations and Diets of the Sparrowhawk (<i>Accipiter nisus</i>) and the Hobby (<i>Falco subbuteo</i>) in the Wigry National Park (Ne Poland). <i>Acta Ornithologica</i> , 2001, 36, 25-31. | 0.5 | 32 |
| 234 | Distributions of birds in lowland agricultural landscapes of England and Wales: How distinctive are bird communities of hedgerows and woodland?. <i>Agriculture, Ecosystems and Environment</i> , 2001, 84, 79-92. | 5.3 | 67 |
| 235 | Techniques for Measuring Feed Intake. , 0, , 49-87. | | 53 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 236 | The influence of population density on growth of whitefish (<i>Coregonus lavaretus</i> L.) in four prealpine lakes. <i>Limnologica</i> , 2001, 31, 53-60. | 1.5 | 7 |
| 237 | Habitat requirements of wild boars in the northern Apennines (N Italy): A multi-level approach. <i>Italian Journal of Zoology</i> , 2001, 68, 47-55. | 0.6 | 35 |
| 238 | Resource competition between sympatric sibling rotifer species. <i>Limnology and Oceanography</i> , 2001, 46, 1511-1523. | 3.1 | 81 |
| 239 | Summer Habitat Use by Columbia River Redband Trout in the Kootenai River Drainage, Montana. <i>North American Journal of Fisheries Management</i> , 2001, 21, 223-235. | 1.0 | 20 |
| 240 | Factors affecting predation by buzzards <i>Buteo buteo</i> on released pheasants <i>Phasianus colchicus</i> . <i>Journal of Applied Ecology</i> , 2001, 38, 813-822. | 4.0 | 37 |
| 241 | Observations on the diet and habitat of the mountain tapir (<i>Tapirus pinchaque</i>). <i>Journal of Zoology</i> , 2001, 254, 279-291. | 1.7 | 47 |
| 242 | Contrasting temperatures, waterflows, and light: seasonal habitat selection by young Atlantic salmon and brown trout in a boreonemoral river. <i>River Research and Applications</i> , 2001, 17, 623-635. | 0.8 | 64 |
| 243 | Spatial consequences of relatedness and age in buzzards. <i>Animal Behaviour</i> , 2001, 61, 1069-1078. | 1.9 | 32 |
| 244 | Spatial patterns of sand pine invasion into longleaf pine forests in the Florida Panhandle. <i>Landscape Ecology</i> , 2001, 16, 89-98. | 4.2 | 15 |
| 245 | Title is missing!. <i>Hydrobiologia</i> , 2001, 452, 145-154. | 2.0 | 7 |
| 246 | Diet of the zooplanktivorous icefish <i>Neosalanx pseudotaihuensis</i> Zhang. <i>Hydrobiologia</i> , 2001, 459, 51-56. | 2.0 | 11 |
| 247 | Taxon-specific growth and selective microzooplankton grazing of phytoplankton in the Northeast Atlantic. <i>Journal of Marine Systems</i> , 2001, 30, 241-261. | 2.1 | 33 |
| 248 | Are bufonid toads specialized ant-feeders? A case test from the Argentinian flooding pampa. <i>Journal of Natural History</i> , 2002, 36, 2005-2012. | 0.5 | 35 |
| 249 | Effects of <i>Brachionus calyciflorus</i> and <i>Brachionus rubens</i> on a manipulated freshwater microbial community. <i>Journal of Plankton Research</i> , 2002, 24, 25-31. | 1.8 | 8 |
| 250 | Spawning Characteristics of Redband Trout in a Headwater Stream in Montana. <i>North American Journal of Fisheries Management</i> , 2002, 22, 1314-1320. | 1.0 | 14 |
| 251 | Feeding Ecology of <i>Bufo japonicus formosus</i> from the Montane Region of Kyoto, Japan. <i>Journal of Herpetology</i> , 2002, 36, 719-723. | 0.5 | 25 |
| 252 | Habitat Correlates of the Distribution of <i>Macrhybopsis hyostoma</i> (Teleostei: Cyprinidae) in Western Reaches of the Arkansas River Basin. <i>Transactions of the Kansas Academy of Science</i> , 2002, 105, 153-161. | 0.1 | 12 |
| 253 | Hypoxia-based habitat compression in the Neuse River Estuary: context-dependent shifts in behavioral avoidance thresholds. <i>Canadian Journal of Fisheries and Aquatic Sciences</i> , 2002, 59, 952-965. | 1.4 | 249 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 254 | Reevaluation of patterns of mussel (<i>Mytilus edulis</i>) selection by European Oystercatchers (<i>Haematopus ostralegus</i>). Canadian Journal of Zoology, 2002, 80, 846-853. | 1.0 | 11 |
| 255 | Landscape analysis of risk factors for white pine blister rust in the Mixed Forest Province of Minnesota, U.S.A.. Canadian Journal of Forest Research, 2002, 32, 1639-1650. | 1.7 | 23 |
| 256 | Habitat selection and conservation of Sharpe's longclaw (<i>Macronyx sharpei</i>), a threatened Kenyan grassland endemic. Biological Conservation, 2002, 105, 271-277. | 4.1 | 19 |
| 257 | Management of coastal grazing marshes for breeding waders: the importance of surface topography and wetness. Biological Conservation, 2002, 103, 199-207. | 4.1 | 45 |
| 258 | Salt exploitation and landscape structure in a breeding population of the threatened bluethroat (<i>Luscinia svecica</i>) in salt-pans in western France. Biological Conservation, 2002, 107, 283-289. | 4.1 | 13 |
| 259 | Neotropical tadpoles: spatial and temporal distribution and habitat use in a seasonal lake in Veracruz, MÃ©xico. Phyllomedusa, 2002, 1, 81. | 0.2 | 9 |
| 260 | Impact of red swamp crayfish (<i>Procambarus clarkii</i>) on aquatic invertebrate and macrophyte assemblages: a case study in the south of Portugal. Verhandlungen Der Internationalen Vereinigung Fur Theoretische Und Angewandte Limnologie International Association of Theoretical and Applied Limnology, 2002, 28, 144-147. | 0.1 | 2 |
| 261 | Differential vulnerability of prey to an invading top predator: integrating field surveys and laboratory experiments. Ecological Entomology, 2002, 27, 732-744. | 2.2 | 36 |
| 262 | Feeding responses of the bivalves <i>Crassostrea gigas</i> and <i>Mytilus trossulus</i> to chemical composition of fresh and aged kelp detritus. Marine Biology, 2002, 141, 367-376. | 1.5 | 63 |
| 263 | Title is missing!. Ichthyological Research, 2002, 49, 0062-0068. | 0.8 | 44 |
| 264 | The impact of a sit-and-wait predator: separating consumption and prey emigration. Oikos, 2002, 99, 409-418. | 2.7 | 22 |
| 265 | Reproductive success of the rotifer <i>Brachionus calyciflorus</i> feeding on ciliates and flagellates of different trophic modes. Freshwater Biology, 2002, 47, 1832-1839. | 2.4 | 22 |
| 266 | 0+ perch predation on 0+ bream: a case study in a eutrophic gravel pit lake. Freshwater Biology, 2002, 47, 2359-2369. | 2.4 | 46 |
| 267 | Suitability criteria for spawning habitat of riverine European grayling. Journal of Fish Biology, 2002, 60, 1351-1354. | 1.6 | 18 |
| 268 | Selective Feeding of age-0 Arctic Grayling in Lake-Outlet Streams of the Northwest Territories, Canada. Environmental Biology of Fishes, 2003, 67, 169-178. | 1.0 | 13 |
| 269 | Selective feeding by three native North American freshwater mussels implies food competition with zebra mussels. Hydrobiologia, 2003, 505, 97-105. | 2.0 | 73 |
| 270 | Interpopulation differences in activity patterns of <i>Macaca sylvanus</i> in the Moroccan Middle Atlas. Human Evolution, 2003, 18, 185-202. | 2.0 | 5 |
| 271 | Aktionsraum und Habitatnutzung des Rotmilans (<i>Milvus milvus</i>) im Winter â€” eine telemetrische Studie im Nordharzvorland. Journal Fur Ornithologie, 2003, 144, 284-294. | 1.2 | 2 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 272 | The density and distribution of badger setts in the Sudety Mountains, Poland. Acta Theriologica, 2003, 48, 515-525. | 1.1 | 10 |
| 273 | Habitat requirements of the Alpine marmot <i>Marmota marmota</i> in re-introduction areas of the Eastern Italian Alps. Formulation and validation of habitat suitability models. Acta Theriologica, 2003, 48, 557-569. | 1.1 | 32 |
| 274 | Spatial behaviour of adult male Alpine ibex <i>Capra ibex ibex</i> in the Gran Paradiso National Park, Italy. Acta Theriologica, 2003, 48, 411-423. | 1.1 | 30 |
| 275 | Range and diet of Eurasian otters <i>Lutra lutra</i> (L.) in the catchment of the River Lee (south-east) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 34 65-76. | 2.0 | 58 |
| 276 | Size-related changes in habitat selection by larval grayling (<i>Thymallus thymallus</i> L.). Ecology of Freshwater Fish, 2003, 12, 127-133. | 1.4 | 26 |
| 277 | Aktionsraum und Habitatnutzung des Rotmilans (<i>Milvus milvus</i>) im Winter - eine telemetrische Studie im Nordharzvorland. Journal Fur Ornithologie, 2003, 144, 284-294. | 1.2 | 6 |
| 278 | Spatial organization and demography of badgers (<i>Meles meles</i>) in Bialowieza Primeval Forest, Poland, and the influence of earthworms on badger densities in Europe. Canadian Journal of Zoology, 2003, 81, 74-87. | 1.0 | 71 |
| 279 | INFLUENCE OF RELATEDNESS ON SNOWSHOE HARE SPACING BEHAVIOR. Journal of Mammalogy, 2003, 84, 1100-1111. | 1.3 | 13 |
| 280 | Habitat Preferences of Foraging Rooks <i>Corvus frugilegus</i> During the Breeding Period in the Agricultural Landscape of Eastern Poland. Acta Ornithologica, 2003, 38, 27-31. | 0.5 | 29 |
| 281 | Influence of Fish Predation on Assemblage Structure of Macroinvertebrates in an Intermittent Stream. Transactions of the American Fisheries Society, 2003, 132, 120-130. | 1.4 | 50 |
| 282 | Sexual dimorphism and trophic constraints: Prey selection in the European polecat <i>(Mustela)</i> Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 34 1.4 | 1.4 | 15 |
| 283 | Environmental constraints in habitat use by free-ranging beef-cattle in the Natural Park of Gorbeia (Basque Country). Proceedings of the British Society of Animal Science, 2003, 2003, 133-133. | 0.0 | 0 |
| 284 | Foraging behaviour in tammar (<i>Macropus eugenii</i>) and parma (<i>Macropus parma</i>) wallabies. Australian Journal of Zoology, 2003, 51, 297. | 1.0 | 1 |
| 285 | Wolf <i>Canis lupus</i> numbers, diet and damage to livestock in relation to hunting and ungulate abundance in northeastern Belarus during 1990â€“2000. Wildlife Biology, 2003, 9, 103-111. | 1.4 | 100 |
| 286 | REPRODUCTION DE LA TRUITE (<i>Salmo trutta</i> L.) DANS LETORRENT DE CHEVENNE, HAUTE-SAVOIE.UN FONCTIONNEMENT ORIGINAL ?. Knowledge and Management of Aquatic Ecosystems: an International Journal on Aquatic Ecosystems, 2003, , 41-70. | 0.4 | 14 |
| 287 | Impact of Violacein-Producing Bacteria on Survival and Feeding of Bacterivorous Nanoflagellates. Applied and Environmental Microbiology, 2004, 70, 1593-1599. | 3.1 | 209 |
| 288 | Pairing season habitat selection by Montezuma quail in southeastern Arizona. Rangeland Ecology and Management, 2004, 57, 532-538. | 2.3 | 7 |
| 289 | Zooplankton feeding ecology: clearance and ingestion rates of the salps <i>Thalia democratica</i> , <i>Cyclosalpa affinis</i> and <i>Salpa cylindrica</i> on naturally occurring particles in the Mid-Atlantic Bight. Journal of Plankton Research, 2004, 26, 827-833. | 1.8 | 62 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 290 | Does the Flower Constancy of Bumble Bees Reflect Foraging Economics?. <i>Ethology</i> , 2004, 110, 793-805. | 1.1 | 60 |
| 291 | Spatial ecology of golden jackal in farmland in the Ethiopian Highlands. <i>African Journal of Ecology</i> , 2004, 42, 144-152. | 0.9 | 31 |
| 292 | Spatial ecology of white-tailed mongoose in farmland in the Ethiopian Highlands. <i>African Journal of Ecology</i> , 2004, 42, 153-159. | 0.9 | 18 |
| 293 | FEEDING ECOLOGY OF THE MARINE OTTER (LUTRA FELINA) IN A ROCKY SEASHORE OF THE SOUTH OF CHILE. <i>Marine Mammal Science</i> , 2004, 20, 134-144. | 1.8 | 30 |
| 294 | Quantifying the effectiveness of regional habitat quality index models for predicting densities of juvenile Atlantic salmon (<i>Salmo salar</i> L.). <i>Ecology of Freshwater Fish</i> , 2004, 13, 266-275. | 1.4 | 9 |
| 295 | Changes in movement, range and habitat preferences of adult grayling from late summer to early winter. <i>Journal of Fish Biology</i> , 2004, 64, 1386-1398. | 1.6 | 35 |
| 296 | EFFECTS OF IMPOSED STERILITY ON MOVEMENT PATTERNS OF FEMALE RICEFIELD RATS. <i>Journal of Wildlife Management</i> , 2004, 68, 1138-1144. | 1.8 | 17 |
| 297 | Predicting juvenile salmonid drift-feeding habitat quality using a three-dimensional hydraulic-bioenergetic model. <i>Ecological Modelling</i> , 2004, 177, 157-177. | 2.5 | 65 |
| 298 | Habitat preferences of tree pipit (<i>Anthus trivialis</i>) and meadow pipit (<i>A. pratensis</i>) at sympatric and allopatric localities. <i>Journal Fur Ornithologie</i> , 2004, 145, 334-342. | 1.2 | 22 |
| 299 | Seasonal and spatial pattern of shelter use by badgers <i>Meles meles</i> in BiaÅowieÅa Primeval Forest (Poland). <i>Acta Theriologica</i> , 2004, 49, 75-92. | 1.1 | 40 |
| 300 | Food habits of wolves <i>Canis lupus</i> in Latvia. <i>Acta Theriologica</i> , 2004, 49, 357-367. | 1.1 | 32 |
| 301 | Gastropod predation on egg cases of skates (<i>Chondrichthyes</i> , <i>Rajidae</i>) in the southwestern Atlantic: quantification and life history implications. <i>Marine Biology</i> , 2004, 145, 917-922. | 1.5 | 54 |
| 302 | Predation on European wild forest reindeer (<i>Rangifer tarandus</i>) by wolves (<i>Canis lupus</i>) in Finland. <i>Journal of Zoology</i> , 2004, 263, 229-235. | 1.7 | 61 |
| 303 | Predation by wolves (<i>Canis lupus</i>) on roe deer (<i>Capreolus capreolus</i>) in north-eastern Apennine, Italy. <i>Journal of Zoology</i> , 2004, 264, 249-258. | 1.7 | 72 |
| 304 | Spatial structure and land-cover use in a low-density Mediterranean population of Eurasian badgers. <i>Canadian Journal of Zoology</i> , 2004, 82, 1493-1502. | 1.0 | 68 |
| 305 | Movements associated with home-range establishment by two species of lowland river fish. <i>Canadian Journal of Fisheries and Aquatic Sciences</i> , 2004, 61, 2183-2193. | 1.4 | 43 |
| 306 | Prey Size Selection by Red Knot Feeding on Mud Snails at Punta Rasa (Argentina) During Migration. <i>Waterbirds</i> , 2004, 27, 493-498. | 0.3 | 4 |
| 307 | Diet of the quokka (<i>Setonix brachyurus</i>) (<i>Macropodidae</i> : <i>Marsupialia</i>) in the northern jarrah forest of Western Australia. <i>Wildlife Research</i> , 2005, 32, 15. | 1.4 | 19 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 308 | Appendicularians: an important food supply for the Argentine anchovy <i>Engraulis anchoita</i> in coastal waters. <i>Journal of Applied Ichthyology</i> , 2005, 21, 414-419. | 0.7 | 24 |
| 309 | Microsatellite DNA analysis shows that greater sage grouse leks are not kin groups. <i>Molecular Ecology</i> , 2005, 14, 4453-4459. | 3.9 | 34 |
| 310 | Otter (<i>Lutra lutra</i>) predation on stocked brown trout (<i>Salmo trutta</i>) in two Danish lowland rivers. <i>Ecology of Freshwater Fish</i> , 2005, 14, 59-68. | 1.4 | 20 |
| 311 | Flower constancy in bumblebees: a test of the trait variability hypothesis. <i>Animal Behaviour</i> , 2005, 69, 939-949. | 1.9 | 115 |
| 312 | Foraging behaviour of donkeys grazing in a coastal dune area in temperate climate conditions. <i>Applied Animal Behaviour Science</i> , 2005, 92, 93-112. | 1.9 | 29 |
| 313 | Social organization of the Milne-Edward's potto. <i>American Journal of Primatology</i> , 2005, 66, 317-330. | 1.7 | 68 |
| 314 | Differential timing of spring migration in northern wheatears <i>Oenanthe oenanthe</i> : hurried males or weak females?. <i>Behavioral Ecology and Sociobiology</i> , 2005, 57, 470-480. | 1.4 | 89 |
| 315 | Patterns of wolf <i>Canis lupus</i> predation on wild and domestic ungulates in the Western Carpathian Mountains (S Poland). <i>Acta Theriologica</i> , 2005, 50, 263-276. | 1.1 | 58 |
| 316 | Selectivity of wolf predation on red deer in the Bieszczady Mountains, Poland. <i>Acta Theriologica</i> , 2005, 50, 277-288. | 1.1 | 15 |
| 317 | A new analytical method for wildlife habitat conservation planning on a city scale using the classification of physiologically homogeneous areas. <i>Landscape and Ecological Engineering</i> , 2005, 1, 157-168. | 1.5 | 1 |
| 318 | Home range and habitat use by the sable <i>Martes zibellina brachyura</i> in a Japanese cool-temperate mixed forest. <i>Ecological Research</i> , 2005, 20, 95-101. | 1.5 | 15 |
| 319 | Comparison of survey methods for an invasive plant at the subwatershed level. <i>Biological Invasions</i> , 2005, 7, 393-403. | 2.4 | 18 |
| 320 | Spacing patterns of a tropical forest rodent, the spiny rat (<i>Proechimys semispinosus</i>), in Panama. <i>Journal of Zoology</i> , 2005, 265, 147-155. | 1.7 | 35 |
| 321 | Predation by wolves (<i>Canis lupus</i>) on wild and domestic ungulates of the western Alps, Italy. <i>Journal of Zoology</i> , 2005, 266, 205-213. | 1.7 | 70 |
| 322 | Diet and food resource use by the pygmy skunk (<i>Spilogale pygmaea</i>) in the tropical dry forest of Chamela, Mexico. <i>Journal of Zoology</i> , 2005, 267, 283. | 1.7 | 17 |
| 323 | Prey preferences of the lion (<i>Panthera leo</i>). <i>Journal of Zoology</i> , 2005, 267, 309. | 1.7 | 351 |
| 324 | Consistency of diel behaviour and interactions of stream fishes and invertebrates during summer. <i>River Research and Applications</i> , 2005, 21, 75-90. | 1.7 | 48 |
| 325 | Diurnal Studies do not Predict Nocturnal Habitat Choice and Site Selection of European | | |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 326 | Do sugarbirds feed on arthropods inside or outside Protea inflorescences?. Emu, 2005, 105, 293-297. | 0.6 | 8 |
| 327 | Seasonal variations of Red Deer selectivity on a mixed forest edge. Animal Research, 2005, 54, 369-381. | 0.6 | 26 |
| 328 | Habitat use and survival of Sonoran pronghorn in years with above-average rainfall. Wildlife Society Bulletin, 2005, 33, 35-42. | 1.6 | 18 |
| 329 | DIURNAL STUDIES DO NOT PREDICT NOCTURNAL HABITAT CHOICE AND SITE SELECTION OF EUROPEAN | | |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 345 | Spatial organisation and dynamics of the pine marten <i>Martes martes</i> population in BiaÅowieza Forest (E Poland) compared with other European woodlands. <i>Ecography</i> , 2006, 29, 31-43. | 4.5 | 90 |
| 346 | Variations in the diet and population density of the red fox <i>Vulpes vulpes</i> in the mixed woodlands of northern Belarus. <i>Mammalian Biology</i> , 2006, 71, 74-89. | 1.5 | 68 |
| 347 | Large-scale habitat associations of birds in lowland Iceland: Implications for conservation. <i>Biological Conservation</i> , 2006, 128, 265-275. | 4.1 | 49 |
| 348 | ãfçãfªã,çã,ªã,¬ã,ªf«ã®ãªfãÿÿçš,,ãªç”ÿæ·é©ãœ°ã®æŽã®šãä;ã...”è”ç”»ãª®é©ç””. <i>Ecology and Civil Engineering</i> 2006, 8, 221-232 | | |
| 349 | Diet of brown trout in relation to variation in abundance and size of pelagic fish prey. <i>Journal of Fish Biology</i> , 2006, 68, 87-98. | 1.6 | 23 |
| 350 | Feeding habits and gill raker morphology of three planktivorous pelagic fish species off the coast of northern and western Kyushu in summer. <i>Journal of Fish Biology</i> , 2006, 68, 1041-1061. | 1.6 | 70 |
| 351 | Food habits and habitat selection of suburban badgers (<i>Meles meles</i>) in Japan. <i>Journal of Zoology</i> , 2006, 270, 060606025751013-??? | 1.7 | 48 |
| 352 | Prey preferences of the leopard (<i>Panthera pardus</i>). <i>Journal of Zoology</i> , 2006, 270, 298-313. | 1.7 | 466 |
| 353 | Prey preferences of the spotted hyaena (<i>Crocuta crocuta</i>) and degree of dietary overlap with the lion (<i>Panthera leo</i>). <i>Journal of Zoology</i> , 2006, 270, 606-614. | 1.7 | 193 |
| 354 | Prey preferences of the cheetah (<i>Acinonyx jubatus</i>) (Felidae: Carnivora): morphological limitations or the need to capture rapidly consumable prey before kleptoparasites arrive?. <i>Journal of Zoology</i> , 2006, 270, 615-627. | 1.7 | 173 |
| 355 | Grassland-breeding waders: identifying key habitat requirements for management. <i>Journal of Applied Ecology</i> , 2006, 43, 454-463. | 4.0 | 82 |
| 356 | Diet selection of dry and lactating beef cows grazing extensive pastures in late autumn. <i>Grass and Forage Science</i> , 2006, 61, 347-353. | 2.9 | 17 |
| 357 | Intra- and Interspecific Competition in Hatchery Landlocked Salmon and Brown Trout in Semi-Natural Streams. <i>Environmental Biology of Fishes</i> , 2006, 76, 255-264. | 1.0 | 19 |
| 358 | Species Richness and Habitat Use of Small Carnivores in the Arusha National Park (Tanzania). <i>Biodiversity and Conservation</i> , 2006, 15, 1729-1744. | 2.6 | 22 |
| 359 | Spacing behaviour and habitat use of rock ptarmigan (<i>Lagopus mutus</i>) at low density in the Italian Alps. <i>Journal Fur Ornithologie</i> , 2006, 147, 618-628. | 1.2 | 32 |
| 360 | Diet selection by hares (<i>Lepus europaeus</i>) in arable land and its implications for habitat management. <i>European Journal of Wildlife Research</i> , 2006, 52, 109-118. | 1.4 | 84 |
| 361 | Structure of a Mediterranean cryptobenthic fish community and its relationships with habitat characteristics. <i>Marine Biology</i> , 2006, 149, 149-167. | 1.5 | 39 |
| 362 | Feeding ecology of wolves <i>Canis lupus</i> returning to Germany. <i>Acta Theriologica</i> , 2006, 51, 99-106. | 1.1 | 58 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 363 | Spatial and ontogenetic variation in the diet of wild and stocked mulloay (Argyrosomus japonicus,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf . | 2.2 | 50 |
| 364 | Improving models of juvenile Atlantic salmon habitat use through high resolution remote sensing. Ecological Modelling, 2006, 197, 505-511. | 2.5 | 19 |
| 365 | Summer prey size selection by European otter Lutra lutra in Mediterranean habitats / S  lectivit   saisonni  re de la taille des proies par la loutre Europ  enne dans un habitat M  diterran  en. Mammalia, 2006, 70, . | 0.7 | 6 |
| 366 | DISTRIBUTION OF RODENTS AND THEIR PREDATORS IN TRANSITIONAL MIXED WOODLAND IN RELATION TO EXPOSURE OF TERRESTRIAL VEGETATION IN NORTHERN BELARUS. Acta Zoologica Lituanica, 2007, 17, 323-332. | 0.3 | 1 |
| 367 | Status of CapercaillieTetrao urogallusin Scotland during winter 2003/04. Bird Study, 2007, 54, 145-153. | 1.0 | 10 |
| 368 | Space use, habitat selection and browsing effects of red deer in Sardinia. Italian Journal of Zoology, 2007, 74, 179-189. | 0.6 | 41 |
| 369 | FEEDING ECOLOGY OF TAWNY OWL (<i>STRIX ALUCO</i>) IN WIGRY NATIONAL PARK (NORTH EAST) Tj ETQq0 0 0 rgBT /Overlock 10 Tf . | 0.3 | 11 |
| 370 | Habitat utilization during the pairing season by the Common Hill Partridge Arborophila torqueola in Baiposhan Natural Reserve, Sichuan, China. Ornithological Science, 2007, 6, 87-94. | 0.5 | 6 |
| 371 | Riparian-zone rehabilitation in pine plantations: Grassland<i>vs</i>woodland for plants and birds. South African Journal of Wildlife Research, 2007, 37, 159-178. | 1.4 | 6 |
| 372 | Predation effects of benthivorous fish on grazing and shredding macroinvertebrates in a detritus-based stream food web. Limnologia, 2007, 37, 121-128. | 1.5 | 29 |
| 373 | Microhabitat choice and differential use by anurans in forest streams in southeastern Brazil. Journal of Natural History, 2007, 41, 937-948. | 0.5 | 33 |
| 374 | Feeding Ecology of two Sympatric Species of Aromobatidae, Allobates Marchesianus and Anomaloglossus Stepheni, in Central Amazon. Journal of Herpetology, 2007, 41, 301-308. | 0.5 | 19 |
| 375 | Effect of cattle grazing a species-rich mountain pasture under different stocking rates on the dynamics of diet selection and sward structure. Animal, 2007, 1, 1042-1052. | 3.3 | 60 |
| 376 | Prey availability and diet of the Eurasian otter (Lutra lutra) on a large reservoir and associated tributaries. Canadian Journal of Zoology, 2007, 85, 1125-1135. | 1.0 | 24 |
| 377 | Interpreting the diet of lions (Panthera leo); a comparison of various methods of analysis. South African Journal of Wildlife Research, 2007, 37, 179-187. | 1.4 | 15 |
| 378 | Predator-Prey Interactions. , 2007, , 561-583. | | 1 |
| 379 | Habitat structure, climatic factors, and habitat use by European bison (Bison bonasus) in Polish and Belarusian parts of the Bia  owie  a Forest, Poland. Canadian Journal of Zoology, 2007, 85, 261-272. | 1.0 | 24 |
| 380 | Diet of Physalaemus cf. cicada (Leptodactylidae) and Bufo granulosus (Bufonidae) in a semideciduous forest. Brazilian Journal of Biology, 2007, 67, 125-131. | 0.9 | 23 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 381 | Fruit availability, chimpanzee diet, and grouping patterns on Rubondo Island, Tanzania. <i>American Journal of Primatology</i> , 2007, 69, 487-502. | 1.7 | 73 |
| 382 | Juvenile masu salmon in a regulated river. <i>River Research and Applications</i> , 2007, 23, 671-682. | 1.7 | 9 |
| 383 | Effects of livestock breed and grazing intensity on biodiversity and production in grazing systems. 2. Diet selection. <i>Grass and Forage Science</i> , 2007, 62, 159-171. | 2.9 | 84 |
| 384 | Rodents change acorn dispersal behaviour in response to ungulate presence. <i>Oikos</i> , 2007, 116, 1631-1638. | 2.7 | 64 |
| 385 | A synthesis of large-scale patterns in the planktonic prey of larval and juvenile cod (<i>Gadus morhua</i>). <i>Fisheries Oceanography</i> , 2007, 16, 169-185. | 1.7 | 94 |
| 386 | Ranging behaviour and habitat use by an Afrotropical songbird in a fragmented landscape. <i>African Journal of Ecology</i> , 2007, 45, 581-589. | 0.9 | 8 |
| 387 | Relevance of elephant herbivory as a threat to Important Plants in the Addo Elephant National Park, South Africa. <i>Journal of Zoology</i> , 2007, 274, 070824081249002-??? | 1.7 | 45 |
| 388 | Seasonal diets of insectivorous birds using canopy gaps in a bottomland forest. <i>Journal of Field Ornithology</i> , 2007, 78, 11-20. | 0.5 | 31 |
| 389 | Testing Predictions of the Prey of Lion Derived From Modeled Prey Preferences. <i>Journal of Wildlife Management</i> , 2007, 71, 1567-1575. | 1.8 | 63 |
| 390 | Habitat use and spatial behaviour in the European rabbit in three Mediterranean environments. <i>Basic and Applied Ecology</i> , 2007, 8, 453-463. | 2.7 | 65 |
| 391 | The stoat <i>Mustela erminea</i> population decline in northern Belarus and its consequences for weasels <i>Mustela nivalis</i> . <i>New Zealand Journal of Zoology</i> , 2007, 34, 9-23. | 1.1 | 8 |
| 392 | Do seasonally fluctuating aquatic subsidies influence the distribution pattern of birds between riparian and upland forests?. <i>Ecological Research</i> , 2007, 22, 274-281. | 1.5 | 29 |
| 393 | Comparison between PIT and radio telemetry to evaluate winter habitat use and activity patterns of juvenile Atlantic salmon and brown trout. <i>Hydrobiologia</i> , 2007, 582, 231-242. | 2.0 | 27 |
| 394 | Microhabitat use by the larvae of cryptic lamprey species in <i>Lethenteron reissneri</i> in a sympatric area. <i>Ichthyological Research</i> , 2007, 54, 24-31. | 0.8 | 11 |
| 395 | Selection of resting sites by the European hare as related to habitat characteristics during agricultural changes. <i>European Journal of Wildlife Research</i> , 2007, 53, 183-189. | 1.4 | 38 |
| 396 | The origin and development of individual size variation in early pelagic stages of fish. <i>Oecologia</i> , 2007, 153, 57-67. | 2.0 | 36 |
| 397 | Eurasian otter (<i>Lutra lutra</i>) diet and prey selection in Mediterranean streams invaded by centrarchid fishes. <i>Biological Invasions</i> , 2008, 10, 641-648. | 2.4 | 34 |
| 398 | Positional behavior of Siberian chipmunks (<i>Tamias sibiricus</i>) in captivity. <i>Journal of Ethology</i> , 2008, 26, 51-60. | 0.8 | 12 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 399 | Selective use and spatial distribution of native and non-native fish in wetland habitats. <i>River Research and Applications</i> , 2008, 24, 1240-1250. | 1.7 | 6 |
| 400 | Using geometric and non-geometric internal evaluators to compare eight vegetation classification methods. <i>Journal of Vegetation Science</i> , 2008, 19, 549-562. | 2.2 | 48 |
| 401 | Seasonal insectivory by Black-headed Trogons, a tropical dry forest frugivore. <i>Journal of Field Ornithology</i> , 2008, 79, 371-380. | 0.5 | 6 |
| 402 | Forage selection by beef cows grazed on a dwarf bamboo (<i>Pleioblastus argenteostriatus</i> f.) Tj ETQq1 1 0.784314 rgBT /Overlock 10 T | 1.1 | 1 |
| 403 | Assessment of the diets of cod <i>Gadus morhua</i> and whiting <i>Merlangius merlangus</i> juveniles in a frontal region close to the Norwegian Trench: co-existence or competition?. <i>Journal of Fish Biology</i> , 2008, 73, 1612-1634. | 1.6 | 6 |
| 404 | Habitat suitability model for Polish wolves based on long-term national census. <i>Animal Conservation</i> , 2008, 11, 377-390. | 2.9 | 92 |
| 405 | Spatial ecology of cheetahs on north-central Namibian farmlands. <i>Journal of Zoology</i> , 2008, 274, 226-238. | 1.7 | 69 |
| 406 | The hummingbird community of a lowland Amazonian rainforest. <i>Ibis</i> , 1998, 140, 512-521. | 1.9 | 23 |
| 407 | Diet and habitat use of moulting Greylag Geese <i>Anser anser</i> on the Danish island of Saltholm. <i>Ibis</i> , 1998, 140, 676-683. | 1.9 | 25 |
| 408 | Winter spacing and non-breeding social system of the Coal Tit <i>Parus ater</i> in a subalpine forest. <i>Ibis</i> , 2000, 142, 657-667. | 1.9 | 10 |
| 409 | How does protein supplementation affect the selectivity and performance of Charolais cows on extensively grazed pastures in late autumn?. <i>Grass and Forage Science</i> , 2008, 63, 314-323. | 2.9 | 7 |
| 410 | Use of distance sampling to improve estimates of national population sizes for common and widespread breeding birds in the UK. <i>Journal of Applied Ecology</i> , 2008, 45, 1330-1338. | 4.0 | 83 |
| 411 | Management and Conservation Article. <i>Journal of Wildlife Management</i> , 2008, 72, 240-245. | 1.8 | 76 |
| 412 | Effects of Natural Barriers and Habitat on the Western Spread of Raccoon Rabies in Alabama. <i>Journal of Wildlife Management</i> , 2008, 72, 1725-1735. | 1.8 | 18 |
| 413 | Site use of grazing cattle and sheep in a large-scale pasture landscape: A GPS/GIS assessment. <i>Applied Animal Behaviour Science</i> , 2008, 111, 54-67. | 1.9 | 120 |
| 414 | Pelagic habitat characterization of loggerhead sea turtles, <i>Caretta caretta</i> , in the North Pacific Ocean (1997-2006): Insights from satellite tag tracking and remotely sensed data. <i>Journal of Experimental Marine Biology and Ecology</i> , 2008, 356, 96-114. | 1.5 | 101 |
| 415 | Hallucal grasping behavior in <i>Caluromys</i> (Didelphimorphia: Didelphidae): Implications for primate pedal grasping. <i>Journal of Human Evolution</i> , 2008, 55, 1096-1101. | 2.6 | 34 |
| 416 | Prey preferences and dietary overlap amongst Africa's large predators. <i>South African Journal of Wildlife Research</i> , 2008, 38, 93-108. | 1.4 | 168 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 417 | Lion "prey relations in West and Central Africa. <i>Mammalian Biology</i> , 2008, 73, 70-73. | 1.5 | 23 |
| 418 | Habitat use of the raccoon dog (<i>Nyctereutes procyonoides</i>) in north-eastern Germany. <i>Mammalian Biology</i> , 2008, 73, 371-378. | 1.5 | 34 |
| 419 | Microhabitat use and feeding habits of <i>Crossodactylus bokermanni</i> Caramaschi and Sazima, 1985 (Anura, Hylodidae) at a site in south-eastern Brazil. <i>Journal of Natural History</i> , 2008, 42, 1421-1434. | 0.5 | 10 |
| 420 | Summer Roost Selection by Tree-Dwelling Bats <i>Nyctalus noctula</i> and <i>N. leisleri</i> : A Multiscale Analysis. <i>Journal of Mammalogy</i> , 2008, 89, 942-951. | 1.3 | 50 |
| 421 | Spatial organisation and intra-specific relationship of the raccoon dog <i>Nyctereutes procyonoides</i> in Central Europe. <i>Wildlife Biology</i> , 2008, 14, 457-466. | 1.4 | 25 |
| 422 | Feeding of European cisco (<i>Coregonus albula</i> and <i>C. lucinensis</i>) on the glacial relict crustacean <i>Mysis relicta</i> in Lake Breiter Luzin (Germany). <i>Limnologica</i> , 2008, 38, 147-158. | 1.5 | 7 |
| 423 | Particle size preference, gut filling and evacuation rates of the rotifer <i>Brachionus</i> "Cayman" using polystyrene latex beads. <i>Aquaculture</i> , 2008, 282, 75-82. | 3.5 | 55 |
| 424 | The effects of changing agricultural practice upon Woodpigeon <i>Columba palumbus</i> numbers. <i>Ibis</i> , 1990, 132, 262-272. | 1.9 | 34 |
| 425 | The influence of stream acidification and riparian land use on the feeding ecology of Grey Wagtails <i>Motacilla cinerea</i> in Wales. <i>Ibis</i> , 1991, 133, 53-61. | 1.9 | 27 |
| 426 | Habitat segregation and the insular syndrome in two congeneric raptors in New Caledonia, the White-bellied Goshawk <i>Accipiter haplochrous</i> and the Brown Goshawk <i>A. fasciatus</i> . <i>Ibis</i> , 1993, 135, 237-246. | 1.9 | 11 |
| 427 | Amphibian distributions in riparian and upslope areas and their habitat associations on managed forest landscapes in the Oregon Coast Range. <i>Forest Ecology and Management</i> , 2008, 256, 529-535. | 3.2 | 25 |
| 428 | Shifts in aquatic macroinvertebrate biodiversity associated with the presence and size of an alien crayfish. <i>Ecological Research</i> , 2008, 23, 729-734. | 1.5 | 53 |
| 429 | Breeding Habitat and Microhabitat Choices by Male and Female Frogs: Are There Differences Between Sexes and Seasons?. <i>Herpetologica</i> , 2008, 64, 397-405. | 0.4 | 11 |
| 430 | Feeding behavior and development of <i>Acartia tonsa</i> nauplii on the brown tide alga <i>Aureococcus anophagefferens</i> . <i>Journal of Plankton Research</i> , 2008, 30, 937-950. | 1.8 | 22 |
| 431 | Facilitative interactions between the Eurasian badger (<i>Meles meles</i>), the red fox (<i>Vulpes vulpes</i>), and the invasive raccoon dog (<i>Nyctereutes procyonoides</i>) in BiaÅowieÅ Primeval Forest, Poland. <i>Canadian Journal of Zoology</i> , 2008, 86, 1389-1396. | 1.0 | 59 |
| 432 | Dietary shifts in the copepod <i>Temora longicornis</i> during spring: evidence from stable isotope signatures, fatty acid biomarkers and feeding experiments. <i>Journal of Plankton Research</i> , 2008, 31, 45-60. | 1.8 | 47 |
| 433 | Microhabitat use by the white-clawed crayfish in a Tuscan stream. <i>Journal of Natural History</i> , 2008, 42, 21-33. | 0.5 | 19 |
| 434 | The effects of high ungulate densities on foraging choices by beaver (<i>Castor canadensis</i>) in the mixed-wood boreal forest. <i>Canadian Journal of Zoology</i> , 2008, 86, 484-496. | 1.0 | 26 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 435 | Niche separation between the weasel <i>Mustela nivalis</i> and the stoat <i>M. erminea</i> in Belarus. <i>Wildlife Biology</i> , 2008, 14, 199-210. | 1.4 | 12 |
| 436 | Birds foraging for fruits and insects in shrubby restinga vegetation, southeastern Brazil. <i>Biota Neotropica</i> , 2008, 8, 21-31. | 1.0 | 19 |
| 437 | HÃbitos alimentares de <i>Enyalius perditus</i> (Squamata, Leiosauridae) no Parque Estadual do Ibitipoca, Minas Gerais, Brasil. <i>Iheringia - Serie Zoologia</i> , 2008, 98, 260-265. | 0.5 | 12 |
| 439 | Habitat Selection in a Low-Density Badger <i>Meles meles</i> Population: A Comparison of Radio-Tracking and Latrine Surveys. <i>Wildlife Biology</i> , 2009, 15, 442-448. | 1.4 | 17 |
| 440 | Black Oystercatchers and Campsites in Western Prince William Sound, Alaska. <i>Waterbirds</i> , 2009, 32, 423-429. | 0.3 | 3 |
| 441 | Annual assessment of the predation of <i>Mnemiopsis leidyi</i> in a new invaded environment, the Kiel Fjord (Western Baltic Sea): a matter of concern?. <i>Journal of Plankton Research</i> , 2009, 31, 729-738. | 1.8 | 60 |
| 442 | Habitat Use, Home Range, and Movement of Shoal Bass in Alabama. <i>North American Journal of Fisheries Management</i> , 2009, 29, 604-613. | 1.0 | 16 |
| 443 | Comparison of habitat-specific trends in the abundance of breeding birds in the UK. <i>Bird Study</i> , 2009, 56, 233-243. | 1.0 | 28 |
| 444 | Diet of Otters in Fish Farms in Lithuania. <i>Acta Zoologica Lituanica</i> , 2009, 19, 182-187. | 0.3 | 7 |
| 445 | Breeding numbers and stand type preferences of Redstarts <i>Phoenicurus phoenicurus</i> and Tree Pipits <i>Anthus trivialis</i> in a Scots Pine <i>Pinus sylvestris</i> wood. <i>Bird Study</i> , 2009, 56, 120-126. | 1.0 | 4 |
| 446 | Seasonal variations in the density of and corallivory by <i>Drupella rugosa</i> and <i>Cronia margaritcola</i> (Caenogastropoda: Muricidae) from the coastal waters of Hong Kong: â€plaguesâ€™ or â€aggregationsâ€™?. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2009, 89, 147-159. | 0.8 | 34 |
| 447 | Wolf Predation Among Reintroduced Przewalski Horses in Hustai National Park, Mongolia. <i>Journal of Wildlife Management</i> , 2009, 73, 836-843. | 1.8 | 33 |
| 448 | Selective uptake of prokaryotic picoplankton by a marine sponge (<i>Callyspongia</i> sp.) within an oligotrophic coastal system. <i>Estuarine, Coastal and Shelf Science</i> , 2009, 84, 289-297. | 2.1 | 20 |
| 449 | Feeding ecology of common carp (<i>Cyprinus carpio</i> L.) in a rice-fish culture system of the Apatani plateau (Arunachal Pradesh, India). <i>Aquatic Ecology</i> , 2009, 43, 559-568. | 1.5 | 39 |
| 450 | Invasive litter, not an invasive insectivore, determines invertebrate communities in Hawaiian forests. <i>Biological Invasions</i> , 2009, 11, 845-855. | 2.4 | 26 |
| 451 | Spatial interactions between grey wolves and Eurasian lynx in BiaÅowieÅ Primeval Forest, Poland. <i>Ecological Research</i> , 2009, 24, 207-214. | 1.5 | 36 |
| 452 | Microhabitat use by foraging white-clawed crayfish (<i>Austropotamobius pallipes</i>) in stream pools in the NE Iberian Peninsula. <i>Ecological Research</i> , 2009, 24, 771-779. | 1.5 | 12 |
| 453 | Summer and spring trophic niche of larval and juvenile <i>Pleuragramma antarcticum</i> in the Western Ross Sea, Antarctica. <i>Polar Biology</i> , 2009, 32, 369-382. | 1.2 | 30 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 454 | Postfledging habitat selection of juvenile middle spotted woodpeckers: a multi-scale approach. <i>Ecography</i> , 2009, 32, 676-682. | 4.5 | 28 |
| 455 | Food niche segregation between two herbivorous cyprinid species in a turbid lake. <i>Journal of Fish Biology</i> , 2009, 75, 1230-1243. | 1.6 | 16 |
| 456 | The reliability of palatability estimates obtained from rumen contents analysis and a field-based index of diet selection. <i>Journal of Zoology</i> , 2009, 278, 243-248. | 1.7 | 13 |
| 457 | Spatial ecology of the European wildcat in a Mediterranean ecosystem: dealing with small radio-tracking datasets in species conservation. <i>Journal of Zoology</i> , 2009, 279, 27-35. | 1.7 | 89 |
| 458 | Comparative diet selection by cattle and sheep grazing two contrasting heathland communities. <i>Agriculture, Ecosystems and Environment</i> , 2009, 129, 182-192. | 5.3 | 37 |
| 459 | Juvenile Chinook Salmon Summer Microhabitat Availability, Use, and Selection in a Central Idaho Wilderness Stream. <i>Transactions of the American Fisheries Society</i> , 2009, 138, 633-644. | 1.4 | 17 |
| 460 | Mesozooplankton prey preference and grazing impact in the western Arctic Ocean. <i>Deep-Sea Research Part II: Topical Studies in Oceanography</i> , 2009, 56, 1274-1289. | 1.4 | 168 |
| 461 | Ranking temperate woody species along a gradient of browsing by deer. <i>Forest Ecology and Management</i> , 2009, 258, 1397-1406. | 3.2 | 68 |
| 462 | Feeding behaviour of adult <i>Centropages hamatus</i> (Copepoda, Calanoida): Functional response and selective feeding experiments. <i>Journal of Sea Research</i> , 2009, 62, 16-21. | 1.6 | 41 |
| 463 | The feeding ecology of a selective browser, the giraffe <i>(Giraffa camelopardalis tippelskirchi)</i> . <i>Journal of Zoology</i> , 1984, 202, 57-81. | 1.7 | 175 |
| 464 | The biology of <i>Vaejovis littoralis</i> Williams, an intertidal scorpion from Baja California, Mexico. <i>Journal of Zoology</i> , 1985, 207, 563-580. | 1.7 | 14 |
| 465 | Commercial Shrimp Ponds Versus Seminatural Mudflats as Wading Bird Foraging Habitat in Northwest Ecuador. <i>Waterbirds</i> , 2009, 32, 248-264. | 0.3 | 6 |
| 466 | Daily and seasonal variation in wolf activity in the Bieszczady Mountains, SE Poland. <i>Mammalian Biology</i> , 2009, 74, 159-163. | 1.5 | 23 |
| 467 | Locomotion, Postures, and Habitat Use by Pygmy Marmosets (<i>Cebuella pygmaea</i>). , 2009, , 279-297. | | 15 |
| 468 | Population size, breeding performance and habitat use of the Black-winged Pratincole <i>(Glareola nordmanni)</i> . <i>Bird Conservation International</i> , 2009, 19, 149-163. | 1.3 | 8 |
| 469 | Evidence of Interactive Segregation between Introduced Trout and Native Fishes in Northern Patagonian Rivers, Chile. <i>Transactions of the American Fisheries Society</i> , 2009, 138, 839-845. | 1.4 | 50 |
| 470 | Prey and Prey-Age Preference by the Iberian Wolf <i>(Canis Lupus Signatus)</i> in a Multiple-Prey Ecosystem. <i>Wildlife Biology</i> , 2009, 15, 147-154. | 1.4 | 63 |
| 471 | Beaver (<i>Castor canadensis</i>) Impacts on Herbaceous and Woody Vegetation in Southeastern Georgia. <i>American Midland Naturalist</i> , 2009, 162, 74-86. | 0.4 | 11 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 472 | Goitered Gazelle, <i>Gazella subgutturosa</i> : its habitat preference and conservation needs in Miandasht Wildlife Refuge, north-eastern Iran (Mammalia: Artiodactyla). <i>Zoology in the Middle East</i> , 2009, 46, 9-18. | 0.6 | 8 |
| 473 | Winter foraging habitat selection of brown-eared pheasant (<i>Crossoptilon mantchuricum</i>) and the common pheasant (<i>Phasianus colchicus</i>) in Huanglong Mountains, Shaanxi Province. <i>Acta Ecologica Sinica</i> , 2009, 29, 335-340. | 1.9 | 7 |
| 474 | Indigenous knowledge of fodder tree selectivity by local goats in the mid-hills of Nepal. <i>Journal of Enterprising Communities</i> , 2009, 3, 241-255. | 2.5 | 7 |
| 475 | Summer-autumn feeding ecology of Pied Flycatchers <i>Ficedula hypoleuca</i> and Spotted Flycatchers <i>Muscicapa striata</i> : the importance of frugivory in a stopover area in north-west Iberia. <i>Bird Conservation International</i> , 2009, 19, 224. | 1.3 | 21 |
| 476 | Foraging behaviour of White-backed Woodpeckers <i>Dendrocopos leucotos</i> in a primeval forest (Białowieża National Park, NE Poland): dependence on habitat resources and season. <i>Acta Ornithologica</i> , 2009, 44, 109-118. | 0.5 | 21 |
| 477 | Sympatric Sister Species of Californian <i>Antirrhinum</i> and Their Transiently Specialized Pollinators. <i>American Midland Naturalist</i> , 2010, 164, 337-347. | 0.4 | 14 |
| 478 | Otter, <i>Lutra lutra</i> , Feeding Pattern in the Kamenice River (Czech Republic) with Newly Established Atlantic Salmon, <i>Salmo salar</i> , Population. <i>Folia Zoologica</i> , 2010, 59, 223-230. | 0.9 | 7 |
| 479 | Foraging Range and Habitat use by Aquatic Warblers <i>Acrocephalus paludicola</i> During a Fall Migration Stopover. <i>Acta Ornithologica</i> , 2010, 45, 173-180. | 0.5 | 16 |
| 480 | Prey selection by resident common bottlenose dolphins (<i>tursiops truncatus</i>) in Sarasota Bay, Florida. <i>Marine Biology</i> , 2010, 157, 931-942. | 1.5 | 74 |
| 481 | Prey selection and prey preferences of spotted hyenas <i>Crocuta crocuta</i> in the Etosha National Park, Namibia. <i>Ecological Research</i> , 2010, 25, 413-417. | 1.5 | 22 |
| 482 | The Filter-Feeding Ciliates <i>Colpidium striatum</i> and <i>Tetrahymena pyriformis</i> Display Selective Feeding Behaviours in the Presence of Mixed, Equally-Sized, Bacterial Prey. <i>Protist</i> , 2010, 161, 577-588. | 1.5 | 38 |
| 483 | Diet, Prey Selection, and Predation Impact of Black-backed Jackals in South Africa. <i>Journal of Wildlife Management</i> , 2010, 74, 1030-1041. | 1.8 | 58 |
| 484 | Feeding behaviour of sheep on shrubs in response to contrasting herbaceous cover in rangelands dominated by <i>Cytisus scoparius</i> L.. <i>Applied Animal Behaviour Science</i> , 2010, 124, 35-44. | 1.9 | 13 |
| 485 | A herbivore specific grazing capacity model accounting for spatio-temporal environmental variation: A tool for a more sustainable nature conservation and rangeland management. <i>Ecological Modelling</i> , 2010, 221, 900-910. | 2.5 | 20 |
| 486 | Nitrogen Depletion and Redistribution by Free-ranging Cattle in the Restoration Process of Mosaic Landscapes: The Role of Foraging Strategy and Habitat Proportion. <i>Restoration Ecology</i> , 2010, 18, 205-216. | 2.9 | 12 |
| 487 | Landscape-scale patterns of alien plant species on coastal dunes: the case of iceplant in central Italy. <i>Applied Vegetation Science</i> , 2010, 13, 135-145. | 1.9 | 55 |
| 488 | Fluctuating ungulate density shapes tree recruitment in natural stands of the Białowieża Primeval Forest, Poland. <i>Journal of Vegetation Science</i> , 2010, 21, 1082-1098. | 2.2 | 110 |
| 489 | Deep habitats are important for juvenile Atlantic salmon <i>Salmo salar</i> L. in large rivers. <i>Ecology of Freshwater Fish</i> , 2010, 19, 618-626. | 1.4 | 10 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 490 | Habitat use of cownose rays (<i>Rhinoptera bonasus</i>) in a highly productive, hypoxic continental shelf ecosystem. <i>Fisheries Oceanography</i> , 2010, 19, 301-317. | 1.7 | 28 |
| 491 | Niche partitioning and the effect of interspecific competition on microhabitat use by two sympatric galaxiid stream fishes. <i>Freshwater Biology</i> , 2010, 55, 967-982. | 2.4 | 34 |
| 492 | Weedbeds and big bugs: the importance of scale in detecting the influence of nutrients and predation on macroinvertebrates in plant-dominated shallow lakes. <i>Freshwater Biology</i> , 2010, 55, 514-530. | 2.4 | 18 |
| 493 | Introduced grazers can restrict potential soil carbon sequestration through impacts on plant community composition. <i>Ecology Letters</i> , 2010, 13, 959-968. | 6.4 | 129 |
| 494 | Seasonal variation of tadpole spatial niches in permanent streams: The roles of predation risk and microhabitat availability. <i>Austral Ecology</i> , 2010, 35, 879-887. | 1.5 | 16 |
| 495 | Estimating habitat selection of badgers - a test between different methods. <i>Folia Zoologica</i> , 2010, 59, 16-25. | 0.9 | 31 |
| 496 | Assessing rates and causes of global forest fragmentation based on Globcover V2.2. , 2010, , . | | 1 |
| 497 | Instream physical habitat modelling types: an analysis as stream hydromorphological modelling tools for EU water resource managers. <i>International Journal of River Basin Management</i> , 2010, 8, 93-107. | 2.7 | 48 |
| 498 | Prey and Prey Size Selection by the Near-Threatened Black-Tailed Godwit Foraging in Non-Tidal Areas During Migration. <i>Waterbirds</i> , 2010, 33, 293-299. | 0.3 | 14 |
| 499 | Prey Selection by Swainson's Warblers on the Breeding Grounds. <i>Condor</i> , 2010, 112, 605-614. | 1.6 | 11 |
| 500 | Potential amplification of territorial advertisement markings by black-backed jackals (<i>Canis</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 342 T | 0.8 | 27 |
| 501 | Spatiotemporal Variation in Cicada Diversity and Distribution, and Tree Use by Exuviating Nymphs, in East Asian Tropical Reef-Karst Forests and Forestry Plantations. <i>Annals of the Entomological Society of America</i> , 2010, 103, 216-226. | 2.5 | 10 |
| 502 | The dietary habits of the Brown bear (<i>Ursus arctos</i>) in western Greece. <i>Mammalian Biology</i> , 2010, 75, 29-35. | 1.5 | 68 |
| 503 | Prey selection by the critically endangered Asiatic cheetah in central Iran. <i>Journal of Natural History</i> , 2010, 44, 1239-1249. | 0.5 | 21 |
| 504 | Anuran assemblage composition and distribution at a modified environment in Tr s Marias reservoir, south-eastern Brazil. <i>Journal of Natural History</i> , 2010, 44, 2649-2667. | 0.5 | 3 |
| 505 | Cafeteria trials to determine relative preference of six desert trees and shrubs by sheep and goats. <i>Livestock Science</i> , 2010, 132, 19-25. | 1.6 | 13 |
| 506 | Natural history of the lizard <i>Enyalius perditus</i> (Squamata: Leiosauridae) from an Atlantic forest remnant in southeastern Brazil. <i>Journal of Natural History</i> , 2010, 44, 1225-1238. | 0.5 | 8 |
| 507 | Behavioural Ecology of Gibbons (<i>Hylobates albibarbis</i>) in a Degraded Peat-Swamp Forest. , 2010, , 121-156. | | 66 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 508 | Habitat suitability indices development in Denmark: are international indices applicable under small lowland stream conditions?. <i>International Journal of River Basin Management</i> , 2010, 8, 151-160. | 2.7 | 5 |
| 509 | Introduced European Rabbits (<i>Oryctolagus cuniculus</i>) and Domestic Cats (<i>Felis catus</i>) on Robben Island: Population Trends and Management Recommendations. <i>South African Journal of Wildlife Research</i> , 2010, 40, 139-148. | 1.4 | 10 |
| 510 | Movement and Microhabitat Associations of Guadalupe Bass in Two Texas Rivers. <i>North American Journal of Fisheries Management</i> , 2010, 30, 33-46. | 1.0 | 13 |
| 511 | Reversed Diel Horizontal Migration of Fish: Turbidity Versus Plant Structural Complexity as Refuge. <i>Journal of Freshwater Ecology</i> , 2010, 25, 649-656. | 1.2 | 10 |
| 512 | Spatial Organization of Northern Flying Squirrels, <i>Glaucomys sabrinus</i> : Territoriality in Females?. <i>Western North American Naturalist</i> , 2011, 71, 44-48. | 0.4 | 4 |
| 513 | Feeding selectivity of ichthyofauna in a tropical stream: space-time variations in trophic plasticity. <i>Community Ecology</i> , 2011, 12, 31-39. | 0.9 | 35 |
| 514 | Evaluation of attractants for non-invasive studies of Iberian carnivore communities. <i>Wildlife Research</i> , 2011, 38, 446. | 1.4 | 45 |
| 515 | Food preferences of larvae of Antarctic silverfish <i>Pleuragramma antarcticum</i> Boulenger, 1902 from Terre Adélie coastal waters during summer 2004. <i>Polar Science</i> , 2011, 5, 239-251. | 1.2 | 19 |
| 516 | Presence of Iberian wolf (<i>Canis lupus signatus</i>) in relation to land cover, livestock and human influence in Portugal. <i>Mammalian Biology</i> , 2011, 76, 217-221. | 1.5 | 44 |
| 517 | Diet and prey selection of wolves (<i>Canis lupus</i>) recolonising Western and Central Poland. <i>Mammalian Biology</i> , 2011, 76, 709-715. | 1.5 | 84 |
| 518 | Sociality and resource use: insights from a community of social spiders in Brazil. <i>Behavioral Ecology</i> , 2011, 22, 630-638. | 2.2 | 31 |
| 519 | Butterflies show flower colour preferences but not constancy in foraging at four plant species. <i>Ecological Entomology</i> , 2011, 36, 290-300. | 2.2 | 43 |
| 520 | Scarcity in the prey community yields anti-predator benefits. <i>Acta Oecologica</i> , 2011, 37, 314-320. | 1.1 | 17 |
| 521 | Influence of management practices on large herbivore diet—Case of European bison in Białowieża Primeval Forest (Poland). <i>Forest Ecology and Management</i> , 2011, 261, 821-828. | 3.2 | 154 |
| 522 | Clearcutting forestry and Eurasian boreal forest grouse: Long-term monitoring of sympatric capercaillie <i>Tetrao urogallus</i> and black grouse <i>T. tetrix</i> reveals unexpected effects on their population performances. <i>Forest Ecology and Management</i> , 2011, 261, 1520-1529. | 3.2 | 41 |
| 523 | Improving national habitat specific biodiversity indicators using relative habitat use for common birds. <i>Ecological Indicators</i> , 2011, 11, 1459-1466. | 6.3 | 16 |
| 524 | Effects of ship traffic on seabirds in offshore waters: implications for marine conservation and spatial planning. , 2011, 21, 1851-1860. | | 69 |
| 525 | On the diet of Nile tilapia in two eutrophic tropical lakes containing toxin producing cyanobacteria. <i>Limnologica</i> , 2011, 41, 30-36. | 1.5 | 32 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 526 | Temporal and spatial interactions between an obligate predator, the Eurasian lynx (<i>Lynx lynx</i>), and a facultative scavenger, the wolverine (<i>Gulo gulo</i>). <i>Canadian Journal of Zoology</i> , 2011, 89, 79-89. | 1.0 | 86 |
| 527 | Quantitative analysis of foraging habitat use by ciconiiformes in the upper Paraná river Floodplain, Brazil. <i>Brazilian Archives of Biology and Technology</i> , 2011, 54, 415-427. | 0.5 | 10 |
| 528 | Biodiversity Conservation Planning in Rural Landscapes in Japan: Integration of Ecological and Visual Perspectives. , 2011, , . | | 5 |
| 529 | Do Lions <i>Panthera leo</i> Actively Select Prey or Do Prey Preferences Simply Reflect Chance Responses via Evolutionary Adaptations to Optimal Foraging?. <i>PLoS ONE</i> , 2011, 6, e23607. | 2.5 | 32 |
| 530 | Focal point selection of chum and masu salmon fry in streams. <i>Nippon Suisan Gakkaishi</i> , 2011, 77, 1095-1097. | 0.1 | 6 |
| 531 | The role of herbivores in Great Plains conservation: comparative ecology of bison and cattle. <i>Ecosphere</i> , 2011, 2, art26. | 2.2 | 88 |
| 532 | Diet and prey selection of sympatric tropical skinks. <i>Austral Ecology</i> , 2011, 36, 485-496. | 1.5 | 14 |
| 533 | Using post-release monitoring data to optimize avian reintroduction programs: a 2-year case study from the Brazilian Atlantic Rainforest. <i>Animal Conservation</i> , 2011, 14, 676-686. | 2.9 | 29 |
| 534 | Distribution, movement, and microhabitat use of the introduced predatory snail <i>Euglandina rosea</i> in Hawaii: implications for management. <i>Invertebrate Biology</i> , 2011, 130, 325-333. | 0.9 | 10 |
| 535 | Effects of multiple competitors for pollination on bumblebee foraging patterns and <i>Mimulus ringens</i> reproductive success. <i>Oikos</i> , 2011, 120, 200-207. | 2.7 | 38 |
| 536 | Diet selection of beef cattle on Atlantic grassland-heathland mosaic: Are heathers more preferred than expected?. <i>Livestock Science</i> , 2011, 138, 49-55. | 1.6 | 7 |
| 537 | Food choice and impact of food sources from farms on blood coagulation in rodenticide resistant Norway rats. <i>Crop Protection</i> , 2011, 30, 1501-1507. | 2.1 | 11 |
| 538 | Preference for structured environment in zebrafish (<i>Danio rerio</i>) and checker barbs (<i>Puntius ticto</i>). <i>Journal of Fish Biology</i> , 2011, 78, 101-110. | 1.9 | 74 |
| 539 | Plant-herbivore interactions affect the initial direction of community changes in an ecosystem manipulation experiment. <i>Basic and Applied Ecology</i> , 2011, 12, 187-194. | 2.7 | 42 |
| 540 | Diet of an opportunistically frugivorous carnivore, <i>Martes flavivulva</i> , in subtropical forest. <i>Journal of Mammalogy</i> , 2011, 92, 611-619. | 1.3 | 32 |
| 541 | Role of Volatile and Non-Volatile Plant Secondary Metabolites in Host Tree Selection by Christmas Beetles. <i>Journal of Chemical Ecology</i> , 2011, 37, 286-300. | 1.8 | 36 |
| 542 | The positional behavior of pygmy marmosets (<i>Cebuella pygmaea</i>) in northwestern Bolivia. <i>Primates</i> , 2011, 52, 171-178. | 1.1 | 57 |
| 543 | The German wildlife information system (WILD): population densities and den use of red foxes (<i>Vulpes vulpes</i>). <i>Wildlife Research</i> , 2011, 57, 95-105. | 1.4 | 21 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 544 | Adaptation to cold and predation shelter use by invasive raccoon dogs <i>Nyctereutes procyonoides</i> in Białowieża Primeval Forest (Poland). <i>European Journal of Wildlife Research</i> , 2011, 57, 133-142. | 1.4 | 30 |
| 545 | Assessing feeding electivity in <i>Acanthaster planci</i> : a null model analysis. <i>Coral Reefs</i> , 2011, 30, 227-235. | 2.2 | 22 |
| 546 | Evidence for prey selection by spotted hyaena in the Eastern Cape, South Africa. <i>Acta Theriologica</i> , 2011, 56, 389-392. | 1.1 | 10 |
| 547 | Differences in predatory pressure on terrestrial snails by birds and mammals. <i>Journal of Biosciences</i> , 2011, 36, 691-699. | 1.1 | 34 |
| 548 | Environmental factors related to anuran assemblage composition, richness and distribution at four large rivers under varied impact levels in southeastern Brazil. <i>River Research and Applications</i> , 2011, 27, 1023-1036. | 1.7 | 4 |
| 549 | Impact of <i>Chaoborus flavicans</i> – Predation on the Zooplankton in a Mesotrophic Lake – a Three Year Study. <i>International Review of Hydrobiology</i> , 2011, 96, 191-208. | 0.9 | 15 |
| 550 | Conspecifics as informers and competitors: an experimental study in foraging bumble-bees. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2011, 278, 2806-2813. | 2.6 | 42 |
| 551 | Invasive bullfrogs as predators in a Neotropical assemblage: What frog species do they eat?. <i>Animal Biology</i> , 2012, 62, 397-408. | 1.0 | 19 |
| 552 | Activity and habitat selection of the Indian crested porcupine. <i>Ethology Ecology and Evolution</i> , 2012, 24, 377-387. | 1.4 | 20 |
| 553 | Spring and Summer Distribution and Habitat Use by Adult Threatened Spotted Gar in Rondeau Bay, Ontario, Using Radiotelemetry. <i>Transactions of the American Fisheries Society</i> , 2012, 141, 1026-1035. | 1.4 | 15 |
| 554 | Native Hawaiian Succineids Prefer Non-Native Ginger (<i>Hedychium</i> spp.) Plant Species in the Kohala Mountains, Hawaii: Conservation Ramifications. <i>American Malacological Bulletin</i> , 2012, 30, 147-151. | 0.2 | 5 |
| 555 | Trophic cascade induced by molluscivore predator alters porewater biogeochemistry via competitive release of prey. <i>Ecology</i> , 2012, 93, 1143-1152. | 3.2 | 31 |
| 556 | Understanding invasion success: life-history traits and feeding habits of the alien crayfish <i>Orconectes immunis</i> (Decapoda, Astacida, Cambaridae). <i>Knowledge and Management of Aquatic Ecosystems</i> , 2012, , 04. | 1.1 | 25 |
| 557 | The development and reproductive output of three species of Cladocera (Crustacea, Branchiopoda) with different size spectra as the result of vertebrate and invertebrate predation impact. <i>Invertebrate Reproduction and Development</i> , 2012, 56, 293-298. | 0.8 | 3 |
| 558 | Foraging behaviour of beef cattle in the hilly terrain of a Mediterranean grassland. <i>Rangeland Journal</i> , 2012, 34, 163. | 0.9 | 23 |
| 559 | Larval Diet in Bromeliad Pools: A Case Study of Tadpoles of Two Species in the Genus <i>Scinax</i> (Hylidae). <i>Copeia</i> , 2012, 2012, 683-689. | 1.3 | 14 |
| 560 | Variation in water-mediated connectivity influences patch distributions of total N, total P, and TN:TP ratios in the Upper Mississippi River, USA. <i>Freshwater Science</i> , 2012, 31, 1254-1272. | 1.8 | 17 |
| 561 | Tree-stand age preferences of breeding Lesser Whitethroats <i>Sylvia curruca</i> in a forest in Central Poland. <i>Bird Study</i> , 2012, 59, 376-379. | 1.0 | 1 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 562 | Natural history of a snake assemblage alongside a river in south-eastern Brazil. <i>Journal of Natural History</i> , 2012, 46, 369-381. | 0.5 | 0 |
| 563 | Resource abundance and frugivory in two manakin species (Aves: Pipridae) inhabiting a reforested area in Colombia. <i>Journal of Tropical Ecology</i> , 2012, 28, 511-514. | 1.1 | 9 |
| 564 | Diet and prey selection of the southern marsupial mole: an enigma from Australia's sand deserts. <i>Journal of Zoology</i> , 2012, 287, 115-123. | 1.7 | 11 |
| 565 | Feral cat (<i>Felis catus</i>) prey size and selectivity in north-eastern Australia: implications for mammal conservation. <i>Journal of Zoology</i> , 2012, 287, 292-300. | 1.7 | 61 |
| 566 | Habitat selection and diet of Western Capercaillie (<i>Tetrao urogallus</i>) in an atypical biogeographical region. <i>Ibis</i> , 2012, 154, 260-272. | 1.9 | 14 |
| 567 | Wolf (<i>Canis lupus</i>) feeding habits during the first eight years of its occurrence in Germany. <i>Mammalian Biology</i> , 2012, 77, 196-203. | 1.5 | 59 |
| 568 | What drives human-carnivore conflict in the North West Province of South Africa?. <i>Biological Conservation</i> , 2012, 150, 23-32. | 4.1 | 89 |
| 569 | Forest Structure and Support Availability Influence Orangutan Locomotion in Sumatra and Borneo. <i>American Journal of Primatology</i> , 2012, 74, 1128-1142. | 1.7 | 77 |
| 570 | Waterhole use by African Fauna. <i>South African Journal of Wildlife Research</i> , 2012, 42, 117-127. | 1.4 | 52 |
| 571 | Dietary Partitioning in Sympatric Large Carnivores in a Tropical Forest of Western Ghats, India. <i>Mammal Study</i> , 2012, 37, 313-321. | 0.6 | 42 |
| 572 | Prey choice and diet of wolves related to ungulate communities and wolf subpopulations in Poland. <i>Journal of Mammalogy</i> , 2012, 93, 1480-1492. | 1.3 | 74 |
| 573 | The Applicability of Lion Prey Selection Models to Smaller Game Reserves in South Africa. <i>South African Journal of Wildlife Research</i> , 2012, 42, 73-81. | 1.4 | 6 |
| 574 | Diet of the Introduced Greenhouse Frog in Hawaii. <i>Copeia</i> , 2012, 2012, 121-129. | 1.3 | 16 |
| 575 | Farm Crops Depredation by European Bison (<i>Bison bonasus</i>) in the Vicinity of Forest Habitats in Northeastern Poland. <i>Environmental Management</i> , 2012, 50, 530-541. | 2.7 | 53 |
| 576 | The plant physical features selected by wildcats as signal posts: an economic approach to fecal marking. <i>Die Naturwissenschaften</i> , 2012, 99, 801-809. | 1.6 | 21 |
| 577 | Determinants of mesocarnivore range use: relative effects of prey and habitat properties on Pallas's cat home-range size. <i>Journal of Mammalogy</i> , 2012, 93, 1292-1300. | 1.3 | 19 |
| 578 | Cryptobenthic fish biodiversity and microhabitat use in healthy and degraded coral reefs in SE Sulawesi, Indonesia. <i>Marine Biodiversity</i> , 2012, 42, 433-442. | 1.0 | 23 |
| 579 | Foraging paths through vegetation patches for beef cattle in semi-natural pastures. <i>Applied Animal Behaviour Science</i> , 2012, 141, 1-8. | 1.9 | 13 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 580 | Distribution, characteristics and use of shelters by the Eurasian badger (<i>Meles meles</i>) along an altitudinal gradient in the Western Carpathians, S Poland. <i>Folia Zoologica</i> , 2012, 61, 152-160. | 0.9 | 11 |
| 581 | The diet, prey selection, and activity of dholes (<i>Cuon alpinus</i>) in northern Laos. <i>Journal of Mammalogy</i> , 2012, 93, 627-633. | 1.3 | 49 |
| 582 | Diel vertical migration and feeding of three species of chaetognaths (<i>Flaccisagitta enflata</i>), <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 667 Td</i> <i>Journal of Plankton Research</i> , 2012, 34, 670-684. | 1.8 | 13 |
| 583 | Diet of wolves <i>Canis lupus</i> returning to Hungary. <i>Acta Theriologica</i> , 2012, 57, 189-193. | 1.1 | 20 |
| 584 | The response of lions (<i>Panthera leo</i>) to changes in prey abundance on an enclosed reserve in South Africa. <i>Acta Theriologica</i> , 2012, 57, 225-231. | 1.1 | 13 |
| 585 | Habitat use at fine spatial scale: how does patch clustering criteria explain the use of meadows by red deer?. <i>European Journal of Wildlife Research</i> , 2012, 58, 645-654. | 1.4 | 2 |
| 586 | Prey preferences of the tiger <i>Panthera tigris</i> . <i>Journal of Zoology</i> , 2012, 286, 221-231. | 1.7 | 127 |
| 587 | Identifying Preferential Associates to Initiate Restoration Plantings. <i>Restoration Ecology</i> , 2012, 20, 764-772. | 2.9 | 13 |
| 588 | Behavioural adjustments of a large carnivore to access secondary prey in a human-dominated landscape. <i>Journal of Applied Ecology</i> , 2012, 49, 73-81. | 4.0 | 158 |
| 589 | Diet of leopards in the southern <i>Cape</i> , <i>South Africa</i> . <i>African Journal of Ecology</i> , 2012, 50, 377-380. | 0.9 | 9 |
| 590 | Seasonal diet and prey selection of black-backed jackals on a small livestock farm in <i>South Africa</i> . <i>African Journal of Ecology</i> , 2012, 50, 299-307. | 0.9 | 20 |
| 591 | Food selection by avian floral visitors: an important aspect of plant-flower visitor interactions in West Africa. <i>Biological Journal of the Linnean Society</i> , 2012, 107, 355-367. | 1.6 | 22 |
| 592 | Using Spatially Explicit Simulated Data to Analyze Animal Interactions: A Case Study with Brown Hyenas in Northern Botswana. <i>Transactions in GIS</i> , 2012, 16, 271-291. | 2.3 | 27 |
| 593 | Inverse vertical migration and feeding in glacier lanternfish (<i>Benthoosema glaciale</i>). <i>Marine Biology</i> , 2012, 159, 443-453. | 1.5 | 35 |
| 594 | Movements of European bison (<i>Bison bonasus</i>) beyond the BiaÅowieÅa Forest (NE Poland): range expansion or partial migrations?. <i>Acta Theriologica</i> , 2013, 58, 391-401. | 1.1 | 47 |
| 595 | EVOLUTION OF SPRINT SPEED IN AFRICAN SAVANNAH HERBIVORES IN RELATION TO PREDATION. <i>Evolution; International Journal of Organic Evolution</i> , 2013, 67, 3371-3376. | 2.3 | 29 |
| 596 | Mortality of game mammals caused by an extreme flooding event in south-western Poland. <i>Natural Hazards</i> , 2013, 69, 85-97. | 3.4 | 32 |
| 597 | Subsidies to predators, apparent competition and the phylogenetic structure of prey communities. <i>Oecologia</i> , 2013, 173, 997-1007. | 2.0 | 12 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 598 | Roost site selection by <i>Myotis myotis</i> in relation to environmental conditions and life history stages. <i>Ibis</i> , 2013, 155, 847-856. | 1.9 | 23 |
| 599 | Diet selection by the threatened Chafarinas' skink <i>Chalcides parallelus</i> in North Africa. <i>African Journal of Herpetology</i> , 2013, 62, 78-89. | 0.9 | 8 |
| 600 | Fossorial life does not constrain diet selection in the amphisbaenian <i>Trogonophis wiegmanni</i> . <i>Journal of Zoology</i> , 2013, 291, 226-233. | 1.7 | 24 |
| 601 | Does avian conspicuous colouration increase or reduce predation risk?. <i>Oecologia</i> , 2013, 173, 83-93. | 2.0 | 23 |
| 602 | Nesting and Foraging Characteristics of Aquatic Warblers <i>Acrocephalus paludicola</i> in the Fast Declining Pomeranian Population (NE Germany/ NW Poland). <i>Acta Ornithologica</i> , 2013, 48, 109-118. | 0.5 | 10 |
| 603 | Community-dependent foraging habits of flower visitors: cascading indirect interactions among five bumble bee species. <i>Ecological Research</i> , 2013, 28, 603-613. | 1.5 | 10 |
| 604 | Epizoochory in a hedgerow habitat: seasonal variation and selective diaspore adhesion. <i>Ecological Research</i> , 2013, 28, 283-295. | 1.5 | 11 |
| 605 | Lion predation on livestock and native wildlife in Waza National Park, northern Cameroon. <i>Mammalia</i> , 2013, 77, 247-251. | 0.7 | 11 |
| 606 | Bar-tailed Godwits <i>Limosa l. lapponica</i> eat polychaete worms wherever they winter in Europe. <i>Bird Study</i> , 2013, 60, 509-517. | 1.0 | 21 |
| 607 | Resting site selection by large herbivores – The case of European bison (<i>Bison bonasus</i>) in BiaÅowieÅa Primeval Forest. <i>Mammalian Biology</i> , 2013, 78, 438-445. | 1.5 | 17 |
| 608 | Dietary preference of the Asiatic wild dog (<i>Cuon alpinus</i>). <i>Mammalian Biology</i> , 2013, 78, 486-489. | 1.5 | 12 |
| 609 | Feeding of dominant zooplankton in Prydz Bay, Antarctica, during austral spring/summer: food availability and species responses. <i>Polar Biology</i> , 2013, 36, 1701-1707. | 1.2 | 11 |
| 610 | Ungulate browsing shapes climate change impacts on forest biodiversity in Hungary. <i>Biodiversity and Conservation</i> , 2013, 22, 1167-1180. | 2.6 | 21 |
| 611 | Spatial use and interaction of the invasive raccoon dog and the native red fox in Central Europe: competition or coexistence?. <i>European Journal of Wildlife Research</i> , 2013, 59, 683-691. | 1.4 | 24 |
| 612 | Natural History of <i>Ameerega flavopicta</i> (Dendrobatidae) on an Island Formed by TrÃs Marias Hydroelectric Reservoir in Southeastern Brazil. <i>Journal of Herpetology</i> , 2013, 47, 480-488. | 0.5 | 9 |
| 613 | Foraging behaviour of domestic herbivore species grazing on heathlands associated with improved pasture areas. <i>Livestock Science</i> , 2013, 155, 373-383. | 1.6 | 59 |
| 614 | Diet of <i>Enyalius bilineatus</i> (Leiosauridae: Squamata) at a site in southeastern Brazil: effects of phylogeny and prey availability. <i>Journal of Natural History</i> , 2013, 47, 2785-2794. | 0.5 | 3 |
| 615 | Resource availability and use by Eurasian otters <i>Lutra lutra</i> in a heavily modified river canal system. <i>Wildlife Biology</i> , 2013, 19, 439-451. | 1.4 | 15 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 616 | Birds as mediators of passive restoration during early post-fire recovery. <i>Biological Conservation</i> , 2013, 158, 342-350. | 4.1 | 60 |
| 617 | The ecology of large carnivores in the highlands of northern Ethiopia. <i>African Journal of Ecology</i> , 2013, 51, 78-86. | 0.9 | 20 |
| 618 | Forage selection by Royle's pika (<i>Ochotona roylei</i>) in the western Himalaya, India. <i>Zoology</i> , 2013, 116, 300-306. | 1.2 | 15 |
| 619 | Effects of particle surface properties on feeding selectivity in the eastern oyster <i>Crassostrea virginica</i> and the blue mussel <i>Mytilus edulis</i> . <i>Journal of Experimental Marine Biology and Ecology</i> , 2013, 446, 320-327. | 1.5 | 70 |
| 620 | Effects of Tree Invasion on the Habitat Use of Sand Lizards. <i>Herpetologica</i> , 2013, 69, 455-465. | 0.4 | 19 |
| 621 | Positional behavior and substrate use of <i>Micromys minutus</i> (Rodentia: Muridae): Insights for understanding primate origins. <i>Journal of Human Evolution</i> , 2013, 64, 130-136. | 2.6 | 25 |
| 622 | Fine-scale tuning the assessment of large-scale temporal trends in biodiversity using the example of British breeding birds. <i>Journal of Applied Ecology</i> , 2013, 50, 190-198. | 4.0 | 10 |
| 623 | Prey preferences of bushmeat hunters in an East African savannah ecosystem. <i>European Journal of Wildlife Research</i> , 2013, 59, 137-145. | 1.4 | 22 |
| 624 | Post-flood dietary variation in the Mozambique tilapia <i>Oreochromis mossambicus</i> in the St Lucia Estuary, South Africa. <i>Marine Ecology - Progress Series</i> , 2013, 476, 199-214. | 1.9 | 6 |
| 625 | Habitat use, home range, movements and interactions of introduced <i>Lepomis gibbosus</i> and native <i>Salmo trutta</i> in a small stream of Southern England. <i>Ecology of Freshwater Fish</i> , 2013, 22, 202-215. | 1.4 | 18 |
| 626 | Substrate selection for urine spraying in captive wildcats. <i>Journal of Zoology</i> , 2013, 290, 143-150. | 1.7 | 3 |
| 627 | Predation by grey wolf on wild ungulates and livestock in central Iran. <i>Journal of Zoology</i> , 2013, 290, 127-134. | 1.7 | 32 |
| 628 | Particle selection and regulation of particle uptake by the slipper limpet <i>Crepidatella fecunda</i> . <i>Marine Ecology - Progress Series</i> , 2013, 474, 167-177. | 1.9 | 7 |
| 629 | The role of season and social grouping on habitat use by Mute Swans (<i>Cygnus olor</i>) in a lowland river catchment. <i>Bird Study</i> , 2013, 60, 229-237. | 1.0 | 17 |
| 630 | Feeding ecology and ecological impact of an alien "warm-water" omnivore in cold lakes. <i>Limnologia</i> , 2013, 43, 219-229. | 1.5 | 26 |
| 631 | Feeding ecology of two lanternfishes <i>Diaphus garmani</i> and <i>Diaphus chrysorhynchus</i> . <i>Journal of Fish Biology</i> , 2013, 82, 1011-1031. | 1.6 | 22 |
| 632 | Oviposition, Site Preference, and Evaluation of Male Clutch Attendance in <i>Espadarana andina</i> (Anura: Centrolenidae). <i>Journal of Herpetology</i> , 2013, 47, 314-320. | 0.5 | 11 |
| 633 | Characteristics of African wild dog natal dens selected under different interspecific predation pressures. <i>Mammalian Biology</i> , 2013, 78, 336-343. | 1.5 | 21 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 634 | Boom and bust of a moose population: a call for integrated forest management. <i>European Journal of Forest Research</i> , 2013, 132, 959-967. | 2.5 | 13 |
| 635 | Nutritional ecology of the invasive freshwater mysid <i>Limnomysis benedeni</i> : field data and laboratory experiments on food choice and juvenile growth. <i>Hydrobiologia</i> , 2013, 705, 75-86. | 2.0 | 6 |
| 636 | Economic design in a long-distance migrating molluscivore: how fast-fuelling red knots in Bohai Bay, China, get away with small gizzards. <i>Journal of Experimental Biology</i> , 2013, 216, 3627-3636. | 1.7 | 39 |
| 637 | Partitioning of space, habitat, and timing of activity by large felids in an enclosed South African system. <i>Journal of Ethology</i> , 2013, 31, 285-298. | 0.8 | 19 |
| 638 | Dilution stress facilitates colonization of invasive mosquitofish in a saline Mediterranean stream: population biology response. <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2013, 23, 77-87. | 2.0 | 6 |
| 639 | Is there a benefit of excluding sheep from pastures at flowering peak on flower-visiting insect diversity?. <i>Journal of Insect Conservation</i> , 2013, 17, 287-294. | 1.4 | 13 |
| 640 | Diet and habitat use of the endangered Persian leopard (<i>Panthera pardus saxicolor</i>) in northeastern Iran. <i>Turkish Journal of Zoology</i> , 2013, 37, 554-561. | 0.9 | 18 |
| 641 | Seasonal Diet and Prey Preference of the African Lion in a Waterhole-Driven Semi-Arid Savanna. <i>PLoS ONE</i> , 2013, 8, e55182. | 2.5 | 102 |
| 642 | Overlap of Home Ranges of Resident and Introduced Southern Rock Lobster after Translocation. <i>Reviews in Fisheries Science</i> , 2013, 21, 258-266. | 2.1 | 8 |
| 643 | Patch exploitation by planktivorous fish and the concept of aggregation as an antipredation defense in zooplankton. <i>Limnology and Oceanography</i> , 2013, 58, 1621-1639. | 3.1 | 10 |
| 644 | Living with Lions: The Economics of Coexistence in the Gir Forests, India. <i>PLoS ONE</i> , 2013, 8, e49457. | 2.5 | 64 |
| 645 | Secretarybird <i>Sagittarius serpentarius</i> Population Trends and Ecology: Insights from South African Citizen Science Data. <i>PLoS ONE</i> , 2014, 9, e96772. | 2.5 | 20 |
| 646 | Native arboreal land snails in the Mt Kaala Natural Area Reserve, Oahu, Hawaii, have similar plant preferences: implications for conservation. <i>Journal of Molluscan Studies</i> , 2014, 80, 469-472. | 1.2 | 9 |
| 647 | Diet and prey selectivity of three species of sympatric mammalian predators in central Australia. <i>Journal of Mammalogy</i> , 2014, 95, 1278-1288. | 1.3 | 42 |
| 648 | Selectivity by planktivorous fish at different prey densities, heterogeneities, and spatial scales. <i>Limnology and Oceanography</i> , 2014, 59, 68-78. | 3.1 | 17 |
| 649 | Effects of prey abundance, distribution, visual contrast and morphology on selection by a pelagic piscivore. <i>Freshwater Biology</i> , 2014, 59, 2328-2341. | 2.4 | 13 |
| 650 | Ecological scale and seasonal heterogeneity in the spatial behaviors of giant pandas. <i>Integrative Zoology</i> , 2014, 9, 46-60. | 2.6 | 109 |
| 651 | Refining reintroduction of whooping cranes with habitat use and suitability analysis. <i>Journal of Wildlife Management</i> , 2014, 78, 1404-1414. | 1.8 | 22 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 652 | SPATIAL VARIABILITY IN SPAWNING HABITAT SELECTION BY CHINOOK SALMON (<i>ONCORHYNCHUS Tshawytscha</i>). <i>Journal of Fish Biology</i> , 2014, 85, 107-117. | 0.0 | 0 |
| 653 | Size-structured vulnerability of the colonial cyanobacterium, <i>Microcystis aeruginosa</i> , to grazing by zebra mussels (<i>Dreissena polymorpha</i>). <i>Freshwater Biology</i> , 2014, 59, 514-525. | 2.4 | 28 |
| 654 | Diet and prey preferences of dholes (<i>Canis cuon alpinus</i>): dietary competition within Asia's apex predator guild. <i>Journal of Zoology</i> , 2014, 294, 255-266. | 1.7 | 52 |
| 655 | A multidimensional typology of riverbank habitats explains the distribution of European grayling (<i>Thymallus thymallus</i> L.) fry in a temperate river. <i>Ecology of Freshwater Fish</i> , 2014, 23, 527-543. | 1.4 | 7 |
| 656 | From rainforest to oil palm plantations: Shifts in predator population and prey communities, but resistant interactions. <i>Global Ecology and Conservation</i> , 2014, 2, 385-394. | 2.1 | 18 |
| 657 | Habitat Selection of Brood-Rearing Northern Wheatears (<i>Oenanthe oenanthe</i>) and Their Invertebrate Prey. <i>Ardea</i> , 2014, 102, 61-69. | 0.6 | 12 |
| 658 | Fine-Scale Habitat Use by Orang-Utans in a Disturbed Peat Swamp Forest, Central Kalimantan, and Implications for Conservation Management. <i>Folia Primatologica</i> , 2014, 85, 135-153. | 0.7 | 16 |
| 659 | Feeding habits of Molina's hog-nosed skunk in the Pampas grassland of Argentina. <i>Mammalia</i> , 2014, 78, . | 0.7 | 8 |
| 660 | Plant selection for nest building by western lowland gorillas in Cameroon. <i>Primates</i> , 2014, 55, 41-49. | 1.1 | 26 |
| 661 | Spatial niche variation in two sympatric species of Bokermannohyla (Anura: Hylidae) in southeastern Brazil. <i>Journal of Natural History</i> , 2014, 48, 229-240. | 0.5 | 1 |
| 662 | Dependency and independency among fish density and electivity indices in a stream fish assemblage. <i>Environmental Biology of Fishes</i> , 2014, 97, 111-119. | 1.0 | 2 |
| 663 | Spatial patterns provide support for the stress-gradient hypothesis over a range-wide aridity gradient. <i>Journal of Arid Environments</i> , 2014, 102, 27-33. | 2.4 | 32 |
| 664 | Can site and landscape-scale environmental attributes buffer bird populations against weather events?. <i>Ecography</i> , 2014, 37, 872-882. | 4.5 | 21 |
| 665 | A critical examination of indices of dynamic interaction for wildlife telemetry studies. <i>Journal of Animal Ecology</i> , 2014, 83, 1216-1233. | 2.8 | 97 |
| 666 | Selective grazing modifies previously anticipated responses of plant community composition to elevated CO ₂ in a temperate grassland. <i>Global Change Biology</i> , 2014, 20, 158-169. | 9.5 | 39 |
| 667 | Is coarse woody debris in lakes a refuge or a trap for benthic invertebrates exposed to fish predation?. <i>Freshwater Biology</i> , 2014, 59, 2400-2412. | 2.4 | 14 |
| 668 | Diel vertical distribution and life history characteristics of <i>Tropodiptomus simplex</i> and its importance in the diet of <i>Stolothrissa tanganicae</i> , Kigoma, Tanzania. <i>Aquatic Ecosystem Health and Management</i> , 2014, 17, 14-24. | 0.6 | 7 |
| 669 | Ecology of Aquatic Warblers <i>Acrocephalus paludicola</i> in a Fall Stopover Area on the Atlantic Coast of France. <i>Acta Ornithologica</i> , 2014, 49, 93-105. | 0.5 | 5 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 670 | What do zebrafish want? Impact of social grouping, dominance and gender on preference for enrichment. <i>Laboratory Animals</i> , 2014, 48, 328-337. | 1.0 | 78 |
| 671 | Big game or big loss? High deer densities are threatening woody plant diversity and vegetation dynamics. <i>Biodiversity and Conservation</i> , 2014, 23, 1303-1318. | 2.6 | 81 |
| 672 | Do birds of a feather flock together? Comparing habitat preferences of piscivorous waterbirds in a lowland river catchment. <i>Hydrobiologia</i> , 2014, 738, 87-95. | 2.0 | 11 |
| 673 | Functional Habitat Heterogeneity and Large Herbivore Seasonal Habitat Selection in Northern Botswana. <i>South African Journal of Wildlife Research</i> , 2014, 44, 1-15. | 1.4 | 30 |
| 674 | Food selection by the guanaco (<i>Lama guanicoe</i>) along an altitudinal gradient in the Southern Andean Precordillera (Argentina). <i>Acta Theriologica</i> , 2014, 59, 541-551. | 1.1 | 14 |
| 675 | Ranging characteristics of the domestic cat (<i>Felis catus</i>) in an urban environment. <i>Urban Ecosystems</i> , 2014, 17, 911-921. | 2.4 | 49 |
| 676 | The influence of habitat structure on genetic differentiation in red fox populations in north-eastern Poland. <i>Acta Theriologica</i> , 2014, 59, 367-376. | 1.1 | 23 |
| 677 | Low host tree preferences among saproxylic beetles: a comparison of four deciduous species. <i>Insect Conservation and Diversity</i> , 2014, 7, 508-522. | 3.0 | 28 |
| 678 | Selective feeding by <i>Anodonta cygnea</i> (Linnaeus, 1771): The effects of seasonal changes and nutritional demands. <i>Limnologia</i> , 2014, 44, 18-22. | 1.5 | 17 |
| 679 | Diving associated coral breakage in Hong Kong: Differential susceptibility to damage. <i>Marine Pollution Bulletin</i> , 2014, 85, 789-796. | 5.0 | 29 |
| 680 | Plasticity in circadian activity patterns of mesocarnivores in Southwestern Europe: implications for species coexistence. <i>Behavioral Ecology and Sociobiology</i> , 2014, 68, 1403-1417. | 1.4 | 183 |
| 681 | Feeding selectivity of <i>Calanus finmarchicus</i> in the Trondheimsfjord. <i>Journal of Sea Research</i> , 2014, 85, 292-299. | 1.6 | 17 |
| 682 | Natural diet of mirror and scaly carp (<i>Cyprinus carpio</i>) phenotypes in earth ponds. <i>Folia Zoologica</i> , 2014, 63, 229-237. | 0.9 | 22 |
| 683 | Quantifying Spatial-temporal Interactions from Wildlife Tracking Data: Issues of Space, Time, and Statistical Significance. <i>Procedia Environmental Sciences</i> , 2015, 26, 3-10. | 1.4 | 8 |
| 684 | Food base of the spotted hyena (<i>Crocuta crocuta</i>) in Ethiopia. <i>Wildlife Research</i> , 2015, 42, 19. | 1.4 | 15 |
| 685 | Dingo interactions with exotic mesopredators: spatiotemporal dynamics in an Australian arid-zone study. <i>Wildlife Research</i> , 2015, 42, 529. | 1.4 | 11 |
| 686 | Habitat suitability models of mountain ungulates: identifying potential areas for conservation. <i>Zoological Studies</i> , 2015, 54, e37. | 0.3 | 10 |
| 687 | Pedal grasping in an arboreal rodent relates to above-branch behavior on slender substrates. <i>Journal of Zoology</i> , 2015, 296, 239-248. | 1.7 | 18 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 688 | Towards a Better Understanding of Dynamic Interaction Metrics for Wildlife: a Null Model Approach. Transactions in GIS, 2015, 19, 342-361. | 2.3 | 29 |
| 689 | Environmental Influences on Fish Migration in a Hydropeaking River. River Research and Applications, 2015, 31, 1109-1118. | 1.7 | 37 |
| 690 | Spotted hyaenas switch their foraging strategy as a response to changes in intraguild interactions with lions. Journal of Zoology, 2015, 297, 245-254. | 1.7 | 33 |
| 691 | A comparison of food habits and prey preference of Amur tiger (<i>Panthera tigris altaica</i>) at three sites in the Russian Far East. Integrative Zoology, 2015, 10, 354-364. | 2.6 | 43 |
| 692 | To Eat or Not To Eat? The Diet of the Endangered Iberian Wolf (<i>Canis lupus signatus</i>) in a Human-Dominated Landscape in Central Portugal. PLoS ONE, 2015, 10, e0129379. | 2.5 | 46 |
| 693 | An Anthropogenic Habitat Facilitates the Establishment of Non-Native Birds by Providing Underexploited Resources. PLoS ONE, 2015, 10, e0135833. | 2.5 | 15 |
| 694 | First Steps into the Wild – Exploration Behavior of European Bison after the First Reintroduction in Western Europe. PLoS ONE, 2015, 10, e0143046. | 2.5 | 27 |
| 695 | Wildlife roadkill patterns on a major highway in northern Tanzania. African Zoology, 2015, 50, 17-22. | 0.4 | 60 |
| 696 | Beaver foraging behaviour: Seasonal foraging specialization by a choosy generalist herbivore. Behavioral Ecology and Sociobiology, 2015, 69, 1221-1235. | 1.4 | 25 |
| 697 | Diet of red fox (<i>Vulpes vulpes</i> L.) cubs in relation to species litter distribution in Central Western Belarus. Zoology and Ecology, 2015, , 1-11. | 0.2 | 1 |
| 698 | Of plants and pikas: evidence for a climate-mediated decline in forage and cache quality. Plant Ecology and Diversity, 2015, 8, 781-794. | 2.4 | 16 |
| 699 | Diet of the Nonnative Greenhouse Frog (<i>Eleutherodactylus planirostris</i>) in Maui, Hawaii. Journal of Herpetology, 2015, 49, 586-593. | 0.5 | 4 |
| 700 | Anti-predator behaviour of kudu and impala in response to mimicked African wild dog presence: does age and sex matter?. Behaviour, 2015, 152, 1209-1228. | 0.8 | 9 |
| 701 | Ants in their plants: <i>Pseudomyrmex</i> ants reduce primate, parrot and squirrel predation on <i>Macaranga acaciifolia</i> (Fabaceae) seeds in Amazonian Brazil. Biological Journal of the Linnean Society, 2015, 114, 260-273. | 1.6 | 55 |
| 702 | Do oystercatchers (<i>Haematopus ostralegus</i>) select the most profitable limpets (<i>Patella</i> spp.)?. Journal of Experimental Marine Biology and Ecology, 2015, 464, 26-34. | 1.5 | 9 |
| 703 | Spatial distribution of thermal refuges analysed in relation to riverscape hydromorphology using airborne thermal infrared imagery. Remote Sensing of Environment, 2015, 160, 43-55. | 11.0 | 111 |
| 704 | Can the mating system of the size-monomorphic Indian muntjac (<i>Muntiacus muntjak</i>) be inferred from its social structure, spacing behaviour and habitat? A case study from lowland Nepal. Ethology Ecology and Evolution, 2015, 27, 220-232. | 1.4 | 3 |
| 705 | Use of stable carbon isotope ratio for foraging behavior analysis of capybara (<i>Hydrochoerus</i>) Tj ETQq1 1 0.784314 15 BT / Overlock 10 10 | 1.5 | 10 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 706 | Field measurements give biased estimates of functional response parameters, but help explain foraging distributions. <i>Journal of Animal Ecology</i> , 2015, 84, 565-575. | 2.8 | 12 |
| 707 | Sheep herbivory within grassland patches: The potential cost of food item discrimination. <i>Basic and Applied Ecology</i> , 2015, 16, 347-353. | 2.7 | 9 |
| 708 | Coupled human-natural regeneration of indigenous coastal dry forest in Kenya. <i>Forest Ecology and Management</i> , 2015, 354, 149-159. | 3.2 | 8 |
| 709 | Abundance, seasonal patterns and diet of the non-native jellyfish <i>Blackfordia virginica</i> in a Portuguese estuary. <i>Estuarine, Coastal and Shelf Science</i> , 2015, 167, 212-219. | 2.1 | 17 |
| 710 | Diet Seasonality and Feeding Preferences of <i>Brachycephalus pitanga</i> (Anura: Brachycephalidae). <i>Journal of Herpetology</i> , 2015, 49, 252-256. | 0.5 | 6 |
| 711 | Diet of <i>Adenomera thomei</i> (Almeida and Angulo, 2006) (Anura: Leptodactylidae) from a rubber tree plantation in southern Bahia, Brazil. <i>Studies on Neotropical Fauna and Environment</i> , 2015, 50, 73-79. | 1.0 | 8 |
| 712 | A large molluscivore bird (Common Eider, <i>Somateria mollissima</i>) is able to discriminate quality of blue mussels (<i>Mytilus edulis</i>) based on size and provenance. <i>Canadian Journal of Zoology</i> , 2015, 93, 655-663. | 1.0 | 12 |
| 713 | Ecological explanations to island gigantism: dietary niche divergence, predation, and size in an endemic lizard. <i>Ecology</i> , 2015, 96, 2077-2092. | 3.2 | 37 |
| 714 | Occurrence and ecological aspects of the two-fingered skink <i>Chalcides mauritanicus</i> in the Chafarinas Islands in North Africa. <i>African Journal of Herpetology</i> , 2015, 64, 67-79. | 0.9 | 3 |
| 715 | A Kenyan endemic bird species <i>Turdoides hindei</i> at home in invasive thickets. <i>Basic and Applied Ecology</i> , 2015, 16, 180-188. | 2.7 | 10 |
| 716 | Factors limiting distribution of the rare lichen species <i>Lobaria pulmonaria</i> (in forests of the Kologriv) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5 | 0.5 | 4 |
| 717 | Effects of the vertical and horizontal availability of food resources: the diet selection of sheep grazing on natural grassland. <i>Journal of Agricultural Science</i> , 2015, 153, 322-334. | 1.3 | 5 |
| 718 | Seasonal habitat preference by the flagship species <i>Testudo hermanni</i> : Implications for the conservation of coastal dunes. <i>Comptes Rendus - Biologies</i> , 2015, 338, 343-350. | 0.2 | 15 |
| 719 | Behavior of Cape fur seals (<i>Arctocephalus pusillus pusillus</i>) in response to spatial variation in white shark (<i>Carcharodon carcharias</i>) predation risk. <i>Marine Mammal Science</i> , 2015, 31, 1234-1251. | 1.8 | 18 |
| 720 | The relevance of socioeconomic interactions for the resilience of protected area networks. <i>Ecosphere</i> , 2015, 6, 1-14. | 2.2 | 14 |
| 721 | Numbat nirvana: conservation ecology of the endangered numbat (<i>Myrmecobius fasciatus</i>) (Marsupialia : Myrmecobiidae) reintroduced to Scotia and Yookamurra Sanctuaries, Australia. <i>Australian Journal of Zoology</i> , 2015, 63, 258. | 1.0 | 26 |
| 722 | Seasonal herding practices influence predation on domestic stock by African lions along a protected area boundary. <i>Biological Conservation</i> , 2015, 191, 546-554. | 4.1 | 49 |
| 723 | Coexistence of the tiger and the common leopard in a prey-rich area: the role of prey partitioning. <i>Journal of Zoology</i> , 2015, 295, 122-131. | 1.7 | 62 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 724 | The reintroduction of a flagship ungulate <i>Capra pyrenaica</i> : Assessing sustainability by surveying woody vegetation. <i>Biological Conservation</i> , 2015, 181, 9-17. | 4.1 | 37 |
| 725 | Forest development phases as an integrating tool to describe habitat preferences of breeding birds in lowland beech forests. <i>Journal of Ornithology</i> , 2015, 156, 19-29. | 1.1 | 24 |
| 726 | Affinity of House Crows (<i>Corvus splendens</i>) with Nesting Trees occurring in and around Kolkata, India. <i>Proceedings of the Zoological Society</i> , 2015, 68, 96-108. | 1.0 | 1 |
| 727 | Den site selection of the European badger, <i>Meles meles</i> and the red fox, <i>Vulpes vulpes</i> in Hungary. <i>Folia Zoologica</i> , 2016, 65, 72-79. | 0.9 | 7 |
| 728 | Spatial ecology of a herd of white-lipped peccaries (<i>Tayassu pecari</i>) in Belize using GPS telemetry: challenges and preliminary results. <i>Therya</i> , 2016, 7, 21-37. | 0.4 | 13 |
| 729 | Prey Preferences of the Jaguar <i>Panthera onca</i> Reflect the Post-Pleistocene Demise of Large Prey. <i>Frontiers in Ecology and Evolution</i> , 2016, 3, . | 2.2 | 50 |
| 730 | Four National Maps of Broad Forest Type Provide Inconsistent Answers to the Question of What Burns in Canada. <i>Remote Sensing</i> , 2016, 8, 539. | 4.0 | 5 |
| 731 | Utilisation of a wide underpass by mammals on an expressway in the Western Carpathians, S Poland. <i>Folia Zoologica</i> , 2016, 65, 225-232. | 0.9 | 6 |
| 732 | Potential Foraging Decisions by a Desert Ungulate to Balance Water and Nutrient Intake in a Water-Stressed Environment. <i>PLoS ONE</i> , 2016, 11, e0148795. | 2.5 | 18 |
| 733 | Activity and short-term impacts of dromedary camels (<i>Camelus dromedarius</i>) foraging on perennial coastal sand dune vegetation. <i>Journal of Arid Environments</i> , 2016, 133, 47-53. | 2.4 | 4 |
| 734 | Habitat specialization predicts genetic response to fragmentation in tropical birds. <i>Molecular Ecology</i> , 2016, 25, 3831-3844. | 3.9 | 25 |
| 735 | Habitat preferences of Ukrainian brook lamprey <i>Eudontomyzon mariae</i> ammocoetes in the lowland rivers of Central Europe. <i>Journal of Fish Biology</i> , 2016, 88, 477-491. | 1.6 | 8 |
| 736 | Biomes and human distribution during the last ice age. <i>Global Ecology and Biogeography</i> , 2016, 25, 563-574. | 5.8 | 17 |
| 738 | Diet Selection of the Aquatic Warbler <i>Acrocephalus paludicola</i> During Its Post-Nuptial Migration Stopover in NW Spain. <i>Ardea</i> , 2016, 104, 273-282. | 0.6 | 0 |
| 739 | Do moose redistribute nutrients in low-productive fen systems?. <i>Agriculture, Ecosystems and Environment</i> , 2016, 234, 40-47. | 5.3 | 5 |
| 740 | Drinking activity and microparticle size selection in early post-hatching axenic European sea bass (<i>Dicentrarchus labrax</i> L.) larvae. <i>Aquaculture</i> , 2016, 463, 37-42. | 3.5 | 5 |
| 741 | Flexible habitat selection paves the way for a recovery of otter populations in the European Alps. <i>Biological Conservation</i> , 2016, 199, 88-95. | 4.1 | 30 |
| 742 | Spatial organization and intraspecific relationships of the southern water vole (<i>Arvicola sapidus</i>) in a Mediterranean mountain river: what is the role of habitat quality?. <i>Mammal Research</i> , 2016, 61, 255-268. | 1.3 | 2 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 743 | Differences in time and space use between two sympatric <i>Acrocephalus</i> warblers with similar diets. <i>Bird Study</i> , 2016, 63, 172-180. | 1.0 | 5 |
| 744 | How does stocking rate influence horse behaviour, performances and pasture biodiversity in mesophile grasslands?. <i>Agriculture, Ecosystems and Environment</i> , 2016, 231, 255-263. | 5.3 | 11 |
| 745 | Selective debarking by ungulates in temperate deciduous forests: preference towards tree species and stem girth. <i>European Journal of Forest Research</i> , 2016, 135, 1131-1143. | 2.5 | 8 |
| 746 | Microcrustacean (Cladocera, Copepoda) source-sink dynamics in a lowland river ecosystem with a dam reservoir. <i>Oceanological and Hydrobiological Studies</i> , 2016, 45, 297-303. | 0.7 | 1 |
| 747 | Patterns of predation of native reef fish by invasive Indo-Pacific lionfish in the western Atlantic: Evidence of selectivity by a generalist predator. <i>Global Ecology and Conservation</i> , 2016, 8, 18-23. | 2.1 | 17 |
| 748 | Nest Sites of Middle Spotted Woodpeckers (<i>Leipicus medius</i>) in a Primeval Forest. <i>Ardea</i> , 2016, 104, 119-128. | 0.6 | 9 |
| 749 | Phosphorus limitation relates to diet selection of sheep and goats on dry calcareous grassland. <i>Applied Vegetation Science</i> , 2016, 19, 101-110. | 1.9 | 6 |
| 750 | Habitat use and tree selection of a declining Afro-Palaeartic migrant at sub-Saharan staging and wintering sites. <i>Bird Study</i> , 2016, 63, 459-469. | 1.0 | 14 |
| 751 | Land degradation and long-term changes in agro-pastoral systems: An empirical analysis of ecological resilience in Asteroussia - Crete (Greece). <i>Catena</i> , 2016, 147, 196-204. | 5.0 | 88 |
| 752 | Feeding strategy of Downs herring larvae (<i>Clupea harengus</i> L.) in the English Channel and North Sea. <i>Journal of Sea Research</i> , 2016, 115, 33-46. | 1.6 | 17 |
| 753 | Grazing behavior, forage selection and diet composition of goats in a Mediterranean woody rangeland. <i>Small Ruminant Research</i> , 2016, 145, 142-153. | 1.2 | 35 |
| 754 | Fine-scale behavioural differences distinguish resource use by ecomorphs in a closed ecosystem. <i>Scientific Reports</i> , 2016, 6, 24369. | 3.3 | 17 |
| 755 | Landscape-related variation in the diet composition of the common buzzard (<i>Buteo buteo</i>) in Belarus. <i>Slovak Raptor Journal</i> , 2016, 10, 65-74. | 0.4 | 2 |
| 756 | Formal modelling of predator preferences using molecular gut-content analysis. <i>Environmental and Ecological Statistics</i> , 2016, 23, 317-336. | 3.5 | 3 |
| 757 | Reptiles as principal prey? Adaptations for durophagy and prey selection by jaguar (<i>Panthera</i>) Tj ETQq0 0 0 rgBT /Qverlock 10 Tf 50 1 | 0.5 | 12 |
| 758 | A trait-based approach reveals the feeding selectivity of a small endangered Mediterranean fish. <i>Ecology and Evolution</i> , 2016, 6, 3299-3310. | 1.9 | 13 |
| 759 | A neotaphonomic view of prey demographics and predator preferences at Ngamo Pan, Hwange National Park, Zimbabwe. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2016, 441, 936-948. | 2.3 | 2 |
| 760 | Mesozooplankton grazing during spring sea-ice conditions in the eastern Bering Sea. <i>Deep-Sea Research Part II: Topical Studies in Oceanography</i> , 2016, 134, 157-172. | 1.4 | 47 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 761 | Kenyan endemic bird species at home in novel ecosystem. <i>Ecology and Evolution</i> , 2016, 6, 2494-2505. | 1.9 | 8 |
| 762 | Spatial and dietary overlap between blackbuck (<i>Antelope cervicapra</i>) and feral horse (<i>Equus caballus</i>) at Point Calimere Wildlife Sanctuary, Southern India: Competition between native versus introduced species. <i>Mammalian Biology</i> , 2016, 81, 295-302. | 1.5 | 20 |
| 763 | Scale dependence of felid predation risk: identifying predictors of livestock kills by tiger and leopard in Bhutan. <i>Landscape Ecology</i> , 2016, 31, 1277-1298. | 4.2 | 33 |
| 764 | Prey morphology and predator sociality drive predator prey preferences. <i>Journal of Mammalogy</i> , 2016, 97, 919-927. | 1.3 | 25 |
| 765 | “End to end” planktonic trophic web and its implications for the mussel farms in the Mar Piccolo of Taranto (Ionian Sea, Italy). <i>Environmental Science and Pollution Research</i> , 2016, 23, 12707-12724. | 5.3 | 24 |
| 766 | Winter food habits of sympatric carnivores, Amur tigers and Far Eastern leopards, in the Russian Far East. <i>Mammalian Biology</i> , 2016, 81, 214-218. | 1.5 | 29 |
| 767 | The effects of plant nutritional chemistry on food selection of Mexican black howler monkeys (<i>Alouatta pigra</i>): The role of lipids. <i>American Journal of Primatology</i> , 2017, 79, 1-15. | 1.7 | 40 |
| 768 | Biogeographic patterns in the feeding habits of the opportunist and semiaquatic Neotropical otter. <i>Hydrobiologia</i> , 2017, 792, 1-15. | 2.0 | 17 |
| 769 | Spatial and temporal activity of cattle grazing in Mediterranean oak woodland. <i>Applied Animal Behaviour Science</i> , 2017, 187, 45-53. | 1.9 | 36 |
| 770 | Time partitioning in mesocarnivore communities from different habitats of NW Italy: insights into <i>Artibeus</i> competitive abilities. <i>Behaviour</i> , 2017, 154, 241-266. | 0.8 | 41 |
| 771 | Can <i>MHC</i> assortative partner choice promote offspring diversity? A new combination of <i>MHC</i> dependent behaviours among sexes in a highly successful invasive mammal. <i>Molecular Ecology</i> , 2017, 26, 2392-2404. | 3.9 | 20 |
| 772 | Mediterranean mesocarnivores in spatially structured managed landscapes: community organisation in time and space. <i>Agriculture, Ecosystems and Environment</i> , 2017, 237, 280-289. | 5.3 | 30 |
| 773 | When pork is not on the menu: Assessing trophic competition between large carnivores and poachers. <i>Biological Conservation</i> , 2017, 209, 223-229. | 4.1 | 25 |
| 774 | A record of cheetah (<i>Acinonyx jubatus</i>) diet in the Northern Tuli Game Reserve, Botswana. <i>African Journal of Ecology</i> , 2017, 55, 697-700. | 0.9 | 6 |
| 775 | Factors affecting the prey preferences of jackals (<i>Canidae</i>). <i>Mammalian Biology</i> , 2017, 85, 70-82. | 1.5 | 38 |
| 776 | Dietary niche differentiation facilitates coexistence of two large carnivores. <i>Journal of Zoology</i> , 2017, 302, 149-156. | 1.7 | 46 |
| 777 | Diet selection and performance of horses grazing on different heathland types. <i>Animal</i> , 2017, 11, 1708-1717. | 3.3 | 13 |
| 778 | A non-invasive faecal survey for the study of spatial ecology and kinship of solitary felids in the Viruã National Park, Amazon Basin. <i>Mammal Research</i> , 2017, 62, 241-249. | 1.3 | 9 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 779 | Insects in the diet of fish from Amazonian streams, in western Pará, Brazil. Marine and Freshwater Research, 2017, 68, 2052. | 1.3 | 7 |
| 780 | Preference of an insular flying fox for seed figs enhances seed dispersal of a dioecious species. Biotropica, 2017, 49, 511-520. | 1.6 | 10 |
| 781 | Habitat Suitability Models, for ecological study of the alpine marmot in the central Italian Alps. Ecological Informatics, 2017, 37, 10-17. | 5.2 | 4 |
| 782 | Brown world forests: increased ungulate browsing keeps temperate trees in recruitment bottlenecks in resource hotspots. New Phytologist, 2017, 214, 158-168. | 7.3 | 47 |
| 783 | Pollinator preferences and flower constancy: is it adaptive for plants to manipulate them?. Biological Journal of the Linnean Society, 2017, 121, 475-483. | 1.6 | 5 |
| 784 | Red Kite. , 2017, , 13-95. | | 0 |
| 785 | Feeding habits of the alien brook trout <i>Salvelinus fontinalis</i> and the native brown trout <i>Salmo trutta</i> in Czech mountain streams. Knowledge and Management of Aquatic Ecosystems, 2017, , 6. | 1.1 | 8 |
| 786 | Nest Sites of a Strong Excavator, the Great Spotted Woodpecker <i>Dendrocopos major</i> , in a Primeval Forest. Ardea, 2017, 105, 61-71. | 0.6 | 12 |
| 787 | Field preference of Greylag geese <i>Anser anser</i> during the breeding season. European Journal of Wildlife Research, 2017, 63, 1. | 1.4 | 14 |
| 788 | Importance of Intertidal Wetlands for the French Coastal Endemic Bluethroat <i>Cyanecula svecica namnetum</i> and Conservation Implications in the Context of Global Changes. Ardeola, 2017, 64, 325. | 0.7 | 8 |
| 789 | Extreme precipitation variability, forage quality and large herbivore diet selection in arid environments. Oikos, 2017, 126, 1459-1471. | 2.7 | 12 |
| 790 | State-shifts of lion prey selection in the Kruger National Park. Wildlife Research, 2017, 44, 28. | 1.4 | 6 |
| 791 | Habitat selection, diet and food availability of European Golden Plover <i>Pluvialis apricaria</i> chicks in Swedish Lapland. Ibis, 2017, 159, 657-672. | 1.9 | 12 |
| 792 | Landscape potential for pollen provisioning for beneficial insects favours biological control in crop fields. Landscape Ecology, 2017, 32, 465-480. | 4.2 | 22 |
| 793 | Spatiotemporal distribution of large- and medium-sized mammals and humans in the Lar Protected Area, Iran. Wildlife Research, 2017, 44, 400. | 1.4 | 3 |
| 794 | Investigating animal activity patterns and temporal niche partitioning using camera-trap data: challenges and opportunities. Remote Sensing in Ecology and Conservation, 2017, 3, 123-132. | 4.3 | 184 |
| 795 | Wintering ecology and nomadic movement patterns of Short-eared Owls <i>Asio flammeus</i> on a subtropical island. Bird Study, 2017, 64, 317-327. | 1.0 | 2 |
| 796 | Autumn bed site selection by sika deer (<i>Cervus nippon</i>) in the Taohongling National Nature Reserve, China. Russian Journal of Ecology, 2017, 48, 384-391. | 0.9 | 4 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 797 | The temporal niche and seasonal differences in predation risk to translocated and resident woodland caribou (<i>Rangifer tarandus caribou</i>). Canadian Journal of Zoology, 2017, 95, 809-820. | 1.0 | 15 |
| 798 | Sedentary but not dispersing wolves <i>Canis lupus</i> recolonizing western Poland (2001–2016) conform to the predictions of a habitat suitability model. Diversity and Distributions, 2017, 23, 1353-1364. | 4.1 | 32 |
| 799 | Suitability of two sheep landraces (Skudde and Bentheimer Landschaf) for extensive farming on fen grasslands. Grassland Science, 2017, 63, 225-235. | 1.1 | 1 |
| 800 | Diet selection and n-3 polyunsaturated fatty acid deposition in lambs as affected by restricted time at pasture. Scientific Reports, 2017, 7, 15641. | 3.3 | 11 |
| 801 | Effects of seasonality and habitat on the browsing and frugivory preferences of <i>Tapirus terrestris</i> in north-western Amazonia. Journal of Tropical Ecology, 2017, 33, 395-406. | 1.1 | 4 |
| 802 | Sympatric snow leopards and Tibetan wolves: coexistence of large carnivores with human-driven potential competition. European Journal of Wildlife Research, 2017, 63, 1. | 1.4 | 31 |
| 803 | Invertebrate Consumer–Resource Interactions. , 2017, , 379-398. | | 13 |
| 804 | A snapshot into the spotted hyaena's feeding ecology (<i>Crocuta crocuta</i>) in the miombo woodland of Zambia. African Journal of Ecology, 2017, 55, 372-375. | 0.9 | 3 |
| 805 | Physicochemical surface properties of microalgae and their combined effects on particle selection by suspension-feeding bivalve molluscs. Journal of Experimental Marine Biology and Ecology, 2017, 486, 59-68. | 1.5 | 54 |
| 806 | Gastrointestinal nematode infection does not affect selection of tropical foliage by goats in a cafeteria trial. Tropical Animal Health and Production, 2017, 49, 97-104. | 1.4 | 15 |
| 807 | The landscape of anthropogenic mortality: how African lions respond to spatial variation in risk. Journal of Applied Ecology, 2017, 54, 815-825. | 4.0 | 77 |
| 808 | Characterization of puma–livestock conflicts in rangelands of central Argentina. Royal Society Open Science, 2017, 4, 170852. | 2.4 | 38 |
| 809 | Human–carnivore competition for antlered ungulates: do pumas select for bulls and bucks?. Wildlife Research, 2017, 44, 523. | 1.4 | 11 |
| 810 | Comparing habitat preferences of a set of waterbird species wintering in coastal wetlands of North Africa: implication for management. Ekologia, 2017, 36, 158-171. | 0.8 | 14 |
| 811 | Age-0 sturgeon and shallow water: A local- and reach-scale assessment. River Research and Applications, 2017, 33, 1452-1462. | 1.7 | 8 |
| 812 | Seasonal habitat selection by African buffalo <i>Syncerus caffer</i> in the Savuti–Mababe–Linyanti ecosystem of northern Botswana. Koedoe, 2017, 59, . | 0.9 | 8 |
| 813 | The Behavioural Responses of Beef Cattle (<i>Bos taurus</i>) to Declining Pasture Availability and the Use of GNSS Technology to Determine Grazing Preference. Agriculture (Switzerland), 2017, 7, 45. | 3.1 | 28 |
| 814 | Impacts of Bush Encroachment on Wildlife Species Diversity, Composition, and Habitat Preference in Ol Pejeta Conservancy, Laikipia, Kenya. International Journal of Ecology, 2017, 2017, 1-6. | 0.8 | 6 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 815 | Seasonal changes in food selection and nutrition of captive platypuses (<i>Ornithorhynchus anatinus</i>). Australian Journal of Zoology, 2017, 65, 319. | 1.0 | 5 |
| 816 | Predation of montane deserts ungulates by Asiatic Cheetah (<i>Acinonyx jubatus venaticus</i>) in Central Iran. Folia Zoologica, 2017, 66, 50-57. | 0.9 | 4 |
| 817 | Feeding. Developments in Aquaculture and Fisheries Science, 2017, 41, 209-329. | 1.3 | 4 |
| 818 | Cattle foraging in Mediterranean oak woodlands – Effects of management practices on the woody vegetation. Forest Ecology and Management, 2018, 419-420, 160-169. | 3.2 | 12 |
| 819 | Leopard abundance, distribution and food habits in the Mt. Rungwe – Kitulo landscape, Southern Tanzania. African Journal of Ecology, 2018, 56, 358-367. | 0.9 | 4 |
| 820 | Spatial variability in wolf diet and prey selection in Galicia (NW Spain). Mammal Research, 2018, 63, 125-139. | 1.3 | 17 |
| 821 | Does wolf presence reduce moose browsing intensity in young forest plantations?. Ecography, 2018, 41, 1776-1787. | 4.5 | 29 |
| 822 | Cumulative effects of wildfires on forest dynamics in the eastern Cascade Mountains, USA. Ecological Applications, 2018, 28, 291-308. | 3.8 | 29 |
| 823 | An adaptable but threatened big cat: density, diet and prey selection of the Indochinese leopard (<i>Panthera pardus</i>) in the Annam region, Vietnam. Journal of Zoology, 2018, 2018, 1-10. | 2.4 | 34 |
| 824 | High interannual variation in the diet of a tropical forest frugivore (<i>Hylobates lar</i>). Biotropica, 2018, 50, 346-356. | 1.6 | 11 |
| 825 | Dietary niche relationships among predators on farmland and a protected area. Journal of Wildlife Management, 2018, 82, 507-518. | 1.8 | 45 |
| 826 | Home ranges, activity patterns and habitat preferences of leopards in Luambe National Park and adjacent Game Management Area in the Luangwa Valley, Zambia. Mammalian Biology, 2018, 92, 102-110. | 1.5 | 9 |
| 827 | Abundance, diet and prey selection of arboreal lizards in a grazed tropical woodland. Austral Ecology, 2018, 43, 328-338. | 1.5 | 11 |
| 828 | Volcanic ash in the water column: Physiological impact on the suspension-feeding bivalve <i>Mytilus chilensis</i> . Marine Pollution Bulletin, 2018, 127, 342-351. | 5.0 | 12 |
| 829 | Use of total allowable catch to regulate a selective marine aquarium fishery. Marine Policy, 2018, 90, 160-167. | 3.2 | 7 |
| 830 | Seasonal food habits and prey selection of Amur tigers and Amur leopards in Northeast China. Scientific Reports, 2018, 8, 6930. | 3.3 | 30 |
| 831 | A comparison of food habits and prey preferences of Amur tiger (<i>Panthera tigris altaica</i>) at the southwest Primorsky Krai in Russia and Hunchun in China. Integrative Zoology, 2018, 13, 595-603. | 2.6 | 24 |
| 832 | Changes in habitat associations during range expansion: disentangling the effects of climate and residence time. Biological Invasions, 2018, 20, 1147-1159. | 2.4 | 9 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 833 | Selectivity underlies the dissociation between seasonal prey availability and prey consumption in a generalist predator. <i>Molecular Ecology</i> , 2018, 27, 1739-1748. | 3.9 | 17 |
| 834 | Behaviour and browse species selectivity of heifers grazing in a temperate silvopastoral system. <i>Agroforestry Systems</i> , 2018, 92, 705-716. | 2.0 | 17 |
| 835 | Resource partitioning by two syntopic sister species of butterflyfish (Chaetodontidae). <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2018, 98, 1767-1773. | 0.8 | 16 |
| 836 | Water provision alters wildebeest adaptive habitat selection and resilience in the Central Kalahari. <i>African Journal of Ecology</i> , 2018, 56, 225-234. | 0.9 | 18 |
| 837 | Feeding ecology of cheetahs in the Maasai Mara, Kenya and the potential for intra- and interspecific competition. <i>Journal of Zoology</i> , 2018, 304, 65-72. | 1.7 | 26 |
| 838 | Forage selectivity by cattle and sheep co-grazing swards differing in plant species diversity. <i>Grass and Forage Science</i> , 2018, 73, 320-329. | 2.9 | 34 |
| 839 | Ecological preferences of large carnivores in remote, high-altitude protected areas: insights from Buxa Tiger Reserve, India. <i>Oryx</i> , 2018, 52, 66-77. | 1.0 | 8 |
| 840 | Comparative diet of hedgehogs (<i>Atelerix algirus</i>) in two localities in Kabylia, Algeria. <i>Turkish Journal of Zoology</i> , 2018, 42, 207-217. | 0.9 | 2 |
| 841 | The nutritional content of Tana River yellow baboon (<i>Papio cynocephalus</i>) foods in a partially forested habitat. <i>PLoS ONE</i> , 2018, 13, e0207186. | 2.5 | 2 |
| 842 | Overlap and selection of dust-bathing sites among three sympatric montane galliform species. <i>Auk</i> , 2018, 135, 1076-1086. | 1.4 | 5 |
| 843 | Diet of the endangered spirlin (<i>Alburnoides bipunctatus</i>) at the centre of its distribution in Europe. <i>Marine and Freshwater Research</i> , 2018, 69, 1712. | 1.3 | 2 |
| 844 | No experimental evidence of stress-induced hyperthermia in zebrafish (<i>Danio rerio</i>). <i>Journal of Experimental Biology</i> , 2019, 222, . | 1.7 | 6 |
| 845 | Wild <i>Mus musculus</i> response on two different essential oils with high repellent potential. <i>Journal of Stored Products Research</i> , 2018, 79, 106-111. | 2.6 | 2 |
| 846 | Selective Capture and Ingestion of Particles by Suspension-Feeding Bivalve Molluscs: A Review. <i>Journal of Shellfish Research</i> , 2018, 37, 727-746. | 0.9 | 96 |
| 847 | Integrating complementary methods to improve diet analysis in fishery-targeted species. <i>Ecology and Evolution</i> , 2018, 8, 9503-9515. | 1.9 | 38 |
| 848 | An Insight Into the Diet and Prey Preference of Tigers in Bardia National Park, Nepal. <i>Tropical Conservation Science</i> , 2018, 11, 194008291879947. | 1.2 | 18 |
| 849 | Survey of Discarded Bottles as an Effective Method in Detection of Small Mammal Diversity. <i>Polish Journal of Ecology</i> , 2018, 66, 57-63. | 0.2 | 4 |
| 850 | Host selection and distribution of <i>Dendrobium okinawense</i> , an endangered epiphytic orchid in Yambaru, Japan. <i>Ecological Research</i> , 2018, 33, 1069-1073. | 1.5 | 7 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 851 | Diet shifts by adult flightless dung beetles <i>Circellium bacchus</i> , revealed using DNA metabarcoding, reflect complex life histories. <i>Oecologia</i> , 2018, 188, 107-115. | 2.0 | 19 |
| 852 | Using GPS Technology to Understand Spatial and Temporal Activity of Kangaroos in a Peri-Urban Environment. <i>Animals</i> , 2018, 8, 97. | 2.3 | 11 |
| 853 | One size does not fit all: European bison habitat selection across herds and spatial scales. <i>Landscape Ecology</i> , 2018, 33, 1559-1572. | 4.2 | 24 |
| 854 | The foraging ecology of reintroduced African wild dog in small protected areas. <i>Wildlife Biology</i> , 2018, 2018, 1-10. | 1.4 | 7 |
| 855 | Grazing and performance of the copepod <i>Pseudodiaptomus poplesia</i> on a Chinese strain of <i>Aureococcus anophagefferens</i> . <i>Acta Oceanologica Sinica</i> , 2018, 37, 69-76. | 1.0 | 19 |
| 856 | Black bear (<i>Ursus americanus</i>) and wolf (<i>Canis spp.</i>) summer diet composition and ungulate prey selectivity in Ontario, Canada. <i>Mammal Research</i> , 2018, 63, 433-441. | 1.3 | 16 |
| 857 | Cattle select African savanna termite mound patches less when sharing habitat with wild herbivores. <i>Ecology and Evolution</i> , 2018, 8, 9074-9085. | 1.9 | 1 |
| 858 | Habitat preferences of Red-backed Shrikes <i>Lanius collurio</i> and Barred Warblers <i>Sylvia nisoria</i> breeding sympatrically in a wetland/farmland mosaic. <i>Bird Study</i> , 2018, 65, 317-328. | 1.0 | 3 |
| 859 | Locomotion, postures, substrate use, and foot grasping in the marsupial feathertail glider <i>Acrobates pygmaeus</i> (Diprotodontia: Acrobatidae): Insights into early euprimate evolution. <i>Journal of Human Evolution</i> , 2018, 123, 148-159. | 2.6 | 11 |
| 860 | Feed resource selection by Criollo goats browsing a tropical deciduous forest. <i>Animal Production Science</i> , 2018, 58, 2314. | 1.3 | 17 |
| 861 | Living with an engineer: fish metacommunities in dynamic patchy environments. <i>Marine and Freshwater Research</i> , 2018, 69, 883. | 1.3 | 19 |
| 862 | Riparian defoliation by the invasive green alder sawfly influences terrestrial prey subsidies to salmon streams. <i>Ecology of Freshwater Fish</i> , 2018, 27, 963-975. | 1.4 | 4 |
| 863 | Tightly Bunched Herding Improves Cattle Performance in African Savanna Rangeland. <i>Rangeland Ecology and Management</i> , 2018, 71, 481-491. | 2.3 | 11 |
| 864 | Prey selectivity by feral cats at central Australian rock-wallaby colonies. <i>Australian Mammalogy</i> , 2019, 41, 132. | 1.1 | 11 |
| 865 | Trophic ecology of two <i>Pithecopus</i> species (Anura: Phyllomedusidae) living in syntopy in southern Bahia, Brazil. <i>Studies on Neotropical Fauna and Environment</i> , 2019, 54, 10-21. | 1.0 | 9 |
| 866 | Seasonal selection of key resources by cattle in a mixed savannah-wetland ecosystem increases the potential for conflict with lions. <i>Biological Conservation</i> , 2019, 237, 253-266. | 4.1 | 8 |
| 867 | Ecologically similar saproxylic beetles depend on diversified deadwood resources: From habitat requirements to management implications. <i>Forest Ecology and Management</i> , 2019, 449, 117462. | 3.2 | 16 |
| 868 | Dietary composition and selection in the stream-breeding anuran assemblage from a tropical wet forest in eastern Mexico. <i>Acta Oecologica</i> , 2019, 98, 36-44. | 1.1 | 2 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 869 | Functional responses of three guilds of spiders: Comparing single and multiprey approaches. <i>Annals of Applied Biology</i> , 2019, 175, 202-214. | 2.5 | 9 |
| 870 | Niche overlap and dietary resource partitioning in an African large carnivore guild. <i>Journal of Zoology</i> , 2019, 309, 212-223. | 1.7 | 25 |
| 871 | Seasonal Divergence of Landscape Use by Heritage and Conventional Cattle on Desert Rangeland. <i>Rangeland Ecology and Management</i> , 2019, 72, 590-601. | 2.3 | 38 |
| 872 | Wild Steps in a semi-wild setting? Habitat selection and behavior of European bison reintroduced to an enclosure in an anthropogenic landscape. <i>PLoS ONE</i> , 2019, 14, e0198308. | 2.5 | 3 |
| 873 | Effect of Rising Temperature on Lyme Disease: <i>Ixodes scapularis</i> Population Dynamics and <i>Borrelia burgdorferi</i> Transmission and Prevalence. <i>Canadian Journal of Infectious Diseases and Medical Microbiology</i> , 2019, 2019, 1-15. | 1.9 | 13 |
| 874 | Food habits of wolves and selection of wild ungulates in a prey-rich Mediterranean coastal area. <i>Mammalian Biology</i> , 2019, 99, 119-127. | 1.5 | 23 |
| 875 | Shade as enrichment: testing preferences for shelter in two model fish species. <i>Journal of Fish Biology</i> , 2019, 95, 1161-1165. | 1.6 | 19 |
| 876 | Plant composition changes in a small-scale community have a large effect on the performance of an economically important grassland pest. <i>BMC Ecology</i> , 2019, 19, 32. | 3.0 | 2 |
| 877 | Dietary habits of wild Javan lutungs (<i>Trachypithecus auratus</i>) in a secondary-plantation mixed forest: Effects of vegetation composition and phenology. <i>Mammalian Biology</i> , 2019, 98, 80-90. | 1.5 | 9 |
| 878 | Habitat use and activity patterns of <i>Puma concolor</i> in a human-dominated landscape of central Argentina. <i>Journal of Mammalogy</i> , 2019, 100, 202-211. | 1.3 | 19 |
| 879 | Do males pay more? A male-biased predation of common lizard (<i>Zootoca vivipara</i>) by great grey shrike (<i>Lanius excubitor</i>). <i>Acta Ethologica</i> , 2019, 22, 155-162. | 0.9 | 6 |
| 880 | Drivers of diet selection of critically endangered Western Derby eland during the food shortage period within conservation breeding in Senegal. <i>Scientific Reports</i> , 2019, 9, 8712. | 3.3 | 4 |
| 881 | Snow cover phenology is the main driver of foraging habitat selection for a high-alpine passerine during breeding: implications for species persistence in the face of climate change. <i>Biodiversity and Conservation</i> , 2019, 28, 2669-2685. | 2.6 | 42 |
| 882 | Distribution and Habitat Selection of Free-Ranging European Bison (<i>Bison bonasus</i> L.) in a Mosaic Landscape—A Lithuanian Case. <i>Forests</i> , 2019, 10, 345. | 2.1 | 6 |
| 883 | Two time losers: selective feeding by crown-of-thorns starfish on corals most affected by successive coral-bleaching episodes on western Australian coral reefs. <i>Marine Biology</i> , 2019, 166, 1. | 1.5 | 19 |
| 884 | Grazing behaviour of dairy cows on biodiverse mountain pastures is more influenced by slope than cow breed. <i>Animal</i> , 2019, 13, 2594-2602. | 3.3 | 9 |
| 885 | Interspecific prey neighborhoods shape risk of predation in a savanna ecosystem. <i>Ecology</i> , 2019, 100, e02698. | 3.2 | 11 |
| 886 | Apparent Competition, Lion Predation, and Managed Livestock Grazing: Can Conservation Value Be Enhanced?. <i>Frontiers in Ecology and Evolution</i> , 2019, 7, . | 2.2 | 9 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 887 | Phenology, mobility and behaviour of the arcto-alpine species <i>Boloria napaea</i> in its arctic habitat. <i>Scientific Reports</i> , 2019, 9, 3912. | 3.3 | 8 |
| 888 | Is artificial habitat diversity a key to restoring nurseries for juvenile coastal fish? Ex situ experiments on habitat selection and survival of juvenile seabreams. <i>Restoration Ecology</i> , 2019, 27, 1155-1165. | 2.9 | 12 |
| 889 | The impact of flow and physical enrichment on preferences in zebrafish. <i>Applied Animal Behaviour Science</i> , 2019, 215, 77-81. | 1.9 | 23 |
| 890 | Movements of White-Lipped Peccary in French Guiana. , 2019, , 57-75. | | 5 |
| 891 | Dispersal and adaptation strategies of the high mountain butterfly <i>Boloria pales</i> in the Romanian Carpathians. <i>Frontiers in Zoology</i> , 2019, 16, 1. | 2.0 | 31 |
| 892 | Wolf diet and livestock selection in central Greece. <i>Mammalia</i> , 2019, 83, 530-538. | 0.7 | 13 |
| 893 | Dangerous game: preferential predation on baboons by African wild dogs in Mana Pools National Park, Zimbabwe. <i>Behaviour</i> , 2019, 156, 37-58. | 0.8 | 2 |
| 894 | Diet of bromeliad-frog <i>Phyllodytes luteolus</i> (Anura, Hylidae) in Atlantic Forest environments: what have the frogs been eating outside sandy coastal plains?. <i>Papeis Avulsos De Zoologia</i> , 2019, 59, e20195929. | 0.4 | 0 |
| 895 | Vertical Distribution and Elevation Preference for the Breeding of Fairy Pittas on Jeju Island, Korea. <i>Forests</i> , 2019, 10, 1010. | 2.1 | 0 |
| 896 | Comparative Features of the Nutrition of the Przewalski Horse <i>Equus przewalskii</i> , the Camel <i>Camelus bactrianus</i> , and the Saiga <i>Saiga tatarica</i> on an Isolated Steppe Pasture. <i>Biology Bulletin</i> , 2019, 46, 594-607. | 0.5 | 5 |
| 897 | Wolf diet and prey selection in the South-Eastern Carpathian Mountains, Romania. <i>PLoS ONE</i> , 2019, 14, e0225424. | 2.5 | 14 |
| 898 | Bat Fauna (Mammalia: Chiroptera) of Southern Odisha Along the Eastern Ghats, India. <i>Proceedings of the Zoological Society</i> , 2019, 72, 420-429. | 1.0 | 1 |
| 899 | Choice in a floral marketplace: the role of complexity in bumble bee decision-making. <i>Behavioral Ecology</i> , 2019, 30, 500-508. | 2.2 | 18 |
| 900 | Adaptive foraging of leaf-cutter ants to spatiotemporal changes in resource availability in Neotropical savannas. <i>Ecological Entomology</i> , 2019, 44, 227-238. | 2.2 | 11 |
| 901 | Trophic ecology of large herbivores in a reassembling African ecosystem. <i>Journal of Ecology</i> , 2019, 107, 1355-1376. | 4.0 | 58 |
| 902 | Ecological plasticity of tubenose goby, a small invader in South Moravian waters. <i>Hydrobiologia</i> , 2019, 829, 217-235. | 2.0 | 7 |
| 903 | Thermal refuge affects space use and movement of a large-bodied galliform. <i>Journal of Thermal Biology</i> , 2019, 80, 37-44. | 2.5 | 22 |
| 904 | The use of artificial nest boxes by Siberian flying squirrels (<i>Pteromys volans</i>) in South Korea. <i>Journal of Forestry Research</i> , 2019, 30, 1131-1137. | 3.6 | 2 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 905 | Cattle donâ€™t care: Animal behaviour is similar regardless of grazing management in grasslands. Agriculture, Ecosystems and Environment, 2019, 272, 175-187. | 5.3 | 37 |
| 906 | New insights into the ecology and corallivory of <i>Culcita</i> sp. (Echinodermata: Asteroidea) in the Republic of Maldives. Hydrobiologia, 2019, 827, 353-365. | 2.0 | 18 |
| 907 | A meta-analysis of ungulate predation and prey selection by the brown bear <i>Ursus arctos</i> in Eurasia. Mammal Research, 2019, 64, 1-9. | 1.3 | 50 |
| 908 | <scp>DNA</scp> metabarcoding unveils multiscale trophic variation in a widespread coastal opportunist. Molecular Ecology, 2019, 28, 232-249. | 3.9 | 43 |
| 909 | Diversity and Abundance of Bats within the Human-Dominated Transitional Zone of Similipal Biosphere Reserve, India: Implications for Conservation. Proceedings of the National Academy of Sciences India Section B - Biological Sciences, 2020, 90, 353-363. | 1.0 | 0 |
| 910 | Flooding as a cause of ungulate mortality in floodplain forests in Croatia. Journal of Forestry Research, 2020, 31, 1045-1052. | 3.6 | 2 |
| 911 | Stopover ecology of autumn-migrating Bluethroats (<i>Luscinia svecica</i>) in a highly anthropogenic river basin. Journal of Ornithology, 2020, 161, 89-101. | 1.1 | 4 |
| 912 | Ecological opportunity drives individual dietary specialization in leopards. Journal of Animal Ecology, 2020, 89, 589-600. | 2.8 | 29 |
| 913 | Signaling from below: rodents select for deeper fruiting truffles with stronger volatile emissions. Ecology, 2020, 101, e02964. | 3.2 | 12 |
| 914 | Movement responses of common noctule bats to the illuminated urban landscape. Landscape Ecology, 2020, 35, 189-201. | 4.2 | 40 |
| 915 | Primates are an important food resource for leopards (<i>Panthera pardus</i>) in Mahale, Tanzania. African Journal of Ecology, 2020, 58, 399-408. | 0.9 | 7 |
| 916 | Diet, prey selection, and activity of Asian golden cats and leopard cats in northern Laos. Journal of Mammalogy, 2020, 101, 1267-1278. | 1.3 | 19 |
| 917 | Evaluating different spatial scales of forage item availability to determine diet selection of juvenile green turtles (<i>Chelonia mydas</i>). Marine Biology, 2020, 167, 1. | 1.5 | 4 |
| 918 | Home range size, habitat selection and roost use by the whiskered bat (<i>Myotis mystacinus</i>) in human-dominated montane landscapes. PLoS ONE, 2020, 15, e0237243. | 2.5 | 5 |
| 919 | dietr: an R package for calculating fractional trophic levels from quantitative and qualitative diet data. Hydrobiologia, 2020, 847, 4285-4294. | 2.0 | 5 |
| 920 | Habitat preferences of Southern Ground-hornbills in the Kruger National Park: implications for future conservation measures. Scientific Reports, 2020, 10, 16195. | 3.3 | 1 |
| 921 | Distribution and abundance of African elephants in Ngorongoro Crater, northern Tanzania. African Zoology, 2020, 55, 303-310. | 0.4 | 0 |
| 922 | Wooded Semi-Natural Habitats Complement Permanent Grasslands in Supporting Wild Bee Diversity in Agricultural Landscapes. Insects, 2020, 11, 812. | 2.2 | 17 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 923 | Dietary partitioning of three large carnivores in Majete Wildlife Reserve, Malawi. <i>African Journal of Ecology</i> , 2020, 58, 371-382. | 0.9 | 6 |
| 924 | Diet and Prey Selection of Dholes in Evergreen and Deciduous Forests of Southeast Asia. <i>Journal of Wildlife Management</i> , 2020, 84, 1396-1405. | 1.8 | 16 |
| 925 | Eurasian Beaver (<i>Castor fiber</i>) Winter Foraging Preferences in Northern Poland – The Role of Woody Vegetation Composition and Anthropoppression Level. <i>Animals</i> , 2020, 10, 1376. | 2.3 | 6 |
| 926 | Home Range Estimates and Habitat Use of Siberian Flying Squirrels in South Korea. <i>Animals</i> , 2020, 10, 1378. | 2.3 | 1 |
| 927 | Facilitation or Competition? Effects of Lions on Brown Hyenas and Leopards. <i>Diversity</i> , 2020, 12, 325. | 1.7 | 2 |
| 928 | Exotic Prey Facilitate Coexistence between Pumas and Culpeo Foxes in the Andes of Central Chile. <i>Diversity</i> , 2020, 12, 317. | 1.7 | 10 |
| 929 | A reintroduced ecosystem engineer species may exacerbate ongoing biological invasion: Selective foraging of the Eurasian beaver in floodplains. <i>Global Ecology and Conservation</i> , 2020, 24, e01383. | 2.1 | 8 |
| 930 | Midsummer Trophic Overlap Between Guanaco and Sheep in Patagonian Rangelands. <i>Rangeland Ecology and Management</i> , 2020, 73, 394-402. | 2.3 | 10 |
| 931 | Golf Courses as Potential Habitat for Urban Coyotes. <i>Wildlife Society Bulletin</i> , 2020, 44, 333-341. | 1.6 | 13 |
| 932 | Seasonal habitat-use differences among Lake Erie's walleye stocks. <i>Journal of Great Lakes Research</i> , 2020, 46, 609-621. | 1.9 | 25 |
| 933 | Diet of terrestrial anurans in an ephemeral and simplified habitat during the dry season in the Brazilian Cerrado. <i>Ethology Ecology and Evolution</i> , 2020, 32, 527-550. | 1.4 | 5 |
| 934 | Locomotion and postures of the Vietnamese pygmy dormouse <i>Typhlomys chapensis</i> (Platacanthomyidae, Rodentia): climbing and leaping in the blind. <i>Mammalian Biology</i> , 2020, 100, 485-496. | 1.5 | 2 |
| 935 | Time to adjust: changes in the diet of a reintroduced marsupial after release. <i>Oryx</i> , 2021, 55, 755-764. | 1.0 | 5 |
| 936 | Can reintroductions to degraded habitat succeed? A test using the common brushtail possum. <i>Austral Ecology</i> , 2020, 45, 675-690. | 1.5 | 14 |
| 937 | Spatio-temporal partitioning and coexistence between leopard (<i>Panthera pardus fusca</i>) and Asiatic lion (<i>Panthera leo persica</i>) in Gir protected area, Gujarat, India. <i>PLoS ONE</i> , 2020, 15, e0229045. | 2.5 | 21 |
| 938 | Effects of species and environmental factors on browsing frequency of young trees in mountain forests affected by natural disturbances. <i>Forest Ecology and Management</i> , 2020, 474, 118364. | 3.2 | 12 |
| 939 | Do spotted hyenas outcompete the big cats in a small, enclosed system in South Africa?. <i>Journal of Zoology</i> , 2020, 311, 145-153. | 1.7 | 8 |
| 940 | Breeding ecology of the Andalusian Buttonquail <i>Turnix sylvaticus sylvaticus</i> . <i>Ostrich</i> , 2020, 91, 75-82. | 1.1 | 5 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 941 | Shorebird predation on benthic invertebrates after shrimp-pond harvesting: Implications for semi-intensive aquaculture management. <i>Journal of Environmental Management</i> , 2020, 262, 110290. | 7.8 | 6 |
| 942 | Opportunistic feeding by lions: non-preferred prey comprise an important part of lion diets in a habitat where preferred prey are abundant. <i>Mammal Research</i> , 2020, 65, 235-243. | 1.3 | 12 |
| 943 | Light affects picocyanobacterial grazing and growth response of the mixotrophic flagellate <i>Poteroiochromonas malhamensis</i> . <i>Journal of Microbiology</i> , 2020, 58, 268-278. | 2.8 | 4 |
| 944 | Desert otters: Distribution, habitat use and feeding ecology in arid rivers of Morocco. <i>Journal of Arid Environments</i> , 2020, 178, 104165. | 2.4 | 6 |
| 945 | Lions <i>Panthera leo</i> Prefer Killing Certain Cattle <i>Bos taurus</i> Types. <i>Animals</i> , 2020, 10, 692. | 2.3 | 4 |
| 946 | Iberian Peninsula October 2017 wildfires: Burned area and population exposure in Galicia (NW of Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf | 3.9 | 23 |
| 947 | What does the wolf eat? Assessing the diet of the endangered Iberian wolf (<i>Canis lupus signatus</i>) in northeast Portugal. <i>PLoS ONE</i> , 2020, 15, e0230433. | 2.5 | 17 |
| 948 | Prey preferences of modern human hunter-gatherers. <i>Food Webs</i> , 2021, 26, e00183. | 1.2 | 9 |
| 949 | Inferring patterns of sympatry among large carnivores in Manas National Park – a prey-rich habitat influenced by anthropogenic disturbances. <i>Animal Conservation</i> , 2021, 24, 589-601. | 2.9 | 12 |
| 950 | The influence of an apex predator introduction on an already established subordinate predator. <i>Journal of Zoology</i> , 2021, 313, 224-235. | 1.7 | 1 |
| 951 | Applying hierarchical resource selection concepts to solving crop damage caused by birds. <i>Conservation Science and Practice</i> , 2021, 3, e207. | 2.0 | 3 |
| 952 | Trophic overlap of lionfish (<i>Pterois volitans</i>) and two native predators (<i>Lutjanus apodus</i> and) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf | 6.5 | 3 |
| 953 | Goat movement patterns inform management of feral goat populations in semiarid rangelands. <i>Wildlife Research</i> , 2021, 48, 44. | 1.4 | 6 |
| 954 | Prey Selection by African Wild Dogs (<i>Lycaon pictus</i>) in Northern Botswana. <i>African Journal of Wildlife Research</i> , 2021, 51, . | 0.4 | 4 |
| 955 | Recurring fires in Mediterranean habitats and their impact on bats. <i>Biodiversity and Conservation</i> , 2021, 30, 385-402. | 2.6 | 12 |
| 956 | Plasticity in daily activity patterns of a key prey species in the Iberian Peninsula to reduce predation risk. <i>Wildlife Research</i> , 2021, 48, 481-490. | 1.4 | 6 |
| 957 | Attacks on hunting dogs: the case of wolf-dog interactions in Croatia. <i>European Journal of Wildlife Research</i> , 2021, 67, 1. | 1.4 | 24 |
| 958 | Habitat use by wandering pet cats (<i>Felis catus</i>) in a patchy urban environment. <i>Journal of Urban Ecology</i> , 2021, 7, . | 1.5 | 4 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 959 | Impediments affect deer foraging decisions and sapling performance. <i>Forest Ecology and Management</i> , 2021, 482, 118838. | 3.2 | 3 |
| 960 | Habitat use and space preferences of Eurasian Bullfinches (<i>Pyrrhula pyrrhula</i>) in northwestern Iberia throughout the year. <i>Avian Research</i> , 2021, 12, . | 1.2 | 4 |
| 961 | The evolution of siphonophore tentilla for specialized prey capture in the open ocean. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, . | 7.1 | 18 |
| 962 | Herbivore Diet Selectivity and Its Influence over Ecosystem Recycling in Wrangel Island. <i>Contemporary Problems of Ecology</i> , 2021, 14, 138-148. | 0.7 | 3 |
| 963 | Home range, habitat selection, density, and diet of golden jackals in the Eastern Plains Landscape, Cambodia. <i>Journal of Mammalogy</i> , 2021, 102, 636-650. | 1.3 | 6 |
| 964 | Chimpanzees surviving in a fragmented high-altitude forest landscape of the Congolese Albertine Rift. <i>Conservation Science and Practice</i> , 2021, 3, e403. | 2.0 | 11 |
| 965 | Dry season resource selection among sympatric ungulates in a tropical coastal landscape: implications for conservation and management. <i>Tropical Ecology</i> , 2021, 62, 418-426. | 1.2 | 4 |
| 966 | Does prey abundance affect prey size selection by the Eagle Owl (<i>Bubo bubo</i>)?. <i>Journal of Ornithology</i> , 2021, 162, 699-708. | 1.1 | 3 |
| 967 | Fine-scale habitat selection limits trade-offs between foraging and temperature in a grassland bird. <i>Behavioral Ecology</i> , 2021, 32, 625-637. | 2.2 | 12 |
| 968 | Large predators can mitigate nutrient losses associated with off-site removal of animals from a wildlife reserve. <i>Journal of Applied Ecology</i> , 2021, 58, 1360-1369. | 4.0 | 8 |
| 969 | The successful reintroduction of African wild dogs (<i>Lycaon pictus</i>) to Gorongosa National Park, Mozambique. <i>PLoS ONE</i> , 2021, 16, e0249860. | 2.5 | 21 |
| 970 | Coexistence within an endangered predator-prey community in California vernal pools. <i>Freshwater Biology</i> , 2021, 66, 1296-1310. | 2.4 | 7 |
| 971 | Feeding selection of sheep and alpaca on puna tussock rangelands grazed previously by cattle. <i>Small Ruminant Research</i> , 2021, 197, 106349. | 1.2 | 2 |
| 972 | Influence of inundation characteristics on the distribution of dryland floodplain vegetation communities. <i>Ecological Indicators</i> , 2021, 124, 107429. | 6.3 | 6 |
| 973 | Prey preferences of the chimpanzee (<i>Pan troglodytes</i>). <i>Ecology and Evolution</i> , 2021, 11, 7138-7146. | 1.9 | 2 |
| 974 | Plants critical for Hawaiian land snail conservation: arboreal snail plant preferences in Pu'u Kukui Watershed, Maui. <i>Oryx</i> , 0, , 1-6. | 1.0 | 1 |
| 975 | Food preferences of Bornean orangutan in Lamandau Wildlife Sanctuary, Central Kalimantan. <i>IOP Conference Series: Earth and Environmental Science</i> , 2021, 771, 012015. | 0.3 | 0 |
| 976 | Drought Alters The Understory of Pinyon-Juniper Woodlands Indirectly through Tree Dieback. <i>Rangeland Ecology and Management</i> , 2021, 76, 118-128. | 2.3 | 6 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 977 | Mechanisms of density dependence in juvenile salmonids: prey depletion, interference competition, or energy expenditure?. <i>Ecosphere</i> , 2021, 12, e03567. | 2.2 | 1 |
| 978 | Short-term study on the yak dung seed bank on the Qinghai-Tibetan Plateau: effects of grazing season, seed characteristics and forage preferences. <i>Plant and Soil</i> , 2021, 465, 367-383. | 3.7 | 8 |
| 979 | Woodpecker foraging activity in oak-dominated hill forests in Hungary. <i>Ornis Hungarica</i> , 2021, 29, 82-97. | 0.4 | 0 |
| 980 | Small prey for small cats: the importance of prey-size in the diet of southern tiger cat <i>Leopardus guttulus</i> in a competitor-free environment. <i>Studies on Neotropical Fauna and Environment</i> , 2023, 58, 75-86. | 1.0 | 3 |
| 981 | A new electivity index for diet studies that use count data. <i>Limnology and Oceanography: Methods</i> , 2021, 19, 552-565. | 2.0 | 2 |
| 982 | Dilution and amplification effects in Lyme disease: Modeling the effects of reservoir-incompetent hosts on <i>Borrelia burgdorferi</i> sensu stricto transmission. <i>Ticks and Tick-borne Diseases</i> , 2021, 12, 101724. | 2.7 | 6 |
| 983 | Effects of anticoagulant rodenticide poisoning on spatial behavior of farm dwelling Norway rats. <i>Science of the Total Environment</i> , 2021, 787, 147520. | 8.0 | 8 |
| 984 | Trophic ecology of two amphibian species in patches and core forest of Atlantic Forest: A dietary and isotopic approach. <i>Austral Ecology</i> , 2022, 47, 278-290. | 1.5 | 3 |
| 985 | Density-related effect of red deer browsing on palatable and unpalatable tree species and forest regeneration dynamics. <i>Forest Ecology and Management</i> , 2021, 496, 119442. | 3.2 | 23 |
| 986 | Examining the Effects of Microalgal Metabolites on Ciliary Activity of the Eastern Oyster <i>Crassostrea virginica</i> . <i>Journal of Shellfish Research</i> , 2021, 40, . | 0.9 | 2 |
| 987 | Nest-site selection and nest design of Iberian bullfinches <i>Pyrrhula pyrrhula iberiae</i> in northwestern Spain. <i>Avian Biology Research</i> , 2021, 14, 124-142. | 0.9 | 4 |
| 988 | Some aspects of the ecology of the species <i>Creophilus maxillosus</i> Linnaeus, 1758 and <i>Emus hirtus</i> Linnaeus, 1758 (Coleoptera: Staphylinidae) in southwestern part of the North Asia. <i>IOP Conference Series: Earth and Environmental Science</i> , 2021, 848, 012157. | 0.3 | 0 |
| 989 | Exploring the connections between giraffe skin disease and lion predation. <i>Journal of Zoology</i> , 0, , . | 1.7 | 2 |
| 990 | Diversity in spawning habitat use among Great Lakes Cisco populations. <i>Ecology of Freshwater Fish</i> , 2022, 31, 379-388. | 1.4 | 7 |
| 991 | Diet of the Pallas's cat (<i>Otocolobus manul</i>) in Mongolian steppe habitat during a population peak of Brandt's voles. <i>Journal of Arid Environments</i> , 2021, 193, 104583. | 2.4 | 1 |
| 992 | Diet and food selection by fish larvae in turbid and clear water shallow temperate lakes. <i>Science of the Total Environment</i> , 2022, 804, 150050. | 8.0 | 5 |
| 993 | Landscape Ecological Approach For Restoration Site Of Natural Forests In The Ota River Basin, Japan. , 2004, , 301-310. | | 3 |
| 994 | Comparison between PIT and radio telemetry to evaluate winter habitat use and activity patterns of juvenile Atlantic salmon and brown trout. , 2007, , 231-242. | | 3 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 995 | Elements of Ecological Land Classifications for Ecological Assessments. , 2001, , 321-337. | | 3 |
| 996 | Size Structured Interactions in Lake Communities. , 1988, , 161-179. | | 38 |
| 997 | Bird Migration and Offshore Wind Turbines. , 2006, , 91-116. | | 5 |
| 998 | Introduced Lagomorphs as a Threat to "Native" Lagomorphs: The Case of the Eastern Cottontail (<i>Sylvilagus floridanus</i>) in Northern Italy. , 2008, , 153-164. | | 17 |
| 999 | Spatial Distribution and Feeding Habits of Larval and Juvenile <i>Pleuragramma antarcticum</i> in the Western Ross Sea (Antarctica). , 2000, , 369-393. | | 9 |
| 1000 | Feeding by <i>Euphausia superba</i> and Copepod Species in Response to Varying Concentrations of Phytoplankton. , 1985, , 311-323. | | 52 |
| 1001 | Using Geographical Mapping and Occupancy Modeling to Study the Distribution of the Critically Endangered Leopard (<i>Panthera pardus</i>) Population in Armenia. , 2010, , 331-347. | | 9 |
| 1002 | A laboratory study of feeding and assimilation in <i>Euchlanis dilatata lucksiana</i> . , 1987, , 289-296. | | 6 |
| 1003 | Food and food selection of cisco (<i>Coregonus albula</i> L.) in a dysoligotrophic lake. , 1983, , 129-138. | | 5 |
| 1004 | Rotifers as predators on components of the microbial web (bacteria, heterotrophic flagellates,) Tj ETQq1 1 0.784314 rgBT /Overlock 100 | | 100 |
| 1005 | Hydrological conditions and herbivory as key operators for ecosystem development in Dutch artificial wetlands. , 1998, , 217-252. | | 13 |
| 1006 | Radio telemetry as a tool to study habitat use of nase (<i>Chondrostoma nasus</i> L.) in medium-sized rivers. , 1998, , 309-319. | | 8 |
| 1008 | Use of urban bushland remnants by the western ringtail possum (<i>Pseudocheirus occidentalis</i>): short-term home-range size and habitat use in Albany, Western Australia. Australian Mammalogy, 2018, 40, 173. | 1.1 | 22 |
| 1009 | A trial reintroduction of the western quoll to a fenced conservation reserve: implications of returning native predators. Australian Mammalogy, 2020, 42, 257. | 1.1 | 16 |
| 1010 | Spatial behaviour of yellow-footed rock-wallabies, <i>Petrogale xanthopus</i> , changes in response to active conservation management. Australian Journal of Zoology, 2011, 59, 1. | 1.0 | 7 |
| 1011 | Tests for Species Interactions: Breeding Phenology and Habitat Use in Subarctic Ducks. American Naturalist, 1982, 120, 586-613. | 2.1 | 41 |
| 1013 | Rodents change acorn dispersal behaviour in response to ungulate presence. Oikos, 2007, 116, 1631-1638. | 2.7 | 3 |
| 1014 | Growth, morphology and life history traits of a cool-water European population of pumpkinseed <i>Lepomis gibbosus</i> . Fundamental and Applied Limnology, 2002, 155, 585-614. | 0.7 | 52 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 1015 | Notes on the diet and habitat selection of the Sri Lankan Leopard <i>Panthera pardus kotiya</i> (Mammalia: Tj ETQq0 0 0 rgBT /Overlock 10 T | 0.9 | 11 |
| 1016 | Habitat use of an endangered cyprinodontid fish in a saline wetland of the Iberian Peninsula (SW) Tj ETQq1 1 0.784314 rgBT /Overlock 1 | 1.6 | 4 |
| 1017 | Free-range grazing by large herbivores in degraded large-scale dry sandy grassland-heathland ecosystems. Ecological Questions, 0, 21, 87. | 0.3 | 2 |
| 1018 | An Exotic Species Is the Favorite Prey of a Native Enemy. PLoS ONE, 2011, 6, e24299. | 2.5 | 29 |
| 1019 | Plant Trait Assembly Affects Superiority of Grazer's Foraging Strategies in Species-Rich Grasslands. PLoS ONE, 2013, 8, e69800. | 2.5 | 20 |
| 1020 | Wildfire Selectivity for Land Cover Type: Does Size Matter?. PLoS ONE, 2014, 9, e84760. | 2.5 | 105 |
| 1021 | Prey Preferences of the Snow Leopard (<i>Panthera uncia</i>): Regional Diet Specificity Holds Global Significance for Conservation. PLoS ONE, 2014, 9, e88349. | 2.5 | 121 |
| 1022 | An Objective Approach to Determining the Weight Ranges of Prey Preferred by and Accessible to the Five Large African Carnivores. PLoS ONE, 2014, 9, e101054. | 2.5 | 84 |
| 1023 | To Kill, Stay or Flee: The Effects of Lions and Landscape Factors on Habitat and Kill Site Selection of Cheetahs in South Africa. PLoS ONE, 2015, 10, e0117743. | 2.5 | 50 |
| 1024 | Omnivory of an Insular Lizard: Sources of Variation in the Diet of <i>Podarcis lilfordi</i> (Squamata,) Tj ETQq1 1 0.784314 rgBT /Overlock 10 T | 2.5 | 31 |
| 1025 | Range Analysis and Terrain Preference of Adult Southern White Rhinoceros (<i>Ceratotherium simum</i>) in a South African Private Game Reserve: Insights into Carrying Capacity and Future Management. PLoS ONE, 2016, 11, e0161724. | 2.5 | 8 |
| 1026 | Prey Selection of Scandinavian Wolves: Single Large or Several Small?. PLoS ONE, 2016, 11, e0168062. | 2.5 | 34 |
| 1027 | Snow Leopard and Himalayan Wolf: Food Habits and Prey Selection in the Central Himalayas, Nepal. PLoS ONE, 2017, 12, e0170549. | 2.5 | 82 |
| 1028 | Home ranges of raccoon dogs in managed and natural areas. PLoS ONE, 2017, 12, e0171805. | 2.5 | 5 |
| 1029 | Surveying abundance and stand type associations of <i>Formica aquilonia</i> and <i>F. lugubris</i> (Hymenoptera:) Tj ETQq0 0 0 rgBT /Overlock 10 T | 1.2 | 6 |
| 1030 | Entomology, 2012, 109, 47-53. | | |
| 1030 | Road Mortality of Carnivores (Mammalia, Carnivora) in Belarus. Zoodiversity, 2020, 54, 211-220. | 0.6 | 5 |
| 1031 | Is the red spotted green frog <i>Hypsiboas punctatus</i> (Anura: Hylidae) selecting its preys? The importance of prey availability. Revista De Biologia Tropical, 2009, 57, 847-57. | 0.4 | 26 |
| 1032 | Efecto de las arañas (Arachnida: Araneae) como depredadoras de insectos plaga en cultivos de alfalfa (<i>Medicago sativa</i>) (Fabaceae) en Argentina. Revista De Biologia Tropical, 2011, 59, . | 0.4 | 4 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 1033 | Feeding habits and the relation to the size of <i>Cultrichthys erythropterus</i> in Meiliang Bay, Lake Taihu: implication for biomanipulation and management. Hupo Kexue/Journal of Lake Sciences, 2011, 23, 796-800. | 0.8 | 4 |
| 1034 | Seasonal variations in the diets of <i>Coilia ectenes taihuensis</i>; Yen et Lin in Gonghu Bay of Lake Taihu. Hupo Kexue/Journal of Lake Sciences, 2012, 24, 765-770. | 0.8 | 2 |
| 1035 | Pairing season habitat selection by Montezuma quail in southeastern Arizona. Rangeland Ecology and Management, 2004, 57, 532. | 2.3 | 1 |
| 1037 | The light side and the dark side of inter-firm collaboration: How to govern distrust in business networks. Corporate Ownership and Control, 2009, 6, 407-426. | 1.0 | 7 |
| 1038 | Feeding Selectivity of Japanese Macaques on Plant Species and Vegetation Types. Primate Research, 2002, 18, 203-213. | 0.0 | 5 |
| 1039 | Composition of the wolf's <i>Canis lupus</i> L. diet in the Wigry National Park. Forest Research Papers, 2018, 79, 119-124. | 0.2 | 3 |
| 1040 | Space use, habitat selection and daily activity of water voles <i>Arvicola amphibius</i> co-occurring with the invasive American mink <i>Neovison vison</i>. Folia Zoologica, 2019, 68, 21. | 0.9 | 7 |
| 1041 | Seasonal Habitat Selection of Raccoon Dogs (<i>Nyctereutes procyonoides</i>) in Southern Brandenburg, Germany. Folia Zoologica, 2013, 62, 235-243. | 0.9 | 5 |
| 1042 | Feeding Habits of Winter Flounder (<i>Pleuronectes americanus</i>) in a Habitat Exposed to Anthropogenic Distribution. Journal of Northwest Atlantic Fishery Science, 1997, 21, 65-73. | 1.4 | 30 |
| 1043 | Are oil and natural gas development sites ecological traps for nesting killdeer?. Wildlife Biology, 2018, 2018, 1-8. | 1.4 | 8 |
| 1044 | Prey selection of Amur tigers in relation to the spatiotemporal overlap with prey across the Sino-Russian border. Wildlife Biology, 2019, 2019, . | 1.4 | 12 |
| 1045 | Lion-Porcupine Interactions in Africa, Including Impacts on Lion Predatory Behavior. Journal of East African Natural History, 2019, 108, 1. | 0.6 | 4 |
| 1046 | Prey Selection by Anurans in Subtemperate Swamps of the Extreme South of Brazil. South American Journal of Herpetology, 2019, 14, 204. | 0.5 | 3 |
| 1047 | Tree Use, Niche Breadth and Overlap for Excavation by Woodpeckers in Subtropical Piedmont Forests of Northwestern Argentina. Acta Ornithologica, 2020, 55, . | 0.5 | 5 |
| 1048 | Selective Foraging on Tree and Shrub Species by the European Beaver <i>Castor fiber</i> in Lowland and Highland Habitats in Western Poland. Polish Journal of Ecology, 2018, 66, 286. | 0.2 | 3 |
| 1049 | Picky Pigs Prefer Pigtoes: Evidence for Species-Selective Feral Pig Predation on Freshwater Mussels. Freshwater Mollusk Biology and Conservation, 2020, 23, . | 0.4 | 2 |
| 1050 | Bird Communities and Habitat Relationships in a Residential Area of Tokyo.. Journal of the Yamashina Institute for Ornithology, 1998, 30, 83-100. | 0.3 | 8 |
| 1051 | An Investigation into the Pattern of Bird Damage to the Plastic Stretch Film on Baled Silage in Ireland. Biology and Environment, 2004, 104, 95-105. | 0.3 | 3 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 1052 | Mechanisms contributing to low domoic acid uptake by oysters feeding on <i>Pseudo-nitzschia</i> cells. II. Selective rejection. <i>Aquatic Biology</i> , 2009, 6, 213-226. | 1.4 | 30 |
| 1053 | Factors underlying migratory bat aggregations in chestnut groves. <i>Endangered Species Research</i> , 2013, 21, 105-114. | 2.4 | 4 |
| 1054 | Micro- and macroscale factors affecting fish assemblage structure in the rocky intertidal zone. <i>Marine Ecology - Progress Series</i> , 2019, 610, 175-189. | 1.9 | 4 |
| 1055 | Virtual reality of planktivores: a fish's perspective of prey size selection. <i>Marine Ecology - Progress Series</i> , 1996, 140, 271-283. | 1.9 | 29 |
| 1056 | Preliminary study of dietary interactions between invading Ponto-Caspian gobies and some native fish species in the River Danube near Bratislava (Slovakia). <i>Aquatic Invasions</i> , 2008, 3, 193-200. | 1.6 | 30 |
| 1057 | Activity Patterns and Foraging Behavior of American Pikas (<i>Ochotona princeps</i>) Differ between Craters of the Moon and Alpine Talus in Idaho. <i>Western North American Naturalist</i> , 2020, 80, 49. | 0.4 | 6 |
| 1058 | Shelter preference for the Japanese mitten crab <i>Eriocheir japonica</i> : a field experiment in a river, southern central Japan.. <i>Ecology and Civil Engineering</i> , 2016, 19, 1-11. | 0.1 | 2 |
| 1059 | Title is missing!. <i>Ecology and Civil Engineering</i> , 2006, 9, 151-165. | 0.1 | 3 |
| 1060 | Availability of tree cavities in a sal forest of Nepal. <i>IForest</i> , 2016, 9, 217-225. | 1.4 | 6 |
| 1061 | <i>Cucujus cinnaberinus</i> (Scopoli, 1763) at its terra typica in Slovenia: historical overview, distribution patterns and habitat selection. <i>Nature Conservation</i> , 0, 19, 219-229. | 0.0 | 6 |
| 1062 | Stuck amongst introduced species: Trophic ecology reveals complex relationships between the critically endangered Niau kingfisher and introduced predators, competitors and prey. <i>NeoBiota</i> , 0, 53, 61-82. | 1.0 | 5 |
| 1063 | Adaptive Foraging of Sympatric Ungulates in the Central Kalahari Game Reserve, Botswana. <i>African Journal of Wildlife Research</i> , 2018, 48, 023005. | 0.4 | 6 |
| 1064 | Habitat preferences of four sympatric species of shrews. <i>Acta Theriologica</i> , 2000, 45, 173-190. | 1.1 | 39 |
| 1065 | Habitat preference of large grey mongooses <i>Herpestes ichneumon</i> in Spain. <i>Acta Theriologica</i> , 1990, 35, 1-6. | 1.1 | 16 |
| 1066 | Foraging by lynx and its role in ungulate mortality: the local (Białowieża Forest) and the Palaearctic viewpoints. <i>Acta Theriologica</i> , 1993, 38, 385-403. | 1.1 | 126 |
| 1067 | Foraging by pine marten <i>Martes martes</i> in relation to food resources in Białowieża National Park, Poland. <i>Acta Theriologica</i> , 1993, 38, 405-426. | 1.1 | 84 |
| 1068 | The trophic ecology of wolves and their predatory role in ungulate communities of forest ecosystems in Europe. <i>Acta Theriologica</i> , 1995, 40, 335-386. | 1.1 | 126 |
| 1069 | Predation of Eurasian lynx on roe deer and red deer in Białowieża Primal Forest, Poland. <i>Acta Theriologica</i> , 1997, 42, 203-224. | 1.1 | 132 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 1070 | Factors affecting selection of resting site type by pine marten in primeval deciduous forests (Bialowieza National Park, Poland). <i>Acta Theriologica</i> , 1997, 42, 271-288. | 1.1 | 45 |
| 1072 | Bibosoop: A Unique Korean Biotope for Cavity Nesting Birds. <i>Journal of Ecology and Environment</i> , 2006, 29, 75-84. | 1.6 | 8 |
| 1073 | Nest Box Preference by Secondary Cavity-Nesting Birds in Forested Environments. <i>Journal of Ecology and Environment</i> , 2007, 30, 49-56. | 1.6 | 3 |
| 1074 | Food Supply, Prey Selection and Estimated Consumption of Wintering Eurasian Curlews Feeding on Earthworms at Coastal Pastures. <i>Ardea</i> , 2020, 107, 263. | 0.6 | 7 |
| 1075 | Diet of Corncrakes <i>Crex crex</i> and Prey Availability in Relation to Meadow Management. <i>Ardea</i> , 2020, 108, 55. | 0.6 | 2 |
| 1076 | Selección de especies y efecto del ciervo (<i>Cervus elaphus</i> L.) sobre arbustados y matorrales de los Montes de Toledo, España central. <i>Forest Systems</i> , 2006, 15, 329. | 0.3 | 13 |
| 1077 | Evaluation of the Natural Resources at Michinoku Lakewood National Government Park Using GIS to Predict Distribution of Forest Floor Plants. <i>Journal of the Japanese Institute of Landscape Architecture</i> , 2005, 68, 637-642. | 0.1 | 1 |
| 1078 | Land-use changes and their factors in mountainous forest landscapes in mountainous region of Kyushu, southern Japan. <i>Landscape Ecology and Management</i> , 2009, 14, 129-138. | 0.0 | 2 |
| 1079 | Ecological Flexibility of the Top Predator in an Island Ecosystem - Food Habit of the Iriomote Cat. , 0, , . | | 4 |
| 1080 | Wetland vegetation and environmental factors in coastal forests uprooted by the tsunami. <i>Journal of the Japanese Society of Revegetation Technology</i> , 2015, 41, 79-84. | 0.1 | 2 |
| 1081 | Ecological interactions and species coexistence in Iberian mesocarnivore communities - Extended summary and main results.. <i>Galemys Spanish Journal of Mammalogy</i> , 2015, 27, 47-57. | 0.2 | 7 |
| 1082 | Testing the effects of perimeter fencing and elephant exclosures on lion predation patterns in a Kenyan wildlife conservancy. <i>PeerJ</i> , 2016, 4, e1681. | 2.0 | 12 |
| 1083 | Bells, bomas and beefsteak: complex patterns of human-predator conflict at the wildlife-agropastoral interface in Zimbabwe. <i>PeerJ</i> , 2017, 5, e2898. | 2.0 | 47 |
| 1084 | Competition and feeding ecology in two sympatric <i>Xenopus</i> species (Anura: Pipidae). <i>PeerJ</i> , 2017, 5, e3130. | 2.0 | 19 |
| 1085 | Habitat use, preference, and utilization distribution of two crane species (Genus: <i>Grus</i>) in Huize National Nature Reserve, Yunnan-Guizhou Plateau, China. <i>PeerJ</i> , 2018, 6, e5105. | 2.0 | 19 |
| 1086 | A ghost fence-gap: surprising wildlife usage of an obsolete fence crossing. <i>PeerJ</i> , 2018, 6, e5950. | 2.0 | 10 |
| 1087 | Borrowing from Peter to pay Paul: managing threatened predators of endangered and declining prey species. <i>PeerJ</i> , 2019, 7, e7916. | 2.0 | 14 |
| 1088 | Prey partitioning and livestock consumption in the world's richest large carnivore assemblage. <i>Current Biology</i> , 2021, 31, 4887-4897.e5. | 3.9 | 29 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 1089 | Competition versus opportunism: Diet and trophic niche relationship of two sympatric apex carnivores in a tropical forest. <i>Acta Ecologica Sinica</i> , 2023, 43, 99-105. | 1.9 | 3 |
| 1090 | AUGMENTATION OF NATURAL PREY REDUCES CATTLE PREDATION BY PUMA (PUMA CONCOLOR) AND JAGUAR (PANTHERA ONCA) ON A RANCH IN SONORA, MEXICO. <i>Southwestern Naturalist</i> , 2021, 65, . | 0.1 | 1 |
| 1091 | Diet composition and prey choice by the Great Grey Shrike <i>Lanius excubitor</i> during the non-breeding period: comparing two methods of diet analysis. <i>Bird Study</i> , 2021, 68, 183-189. | 1.0 | 2 |
| 1092 | Demography and habitat use of the Badwater snail (<i>Assiminea infima</i>), with observations on its conservation status, Death Valley National Park, California, U.S.A.. , 2001, , 255-265. | | 0 |
| 1093 | Analysis of the effects of natural and social environment on land-use type using the National Land Numerical Information. <i>Bulletion of the International Association for Landscape Ecology-Japan</i> , 2003, 8, 23-31. | 0.0 | 1 |
| 1094 | Comparison of the effect of natural and social environment on land-use selection between artificial and natural-forest. <i>Landscape Ecology and Management</i> , 2004, 9, 63-70. | 0.0 | 1 |
| 1095 | Concept on environmental base map in landscape ecology. <i>Journal of Environmental Conservation Engineering</i> , 2005, 34, 456-461. | 0.1 | 0 |
| 1096 | é,£è³€â•œ±½æ°ˆäÿŸä«ãšãä,«â¡©æ€\$æ¹;âœ°æç%©ç³⁄⁄è½ã®ãfãf“ã,¿ãfãf~è©•ã³⁄¡. <i>Ecology and Civil Engineering</i> , 2006, 48, 245-26 | | |
| 1097 | The Settlement Process of Coastal Vegetation by Morphological Change at the Sandy Shore of Shonan District, Ooiso-cho, Kanagawa Prefecture. <i>Journal of the Japanese Society of Revegetation Technology</i> , 2007, 33, 27-32. | 0.1 | 7 |
| 1098 | Utilization of leaves in paddy fields and around levee for making cocoons by a water beetle <i>Hydrophilus affinis</i> Sharp. <i>Journal of Weed Science and Technology</i> , 2007, 53, 55-62. | 0.1 | 0 |
| 1099 | Ranging behaviour and habitat use by an Afrotropical songbird in a fragmented landscape. <i>African Journal of Ecology</i> , 2007, . | 0.9 | 0 |
| 1100 | Mapping potential habitat of endangered hygrophytes in Tokushima Prefecture. <i>Landscape Ecology and Management</i> , 2008, 12, 17-32. | 0.0 | 2 |
| 1101 | Relationship between Vegetation Changes, Forest Management and Topographic Factors in Musashi Kyuryo National Government Park in Last 36 Years. <i>Journal of the Japanese Institute of Landscape Architecture</i> , 2009, 72, 517-522. | 0.1 | 2 |
| 1102 | Relationship between Transition of Vegetation Landscape and Environmental Conditions after the Meiji Era in the Southwest of Hiroshima Prefecture. <i>Journal of the Japanese Institute of Landscape Architecture</i> , 2009, 72, 485-488. | 0.1 | 1 |
| 1103 | Habitat Preference and Nest Predation Risk in the Blackbird (<i>Turdus merula</i>). <i>Journal of Ecology and Environment</i> , 2009, 32, 41-45. | 1.6 | 0 |
| 1104 | Mesoscale Effects. , 2010, , 157-269. | | 0 |
| 1105 | Effect of sunlight condition determined by terrain on tree health of Japanese mountain cherry (<i>Cerasus jamasakura</i> (Siebold ex Koidz.) H. Ohba var. <i>jamasakura</i>) in Yoshinoyama, Nara Prefecture, Japan. <i>Journal of the Japanese Society of Revegetation Technology</i> , 2012, 38, 15-20. | 0.1 | 0 |
| 1106 | Hydro-Geomorphic Classification and Potential Vegetation Mapping for Upper Mississippi River Bottomland Restoration. , 0, , . | | 0 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 1107 | Polissian population of <i>Lynx lynx</i> in Ukraine and action plan on its conservation. <i>Дізнавання</i> , 2013, 16, 1-11. | 0.4 | 1 |
| 1108 | Effect of the ingestion of metazooplankton on the formation of <i>Microcystis</i> blooms in summer in Lake Taihu. <i>Hupo Kexue/Journal of Lake Sciences</i> , 2013, 25, 398-405. | 0.8 | 1 |
| 1109 | Fish spawning habitat in an irrigation ditch of the Houki River in the Naka River system.. <i>Ecology and Civil Engineering</i> , 2013, 16, 1-11. | 0.1 | 1 |
| 1110 | Selective Impacts of the 2012 Water Floods on the Vegetation and Wildlife of Wilberforce Island, Nigeria. <i>International Journal of Environmental Monitoring and Analysis</i> , 2014, 2, 73. | 0.3 | 5 |
| 1111 | Observational and Experimental Methods for the Estimation of Natality, Mortality and Dispersal. , 1978, , 302-355. | | 0 |
| 1112 | Observational and Experimental Methods for the Estimation of Natality, Mortality and Dispersal. , 1978, , 302-355. | | 0 |
| 1113 | Comparative microhabitat use of cyprinid larvae and juveniles in a lotic floodplain channel. <i>Developments in Environmental Biology of Fishes</i> , 1992, , 181-194. | 0.2 | 15 |
| 1114 | Microhabitat use by two small benthic stream fish in a 2nd order stream. , 1995, , 125-137. | | 8 |
| 1116 | Äkophysiologie II: Ernährung und Stoffwechsel. <i>Springer-Lehrbuch</i> , 1998, , 61-107. | 0.0 | 0 |
| 1117 | Cascading Effects of the Okavango Floods on Human-lion Conflict along the Boteti River. , 2016, , . | | 0 |
| 1118 | Time Series Monitoring of Bush Encroachment by <i>Euclea divinorum</i> in Ol Pejeta Conservancy Laikipia, Kenya. <i>International Journal of Natural Resource Ecology and Management</i> , 2017, 2, 85. | 0.1 | 2 |
| 1120 | Feeding Ecology with Prey Electivity and Growth Performance of Indigenous Asian Striped Dwarf Catfish, <i>Mystus Vittatus</i> (Bloch, 1794) in Low Saline Earthen Ponds of Indian Sundarbans. <i>Annals of Marine Science</i> , 2017, 1, 032-038. | 0.5 | 1 |
| 1121 | Fundamental study on habitat preferences of ferns and fern allies growing in urban hardscape environments. <i>Journal of the Japanese Society of Revegetation Technology</i> , 2018, 44, 63-68. | 0.1 | 1 |
| 1122 | Urban and suburban hardscapes as habitats for ferns:. <i>Journal of the Japanese Society of Revegetation Technology</i> , 2019, 45, 299-307. | 0.1 | 1 |
| 1123 | Some ecological aspects of dhole (<i>Cuon alpinus</i>) in the Huai Kha Khaeng Wildlife Sanctuary, Uthai Thani Province, Thailand. <i>Folia Oecologica</i> , 2019, 46, 91-100. | 0.7 | 7 |
| 1124 | Does Competition Shape Cheetah Prey Use Following African Wild Dog Reintroductions?. <i>African Journal of Wildlife Research</i> , 2020, 50, . | 0.4 | 0 |
| 1125 | Uso de hábitats y recursos florales de <i>Chalybura buffonii caeruleogaster</i> (Aves: Trochilidae) en un sector del piedemonte llanero, Villavicencio, Colombia. <i>Intropica</i> , 0, , 34-41. | 0.0 | 1 |
| 1126 | Golden Jackal <i>Canis aureus</i> Linnaeus, 1758 (Mammalia: Carnivora: Canidae) distribution pattern and feeding at Point Calimere Wildlife Sanctuary, India. <i>Journal of Threatened Taxa</i> , 2020, 12, 16460-16468. | 0.3 | 0 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 1127 | Feeding ecology of the wolf (<i>Canis lupus</i>) in a near-natural ecosystem in Mongolia. <i>Mammalian Biology</i> , 2021, 101, 83-89. | 1.5 | 16 |
| 1128 | Understanding the dynamics of lion attacks on humans and livestock in southern Maasailand, Kenya. <i>Oryx</i> , 0, , 1-8. | 1.0 | 3 |
| 1130 | Home range and habitat use of roan antelope <i>Hippotragus equinus</i> in Northern Botswana. <i>Journal of Arid Environments</i> , 2022, 196, 104648. | 2.4 | 1 |
| 1131 | Bamboo distribution in Nepal and its impact on red pandas. , 2022, , 353-368. | | 4 |
| 1132 | Temporal Changes in Browsing Damage by Sika Deer in a Natural Riparian Forest in Central Japan. <i>Structure and Function of Mountain Ecosystems in Japan</i> , 2020, , 163-178. | 0.5 | 0 |
| 1133 | Prey selection and food habits of the Tiger <i>Panthera tigris</i> (Mammalia: Carnivora: Felidae) in Kalakkad-Mundanthurai Tiger Reserve, southern Western Ghats, India. <i>Journal of Threatened Taxa</i> , 2020, 12, 15535-15546. | 0.3 | 4 |
| 1134 | Diversity and abundance of large tree holes used by Tawny Owls <i>Strix aluco</i> in lowland temperate forests. <i>Bird Study</i> , 2020, 67, 331-343. | 1.0 | 5 |
| 1135 | Observational and Experimental Methods for the Estimation of Natality, Mortality and Dispersal. , 1978, , 302-355. | | 0 |
| 1136 | Ä–kophysiologie II: ErnÄhrung und Stoffwechsel. , 2005, , 61-108. | | 0 |
| 1137 | Spatial differences in prey preference by tigers across the Bangladesh Sundarbans reveal a need for customised strategies to protect prey populations. <i>Endangered Species Research</i> , 2020, 43, 65-73. | 2.4 | 5 |
| 1138 | Effect of leaf type on browse selection by free-ranging goats in a southern African savanna. <i>PLoS ONE</i> , 2020, 15, e0242231. | 2.5 | 4 |
| 1139 | Feeding Ecology of <i>Pachypterus atherinoides</i> (Actinopterygii; Siluriformes; Schilbeidae): A Small Freshwater Fish from Floodplain Wetlands of Northeast India. <i>Ribarstvo, Croatian Journal of Fisheries</i> , 2020, 78, 105-120. | 0.6 | 1 |
| 1140 | Relationship betweenÄandslides caused by heavy rain in July 2017, topography and vegetation in Northern Kyushu.. <i>Ecology and Civil Engineering</i> , 2020, 23, 197-205. | 0.1 | 0 |
| 1142 | Daytime habitat use and abundance of a freshwater shrimp <i>Macrobrachium yui</i>; Holthuis, 1950 (Decapoda: Palaemonidae) in tropical forest stream, northern Laos. <i>Crustacean Research</i> , 2021, 50, 151-163. | 0.8 | 1 |
| 1143 | Feeding Ecology of the Large Carnivore Guild in Madikwe Game Reserve, South Africa. <i>African Journal of Wildlife Research</i> , 2021, 51, . | 0.4 | 0 |
| 1144 | WolfÄHunting Dog Interactions in a Biodiversity Hot Spot Area in Northern Greece: Preliminary Assessment and Implications for Conservation in the Dadia-Lefkimi-Soufli Forest National Park and Adjacent Areas. <i>Animals</i> , 2021, 11, 3235. | 2.3 | 2 |
| 1145 | Snow Leopard Dietary Preferences and Livestock Predation Revealed by Fecal DNA Metabarcoding: No Evidence for Apparent Competition Between Wild and Domestic Prey. <i>Frontiers in Ecology and Evolution</i> , 2021, 9, . | 2.2 | 8 |
| 1146 | Effectiveness of using nest boxes as a form of bird protection after building modernization. <i>Biodiversity and Conservation</i> , 2022, 31, 277-294. | 2.6 | 5 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 1147 | Negative Effects of Snow Cover on Foraging Habitat Selection and Breeding Success in the Red-Billed Chough <i>Pyrrhocorax pyrrhocorax</i> . <i>Ardeola</i> , 2021, 69, . | 0.7 | 0 |
| 1148 | Food habits of the Eurasian lynx <i>Lynx lynx</i> in southeast Poland. <i>Journal of Vertebrate Biology</i> , 2021, 71, . | 1.0 | 4 |
| 1149 | An assessment of relative habitat use as a metric for speciesâ€™ habitat association and degree of specialization. <i>Ecological Indicators</i> , 2022, 135, 108521. | 6.3 | 4 |
| 1150 | Movement, activity, and landscape use patterns of heritage and commercial beef cows grazing Chihuahuan Desert rangeland. <i>Journal of Arid Environments</i> , 2022, 199, 104704. | 2.4 | 11 |
| 1151 | Pet cats (<i>Felis catus</i>) from urban boundaries use different habitats, have larger home ranges and kill more prey than cats from the suburbs. <i>Landscape and Urban Planning</i> , 2022, 220, 104338. | 7.5 | 12 |
| 1152 | Habitat selection of semi-free ranging European bison: Do bison preferred natural open habitats?. <i>LesnÃcky Ãcasopis</i> , 2021, 67, 30-34. | 0.8 | 0 |
| 1153 | A Comparative Analysis of the Reindeer (<i>Rangifer tarandus</i>), the Greater White-Fronted Goose (<i>Anser</i>) Tj ETQq0 0 0 rgBT /Overlock 10 T | 0.5 | 2 |
| 1154 | Summer stream habitat preferences of Nunavik anadromous Arctic char (<i>Salvelinus alpinus</i>) fry and parr. <i>Canadian Journal of Fisheries and Aquatic Sciences</i> , 2022, 79, 1074-1085. | 1.4 | 4 |
| 1155 | DNA metabarcoding suggests dietary niche partitioning in the Adriatic European hake. <i>Scientific Reports</i> , 2022, 12, 1343. | 3.3 | 2 |
| 1156 | Distribution of an arboreal snail, <i>Rhachistia bengalensis</i> (Lamarck, 1822) in managed and unmanaged habitats: implications for conservation. <i>Tropical Ecology</i> , 0, , 1. | 1.2 | 0 |
| 1157 | Natural nest sites of the European Starling <i>Sturnus vulgaris</i> in a primeval temperate forest. <i>Bird Study</i> , 2021, 68, 145-156. | 1.0 | 5 |
| 1158 | Humans rather than Eurasian lynx (<i>Lynx lynx</i>) shape ungulate browsing patterns in a temperate forest. <i>Ecosphere</i> , 2022, 13, . | 2.2 | 16 |
| 1159 | Predator-Prey Interactions between Nonnative Juvenile Largemouth Bass (<i>Micropterus salmoides</i>) and Local Candidate Prey Species in the Pearl River Delta: Predation Capacity, Preference and Growth Performance. <i>Life</i> , 2022, 12, 295. | 2.4 | 3 |
| 1160 | Dietary preference of cheetahs (<i>Acinonyx jubatus</i>) in south-eastern Kenya. <i>Ecology and Evolution</i> , 2022, 12, e8556. | 1.9 | 0 |
| 1161 | Even generalist and resilient species are affected by anthropic disturbance: evidence from wild boar activity patterns in a Mediterranean landscape. <i>Mammal Research</i> , 2022, 67, 317-325. | 1.3 | 8 |
| 1162 | Characterization of grazing behaviour microstructure using point-of-view cameras. <i>PLoS ONE</i> , 2022, 17, e0265037. | 2.5 | 0 |
| 1163 | Adaptive Vertical Positioning as Anti-Predator Behavior: The Case of a Prey Fish Cohabiting with Multiple Predatory Fish within Temperate Marine Algal Forests. <i>Animals</i> , 2022, 12, 826. | 2.3 | 1 |
| 1165 | Factors affecting spatiotemporal behaviour in the European brown hare <i>Lepus europaeus</i> : a meta-analysis. <i>Mammal Review</i> , 2022, 52, 454-470. | 4.8 | 8 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 1166 | Amblyomma mixtum free-living stages: Inferences on dry and wet seasons use, preference, and niche width in an agroecosystem (Yopal, Casanare, Colombia). PLoS ONE, 2022, 17, e0245109. | 2.5 | 2 |
| 1167 | Environmental factors affecting wildfire-burned areas in southeastern France, 1970â€“2019. Natural Hazards and Earth System Sciences, 2022, 22, 1181-1200. | 3.6 | 3 |
| 1168 | Niche separation between two dominant crustacean predators in European estuarine soft-bottom habitats. Ecological Indicators, 2022, 138, 108839. | 6.3 | 1 |
| 1169 | A new look at habitat suitability curves through functional data analysis. Ecological Modelling, 2022, 467, 109905. | 2.5 | 3 |
| 1170 | Trophic Interactions between Snow Goose and Brant Goose in the Breeding Time with Regard to Their Population Trends. Russian Journal of Ecology, 2021, 52, 523-532. | 0.9 | 2 |
| 1171 | Optimal Foraging Theory Explains Feeding Preferences in the Western Pacific Crown-of-Thorns Sea Star <i>Acanthaster</i> sp.. Biological Bulletin, 2021, 241, 303-329. | 1.8 | 6 |
| 1172 | The usage of a zooplankton digitization software to study plankton dynamics in freshwater fisheries. Fisheries Research, 2022, 251, 106326. | 1.7 | 2 |
| 1179 | Feeding ecology of endemic frogs of the Atlantic Forest in southern Brazil. Anais Da Academia Brasileira De Ciencias, 2022, 94, e20210282. | 0.8 | 2 |
| 1180 | Comparing the effects of horse grazing alone or with cattle on horse parasitism and vegetation use in a mesophile pasture. Grass and Forage Science, 2022, 77, 175-188. | 2.9 | 4 |
| 1181 | Network Analysis Using Markov Chain Applied to Wildlife Habitat Selection. Diversity, 2022, 14, 330. | 1.7 | 2 |
| 1182 | Where did the finch go? Insights from radio telemetry of the medium ground finch (<i>Geospiza</i>) Tj ETQq0 0 0 rgBTj /Overlock 10 Tf 50 | 1.9 | 1 |
| 1183 | Diet Composition and Prey Preference of Tiger, Leopard, and Dhole in Kalakkad-Mundanthurai Tiger Reserve, Southern Western Ghats, India. Mammal Study, 2022, 47, . | 0.6 | 4 |
| 1184 | Foraging decisions with conservation consequences: Interaction between beavers and invasive tree species. Ecology and Evolution, 2022, 12, . | 1.9 | 5 |
| 1185 | Patterns of livestock depredation by snow leopards and effects of intervention strategies: lessons from the Nepalese Himalaya. Wildlife Research, 2022, 49, 719-737. | 1.4 | 1 |
| 1186 | Diet selection of sheep shifted from quality to quantity characteristics of forages as sward availability decreased. Animal, 2022, 16, 100546. | 3.3 | 1 |
| 1187 | A method to predict overall food preferences. PLoS ONE, 2022, 17, e0268520. | 2.5 | 1 |
| 1188 | Spatial Occupancy, Local Abundance and Activity Rhythm of Three Ground Dwelling Columbidae Species in the Forests of Guadeloupe in Relation to Environmental Factors. Diversity, 2022, 14, 480. | 1.7 | 7 |
| 1190 | Habitat and microhabitat suitability for Italian <i>Platycerus</i> species (Coleoptera: Lucanidae): elevation, slope aspect and deadwood features. Scandinavian Journal of Forest Research, 2022, 37, 172-181. | 1.4 | 4 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 1191 | What drives wolf preference towards wild ungulates? Insights from a multi-prey system in the Slovak Carpathians. PLoS ONE, 2022, 17, e0265386. | 2.5 | 3 |
| 1192 | Diet and prey selection of clouded leopards and tigers in Laos. Ecology and Evolution, 2022, 12, . | 1.9 | 5 |
| 1193 | Assessing the Diet of a Predator Using a DNA Metabarcoding Approach. Frontiers in Ecology and Evolution, 0, 10, . | 2.2 | 1 |
| 1194 | Feeding Patterns of Three Widespread Carnivoresâ€”The Wolf, Snow Leopard, and Red Foxâ€”in the Trans-Himalayan Landscape of India. Frontiers in Ecology and Evolution, 0, 10, . | 2.2 | 4 |
| 1195 | Caffeine and ethanol in nectar interact with flower color impacting bumblebee behavior. Behavioral Ecology and Sociobiology, 2022, 76, . | 1.4 | 4 |
| 1196 | Allometry of behavior and niche differentiation among congeneric African antelopes. Ecological Monographs, 2023, 93, . | 5.4 | 6 |
| 1197 | Dietary composition and prey preference of Royal Bengal Tiger (<i>Panthera tigris tigris</i> , Linnaeus 1758) of Parsa National Park, Nepal.. European Journal of Ecology, 2022, 8, . | 0.3 | 0 |
| 1198 | Seasonal feeding habits of the Iberian bullfinch <i>Pyrrhula pyrrhula iberiae</i> in northwestern Spain. Ornithology Research, 2022, 30, 155-173. | 1.4 | 1 |
| 1199 | Cannibalism has its limits in soil food webs. Soil Biology and Biochemistry, 2022, 172, 108773. | 8.8 | 0 |
| 1200 | Evaluation of resting traps: An approach to understand resting biology of <i>Culicoides</i> spp. in backyard cattle shed. Acta Tropica, 2022, 234, 106576. | 2.0 | 2 |
| 1201 | RELACION USO-DISPONIBILIDAD DE COMPONENTES TOPOGRAFICOS Y UN MODELO DE CALIDAD DEL HABITAT PARA EL BORREGO CIMARRON, EN SONORA, MEXICO. Acta Zoológica Mexicana, 1999, , 17-34. | 1.1 | 1 |
| 1202 | Land Use Change and the Factors in the Hilly and Mountainous Area. , 2019, 17, 393-399. | | 0 |
| 1203 | Medium and large-sized mammals in dry forests of the Colombian Caribbean. Universitas Scientiarum, 2020, 25, 435-461. | 0.4 | 2 |
| 1204 | Increased Floral Rewards due to Local Adaptation Drives Plant Ecological Speciation via Learned Preferences of Pollinators. American Naturalist, 2022, 200, 834-845. | 2.1 | 3 |
| 1205 | Coping with drought? Effects of extended drought conditions on soil invertebrate prey and diet selection by a fossorial amphisbaenian reptile. Environmental Epigenetics, 0, , . | 1.8 | 4 |
| 1206 | Feeding ecology of the endangered Asiatic wild dogs (<i>Cuon alpinus</i>) across tropical forests of the Central Indian Landscape. Scientific Reports, 2022, 12, . | 3.3 | 1 |
| 1209 | Grey wolf feeding habits and their geographical variation in Northwest Spain. Food Webs, 2022, 32, e00248. | 1.2 | 2 |
| 1210 | GPS Tracking to Monitor the Spatiotemporal Dynamics of Cattle Behavior and Their Relationship with Feces Distribution. Animals, 2022, 12, 2383. | 2.3 | 6 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 1211 | An inventory of amphibian roadkill in the western Soutpansberg, Limpopo province, South Africa. African Journal of Herpetology, 2023, 72, 16-32. | 0.9 | 1 |
| 1212 | Diet of the grey wolf <i>Canis lupus</i> in Roztocze and Solska Forest, south-east Poland. Journal of Vertebrate Biology, 2022, 71, . | 1.0 | 5 |
| 1213 | Uso de hábitat y análisis preliminar de la dieta del periquito bronceado <i>Brotogeris jugularis</i> en un paisaje rural del piedemonte llanero colombiano. Intropica, 0, , 37-46. | 0.0 | 1 |
| 1214 | Stuck between the Mandibles of an Insect and of a Rodent: Where Does the Fate of Ash-Dominated Riparian Temperate Forests Lie?. Forests, 2022, 13, 1760. | 2.1 | 0 |
| 1215 | Crop Harvesting Can Affect Habitat Selection of Wild Boar (<i>Sus scrofa</i>). Sustainability, 2022, 14, 14679. | 3.2 | 1 |
| 1216 | Livestock depredation by wild carnivores in the highlands of Wolaita zone, southern Ethiopia. Wildlife Research, 2023, 50, 301-309. | 1.4 | 1 |
| 1217 | Lion (<i>Panthera leo</i>) diet and cattle depredation on the Kuku Group Ranch Pastoralist area in southern Maasailand, Kenya. Wildlife Research, 2023, 50, 310-324. | 1.4 | 1 |
| 1218 | Population Density and Stability of Breeding Birds in English Oak Woodland Over a 32-Year Period in Relation to Habitat Structure and Edges. Acta Ornithologica, 2022, 57, . | 0.5 | 0 |
| 1219 | Structural enrichment and enclosure use in an opportunistic carnivore: the red fox (<i>Vulpes</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 422 | 0.7 | 6 |
| 1220 | Factors influencing the activity ranges of feral pigs (<i>Sus scrofa</i>) across four sites in eastern Australia. Wildlife Research, 2023, , . | 1.4 | 1 |
| 1221 | Seasonal variation in prey preference, diet partitioning and niche breadth in a rich large carnivore guild. African Journal of Ecology, 2023, 61, 141-152. | 0.9 | 1 |
| 1222 | Fine-Scaled Selection of Resting and Hunting Habitat by Leopard Cats (<i>Prionailurus bengalensis</i>) in a Rural Human-Dominated Landscape in Taiwan. Animals, 2023, 13, 234. | 2.3 | 2 |
| 1223 | Consumption of arthropods by hummingbirds in the Sierra Madre de Chiapas, Mexico. Avian Biology Research, 2023, 16, 21-31. | 0.9 | 0 |
| 1224 | Feeding ecology of <i>Massoutiera mzabi</i> (Rodentia, Ctenodactylidae) in two national parks of Central Sahara. Mammalia, 2023, . | 0.7 | 0 |
| 1225 | Goat browse selectivity during conservation grazing in an invaded eastern oak-hickory forest. Agroforestry Systems, 0, , . | 2.0 | 0 |
| 1226 | Habitat selection of a migratory freshwater fish in response to seasonal hypoxia as revealed by acoustic telemetry. Journal of Great Lakes Research, 2023, 49, 1004-1014. | 1.9 | 1 |
| 1227 | Optimal foraging of lions at the human wildlands interface. African Journal of Ecology, 0, , . | 0.9 | 3 |
| 1228 | Macro-nutritional balancing in a circumpolar boreal ruminant under winter conditions. Functional Ecology, 0, , . | 3.6 | 1 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 1229 | The importance of landscape heterogeneity and vegetation structure for the conservation of the Oortolan Bunting <i>Emberiza hortulana</i>. Bird Conservation International, 2023, 33, . | 1.3 | 3 |
| 1230 | Foraging behavior of Raramuri Criollo vs. Angus cattle grazing California Chaparral and Colorado Plateau shrublands. Journal of Arid Environments, 2023, 213, 104975. | 2.4 | 1 |
| 1231 | Wildlife habitat mapping using Sentinel-2 imagery of Mehao Wildlife Sanctuary, Arunachal Pradesh, India. Heliyon, 2023, 9, e13799. | 3.2 | 1 |
| 1233 | Validating graphâ€based connectivity models with independent presenceâ€absence and genetic data sets. Conservation Biology, 0, , . | 4.7 | 1 |
| 1234 | Feeding ecology of Benthosema glaciale across the North Atlantic. Frontiers in Marine Science, 0, 10, . | 2.5 | 0 |
| 1235 | Activity patterns of the marsh deer: Effects of proxies of human movement, cattle presence, and moon phases on its behavior. Journal of Zoology, 2023, 320, 75-83. | 1.7 | 0 |
| 1236 | Can smaller predators expand their prey base through killing juveniles? The influence of prey demography and season on prey selection for cheetahs and lions. Oecologia, 2023, 201, 649-660. | 2.0 | 0 |
| 1237 | EXPERIMENTAL CONSIDERATION ON GATHERING EFFECT OF FLOORS PLACED TO FLOATING FISH REEFS FOR TARGETED <i>TRIDENTIGER OBSCURUS</i> IN HYPOXIA ENVIRONMENT. Journal of Japan Society of Civil Engineers Ser G (Environmental Research), 2022, 78, II_69-II_75. | 0.1 | 0 |
| 1238 | Temporospatial characteristics of wild boar rooting damage in maize fields. Review on Agriculture and Rural Development, 2022, 11, 121-125. | 0.0 | 0 |
| 1239 | Risk assessment for Birds and Mammals. EFSA Journal, 2023, 21, . | 1.8 | 12 |
| 1240 | Effects of Anthropogenic Disturbance of Natural Habitats on the Feeding Ecology of Moorish Geckos. Animals, 2023, 13, 1413. | 2.3 | 1 |
| 1241 | Optimal prey for red fox cubsâ€An example of dual optimizing foraging strategy in foxes from a dynamic wetland habitat. Ecology and Evolution, 2023, 13, . | 1.9 | 2 |
| 1242 | Effect of microhabitat characteristics for predicting habitat suitability for a stalking large carnivoreâ€the Eurasian lynx in middle Europe. Animal Conservation, 2023, 26, 851-864. | 2.9 | 1 |
| 1244 | Motility and size of rotifers as risk factors for being consumed by the passive protistan predator Actinosphaerium sp.. Hydrobiologia, 0, , . | 2.0 | 2 |
| 1245 | Lightâ€demanding tree species are more susceptible to lianas than shadeâ€tolerant tree species in a subtropical secondary forest. Journal of Ecology, 2023, 111, 1656-1669. | 4.0 | 1 |
| 1246 | Eurasian otters prefer to prey on religious released non-native fish on the Qinghai-Tibetan Plateau. Environmental Epigenetics, 0, , . | 1.8 | 0 |
| 1247 | Leopards living at the farmlandâ€protected area interface prefer wild prey but consume high biomass of livestock. African Journal of Ecology, 0, , . | 0.9 | 1 |
| 1248 | Tropical dry woodland loss occurs disproportionately in areas of highest conservation value. Global Change Biology, 2023, 29, 4880-4897. | 9.5 | 3 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 1249 | Unraveling the Effect of Fire Seasonality on Fire-Preferred Fuel Types and Dynamics in Alto Minho, Portugal (2000â€“2018). <i>Fire</i> , 2023, 6, 267. | 2.8 | 2 |
| 1251 | Diet of the Dingo in Subtropical Australian Forests: Are Small, Threatened Macropods at Risk?. <i>Animals</i> , 2023, 13, 2257. | 2.3 | 0 |
| 1252 | Factors affecting spatial occupancy and local abundance of the Forest Thrush, <i>Turdus lherminieri</i> , in Guadeloupe forests. <i>European Journal of Wildlife Research</i> , 2023, 69, . | 1.4 | 0 |
| 1253 | Diet selection, commonness, and rarity in a pair of smooth-toothed pocket gophers. <i>Journal of Mammalogy</i> , 0, , . | 1.3 | 0 |
| 1254 | Habitat use by semi-feral Konik horses on wetlandsâ€™three-year GPS study. <i>Environmental Monitoring and Assessment</i> , 2023, 195, . | 2.7 | 0 |
| 1255 | Potential Distribution and Suitable Habitat for Chestnut (<i>Castanea sativa</i>). <i>Forests</i> , 2023, 14, 2076. | 2.1 | 1 |
| 1256 | Habitat Preference and Current Threats to The Sarus Cranes <i>Grus Antigone</i> (Aves: Gruiformes:) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 502 1 Conservation Actions. , 2022, 43, 07-16. | | 1 |
| 1258 | Green tree retention as a conservation tool for the black woodpecker in managed forests. <i>Forest Ecology and Management</i> , 2023, 548, 121398. | 3.2 | 0 |
| 1259 | Spawning habitat characteristics of pond smelt <i>Hypomesus nipponensis</i> in small inlet rivers to Lake Yogo, central Japan. <i>Fisheries Science</i> , 0, , . | 1.6 | 0 |
| 1260 | Is there a role for aromatic plants in blue tit (<i>Cyanistes caeruleus</i>) nests? Results from a correlational and an experimental study. <i>Behavioral Ecology and Sociobiology</i> , 2023, 77, . | 1.4 | 0 |
| 1261 | The effectiveness of past wildfire at limiting reburning is short-lived in a Mediterranean humid climate. <i>Fire Ecology</i> , 2023, 19, . | 3.0 | 0 |
| 1262 | Behavioral Adaptations of Nursing Brangus Cows to Virtual Fencing: Insights from a Training Deployment Phase. <i>Animals</i> , 2023, 13, 3558. | 2.3 | 0 |
| 1263 | Habitat selection by Grevy's zebra (<i>Equus grevyi</i>): Conservation implications. <i>African Journal of Ecology</i> , 2024, 62, . | 0.9 | 0 |
| 1264 | From threatened to threatening: Impacts of a reintroduced predator on reintroduced prey. <i>Animal Conservation</i> , 0, , . | 2.9 | 2 |
| 1265 | Optimal growth and feeding behaviour of the valuable bait <i>Halla parthenopeia</i> (Polychaeta:) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 182 T 3.5 0 | 3.5 | 0 |
| 1266 | Diet selection in the Coyote <i>Canis latrans</i>. <i>Journal of Mammalogy</i> , 2023, 104, 1338-1352. | 1.3 | 0 |
| 1267 | Wild Ungulates Constitute the Basis of the Diet of the Iberian Wolf in a Recently Recolonized Area: Wild Boar and Roe Deer as Key Species for Its Conservation. <i>Animals</i> , 2023, 13, 3364. | 2.3 | 1 |
| 1268 | Trophic Selectivity of the Barnacle Goose (<i>Branta leucopsis</i>) and Greater White-Fronted Goose (<i>Anser</i>) Tj ETQq1 1 0.784314 rgBT /Over 0.9 | 0.9 | |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 1269 | The arboreal microsnail <i>Insulipupa malayana</i> (Issel, 1874) (Gastropoda: Stylommatophora: Vertiginidae) from West Bengal, India. <i>Journal of Threatened Taxa</i> , 2023, 15, 24261-24265. | 0.3 | 0 |
| 1270 | Daytime habitat use by Japanese eel in small streams in Shikoku, southwestern Japan. <i>Environmental Biology of Fishes</i> , 0, , . | 1.0 | 0 |
| 1271 | Trophic Specialisation Levels of Geese, Lemmings, and Ruminants with Regard to the Transformation of Arctic Herbivore Communities. <i>Contemporary Problems of Ecology</i> , 2023, 16, 734-744. | 0.7 | 0 |
| 1273 | To be or not to be â€“ Deterministic factors in deductive thermal modeling for predicting vulture flight. <i>AIP Conference Proceedings</i> , 2023, , . | 0.4 | 0 |
| 1274 | Habitat use by impala (<i>Aepyceros melampus</i>) breeding herds in an elephant-impacted woodland along the Chobe Riverfront, Botswana. <i>African Journal of Ecology</i> , 2024, 62, . | 0.9 | 0 |
| 1275 | Foraging behavior of Highland cattle in silvopastoral systems in the Alps. <i>Agroforestry Systems</i> , 0, , . | 2.0 | 0 |
| 1276 | The complexity of goatsâ€™ feeding behaviour: An overview of the research in the tropical low deciduous forest. <i>Small Ruminant Research</i> , 2024, 231, 107199. | 1.2 | 0 |
| 1277 | Two ubiquitous parrotfishes exhibit distinct foraging ecologies on tropical Brazilian reefs. <i>Marine Ecology - Progress Series</i> , 0, 730, 79-93. | 1.9 | 0 |
| 1278 | Ecophysiology. , 2023, , 115-168. | | 0 |
| 1279 | Carryover effects and feeding behavior of Atlantic surfclams in response to climate change. <i>Journal of Experimental Marine Biology and Ecology</i> , 2024, 573, 152002. | 1.5 | 0 |
| 1280 | Feeding dynamics of the wolf (<i>Canis lupus</i>) in the anthropogenic landscape of Germany: a 20-year survey. <i>Mammalian Biology</i> , 2024, 104, 151-163. | 1.5 | 0 |
| 1281 | Food web interactions of two breeding Arctic shorebird species, little stint <i>Calidris minuta</i> and red knot <i>Calidris canutus</i> , are shaped by their elevational distribution. <i>Polar Biology</i> , 2024, 47, 247-261. | 1.2 | 0 |
| 1282 | Biology and epibiont community of the red decorator crab, <i>Schizophrys aspera</i> , on the southern Great Barrier Reef. <i>Coral Reefs</i> , 2024, 43, 455-466. | 2.2 | 0 |
| 1283 | Effectiveness of attractants and bait for Iberian wolf detection: captivity-based and free-ranging trials. <i>European Journal of Wildlife Research</i> , 2024, 70, . | 1.4 | 0 |
| 1284 | Get out from my field! The role of agricultural crops in shaping the habitat selection by and suitability for the crested porcupine in Central Italy. <i>Mammal Research</i> , 0, , . | 1.3 | 0 |
| 1285 | Diet responses of two apex carnivores (lions and leopards) to wild prey depletion and livestock availability. <i>Biological Conservation</i> , 2024, 292, 110542. | 4.1 | 0 |
| 1286 | Food resource competition between African wild dogs and larger carnivores in an ecosystem with artificial water provision. <i>Ecology and Evolution</i> , 2024, 14, . | 1.9 | 0 |
| 1287 | The relationship between preference and switching in flower foraging by bees. <i>Behavioral Ecology and Sociobiology</i> , 2024, 78, . | 1.4 | 0 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 1288 | Iberian wolf's diet and its quality during breeding season: exploring the influence of zone, wolf groups, prey availability and individual factors. Behavioral Ecology and Sociobiology, 2024, 78, . | 1.4 | 0 |