CITATION REPORT List of articles citing

A method for estimating both the solubility parameters and molar volumes of liquids

DOI: 10.1002/pen.760140211 Polymer Engineering and Science, 1974, 14, 147-154.

Source: https://exaly.com/paper-pdf/11815616/citation-report.pdf

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
1381	Fixed Bed Modeling of Nonsteroidal Anti-Inflammatory Drug Removal by Ion-Exchange in Synthetic Urine: Mass Removal or Toxicity Reduction?.		
1380	Modifying the Interaction Parameters of a Linear ABC Triblock Terpolymer by Functionalizing the Short, Reactive Middle Block To Induce Morphological Change.		
1379	Influence of Polymer and Drug Loading on the Release Profile and Membrane Transport of Telaprevir.		
1378	Electrolyte-Philic Electrode Material with a Functional Polymer Brush.		
1377	Pencil and Paper Estimation of Hansen Solubility Parameters.		
1376	Renewable Thermosets and Thermoplastics from Itaconic Acid.		
1375	Regioselective Bromination of the Dextran Nonreducing End Creates a Pathway to Dextran-Based Block Copolymers.		
1374	A method for estimating both the solubility parameters and molar volumes of liquids. Supplement. <i>Polymer Engineering and Science</i> , 1974 , 14, 472-472	2.3	80
1373	Oligomeric plasticizers from crambe oil-derived dicarboxylic acids for poly(vinyl chloride). 1975 , 52, 10-	13	5
1372	The assessment of the cohesive energy density between low molecular weight liquids and polymers. 1977 , 19, 1159-1169		29
1371	Effect of center block structure on the physical and rheological properties of ABA block copolymers. Part II. Rheological properties. <i>Polymer Engineering and Science</i> , 1977 , 17, 563-569	2.3	13
1370	Glass transition temperatures of poly N [[N [alkyl]] [haleimides. 1977, 9, 6-14		17
1369	Methods for the estimation of vapor pressures and oxygen solubilities of fluorochemicals for possible application in artificial blood formulations 1978 , 12, 221-236		31
1368	Absorption of liquids by rubber vulcanizates. 1979 , 20, 1087-1090		12
1367	Heat of vaporisation: Its determination and application in evaluation of the solubility parameter [] A review. 1979 , 7, 167-207		6
1366	Heats of solution of cardo-polyheteroarylenes and the effect of individual macromolecular groups. 1979 , 21, 2358-2366		3
1365	??. 1979 , 52, 636-640		

1364 Solvent interactions with polysulfone. <i>Polymer Engineering and Science</i> , 1980 , 20, 59-64	2.3	10
Extended Hildebrand solubility approach: solubility of theophylline in polar binary solvents. 1980 , 69, 487-91		118
1362 Extended Hildebrand approach: solubility of caffeine in dioxane-water mixtures. 1980 , 69, 659-61		100
$_{1361}$ Solubility of polar organic solutes in nonaqueous systems: role of specific interactions. 1980 , 69, 676-80		29
1360 Polythioamides aliphatiques III. Etude de quelques proprietes physicochimiques. 1980 , 16, 1167-1173		5
1359 Methods of calculating engineering parameters for gas separations. 1980 , 6, 241-255		22
A Method for Predicting the Volume Increase of Fuel Handling Rubbers in Complex Fuel Blends. 1980 ,		1
1357 Estimating the Solubility of Gases in Petroleum and Synthetic Lubricants. 1980 , 23, 335-342		9
The solubility parameter, methods for its determination and its relationship with the solubility of polymers. 1980 , 22, 533-549		11
1355 Extended Hildebrand Solubility Approach: methylxanthines in mixed solvents. 1981 , 70, 1115-20		80
1354 Cresylic soluble polyimides. 1981 , 26, 3837-3843		1
1353 Monolayer properties of fatty acids. 1981 , 80, 474-481		13
1352 Solubility Parameters. 1982 , 52, 570-579		9
1351 Universal law for the rotational viscosity of nematic liquid crystals. 1982 , 26, 2940-2945		24
Extended Hildebrand solubility approach: solubility of tolbutamide, acetohexamide, and sulfisomidine in binary solvent mixtures. 1982 , 71, 439-42		29
1349 Extended Hildebrand solubility approach and the log linear solubility equation. 1982 , 71, 849-56		41
Extended Hildebrand solubility approach: testosterone and testosterone propionate in binary solvents. 1982 , 71, 1334-40		29
Densitometric determination of the solubility parameter and molal volume of compounds of medicinal relevance. 1983 , 72, 499-504		32

1346	Extended Hildebrand solubility approach: p-hydroxybenzoic acid in mixtures of dioxane and water. 1983 , 72, 587-92	34
1345	Solvents for polypropylene: their selection for a recycling process. 1983 , 6, 107-122	12
1344	A thermodynamic study of the solubility of theophylline and its hydrate. 1983 , 14, 79-93	28
1343	Expanded solubility parameter approach. II: p-Hydroxybenzoic acid and methyl p-hydroxybenzoate in individual solvents. 1984 , 73, 188-94	47
1342	Theoretical Aspects of Plasticisation. 1984 , 117-146	3
1341	Determination of the solubility and diffusion coefficients of water in aliphatic polyamides as a step to studying their hydrolytic stability. 1985 , 12, 1-12	10
1340	Effect of aggregation state of hard segment in segmented poly(urethaneureas) on their fatigue behavior after interaction with blood components. 1985 , 19, 13-34	53
1339	Extended Hildebrand solubility approach: sulfonamides in binary and ternary solvents. 1985 , 74, 277-82	66
1338	Selection and Evaluation of Membrane Materials for Liquid Separations. <i>ACS Symposium Series</i> , 1985, 47-79	10
1337	Partial Solubility Parameter Characterization of Interpenetrating Microphase Membranes. <i>ACS Symposium Series</i> , 1985 , 351-363	2
1336	Sorption of water by aliphatic polyamides. Review. 1985 , 27, 751-768	23
1335	Die Bestimmung der L\(\mathbb{G}\)lichkeit und des Diffusionskoeffizienten von Wasser in aliphatischen Polyamiden bei unterschiedlicher Feuchte. 1986 , 37, 146-150	1
1334	Determination of partial solubility parameters of lactose by gas-solid chromatography. 1986 , 75, 68-72	36
1333	Effects of solvent polarity on the acid dissociation constants of benzoic acids. 1986 , 75, 182-6	39
1332	Relationship between the solubility parameter and the binding of drugs by plasma proteins. 1986 , 75, 639-43	10
1331	The effect of vehicle on the diffusion of salicylic acid through hairless mouse skin. 1986 , 75, 744-9	45
1330	Solid l iquid equilibrium and the structure of solutions of highly polar aromatic compounds. 1986 , 28, 57-72	20
1329	Phase separation in crosslinked resins containing polymeric modifiers. <i>Polymer Engineering and Science</i> , 1986 , 26, 54-62	142

1328	Use of solubility parameters of drug and vehicle to predict flux through skin. 1986 , 87, 244-52	113
1327	Synthesis and Characterization of O-Nitrosubstituted Polyimides. 1987 , 24, 689-700	2
1326	The solubility parameter of vehicles as a predictor of relative vehicle effects on the diffusion of 6-mercaptopurine. 1987 , 36, 211-222	15
1325	The effect of the composition of binary systems on the solubility and solubility parameter estimation of nalidixic and salicylic acids. 1987 , 38, 71-78	5
1324	Determination of partial and total cohesion parameters of caffeine, theophylline, and methyl p-hydroxybenzoate by gas-solid chromatography. 1987 , 76, 406-10	10
1323	Thermochemical investigations of associated solutions: 4. Calculation of carbazole-dibutyl ether association constants from measured solubility in binary solvent mixtures. 1987 , 76, 572-4	36
1322	Effects of vehicles and prodrug properties and their interactions on the delivery of 6-mercaptopurine through skin: bisacyloxymethyl-6-mercaptopurine prodrugs. 1987 , 76, 587-95	57
1321	Use of theoretical partition coefficients determined from solubility parameters to predict permeability coefficients for 5-fluorouracil. 1987 , 89, 147-51	15
1320	Determination of the total and partial cohesion parameters of lipophilic liquids by gas-liquid chromatography and from molecular properties. 1988 , 77, 169-74	7
1319	Effects of vehicles and prodrug properties and their interactions on the delivery of 6-mercaptopurine through skin: S6-acyloxymethyl-6-mercaptopurine prodrugs. 1988 , 77, 210-5	27
1318	Supercritical CO2 Extraction of Carotene and Lutein from Leaf Protein Concentrates. 1988, 53, 1532-1536	96
1317	Flory interaction parameter chi for hydrophilic copolymers with water. 1988 , 9, 419-23	38
1316	Model for microemulsions. 1988 , 124, 462-485	21
1315	Distribution of cholesterol in milk fat fractions. 1988 , 55, 361-71	51
1314	Micellar properties of non-ionic surfactants in relation to their solubility parameters. 1988, 42, 1-9	14
1313	The effect of structure of Mannich base prodrugs on their ability to deliver theophylline and 5-fluorouracil through hairless mouse skin. 1988 , 44, 87-96	18
1312	The correlation of polymer-water and octanol-water partition coefficients: estimation of drug solubilities in polymers. 1988 , 45, 1-11	34
1311	Viscoelastic Behavior, Thermodynamic Compatibility, and Phase Equilibria in Block Copolymer-Based Pressure-Sensitive Adhesives. 1989 , 28, 201-230	8

1310	Prodrugs for dermal delivery. 1989 , 3, 67-101	56
1309	Predicting the solubility of sulfamethoxypyridazine in individual solvents. I: Calculating partial solubility parameters. 1989 , 78, 567-73	19
1308	Predicting the solubility of sulfamethoxypyridazine in individual solvents. II: Relationship between solute-solvent interaction terms and partial solubility parameters. 1989 , 78, 672-8	6
1307	The role of polarity in correlations of solid-supercritical fluid phase systems. 1989 , 2, 85-96	22
1306	Thermal expansion coefficients and moduli of uniaxially stretched polyimide films with rigid and flexible molecular chains. 1989 , 30, 1170-1174	44
1305	Solubility parameters of poly(4-acetoxystyrene) and poly(4-hydroxystyrene). 1989 , 30, 686-692	18
1304	A general equation for the relationship between sol fraction and radiation dose in radiation crosslinking. 1989 , 33, 581-584	1
1303	Structure-properties relationships for densely cross-linked epoxide-amine systems based on epoxide or amine mixtures. 1989 , 24, 69-75	45
1302	Multicomponent effects in the pressure-driven membrane separation of dilute solutions of nonelectrolytes. 1989 , 42, 285-302	12
1301	The effect of aminomethyl (N-Mannich base) derivatization on the ability of S6-pivaloyloxymethyl-6-mercaptopurine prodrug to deliver 6-mercaptopurine through hairless mouse skin. 1989 , 57, 253-261	1
1300	Fundamentals and Applications of Supercritical Fluid Extraction in Chromatographic Science. 1989 , 27, 355-364	149
1299	Effects of Ester Side Chain Structure on Gas Permeation Behavior of Poly(dialkylfumarate)s. 1989 , 21, 433-438	16
1298	PREDICTING O/W EMULSION STABILITY BY THE R EQUIRED HLB EQUATION□ 1990 , 11, 83-91	18
1297	A numerical procedure for choosing effective, low toxicity plasticizers for glycol methacrylate embedding. 1990 , 22, 439-51	9
1296	Alkylation of 6-mercaptopurine (6-MP) with N-alkyl-N-alkoxycarbonylaminomethyl chlorides: S6-(N-alkyl-N-alkoxycarbonyl)aminomethyl-6-MP prodrug structure effect on the dermal delivery of 6-MP. 1990 , 79, 66-73	12
1295	Effect of aminomethyl (N-Mannich base) derivatization on the ability of S6-acetyloxymethyl-6-mercaptopurine prodrug to deliver 6-mercaptopurine through hairless mouse skin. 1990 , 79, 1099-104	8
1294	Toughening of epoxy resins by modification with acrylic elastomers containing pendant epoxy groups. 1990 , 26, 145-151	27
1293	Solubility of phenylacetic acid and vanillan in supercritical carbon dioxide. 1990 , 3, 8-14	37

(1991-1990)

1292	Quantitative correlations between solute molecular structure and solubility in supercritical fluids. 1990 , 517, 449-458	43
1291	The biodegradability of polyester blends. 1990 , 11, 108-12	169
1290	Analytical Profile of 5-Fluorouracil. 1990 , 18, 599-639	3
1289	Swelling of Parylene C. 1990 , 22, 46-57	6
1288	Use of HPLC to Estimate Solubility Parameters of Impurities. 1990 , 13, 383-390	1
1287	On the Temperature Dependence of the Shear Viscosity of Nematic Liquid Crystals. 1990 , 191, 153-161	1
1286	INTERACTIONS OF ORGANIC SOLVENTS WITH POLYURETHANE. 1990 , 30, 43-105	23
1285	Controlled release of naltrexone pamoate from linear poly(ortho esters). 1990 , 14, 21-28	27
1284	Plasticisers. 1990 , 177-257	1
1283	On predicting the solubility of polymers. 1990 , 32, 2069-2079	3
1282	Solubilities of theobromine and caffeine in supercritical carbon dioxide: correlation with density-based models. 1991 , 68, 263-280	46
1281	Effect of physicochemical properties of adhesive on the release, skin permeation and adhesiveness of adhesive-type transdermal drug delivery systems (a-TDD) containing silicone-based pressure-sensitive adhesives. 1991 , 76, 77-89	16
1280	Supercritical CO2 Extraction of Annatto (Bixa orellana) Pigments and Some Characteristics of the Color Extracts. 1991 , 56, 80-83	37
1279	A group contribution method for estimating heat of vaporization at 298 K. 1991 , 46, 1063-1068	7
1278	Toughening of epoxy resins by modification with reactive elastomers composed of butyl acrylate, glycidyl methacrylate and acrylonitrile or styrene. 1991 , 27, 1231-1238	20
1277	Partial molal volumes and solubilities of physostigmine in isopropanol:isopropyl myristate solvents in relation to skin penetrability. 1991 , 80, 567-72	9
1276	Toughening of epoxy resins by modification with reactive elastomers composed of butyl acrylate and glycidyl (meth)acrylate. 1991 , 27, 851-858	40
1275	Thermodynamics of adsorption of polybutadiene on alumina and silica gel: effect of temperature and solvent. 1991 , 269, 242-247	6

1274	Sorption and Transport of Gases and Vapors in Plant Cuticles. 1991 , 65-128	32
1273	Thermodynamics of the Solubility of Nonionic Dyes in Water and in Poly (ethylene Terephthalate). 1991 , 61, 637-644	4
1272	References. 1992 , 1153-1478	
1271	Correlation of solubilities of high-boiling components in supercritical carbon dioxide using a solution model 1992 , 25, 757-760	54
1270	Computer-aided prediction of solubilities of organic compounds in water 1992 , 25, 729-734	4
1269	Basic Principles of Analytical Supercritical Fluid Extraction. 1992 , 32-60	9
1268	AQUAFAC 1: Aqueous functional group activity coefficients; application to hydrocarbons. 1992 , 24, 1047-1061	49
1267	Blends of PVA and PGLA: control of the permeability and degradability of hydrogels by blending. 1992 , 19, 189-199	71
1266	Diffusion of drugs in acrylic-type pressure-sensitive adhesive matrix. II. Influence of interaction. 1992 , 18, 113-121	47
1265	Enhancement of the solubilities of polycyclic aromatic hydrocarbons by weak hydrogen bonds with water. 1992 , 6, 431-48	37
1264	Comparison of the solubility in supercritical fluids of the polycyclic ether antibiotics: Lasalocid, monensin, narasin, and salinomycin. 1992 , 5, 31-37	6
1263	Isocratic HPLC separation of aromatic hydrocarbons and fluorine-containing compounds using perfluoroalkyl polymer packings. 1992 , 33, 473-477	2
1262	Aspects of the transdermal delivery of prostaglandins II. 1992 , 83, 171-175	3
1261	Prediction of solubility of sulfonamides in water and organic solvents based on the extended regular solution theory. 1992 , 88, 437-442	23
1260	Irregular solution behaviour of paracetamol in binary solvents. 1992 , 78, 17-24	26
1259	Determination of three-component partial solubility parameters for temazepam and the effects of change in partial molal volume on the thermodynamics of drugs solubility. 1992 , 78, 189-198	18
1258	Estimation of solid molar volumes using the neighboring factor with application to isomeric compounds. 1993 , 48, 3100-3103	
1257	Solubility characteristics of poly(4-methyl-1-pentene). 1993 , 50, 897-905	4

1256	Prediction of skin permeabilities of diclofenac and propranolol from theoretical partition coefficients determined from cohesion parameters. 1993 , 82, 416-20	13
1255	Partial solubility parameters and solvatochromic parameters for predicting the solubility of single and multiple drugs in individual solvents. 1993 , 82, 635-40	16
1254	An experimental method for determining the Hildebrand solubility parameter of organic nonelectrolytes. 1993 , 82, 1018-26	20
1253	Editorial Advisory Board. 1993 , 82, i	14
1252	Ionic size and behavior of diclofenac salts in water and ethanol/water mixtures by conductivity at 25 degrees C. 1993 , 82, 1245-9	13
1251	Thermodynamic properties of organic compounds. 1993 , 219, 97-104	31
1250	Polycarbonate-SAN copolymer interaction. 1993 , 34, 3796-3808	81
1249	Modeling binary phase behavior of supercritical carbon dioxide and fatty acid esters. 1993 , 6, 51-57	6
1248	An application of regular solution theory in the study of the solubility of naproxen in some solvents used in topical preparations. 1993 , 94, 23-30	9
1247	Transdermal delivery of 5-fluorouracil (5-FU) through hairless mouse skin by 1-alkylaminocarbonyl-5-FU prodrugs: Physicochemical characterization of prodrugs and correlations with transdermal delivery. 1993 , 93, 27-36	28
1246	The solubility parameter and fractional polarity of microcrystalline cellulose as determined by mechanical measurement. 1993 , 99, 157-164	18
1245	Upper critical solution temperature lubricants for CPVC. 1993 , 15, 29-33	2
1244	Solubility parameters of some high molecular weight alcohols and esters used in pharmaceutical preparations. 1993 , 222, 219-229	3
1243	Estimation of the aqueous solubility of complex organic compounds. 1993 , 26, 1239-1261	43
1242	Quantitative structure extraction relationships: a model for supercritical fluid extraction. 1993 , 118, 1261-1264	6
1241	Role of the solvent-diffusion-rate modifier in a new emulsion solvent diffusion method for preparation of ketoprofen microspheres. 1993 , 10, 329-40	22
1240	Changes in Physical Property of Epoxy Resin with Absorption of Methyl Alcohol and Water. 1994 , 33, 2656-2662	
1239	The Effect of Polymer Structure on the Gas Permeability of Model Polyurethanes. 1994 , 13, 155-185	1

1238	Measurement and correlation of solubilities of oxygen in aqueous solutions containing glucose, sucrose and maltose. 1994 , 97, 201-209	17
1237	The relationship between indentation hardness of organic solids and their molecular structure. 1994 , 29, 2289-2296	58
1236	Quantitative structureproperty relationships for auto-ignition temperatures of organic compounds. 1994 , 18, 81-88	30
1235	Interaction between carbon dioxide and naphthalene: A molecular modeling approach. 1994 , 15, 580-587	7
1234	Separation of homologous aromatic alcohols and carboxylic acids by packed column supercritical fluid chromatography. 1994 , 688, 261-271	4
1233	Preparation and characterization of organic-soluble optically transparent polyimides from alicyclic dianhydride, bicyclo[2.2.2]-oct-7-ene-2,3,5,6-tetracarboxylic dianhydride. 1994 , 35, 4203-4208	31
1232	Phase separation from solutions of poly(ether sulfone) in epoxy resins. 1994 , 35, 353-359	80
1231	Solvent effects on liquefaction: Solubilization profiles of a canadian prototype wood, populus deltoides, in the presence of different solvents. 1994 , 72, 1021-1027	25
1230	Solubility of theophylline in aqueous N,N-dimethylformamide mixtures. 1994 , 108, 149-154	6
1229	Transdermal delivery of 5-fluorouracil (5-FU) through hairless mouse skin by 1-alkyloxycarbonyl-5-FU prodrugs: Physicochemical characterization of prodrugs and correlations with transdermal delivery. 1994 , 111, 223-233	33
1228	Structure and Cohesive Energy Density of Fats and Their Sorption by Polymer Films. 1994 , 59, 1325-1327	17
1227	Use and characteristics of a novel lipid particle-forming matrix as a drug-carrier system. 1994 , 2, 271-279	9
1226	The Effect of Polymer Structure on the Gas Permeability of Model Polyurethanes. 1994 , 30, 242-272	4
1225	Immobilization of Highly-Oriented Perfluoroalkyl Polymers onto Porous Silica Gels for High Performance Liquid Chromatography. 1994 , 26, 499-503	6
1224	Poly(dialkoxyethyl itaconate)sII. 1995 , 31, 541-545	3
1223	Thermodynamics of transfer processes, 1. Solubility of hydrophilic solutes in dioxane-water mixtures. 1995 , 126, 263-269	1
1222	Preparation of monodisperse, reactive hydrogel microspheres and their amphoterization. 1995 , 273, 339-345	44
1221	On the gas permeability of hydroxyl terminated polybutadiene based polyurethane membranes. 1995 , 105, 137-145	53

1220	Swelling equilibria of poly(N-isopropylacrylamide) gel in aqueous polymer solutions. 1995, 104, 119-129	21
1219	The relationship between the fracture properties, tensile strength and critical stress intensity factor of organic solids and their molecular structure. 1995 , 125, 157-162	61
1218	Epidermal permeability-penetrant structure relationships: 1. An analysis of methods of predicting penetration of monofunctional solutes from aqueous solutions. 1995 , 126, 219-233	70
1217	Solubility Parameter-Based Methods for Predicting the Solubility of Sulfapyridine in Solvent Mixtures. 1995 , 21, 2073-2084	19
1216	Solubility of polychlorinated biphenyls in water/alcohol mixtures. 2. Predictive methods. 1995 , 29, 3001-6	10
1215	Determination of the solubility parameter of soybean oil by inverse gas chromatography. 1995 , 28, 190-195	31
1214	Prediction of the Solubility in Supercritical Fluids Based on Supercritical Fluid Chromatography Retention Times. 1996 , 68, 2353-2360	15
1213	Solubility parameters and solubilities of metal dithiocarbamates in supercritical carbon dioxide. 1996 , 68, 3516-9	63
1212	Phase Equilibria of Alkanes in Natural Gas Systems. 3. Alkanes in Carbon Dioxide. <i>Journal of Chemical & Engineering Data</i> , 1996 , 41, 6-10	37
1211	Glycol Methacrylate Embedding for Light Microscopy: Basic Principles and Trouble-Shooting. 1996 , 19, 297-311	28
1210	Correlation of solubilities of fatty acids and higher alcohols in supercritical carbon dioxide with cosolvent using virial equation of state 1996 , 29, 728-731	8
1209	Transdermal delivery of 5-fluorouracil (5-FU) by 1-alkylcarbonyl-5-FU prodrugs. 1996 , 129, 203-210	34
1208	Effect of lipophilic multicomponent system on the skin permeation of ketotifen fumarate. 1996 , 141, 71-80	8
1207	Estimation of the solubility parameter of trimethoprim by current methods. 1996 , 71, 175-183	22
1206	Investigation on bismaleimide bearing polysiloxane (BPS) toughening of 4,4?-bismaleimido diphenylmethane (BMI) matrixBynthesis, characterization and toughness. 1996 , 37, 3721-3727	45
1205	Choosing a cosolvent: Solubilization of naphthalene and cosolvent property. 1996 , 15, 2233-2239	16
1204	An investigation of supercritical fluid extraction of trenbolone from beef. 1996 , 19, 465-469	9
1203	Computer-assisted approach to develop a new prediction method of liquid viscosity of organic compounds. 1996 , 20, 161-173	24

1202	Monte Carlo simulation of n-paraffins and higher alcohols in supercritical carbon dioxide. 1996 , 116, 267-274	12
1201	Ternary blends of epoxy, rubber and polycarbonate: phase behaviour, mechanical properties and chemical interactions. 1996 , 37, 1897-1905	16
1200	Study of dye diffusion in polymers using Rutherford backscattering. 1996 , 37, 2695-2700	11
1199	Influence of cosolvent on solubilities of fatty acids and higher alcohols in supercritical carbon dioxide. 1996 , 125, 115-128	69
1198	Methods to Determine Partition Coefficient of Organic Compounds in Water/Polystyrene Systems. 1996 , 61, 947-952	26
1197	Selective Extraction of Phospholipid Mixtures by Supercritical Carbon Dioxide and Cosolvents. 1996 , 61, 1230-1234	54
1196	Lipophilicity determination of psoralens used in therapy through solubility and partitioning: comparison of theoretical and experimental approaches. 1996 , 85, 387-92	20
1195	Influence of structure on smectic A-smectic A phase separation. <i>Liquid Crystals</i> , 1996 , 21, 523-530 2.3	7
1194	The Effect of Dissolved Helium on the Density and Solvation Power of Supercritical Carbon Dioxide. 1997 , 35, 483-488	10
1193	COHESIVE PROPERTIES AND SOLUBILITY. 1997 , 189-225	21
1192	Novel Functional Polymers: Poly(dimethylsiloxane)-Polyamide Multiblock Copolymer VI. A Transmission Electron Microscopic Study on Microphase-Separated Structure in Aramid-Silicone Resin. 1997 , 29, 201-203	8
1191	Estimation of Polymer Solubility Parameter by Gas-Liquid Partition Chromatography. 1997 , 70, 493-502	1
1190	Interaction between Hydroxyphenyl-Containing Phosphate and Styrenic Resin. 1997, 29, 399-403	2
1189	The Solubility Parameter of Chlorosulfonated Polyethylene. 1997 , 35, 1-12	2
1188	Novel Functional Polymers: Poly(dimethylsiloxane)Polyamide Multiblock Copolymer. 8. 1 Surface Studies of AramidBilicone Resin by Means of XPS, Static SIMS, and TEM. 1997 , 30, 4421-4428	34
1187	Fractionation of Glycerides Using Supercritical Carbon Dioxide. 1997 , 36, 4906-4913	8
1186	Thermodynamics of Hydrogen Bonding in Solutions of Poly(vinylpyrrolidone) in Ethanol/CCl4 Mixtures. 1997 , 30, 1449-1456	2
1185	VOLUMETRIC PROPERTIES. 1997 , 71-107	14

1184	Temperature and pressure effects on solubility in supercritical carbon dioxide and retention in supercritical fluid chromatography. 1997 , 785, 57-64	47
1183	Monte Carlo simulation for solubility and spatial structure of fatty acid and higher alcohol in supercritical carbon dioxide with octane. 1997 , 131, 83-96	12
1182	The polymer-alloys method as a new preparation method of biodegradable microspheres: principle and application to cisplatin-loaded microspheres. 1997 , 48, 19-27	70
1181	Solubilities of Flavone and 3-Hydroxyflavone in Supercritical Carbon Dioxide. <i>Journal of Chemical & Engineering Data</i> , 1997 , 42, 570-573	36
1180	Water vapor permeability of biodegradable polymers. 1997 , 5, 91-95	188
1179	Solubilization of oleanolic acid and ursolic acid by cosolvency. 1997 , 20, 269-74	33
1178	Temperature effects on selectivity using carbon dioxide-based mobile phases on silica-based packed columns near the mixture critical point. 1997 , 44, 521-528	11
1177	Solvent induced phase separation in a nylon 6-b-polyimide-b-nylon 6 triblock copolymer. 1997 , 4, 1-7	11
1176	Swelling equilibria of poly(N-isopropylacrylamide) gel in glucose and starch aqueous solution. 1997 , 136, 163-171	8
1175	In vitro percutaneous absorption of prednisolone derivatives based on solubility parameter. 1997 , 158, 11-18	6
1174	Solubility and in vitro transdermal permeation of nifedipine. 1997 , 159, 171-180	23
1173	Thermal gradient fractionation of glyceride mixtures under supercritical fluid conditions. 1997 , 10, 127-137	48
1172	The permeability of a disazothiophene dye solute in polymer matrices above the glass transition. 1997 , 38, 2989-2995	8
1171	Structure-tensile properties of polyurethanes. 1997 , 33, 1563-1567	70
1170	Separation of carotenoids by subcritical fluid chromatography with coated, packed capillary columns and neat carbon dioxide. 1998 , 823, 313-319	22
1169	Prediction of comprehensive two-dimensional gas chromatographic separations. 1998 , 822, 233-251	101
1168	Drug microencapsulation by PLA/PLGA coacervation in the light of thermodynamics. 1. Overview and theoretical considerations. 1998 , 87, 259-68	79
1167	1-Alkylcarbonyloxymethyl prodrugs of 5-fluorouracil (5-FU): synthesis, physicochemical properties, and topical delivery of 5-FU. 1998 , 87, 15-20	36

1166	Solubility parameter of chitin and chitosan. 1998 , 36, 121-127	132
1165	Prediction of solidfluid equilibria in supercritical carbon dioxide using linear solvation energy relationships. 1998 , 150-151, 479-492	24
1164	Investigation of the percutaneous penetration of prostaglandin E1 and its ethyl ester. 1998 , 55, 153-60	2
1163	Application of solubility parameter theory to dentin-bonding systems and adhesive strength correlations. 1998 , 41, 237-43	55
1162	Prediction of PVT behavior of polymer melts by the group-contribution lattice-fluid equation of state. 1998 , 15, 37-44	30
1161	Model for the permeability of functionalised solutes in polymers above the glass transition involving specific interactions. 1998 , 39, 3977-3980	6
1160	Effects of chemical composition and structure of unsaturated polyester resins on the miscibility, cured sample morphology and mechanical properties for styrene/unsaturated polyester/low-profile additive ternary systems. 1: Miscibility and cured sample morphology. 1998,	30
1159	39, 6631-6641 Solubility of polymer in the mixtures containing supercritical carbon dioxide and antisolvent. 1998 , 144, 299-305	20
1158	7-Alkylcarbonyloxymethyl prodrugs of theophylline: topical delivery of theophylline. 1998 , 167, 37-48	24
1157	Solubility correlation of structurally related drugs in binary solvent mixtures. 1998 , 166, 205-209	44
1156	Transdermal delivery of theophylline from alcohol vehicles. 1998 , 171, 185-193	38
1155	Partial solubility parameters of piroxicam and niflumic acid. 1998 , 174, 141-150	45
1154	A Density-Dependent Solute Solubility Parameter for Correlating Solubilities in Supercritical Fluids. 1998 , 37, 3786-3792	36
1153	Miscibility, Morphology and Tensile Properties of the Melt Blends of Liquid Crystalline Polyimide (PI-LC) with Two Different Thermoplastic Polyimides: Semicrystalline Polyimide (N-TPI) and Amorphous Poly(Ether-Imide) (PEI). 1998 , 10, 93-109	7
1152	Polyimide-Epoxy Composites. 1999 , 107-136	15
1151	Blends of rigid and flexible macromolecules: poly(benzimidazole) mixed with poly(vinyl acetate-stat-vinyl alcohol) copolymers. 1999 , 40, 1993-2001	12
1150	The effect of specific interactions on dye transport in polymers above the glass transition. 1999 , 40, 4001-401	125
1149	Morphology and coarsening behavior in Polycarbonate/Nylon6-co-12 blends with and without compatibilizer. 1999 , 40, 5273-5278	5

1148	Some physical chemical properties of Edihydroperfluoropolyethers. 1999 , 98, 41-54	23
1147	Solubilities of poly(ethylene glycol)s in the mixtures of supercritical carbon dioxide and cosolvent. 1999 , 161, 315-324	32
1146	Solubility behavior of polymorphs I and II of mefenamic acid in solvent mixtures. 1999 , 178, 193-202	107
1145	A therapeutic dose of primaquine can be delivered across excised human skin from simple transdermal patches. 1999 , 189, 1-6	14
1144	In vitro dermal and transdermal delivery of doxycycline from ethanol/migliol 840 vehicles. 1999 , 190, 155-64	11
1143	Application of viscometry and solubility parameters in miconazole patches development. 1999 , 190, 91-101	22
1142	Freeze-drying above room temperature. 1999 , 88, 501-6	14
1141	Solubility parameters as predictors of miscibility in solid dispersions. 1999 , 88, 1182-90	450
1140	UPPER III: unified physical property estimation relationships. Application to non-hydrogen bonding aromatic compounds. 1999 , 88, 852-60	12
1139	Supercritical fluids in separation sciencethe dreams, the reality and the future. 1999 , 856, 83-115	208
1138	Correlation between fractional free volume and diffusivity of gas molecules in glassy polymers. 1999 , 37, 3344-3358	144
1137	Interpretation of the chromatographic behavior of perhydrogenated and perfluorinated polyoxyethylene surfactants by molecular modeling. 1999 , 50, 490-496	3
1136	The percutaneous penetration of prostaglandin E1 and its alkyl esters. 1999 , 58, 349-55	О
1135	Percutaneous absorption of sunscreens from liquid crystalline phases. 1999 , 60, 67-76	44
1134	Thermodynamic prediction of active ingredient loading in polymeric microparticles. 1999 , 60, 77-100	22
1133	Drug and excipient diffusion and solubility in acrylate adhesives measured by infrared-attenuated total reflectance (IR-ATR) spectroscopy. 1999 , 61, 219-31	13
1132	Adsorption and chemisorption of organic pollutants on solid aerosol surfaces. 1999 , 571-634	5
1131	Calculation of Dielectric and Optical Anisotropy of Nematic Cyanoethylene and Cyanobutadiene Derivatives. 1999 , 331, 305-313	5

1130	Calculation of molecular, dielectric and optical properties of 4'-n-pentyl-4-cyano-biphenyl (5CB). Liquid Crystals, 1999 , 26, 1257-1266	34
1129	Solubility behaviour of haloperidol in individual solvents determination of partial solubility parameters. 1999 , 47, 289-94	12
1128	Solubility parameter and oral absorption. 1999 , 48, 259-63	28
1127	Solubility Measurement of Disperse Dyes in Supercritical Carbon Dioxide. <i>Journal of Chemical & 2.8</i>	50
1126	Solubility Parameters (An Introduction. 1999 ,	1
1125	The Future. 1999,	
1124	Preparation and Properties of Inorganic-Organic Hybrids From Vinyland 3-Methacryloxypropyltrimethoxysilane. 1999 , 576, 33	2
1123	The Influence of the Bleaching Medium on Caustic Extraction Efficiency (II): Oxidized Lignin Solubility. 1999 , 19, 307-321	5
1122	Alteration of the Solubility of 4,4?-Hexafluoroisopropylidene Diphtalic Anhydride-4,4-Oxydianline Polyimide by Experimental and Theoretical Methods. 2000 , 32, 406-410	1
1121	Saturation Transfer Ratio in Magnetic Resonance Imaging. A Novel Physical Parameter for Evaluation of the Hydrophilicity of Synthetic Copolymer Gels. 2000 , 32, 828-833	9
1120	Modification of cyanate ester resin by poly(ethylene phthalate) and related copolyesters. 2000 , 76, 208-219	42
1119	Preparation of poly(1,4-cyclohexylenedimethylene phthalate)s and their use as modifiers for aromatic diamine-cured epoxy resin. 2000 , 49, 871-880	11
1118	Preparation of novel reactive plastisol based on poly(vinyl chloride) and multifunctional acryl esters. 2000 , 77, 1794-1801	5
1117	Diffusion and sorption of sulfur mustard and bis(2-chloroethyl)ether in elastomers: A comparative study. 2000 , 77, 2472-2479	11
1116	Effects of chemical structure of polyurethane-based low-profile additives on the miscibility, curing behavior, volume shrinkage, glass transition temperatures, and mechanical properties for styrene/unsaturated polyester/low-profile additive ternary systems. I: Miscibility, curing behavior,	18
1115	and volume shrinkage. 2000 , 78, 543-557 Reactive poly(glycidyl methacrylate) microspheres prepared by dispersion polymerization. 2000 , 38, 3855-3863	85
1114	A study of the polymerization of novel cyanate ester/acrylate blends. 2000, 41, 1647-1656	25
1113	Measurement and correlation of dye solubility in supercritical carbon dioxide. 2000 , 173, 277-284	41

1112	Hydrofluoropolyethers: a new f riendlyl g eneration of fluorinated fluids. 2000 , 174, 41-50	18
1111	Theoretical and practical approach to the selection of asphaltene dispersing agents. 2000, 67, 79-89	28
1110	7-alkylcarbonyl and 7-alkyloxycarbonyl prodrugs of theophylline. 2000 , 205, 53-63	4
1109	Effect of fatty acid Esters on permeation of ketoprofen through hairless rat skin. 2000 , 205, 117-25	27
1108	A combination of vapor sorption and dynamic laser light scattering methods for the determination of the Flory parameter and the crosslink density of a powdered polymeric gel. 2000 , 167, 63-81	10
1107	Proposition of group molar constants for sodium to calculate the partial solubility parameters of sodium salts using the van Krevelen group contribution method. 2000 , 10, 153-61	36
1106	A quantitative model for the dependence of solute permeability on peptide and cholesterol content in biomembranes. 2000 , 177, 137-48	26
1105	Theoretical optimization of analyte collection in analytical supercritical fluid extraction. 2000 , 51, 467-472	3
1104	An investigation of the solubility of various compounds in the hydrofluoroalkane propellants and possible model liquid propellants. 2000 , 13, 179-86	24
1103	Preparation and properties of polysilsesquioxanes. Function and characterization of coating agents and films. 2000 , 261, 39-51	39
1102	Environmental Applications of Pressurised Fluid Extraction. 2000 , 19,	19
1101	Assessment of Solubility of Ketoprofen and Vanillic Acid in Supercritical CO2under Dynamic Conditions. <i>Journal of Chemical & Engineering Data</i> , 2000 , 45, 161-165	76
1100	CHEMICAL STRUCTURE/PHYSICAL PROPERTIES CORRELATIONS. 2001, 230-281	1
1099	Solubilities of Azobenzene, p-Hydroxyazobenzene, and p-Dimethylaminoazobenzene in Supercritical Carbon Dioxide. <i>Journal of Chemical & Engineering Data</i> , 2001 , 46, 647-650	35
1098	Application of neural networks to modeling and estimating temperature-dependent liquid viscosity of organic compounds. 2001 , 41, 776-90	29
1097	Solubility prediction for furosemide in water-cosolvent mixtures using the minimum number of experiments. 2001 , 27, 577-83	34
1096	High Birefringence Phenylacetylene Liquid Crystals with Low Viscosity. 2001 , 364, 711-718	22
1095	Solubilities of Undecanolide and Pentadecanolactone in Supercritical Carbon Dioxide. <i>Journal of Chemical & Ch</i>	14

1094	Quantitative study of the structural requirements of phthalazine/quinazoline derivatives for interaction with human liver aldehyde oxidase. 2001 , 49, 1066-71		26
1093	A protective effect against undesirable increase of dihydroetorphine permeation through damaged skin by using pressure-sensitive adhesive tape with an ethylene-vinyl acetate co-polymer membrane. 2001 , 24, 78-83		4
1092	Measurement and correlation of dye solubility in supercritical carbon dioxide. 2001 , 179, 387-394		23
1091	Topical delivery of 5-fluorouracil (5-Fu) by 3-alkylcarbonyl-5-Fu prodrugs. 2001 , 217, 127-37		25
1090	Dissolution properties and anticonvulsant activity of phenytoin-polyethylene glycol 6000 and -polyvinylpyrrolidone K-30 solid dispersions. 2001 , 225, 63-73		50
1089	Stabilization of supersaturated solutions of a lipophilic drug for dermal delivery. 2001 , 224, 169-76		39
1088	Determination of partial solubility parameters of five benzodiazepines in individual solvents. 2001 , 228, 199-207		25
1087	Preparation of novel soluble poly(ester imide)s containing a trimellitimide moiety and their use as modifiers for aromatic diamine-cured epoxy resin. 2001 , 50, 1214-1222		6
1086	Poly(L-lactide): v. effects of storage in swelling solvents on physical properties and structure of poly(L-lactide). 2001 , 79, 1582-1589		56
1085	Modification of bismaleimide resin by poly(ethylene phthalate-co-ethylene terephthalate), poly(ethylene phthalate-co-ethylene 4,4?-biphenyl dicarboxylate), and poly(ethylene phthalate-co-ethylene 2,6-naphthalene dicarboxylate). 2001 , 81, 2352-2367		4
1084	Solubilities and diffusion coefficients of high boiling compounds in supercritical carbon dioxide. 2001 , 56, 3027-3044		58
1083	Probing the effect of vehicles on topical delivery: understanding the basic relationship between solvent and solute penetration using silicone membranes. 2001 , 18, 999-1005		53
1082	The effect of structural QSAR parameters on skin penetration. 2001 , 217, 1-11		25
1081	Relationship between the solubility of disperse dyes and the equilibrium dye adsorption in supercritical fluid dyeing. <i>Coloration Technology</i> , 2001 , 117, 346-351	2	34
1080	Synthesis and physical properties of high birefringence phenylacetylene liquid crystals containing a cyclohexyl group. <i>Liquid Crystals</i> , 2001 , 28, 1495-1503	2.3	25
1079	Furano pyrimidines as novel potent and selective anti-VZV agents. 2001 , 12, 77-89		29
1078	The Solubility of Polyimides in Polar Aprotic Solvents. 2002 , 14, 317-323		2
1077	Application of Chemical Graph Theory for the Estimation of the Dielectric Constant of Polyimides. 2002 , 213-229		

1076	Chemical Influence of the Dianhydride and the Diamine Structure on a Series of Copolyimides Studied by Molecular Dynamics Simulations. 2002 , 35, 10198-10209	38
1075	Phase Equilibria and Static Properties. 2002 , 71-125	
1074	Free Volume and Transport Properties in Highly Selective Polymer Membranes. 2002, 35, 2071-2077	220
1073	Chapter 17 Extraction techniques for solid samples. 2002 , 37, 559-586	3
1072	Coupling of Chemical Cross-linking, Swelling, and Phase Separation in Microencapsulation. 2002 , 18, 6031-6034	13
1071	Theoretical modeling of oral absorption of barbiturates. 2002 , 57, 565-7	6
1070	Film properties of silicone modified non-aqueous acrylic polymer dispersion. 2002 , 45, 219-224	4
1069	Toughening of cycloaliphatic epoxy resins by poly(ethylene phthalate) and related copolyesters. 2002 , 84, 388-399	22
1068	A comparison of supercritical carbon dioxide and organic solvents for the intercalation of 4-phenylazoaniline into a pillared clay mineral. 2002 , 254, 250-6	13
1067	Effect of glucose on photocatalytic decolorization of dyes by TiO2. 2002 , 80, 208-213	15
1066	Measurement of copper compound solubility in supercritical carbon dioxide and correlation using a solution model. 2002 , 24, 91-101	13
1065	A new simple static method for the determination of solubilities of condensed compounds in supercritical fluids. 2002 , 24, 7-17	37
1064	Correlation of solid solubility for biological compounds in supercritical carbon dioxide: comparative study using solution model and other approaches. 2002 , 194-197, 483-491	24
1063	Solubility of amphenicol bacteriostats in CO2. 2002 , 198, 67-80	7
1062	Characterization of the structures of poly(urea-urethane) microcapsules. 2002 , 242, 147-53	13
1061	Poly(2-hydroxyethyl methacrylate-co-N,O-dimethacryloylhydroxylamine) particles by dispersion polymerization. 2002 , 40, 1625-1632	20
1060	Packaging materials for fermented milk, part 2: solute-induced changes and effects of material polarity and thickness on food quality. 2002 , 15, 287-300	13
1059	Mechanism of the diffusion of sulfur mustard, a chemical warfare agent, in butyl and nitrile rubbers. 2002 , 40, 1821-1827	10

1058	Gas permeability and n-butane solubility of poly(1-trimethylgermyl-1-propyne). 2002 , 40, 2228-2236		13
1057	Water absorption by uncrosslinked polymers, networks and IPNs having medium to high polarity. 2002 , 43, 4619-4625		34
1056	Amorphous cell studies of polyglycolic, poly(l-lactic), poly(l,d-lactic) and poly(glycolic/l-lactic) acids. 2002 , 43, 4571-4583		31
1055	Topical delivery of 5-fluorouracil (5-FU) by 1,3-bisalkylcarbonyl-5-FU prodrugs. 2002 , 231, 43-9		25
1054	Powder properties and their influence on dry powder inhaler delivery of an antitubercular drug. <i>AAPS PharmSciTech</i> , 2002 , 3, E28	3.9	53
1053	Topical delivery of 5-fluorouracil and 6-mercaptopurine by their alkylcarbonyloxymethyl prodrugs from water: vehicle effects on design of prodrugs. 2003 , 20, 639-45		27
1052	Solubilities of 7,8-Dihydroxyflavone and 3,3[4]5,7-Pentahydroxyflavone in Supercritical Carbon Dioxide. <i>Journal of Chemical & Data</i> , 2003, 48, 1040-1043	2.8	17
1051	Diameter control of poly(p-oxycinnamoyl) microspheres prepared by self-organizing polycondensation. 2003 , 44, 7383-7387		7
1050	Topical delivery of 5-fluorouracil (5-FU) by 3-alkylcarbonyloxymethyl-5-FU prodrugs. 2003 , 92, 1028-36		18
1049	Supercritical fluids in medical radioisotope processing and chemistry, Part I: technology, instrumentation and methodology. 2003 , 46, 893-922		1
1048	Dual Self-Assembling Polycondensation of p-Acetoxybenzoic Acid and p-Acetamidobenzoic Acid. 2003 , 24, 190-193		3
1047	Surface modification of polybutadiene facilitated by supercritical carbon dioxide. 2003 , 88, 522-530		13
1046	Effects of poly(vinyl acetate) and poly(vinyl chloride-co-vinyl acetate) low-profile additives on properties of cured unsaturated polyester resins. II. glass-transition temperatures and mechanical properties. 2003 , 89, 3347-3357		8
1045	Effects of poly(vinyl acetate) and poly(vinyl chloride- co-vinyl acetate) low-profile additives on properties of cured unsaturated polyester resins. I. Volume shrinkage characteristics and internal pigmentability. 2003 , 89, 3336-3346		15
1044	Interactions between PVC and binary or ternary blends of plasticizers. Part I. PVC/plasticizer compatibility. 2003 , 44, 8081-8094		39
1043	A review of polymer dissolution. 2003 , 28, 1223-1270		668
1042	Enhanced density-based models for solid compound solubilities in supercritical carbon dioxide with cosolvents. 2003 , 208, 99-113		58
1041	Investigations on the predictability of the formation of glassy solid solutions of drugs in sugar alcohols. 2003 , 252, 167-79		38

1040	Binding of primaquine to epidermal membranes and keratin. 2003 , 257, 237-44		23
1039	Ionic-bonded negative photosensitive polyimides having pendant aminoalkyl (meth)acrylamide groups. 2003 , 56, 59-73		12
1038	Synthesis of a novel block copolymer containing aromatic polyamide and fluoroethylene segments. 2003 , 41, 2840-2845		5
1037	Extraction, Separation and Isolation of Volatiles and Dyes from Calendula officinalis L. and Aloysia triphylla (L'Her.) Britton by Supercritical CO2. 2003 , 15, 350-355		17
1036	Simplified Synthesis of Amphiphilic Siloxanes with Methyl Gluconyl Glycinate Functionalities via Transacetalation. 2003 , 36, 8330-8335		11
1035	Solubility of Organic Biocides in Supercritical CO2 and CO2 + Cosolvent Mixtures <i>Journal of Chemical & Data</i> , 2003, 48, 541-547	2.8	37
1034	Properties and Performance of Polymer Blends. 2003 , 861-950		2
1033	Self-Organizing Polycondensation of (E)-4-Acetoxycinnamic Acid for Preparation of Poly(p-oxycinnamoyl) Microspheres. 2003 , 36, 7721-7729		28
1032	Supercritical fluid extraction. 2003 , 41, 313-342		2
1031	Removal of Benzene from an Aqueous Solution of Dilute Benzene by Various Cross-Linked Poly(dimethylsiloxane) Membranes during Pervaporation. 2003 , 36, 9430-9436		38
1030	Reduction of Polyfluorinated Compounds. 2003, 107, 10894-10905		23
1029	Extraction, Separation and Isolation of Volatiles and Dyes from Calendula officinalis L. and Aloysia triphylla (L'Her.) Britton by Supercritical CO2. 2003 , 15, 272-277		13
1028	Liquid crystalline N-substituted-3,4-difluoropyrroles exhibiting large positive dielectric anisotropy. Liquid Crystals, 2003 , 30, 1371-1375	2.3	2
1027	Simulation of dense amorphous polymers by generating representative atomistic models. 2003 , 119, 2915-2922		31
1026	Formulation study and anti-inflammatory efficacy of topical semi-solids containing a nitro ester of flurbiprofen. 2003 , 16, 91-9		5
1025	Gas Permeation Properties of Silane-Cross-Linked Poly(propylene oxide). <i>ACS Symposium Series</i> , 2004 , 139-153	0.4	1
1024	Molecular size as the main determinant of solute maximum flux across the skin. 2004 , 122, 993-9		186
1023	The effect of penetration enhancers on drug delivery through skin: a QSAR study. 2004 , 99, 113-25		90

1022	Oesophageal bioadhesion of sodium alginate suspensions: particle swelling and mucosal retention. 2004 , 23, 49-56	28
1021	Topical delivery of a model phenolic drug: alkyloxycarbonyl prodrugs of acetaminophen. 2004 , 21, 940-6	22
1020	Determination of thermodynamic properties by supercritical fluid chromatography. 2004 , 1037, 369-91	27
1019	Toughening of polypropylene by combined rubber system of ultrafine full-vulcanized powdered rubber and SBS. 2004 , 45, 275-286	43
1018	Constrained nonlinear optimization for solubility parameters of poly(lactic acid) and poly(glycolic acid) \(\partial \text{acid} \) and comparison. 2004 , 45, 8603-8612	67
1017	A new correlation of solubilities of azoic compounds and anthraquinone derivatives in supercritical carbon dioxide. 2004 , 32, 27-35	23
1016	Synthesis of hydrophilic polymers in supercritical carbon dioxide in the presence of a siloxane-based macromonomer surfactant: Heterogeneous polymerization of 1-vinyl-2 pyrrolidone. 2004 , 42, 173-185	27
1015	Preparation and properties of alkoxy(methyl)silsesquioxanes as coating agents. 2004, 42, 3676-3684	46
1014	Swelling of crosslinked polyacrylates in isotropic and anisotropic solvents. 2004 , 91, 1-9	16
1013	Effects of poly(methyl methacrylate)-based low-profile additives on the properties of cured unsaturated polyester resins. I. Miscibility, curing behavior, and glass-transition temperatures. 2004 , 91, 3369-3387	14
1012	Polymer-drug compatibility: a guide to the development of delivery systems for the anticancer agent, ellipticine. 2004 , 93, 132-43	277
1011	Influence of co-solvent on dye solubility in supercritical carbon dioxide. 2004 , 222-223, 119-125	20
1010	Poly(2-hydroxyethyl methacrylate)-based slabs as a mouse embryonic stem cell support. 2004 , 25, 5249-60	44
1009	Synthesis and micellar characterization of short block length methoxy poly(ethylene glycol)-block-poly(caprolactone) diblock copolymers. 2004 , 35, 81-91	64
1008	Tertiary Alkanolamines as Solvolytic Agents for Poly(ethylene terephthalate). Evaluation of the Products as Epoxy Resin Hardeners. 2004 , 43, 862-874	8
1007	Melting of Nanostructured Drugs Embedded into a Polymeric Matrix. 2004 , 108, 15488-15493	26
1006	Anthracene-Functionalized Polystyrene Random Copolymers: Effects of Side-Chain Modification on Polymer Structure and Behavior. 2004 , 37, 92-98	12
1005	Autophobic dewetting of Z-tetraol perfluoropolyether lubricant films on the amorphous nitrogenated carbon surface. 2004 , 20, 3166-72	26

1004	Calamitic Liquid Crystals as Nanoscale Analogues of a Block Copolymer. 2004 , 108, 8099-8101	16
1003	Influence of System Size in Molecular Dynamics Simulations of Gas Permeation in Glassy Polymers. 2004 , 37, 10109-10122	56
1002	Prediction of Partition Coefficients of Fluorous and Nonfluorous Solutes in Fluorous Biphasic Solvent Systems by Mobile Order and Disorder Theory. 2004 , 108, 1458-1466	27
1001	A Group-Contribution Method for Predicting Pure Component Properties of Biochemical and Safety Interest. 2004 , 43, 6253-6261	53
1000	Gas Permeability of Thermoplastic Polyurethane Elastomers. 2005 , 37, 413-417	25
999	A rapid screening tool for estimating the potential of 2-hydroxypropyl-beta-cyclodextrin complexation for solubilization purposes. 2005 , 295, 163-75	11
998	Nitrogen permeability and carbon dioxide solubility in poly(1-trimethylsilyl-1-propyne)-based binary substituted polyacetylene blends. 2005 , 251, 101-110	33
997	Effects on sorption and diffusion in PTMSP and TMSP/TMSE copolymers of free volume changes due to polymer ageing. 2005 , 739, 75-86	28
996	Solubility of a spiroindolinonaphthoxazine photochromic dye in supercritical carbon dioxide: Experimental determination and correlation. 2005 , 238, 120-128	38
995	Direct bonding between poly(oxy-2,6-dimethyl-1,4-phenylene) and rubber with radicals. 2005 , 95, 53-59	13
994	Using the solubility parameter to explain disperse dye sorption on polylactide. 2005 , 96, 416-422	103
993	Effects of reactive low-profile additives on the properties of cured unsaturated polyester resins. I.	
	Volume shrinkage and internal pigmentability. 2005 , 98, 264-275	4
992	Volume shrinkage and internal pigmentability. 2005, 98, 264-275 Characterization of physico-mechanical properties of indomethacin and polymers to assess their suitability for hot-melt extrusion processs as a means to manufacture solid dispersion/solution. 2005, 94, 2463-74	156
992	Characterization of physico-mechanical properties of indomethacin and polymers to assess their suitability for hot-melt extrusion processs as a means to manufacture solid dispersion/solution.	
	Characterization of physico-mechanical properties of indomethacin and polymers to assess their suitability for hot-melt extrusion processs as a means to manufacture solid dispersion/solution. 2005 , 94, 2463-74	156
991	Characterization of physico-mechanical properties of indomethacin and polymers to assess their suitability for hot-melt extrusion processs as a means to manufacture solid dispersion/solution. 2005, 94, 2463-74 Physical properties of four ##dimethoxyfluoropolyethers. 2005, 126, 463-471 Copolyimides containing alicyclic and fluorinated groups: Solubility and gas separation properties.	156 15
991	Characterization of physico-mechanical properties of indomethacin and polymers to assess their suitability for hot-melt extrusion processs as a means to manufacture solid dispersion/solution. 2005, 94, 2463-74 Physical properties of four #dimethoxyfluoropolyethers. 2005, 126, 463-471 Copolyimides containing alicyclic and fluorinated groups: Solubility and gas separation properties. 2005, 43, 2413-2426	156 15 18

986	pH of solution greatly affects sorption of ionizable compounds into low-density polyethylene film. 2005 , 53, 3488-92	4
985	Polymethacrylates as crystallization inhibitors in monolayer transdermal patches containing ibuprofen. 2005 , 60, 61-6	64
984	Generalized Liquid Molar Volume at the Normal Boiling Point Correlation. 2005, 23, 133-136	1
983	AFM observations of silane coupling agent layers having a vinyl group deposited on a mica surface. 2006 , 20, 1199-1213	18
982	Use of Substituted Bis(acetylacetone)ethylenediimine and Dialkyldithiocarbamate Ligands for Copper Chelation in Supercritical Carbon Dioxide. 2006 , 45, 8779-8787	6
981	Correlation of Isoprene-Maleic Anhydride Reaction Rate Constants in Mixed Solvents. 2006 , 13, 123-127	
980	The Study of Direc tBonding between Poly(oxy-2,6-dimethylphenylene) and Elastic Materials. 2006 , 42, 245-254	
979	Effects of the reaction parameters on the properties of thermosensitive poly(N-isopropylacrylamide) microspheres prepared by precipitation and dispersion polymerization. 2006 , 44, 968-982	66
978	Cubic equation-of-state correlation of the solubility of some anti-inflammatory drugs in supercritical carbon dioxide. 2006 , 239, 188-199	80
977	Solubility of disperse dyes in supercritical carbon dioxide and ethanol. 2006 , 243, 107-114	38
976	Use of thermodynamic parameters for design of double-walled microsphere fabrication methods. 2006 , 27, 2898-906	28
975	Solubility parameter of drugs for predicting the solubility profile type within a wide polarity range in solvent mixtures. 2006 , 321, 155-61	56
974	Molecular connectivity methods for the characterization of surface energetics of liquids and polymers. 2006 , 296, 292-308	11
973	Synthesis and properties of hydrophilic segmented poly(urethanes) based on poly(ethylene glycols) and glycerol monostearate. 2006 , 48, 222-227	2
972	Experimental Determination and Correlation of Artemisinin's Solubility in Supercritical Carbon Dioxide. <i>Journal of Chemical & Engineering Data</i> , 2006 , 51, 1097-1104	37
971	Screening of lipid carriers and characterization of drug-polymer-lipid interactions for the rational design of polymer-lipid hybrid nanoparticles (PLN). 2006 , 23, 1877-87	62
970	Theoretical and practical approaches for prediction of drug-polymer miscibility and solubility. 2006 , 23, 2417-26	433
969	Temperature Dependence of the Solubility of Acetaminophen in Propylene Glycol + Ethanol Mixtures. 2006 , 35, 335-352	37

968	The role of co-additive on epoxy resin pre-polymers solubilization in supercritical CO2. 2006, 38, 13-17	4
967	Effects of reactive low-profile additives on the volume shrinkage and internal pigmentability for low-temperature cure of unsaturated polyester. 2006 , 100, 967-979	17
966	Corrosion studies of copper and aluminum interconnects exposed to automotive oils. 2006 , 29, 213-221	6
965	Mesoscale simulation of morphology in hydrated perfluorosulfonic acid membranes. 2006 , 124, 134702	157
964	Improving mold compound adhesion to Ni/Pd/Au pre-plated lead frames.	1
963	Solubility Parameters - An Introduction. 2007 , 1-26	25
962	Specific Interaction between Components In Polymer Blend. 2007 , 43, 285-290	1
961	Oral Lipid-Based Formulations. 2007,	39
960	Polymerization-Induced Phase Separation of Styrene and Its Derivatives: Rarity of Crystal-like Array Formation. 2007 , 40, 4378-4380	8
959	Measurement and Correlation of Partition Coefficients for Phenolic Compounds in the 1-Butyl-3-methylimidazolium Hexafluorophosphate/Water Two-Phase System. <i>Journal of Chemical</i> 2.8 & amp; Engineering Data, 2007 , 52, 98-101	32
958	Solubilization of docetaxel in poly(ethylene oxide)-block-poly(butylene/styrene oxide) micelles. 2007 , 8, 2250-7	64
957	Temperature-Induced Changes in the Surface Wettability of SBR + PNIPA Films. 2007 , 292, 917-922	7
956	A drug release study from hydroxypropylmethylcellulose (HPMC) matrices using QSPR modeling. 2007 , 96, 3334-51	23
955	Molecular reconstruction of naphtha steam cracking feedstocks based on commercial indices. 2007 , 31, 1020-1034	7º
954	Phase behavior of CO2+biopolymer and CO2+fluoropolymer systems. 2007 , 261, 64-68	18
953	Design of optimal solvent for extraction of bio-active ingredients from mulberry leaves. 2007 , 37, 271-278	26
952	Solubility profiles of poly(ethylene glycol)/solvent systems, I: Qualitative comparison of solubility parameter approaches. 2007 , 43, 3068-3093	104
951	Correlation for the solubilities of pharmaceutical compounds in supercritical carbon dioxide. 2007 , 254, 167-173	51

950	Synthesis and topical delivery of N-alkyl-N-alkyloxycarbonylaminomethyl prodrugs of a model phenolic drug: acetaminophen. 2007 , 337, 48-55	12
949	Effects of carbon dioxide-induced plasticization on the gas transport properties of glassy polyimide membranes. 2007 , 298, 147-155	96
948	Morphology control of various aromatic polyimides by using phase separation during polymerization. 2007 , 48, 458-466	13
947	Layer-by-Layer assembly of two polyacrylate derivatives: Effect of solvent composition and side-chain structure. 2007 , 48, 2659-2664	7
946	Diffusion of one or more components of a silane adhesion-promoting mixture into poly(methyl methacrylate). 2007 , 308, 170-5	26
945	Elastomer swelling in mixed associative solvents. <i>Polymer Engineering and Science</i> , 2007 , 47, 1554-1568 2.3	6
944	Synthesis and properties of comb-shaped segmented poly(urethanes) based on 1,2-propanediol derivatives. 2007 , 49, 261-266	2
943	Prediction of polycyclic aromatic hydrocarbon solubilities in benzene. 2007 , 2, 144-150	1
942	Poly(N,N-dimethylacrylamide)-Based Microspheres Prepared by Heterogeneous Polymerizations. 2007 , 1, 86-94	4
941	Selective caffeine removal from green tea using supercritical carbon dioxide extraction. 2008 , 89, 303-309	99
940	Molecular simulation study of hydrogen bonding mixtures and new molecular models for mono- and dimethylamine. 2008 , 263, 144-159	23
939	Prediction of vaporliquid and liquidliquid equilibria for polymer systems: Comparison of activity coefficient models. 2008 , 267, 140-149	10
938	Predicting the solubility of the anti-cancer agent docetaxel in small molecule excipients using computational methods. 2008 , 25, 147-57	84
937	Solubility Behavior of Pimozide in Polar and Nonpolar Solvents: Partial Solubility Parameters Approach. 2008 , 37, 1365-1378	10
936	Investigation of NBR-cellulose II nanocomposites by rheometric and equilibrium swelling properties. 2008 , 60, 281-290	14
935	On the Correlation between Miscibility and Solubility Properties of Energetic Plasticizers/Polymer Blends: Modeling and Simulation Studies. 2008 , 33, 301-310	41
934	Solubilization of hydrophobic drugs by methoxy poly(ethylene glycol)-block-polycaprolactone diblock copolymer micelles: theoretical and experimental data and correlations. 2008 , 97, 1179-90	189
933	Solubility of solid solutes in HFA-134a with a correlation to physico-chemical properties. 2008 , 97, 198-208	5

(2008-2008)

932	A theoretical model for transdermal drug delivery from emulsions and its dependence upon formulation. 2008 , 97, 3781-809		21	
931	Toughening of unsaturated polyester resins with coreBhell rubbers. 2008, 107, 939-950		18	
930	Radiation tolerance in polymeric dielectrics by small molecule doping, Part II: Thermodynamic and kinetic parameters. 2008 , 49, 5549-5563		1	
929	The synthesis of poly(MA-alt-NIPA) copolymer, spectroscopic characterization, and the investigation of solubility profile-viscosity behavior. 2008 , 72, 682-694		2	
928	Measurement and correlation for the solid solubility of non-steroidal anti-inflammatory drugs (NSAIDs) in supercritical carbon dioxide. 2008 , 43, 438-446		50	
927	Solubility of Irgacure 2959 photoinitiator in supercritical carbon dioxide: Experimental determination and correlation. 2008 , 45, 272-281		41	
926	Solubility of iodopropynyl butylcarbamate in supercritical carbon dioxide. 2008, 270, 45-49		13	
925	In vitro evaluation of alkylcarbonyloxymethyl (ACOM) ethers as novel prodrugs of phenols for topical delivery: ACOM prodrugs of acetaminophen. 2008 , 346, 80-8		14	
924	Use of prediction methods to estimate true density of active pharmaceutical ingredients. 2008 , 355, 231-7		31	
923	Relationship between dissolution efficiency of Oxazepam/carrier blends and drug and carrier molecular descriptors using multivariate regression analysis. 2008 , 358, 60-8		13	
922	Measurement and correlation of solute solubility in HFA-134a/ethanol systems. 2008, 362, 184-8		7	
921	Novel azo dyes derived from phthalimide. Part 2: Dyeing properties and colour fastness on polyester fibres Coloration Technology, 2008, 124, 364-369	2	15	
920	Influence of polyethylene glycol chain length on compatibility and release characteristics of ternary solid dispersions of itraconazole in polyethylene glycol/hydroxypropylmethylcellulose 2910 E5 blends. 2008 , 35, 203-10		28	
919	Pharmaceutical Dosage Forms - Tablets. 2008,		8	
918	Solubility of Diflunisal in Supercritical Carbon Dioxide. <i>Journal of Chemical & Data</i> , 2008, 53, 1990-1995	2.8	23	
917	Swelling of Acrylic Interpenetrating Polymer Networks in Liquid Crystals. 2008, 273, 33-37		5	
916	Calculation of Solubility Parameter Using Perturbed-Chain SAFT and Cubic-Plus-Association Equations of State. 2008 , 47, 9663-9669		18	
915	Application of molecular dynamics simulation to predict the compatability between water-insoluble drugs and self-associating poly(ethylene oxide)-b-poly(epsilon-caprolactone) block copolymers. 2008 , 9, 3014-23		76	

914	Molecular Dynamics Simulation Study of Water in Amorphous Kapton. 2008, 41, 3349-3362	44
913	Amorphous Active Pharmaceutical Ingredients in Preclinical Studies: Preparation, Characterization, and Formulation. 2008 , 4, 213-224	38
912	Solubility Theories. 2008 , 5-21	
911	Challenges of Modeling Steam Cracking of Heavy Feedstocks. 2008 , 63, 79-94	61
910	A New Correlation and Prediction Method for the Solubility of Metal Complexes in Supercritical Carbon Dioxide Using Regular Solution Theory with the COSMO-RS Method. 2009 , 42, 309-318	9
909	Preparation and Properties of IPN Materials Containing Bisphenol A Acrylate and an Epoxide Hybrid Unit. 2009 , 12, 497-510	4
908	Cohesive Properties and Solubility. 2009 , 189-227	73
907	Solubility of Piperine in Supercritical and Near Critical Carbon Dioxide. 2009 , 17, 1014-1020	13
906	Rheological blends for drug delivery. I. Characterization in vitro. 2010 , 92, 575-85	8
905	Miscibility/stability considerations in binary solid dispersion systems composed of functional excipients towards the design of multi-component amorphous systems. 2009 , 98, 4711-23	68
904	Mechanical properties of silane-treated, silica-particle-filled polyisoprene rubber composites: Effects of the loading amount and alkoxy group numbers of a silane coupling agent containing mercapto groups. 2009 , 113, 1507-1514	44
903	Preparation and characterization of CMCS/PVA blend membranes and its sorption and pervaporation performance (I). 2009 , 114, 3369-3378	12
902	Morphology modulation of polymeric assemblies by guest drug molecules: TEM study and compatibility evaluation. 2009 , 50, 1778-1789	17
901	Measurement of the solubility of metal complexes in supercritical carbon dioxide using a UV∏is spectrometer. 2009 , 280, 49-55	24
900	Compatibility and biocompatibility study of new HPC/PU blends. 2009, 58, 4-16	13
899	Poly(methyl methacrylate)-modified epoxy/amine system for reactive rotational moulding: crosslinking kinetics and rheological properties. 2009 , 58, 954-961	12
898	Optimization of subcritical fluid extraction of bioactive compounds using Hansen solubility parameters. 2009 , 74, E342-54	71
897	Measurements for the solid solubilities of antipyrine, 4-aminoantipyrine and 4-dimethylaminoantipyrine in supercritical carbon dioxide. 2009 , 282, 82-87	35

(2009-2009)

896	Z-Tetraol composition and bonding to the underlying carbon surface. 2009, 333, 540-7		6
895	Solubility of climbazole and triclocarban in supercritical carbon dioxide: Measurement and correlation. <i>Journal of Chemical Thermodynamics</i> , 2009 , 41, 30-34	2.9	23
894	Preparation of double layered shell microparticles containing an acid dye by a melt dispersionBoacervation technique. 2009 , 192, 375-383		12
893	Gas permeation of LC films observed by smectic bubble expansion. 2009 , 30, 257-64		7
892	Pressurized liquid extraction of betulin and antioxidants from birch bark. 2009, 11, 668		47
891	Solvent Effects on the Crystallization and Preferential Nucleation of Carbamazepine Anhydrous Polymorphs: A Molecular Recognition Perspective. 2009 , 13, 1291-1300		39
890	Solubility of 1,5-Diaminobromo-4,8-dihydroxyanthraquinone in Supercritical Carbon Dioxide with or without Cosolvent <i>Journal of Chemical & Dournal Of Chem</i>	2.8	19
889	Self-associating poly(ethylene oxide)-b-poly(alpha-cholesteryl carboxylate-epsilon-caprolactone) block copolymer for the solubilization of STAT-3 inhibitor cucurbitacin I. 2009 , 10, 471-8		64
888	Fractionation of Poly(vinyl acetate) and the Phase Behavior of End-Group Modified Oligo(vinyl acetate)s in CO2. 2009 , 42, 7945-7952		42
887	Why does a hydrophilic drug permeate skin, although it is not soluble in white petrolatum?. 2009 , 35, 1356-63		5
886	Mechanism of drug release from polymethacrylate-based extrudates and milled strands prepared by hot-melt extrusion. 2009 , 71, 387-94		88
885	Volumetric Properties. 2009 , 71-108		16
884	Die Attach Adhesives and Films. 2009 , 407-436		1
883	Solubility of Pharmaceutical Solids. 2009 , 1-24		2
882	Effect of chemical enhancers on percutaneous absorption of daphnetin in isopropyl myristate vehicle across rat skin in vitro. 2009 , 16, 214-23		11
881	Examination of the Thermal and Thermomechanical Behavior of Novel Cyanate Ester Homopolymers and Blends with Low Coefficients of Thermal Expansion. 2009 , 42, 7718-7735		18
880	Characterization of solvent properties of methyl soyate by inverse gas chromatography and solubility parameters. 2009 , 11, 1581		23
879	New Liquid Crystalline Tetrahydropyran Derivatives. 2009 , 509, 245/[987]-262/[1004]		

878	Cyclotriphosphazenes with sulfur-containing side groups: refractive index and optical dispersion. 2009 , 2477-81	32
877	Enhancement of docetaxel solubility via conjugation of formulation-compatible moieties. 2009 , 7, 3437-46	22
876	Characterization of Treated-Layer with Silane Coupling Agent and Mechanical Properties of Filled Composite. 2009 , 45, 229-235	
875	Solubility behavior and prediction for antihelmintics at several temperatures in aqueous and nonaqueous mixtures. 2010 , 58, 644-9	12
874	Nanoscale morphology in sulphonated poly(Ether ether ketone)-based ionomeric membranes: Mesoscale simulations. 2010 , 52, 191-208	10
873	In vitro enhancement of lactate esters on the percutaneous penetration of drugs with different lipophilicity. <i>AAPS PharmSciTech</i> , 2010 , 11, 894-903	18
872	Discriminant analysis as a tool to identify compounds with potential as transdermal enhancers. 2005 , 57, 1389-96	20
871	An investigation into the influence of binary drug solutions upon diffusion and partition processes in model membranes. 2010 , 60, 1615-1623	14
870	An investigation into solvent-membrane interactions when assessing drug release from organic vehicles using regenerated cellulose membranes. 2008 , 60, 1139-47	21
869	The application of feature selection to the development of Gaussian process models for percutaneous absorption. 2010 , 62, 738-49	25
868	AFM Observation of a Mica Surface Treated with Silane Coupling Agent Having a Mercapto Group. 2010 , 17, 395-404	9
867	Estimation of solubility parameter by the modified ER equation of state. 2010 , 291, 141-150	36
866	Solubility of	30
865	Dyeing properties of novel azo disperse dyes derived from phthalimide and color fastness on poly(lactic acid) fiber. 2010 , 11, 199-204	19
864	Prediction of the induction period of crystallization of naproxen in solid dispersion using differential scanning calorimetry. <i>Journal of Thermal Analysis and Calorimetry</i> , 2010 , 99, 15-19	13
863	Mathematical model to predict skin concentration of drugs: toward utilization of silicone membrane to predict skin concentration of drugs as an animal testing alternative. 2010 , 27, 134-42	44
862	Supercritical Carbon Dioxide and Subcritical Water: Complementary Agents in the Processing of Functional Foods. 2010 , 39-78	6
861	Biphasic flux profiles of melatonin: the Yin-Yang of transdermal permeation enhancement mediated by fatty alcohol enhancers. 2010 , 99, 209-18	3

860	Poly[2,6-(1,4-phenylene)-benzobisimidazole] Nanofiber Networks. 2010, 211, 2226-2232	6
859	Induced Crystallization of PLLA in the Presence of 1,3,5-Benzenetricarboxylamide Derivatives as Nucleators: Preparation of Haze-Free Crystalline PLLA Materials. 2010 , 295, 460-468	70
858	Development of efficient supercritical carbon dioxide extraction methodology for zeaxanthin from dried biomass of Paracoccus zeaxanthinifaciens. <i>Separation and Purification Technology</i> , 2010 , 71, 173-1773	30
857	Fluorophilicity of Alkyl and Polyfluoroalkyl 1 Nicotinic Acid Ester Prodrugs. 2010 , 131, 784-790	6
856	Extraction of mangiferin from Mahkota Dewa (Phaleria macrocarpa) using subcritical water. 2010 , 16, 425-430	43
855	Permeability, diffusivity, and solubility of benzene vapor and water vapor in high free volume silicon- or fluorine-containing polymer membranes. 2010 , 360, 352-362	45
854	Simulation of the free energy of mixing for blend components in a new family of flexible polycyanurates. 2010 , 51, 5857-5868	4
853	Influence of temperature on the solubilization of thiabendazole by combined action of solid dispersions and co-solvents. 2010 , 384, 93-9	16
852	Solid solubility of antilipemic agents and micronization of gemfibrozil in supercritical carbon dioxide. 2010 , 52, 175-182	55
851	Extension of a compressible lattice model to CO2+cosolvent+polymer systems. 2010 , 55, 358-362	8
850	Hochmolekulare lineare Epoxid-Amin-Additionspolymere. 2010 , 22, 166-176	11
849	Efeito de um novo acelerador de vulcanizaß nas propriedades reomEricas de composiEs de borracha nitrEca com diferentes teores de AN. 2010 , 20, 366-370	2
848	Thermodynamic study of the solubility of ibuprofen in acetone and dichloromethane. 2010 , 46, 227-235	35
847	Cryogenic Insulation for LOX and LH2-Tank Application. 2010 ,	2
846	Fundamentals and Perspectives for Pervaporation. 2010 , 243-271	3
845	Theoretical and experimental investigation on the solid solubility and miscibility of naproxen in poly(vinylpyrrolidone). 2010 , 7, 1133-48	120
844	Effect of Solvent on the Crystal Growth of One-Dimensional ZrO2IIiO2 Nanostructures. 2010, 10, 1598-1604	24
843	Free Volume Analysis and Transport Mechanisms of PVC Modified with Fluorothiophenol Compounds. A Molecular Simulation Study. 2010 , 43, 7357-7367	32

842	Mechanisms of solute rejection in solvent resistant nanofiltration: the effect of solvent on solute rejection. 2010 , 12, 13333-42	108
841	Interfacial water on hydrophobic surfaces recognized by ions and molecules. 2011 , 13, 15925-35	19
840	A modification of the extended Hildebrand approach to predict the solubility of structurally related drugs in solvent mixtures. 1993 , 45, 253-7	59
839	Regular Solution Theories Are Not Appropriate for Model Compounds for Petroleum Asphaltenes. 2011 , 25, 737-746	16
838	Mechanical properties of rigid polyurethane foams at room and cryogenic temperatures. 2011 , 47, 337-355	45
837	Determination of Solubility Parameters for the p-Xylene Oxidation Products. 2011 , 50, 2467-2472	15
836	An Elastomer-Toughened PPS Derived from the Behavior of Titanate Layers as a Compatibilizer. 2011 , 14, 251-261	3
835	Group Contribution-Based Method for Determination of Solubility Parameter of Nonelectrolyte Organic Compounds. 2011 , 50, 10344-10349	16
834	Improvement of the dissolution rate of poorly soluble drugs by solid crystal suspensions. 2011 , 8, 727-35	47
833	Temperature Dependent Solubility of Form l-Glutamic Acid in Selected Organic Solvents: Measurements and Thermodynamic Modeling. 2011 , 50, 8354-8360	67
832	Competition between dewetting and cross-linking in poly(N-vinylpyrrolidone)/polystyrene bilayer films. 2011 , 27, 14207-17	9
831	Solubility of Polymers. 2011 ,	3
830	Measurement and Correlation of 1,4-Naphthoquinone and of Plumbagin Solubilities in Supercritical Carbon Dioxide. <i>Journal of Chemical & Data</i> , 2011, 56, 4173-4182	13
829	Tuning of Lower Critical Solution Temperature (LCST) of Poly(N-Isopropylacrylamide-co-Acrylic acid) Hydrogels. 2011 , 50, 563-579	58
828	Solubility Parameters of Nonelectrolyte Organic Compounds: Determination Using Quantitative Structure Property Relationship Strategy. 2011 , 50, 11382-11395	86
827	The expanded Hansen approach to solubility parameters. Paracetamol and citric acid in individual solvents. 1997 , 49, 644-51	24
826	The application and limitations of mathematical modelling in the prediction of permeability across mammalian skin and polydimethylsiloxane membranes. 2011 , 63, 1411-27	29
825	Griseofulvin/carrier blends: application of partial least squares (PLS) regression analysis for estimating the factors affecting the dissolution efficiency. <i>AAPS PharmSciTech</i> , 2011 , 12, 1019-30	8

824	Correlation of Vapor-Liquid Equilibria of Polar Mixtures by Using Wilson Equation with Parameters Estimated from Solubility Parameters and Molar Volumes. 2011 , 44, 449-454	10
823	Predicting the solubility of drugs in solvent mixtures: multiple solubility maxima and the chameleonic effect. 1994 , 46, 172-6	34
822	Dissolution rate improvement of valsartan by low temperature recrystallization in compressed CO2: Prevention of excessive agglomeration. 2011 , 59, 117-123	21
821	Allylic monomers as reactive plasticizers of polyphenylene oxide. Part I: Uncured systems. 2011 , 47, 1775-178	34 8
820	Thermodynamic analysis and enthalpyEntropy compensation for the solubility of indomethacin in aqueous and non-aqueous mixtures. 2011 , 308, 98-106	107
819	Measurement and correlation of the solubility of juglone in supercritical carbon dioxide. 2011 , 311, 1-8	28
818	Aqueous solubility calculation of aromatic acids within a wide temperature range using a modified regular solution model. 2011 , 142, 453-461	2
817	Solubility of hinokitiol in supercritical fluids; measurement and correlation. 2011 , 28, 2319-2323	7
816	Dispersion polymerization using hydroxy-functional macroazoinitiators as an inistab. 2011 , 49, 1633-1643	2
815	Magnetic poly(N-propargylacrylamide) microspheres: Preparation by precipitation polymerization and use in model click reactions. 2011 , 49, 4820-4829	24
814	Toward rational design of complex nanostructured liquid crystals. 2011, 11, 66-76	42
813	Evaluation of predictive models for stable solid solution formation. 2011 , 100, 667-80	17
812	Prediction of the thermal phase diagram of amorphous solid dispersions by Flory-Huggins theory. 2011 , 100, 3196-3207	126
811	Synthesis and characterization of the new cellulose derivative films based on the hydroxyethyl cellulose prepared from Btipa Tenacissimaltellulose of Eastern Morocco. I. Solubility study. 2011 , 122, 2952-2965	3
810	Supercritical fluid-assisted preparation of imprinted contact lenses for drug delivery. 2011 , 7, 1019-30	86
809	Hansen solubility parameter as a tool to predict cocrystal formation. 2011 , 407, 63-71	281
808	Correlation of solid solubilities for phenolic compounds and steroids in supercritical carbon dioxide using the solution model. 2011 , 42, 608-615	13
807	Separation of bioactives from seabuckthorn seeds by supercritical carbon dioxide extraction methodology through solubility parameter approach. <i>Separation and Purification Technology</i> , 2011 , 8.3 80, 533-540	52

806	Preparation of submicron-sized RDX particles by rapid expansion of solution using compressed liquid dimethyl ether. 2011 , 57, 251-258	24
805	Rapeseed Oil as Renewable Resource for Polyol Synthesis. 2011 , 6,	5
804	A QSPR Study on the Physical Properties of Substituted Polypyrroles and Poly(paraphenylenes). 2011 , 14, 79-93	
803	Transdermal drug delivery in vitro using diffusion cells. 2012 , 19, 4671-7	123
802	THEORIES OF COMPATIBILITY. 2012 , 135-164	3
801	Redispersion Property of TiO2 Nanoparticles Modified with Oleyl-group. 2012 , 49, 108-115	6
800	Structure and properties of the polyurethane and polyurethane foam synthesized from castor oil polyols. 2012 , 48, 476-488	22
799	Harnessing Hansen solubility parameters to predict organogel formation. 2012 , 22, 12651	107
798	Thicker is better? Synthesis and evaluation of well-defined polymer brushes with controllable catalytic loadings. 2012 , 18, 16226-33	21
797	Solution parameters for the fabrication of thinner silicone fibers by electrospinning. 2012 , 86, 011801	17
796	Microsegregation: From Basic Concepts to Complexity in Liquid Crystal Self-Assembly. 2012 , 52, 935-959	51
795	Solubility Behavior of Lornoxicam in Binary Solvents of Pharmaceutical Interest. 2012 , 41, 1364-1374	12
794	The influence of self-assembling supramolecular structures on the passive membrane transport of ion-paired molecules. 2012 , 439, 334-41	7
793	Investigation of the relationships between the thermodynamic phase behavior and gelation behavior of a series of tripodal trisamide compounds. <i>Soft Matter</i> , 2012 , 8, 6483	27
792	Discriminating the molecular identity and function of discrete supramolecular structures in topical pharmaceutical formulations. 2012 , 9, 2505-12	9
791	Effect of Binary Additive Combinations on Solution Crystal Growth of the Poorly Water-Soluble Drug, Ritonavir. 2012 , 12, 6050-6060	55
790	Synthesis and Formation Mechanism of Large-Size Monodisperse P(Glycidyl methacrylate-Styrene) Microspheres by Batch Dispersion Copolymerization. 2012 , 33, 1173-1178	1
789	Phase separation behavior of fusidic acid and rifampicin in PLGA microspheres. 2012 , 9, 1489-501	25

788	Taste masking of paracetamol by hot-melt extrusion: an in vitro and in vivo evaluation. 2012, 80, 433-42	112
787	Characterization of the Solvent Properties of Glycerol Using Inverse Gas Chromatography and Solubility Parameters. 2012 , 89, 1585-1597	7
786	Characterization of Pressure Effects on the Cohesive Properties and Structure of Hexane and Polyethylene Using Molecular Dynamics Simulations. 2012 , 21, 535-543	6
785	Liquid/liquid metal extraction: Phase diagram topology resulting from molecular interactions between extractant, ion, oil and water. 2012 , 213, 225-241	33
784	Morphological Changes in Ultraviolet-Nanoimprinted Resin Patterns Caused by Ultraviolet-Curable Resins Absorbing Pentafluoropropane. 2012 , 51, 06FJ05	8
783	A Review on Prediction Methods for Molar Enthalpies of Vaporization of Hydrocarbons: The ELBA Method as the Best Answer. 2012 , 41, 043101	12
782	Solubility Parameters for Prediction of Drug/Polymer Miscibility in Hot-Melt Extruded Formulations. 2012 , 71-92	1
781	Corresponding States Method for Evaluation of the Solubility Parameters of Chemical Compounds. 2012 , 51, 3826-3831	11
780	Supercritical Carbon Dioxide Extraction of Squalene from Amaranthus paniculatus: Experiments and Process Characterization. 2012 , 5, 2506-2521	26
779	Dynamic Mechanical Characterization of the Crosslinked and Chain-extended HTPB Based Polyurethanes. 2012 , 20, 683-692	6
778	Understanding Polymer Properties Important for Crystal Growth Inhibition Impact of Chemically Diverse Polymers on Solution Crystal Growth of Ritonavir. 2012 , 12, 3133-3143	170
777	Increasing PAH (bio)accessibility in historically PAH-contaminated soils: waste versus food-grade oils. 2012 , 87, 1229-1236	6
776	Development of a probucol-releasing antithrombogenic drug eluting stent. 2012 , 100, 1068-77	7
775	Synthesis of metal oxide nanostructures by direct sol-gel chemistry in supercritical fluids. 2012 , 112, 3057-82	216
774	Entropy of Mixing: Rigid vs Flexible Molecules: Effect of Varying Solvent on Dissolution Temperature. 2012 , 45, 5281-5295	3
773	Solubility Parameter of Gatifloxacin and Its Correlation with Antibacterial Activity. 2012 , 41, 381-391	2
772	Effects of molecular structure on dyeing performance and colour fastness of yellow dyestuffs applied to polypropylene fibres in supercritical carbon dioxide. <i>Coloration Technology</i> , 2012 , 128, 51-59	31
771	Food aroma mass transport properties in renewable hydrophilic polymers. 2012 , 130, 814-820	12

770	Solvent mediated microstructures and release behavior of insulin from pH-sensitive nanoparticles. 2012 , 94, 206-12	9
769	CFD simulation of transient stage of continuous countercurrent hydrolysis of canola oil. 2012 , 43, 108-119	14
768	The application of discriminant analysis and Machine Learning methods as tools to identify and classify compounds with potential as transdermal enhancers. 2012 , 45, 116-27	30
767	Photopolymerization of a perfluoropolyether oligomer and photolithographic processes for the fabrication of microfluidic devices. 2012 , 48, 1118-1126	39
766	Analysis of transport mechanism of binary organic solvent system through a PDMS-based dense membrane using a regular solution model combined with a solution-diffusion model. <i>Separation and Purification Technology</i> , 2012 , 88, 216-226	16
765	Thermally rearranged (TR) polybenzoxazole hollow fiber membranes for CO2 capture. 2012 , 403-404, 169-178	109
764	Experimental determination and correlation of meloxicam sodium salt solubility in supercritical carbon dioxide. 2012 , 63, 40-45	14
763	An evaluation of the potential of linear and nonlinear skin permeation models for the prediction of experimentally measured percutaneous drug absorption. 2012 , 64, 566-77	18
762	Preparation and characterization of several types of polyvinyl butyral hollow fiber membranes by thermally induced phase separation. 2013 , 127, 4072-4078	12
761	Correlation and estimation of solubilities of fatty acids in supercritical carbon dioxide using solution model approach. 2013 , 81, 79-85	7
760	Biobased Polyurethanes from Rapeseed Oil Polyols: Structure, Mechanical and Thermal Properties. 2013 , 21, 952-962	32
759	Solubilities of novel ethylene oxide diphosphate-based chelating agents in supercritical carbon dioxide. 2013 , 355, 1-7	8
758	Maintaining Supersaturation in Aqueous Drug Solutions: Impact of Different Polymers on Induction Times. 2013 , 13, 740-751	177
757	Thiol-terminated hydroxy-functional polymer as a transtab toward polymer latex particles. 2013 , 291, 1171-1180	2
756	Correlation of solid solubilities of pharmaceutical compounds in supercritical carbon dioxide with solution model approach. 2013 , 44, 349-358	23
755	Structure and properties of N-heterocycle-containing benzotriazoles as UV absorbers. 2013 , 1054-1055, 94-99	15
754	Fabrication of porous and interconnected PBI/P84 ultrafiltration membranes using [EMIM]OAc as the green solvent. 2013 , 87, 194-203	29
753	Total and partial solubility parameters prediction: Lornoxicam in individual solvents. 2013 , 7, 409-413	5

752	Janus cyclic peptide-polymer nanotubes. 2013 , 4, 2780	76
751	Strategies to address low drug solubility in discovery and development. 2013 , 65, 315-499	992
75°	Solubility of organometallic complexes in supercritical carbon dioxide: A review. 2013 , 724, 102-116	60
749	Solubility of methocarbamol in some cosolvent+water mixtures at 298.15K and correlation with the Jouyban Acree model. <i>Journal of Molecular Liquids</i> , 2013 , 188, 162-166	27
748	Mechanical properties of silane-treated silica particle-filled polyisoprene composites: Influence of the alkoxy group mixing ratio in silane coupling agent containing mercapto group. 2013 , 128, 2548-2555	15
747	A group contribution model for determining the vaporization enthalpy of organic compounds at the standard reference temperature of 298K. 2013 , 360, 279-292	12
746	Oxidation induced changes in viscoelastic properties of a thermostable epoxy matrix. 2013 , 55, 614-624	13
745	Solubility and solution thermodynamics of sulfamerazine and sulfamethazine in some ethanol+water mixtures. 2013 , 360, 88-96	90
744	Comparison between three predictive methods for the calculation of polymer solubility parameters. 2013 , 337, 6-10	17
743	Prediction of salting-out and salting-in constants. <i>Journal of Molecular Liquids</i> , 2013 , 177, 7-10 6	10
742	Molecular dynamics simulation of amorphous indomethacin-poly(vinylpyrrolidone) glasses: solubility and hydrogen bonding interactions. 2013 , 102, 876-91	54
741	Investigation of the capacity of low glass transition temperature excipients to minimize amorphization of sulfadimidine on comilling. 2013 , 10, 386-96	22
740	Supercritical fluid extraction of forskolin from Coleus forskohlii roots. 2013, 117, 443-449	5
739	The effect of matrix polarity on the properties of poly(o-methoxyaniline) EVA blends. 2013, 141, 180-188	2
738	Solid lipid dispersion of calcitriol with enhanced dissolution and stability. 2013 , 8, 39-47	8
737	Extended Hildebrand Solubility Approach applied to piroxicam in ethanol + water mixtures. <i>Journal of Molecular Liquids</i> , 2013 , 180, 34-38	25
736	Effect of substituted groups on characterization and water vapor sorption property of polyhedral oligomeric silsesquioxane (POSS)-containing methacryl polymer membranes. 2013 , 54, 2315-2323	17
735	Polyurethane and Polyisocyanurate Foams in External Tank Cryogenic Insulation. 2013 , 203-244	2

734	Characterization of polyurethane networks structure and properties based on rapeseed oil derived polyol. 2013 , 49, 1204-1214	49
733	Impact of polymers on crystal growth rate of structurally diverse compounds from aqueous solution. 2013 , 10, 2381-93	81
732	Improved group contribution parameter set for the application of solubility parameters to melt extrusion. 2013 , 85, 1191-9	61
731	Evaluation of the structural determinants of polymeric precipitation inhibitors using solvent shift methods and principle component analysis. 2013 , 10, 2823-48	44
730	Midblock-sulfonated triblock ionomers derived from a long-chain poly[styrene-b-butadiene-b-styrene] triblock copolymer. 2013 , 1, 3430	11
729	Pervaporative Separation of Aromatic/Aliphatic Mixtures with Poly(Siloxane-co-Imide) and Poly(Ether-co-Imide) Membranes. 2013 , 52, 8906-8916	23
728	Rational development of solid dispersions via hot-melt extrusion using screening, material characterization, and numeric simulation tools. 2013 , 102, 2297-310	41
727	Solution thermodynamics of sulfadiazine in some ethanol+water mixtures. <i>Journal of Molecular Liquids</i> , 2013 , 187, 99-105	45
726	Prediction of vaporIlquid equilibria of binary systems containing esters by using Wilson equation with parameters estimated from pure-component properties. 2013 , 352, 114-117	6
725	A new approach to select solvents and operating conditions for supercritical antisolvent precipitation processes by using solubility parameter and group contribution methods. 2013 , 81, 128-146	16
724	How do anions affect self-assembly and solubility of cetylpyridinium surfactants in water. 2013 , 117, 1345-56	25
723	Permeability of Dry Gases and Those Dissolved in Water through Hydrophobic High Free-Volume Silicon- or Fluorine-Containing Nonporous Glassy Polymer Membranes. 2013 , 52, 1133-1140	14
722	Self-assembly of condensable "bola-amphiphiles" in water/tetraethoxysilane mixtures for the elaboration of mesostructured hybrid materials. 2013 , 29, 10368-75	14
721	Meloxicam Solubility in Ethanol+Water Mixtures According to the Extended Hildebrand Solubility Approach. 2013 , 42, 1706-1716	21
720	Molecular Approach to Supramolecular Polymer Assembly by Small Angle Neutron Scattering. 2013 , 46, 9446-9454	24
719	Compatibilization of Immiscible Polymer Blends by Organoclay: Effect of Nanofiller or Organo-Modifier?. 2013 , 298, 757-770	25
718	Morphology and mechanical properties of PET/PE blends compatibilized by nanoclays: Effect of thermal stability of nanofiller organic modifier. 2013 , 128, 2766-2778	25
717	Enthalpy-entropy compensation combined with cohesive free-energy densities for tuning the melting temperatures of cyanobiphenyl derivatives. 2013 , 19, 8447-56	8

716	Application of PC-SAFT and cubic equations of state for the correlation of solubility of some pharmaceutical and statin drugs in SC-CO2. 2013 , 19, 449-460	8
715	The contributions of the Celtic masters and their associates. 2013 , 26, 343-55	1
714	Physical Gels of Syndiotactic Polystyrene With Fragrant Molecules. 2013 , 214, 1912-1920	4
713	Predicting the octanol solubility of organic compounds. 2013 , 102, 2112-9	13
712	Characterization and CO2 sorption properties of poly[methacryloxypropylheptacyclopentyl-T8-silsesquioxane-co-3-methacryloxypropyltris(trimethylsiloxy)silane]. 2013 , 129, 2036-2045	4
711	Application of Solubility Parameter Theory to Organosolv Extraction of Lignin from Enzymatically Hydrolyzed Cornstalks. 2014 , 9,	20
710	SOLUBILITY OF SELECTED SYSTEMS AND INFLUENCE OF SOLUTES. 2014 , 265-292	
709	Application of methyl methacrylate copolymers to the development of transdermal or loco-regional drug delivery systems. 2014 , 11, 1033-45	34
708	Preferential solvation of indomethacin and naproxen in ethyl acetate + ethanol mixtures according to the IKBI method. <i>Physics and Chemistry of Liquids</i> , 2014 , 52, 533-545	18
707	Gas transport properties in waterborne polymer nanocomposite coatings containing organomodified clays. 2014 , 11, 899-911	12
706	Achieving balanced intermixed and pure crystalline phases in PDI-based non-fullerene organic solar cells via selective solvent additives. 2014 , 16, 26917-28	30
705	Environment-Specific Fluorescence Response of Microporous, Conformation-Variable Conjugated Polymer Film to Water in Organic Solvents: On-line Real-Time Monitoring in Fluidic Channels. 2014 , 215, 1068-1076	26
704	Synthesis of a Series of Malonic DiesterIntroduced Fullerene Derivatives. 2014 , 44, 275-279	5
703	Blends of epoxylmine resins with poly(phenylene oxide) as processing aids and toughening agents: I. Uncured systems. 2014 , 63, 52-59	4
702	Probing microphase separation and proton transport cooperativity in polymer-tethered 1H-tetrazoles. 2014 , 52, 1375-1387	1
701	Characterization of Printer Inks. 2014 , 11-22	
700	Correlation of solid solubility of 1-hydroxy-9,10-anthraquinone derivatives in supercritical carbon dioxide. 2014 , 9, 782-787	
699	Crystallization of Piroxicam Solid Forms and the Effects of Additives. <i>Chemical Engineering and Technology</i> , 2014 , 37, 1297-1304	18

698 Reinforcing thermosets using crystalline desoxyanisoin structures. **2014**, 131, n/a-n/a

697	Organic solvent nanofiltration with a Poly(dimethylsiloxane) membrane: Parameters affecting its sieving properties. 2014 , 131, n/a-n/a	4
696	Preferential Solvation of Ketoprofen in Some Co-solvent Binary Mixtures. 2014 , 43, 1904-1915	15
695	Solubility Parameters Based on Refractive Index Data of Ionic Liquid. 2014 , 917, 45-55	4
694	Correlation of solid solubility of 1,4-bis(alkylamino)-9,10-anthraquinones in supercritical carbon dioxide using solution model approach. 2014 , 361, 266-272	3
693	Processing and properties of spray-applied, 100% solids polyurethane coatings from rapeseed oil polyols. 2014 , 11, 409-420	14
692	Preferential Solvation of Some Sulfonamides in Propylene Glycol + Water Solvent Mixtures According to the IKBI and QLQC Methods. 2014 , 43, 360-374	28
691	In situ synthesis of organicIhorganic hybrids or nanocomposites from solြgel chemistry in molten polymers. 2014 , 39, 1473-1497	59
690	Effect of different "states" of sorbed water on amorphous celecoxib. 2014 , 103, 2033-2041	8
689	Mechanical activation of trans-stilbene during wet grinding. 2014 , 25, 1808-1816	10
688	Solubility and preferential solvation of meloxicam in ethyl acetate + ethanol mixtures at several temperatures. <i>Journal of Molecular Liquids</i> , 2014 , 200, 122-128	21
687	Solubility and Solution Thermodynamics of Meloxicam in 1,4-Dioxane and Water Mixtures. 2014 , 53, 16550-16	55 <u>\$</u> 8
686	Elucidation of the structure-property relationship of p-type organic semiconductors through rapid library construction via a one-pot, Suzuki-Miyaura coupling reaction. 2014 , 16, 494-9	21
685	Melting temperatures deduced from molar volumes: a consequence of the combination of enthalpy/entropy compensation with linear cohesive free-energy densities. <i>RSC Advances</i> , 2014 , 4, 1574 $\theta^{.7}$	11
684	Preferential solvation of methocarbamol in aqueous binary co-solvent mixtures at 298.15 K. <i>Physics and Chemistry of Liquids</i> , 2014 , 52, 726-737	66
683	Improving the wear resistance of UHMWPE implants by in situ precipitation of hyaluronic acid using supercritical fluid technology. 2014 , 95, 204-213	13
682	Solubility and preferential solvation of sulfadiazine in methanol+water mixtures at several temperatures. 2014 , 379, 128-138	37
681	Water uptake, distribution, and mobility in amorphous poly(D,L-lactide) by molecular dynamics simulation. 2014 , 103, 2759-2771	25

680	Solubility of crystalline organic compounds in high and low molecular weight amorphous matrices above and below the glass transition by zero enthalpy extrapolation. 2014 , 472, 241-7	21
679	Ultrasensitive QRS made by supramolecular assembly of functionalized cyclodextrins and graphene for the detection of lung cancer VOC biomarkers. 2014 , 2, 6571-6579	44
678	Solubility and Solution Thermodynamics of Some Sulfonamides in 1-Propanol + Water Mixtures. 2014 , 43, 836-852	58
677	Investigations on the viscoelastic performance of pressure sensitive adhesives in drug-in-adhesive type transdermal films. 2014 , 31, 2186-202	18
676	Solubility and preferential solvation of meloxicam in methanol + water mixtures at 298.15 K. <i>Journal of Molecular Liquids</i> , 2014 , 197, 368-373	38
675	Mathematical Modeling of Molecular Weight Distributions in Vinyl Chloride Suspension Polymerizations Performed with a Bifunctional Initiator through Probability Generating Functions. 2014 , 23, 500-522	5
674	Modelling solubility of solid active principle ingredients in sc-CO2 with and without cosolvents: A comparative assessment of semiempirical models based on Chrastil's equation and its modifications. 2014 , 93, 91-102	15
673	Preferential solvation of sulfadiazine, sulfamerazine and sulfamethazine in ethanol + water solvent mixtures according to the IKBI method. <i>Journal of Molecular Liquids</i> , 2014 , 193, 152-159	75
672	Pairwise polymer blends for oral drug delivery. 2014 , 103, 2871-2883	47
671	Measurement and correlation of solubility of anthraquinone dyestuffs in supercritical carbon dioxide. <i>Journal of Chemical Thermodynamics</i> , 2014 , 74, 119-125	31
670	Synthesis and structure-property evaluation of cellulose Earboxyesters for amorphous solid dispersions. 2014 , 100, 116-25	44
669	Data mining of solubility parameters for computational prediction of drug-excipient miscibility. 2014 , 40, 904-9	28
668	An Introduction to Coarse-Graining Approaches: Linking Atomistic and Mesoscales. 2014 , 43-84	
667	Microsegregation in Liquid Crystalline Systems: Basic Concepts. 2014 , 1-43	7
666	Environmental Stress Crack Resistance for 1/4 Elliptical Method and Solubility Parameter. 2014 , 26, 478-481	
665	Solubility of Food Components in the Supercritical-CO2 Fluid Process. 2015 , 53-104	O
664	The influence of the viscosity of the ointment vehicles magisterial topical preparations, on the speed transfer of biologically active substances. 2015 , 28, 212-218	2
663	Gas permeation and positron annihilation lifetime spectroscopy of poly(ether imides) containing main chain ethylene oxide segments. 2015 , 53, 1654-1662	2

662	Consideration on formation mechanism of aromatic polyamide hollow spheres prepared by reaction-Induced phase separation. 2015 , 53, 1966-1974		2
661	Nanoparticle Distribution in Three-Layer PolymerNanoparticle Composite Films: Comparison of Experiment and Theory. 2015 , 32, 123-131		6
660	Radiopaque iodinated ethers of poly(vinyl iodobenzyl ether)s: Synthesis and evaluation for endovascular embolization. 2015 , 132, n/a-n/a		7
659	Determination of Solubility Parameters of Ibuprofen and Ibuprofen Lysinate. 2015 , 20, 21549-68		86
658	Correlation between Cohesive Energy Density, Fractional Free Volume, and Gas Transport Properties of Poly(ethylene-co-vinyl acetate) Materials. 2015 , 2015, 1-8		11
657	Effects of Substituted Alkyl Chain Length on Solution-Processable Layered Organic Semiconductor Crystals. 2015 , 27, 3809-3812		101
656	Solubilities of Three Phosphorus Flame Retardants in Selected Organic Solvents. <i>Journal of Chemical & Chemica</i>	2.8	7
655	Determination, correlation and prediction of the solubilities of niflumic acid, clofenamic acid and tolfenamic acid in supercritical CO2. 2015 , 392, 95-103		18
654	Preferential solvation of some n-alkyl p-substituted benzoates in propylene glycol + water cosolvent mixtures. <i>Physics and Chemistry of Liquids</i> , 2015 , 53, 455-466	1.5	14
653	Decisive properties of solvent able to form gels with syndiotactic polystyrene. 2015 , 67, 118-127		15
652	Estimating the physicochemical properties of polyhalogenated aromatic and aliphatic compounds using UPPER: part 2. Aqueous solubility, octanol solubility and octanol-water partition coefficient. 2015 , 119, 1441-1446		15
651	Effect of Mannitol on Nucleation and Crystal Growth of Amorphous Flavonoids: Implications on the Formation of Nanocrystalline Solid Dispersion. 2015 , 104, 3789-3797		11
650	Correlating and estimating the solubilities of solid organic compounds in supercritical CO2 based on the modified expanded liquid model and the group contribution method. 2015 , 385, 10-24		17
649	Solubility and preferential solvation of sulfadiazine, sulfamerazine and sulfamethazine in propylene glycol+water mixtures at 298.15K. <i>Journal of Molecular Liquids</i> , 2015 , 204, 132-136	6	35
648	Bio-based polyurethane reinforced with cellulose nanofibers: a comprehensive investigation on the effect of interface. 2015 , 122, 202-11		105
647	Phase Diagram of Conjugated Polymer Blend P3HT/PF12TBT and the Morphology-Dependent Photovoltaic Performance. 2015 , 119, 1729-1736		16
646	Design, polymerization, and properties of polyurethane elastomers from miscible, immiscible, and hybridized seed-oil derived soft segment blends. 2015 , 53, 93-102		8
645	Optimal extraction and fingerprinting of carotenoids by accelerated solvent extraction and liquid chromatography with tandem mass spectrometry. 2015 , 177, 369-75		39

(2015-2015)

644	Solution Thermodynamics and Preferential Solvation of Sulfamerazine in Methanol + Water Mixtures. 2015 , 44, 360-377		47
643	Self-assembly of 12-hydroxystearic acid molecular gels in mixed solvent systems rationalized using Hansen solubility parameters. 2015 , 293, 975-983		17
642	Predicting solubility parameter of molecular fluids. <i>Journal of Molecular Liquids</i> , 2015 , 211, 560-566	6	5
641	Selective removal of ATP degradation products from food matrices I: Design and characterization of a dummy molecularly imprinted specific sorbent for hypoxanthine. 2015 , 91-92, 51-61		5
640	Extended Hildebrand solubility approach applied to some sulphonamides in propylene glycol + water mixtures. <i>Physics and Chemistry of Liquids</i> , 2015 , 53, 763-775	1.5	14
639	Solubility temperature dependence and preferential solvation of sulfadiazine in 1,4-dioxane + water co-solvent mixtures. 2015 , 397, 26-36		34
638	A facile route to diverse assemblies by hostguest recognition. 2015 , 6, 3716-3727		16
637	Oral bioavailability and pharmacodynamic activity of hesperetin nanocrystals generated using a novel bottom-up technology. 2015 , 12, 1158-70		36
636	Triblock polymeric micelles as carriers for anti-inflammatory drug delivery. 2015 , 32, 224-30		4
635	Thermodynamic study of the partitioning of methyl and propyl parabens in some organic solvent/buffer systems. <i>Journal of Chemical Thermodynamics</i> , 2015 , 86, 180-187	2.9	10
634	Phase separation kinetics in amorphous solid dispersions upon exposure to water. 2015 , 12, 1623-35		66
633	Measurement and Correlation of Derivatized Anthraquinone Solubility in Supercritical Carbon Dioxide. <i>Journal of Chemical & Engineering Data</i> , 2015 , 60, 3046-3052	2.8	16
632	Structural study of hybrid silica bilayers from Bola-amphiphilelbrganosilane precursors: catalytic and thermal effects. <i>RSC Advances</i> , 2015 , 5, 57521-57531	3.7	9
631	Application of film-casting technique to investigate drug-polymer miscibility in solid dispersion and hot-melt extrudate. 2015 , 104, 2142-52		47
630	Mechanism of generation of drug nanocrystals in celecoxib: mannitol nanocrystalline solid dispersion. 2015 , 495, 132-139		19
629	PVDF-HFP/silica-SH nanocomposite synthesis for PEMFC membranes through simultaneous one-step solgel reaction and reactive extrusion. 2015 , 163, 54-62		15
628	Tailoring the structure of polyamide thin film composite membrane with zwitterions to achieve high water permeability and antifouling property. <i>RSC Advances</i> , 2015 , 5, 98730-98739	3.7	25
627	Accelerating Reactive Compatibilization of PE/PLA Blends by an Interfacially Localized Catalyst. 2015 , 4, 30-33		44

626	Mechanistic study of carvacrol processing and stabilization as glassy solid solution and microcapsule. 2015 , 478, 597-605		10
625	Highly lithium-ion conductive battery separators from thermally rearranged polybenzoxazole. 2015 , 51, 2068-71		27
624	Mechanical degradation and stability of organic solar cells: molecular and microstructural determinants. 2015 , 8, 55-80		172
623	Assessing magnetic nanoparticle aggregation in polymer melts by dynamic magnetic susceptibility measurements. 2015 , 378, 64-72		10
622	Solubility of anthraquinone derivatives in supercritical carbon dioxide. 2015 , 113, 351-356		34
621	Aerosol particle generation from solution-based pressurized metered dose inhalers: a technical overview of parameters that influence respiratory deposition. 2015 , 20, 897-910		11
620	Screening methodologies for the development of spray-dried amorphous solid dispersions. 2015 , 32, 222-37		30
619	Highly Fluorescent, Photostable, Conjugated Polymer Dots with Amorphous, Glassy-State, Coarsened Structure for Bioimaging. 2015 , 3, 78-86		25
618	Preferential solvation of some structurally related sulfonamides in 1-propanol + water co-solvent mixtures. <i>Physics and Chemistry of Liquids</i> , 2015 , 53, 293-306	1.5	35
617	Extended Hildebrand solubility approach applied to some structurally related sulfonamides in ethanol + water mixtures. 2016 , 45, 34		9
616	SOME NUMERICAL ANALYSES ON THE SOLUBILITY OF VANILLIN IN CARBITOL® + WATER SOLVENT MIXTURES. 2016 , 44, 34-39		8
615	On Demand Octane Number Enhancement Technology by Aerobic Oxidation. 2016 ,		
614	Development of Gasoline Injector Cleaner for Port Fuel Injection and Direct Injection. 2016,		О
613	Improvement of physicochemical parameters of acyclovir using cocrystallization approach. 2016 , 52, 727-734		5
612	Permeability of dried gases and gases dissolved in water through polyimide membranes modified by immersing in amino compound solutions. <i>Polymer Engineering and Science</i> , 2016 , 56, 178-186	2.3	4
611	Modeling of supercritical carbon dioxide extraction of piperine from Malabar black pepper. 2016 , 3, 32	38-325	52 ₇
610	Preferential solvation of nifedipine in some aqueous co-solvent mixtures. <i>Physics and Chemistry of Liquids</i> , 2016 , 54, 563-573	1.5	7
609	Comments on Bolubility and solution thermodynamics of 2,3,4,5-tetrabromothiophene in (ethanol´+´trichloromethane) binary solvent mixtures 2016 , 421, 88-92		2

(2016-2016)

608	Determination and modelling of solubility of o -aminobenzamide and its mixture with o -nitrobenzoic acid in supercritical carbon dioxide. <i>Journal of CO2 Utilization</i> , 2016 , 14, 83-92	7.6	11
607	Determination and correlation of solubility and thermodynamic properties of pyraclostrobin in pure and binary solvents. <i>Journal of Chemical Thermodynamics</i> , 2016 , 101, 84-91	2.9	43
606	Solubility, Miscibility and Processability of Thermosetting Monomers as Reactive Plasticizers of Polyetherimide. 2016 , 19, 776-781		6
605	Solubility and thermodynamic function of a bioactive compound bergenin in various pharmaceutically acceptable neat solvents at different temperatures. <i>Journal of Chemical Thermodynamics</i> , 2016 , 101, 19-24	2.9	36
604	Solvent Role, Current Approaches. 2016 , 69-81		
603	Asymmetric Restriction of Intramolecular Rotation in Chiral Solvents. 2016 , 16, 2804-2809		27
602	Influence of a hydrodynamic environment on chain rigidity, liquid crystallinity, absorptivity, and photoluminescence of hydrogen-bonding-assisted helical poly(phenylacetylene). <i>RSC Advances</i> , 2016 , 6, 36661-36666	3.7	6
601	Tuning the Nanostructure of Highly Functionalized Silica Using Amphiphilic Organosilanes: Curvature Agent Effects. 2016 , 32, 4624-34		10
600	Supercritical carbon dioxide extraction of astaxanthin from Paracoccus NBRC 101723: Mathematical modelling study. 2016 , 51, 2164-2173		3
599	Investigation on Physical Properties and Morphologies of Microemulsions formed with Sodium Dodecyl Benzenesulfonate, Isobutanol, Brine, and Decane, Using Several Experimental Techniques. 2016 , 30, 4690-4698		12
598	A quantitative assessment of chemical perturbations in thermotropic cyanobiphenyls. 2016 , 18, 14479-	94	3
597	Determination and correlation of solubility and solution thermodynamics of ethenzamide in different pure solvents. 2016 , 427, 549-556		25
596	Crystallization-induced structure fluctuation of crystallized microdomain structure composed of strongly segregated crystalline-crystalline diblock copolymers. 2016 , 102, 256-265		7
595	Asphaltene Densities and Solubility Parameter Distributions: Impact on Asphaltene Gradients. 2016 , 30, 9132-9140		33
594	Mechanistic Design of Chemically Diverse Polymers with Applications in Oral Drug Delivery. 2016 , 17, 3659-3671		36
593	Determination of solubility parameters from density measurements for non-polar hydrocarbons at temperatures from (298월33) K and pressures up to 137 MPa. 2016 , 430, 19-32		15
592	Effect of molecular weight on CO2-philicity of poly(vinyl acetate) with different molecular chain structure. 2016 , 118, 96-106		25
591	Reactive blends derived from modified soybean oil and silicone. 2016 , 54, 3086-3093		4

590	Investigating the Influence of Polymers on Supersaturated Flufenamic Acid Cocrystal Solutions. 2016 , 13, 3292-307		27
589	Development of a liquid-liquid extraction method of resveratrol from cell culture media using solubility parameters. <i>Separation and Purification Technology</i> , 2016 , 170, 138-145	8.3	12
588	Optimization of supercritical CO 2 extraction of fenugreek seed (Trigonella foenum-graecum L.) and calculating of extracts solubility. 2016 , 117, 297-307		3
587	Evaluation of the inhibitory potential of HPMC, PVP and HPC polymers on nucleation and crystal growth. <i>RSC Advances</i> , 2016 , 6, 77569-77576	3.7	45
586	Correlation of LiquidIliquid Equilibria for Alkane+Methanol+Aromatics Ternary Systems by Using Modified Wilson Equation with Parameters Estimated from Pure-Component Properties. 2016 , 49, 885	-893	1
585	Solubility and Preferential Solvation of Sulfanilamide, Sulfamethizole and Sulfapyridine in Methanol + Water Mixtures at 298.15 K. 2016 , 45, 1479-1503		18
584	Solubility determination and thermodynamic modelling of allisartan isoproxil in different binary solvent mixtures from T= (278.15 to 313.15) K and mixing properties of solutions. <i>Journal of Chemical Thermodynamics</i> , 2016 , 103, 432-445	2.9	13
583	Solubility of Organosolv Lignin in Evalerolactone/Water Binary Mixtures. 2016 , 9, 2939-2947		52
582	Aqueous Foams Stabilized with Several Tens of Micrometer-sized Polymer Particles: Effects of Surface Hydrophilic Hydrophobic Balance on Foamability and Foam Stability. 2016 , 45, 667-669		10
581	Photochromic Properties of 3-Deoxyanthocyanidin Pigments in Nontoxic Solvents. 2016 , 81, E2950-E29	955	8
580	Diluent selection for Nylon 11 and Nylon 12 thermally induced phase separation systems. 2016 , 133, n/a-n/a		8
579	Solubility, solution thermodynamics, and preferential solvation of piroxicam in ethyl acetate + ethanol mixtures. <i>Journal of Molecular Liquids</i> , 2016 , 221, 72-81	6	16
578	Correct derivation of a combined version of the JouybanAcree and vanEHoff model and some comments on Determination and correlation of the solubility of myricetin in ethanol and water mixtures from 288.15 to 323.15 KD <i>Physics and Chemistry of Liquids</i> , 2016 , 1-10	1.5	5
577	Gas permeation and positron annihilation lifetime spectroscopy of poly(ether imide)s with varying ether. <i>Polymer Engineering and Science</i> , 2016 , 56, 427-434	2.3	2
576	High-performance PDMS membranes for pervaporative removal of VOCs from water: The role of alkyl grafting. 2016 , 133,		8
575	Amphiphilic Cellulose Ethers Designed for Amorphous Solid Dispersion via Olefin Cross-Metathesis. 2016 , 17, 454-65		22
574	Solubility and preferential solvation of acetaminophen in methanol + water mixtures at 298.15 K. <i>Physics and Chemistry of Liquids</i> , 2016 , 54, 515-528	1.5	28
573	Further comments on "Solubility and thermodynamic behavior of vanillin in propane-1,2-diol+water cosolvent mixtures at different temperatures". 2016 , 196, 757-9		7

(2016-2016)

572	Mathematical modeling of supercritical carbon dioxide extraction of methyl eugenol from tuberose flowers. 2016 , 33, 1681-1691		12	
57 ¹	Solubility parameters of hypromellose acetate succinate and plasticization in dry coating procedures. 2016 , 42, 1621-35		14	
570	Solution thermodynamics and preferential solvation of sulfamethazine in (methanol + water) mixtures. <i>Journal of Chemical Thermodynamics</i> , 2016 , 97, 264-276	2.9	74	
569	Further numerical analysis on the solubility of ibrutinib in ethanol + water mixtures at different temperatures. <i>Journal of Molecular Liquids</i> , 2016 , 218, 35-38	6	15	
568	Solubility and preferential solvation of some non-steroidal anti-inflammatory drugs in methanol + water mixtures at 298.15 K. <i>Physics and Chemistry of Liquids</i> , 2016 , 54, 686-702	1.5	14	
567	Synthesis and characterization of UV-curable maleimide-terminated imide oligomers. 2016 , 100, 129-1	40	1	
566	Spray-applied 100% volatile organic compounds free two component polyurethane coatings based on rapeseed oil polyols. 2016 , 94, 90-97		19	
565	Cyclic carbonateBodium smectite intercalates. 2016 , 124-125, 94-101		12	
564	Further property of ionic liquids: Hildebrand solubility parameter from new molecular thermodynamic model. <i>Journal of Molecular Liquids</i> , 2016 , 218, 332-341	6	12	
563	Comments on Bolubility and thermodynamic function of a new anticancer drug ibrutinib in {2-(2-ethoxyethoxy)ethanol + water} mixtures at different temperatures \(\textit{Journal of Chemical Thermodynamics}, \) 2016, 95, 180-182	2.9	17	
562	Localized Epidermal Drug Delivery Induced by Supramolecular Solvent Structuring. 2016 , 13, 65-72		6	
561	Measurement and correlation of deferiprone solubility: Investigation of solubility parameter and application of van't Hoff equation and Jouyban Acree model. <i>Journal of Molecular Liquids</i> , 2016 , 215, 339-344	6	37	
560	Electrospun Polymer Blend Nanofibers for Tunable Drug Delivery: The Role of Transformative Phase Separation on Controlling the Release Rate. 2016 , 13, 25-39		62	
559	Approaches to Stretchable Polymer Active Channels for Deformable Transistors. 2016 , 49, 433-444		51	
558	Mitigating unwanted amorphisation: A screening method for the selection of suitable excipients. 2016 , 81, 181-8		7	
557	Measurement of solid solubilities of diuron in supercritical carbon dioxide and analysis of recrystallization by using the rapid expansion of supercritical solutions process. 2016 , 107, 753-759		14	
556	Preferential solvation of indomethacin in 1,4-dioxane + water mixtures according to the inverse Kirkwood B uff integrals method. <i>Physics and Chemistry of Liquids</i> , 2016 , 54, 462-474	1.5	4	
555	Thermodynamic Changes Induced by Intermolecular Interaction Between Ibuprofen and Chitosan: Effect on Crystal Habit, Solubility and In Vitro Release Kinetics of Ibuprofen. 2016 , 33, 337-57		19	

554	Construction and Validation of Binary Phase Diagram for Amorphous Solid Dispersion Using Flory-Huggins Theory. <i>AAPS PharmSciTech</i> , 2016 , 17, 318-27	3.9	19
553	Preferential Solvation of Indomethacin in Some Aqueous Co-Solvent Mixtures. 2016 , 203, 619-627		14
552	Preferential solvation of etoricoxib in some aqueous binary cosolvent mixtures at 298.15 K. <i>Physics and Chemistry of Liquids</i> , 2017 , 55, 291-303	1.5	68
551	Solubility and preferential solvation of some n-alkyl-parabens in methanol+water mixtures at 298.15K. <i>Journal of Chemical Thermodynamics</i> , 2017 , 108, 26-37	2.9	57
550	Time dependence of the enhancement effect of chemical enhancers: Molecular mechanisms of enhancing kinetics. 2017 , 248, 33-44		46
549	THEORIES OF COMPATIBILITY. 2017 , 135-164		3
548	Solubility of Nifedipine and Lacidipine in Supercritical CO2: Measurement and Correlation. 2017, 46, 70)-88	4
547	Solubilization of bosentan using ethanol as a pharmaceutical cosolvent. <i>Journal of Molecular Liquids</i> , 2017 , 232, 152-158	6	22
546	A systemic evaluation of drug in acrylic pressure sensitive adhesive patch in vitro and in vivo: The roles of intermolecular interaction and adhesive mobility variation in drug controlled release. 2017 , 252, 83-94		37
545	Supercritical Fluids and Gas-Expanded Liquids. 2017 , 155-214		13
544	Photophysics of Pyrenyl-Functionalized Poly(isobutylene-alt-maleic anhydride) and Poly(isobutylene-alt-maleic N-alkylimide). Influence of Solvent, Degree of Substitution, and Temperature. 2017 , 50, 1919-1929		6
543	Strategies for improving the payload of small molecular drugs in polymeric micelles. 2017 , 261, 352-36	6	79
542	Poly(2-oxazoline) block copolymer nanoparticles for curcumin loading and delivery to cancer cells. 2017 , 93, 682-694		31
541	Effects of nanoparticles on phase morphology in thin films of phase-separated diblock copolymers. 2017 , 32, S141-S150		
540	Solubility and mixing thermodynamics properties of erythromycin ethylsuccinate in different organic solvents. <i>Journal of Molecular Liquids</i> , 2017 , 237, 46-53	6	10
539	Solvent resistant nanofiltration for acetonitrile based feeds: A membrane screening. 2017 , 536, 176-18	85	27
538	Solubility and thermodynamics of 6-phenyl-4,5-dihydropyridazin-3 (2H)-one in various neat solvents at different temperatures. <i>Journal of Molecular Liquids</i> , 2017 , 238, 455-461	6	4
537	Self-Propelled Motion of Monodisperse Underwater Oil Droplets Formed by a Microfluidic Device. 2017 , 33, 5393-5397		18

(2017-2017)

536	Solubility modelling and dissolution properties of 5-phenyltetrazole in thirteen mono-solvents and liquid mixtures of (methanol + ethyl acetate) at elevated temperatures. <i>Journal of Chemical Thermodynamics</i> , 2017 , 112, 114-121	2.9	3
535	Semifluorinated PMMA Block Copolymers: Synthesis, Nanostructure, and Thin Film Properties. 2017 , 218, 1600599		5
534	Polymer/lignin blends: Interactions, properties, applications. 2017, 93, 618-641		187
533	Predicting drug loading in PLA-PEG nanoparticles. 2017 , 526, 157-166		33
532	Vapor-liquid distribution coefficients of hops extract in high pressure CO2 and ethanol mixtures and data correlation with entropy-based solubility parameters. 2017 , 434, 44-48		9
531	Taking a last look at lanthanidomesogens? The use of basic thermodynamics for programming the temperature domains of existence of luminescent liquid crystals. 2017 , 340, 79-97		15
530	Synthesis and characterization of alkyl cellulose Etarboxyesters for amorphous solid dispersion. 2017 , 24, 609-625		6
529	Preferential solvation of rosmarinic acid in binary solvent mixtures of ethanol + water and methanol + water according to the inverse Kirkwood B uff integrals method. <i>Journal of Molecular Liquids</i> , 2017 , 240, 56-64	6	72
528	Determination of solubility of Aprepitant (an antiemetic drug for chemotherapy) in supercritical carbon dioxide: Empirical and thermodynamic models. 2017 , 128, 102-111		47
527	Further calculations on solubility of 2-chloro-3-(trifluoromethyl)pyridine in ethanol + 1-propanol solvent mixtures at various temperatures. <i>Journal of Molecular Liquids</i> , 2017 , 240, 678-681	6	
526	Measurement and correlation of flavanone, tangeritin, nobiletin, 6-hydroxyflavanone and 7-hydroxyflavone solubilities in supercritical CO 2. 2017 , 128, 166-172		5
525	Curing kinetics study on interpenetrating polymer networks based on modified hyperbranched polyether/polyurethane. 2017 , 148, 1323-1328		
524	Solubility of celecoxib in N-methyl-2-pyrrolidone+water mixtures at various temperatures: Experimental data and thermodynamic analysis. 2017 , 34, 1435-1443		25
523	Micellization in vegetable oils: A structural characterisation. 2017 , 154, 279-286		6
522	Coprecipitation of hydrochlorothiazide/PVP for the dissolution rate improvement by precipitation with compressed fluid antisolvent process. 2017 , 126, 37-46		10
521	New insights into the role of selective and volumetric heating during microwave extraction: Investigation of the extraction of polyphenolic compounds from sea buckthorn leaves using microwave-assisted extraction and conventional solvent extraction. 2017 , 116, 29-39		46
520	Orodispersible films based on amorphous solid dispersions of tetrabenazine. 2017 , 518, 242-252		17
519	Molecular Dynamics Simulation of Amorphous Hydroxypropylmethylcellulose and Its Mixtures With Felodipine and Water. 2017 , 106, 803-816		22

518	Crowded Star Mesogens: Guest-Controlled Stability of Mesophases from Unconventional Liquid-Crystal Molecules. 2017 , 23, 1060-1068		15
517	Bromine-Terminated Additives for Phase-Separated Morphology Control of PTB7:PC71BM-Based Polymer Solar Cells. 2017 , 5, 11668-11675		18
516	Development of a solvent selection guide for CO2 spray coating. 2017 , 130, 172-175		7
515	Solubility and Preferential Solvation of Caffeine and Theophylline in {Methanol + Water} Mixtures at 298.15 K. 2017 , 46, 1605-1624		15
514	Self-assembly of a bio-based extractant in methyl esters: combination of small angle X-ray scattering experiments and molecular dynamics simulations. 2017 , 19, 4680-4689		1
513	All Biomass and UV Protective Composite Composed of Compatibilized Lignin and Poly (Lactic-acid). <i>Scientific Reports</i> , 2017 , 7,	4.9	46
512	Investigation of polymerBolvent interactions in poly(styrene sulfonate) thin films. 2017 , 55, 1365-1372		15
511	Solubility of an antiarrhythmic drug (amiodarone hydrochloride) in supercritical carbon dioxide: Experimental and modeling. 2017 , 450, 149-159		47
510	Thermodynamic modeling of the supercritical CO2 impregnation process for the preparation ibuprofen/polymethylmethacrylate composite. 2017 , 78, 471-476		2
509	Chemically specific coarse-grained models to investigate the structure of biomimetic membranes. <i>RSC Advances</i> , 2017 , 7, 54756-54771	3.7	3
508	Solubility Determination and Correlation of Gatifloxacin, Enrofloxacin, and Ciprofloxacin in Supercritical CO2. <i>Journal of Chemical & Engineering Data</i> , 2017 , 62, 4235-4243	2.8	10
507	A simple method to evaluate solvent for lubricating oil by solubility parameter. 2017 , 35, 1445-1450		1
506	Enhanced dissolution of poorly soluble antiviral drugs from nanoparticles of cellulose acetate based solid dispersion matrices. 2017 , 12, 532-541		25
505	Retention of poly(N-isopropylacrylamide) on 3-aminopropyltriethoxysilane. 2017 , 12, 02C405		5
504	Perfluoroalkyl- vs alkyl substituted malonamides: Supramolecular effects and consequences for extraction of metals. 2017 , 200, 59-65		13
503	Determination of Abraham model solute descriptors and preferential solvation from measured solubilities for 4-nitropyrazole dissolved in binary aqueous-organic solvent mixtures. <i>Physics and Chemistry of Liquids</i> , 2017 , 55, 605-616	1.5	6
502	Solubility of phenobarbital in aqueous cosolvent mixtures revisited: IKBI preferential solvation analysis. <i>Physics and Chemistry of Liquids</i> , 2017 , 55, 432-443	1.5	52
501	Solubility of 1-aminoanthraquinone and 1-nitroanthraquinone in supercritical carbon dioxide. Journal of Chemical Thermodynamics, 2017, 104, 162-168	2.9	24

500	Novel cellulose-based amorphous solid dispersions enhance quercetin solution concentrations in vitro. 2017 , 157, 86-93		28
499	Desorption behavior of various volatile organic compounds from activated carbon in supercritical carbon dioxide: Measurement and kinetic modeling. 2017 , 121, 41-51		13
498	2.8 Fundamentals and Perspectives for Pervaporation. 2017 , 191-225		1
497	Solubility of Pharmaceutical Solids. 2017 , 3-22		8
496	Correlation of Liquid Liquid Equilibria for Quaternary Systems Containing Alkane, Methanol and Aromatics by Using Modified Wilson Equation with Parameters Estimated from Pure-Component Properties. 2017 , 50, 1-3		3
495	NABUMETONE IN BINARY SOLVENTS: SOLUBILITY ANALYSIS. 2017, 8, 40-44		
494	Solubility and Preferential Solvation of Carbazochrome in Solvent Mixtures of N,N-Dimethylformamide Plus Methanol/Ethanol/n-Propanol and Dimethyl Sulfoxide Plus Water. <i>Journal of Chemical & Dimethyl Sulfoxide Plus Water</i> .	2.8	2
493	Preparation and characterization of pyrimethamine solid dispersions and an evaluation of the physical nature of pyrimethamine in solid dispersions. 2018 , 45, 110-123		11
492	Role of Valsartan as an Antiplasticizer in Development of Therapeutically Viable Drug D rug Coamorphous System. 2018 , 18, 1944-1950		14
491	Enhancing membrane performance in removal of hazardous VOCs from water by modified fluorinated PVDF porous material. 2018 , 556, 214-226		20
490	Millimeter to nanometer-scale tight oilCO2 solubility parameter and minimum miscibility pressure calculations. 2018 , 220, 645-653		55
489	Solubility modelling and solvent effect for domperidone in twelve green solvents. <i>Journal of Molecular Liquids</i> , 2018 , 261, 50-56	6	29
488	Mechanistic insights of the controlled release properties of amide adhesive and hydroxyl adhesive. 2018 , 119, 13-21		4
487	The broken out and confinement phase separation structure evolution with the solution aggregation and relative crystallization degree in P3HT/N2200. 2018 , 138, 49-56		6
486	Influence of molecular weight between crosslinks on the mechanical properties of polymers formed via ring-opening metathesis. <i>Soft Matter</i> , 2018 , 14, 3344-3360	3.6	37
485	Salt-Induced Thermoresponsivity of Cross-Linked Polymethoxyethylaminophosphazene Hydrogels: Energetics of the Volume Phase Transition. 2018 , 122, 1981-1991		10
484	Molecular simulations in drug delivery: Opportunities and challenges. 2018 , 8, e1358		32
483	Steric Stabilization of FeO Superparamagnetic Nanoparticles in a Hydrophobic Ionic Liquid and the Magnetorheological Behavior of the Ferrofluid. 2018 , 34, 3068-3075		22

482	Enhanced extraction of oleoresin from Piper nigrum by supercritical carbon dioxide using ethanol as a co-solvent and its bioactivity profile. 2018 , 41, e12670	16
481	Solubility of diazepam in water + tert-butyl alcohol solvent mixtures: Part 2. Correlation using Scatchard-Hildebrand/Flory-Huggins excess Gibbs energy models. 2018 , 458, 84-101	3
480	Prediction of Initial Miscibility for Ternary Polyurethane Reaction Mixtures on Basis of Solubility Parameters and Flory⊞uggins Theory. 2018 , 219, 1700544	8
479	Ternary phase diagram and the formation mechanism of two distinct solid solutions of amino acid systems: l-Valine/l-norvaline and l-valine/l-alanine. <i>Journal of Chemical Thermodynamics</i> , 2018 , 119, 34-43 ^{2.9}	2
478	Dual polyhedral oligomeric silsesquioxanes polymerization approach to mutually-mediated separation mechanisms of hybrid monolithic stationary and mobile phases towards small molecules. 2018 , 1533, 136-142	8
477	Physical Stability of Amorphous Solid Dispersions: a Physicochemical Perspective with Thermodynamic, Kinetic and Environmental Aspects. 2018 , 35, 125	52
476	Solvent polarity effects on supramolecular chirality of a polyfluorene-thiophene copolymer. 2018 , 30, 699-707	2
475	Inversion of crystallization rates in miscible block copolymers of poly(lactide)-block-poly(2-isopropyl-2-oxazoline). 2018 , 9, 1848-1856	2
474	Solvent similarity analysisfrom qualitative to quantitative. 2018 , 184, 149-160	6
473	Experimental determination and development of solution theory based model for the mixture solubilities of 10-undecenoic acid with methyl 10-undecenoate and methyl ricinoleate in supercritical carbon dioxide. 2018 , 137, 74-80	1
472	Solubility and preferential solvation of phenacetin in methanol + water mixtures at 298.15 K. Physics and Chemistry of Liquids, 2018 , 56, 16-32	15
471	Effect of nature of chemical crosslinker on swelling and solubility parameter of a new stimuli-responsive cationic poly(N-acryloyl-N?-propyl piperazine) hydrogel. 2018 , 75, 221-238	9
470	The Application of Modeling and Prediction to the Formation and Stability of Amorphous Solid Dispersions. 2018 , 107, 57-74	40
469	Extended Hildebrand solubility approach applied to some sulphapyrimidines in some {methanol (1) + water (2)} mixtures. <i>Physics and Chemistry of Liquids</i> , 2018 , 56, 176-188	7
468	Rifampin Stability and Solution Concentration Enhancement Through Amorphous Solid Dispersion in Cellulose Ecarboxyalkanoate Matrices. 2018 , 107, 127-138	18
467	Solubility and preferential solvation of benzocaine in {methanol (1) + water (2)} mixtures at 298.15 K. <i>Physics and Chemistry of Liquids</i> , 2018 , 56, 465-481	6
466	Selection of Solid-State Plasticizers as Processing Aids for Hot-Melt Extrusion. 2018, 107, 372-379	45
465	Synthesis, properties and thermal stability of water-soluble poly(potassium 1-hydroxyacrylate-co-styrene) copolymer. 2018 , 67, 111-120	7

464	Tuning the rheological properties of an ammonium methacrylate copolymer for the design of adhesives suitable for transdermal patches. 2018 , 111, 238-246	7
463	Preferential solvation of some antiepileptic drugs in {cosolvent (1) + water (2)} mixtures at 298.15 K. <i>Physics and Chemistry of Liquids</i> , 2018 , 56, 646-659	12
462	Mechanochemical Synthesis of Pharmaceutical Cocrystal Suspensions via Hot Melt Extrusion: Enhancing Cocrystal Yield. 2018 , 15, 3741-3754	19
461	Mechanically robust, readily repairable polymers via tailored noncovalent cross-linking. 2018, 359, 72-76	485
460	Downstream processing from melt granulation towards tablets: In-depth analysis of a continuous twin-screw melt granulation process using polymeric binders. 2018 , 124, 43-54	18
459	Microphase separation and thermo-mechanical properties of energetic poly(urethanelirea). 2018 , 75, 4019-4036	1
458	Solubility of a poorly soluble immunosuppressant in different pure solvents: Measurement, correlation, thermodynamics and molecular interactions. <i>Journal of Molecular Liquids</i> , 2018 , 249, 53-60	27
457	Effects of compositions on the stability of polyols-in-oil-in-water (P/O/W) multiple emulsions. 2018 , 39, 1344-1351	3
456	Measurement, correlation and thermodynamic modeling of the solubility of Ketotifen fumarate (KTF) in supercritical carbon dioxide: Evaluation of PCP-SAFT equation of state. 2018 , 458, 102-114	42
455	Flexography Printing for Organic Thin Film Transistors. 2018 , 5, 16051-16057	10
454	Liquid Combination with High Refractive Index Contrast and Fast Scanning Speeds for Electrowetting Adaptive Optics. 2018 , 34, 14511-14518	9
453	Poly(styrene/pentafluorostyrene)-block-poly(vinyl alcohol/vinylpyrrolidone) amphiphilic block copolymers for kinetic gas hydrate inhibitors: Synthesis, micellization behavior, and methane hydrate kinetic inhibition. 2018 , 56, 2445-2457	11
452	Dip-Coating perfluoropolyether lubricants on rigid magnetic disks. 2018, 17-18, 451-458	
451	Supercritical Carbon Dioxide Extraction of Apigenin from Parsley Leaves Pre-treated to Maximize Yield. 2018 , 24, 63-73	1
450	The Amorphous State. 2018 , 189-239	
449	Influence of Water Molecules on the Detection of Volatile Organic Compounds (VOC) Cancer Biomarkers by Nanocomposite Quantum Resistive Vapor Sensors vQRS. 2018 , 6, 64	6
448	Pencil and Paper Estimation of Hansen Solubility Parameters. 2018, 3, 17049-17056	16
	Solubilities of Organic Semiconductors and Nonsteroidal Anti-inflammatory Drugs in Pure and	

446	Low viscosity and high toughness epoxy resin modified by in situ radical polymerization method for improving mechanical properties of carbon fiber reinforced plastics. 2018 , 156, 1-9		17
445	Direct observation of dynamic interaction between a functional group in a single SBR chain and an inorganic matter surface. <i>Scientific Reports</i> , 2018 , 8, 13982	4.9	3
444	Crystallization Inhibition Properties of Cellulose Esters and Ethers for a Group of Chemically Diverse Drugs: Experimental and Computational Insight. 2018 , 19, 4593-4606		14
443	Calorimetric properties of 1,9-Nonanedioic acid and its solubility in selected organic solvents. <i>Journal of Molecular Liquids</i> , 2018 , 272, 930-936	6	21
442	Solubility, solubility parameters and solution thermodynamics of thymoquinone in different mono solvents. <i>Journal of Molecular Liquids</i> , 2018 , 272, 912-918	6	17
441	Preferential solvation of tricin in {ethanol (1) + water (2)} mixtures at several temperatures. 2018 , 47, 135-148		4
440	Tribological Behavior of Polyethylene/Light Metal Pairs in Low Viscosity Organic Solvents. 2018 , 13, 57	7-66	2
439	Solvent dependent membrane-solute sensitivity of OSN membranes. 2018 , 567, 7-17		15
438	Correlations among Miscibility, Structure, and Properties in Thermoplastic Polymer/Lignin Blends. 2018 , 6, 14323-14331		20
437	Supercritical carbon dioxide extraction of triacontanol from green tea leaves and its evaluation as an unconventional plant growth regulator for spinach tissue culture. 2018 , 16, 476-482		4
436	Mechanics and nanovoid nucleation dynamics: effects of polar functionality in glassy polymer networks. <i>Soft Matter</i> , 2018 , 14, 8895-8911	3.6	12
435	A comprehensive comparison among four different approaches for predicting the solubility of pharmaceutical solid compounds in supercritical carbon dioxide. 2018 , 35, 2097-2116		28
434	Solubility Modeling and Solvent Effects of Allopurinol in 15 Neat Solvents. <i>Journal of Chemical & Engineering Data</i> , 2018 , 63, 3551-3558	2.8	15
433	New prediction methods for solubility parameters based on molecular sigma profiles using pharmaceutical materials. 2018 , 546, 137-144		20
432	Solubility measurement of an antihistamine drug (Loratadine) in supercritical carbon dioxide: Assessment of qCPA and PCP-SAFT equations of state. 2018 , 472, 147-159		43
431	Solute-solvent and solvent-solvent interactions and preferential solvation of hesperidin in aqueous cosolvent mixtures of ethanol, isopropanol, propylene glycol and n-propanol. <i>Journal of Molecular Liquids</i> , 2018 , 264, 285-291	6	53
430	Investigation of Hybrid Materials Based on Polyurethane Modified with Aliphatic Side Chains Combined with Nano-TiO2. 2018 , 71, 47		1
429	Morphology and Crystallization of Biobased Polyamide 56 Blended with Polyethylene Terephthalate. 2018 , 303, 1800214		16

428	Hot Melt Extrusion: Highlighting Physicochemical Factors to Be Investigated While Designing and Optimizing a Hot Melt Extrusion Process. <i>Pharmaceutics</i> , 2018 , 10,	6.4	43
427	Solubility modelling, solvent effect and preferential solvation of 6-chloropurine in several aqueous co-solvent mixtures between 283.15 K and 328.15 K. <i>Journal of Chemical Thermodynamics</i> , 2018 , 127, 106-116	2.9	21
426	pH-Responsive Aqueous Bubbles Stabilized With Polymer Particles Carrying Poly(4-vinylpyridine) Colloidal Stabilizer. 2018 , 6, 269		9
425	Prediction of Phase Behavior of Spray-Dried Amorphous Solid Dispersions: Assessment of Thermodynamic Models, Standard Screening Methods and a Novel Atomization Screening Device with Regard to Prediction Accuracy. <i>Pharmaceutics</i> , 2018 , 10,	6.4	10
424	Supercritical carbon dioxide-based technologies for the production of drug nanoparticles/nanocrystals - A comprehensive review. 2018 , 131, 22-78		108
423	Pervaporative efficiency of organic solvents separation employing hydrophilic and hydrophobic commercial polymeric membranes. 2018 , 564, 444-455		8
422	Identifying the role of the acidic comonomer in poly(acrylonitrile-co-itaconic acid) during stabilization process through low temperature electron beam irradiation. 2018 , 153, 220-226		8
421	Predictive dimensionless solubility (pDS) model for solid solutes in supercritical CO2 that requires only pure-component physical properties. 2018 , 136, 251-261		6
420	Solubility and size of polymer nanoparticles. 2018 , 9, 4566-4573		8
419	Polymeric Micelles of Biodegradable Diblock Copolymers: Enhanced Encapsulation of Hydrophobic Drugs. <i>Materials</i> , 2018 , 11,	3.5	85
419 418		3.5	85
	Drugs. <i>Materials</i> , 2018 , 11, High-molecular-weight poly(1,2-propylene succinate): A soft biobased polyester applicable as an	3.5	, in the second
418	Drugs. <i>Materials</i> , 2018 , 11, High-molecular-weight poly(1,2-propylene succinate): A soft biobased polyester applicable as an effective modifier of poly(l-Lactide). 2018 , 56, 1795-1805 Experimental determination and association model for the solubilities of methyl 10-undecenoate	3.5	6
418	Drugs. Materials, 2018, 11, High-molecular-weight poly(1,2-propylene succinate): A soft biobased polyester applicable as an effective modifier of poly(l-Lactide). 2018, 56, 1795-1805 Experimental determination and association model for the solubilities of methyl 10-undecenoate with methyl ricinoleate in supercritical carbon dioxide. 2018, 139, 80-87	3.5	6
418 417 416	Drugs. Materials, 2018, 11, High-molecular-weight poly(1,2-propylene succinate): A soft biobased polyester applicable as an effective modifier of poly(l-Lactide). 2018, 56, 1795-1805 Experimental determination and association model for the solubilities of methyl 10-undecenoate with methyl ricinoleate in supercritical carbon dioxide. 2018, 139, 80-87 Pharmaceutical Applications of Cellulose Ethers and Cellulose Ether Esters. 2018, 19, 2351-2376 Mass transfer and hydrodynamic study of supercritical carbon dioxide extraction of 1,8-cineole	3.5	6 1 102
418 417 416 415	Drugs. Materials, 2018, 11, High-molecular-weight poly(1,2-propylene succinate): A soft biobased polyester applicable as an effective modifier of poly(l-Lactide). 2018, 56, 1795-1805 Experimental determination and association model for the solubilities of methyl 10-undecenoate with methyl ricinoleate in supercritical carbon dioxide. 2018, 139, 80-87 Pharmaceutical Applications of Cellulose Ethers and Cellulose Ether Esters. 2018, 19, 2351-2376 Mass transfer and hydrodynamic study of supercritical carbon dioxide extraction of 1,8-cineole from small cardamom seeds. 2018, 205, 1023-1033	3.5	6 1 102 3
418 417 416 415 414	High-molecular-weight poly(1,2-propylene succinate): A soft biobased polyester applicable as an effective modifier of poly(l-Lactide). 2018, 56, 1795-1805 Experimental determination and association model for the solubilities of methyl 10-undecenoate with methyl ricinoleate in supercritical carbon dioxide. 2018, 139, 80-87 Pharmaceutical Applications of Cellulose Ethers and Cellulose Ether Esters. 2018, 19, 2351-2376 Mass transfer and hydrodynamic study of supercritical carbon dioxide extraction of 1,8-cineole from small cardamom seeds. 2018, 205, 1023-1033 Water ageing of urethane dimethacrylate networks. 2018, 154, 195-202	3.5	6 1 102 3

410	Extended Hildebrand solubility approach applied to sulphadiazine, sulphamerazine and sulphamethazine in some {1-propanol (1) + water (2)} mixtures at 298.15 K. <i>Physics and Chemistry of Liquids</i> , 2019 , 57, 388-400	1.5	25
409	Solution thermodynamics and preferential solvation of hesperidin in aqueous cosolvent mixtures of ethanol, isopropanol, propylene glycol, and n-propanol. <i>Physics and Chemistry of Liquids</i> , 2019 , 57, 432-4	445	5
408	Vapor-liquid equilibrium of metal dialkyldithiophosphates: An analysis with the statistical associating fluid theory. 2019 , 486, 48-58		1
407	Solubility modelling, solvent effect and preferential solvation of carbendazim in aqueous co-solvent mixtures of N,N-dimethylformamide, methanol, ethanol and n-propanol. <i>Journal of Chemical Thermodynamics</i> , 2019 , 128, 87-96	2.9	17
406	Application of the solubility parameter concept to assist with oral delivery of poorly water-soluble drugs - a PEARRL review. 2019 , 71, 441-463		19
405	Analytical and Computational Methods for the Estimation of Drug-Polymer Solubility and Miscibility in Solid Dispersions Development. <i>Pharmaceutics</i> , 2019 , 11,	6.4	23
404	Predicting the drug loading efficiency into hybrid nanocarriers based on PLGA-vegetable oil using molecular dynamic simulation approach and Flory-Huggins theory. 2019 , 53, 101203		5
403	Synthesis and application of PDMS/OP-POSS membrane for the pervaporative recovery of n-butyl acetate and ethyl acetate from aqueous media. 2019 , 591, 117324		15
402	Investigation of the permeation enhancer strategy on benzoylaconitine transdermal patch: the relationship between transdermal enhancement strength and physicochemical properties of permeation enhancer. 2019 , 138, 105009		11
401	Aggregation of semifluorinated alkanes in cyclic organic solvents: A SAXS study. 2019 , 31, 100189		1
400	Triamcinolone acetonide-loaded PLA/PEG-PDL microparticles for effective intra-articular delivery: synthesis, optimization, in vitro and in vivo evaluation. 2019 , 309, 125-144		15
399	Molecular Simulations and Experimental Characterization of Fluorinated Nitrile Butadiene Elastomers with Low H2S Permeability. 2019 , 58, 14823-14838		6
398	Permeability hysteresis of polypyrrole-polysulfone blend ultrafiltration membranes: study of phase separation thermodynamics and pH responsive membrane properties. <i>Separation and Purification Technology</i> , 2019 , 227, 115736	8.3	10
397	Investigation of Controlled Release Molecular Mechanism of Oil Phase in Spilanthol Emulsion: Development and In Vitro, In Vivo Characterization. <i>AAPS PharmSciTech</i> , 2019 , 20, 227	3.9	3
396	Understanding the effect of pH on the solubility of Gamavuton-0 in the aqueous solution: Experimental and COSMO-RS modelling. <i>Journal of Molecular Liquids</i> , 2019 , 296, 111845	6	5
395	Molecular-Spring Shape-Memory Polymer Based on Energy Elasticity and Local Phase Transition. 2019 , 52, 7984-7993		3
394	Determination of the Solubility of the Repaglinide Drug in Supercritical Carbon Dioxide: Experimental Data and Thermodynamic Modeling. <i>Journal of Chemical & Data</i> , 2019, 64, 5338-5348	2.8	20
393	Comments concerning Bolvent effect and preferential solvation of cefpiramide in cosolvent plus water mixtures [] <i>Journal of Molecular Liquids</i> , 2019 , 296, 111964	6	

392	New method for determining paper surface energy per contact angle. 2019 , 26, 9295-9309		7
391	Is Inverse Gas Chromatography (IGC) a Convenient Method to Determine Compatibility of Rubber Materials?. 2019 , 82, 1709-1719		3
390	Elastic sheath[]quid crystal core fibres achieved by microfluidic wet spinning. 2019 , 7, 11588-11596		18
389	Poly(2-isopropyl-2-oxazoline)poly(lactide) (PiPOxPLA) Nanoparticles in Water: Interblock van der Waals Attraction Opposes Amphiphilic Phase Separation. 2019 , 52, 1317-1326		7
388	Changes in Grain Structures Upon Blending of a Homopolymer to a Liquid-Crystalline Diblock Copolymer Which Forms Perpendicularly-Oriented Cylinders. 2019 , 68, 26-33		
387	Equilibrium solubility of dinitolmide in several neat solvents and binary aqueous co-solvent mixtures: Experimental determination and thermodynamic analysis. <i>Journal of Chemical Thermodynamics</i> , 2019 , 132, 373-382	2.9	24
386	Solubility Modeling and Solvent Effect of 2-Amino-6-chloropurine in Twelve Neat Solvents. <i>Journal of Chemical & Chemical</i>	2.8	5
385	Sustainable near UV-curable acrylates based on natural phenolics for stereolithography 3D printing. 2019 , 10, 1067-1077		55
384	Incorporation of Benzoxazine Pendants in Polymer Chains: A Simple Approach to Add-Up Multi-Responsive Functions. 2019 , 220, 1800526		О
383	Influence of solvent solubility parameter on the power law exponents and critical concentrations of one soluble polyimide in solution. 2019 , 26, 1		3
382	Predicting Skin Permeability by Means of Computational Approaches: Reliability and Caveats in Pharmaceutical Studies. 2019 , 59, 1759-1771		15
381	Fracture toughness of the novel in-situ polytriazolesulfone modified epoxy resin for carbon fiber/epoxy composites. 2019 , 77, 461-469		14
380	Solubility of sulfacetamide in (ethanol + water) mixtures: Measurement, correlation, thermodynamics, preferential solvation and volumetric contribution at saturation. <i>Journal of Molecular Liquids</i> , 2019 , 290, 111219	6	28
379	Like Dissolves Like? A Comprehensive Evaluation of Partial Solubility Parameters to Predict Polymer-Drug Compatibility in Ultrahigh Drug-Loaded Polymer Micelles. 2019 , 20, 3041-3056		45
378	Computing solubility parameters of deep eutectic solvents from Molecular Dynamics simulations. 2019 , 497, 10-18		33
377	Solubility of d-Aspartic Acid in Several Neat Solvents: Determination, Modeling, and Solvent Effect Analysis. <i>Journal of Chemical & Data</i> , 2019, 64, 2904-2910	2.8	12
376	The relationship between cannabis/hemp use in foods and processing methodology. 2019 , 28, 32-40		25
375	Synthesis and characterization of isophorondiamine based epoxy hardeners from aminolysis of PET. 2019 , 13, 618-631		8

374	Thermal depolymerization of polystyrene in highly aromatic hydrocarbon medium. 2019 , 142, 104612		9
373	Multicomponent system of trichromatic disperse dye solubility in supercritical carbon dioxide. <i>Journal of CO2 Utilization</i> , 2019 , 33, 1-11	7.6	11
372	Solubility measurement of a pigment (Phthalocyanine green) in supercritical carbon dioxide: Experimental correlations and thermodynamic modeling. 2019 , 494, 61-73		14
371	Experimental investigation and modeling of the solubility of oxcarbazepine (an anticonvulsant agent) in supercritical carbon dioxide. 2019 , 493, 160-173		21
370	Water Drganic Solvent Extraction of Phenolic Antioxidants from Brewers Spent Grain. 2019, 7, 126		32
369	Influence of mechanical and thermal energy on nifedipine amorphous solid dispersions prepared by hot melt extrusion: Preparation and physical stability. 2019 , 561, 324-334		28
368	Equilibrium solubility determination, modelling and thermodynamic aspects of 6-chloroguanine in aqueous co-solvent mixtures of N,N-dimethylformamide, isopropanol, 1,4-dioxane and dimethyl sulfoxide. <i>Journal of Chemical Thermodynamics</i> , 2019 , 134, 52-60	2.9	3
367	Enhancing performance of nonvolatile transistor memories via electron-accepting composition in triphenylamine-based random copolymers. 2019 , 57, 1113-1121		8
366	Phase Behavior of a Carbon Dioxide/Methyl Trimethoxy Silane/Polystyrene Ternary System. <i>Polymers</i> , 2019 , 11,	4.5	2
365	Quantification and Evaluation of Thermodynamic Miscibility in Nanoconfined Space. 2019 , 58, 4609-46	24	11
365 364	Quantification and Evaluation of Thermodynamic Miscibility in Nanoconfined Space. 2019 , 58, 4609-46. Solubility and vapor pressure data of bioactive 6-(acetylamino)-N-(5-ethyl-1,3,4-thiadiazol-2-yl) hexanamide. <i>Journal of Chemical Thermodynamics</i> , 2019 , 135, 35-44	2.9	11 5
	Solubility and vapor pressure data of bioactive 6-(acetylamino)-N-(5-ethyl-1,3,4-thiadiazol-2-yl)		
364	Solubility and vapor pressure data of bioactive 6-(acetylamino)-N-(5-ethyl-1,3,4-thiadiazol-2-yl) hexanamide. <i>Journal of Chemical Thermodynamics</i> , 2019 , 135, 35-44		5
364	Solubility and vapor pressure data of bioactive 6-(acetylamino)-N-(5-ethyl-1,3,4-thiadiazol-2-yl) hexanamide. <i>Journal of Chemical Thermodynamics</i> , 2019 , 135, 35-44 Electrolyte-Philic Electrode Material with a Functional Polymer Brush. 2019 , 11, 16087-16095 Solubility Modeling and Solvent Effect for Flubendazole in 12 Neat Solvents. <i>Journal of Chemical</i>	2.9	5
364 363 362	Solubility and vapor pressure data of bioactive 6-(acetylamino)-N-(5-ethyl-1,3,4-thiadiazol-2-yl) hexanamide. <i>Journal of Chemical Thermodynamics</i> , 2019 , 135, 35-44 Electrolyte-Philic Electrode Material with a Functional Polymer Brush. 2019 , 11, 16087-16095 Solubility Modeling and Solvent Effect for Flubendazole in 12 Neat Solvents. <i>Journal of Chemical & Data</i> , 2019 , 64, 1237-1243 Side-chain-type imidazolium-functionalized anion exchange membranes: The effects of additional	2.9	5 8 10
364 363 362 361	Solubility and vapor pressure data of bioactive 6-(acetylamino)-N-(5-ethyl-1,3,4-thiadiazol-2-yl) hexanamide. <i>Journal of Chemical Thermodynamics</i> , 2019 , 135, 35-44 Electrolyte-Philic Electrode Material with a Functional Polymer Brush. 2019 , 11, 16087-16095 Solubility Modeling and Solvent Effect for Flubendazole in 12 Neat Solvents. <i>Journal of Chemical & Data</i> , 2019 , 64, 1237-1243 Side-chain-type imidazolium-functionalized anion exchange membranes: The effects of additional hydrophobic side chains and their hydrophobicity. 2019 , 579, 219-229 Luteolin cocrystals: Characterization, evaluation of solubility, oral bioavailability and theoretical	2.9	5 8 10 54
364 363 362 361 360	Solubility and vapor pressure data of bioactive 6-(acetylamino)-N-(5-ethyl-1,3,4-thiadiazol-2-yl) hexanamide. <i>Journal of Chemical Thermodynamics</i> , 2019 , 135, 35-44 Electrolyte-Philic Electrode Material with a Functional Polymer Brush. 2019 , 11, 16087-16095 Solubility Modeling and Solvent Effect for Flubendazole in 12 Neat Solvents. <i>Journal of Chemical & Data</i> , 2019 , 64, 1237-1243 Side-chain-type imidazolium-functionalized anion exchange membranes: The effects of additional hydrophobic side chains and their hydrophobicity. 2019 , 579, 219-229 Luteolin cocrystals: Characterization, evaluation of solubility, oral bioavailability and theoretical calculation. 2019 , 50, 248-254 Representation of solubilities of phenylthioanthraquinone in supercritical carbon dioxide using	2.9	5 8 10 54 37

Near-complete removal of non-cellulosic components from bamboo by 1-pentanol induced 356 organosolv pretreatment under mild conditions for robust cellulose enzymatic hydrolysis. **2019**, 26, 3801-3814 10 SOLUBILITY OF SELECTED SYSTEMS AND INFLUENCE OF SOLUTES. 2019, 277-303 355 Measurement and correlation of vapor-liquid distribution coefficients of flavonoids in high 354 1 pressure carbon dioxide Lethanol Lwater systems. 2019, 489, 90-98 The solubility correlation of azobenzene derivatives in supercritical carbon dioxide: a short review. 353 **2019**, 703, 012005 Thermodynamic analysis of celecoxib in amphiprotic and amphiprotic-aprotic solvent mixtures at O 352 several temperatures, 2019, 48. Adhesive Properties of UV-Curing Liquid for Non-Porous SurfaceInfluence of Monofunctional 351 Monomer**□2019**, 76, 341-348 A Novel Rheological Method to Assess Drug-Polymer Interactions Regarding Miscibility and Crystallization of Drug in Amorphous Solid Dispersions for Oral Drug Delivery. Pharmaceutics, 2019, 6.4 350 4 11, Reflectometry Reveals Accumulation of Surfactant Impurities at Bare Oil/Water Interfaces. 2019, 349 24, Functional composite material design using Hansen solubility parameters. 2019, 4, 100046 348 5 The Hansen theory to choose the best cosolvent for supercritical CO2 extraction of ∉arotene 28 347 from Dunaliella salina. 2019, 145, 211-218 Solubility modelling and thermodynamic aspect of 2,3-dihydro-6-propyl-2-thioxo-4(1H)-pyrimidinone in binary aqueous solutions of several alcohols. 346 2.9 3 Journal of Chemical Thermodynamics, **2019**, 132, 29-37 Backbone Degradable Poly(aryl acetal) Photoresist Polymers: Synthesis, Acid Sensitivity, and 345 10 Extreme Ultraviolet Lithography Performance. 2019, 52, 886-895 The role of sodium alginate on the supersaturation state of the poorly soluble drug chlorthalidone. 6 344 2019, 209, 207-214 Solubility measurement of a chemotherapeutic agent (Imatinib mesylate) in supercritical carbon 343 49 dioxide: Assessment of new empirical model. 2019, 146, 89-99 Effect of plasticizers on manufacturing ritonavir/copovidone solid dispersions via hot-melt extrusion: Preformulation, physicochemical characterization, and pharmacokinetics in rats. 2019, 342 31 127, 60-70 Solvent effect and preferential solvation of cefpiramide in cosolvent plus water mixtures. Journal 6 341 of Molecular Liquids, 2019, 276, 318-324 Synthesis of joint-linker type gels and porous polymers by addition reactions of multi-functional 340 10 thiol and alkyl diacrylate, diisocyanate compounds. 2019, 18, 153-162 Molecular rotors with long alkyl chains as fluorescent viscosity sensors for hydrocarbon and silicone 6 8 339 oil fluids. Journal of Molecular Liquids, 2019, 276, 1-6

338	Improvement in Low Temperature Izod Impact Strength of SAN/ASA/HNBR Ternary Blends Considering Competing Effects of Glass Transition Temperature and Compatibility. 2019 , 25, 225-235		2
337	Computing solubility parameters of phosphorous flame retardants by molecular dynamics and correlating their interactions with poly(ethylene terephthalate). 2019 , 89, 195-203		1
336	Solubility of bosentan in {propylene glycol + water} mixtures at various temperatures: experimental data and mathematical modelling. <i>Physics and Chemistry of Liquids</i> , 2019 , 57, 338-348	1.5	11
335	Experimental study and mathematical modeling for encapsulation of fentanyl citrate drug in nanostructured lipid carrier. 2020 , 38, 1263-1271		5
334	Estimation and Correlation of Solubility of Practically Insoluble Drug Itraconazole in 1,4-Butanediol + Water Mixtures Using Extended Hildebrand Solubility Approach. 2020 , 15, 344-356		
333	A Micellar Mitotane Formulation with High Drug-Loading and Solubility: Physico-Chemical Characterization and Cytotoxicity Studies in 2D and 3D In Vitro Tumor Models. 2020 , 20, e1900178		6
332	Single nozzle electrospinning of encapsulated epoxy and mercaptan in PAN for self-healing application. 2020 , 186, 122007		10
331	Control of Intramolecular Hydrogen Bonding in a Conformation-Switchable Helical-Spring Polymer by Solvent and Temperature. 2020 , 59, 1837-1844		8
330	Experimental data and thermodynamic modeling of solubility of Sorafenib tosylate, as an anti-cancer drug, in supercritical carbon dioxide: Evaluation of Wong-Sandler mixing rule. <i>Journal of Chemical Thermodynamics</i> , 2020 , 142, 105998	2.9	13
329	Prediction of solubility of sunitinib malate (an anti-cancer drug) in supercritical carbon dioxide (SCICO2): Experimental correlations and thermodynamic modeling. <i>Journal of Molecular Liquids</i> , 2020 , 297, 111740	6	18
328	Solubility parameter estimation and phase inversion modeling of bentonite-doped polymeric membrane systems. 2020 , 137, 48450		3
327	Effects of silane coupling agent hydrophobicity and loading method on water absorption and mechanical strength of silica particle-filled epoxy resin. 2020 , 137, 48615		5
326	Solubility of Potassium Acetate in Water, 2,2,2-Trifluoroethanol, Ethanol and Their Binary Mixtures at 288.15B33.15 K. 2020 , 36, 921-926		3
325	Novel heterogeneous membranes for enhanced separation in organic-organic pervaporation. 2020 , 599, 117814		12
324	Phenylglyoxaldehyde-Functionalized Polymeric Sorbents for Urea Removal from Aqueous Solutions. 2020 , 2, 515-527		1
323	Synthesis and properties of porous polymers synthesized by Michael addition reactions of multi-functional acrylate, diamine, and dithiol compounds <i>RSC Advances</i> , 2019 , 10, 60-69	3.7	8
322	The influence of diffusion cell type and experimental temperature on machine learning models of skin permeability. 2020 , 72, 197-208		8
321	Solubility of pharmaceutical compounds in supercritical carbon dioxide: Application, experimental, and mathematical modeling. 2020 , 185-254		O

(2020-2020)

320	Solubility modelling, solvent effect, preferential solvation and solution thermodynamic of thymine form AH A° in ten mono solvents and two solvent mixtures. <i>Journal of Molecular Liquids</i> , 2020 , 300, 113	2257	24
319	Synthesis and properties of degradable gels and porous polymers including acetal group in the network structure by addition reaction of multi-functional phenols and divinyl ether compounds. 2020 , 77, 5631-5645		3
318	Functional block copolymers bearing pendant cinnamyl groups for enhanced solubilization of caffeic acid phenethyl ester. 2020 , 52, 435-447		9
317	Solubility of sulfacetamide in aqueous propylene glycol mixtures: Measurement, correlation, dissolution thermodynamics, preferential solvation and solute volumetric contribution at saturation. <i>Journal of Molecular Liquids</i> , 2020 , 297, 111889	6	17
316	A systematic study of dyeing polybutylene succinate fibres. <i>Coloration Technology</i> , 2020 , 136, 87-96	2	2
315	Unusual swelling of acrylate based crosslinked polymer networks in linear primary alcohols: Experimental and modeling aspects. <i>Journal of Molecular Liquids</i> , 2020 , 320, 114459	6	O
314	Mixture Solubility Parameters from Experimental Data and Perturbed-Chain Statistical Associating Fluid Theory. <i>Journal of Chemical & Engineering Data</i> , 2020 , 65, 5801-5808	2.8	
313	Investigating Various Parametrization Strategies for Pharmaceuticals within the PC-SAFT Equation of State. <i>Journal of Chemical & Engineering Data</i> , 2020 , 65, 5753-5767	2.8	6
312	Polymer structure and property effects on solid dispersions with haloperidol: Poly(N-vinyl pyrrolidone) and poly(2-oxazolines) studies. 2020 , 590, 119884		9
311	Solubility of 3-aminosalicylic acid in ethanol + water mixtures at different temperatures. <i>Journal of Molecular Liquids</i> , 2020 , 318, 114310	6	9
310	A universal cohesive energy estimation equation based on COSMO. 2020 , 66, e16990		O
309	Binary Mixtures of Some Active Pharmaceutical Ingredients with Fatty Alcohols-The Criteria of Successful Eutectic Formation and Dissolution Improvement. <i>Pharmaceutics</i> , 2020 , 12,	6.4	2
308	Photoplasticization Behavior and Photoinduced Pressure-Sensitive Adhesion Properties of Various Polymers Containing an Azobenzene-Doped Liquid Crystal. 2020 , 93, 1588-1594		3
307	Rutaecarpine dissolved in binary aqueous solutions of methanol, ethanol, isopropanol and acetone: Solubility determination, solute-solvent and solvent-solvent interactions and preferential solvation study. <i>Journal of Chemical Thermodynamics</i> , 2020 , 151, 106253	2.9	4
306	Effect of solvent used for isocyanate primer on interphase formation. 2020 , 1-13		1
305	Study of transfer of alcohol (methanol, ethanol, isopropanol) during nanofiltration in water/alcohol mixtures. 2020 , 601, 117907		5
304	Preferential solvation of apremilast in some (Transcutol '+'water) mixtures. <i>Journal of Molecular Liquids</i> , 2020 , 316, 113905	6	6
303	Topical Administration of Cannabidiol: Influence of Vehicle-Related Aspects on Skin Permeation Process. 2020 , 13,		14

302	Leveraging Extraction Testing to Predict Patient Exposure to Polymeric Medical Device Leachables Using Physics-based Models. 2020 , 178, 201-211		1
301	Distribution coefficients of salicylic acid and methyl salicylate in high-pressure CO2 Iwater - ethanol systems. 2020 , 166, 105013		1
300	Nitroxide Radical PolymerBolvent Interactions and Solubility Parameter Determination. 2020, 53, 7997-8	3008	8
299	New Design Strategies for Controlling the Rate of Hydrophobic Drug Release from Nanoemulsions in Blood Circulation. 2020 , 17, 3773-3782		2
298	Retention of poly(N-isopropylacrylamide) thin films on polycarbonate via polymer interdiffusion. 2020 , 58, 2728-2740		
297	Dissolution thermodynamics and preferential solvation of meloxicam in (acetonitrile + water) mixtures. <i>Physics and Chemistry of Liquids</i> , 2020 , 1-20	1.5	5
296	Mesoscale Simulations on Morphology Design in Conjugated Polymers and Inorganic Nanoparticles Composite for Bulk Heterojunction Solar Cells. 2020 , 4, 2000352		1
295	Solubility of acetaminophen in (ethanol´+´propylene glycol´+´water) mixtures: Measurement, correlation, thermodynamics, and volumetric contribution at saturation. <i>Journal of Molecular Liquids</i> , 2020 , 318, 114065	6	7
294	Measurement and thermodynamic modeling of solubility of Tamsulosin drug (anti cancer and anti-prostatic tumor activity) in supercritical carbon dioxide. 2020 , 163, 104875		17
293	Determination of Anthraquinone Violet 3RN solubility in supercritical carbon dioxide with/without co-solvent: Experimental data and modeling (empirical and thermodynamic models). 2020 , 159, 529-542		6
292	Biomimetic hybrid membranes with covalently anchored chitosan [Material design, transport and separation. 2020 , 491, 114550		13
291	In vitro-in silico evaluation of Apremilast solid dispersions prepared via Corotating Twin Screw Extruder. 2020 , 59, 101844		3
290	6-Phenyl-3(2H)-pyridazinone dissolved in some aqueous co-solvent mixtures of alcohols: Equilibrium solubility, solvent effect and preferential solvation. <i>Journal of Chemical Thermodynamics</i> , 2020 , 148, 106128	2.9	2
289	Dissolution thermodynamics and preferential solvation of ketoconazole in some {ethanol (1) + water (2)} mixtures. <i>Journal of Molecular Liquids</i> , 2020 , 313, 113579	6	28
288	Manipulating membrane surface porosity via deep insight into surfactants during nonsolvent induced phase separation. 2020 , 611, 118358		9
287	Control of Intramolecular Hydrogen Bonding in a Conformation-Switchable Helical-Spring Polymer by Solvent and Temperature. 2020 , 132, 1853-1860		4
286	Solubility of 3,5-Dinitrosalicylic Acid in Fourteen Pure Solvents over Temperatures from 278.15 to 323.15 K. <i>Journal of Chemical & Engineering Data</i> , 2020 , 65, 2230-2237	2.8	4
285	Prediction of Solubility of Sodium Valproate in Supercritical Carbon Dioxide: Experimental Study and Thermodynamic Modeling. <i>Journal of Chemical & Data, 2020, 65, 1747-1760</i>	2.8	18

284	Thermodynamic Analysis of Etoricoxib in Amphiprotic and Amphiprotic: Aprotic Solvent Mixtures at Several Temperatures. 2020 , 49, 272-288		1
283	Solubility and Dissolution Behavior Analysis of 7-Azaindole in Pure and Binary Mixture Solvents at Temperatures Ranging from 278.15 to 323.15 K. <i>Journal of Chemical & Data, 2020,</i> 65, 3579-3592	2.8	5
282	A comprehensive study on phase inversion behavior of a novel polysulfate membrane for high-performance ultrafiltration applications. 2020 , 610, 118404		9
281	Thermodynamic modelling, Hansen solubility parameter and solvent effect of oxaprozin in thirteen pure solvents at different temperatures. <i>Journal of Chemical Thermodynamics</i> , 2020 , 151, 106239	2.9	13
280	Thermodynamic, Spatial and Methodological Considerations for the Manufacturing of Therapeutic Polymer Nanoparticles. 2020 , 37, 59		7
279	A Ninhydrin-Type Urea Sorbent for the Development of a Wearable Artificial Kidney. 2020 , 20, e1900396	;	3
278	Solid solubility measurement of ipriflavone in supercritical carbon dioxide and microparticle production through the rapid expansion of supercritical solutions process. <i>Journal of CO2 Utilization</i> , 2020 , 37, 285-294	7.6	16
277	Regioselective Bromination of the Dextran Nonreducing End Creates a Pathway to Dextran-Based Block Copolymers. 2020 , 21, 1729-1738		4
276	Viscoelastic behavior of high molecular weight polyimide/cyclohexanone solution during sol-gel transition. 2020 , 190, 122250		4
275	Modifying the Interaction Parameters of a Linear ABC Triblock Terpolymer by Functionalizing the Short, Reactive Middle Block To Induce Morphological Change. 2020 , 53, 1293-1301		2
274	Minimizing Solvent Toxicity in Preparation of Polymeric Membranes for Gas Separation. 2020 , 5, 6330-63	35	3
273	Development of a Gaussian Process - feature selection model to characterise (poly)dimethylsiloxane (Silastic) membrane permeation. 2020 , 72, 873-888		1
272	Supramolecular Dimerization in a Polymer Melt from Small-Angle X-Ray Scattering and Rheology: A Miscible Model System. <i>Polymers</i> , 2020 , 12,	4.5	1
271	New fluorinated polymer- based nanocomposites via combination of sol-gel chemistry and reactive extrusion for polymer electrolyte membranes fuel cells (PEMFCs). 2020 , 252, 123004		1
270	Solid Solubilities of Sulfonamides and Use of Rapid Expansion of Supercritical Solutions for Microparticle Production. <i>Chemical Engineering and Technology</i> , 2020 , 43, 1115-1123	2	3
269	Further numerical analyses on the solubility of diazepam in aqueous tert-butanol mixtures. <i>Physics and Chemistry of Liquids</i> , 2021 , 59, 512-522	1.5	
268	Preferential solvation of 4-(4-ethoxyphenyl)-5-(3,4,5-trimethoxybenzoyl)-3,4-dihydropyrimidin-2(1H)-one in {PEG 400 (1) + water (2)} mixtures. <i>Physics and Chemistry of Liquids</i> , 2021 , 59, 423-430	1.5	6
267	Synthesis of polymer networks by means of addition reactions of tri-amine and poly(ethylene glycol) diacrylate or diglycidyl ether compounds. 2021 , 78, 2745-2763		9

266	Thermodynamic insights to solubility and lipophilicity of new bioactive hybrids triazole with thiazolopyrimidines. <i>Journal of Molecular Liquids</i> , 2021 , 324, 114662	6	2
265	Dissolution thermodynamics and preferential solvation of gliclazide in (Transcutol + water) mixtures. <i>Physics and Chemistry of Liquids</i> , 2021 , 59, 607-621	1.5	1
264	Solid-liquid phase equilibrium of praziquantel in eleven pure solvents: Determination, model correlation, solvent effect, molecular simulation and thermodynamic analysis. <i>Journal of Chemical Thermodynamics</i> , 2021 , 154, 106327	2.9	5
263	Solubility of sulfadiazine in (acetonitrile + methanol) mixtures: Determination, correlation, dissolution thermodynamics and preferential solvation. <i>Journal of Molecular Liquids</i> , 2021 , 322, 114979	6	12
262	Solid-liquid phase equilibrium of naphazoline hydrochloride in eleven neat solvents: Determination, solvent effect, molecular simulation and thermodynamic analysis. <i>Journal of Molecular Liquids</i> , 2021 , 325, 114748	6	6
261	Influence of polycation/cation competition on the aggregation threshold of magnetic nanoparticles. 2021 , 612, 125876		1
260	Molecular Thermodynamics for Aggregation of Surfactants with Alkylbenzene or Branched Alkane Tails: An Experimental-Modeling Approach. 2021 , 532, 112918		O
259	Solubility of meloxicam in aqueous binary mixtures of formamide, N-methylformamide and N,N-dimethylformamide: Determination, correlation, thermodynamics and preferential solvation. <i>Journal of Chemical Thermodynamics</i> , 2021 , 154, 106332	2.9	6
258	Solubility enhancement, solvent effect and thermodynamic analysis of pazopanib in co-solvent mixtures. <i>Journal of Chemical Thermodynamics</i> , 2021 , 155, 106343	2.9	7
257	Solubility study of acetaminophen in the mixtures of acetonitrile and water at different temperatures. <i>Journal of Molecular Liquids</i> , 2021 , 324, 114708	6	2
256	Solubility of meloxicam in (Carbitol + water) mixtures: Determination, correlation, dissolution thermodynamics and preferential solvation. <i>Journal of Molecular Liquids</i> , 2021 , 324, 114671	6	5
255	Solubility of Hydroxytyrosol in binary mixture of ethanol + water from (293.15 to 318.15) K: Measurement, correlation, dissolution thermodynamics and preferential solvation. 2021 , 60, 905-914		2
254	Preparation of a novel polyurethane network based on PPGBGNBPG: investigation of the effect of plasticizers on its properties. 1		0
253	Antisolvent effect on the crystallization of fosfomycin phenylethylamine by acetone: Solubility measurement and thermodynamic mechanism analysis. 2021 , 67, e17140		1
252	Solubility Determination of c-Met Inhibitor in Solvent Mixtures and Mathematical Modeling to Develop Nanosuspension Formulation. 2021 , 26,		2
251	Stepwise Crystallization and Induced Microphase Separation in Nucleobase-Monofunctionalized Supramolecular Poly(Eaprolactone). 2021 , 54, 846-857		7
250	Solubility of Anthraquinone Derivatives in Supercritical Carbon Dioxide: New Correlations. 2021 , 26,		8
249	Cocrystal engineering of pharmaceutical solids: therapeutic potential and challenges.		17

(2021-2021)

248	Comparative Study on Toughening Effect of PTS and PTK in Various Epoxy Resins. <i>Polymers</i> , 2021 , 13,	4.5	2
247	Morphology Control and Metallization of Porous Polymers Synthesized by Michael Addition Reactions of a Multi-Functional Acrylamide with a Diamine. <i>Materials</i> , 2021 , 14,	3.5	1
246	Solubility, dissolution thermodynamics and preferential solvation of 4-nitroaniline in (ethanol + water) mixtures. <i>Physics and Chemistry of Liquids</i> , 1-13	1.5	5
245	Bottlebrush Copolymer as Surface Neutralizer for Vertical Alignment of Block Copolymer Nanodomains in Thin Films 2021 , 10, 346-353		6
244	Anion Exchange Ionomers: Impact of Chemistry on Thin-Film Properties. 2021 , 31, 2008778		11
243	Solubility measurements and thermodynamic modeling of Salen ligand and Organoaluminum-Salen complex in selected solvents. <i>Journal of Molecular Liquids</i> , 2021 , 325, 115147	6	2
242	Targeted Delivery of Soluble Guanylate Cyclase (sGC) Activator Cinaciguat to Renal Mesangial Cells via Virus-Mimetic Nanoparticles Potentiates Anti-Fibrotic Effects by cGMP-Mediated Suppression of the TGF-Pathway. 2021 , 22,		5
241	Solubility of 3-aminosalicylic acid in 1-propanol + water mixtures at different temperatures. <i>Journal of Molecular Liquids</i> , 2021 , 325, 115095	6	1
240	Synthesis of network polymers by photo-initiated thiol@ne reaction between multi-functional thiol and poly(ethylene glycol) diacrylate. 1		О
239	Solubility study of ketoconazole in the mixtures of N-methyl-2-pyrrolidone and ethanol at different temperatures. <i>Journal of Molecular Liquids</i> , 2021 , 326, 115287	6	2
238	Systematic study on solubility of chrysin in different organic solvents: The synergistic effect of multiple intermolecular interactions on the dissolution process. <i>Journal of Molecular Liquids</i> , 2021 , 325, 115180	6	10
237	Solid-liquid phase equilibrium of busulfan in fifteen pure solvents: Solubility determination, solvent effect, model correlation and thermodynamic analysis. <i>Journal of Chemical Thermodynamics</i> , 2021 , 154, 106328	2.9	2
236	Solid Ilquid phase equilibrium and thermodynamic analysis of novel thiazolidine-2,4-dione derivative in different solvents. <i>Journal of Molecular Liquids</i> , 2021 , 326, 115273	6	2
235	Extended Hildebrand solubility approach applied to sulphadiazine in aqueous binary mixtures of Carbitol [®] and N-methyl-2-pyrrolidone at 313.15 K. <i>Physics and Chemistry of Liquids</i> , 1-12	1.5	3
234	Solubility, Three-Dimensional Hansen Solubility Parameters, and Solution Thermodynamics of 3,3?-Diaminodiphenyl Sulfone in 14 Neat Solvents from 283.15 to 328.15 K. <i>Journal of Chemical & Engineering Data</i> , 2021 , 66, 2167-2176	2.8	7
233	Purification and recycling of selenium in wastewater using polyacrylamide capsule containing selenate-reducing bacterium. 2021 , 96, 2006-2013		
232	An investigation into Sunitinib malate nanoparticle production by US- RESOLV method: Effect of type of polymer on dissolution rate and particle size distribution. 2021 , 170, 105163		15
231	Evodiamine in several binary aqueous co-solvents: Solubility measurement and modeling, Hansen solubility parameter, preferential solvation and apparent dissolution and transfer properties. <i>Journal of Molecular Liquids</i> , 2021 , 330, 115658	6	4

230	Further calculations on the solubility of trans-resveratrol in (Transcutol + water) mixtures. <i>Journal of Molecular Liquids</i> , 2021 , 330, 115645	6	5
229	Mutual Effects of Hydrogen Bonding and Polymer Hydrophobicity on Ibuprofen Crystal Inhibition in Solid Dispersions with Poly(-vinyl pyrrolidone) and Poly(2-oxazolines). <i>Pharmaceutics</i> , 2021 , 13,	6.4	O
228	Analytical and Computational Methods for the Determination of Drug-Polymer Solubility and Miscibility. 2021 , 18, 2835-2866		2
227	Solubility, dissolution thermodynamics and preferential solvation of sulfadiazine in (N-methyl-2-pyrrolidone´+´water) mixtures. <i>Journal of Molecular Liquids</i> , 2021 , 330, 115693	6	5
226	Solubility Prediction from Molecular Properties and Analytical Data Using an In-phase Deep Neural Network (Ip-DNN). 2021 , 6, 14278-14287		3
225	Non-hydrolytic solgel synthesis of polypropylene/TiO2 composites by reactive extrusion. 2021 , 99, 39		2
224	A new model and estimation of thermodynamic parameters for the solubility of azobenzene and anthraquinone derivatives in supercritical carbon dioxide. 2021 , 75, 4589		
223	Dissolution thermodynamics and preferential solvation of 2,4-dinitrotoluene in (ethanol + water) mixtures. <i>Journal of Molecular Liquids</i> , 2021 , 330, 115675	6	6
222	Solubility, Dissolution Thermodynamics and Preferential Solvation of Meloxicam in (Methanol + Water) Mixtures. 2021 , 50, 667-689		2
221	Solubility of trans-resveratrol in {ethanol (1) + water (2)} mixtures revisited: Correlation, dissolution thermodynamics and preferential solvation. <i>Physics and Chemistry of Liquids</i> , 1-16	1.5	
220	Fluorinated MOF-808 with various modulators to fabricate high-performance hybrid membranes with enhanced hydrophobicity for organic-organic pervaporation. <i>Separation and Purification Technology</i> , 2021 , 264, 118315	8.3	12
219	Effect of Chemical Penetration Enhancer-Adhesive Interaction on Drug Release from Transdermal Patch: Mechanism Study Based on FT-IR Spectroscopy, C NMR Spectroscopy, and Molecular Simulation. <i>AAPS PharmSciTech</i> , 2021 , 22, 198	3.9	3
218	Measuring and modeling the solubility of an antihypertensive drug (losartan potassium, Cozaar) in supercritical carbon dioxide. <i>Journal of Molecular Liquids</i> , 2021 , 331, 115745	6	7
217	Solubility of Quetiapine hemifumarate (antipsychotic drug) in supercritical carbon dioxide: Experimental, modeling and Hansen solubility parameter application. 2021 , 537, 113003		9
216	Solubility profile of phenytoin in the mixture of carbitol and water at different temperatures. Journal of Molecular Liquids, 2021 , 332, 115515	6	1
215	Fundamental insights into the rejection behavior of polyimide-based OSN membranes. <i>Separation and Purification Technology</i> , 2021 , 265, 118492	8.3	6
214	Computational Chemistry of Pyrrolidone and Caprolactam Based Materials. 1365-1458		
213	Solubility of fluconazole in (ethanol + water) mixtures: Determination, correlation, dissolution thermodynamics and preferential solvation. <i>Journal of Molecular Liquids</i> , 2021 , 333, 115987	6	2

212	Solubility and dissolution thermodynamics of 5-fluorouracil in (ethanol + water) mixtures. <i>Journal of Molecular Liquids</i> , 2021 , 333, 116038	6	2
211	Impact of Matrix Surface Area on Griseofulvin Release from Extrudates Prepared via Nanoextrusion. <i>Pharmaceutics</i> , 2021 , 13,	6.4	2
210	Self-Assembled Chromogenic Polymeric Nanoparticle-Laden Nanocarrier as a Signal Carrier for Derivative Binary Responsive Virus Detection. 2021 , 13, 36868-36879		2
209	Solubility, solvent effect, molecular simulation and thermodynamic properties of clozapine in twelve pure solvents. <i>Journal of Chemical Thermodynamics</i> , 2021 , 158, 106398	2.9	6
208	Evolution of the Computational Pharmaceutics Approaches in the Modeling and Prediction of Drug Payload in Lipid and Polymeric Nanocarriers. 2021 , 14,		2
207	Application of Thermodynamic Phase Diagrams and Gibbs Free Energy of Mixing for Screening of Polymers for Their Use in Amorphous Solid Dispersion Formulation of a Non-Glass-Forming Drug. 2021 , 110, 2703-2717		3
206	Enhanced Representation of Thermal Cracking Chemistry in the Context of Bitumen Partial Upgrading. 2021 , 35, 12005-12018		1
205	Lignin dissolution model in formic acid-acetic acid-water systems based on lignin chemical structure. 2021 , 182, 51-58		4
204	Dependence of polymer tacticity and polymerization rate on conversion, solvent, chain length in radical polymerization of captodative-substituted ethyl acetoxyacrylate. 1		
203	Solubility profile of phenytoin in the mixture of 1-propanol and water at different temperatures. Journal of Molecular Liquids, 2021 , 334, 115936	6	3
202	Isavuconazole: Thermodynamic Evaluation of Processes Sublimation, Dissolution and Partition in Pharmaceutically Relevant Media. 2021 , 26,		1
201	Solubility and Mixing Thermodynamic Properties of Triclabendazole in 14 Neat Solvents at Elevated Temperatures from 278.15 to 318.15 K. <i>Journal of Chemical & Engineering Data</i> , 2021 , 66, 3598-360	o 7 .8	1
200	Preparation and Characterization of Orlistat Bionanocomposites Using Natural Carriers. 2022, 19, 168-	179	О
199	Solubility determination, model correlation, solvent effect, molecular simulation and thermodynamic properties of flutamide in eleven pure solvents at different temperatures. <i>Journal of Molecular Liquids</i> , 2021 , 336, 115559	6	7
198	The effect of alkanediols on the release of triamcinolone acetonide from semisolid dosage forms. 2021 , 605, 120843		О
197	Measurement and correlation of the solubility of sodium acetate in eight pure and binary solvents. 2021 ,		O
196	Liquid phase decomposition of vulcanized isoprene rubber. 2021 , 28, 102632		1
195	Dissolution behavior and preferential solvation of diacerein in mixtures of (ethyl acetate/acetonitrile´+´ethanol) at several temperatures. <i>Journal of Chemical Thermodynamics</i> , 2021 , 160, 106482	2.9	3

194	Heat Treatment Induced Specified Aggregation Morphology of Metoprolol Tartrate in Poly(Etaprolactone) Matrix and the Drug Release Variation. <i>Polymers</i> , 2021 , 13,	4.5	
193	Solvent Affinity and its applications in the prediction of mutual Solubility. <i>Journal of Molecular Liquids</i> , 2021 , 343, 117700	6	O
192	Bifonazole dissolved in numerous aqueous alcohol mixtures: Solvent effect, enthalpyEntropy compensation, extended Hildebrand solubility parameter approach and preferential solvation. <i>Journal of Molecular Liquids</i> , 2021 , 338, 116671	6	7
191	Imidacloprid (I) in several aqueous co-solvent mixtures: Solubility, solvent effect, solvation thermodynamics and enthalpy Intropy compensation. <i>Journal of Molecular Liquids</i> , 2021 , 338, 116781	6	3
190	Solubility study of ketoconazole in propylene glycol and ethanol mixtures at different temperatures: A laser monitoring method. <i>Journal of Molecular Liquids</i> , 2021 , 337, 116060	6	2
189	Solubility of sulfamerazine in (ethylene glycol´+´water) mixtures: Measurement, correlation, dissolution thermodynamics and preferential solvation. <i>Journal of Molecular Liquids</i> , 2021 , 337, 116330	6	5
188	Gas barrier effect of 3-phenylpropionyl group on cellulose ester membranes. 2021 , 2, 100165		
187	Influence of active pharmaceutical ingredient structures on Hansen solubility parameters. 2021 , 167, 106016		O
186	Solubility and thermodynamic aspects of etonogestrel in several aqueous co-solvent solutions. Journal of Molecular Liquids, 2021 , 338, 116624	6	2
185	Solubility, Hansen solubility parameter, solvent effect and preferential solvation of benorilate in aqueous mixtures of isopropanol, N,N-dimethylformamide, ethanol and N-methyl-2-pyrrolidinone. <i>Journal of Chemical Thermodynamics</i> , 2021 , 161, 106517	2.9	10
184	Solubility and partition behavior of moxifloxacin: Experimental results and thermodynamics properties. <i>Journal of Molecular Liquids</i> , 2021 , 339, 116814	6	1
183	Effect of temperature and polarity on the solubility and preferential solvation of sinapic acid in aqueous mixtures of DMSO and Carbitol. <i>Journal of Molecular Liquids</i> , 2021 , 340, 117268	6	5
182	Implications of phase solubility/miscibility and drug-rich phase formation on the performance of co-amorphous materials: The case of Darunavir co-amorphous materials with Ritonavir and Indomethacin as co-formers. 2021 , 608, 121119		
181	The influence of molecular structure on PFAS adsorption at air-water interfaces in electrolyte solutions. 2021 , 281, 130829		10
180	Solubility of coumarin in (ethanol'+'water) mixtures: Determination, correlation, thermodynamics and preferential solvation. <i>Journal of Molecular Liquids</i> , 2021 , 339, 116761	6	6
179	Equilibrium solubility of vanillin in some (ethanol´+´water) mixtures: determination, correlation, thermodynamics and preferential solvation. <i>Journal of Molecular Liquids</i> , 2021 , 342, 117529	6	2
178	Electrochemical and sonochemical advanced oxidation processes applied to tartrazine removal. Influence of operational conditions and aqueous matrix. 2021 , 202, 111517		6
177	Study and mathematical modeling of caffeine solubility in N-methyl-2-pyrrolidone´+´ethylene glycol mixture at different temperatures. <i>Journal of Molecular Liquids</i> , 2021 , 341, 117350	6	2

(2002-2021)

176	Solubility, solvation thermodynamics and solvent effect of thiabendazole in several cosolvent blends. <i>Journal of Chemical Thermodynamics</i> , 2021 , 163, 106616	2.9	2
175	Cellulose derivatives as effective recrystallization inhibitor for ternary ritonavir solid dispersions: In vitro-in vivo evaluation. 2021 , 273, 118562		2
174	Determination and modeling of caffeine solubility in N-methyl-2-pyrrolidone´+´propylene glycol mixtures. <i>Journal of Molecular Liquids</i> , 2021 , 343, 117613	6	1
173	Complete separation of colorants from polymeric materials for cost-effective recycling of waste textiles. <i>Chemical Engineering Journal</i> , 2022 , 427, 131570	14.7	5
172	Molecular Simulation and Statistical Learning Methods toward Predicting Drug-Polymer Amorphous Solid Dispersion Miscibility, Stability, and Formulation Design. 2021 , 26,		7
171	Plastics in High Chemical Resistant Applications. 2021,		Ο
170	Solubility Parameter Values. 1999 ,		20
169	An Introduction to Coarse-Graining Approaches: Linking Atomistic and Mesoscales. 43-84		4
168	Theory for the Phase Behavior of Microemulsions. 1977 , 713-754		31
167	Die Attach Adhesives and Films. 2017 , 469-510		1
166	Direct Measurement of Surface and Interfacial Energies of Glassy Polymers and Pdms. 2001 , 305-329		10
165	Properties of supercritical fluids. 1993 , 1-11		7
164	Preferential solvation of some corticosteroids in {ethanol (1) + water (2)} mixtures at 298.2 K. Journal of Molecular Liquids, 2020 , 312, 113249	6	2
163	A laser monitoring technique for solubility study of ketoconazole in propylene glycol and 2-propanol mixtures at various temperatures. <i>Journal of Molecular Liquids</i> , 2020 , 320, 114444	6	5
162	Solubility of fatty acids and other hydrophobic molecules in liquid trioleoylglycerol 1984 , 25, 189-197		55
161	Molecular Insights into Adhesion at a Buried Silica-Filled Silicone/Polyethylene Terephthalate Interface. 2020 , 36, 15128-15140		9
160	The Future. 2007 , 321-344		0
159	Thermodynamics of Polymer Solutions. 2002 ,		1

158	Correlation of Solubilities and Entrainer Effects for Fatty Acids and Higher Alcohols in Supercritical Carbon Dioxide Using SRK Equation of State with Association Model 2000 , 33, 538-544	4
157	Solubility Estimation of High-value Natural Products in Supercritical CO2 Based on Solubility Parameter. 2010 , 36, 466-471	8
156	Solubility and solubilizing capabilities of aqueous solutions of Extractum Taraxaci e radix cum herba aqu. siccum in light of selected values of general Hildebrand-Scatchard-Fedors theory of solubility. 2016 , 62, 49-65	5
155	Further Numerical Analyses on the Solubility of Sulfapyridine in Ethanol + Water Mixtures. 2016 , 22, 143-152	38
154	Modelling the Preferential Solvation of Ferulic Acid in {2-Propanol (1) + Water (2)} Mixtures at 298.15 K. 2017 , 23, 330-334	1
153	Actual solubility (S real.), level of hydrophilic-lipophilic balance (HLBRequ., HLBD, HLBG) and partition coefficient (log P) of phytochemicals contained in Ext. Camellia sinensis L. aqu. siccum in the light of general Hildebrand-Scatchard-Fedors theory of solubility. 2018 , 64, 46-59	4
152	Litogenolitic and solubility properties of products obtained from common ivy extract (Hederae helicis e folium) and medium of diversified polarity (M). 2019 , 65, 20-31	1
151	Approaches for Improving Bioavailability of Poorly Soluble Drugs. 2008, 51-104	1
150	Effects of Alkaline Cations on Self-assembly of Cetylpyridinium Surfactants. <i>Tenside, Surfactants, Detergents</i> , 2011 , 48, 40-47	2
	Pharmaceutical Co-Crystallization: Regulatory Aspects, Design, Characterization, and Applications.	
149	2020 , 10, 203-212	18
149		18
	THE EFFECT OF CHEMICAL STRUCTURE ON THE PHASE SEPARATION TIME/TEMPERATURE	
148	THE EFFECT OF CHEMICAL STRUCTURE ON THE PHASE SEPARATION TIME/TEMPERATURE DEPENDENCIES IN SOME THERMOPLASTICS MODIFIED THERMOSET SYSTEMS. 2008, 008, 600-608 Characterization of the surface tension and solubility parameter of epoxy resin by using inverse gas	1
148	THE EFFECT OF CHEMICAL STRUCTURE ON THE PHASE SEPARATION TIME/TEMPERATURE DEPENDENCIES IN SOME THERMOPLASTICS MODIFIED THERMOSET SYSTEMS. 2008, 008, 600-608 Characterization of the surface tension and solubility parameter of epoxy resin by using inverse gas chromatography. 2010, 28, 697-701 Synthesis and Properties of Organic-Inorganic Hybrid Porous Polymers Obtained with Click Addition Reactions of Thiol-Functionalized Random Type Silsesquioxane by and Diacrylate or	3
148 147 146	THE EFFECT OF CHEMICAL STRUCTURE ON THE PHASE SEPARATION TIME/TEMPERATURE DEPENDENCIES IN SOME THERMOPLASTICS MODIFIED THERMOSET SYSTEMS. 2008, 008, 600-608 Characterization of the surface tension and solubility parameter of epoxy resin by using inverse gas chromatography. 2010, 28, 697-701 Synthesis and Properties of Organic-Inorganic Hybrid Porous Polymers Obtained with Click Addition Reactions of Thiol-Functionalized Random Type Silsesquioxane by and Diacrylate or Diisocyanate Compounds. 2020, 10, 1-20 Morphological Changes in Ultraviolet-Nanoimprinted Resin Patterns Caused by Ultraviolet-Curable	1 3 2
148 147 146	THE EFFECT OF CHEMICAL STRUCTURE ON THE PHASE SEPARATION TIME/TEMPERATURE DEPENDENCIES IN SOME THERMOPLASTICS MODIFIED THERMOSET SYSTEMS. 2008, 008, 600-608 Characterization of the surface tension and solubility parameter of epoxy resin by using inverse gas chromatography. 2010, 28, 697-701 Synthesis and Properties of Organic-Inorganic Hybrid Porous Polymers Obtained with Click Addition Reactions of Thiol-Functionalized Random Type Silsesquioxane by and Diacrylate or Diisocyanate Compounds. 2020, 10, 1-20 Morphological Changes in Ultraviolet-Nanoimprinted Resin Patterns Caused by Ultraviolet-Curable Resins Absorbing Pentafluoropropane. 2012, 51, 06FJ05 Effect of the combination of permeation enhancer and ion-pairs strategies on transdermal delivery	1 3 2 9
148 147 146 145	THE EFFECT OF CHEMICAL STRUCTURE ON THE PHASE SEPARATION TIME/TEMPERATURE DEPENDENCIES IN SOME THERMOPLASTICS MODIFIED THERMOSET SYSTEMS. 2008, 008, 600-608 Characterization of the surface tension and solubility parameter of epoxy resin by using inverse gas chromatography. 2010, 28, 697-701 Synthesis and Properties of Organic-Inorganic Hybrid Porous Polymers Obtained with Click Addition Reactions of Thiol-Functionalized Random Type Silsesquioxane by and Diacrylate or Diisocyanate Compounds. 2020, 10, 1-20 Morphological Changes in Ultraviolet-Nanoimprinted Resin Patterns Caused by Ultraviolet-Curable Resins Absorbing Pentafluoropropane. 2012, 51, 06FJ05 Effect of the combination of permeation enhancer and ion-pairs strategies on transdermal delivery of tofacitinib. 2021, 611, 121190 Solubility of N-(9-fluorenylmethoxycarbonyloxy)-succinimide in several aqueous co-solvent solutions revisited: Solvent effect, preferential solvation and dissolution and transfer properties.	1 3 2 9

140 Metal Processing in Supercritical Carbon Dioxide. **2002**,

139	Analytical Supercritical Fluid Extraction for Food Applications. 2004,	1
138	Correlation of Vapor-Liquid Equilibria for Ethanol + Hydrocarbon Binary Systems Using Regular Solution Model with Exponent-Type Mixing Rule. 2009 , 42, 636-639	1
137	Bibliography. 2010 , 135-136	
136	Estimation of Wilson Parameters from Solubility Parameters and Molar Volumes. 2011 , 37, 1-3	2
135	I/O???????????. 2013 , 67, 913-920	
134	Correlation of Vaporliquid Equilibria of Binary Systems Containing Carboxylic Acid by Using Wilson Equation with Parameters Estimated from Pure-Component Properties. 2013 , 46, 100-106	3
133	Development of Imaging Materials for Electronic Paper by using I^ ^frasl;O Values. 2013 , 67, 921-928	
132	Solubility of Salicylic Acid in Supercritical Carbon Dioxide and Its Application to Micronization Process. 2013 , 9, 1-7	
131	THE SOLUBILITY PARAMETER CONCEPT IN THE DESIGN OF POLYMERS FOR HIGH PERFORMANCE COATINGS. 1982 , 26-40	
130	Polymer Blend Thermodynamics: Flory Huggins Theory and Its Application to Excimer Fluorescence Studies. 1986 , 523-546	
129	Critical Property Requirements for Supercritical Fluid Processing of Biomaterials. 1989 , 393-441	
128	LBlichkeitsparameter, Log P, LSER, M-Zahlen. 1999 , 271-300	
127	Thermophysical Properties of Pure Substances in the Context of Sustainable High Pressure Food Processes Modelling. 2015 , 117-152	1
126	Eutectic Systems for Penetration Enhancement. 2015 , 163-173	
125	The New Breadth of Research in the Field. 2015 , 65-89	
124	Biorheological Aspect of Microcapsules. 2015 , 239-259	1
123	Squiggly Lines and Random DotsYou Can Fit Anything with a Nonlinear Model. 2015 , 117-139	

122	pVT Analysis of the Effect of Addition of Thermoplastics, Block-Copolymers, or Rubbers on the Curing Behavior and Shrinkage of Epoxy Resins. 2016 , 1-26		
121	The Direct Bonding Technology Based on Interfacial Interaction and/or Reactions between Rubber-Plastics. 2016 , 28, 50-57		
120	Effect of Extractant on the Color Characteristics of Natural Colorant Extracts. 2016 , 28, 1-13		2
119	pVT Analysis of the Effect of Addition of Thermoplastics, Block-Copolymers, or Rubbers on the Curing Behavior and Shrinkage of Epoxy Resins. 2017 , 799-823		
118	Numerical Prediction of Solubility Parameter using Molar Attraction Constant. 2017 , 53, 129-136		
117	Nonempirical Kinetic Modeling of Non-fickian Water Absorption Induced by a Chemical Reaction in Epoxy-Amine Networks. 2018 , 1-18		3
116	Predicted real solubility ($\log x^2$) and the level of hydrophilic-lipophilic balance (HLBRequ.) of phytochemicals contained in extracts isolated from linden inflorescence (Tiliae flos) with solvents of diversified polarity (\mathbb{M}). 2019 , 65, 39-50		
115	Chapter 18 Compressor Lubricants. 2019 , 683-719		
114	New correlations for the solubility of anticancer drugs in supercritical carbon dioxide. 1		1
113	Evaluation of Nonelectrolyte Hydrogel Swelling and Its Pressure Effects with Simple Equation of State and Mechanical Models Using Liquid Equilibrium Data. 2020 , 59, 21969-21981		2
112	Solubility of Dasatinib monohydrate (anticancer drug) in supercritical CO2: Experimental and thermodynamic modeling. <i>Journal of Molecular Liquids</i> , 2021 , 346, 117899	6	2
111	Optimizing the Crystallization Behavior and Film Morphology of DonorAcceptor Conjugated Semiconducting Polymers by Side-ChainBolvent Interaction in Nonpolar Solvents.		3
110	Evaluation of physicochemical and antioxidant properties of nanosized copolymeric micelles loaded with kaempferol. 2020 , 67, 49-54		2
109	Phase and Morphology Control of Organic-Inorganic Hybrid Network Polymer by Means of Hydrosilylation Reaction of Cubic Silsesquioxane or Cyclic Polysiloxane and Divinyl or Diallyl Compounds. 2020 , 49, 1236-1239		1
108	1. Particle Characteristics and Measurement 1.11 Particle Agglomeration, Dispersion and Stabilization of Dispersed State 1.11.4 Agglomeration and Stabilization of Particles in Liquid Phase 1.11.5 Summary. 2020 , 57, 536-541		
107	Improving the high temperature tribology of polyimide by molecular structure design and grafting POSS.		
106	Totally Bio-Based, Recyclable Wood Filler-Feather Resin Composite. 1-14		1
105	Born to be a Liquid Crystal: The role of fluorinated chain in the design and synthesis of new mesogens. <i>Journal of Molecular Liquids</i> , 2021 , 349, 118157	6	Ο

104	Preferential Solvation Study of the Synthesized Aldose Reductase Inhibitor (SE415) in the {PEG 400 (1) + Water (2)} Cosolvent Mixture and GastroPlus-Based Prediction 2022 , 7, 1197-1210		2
103	Thermodynamic analysis of solubility, distribution and solvation of antifungal miconazole in relevant pharmaceutical media. <i>Journal of Molecular Liquids</i> , 2022 , 347, 118248	6	Ο
102	Pharmaceutical profiling and molecular dynamics simulations reveal crystallization effects in amorphous formulations 2021 , 613, 121360		1
101	Solubility of baclofen in some neat and mixed solvents at different temperatures. <i>Journal of Molecular Liquids</i> , 2022 , 347, 118352	6	Ο
100	Asphaltenes subfractions characterization and calculation of their solubility parameter using ESI(-) FT-ICR MS: Part II. 2022 , 312, 122864		3
99	Equilibrium leaching of selected ultraviolet stabilizers from plastic products 2021 , 427, 128144		2
98	Semi-Crystalline Polyetherimide Microparticles via Liquid-Liquid Phase Separation and Precipitation. 2100797		1
97	Solubility Measurement and Thermodynamic Properties of Nintedanib Esylate Hemihydrate in Pure Solvents. <i>Journal of Molecular Liquids</i> , 2022 , 118624	6	1
96	Controlling Microbial Dynamics through Selective Solute Transport across Functional Nanocultures.		1
95	Effect of shape and nano-segregation in 2 -isoxazoline and isoxazole on the mesogenic behavior of 1,3-bis-isophthalimines. <i>Liquid Crystals</i> , 1-10	2.3	Ο
94	Equilibrium solubility of trans-resveratrol in {acetone (1) + water (2)} mixtures: Correlation, dissolution thermodynamics and preferential solvation. <i>Physics and Chemistry of Liquids</i> , 1-18	1.5	Ο
93	Solvents and ions for pretreatment in lignocellulosic biorefineries. 2022 , 113, 241-257		O
92	Preferential solvation study of (Z)-N-benzyl-2-{5-(4-hydroxybenzylidene)-2,4-dioxothiazolidin-3-yl)acetamide (3) in {NMP + Water } co-solvent mixture and GastroPlus software based in vitro simulation. <i>Journal of Molecular Liquids</i> ,	6	1
91	2022, 349, 118491 Measurement and correlation of the solubility of kojic acid in pure and binary solvents. <i>Journal of Chemical Thermodynamics</i> , 2022, 167, 106712	2.9	1
90	Physico-chemical and tribological properties of isopropyl-branched chicken fat. 2022 , 316, 123293		О
89	Solubility of Pholcodine (antitussive drug) in supercritical carbon dioxide: Experimental data and thermodynamic modeling. 2022 , 556, 113396		1
88	Equilibrium solubility of 6-methylcoumarin in some (ethanol + water) mixtures: determination, correlation, thermodynamics and preferential solvation. <i>Physics and Chemistry of Liquids</i> , 1-21	1.5	
87	Mixed Solvents in Multilayer Ceramic Capacitors (MLCC) Electronic Paste and Their Effects on the Properties of Organic Vehicle <i>Polymers</i> , 2022 , 14,	4.5	Ο

86	Thermodynamic data measurement and analysis of organoaluminum supported by tiketimine ligand in several solvents. <i>Journal of Molecular Liquids</i> , 2022 , 351, 118579	6	O
85	From macromonomers to bottlebrush copolymers with sequence control: synthesis, properties, and applications.		1
84	Thermodynamic Solubility Profile of Temozolomide in Different Commonly Used Pharmaceutical Solvents 2022 , 27,		О
83	Probing Covalent Interactions at a Silicone Adhesive/Nylon Interface 2022,		2
82	Development of correlations between deasphalted oil yield and Hansen solubility parameters of heavy oil SARA fractions for solvent deasphalting extraction. 2022 , 107, 456-465		1
81	Physicochemical Profile of Antiandrogen Drug Bicalutamide: Solubility, Distribution, Permeability <i>Pharmaceutics</i> , 2022 , 14,	6.4	O
80	Application of the Solute-Solvent Intermolecular Interactions as Indicator of Caffeine Solubility in Aqueous Binary Aprotic and Proton Acceptor Solvents: Measurements and Quantum Chemistry Computations <i>Materials</i> , 2022 , 15,	3.5	1
79	Adopting a Residual-Energy-Based Approach to Calculate the Solubility Parameters of n -Alkanes. <i>Chemical Engineering and Technology</i> ,	2	
78	Preparation and Evaluation of Novel Supersaturated Solid Dispersion of Magnolol: Theme: Advancements in Amorphous Solid Dispersions to Improve Bioavailability <i>AAPS PharmSciTech</i> , 2022 , 23, 97	3.9	Ο
77	Solubility of tadalafil in aqueous mixtures of Transcutol and PEG 400 revisited: correlation, thermodynamics and preferential solvation. <i>Physics and Chemistry of Liquids</i> , 1-17	1.5	
76	CO2 utilization for determining solubility of teriflunomide (immunomodulatory agent) in supercritical carbon dioxide: Experimental investigation and thermodynamic modeling. <i>Journal of CO2 Utilization</i> , 2022 , 58, 101931	7.6	4
75	The relationship between the substitution position of hydrophobic groups on near-magenta anthraquinone dyestuffs and the dyeing performance for polypropylene fabric dyed in supercritical carbon dioxide. <i>Coloration Technology</i> ,	2	
74	Investigation on Hansen solubility parameter, solvent effect and thermodynamic properties of 3-methylflavone-8-carboxylic acid dissolved in different solvents. <i>Journal of Molecular Liquids</i> , 2022 , 356, 119017	6	О
73	Hedgehog-like structure, PVDF- carbon nanohorn hybrid membranes for improved removal of VOCs from water. <i>Chemical Engineering Journal</i> , 2022 , 438, 135574	14.7	1
72	Tunable hydrophobicity and roughness on PVDF surface by grafting to mode [Approach to enhance membrane performance in membrane distillation process. <i>Separation and Purification Technology</i> , 2022 , 291, 120935	8.3	Ο
71	Solubility, thermodynamic properties and molecular simulation of tinidazole in fourteen mono-solvents at different temperatures. <i>Journal of Chemical Thermodynamics</i> , 2022 , 170, 106767	2.9	1
70	Measurement and correlation of solubility of rivaroxaban in dichloromethane and primary alcohol binary solvent mixtures at different temperatures. <i>Journal of Molecular Liquids</i> , 2022 , 357, 119064	6	1
69	Towards a Kinetic Modeling of the Changes in the Electrical Properties of Cable Insulation during Radio-Thermal Ageing in Nuclear Power Plants. Application to Silane-Crosslinked Polyethylene <i>Polymers</i> , 2021 , 13,	4.5	О

68	Eutectic Formation of Naproxen with Some Dicarboxylic Acids <i>Pharmaceutics</i> , 2021 , 13,	6.4	О
67	New multi-fluorinated benzofuran liquid crystals with large dielectric anisotropy and improved solubility. <i>Liquid Crystals</i> , 1-10	2.3	1
66	Data_Sheet_1.pdf. 2018 ,		
65	Preferential Solvation, Hansen Solubility Parameters, and Thermodynamic Behaviors of 1-Methyl-2-[(phenylthio)methyl]-3-carbethoxy-4-[(dimethylamino)methyl]-5-hydroxy-6-bromoindole Hydrochloride Monohydrate in Four Aqueous Binary Solvents. <i>Journal of Chemical & Description of C</i>	2.8	1
64	An updated database of human maximum skin fluxes and epidermal permeability coefficients for drugs, xenobiotics, and other solutes applied as aqueous solutions. <i>Data in Brief</i> , 2022 , 42, 108242	1.2	O
63	Study on the formation and stability of polyol-in-oil emulsion. <i>Tenside, Surfactants, Detergents</i> , 2022 ,	1	
62	Equilibrium Solubility and Modeling of Glibenclamide in Cosolvent Mixtures of Methanol, n-Propanol, Isopropanol, and Acetonitrile + WaterYuxiu Li, Yu Zhu, Wanwan Wang, Juan Song, Hua LvCollege of Pharmacy and Chemistry & Demical Engineering, TaiZhou University, Taizhou, Jiangsu	1	
61	225300, People Republic of ChinaCorresponding author. Tel: +'86 15161061813* E-mail Experimental solubility and thermodynamic modeling of empagliflozin in supercritical carbon dioxide. Scientific Reports, 2022, 12, propanol, isopropanol. SSRN Electronic Journal,	4.9	2
60	Tuning Polymer/TiO2 Nanocomposites Morphology by In Situ Non-Hydrolytic Sol-Gel Syntheses in Viscous Polymer Medium: Influence of the Polymer Nature and Oxygen Donor. <i>Polymers</i> , 2022 , 14, 2273	4.5	1
59	Milrinone solubility in aqueous cosolvent solutions revisited: Inter/intra-molecular interactions, enthalpy-entropy compensation, and preferential solvation. <i>Journal of Molecular Liquids</i> , 2022 , 360, 119	6 452	O
58	Phosphonates from LipidsBynthesis and Tribological Evaluation. ACS Symposium Series, 139-156	0.4	
57	An experimental and theoretical investigation into the self-assembly of a chemically modified high-licoilfod diblock copolymer. <i>RSC Advances</i> , 2022 , 12, 17950-17958	3.7	0
56	Preferential solvation of 5,7-dihydroxyflavone (chrysin) in aqueous co-solvent mixtures of methanol and ethanol. <i>Physics and Chemistry of Liquids</i> , 1-12	1.5	
55	Solubility of prazosin hydrochloride (alpha blocker antihypertensive drug) in supercritical CO2: Experimental and thermodynamic modelling. <i>Journal of Molecular Liquids</i> , 2022 , 119689	6	2
54	Effect of solvent isomers on the gelation properties of tri-aryl amine organogels and their hybrid thermoreversible gels with poly[vinyl chloride]. <i>Soft Matter</i> ,	3.6	
53	Hirshfeld Surface Analysis, Solid-Liquid Phase Equilibrium and Thermodynamic Analysis of Nintedanib in Binary Mixed Solvents. <i>SSRN Electronic Journal</i> ,	1	
52	Experimental and thermodynamic study of solubility, partition and solvation of climbazole. <i>Journal of Thermal Analysis and Calorimetry</i> ,	4.1	
51	A numerical approach to determine the optimal condition of the gas anti-solvent supercritical process for nanoparticles production. <i>Scientific Reports</i> , 2022 , 12,	4.9	O

50	Thermodynamic Analysis for the Solubility of Allopurinol in Aqueous and Non-aqueous Mixtures at Various Temperatures. <i>International Journal of Thermophysics</i> , 2022 , 43,	2.1
49	A Theoretical Perspective on the Thermodynamic Stability of Polymer Blends for Solar Cells: From Experiments to Predictive Modeling. 2200172	2
48	Expanding the Equilibrium Solubility and Dissolution Thermodynamics of Benzoic Acid in Aqueous Alcoholic Mixtures. 2022 , 3, 392-414	
47	Increasing the Equilibrium Solubility of Meloxicam in Aqueous Media by Using Dimethyl Sulfoxide as a Cosolvent: Correlation, Dissolution Thermodynamics and Preferential Solvation. 2022 , 2, 161-182	1
46	Experimental study on solubility of lubricating oils in a supercritical methane gas. 2022, 100475	
45	Predictive Mesoscale Simulation of Flow-Induced Blend Morphology, Interfacial Relaxation, and Linear Viscoelasticity of PolymerElastomer Blends.	O
44	Porcupine quills-like-structures containing smart PVDF/chitosan hybrids for anti-fouling membrane applications and removal of hazardous VOCs. 2023 , 452, 139281	0
43	Bioequivalent and Non-Aqueous Polyurethane Gel for Ultrasound Phantom. 2022 , 55, 300-306	O
42	Solubility of pazopanib hydrochloride (PZH, anticancer drug) in supercritical CO2: Experimental and thermodynamic modeling. 2022 , 190, 105759	1
41	Study on solid-liquid equilibrium behavior of oxadiazine dissolved in 12 pure solvents: Solubility determination, model correlation and molecular simulation. 2022 , 367, 120473	O
40	Dissolution thermodynamics and preferential solvation of genistein in some (ethanol + water) mixtures at different temperatures. 1-21	О
39	Biological Activity In Vitro, Absorption, BBB Penetration, and Tolerability of Nanoformulation of BT44:RET Agonist with Disease-Modifying Potential for the Treatment of Neurodegeneration.	O
38	Experimental solubility and modeling of Crizotinib (anti-cancer medication) in supercritical carbon dioxide. 2022 , 12,	1
37	Effect of N-Methyl-pyrrolidone (NMP) on the Equilibrium Solubility of Meloxicam in Aqueous Media: Correlation, Dissolution Thermodynamics, and Preferential Solvation. 2022 , 7, 37988-38002	O
36	Characterization of swelling behavior and elastomer properties of acrylate polymers containing 2-ethylhexyl and isobornyl esters.	О
35	Determination of the solubility of rivaroxaban (anticoagulant drug, for the treatment and prevention of blood clotting) in supercritical carbon dioxide: Experimental data and correlations. 2022 , 104421	1
34	Investigating and Comparing the Applicability of the R3m Molecular Descriptor and Solubility Parameter Estimation Approaches in Predicting Dispersion Formation Potential of APIs in a Random Co-Polymer Polyvinylpyrrolidone Vinyl Acetate and its Homopolymer. 2022 ,	О
33	Mechanically Robust and Transparent Polyamideimide Films via Consecutive Polycondensation, Amidation, Acid Removal, and Bluing Agent Addition.	O

32	Solubility measurement and correlation of 2-aminoterephthalic acid in eight alcoholic solvents at different temperatures. 2022 , 106948	O
31	Assessment of solid[Iquid equilibrium behavior and thermodynamic analysis of natural plant extracts artemisinin (Form I) in twelve mono-solvents. 2023 , 369, 120975	O
30	Solubility determination, hansen solubility parameter, solvent effect and preferential solvation of thenalidine in four aqueous binary mixtures. 2023 , 369, 120860	O
29	Liquid-liquid interface induced high-flux PEBA pervaporation membrane for ethanol recovery. 2023 , 668, 121254	O
28	Effect of deacetylation degree and molecular weight on surface properties of chitosan obtained from biowastes. 2023 , 137, 108383	1
27	Solid-liquid equilibrium of 1-[4-(4-hydroxyphenyl)piperazin-1-yl]ethenone in twelve mono-solvents: Solubility determination, Hansen solubility parameter and thermodynamic analysis. 2023 , 178, 106969	O
26	Full Characterization of Water Transport Properties in Polyetherketoneketone (PEKK).	O
25	Measurement and thermodynamic analysis of the solubility of iodine-containing organoaluminum supported by nitrogenous ligands in pure solvents. 2022 , 121143	O
24	Thermal conductivity and shear strength characterisation of hybrid GNPs and silane functionalised BN as thermal conductive adhesive. 1-49	1
23	Experimental measurement and thermodynamic modeling of solubility of Riluzole drug (neuroprotective agent) in supercritical carbon dioxide. 2022 , 113711	1
22	Solubility and Data Correlation of 2-Bromo-5-hydroxypyrazine in Four Cosolvent Mixtures and Ten Mono-Solvents from 278.15 to 323.15 K.	O
21	Equilibrium solubility and modeling of Glibenclamide in cosolvent mixtures of Methanol, n-Propanol, Isopropanol, and Acetonitrile´+ Water. 2023 , 180, 107002	O
20	Nanoseeded Desupersaturation and Dissolution Tests for Elucidating Supersaturation Maintenance in Amorphous Solid Dispersions. 2023 , 15, 450	O
19	Introduction of new method for prediction of solubility parameter using aripiprazole as a model drug. 2023 , 44, 100995	О
18	Copolyimide membranes fabricated by nonsolvent-induced phase separation for helium extraction from natural gas. 2023 , 313, 123455	O
17	Predictive distribution coefficient (pKD) model for hops extract fractionation in high-pressure CO2 - ethanol - water solvent systems. 2023 , 569, 113762	O
16	Synthesis of network polymers by means of ring-opening addition reaction of a tri-aziridine and dicarboxylic acid compounds. 2023 , 276, 125948	0
15	Tranilast-matrine co-amorphous system: Strong intermolecular interactions, improved solubility, and physiochemical stability. 2023 , 635, 122707	O

14	Highly tough, colorless, transparent polyamide-imide films from one reaction vessel without purification. 2023 , 31, 213-222	0
13	Solubility Determination and Comprehensive Analysis of the New Heat-Resistant Energetic Material TNBP. 2023 , 28, 2424	O
12	Selection of appropriate dapsone and poly(1-vinylpyrrolidone-co-vinyl acetate) ratios for the preparation of amorphous solid dispersions. 2023 , 9, e14167	О
11	Adhesion to Untreated Polyethylene and Polypropylene by Needle-like Polyolefin Crystals. 2023 , 56, 2429-2436	O
10	Styrene Crosslinked Vinylesters II: Water Sorption, Water Diffusion and Cohesive Properties. 1994 , 2, 147823919400200	О
9	Styrene Crosslinked Vinylesters I: Correlation between the Theoretical Structure and Some Thermophysical Properties. 1994 , 2, 147823919400200	O
8	Solubility of ibrutinib in supercritical carbon dioxide (Sc-CO2): Data correlation and thermodynamic analysis. 2023 , 182, 107050	О
7	Preferential Solvation Study of Rosuvastatin in the {PEG400 (1) + Water (2)} Cosolvent Mixture and GastroPlus Software-Based In Vivo Predictions. 2023 , 8, 12761-12772	O
6	Co-Former Screening Method for Multicomponent Crystals Based on Partial Least Squares Regression: A Case Study of Ciprofloxacin.	0
5	Studying spatial drug distribution in golf ball-shaped microspheres to understand drug release. 2023 , 357, 196-209	O
4	Adhesive Properties of Semiconducting Polymers: Poly(3-alkylthiophene) as an Ersatz Glue.	0
3	Computational nanoscience and technology. 2023 , 12, 100147	O
2	Nonspherical Epoxy Resin Polymer Particles Synthesized via Solvent-Free Polyaddition Reactions.	О
1	Double-Loaded Doxorubicin/Resveratrol Polymeric Micelles Providing Low Toxicity on Cardiac Cells and Enhanced Cytotoxicity on Lymphoma Cells. 2023 , 15, 1287	O